University of London

WEEKS & CO. BINDERS. LONDON. N.W.

605814

Digitized by the Internet Archive
in 2026

https://archive.org/details/reportsfromcommi0017vari_s6v1

REPORTS

FROM

COMMISSIONERS:

SIXTEEN VOLUMES.

— *(2.)* —

BIRTHS, DEATHS, AND MARRIAGES (ENGLAND);

MARRIAGES (IRELAND);

BIRTHS, DEATHS, AND MARRIAGES (SCOTLAND).

Session

4 *February* —— 29 *July* 1864.

VOL. XVII.

REPORTS FROM COMMISSIONERS:

1864.

SIXTEEN VOLUMES:—CONTENTS OF THE

SECOND VOLUME.

N. B.—THE Figures *at the* beginning of the line, *correspond with the* N° *at the foot of each* Report; *and the* Figures *at the* end of the line, *refer to the* MS. Paging *of the Volumes arranged for The House of Commons.*

BIRTHS, DEATHS, AND MARRIAGES (ENGLAND):

15.] TWENTY-FIFTH ANNUAL REPORT of the REGISTRAR GENERAL of BIRTHS, DEATHS, and MARRIAGES in *England* - - p. 1

MARRIAGES (IRELAND):

58.] THIRTEENTH REPORT of the REGISTRAR GENERAL of MARRIAGES in *Ireland*, under the Provisions of the Act 7 & 8 Vict. c. 81 - - - - - - - - - - 265

folio: bound elsewhere in vol. lettered Miscellaneous Folio Portions.

BIRTHS, DEATHS, AND MARRIAGES (SCOTLAND):

60.] NINTH ANNUAL REPORT of the REGISTRAR GENERAL of BIRTHS, DEATHS, and MARRIAGES in *Scotland* - - - - 281

51.] FIFTH DETAILED ANNUAL REPORT of the REGISTRAR GENERAL of BIRTHS, DEATHS, and MARRIAGES in *Scotland* - 289

91.] SIXTH DETAILED ANNUAL REPORT of the REGISTRAR GENERAL, 1860 - - - - - - - - - - 561

TWENTY-FIFTH

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

LONDON:
PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE.

1864.

7920.

[3415]

CONTENTS.

PAG

REPORT :—

Marriages, Births, and Deaths; their Numbers and Proportions to the Population, during the Year 1862 . . . . . . i–ii

Marriages in 1862. Number celebrated according and *not* according to the Rites of the Established Church iii

Re-marriages . . . . iii–iv

Marriages of minors iv

Signatures of Persons married . . . . iv–vii

Buildings registered for the Solemnization of Marriages . vii

Births in 1862. Birth-rate; Sex; Seasons; Children born *in* and *out of* Wedlock ix

Deaths in 1862. Death-rate; London and Counties; Sex; Seasons . x–xv

Mortality of Males and Females at the various Periods of Life, 1838–62 . . . . xvi–xix

Summary of the Quarterly Reports, 1862 :—

First Quarter, ending March 31st . . . . . xix–xxv

Second Quarter, ending June 30th . . . . . xxv–xxix

Third Quarter, ending September 30th . . . . xxix–xxxiv

Fourth Quarter, ending December 31st . . . . xxxiv–xlii

Health of London in 1862 . . . . xlii–xlv

Great Britain; Population, Marriages, Births, and Deaths xlv–xlvi

England and Wales, France, Austria, and Italy; Population, Marriages, Births, and Deaths . . . . xlvi–xlviii

Deaths in the British Army at Home and Abroad . . xlix–l

Births and Deaths of English Subjects at Sea; Mortality of Merchant Seamen . . . . l–li

Progress of Registration. Aggregate Number of Names on the Registers, and the annual Number of Searches for Registers at the Central Office . . . . li–lii

Certified Places of Religious Worship lii

ABSTRACTS :—

Marriages Registered in England in each of the Divisions, Counties, and Districts in 1862; distinguishing those according and those *not* according to the Rites of the Established Church; and distinguishing also Persons married according to their conjugal Condition, Minority, and Signature of the Register by marks 2–25

Ages of 208,728 Persons married in 1862, distinguishing those of Bachelors, Spinsters, Widowers, Widows . . 26–27

Marriages, Births, and Deaths Registered in each of the Divisions, Counties, and Districts in 1862; also Births and Deaths and Excess of Births over Deaths in each of the Sub-districts of England; distinguishing the Sexes and Illegitimate Births throughout 28–82

PAGE

ABSTRACTS—*continued.*

DEATHS in 1862 in the principal Public Institutions in London . . . 83–84

BIRTHS Registered in the DIVISIONS and COUNTIES (distinguishing Males and Females) in each of the Four Quarters of 1862 . . . 86–89

BIRTHS of Children born out of Wedlock Registered in the DIVISIONS and COUNTIES, in each of the Four Quarters of 1862 . . . 90–93

DEATHS Registered in each of the Four Quarters of 1862 (distinguishing Males and Females), in DIVISIONS and COUNTIES . . . 94–97

DEATHS of Males and Females at different AGES Registered in 1862 in DIVISIONS, COUNTIES, and DISTRICTS 98–119

CAUSES of DEATHS of Males and Females in ENGLAND, at different Periods of Life, in 1862 120–125

SUPPLEMENTARY TABLE of CAUSES of DEATH of Males and Females at different Periods of Life in 1862 126–129

CAUSES of DEATHS of Males and Females in LONDON, at different Periods of Life, in 1862 130–135

CAUSES of DEATHS of Males and Females in ENGLAND, and in each of the DIVISIONS and COUNTIES, in 1862 136–159

DEATHS from SEVERAL CAUSES in 1862, in the DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND 160–171

CHANGES in the CONSTITUTION of DISTRICTS during 1862 . . . 172

APPENDIX.

LETTER TO THE REGISTRAR-GENERAL ON THE CAUSES OF DEATH IN ENGLAND IN 1862, by WILLIAM FARR, ESQ., M.D., D.C.L., F.R.S.:—

I. CAUSES OF DEATH 175

(1) *Zymotic Diseases* 175–185

(2) *Constitutional Diseases* 185–186

(3) *Local Diseases* 186–189

(4) *Developmental Diseases* 189–190

(5) *Violent Deaths* 190–192

Deaths by Lightning 192

INDEX of DISTRICTS, SUB-DISTRICTS, and of certain TOWNS, referring by Numbers to the several TABLES of ABSTRACTS 193–207

REPORT

TO

The Right Honourable Sir GEORGE GREY, Bart., G.C.B., M.P., Her Majesty's Principal Secretary of State for the Home Department, &c. &c. &c.

General Register Office, Somerset House,
1st June 1864.

SIR,

I HAVE now the honour to submit to you my Report on the results of the Registration of the year 1862.

1,477,310 names have been inscribed on the Registers of the year; comprising the names of 328,060 persons married, 712,684 children born, and 436,566 persons who died at all ages, some having seen the light only for a few minutes, and others having lived through an age of a hundred years.

The marriages were less than the average number, and thus reflected the passing suffering of the people from the depression of the cotton manufacture.

All the births in the first years after the Act came into operation in the year 1837 were not registered; but since 1851 the present system has been in full operation, and the birth-rate of the year 1862 exceeded the rate of every year except the rate of the year 1859, which it equalled. To every 100 persons living 3·504 children were born in both years.

The mortality was at the rate of 2·147 per cent.; which is ·078 below the average, and lower than the mortality in nineteen out of the twenty-four years preceding.

TABLE I.—Estimated **Population,** with the Number of **Marriages, Births,** and **Deaths** registered in **England,** in each **Year** from **1838** to **1862.**

YEARS ended Dec. 31st	Estimated POPULATION in ENGLAND in the Middle of the Years.*	MARRIAGES.	PERSONS MARRIED.	BIRTHS (exclusive of Still-born).	DEATHS.	EXCESS OF BIRTHS OVER DEATHS.
1838	15,312,256	118,067	236,134	463,787	342,760	121,027
1839	15,515,296	123,166	246,332	492,574	338,984	153,590
1840	15,721,029	122,665	245,330	502,303	359,687	142,616
1841	15,929,492	122,496	244,992	512,158	343,847	168,311
1842	16,123,793	118,825	237,650	517,739	349,519	168,220
1843	16,320,479	123,818	247,636	527,325	346,445	180,880
1844	16,519,565	132,249	264,498	540,763	356,933	183,830
1845	16,721,081	143,743	287,486	543,521	349,366	194,155
1846	16,925,051	145,664	291,328	572,625	390,315	182,310
1847	17,131,512	135,845	271,690	539,965	423,304	116,661
1848	17,340,492	138,230	276,460	563,059	399,833	163,226
1849	17,552,020	141,883	283,766	578,159	440,839	137,320
1850	17,766,129	152,744	305,488	593,422	368,995	224,427
1851	17,982,849	154,206	308,412	615,865	395,396	220,469
1852	18,193,206	158,782	317,564	624,012	407,135	216,877
1853	18,404,368	164,520	329,040	612,391	421,097	191,294
1854	18,616,310	159,727	319,454	634,405	437,905	196,500
1855	18,829,000	152,113	304,226	635,043	425,703	209,340
1856	19,042,412	159,337	318,674	657,453	390,506	266,947
1857	19,256,516	159,097	318,194	663,071	419,815	243,256
1858	19,471,291	156,070	312,140	655,481	449,656	205,825
1859	19,686,701	167,723	335,446	689,881	440,781	249,100
1860	19,902,713	170,156	340,312	684,048	422,721	261,327
1861	20,119,314	163,706	327,412	696,406	435,114	261,292
1862	20,336,467	164,030	328,060	712,684	436,566	276,118

* The Population of each of the years since 1851 is deduced from the ascertained rate of increase observed in the twenty years, 1841-61; and an allowance is made for the decrease in the rate during the latter ten years. On another hypothesis the numbers would differ slightly from the estimate here given, but as the rates of births, deaths, and marriages have been calculated on these numbers it is not considered advisable to give any other estimate of Population.

It is thus gratifying to find, that, notwithstanding the depression of one great branch of trade, which was prudently met by a reduction of marriages, the health of the country remained better than it had been in many previous years.

Marriages.

164,030 marriages were solemnized in the year; 129,733 or 79 per cent. according to the rites of the Established Church, and 34,297 or 21 per cent. *not* according to the rites of the Established Church. 19,486 marriages were by licence, 102,870 after banns, 3966 on Superintendent Registrar's certificate; and in 3393 instances it was not stated under which of those heads the marriages should be placed. In Roman Catholic Chapels there were 7345 marriages; in the registered places of other Christian denominations there were 13,870 marriages; and in the offices of the Superintendent Registrars 12,723. In 1847 the number of marriages in Roman Catholic places of worship was only 2961, while in 1862 they numbered 7345; this increase is partly due to the additional number of Foreigners and Irish resident in England since the former year. At the Census of 1851, 50,289 subjects of Foreign States resided in England, and this number was augmented to 84,090 in 1861. London is the principal seat of foreign residents; it contained 25,670 in 1851, and 40,909 in 1861: considerable numbers also locate themselves in the other large towns. The 519,959 natives of Ireland resident in England in 1851 increased to 601,634 in 1861. The marriages of Quakers numbered 59, and there were 300 nuptial celebrations among the Jews.

The marriages were below the average, for while there are usually 1·639 persons married to every 100 persons living, in 1862 only the marriages of 1·614 persons were solemnized to every 100 persons living. The distress in the cotton manufacturing districts, together with a less productive harvest than usual, operated in causing a large number of persons to postpone the founding of new families until a more hopeful

Table II.—**Proportion** of **Marriages, Births,** and **Deaths** to the **Population** of **England,** in each **Year** from **1838** to **1862.**

Years ended Dec. 31st	To 100 Persons living.				The Number of Persons living			
	Marriages.	Persons Married.	Births.	Deaths.	To one Marriage.	To one Person Married.	To one Birth.	To one Death.
1838	·771	1·542	3·029	2·238	130	65	33	45
1839	·794	1·588	3·175	2·185	126	63	31	46
1840	·780	1·560	3·195	2·288	128	64	31	44
1841	·769	1·538	3·215	2·159	130	65	31	46
1842	·737	1·474	3·211	2·168	136	68	31	46
1843	·759	1·518	3·231	2·123	132	66	31	47
1844	·801	1·602	3·273	2·161	125	62	31	46
1845	·860	1·720	3·251	2·089	116	58	31	48
1846	·861	1·722	3·383	2·306	116	58	30	43
1847	·793	1·586	3·152	2·471	126	63	32	40
1848	·797	1·594	3·247	2·306	125	63	31	43
1849	·808	1·616	3·294	2·512	124	62	30	40
1850	·860	1·720	3·340	2·077	116	58	30	48
1851	·858	1·716	3·425	2·199	117	58	29	45
1852	·873	1·746	3·430	2·238	115	57	29	45
1853	·894	1·788	3·327	2·288	112	56	30	44
1854	·858	1·716	3·408	2·352	117	58	29	43
1855	·808	1·616	3·373	2·261	124	62	30	44
1856	·837	1·674	3·453	2·051	119	60	29	49
1857	·826	1·652	3·443	2·180	121	61	29	46
1858	·802	1·604	3·366	2·309	125	62	30	43
1859	·852	1·704	3·504	2·239	117	59	29	45
1860	·855	1·710	3·437	2·124	117	58	29	47
1861	·814	1·628	3·461	2·163	123	61	29	46
1862	·807	1·614	3·504	2·147	124	62	29	47
Mean . .	·819	1·639	3·325	2·225	122	61	30	45

Note.—The Table may be read thus:—In the year 1838 to every 100,000 persons living there were 771 marriages or 1542 persons married, 3029 births, 2238 deaths; the number of persons living to every marriage, person married, birth or death, was 130, 65, 33, and 45 respectively. A correction for increase of population has been made in calculating the above results.

season should set in. The localities chiefly influenced and the circumstances in operation are discussed in the summary of the Quarterly Reports (pp. xix—xlii).

Re-marriages.—37,194 persons were married during the year who had been previously wedded; of this number 22,457 were widowers, and 14,737 were widows; of the widowers 14,566 formed alliances with spinsters, and 7891 with widows; while of the widows who re-married 6846 were espoused by bachelors, and 7891 by widowers. Of every 100 men who married, 13·7 had been previously married, and among every 100 women who married there were 9 re-marriages. These proportions are less than those prevailing of late years, and seem to indicate that the causes which operated in depressing the marriage-rate generally

TABLE III.—**Marriages** registered in **England** in each **Year** from **1841** to **1862.**

Years ending 31st December	Total Marriages.	According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
		Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	Total not in Established Church.	In Registered Places. RomanCatholics.	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
1841 -	122,496	13	15,792	78,015	972	19,579	114,371	8,125	5882		2064	66	113
1842 -	118,825	9	14,935	75,744	944	18,415	110,047	8,778	6200		2357	58	163
1843 -	123,818	8	14,544	79,849	1222	18,014	113,637	10,181	7152		2817	61	151
1844 -	132,249	10	14,930	85,176	1558	18,335	120,009	12,240	2280	6284	3446	55	175
1845 -	143,743	10	16,013	92,867	1706	18,919	129,515	14,228	2816	7181	3977	74	180
1846 -	145,664	14	17,135	92,995	1862	18,503	130,509	15,155	3027	7669	4167	68	224
1847 -	135,845	14	17,052	84,863	1968	16,979	120,876	14,969	2961	7483	4258	83	184
1848 -	138,230	13	16,896	86,519	2170	15,871	121,469	16,761	3658	8060	4790	67	186
1849 -	141,883	18	16,697	90,644	2593	13,230	123,182	18,701	4199	8662	5558	53	229
1850 -	152,744	8	17,413	98,669	3136	11,733	130,959	21,785	5623	9626	6207	69	260
1851 -	154,206	8	17,781	99,406	3351	10,412	130,958	23,248	6570	9540	6813	65	260
1852 -	158,782	8	19,461	106,497	3610	4,306	133,882	24,900	7479	10017	7100	57	247
1853 -	164,520	8	20,624	109,166	3814	4,430	138,042	26,478	8375	10149	7598	68	288
1854 -	159,727	15	21,048	105,050	3811	4,185	134,109	25,618	7813	9873	7593	52	287
1855 -	152,113	14	20,386	99,546	3804	4,001	127,751	24,362	7344	9206	7441	57	224
1856 -	159,337	9	21,336	104,280	4045	3,949	133,619	25,718	7527	9710	8097	72	312
1857 -	159,097	9	21,250	102,062	3748	3,962	131,031	28,066	7360	10686	9642	67	311
1858 -	156,070	15	19,858	100,432	3787	3,990	128,082	27,988	6643	11094	9952	79	220
1859 -	167,723	19	20,345	107,737	4204	3,905	136,210	31,513	7756	12519	10844	70	324
1860 -	170,156	14	20,742	108,685	4243	3,686	137,370	32,786	7800	13342	11257	75	312
1861 -	163,706	16	20,090	102,955	4048	3,588	130,697	33,009	7782	13182	11725	58	262
1862 -	164,030	18	19,486	102,870	3966	3,393	129,733	34,297	7345	13870	12723	59	300

Years ending 31st December	Marriages contracted between				Re-married.		Under Age.		Signed the Marriage Register with Marks.			
	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Marriages in which both Signed with Marks.	Marriages in which one Signed with Marks.
1841 -	—	—	—	—	—	—	5362	16,285	39,954	59,680	—	—
1842 -	—	—	—	—	15,619	10,579	5387	16,003	38,031	56,965	—	—
1843 -	—	—	—	—	16,305	10,811	5511	16,403	40,520	60,715	—	—
1844 -	—	—	—	—	16,941	11,183	5515	17,410	42,912	65,073	—	—
1845 -	119,539	6028	11,835	6341	18,176	12,369	6287	19,376	47,665	71,229	—	—
1846 -	121,324	5997	12,212	6131	18,343	12,128	6313	20,001	47,488	70,145	—	—
1847 -	112,576	5705	11,667	5897	17,564	11,602	5556	18,118	42,429	61,877	32,622	39,062
1848 -	113,284	5920	12,702	6324	19,026	12,244	6092	19,436	43,166	62,771	32,974	39,989
1849 -	116,134	6102	13,155	6492	19,647	12,594	6650	21,105	44,027	65,135	—	—
1850 -	124,031	6575	14,558	7580	22,138	14,155	7453	23,109	47,572	70,606	—	—
1851 -	126,018	6625	14,313	7250	21,563	13,875	7737	24,286	47,439	69,812	36,186	44,879
1852 -	130,672	6696	14,044	7370	21,414	14,066	8551	26,978	48,421	70,772	36,636	45,921
1853 -	135,023	7139	14,739	7619	22,358	14,758	9131	29,219	49,983	72,204	37,345	47,497
1854 -	131,141	6826	14,189	7571	21,760	14,397	9210	28,797	47,843	68,175	35,255	45,508
1855 -	123,398	6775	14,280	7660	21,940	14,435	8386	27,207	44,846	62,672	32,139	43,240
1856 -	129,960	7163	14,462	7752	22,214	14,915	9120	29,218	45,900	64,133	32,238	45,557
1857 -	130,317	6908	14,293	7579	21,872	14,487	8885	28,798	44,013	61,765	30,518	44,742
1858 -	127,165	6711	14,547	7644	22,191	14,355	9145	28,664	42,141	58,733	28,781	43,312
1859 -	137,005	7058	15,493	8161	23,654	15,219	10397	32,041	44,807	63,127	30,574	46,786
1860 -	139,440	7098	15,358	8260	23,618	15,358	10797	32,927	43,401	61,677	28,904	47,270
1861 -	133,712	7034	15,067	7893	22,960	14,927	10415	31,9[illegible]7	40,204	56,770	2[illegible],533	44,308
1862 -	134,727	6846	14,566	7891	22,457	14,737	10615	32,464	38,801	54,405	25,075	43,056

were most seriously considered by those whose experience of family responsibilities was the largest. The proportion of re-married widowers was greatest (17 per cent.) in Suffolk and least (11 per cent.) in Cumberland; the proportion of widows was greatest (12 per cent.) in Monmouthshire, and least (5 per cent.) in Westmorland.

Minors.—10,615 young men and 32,464 young women who were under 21 years of age entered the matrimonial state, being in the respective proportions of 6·5 and 19·8 to every 100 of their sex married during the year. These proportions are in excess of the average, the restraining influence of experience and reflection not being so operative among these young people as among those who had been previously married, or were of a more mature age, and who naturally exhibit greater hesitation to assume the responsibilities of wedded life in times of national depression. In Bedfordshire nearly 16 of every 100 men married were under 21 years of age, while in Hampshire the proportion is less than 2; more than 30 in every 100 females married in Huntingdonshire were minors, and the lowest proportion (12 per cent.) occurred in North Wales.

Signatures of persons married.—It is gratifying to observe that although the number of persons who are unable to affix their names to

TABLE IV.—**Proportion** of **Marriages** and comparison of those celebrated by **Licence** and after **Banns**, together with the Price of Wheat per Quarter in **England** in each **Year** from **1841** to **1862.**

YEARS.	MARRIAGES.		Estimated to 100 persons living.		PRICE OF WHEAT PER QUARTER.
	To 100 PERSONS LIVING.	BY BANNS TO ONE MARRIAGE BY LICENCE.	MARRIAGES of the HIGHER and MIDDLE CLASSES.	MARRIAGES of the ARTIZANS and LABOURERS and other Classes.	s. d.
AVERAGE:					
Of 7 years of *highest* prices	·804*	4·936	·135	·669	66 3
Of 8 years of *intermediate* prices	·836	5·374	·131	·705	53 1
Of 7 years of *lowest* prices	·830	5·429	·129	·701	43 2
1855	·808	4·883	·137	·671	74 8
1854	·858	4·991	·143	·715	72 5
1847	·793	4·977	·133	·660	69 9
1856	·837	4·888	·142	·695	69 2
1841	·769	4·940	·129	·640	64 4
1842	·737	5·072	·121	·616	57 3
1857	·826	4·803	·142	·684	56 5
1862	·807	5·279	·128	·679	55 5
1861	·814	5·125	·133	·681	55 4
1846	·861	5·427	·134	·727	54 8
1853	·894	5·293	·142	·752	53 3
1860	·855	5·240	·137	·718	53 3
1844	·801	5·705	·119	·682	51 3
1845	·860	5·799	·126	·734	50 10
1848	·797	5·121	·130	·667	50 6
1843	·759	5·490	·117	·642	50 1
1849	·808	5·429	·126	·682	44 3
1858	·802	5·058	·132	·670	44 3
1859	·852	5·296	·135	·717	43 10
1852	·873	5·472	·135	·738	40 9
1850	·860	5·666	·129	·731	40 3
1851	·858	5·591	·130	·728	38 6

* Disregarding the decimal point, this will read 804 marriages were celebrated to every 100,000 of the population; of these, 135 may be taken to represent the marriages of the higher and middle classes, and 669 those of the classes below.

the marriage register is greater than could be wished, yet it is year by year decreasing, for while in the year 1845 no fewer than 41·4 in every 100 persons married signed the register with marks, the proportion has been gradually reduced until in 1862 not more than 28·5 exhibited inability to sign their names. Of every 100 males who married, 23·7 signed with marks, while 33·2 in every 100 females who married signed in the same manner in 1862. The proportions in each year, as well as a comparison of the facts for each county, are illustrated in Tables V. and VI. (pp. v, vi.). It will be observed that as regards this test of education the Northern Counties contrast favourably with the rest, Westmorland occupying the most creditable position, and in no other county do the females write so well. At the opposite end of the scale is Monmouthshire, in which county nearly half the people who marry exhibit an inability to sign their names. There is great need of the schoolmaster here, as well as in South and North Wales generally, and it is to be hoped that future years will show that the beautiful principality, which gives the heir to the British throne his renowned title, will not, as now, be conspicuous among the least educated portions of our island. The education of the children of the principality will be retarded so long as they speak the Welsh language in childhood. At the Census of 1851, when the last educational enumeration took place, it was found that the number of scholars attending day schools was 2,144,378, or one in every 8·36 of the population, while 318,000 teachers were engaged in educating 2,407,642 scholars in Sunday schools. Since that time the attention of the government and of the public has in a greater degree been directed to educational requirements, and the examination ordeal which the candidates for even the most subordinate public appointments have now to undergo has also stimulated scholastic progress, so that at the present time we are prepared for the information that the proportion of scholars to population is much greater than in 1851.

The Occupation Abstracts of the Census of 1861 disclose that while the population increased since 1851 12 per cent., the scholars of all ages

TABLE V.—**Marriages** in **England**. The Proportion per Cent. of **Minors** of each Sex, of Males and Females who **signed the Register with Marks,** and of Persons who were **Widowers** or **Widows,** in each **Year** from **1841** to **1862.**

YEARS ended 31st December	To 100 MARRIAGES.								
	THE PROPORTION UNDER 21 YEARS OF AGE.			THE PROPORTION WHO SIGNED THE MARRIAGE REGISTER WITH MARKS.			THE PROPORTION WHO WERE		
	Males.	Females.	Mean.	Males.	Females.	Mean.	Widowers.	Widows.	Mean.
1841 –	4·38	13·29	8·83	32·7	48·8	40·8	*12·30	*8·99	*10·95
1842 –	4·53	13·47	9·00	32·0	47·9	40·0	13·14	8·90	11·02
1843 –	4·45	13·25	8·85	32·7	49·0	40·9	13·17	8·73	10·95
1844 –	4·17	13·16	8·67	32·4	49·2	40·8	12·81	8·46	10·63
1845 –	4·37	13·48	8·93	33·2	49·6	41·4	12·64	8·60	10·62
1846 –	4·33	13·73	9·03	32·6	48·2	40·4	12·59	8·33	10·46
1847 –	4·09	13·34	8·72	31·2	45·5	38·4	12·93	8·54	10·74
1848 –	4·41	14·06	9·24	31·2	45·4	38·3	13·76	8·86	11·31
1849 –	4·69	14·88	9·79	31·0	45·9	38·5	13·85	8·88	11·37
1850 –	4·88	15·13	10·01	31·1	46·2	38·7	14·49	9·27	11·88
1851 –	5·02	15·75	10·39	30·8	45·3	38·1	13·93	9·00	11·49
1852 –	5·39	16·99	11·19	30·5	44·6	37·6	13·49	8·86	11·18
1853 –	5·55	17·76	11·66	30·4	43·9	37·2	13·59	8·97	11·28
1854 –	5·77	18·03	11·90	30·0	42·7	36·4	13·62	9·01	11·32
1855 –	5·51	17·89	11·70	29·5	41·2	35·4	14·42	9·49	11·96
1856 –	5·72	18·34	12·03	28·8	40·2	34·5	13·94	9·36	11·65
1857 –	5·58	18·10	11·84	27·7	38·8	33·3	13·75	9·11	11·43
1858 –	5·86	18·37	12·12	27·0	37·6	32·3	14·22	9·20	11·71
1859 –	6·20	19·10	12·65	26·7	37·6	32·2	14·10	9·07	11·59
1860 –	6·35	19·35	12·85	25·5	36·2	30·9	13·88	9·03	11·46
1861 –	6·36	19·50	12·93	24·6	34·7	29·7	14·03	9·12	11·58
1862 –	6·47	19·79	13·13	23·7	33·2	28·5	13·69	8·98	11·34

* The proportion of Widowers and Widows in the Year 1841 is for the September and December quarters only.

increased 37 per cent. in the same period, the male scholars increasing 33 per cent., and the females 42 per cent. The number of scholars, including those receiving private tuition at home, but exclusive of Sunday school children, in 1851, was 2,297,232, and in 1861 3,150,048; the

---

TABLE VI.—**Proportional Number** of **Marriages** in the several **Counties** of **England** during the **Year 1862;** of Persons who **signed their Names;** of Persons not of **full Age;** and of the **Re-marriages** of **Widowers** and **Widows.**

No.	REGISTRATION COUNTIES.	MARRIAGES TO 100 PERSONS LIVING.	SIGNED THEIR NAMES IN WRITING. Of 100 Men Married.	Of 100 Women Married.	PERSONS NOT OF FULL AGE. In 100 Men Married.	In 100 Women Married.	RE-MARRIAGES. WIDOWERS. In 100 Men Married.	WIDOWS. In 100 Women Married.
	ENGLAND - - -	·807	76·3	66·8	6·47	19·79	13·69	8·98
	I.—LONDON - - -	1·008	89·5	82·5	3·44	13·87	18·58	9·02
	II.—SOUTH EASTERN COUNTIES.							
1	Surrey (*extra-metropolitan*) - -	·606	79·1	82·4	3·43	17·35	11·82	7·51
2	Kent (*extra-metropolitan*) - -	·757	76·5	77·8	3·88	21·09	11·27	8·87
3	Sussex - - - - - - -	·716	77·7	82·8	4·80	17·66	12·63	8·77
4	Hampshire - - - - - -	·813	80·0	80·3	1·54	20·44	11·73	10·32
5	Berkshire - - - - - - -	·695	70·7	74·7	5·93	19·60	12·76	9·48
	III.—SOUTH MIDLAND COUNTIES.							
6	Middlesex (*extra-metropolitan*) -	·531	76·8	81·7	3·11	15·45	13·31	9·52
7	Hertfordshire - - - - -	·563	61·5	64·4	9·49	21·88	12·09	7·59
8	Buckinghamshire - - - -	·691	67·8	65·6	10·70	24·24	13·44	8·15
9	Oxfordshire - - - - - -	·666	72·2	74·6	5·60	17·43	15·59	8·14
10	Northamptonshire - - - -	·761	74·9	68·7	9·18	24·34	13·86	7·89
11	Huntingdonshire - - - -	·688	65·5	65·0	12·56	30·30	12·81	7·88
12	Bedfordshire - - - - -	·812	62·7	55·3	15·52	25·11	13·60	5·93
13	Cambridgeshire - - - -	·681	68·3	68·3	9·60	23·76	13·51	7·32
	IV.—EASTERN COUNTIES.							
14	Essex - - - - - - -	·591	66·3	74·2	6·55	22·50	12·79	8·88
15	Suffolk - - - - - - -	·681	64·5	70·3	8·15	21·33	16·82	8·67
16	Norfolk - - - - - - -	·726	64·2	67·4	7·11	19·77	15·54	8·62
	V.—SOUTH WESTERN COUNTIES.							
17	Wiltshire - - - - - - -	·667	69·8	71·5	8·93	18·43	15·63	8·67
18	Dorsetshire - - - - - -	·680	72·1	74·7	6·12	18·20	12·32	6·52
19	Devonshire - - - - - -	·843	80·4	75·7	4·90	15·73	12·09	8·92
20	Cornwall - - - - - - -	·783	67·3	59·8	8·06	20·66	12·56	7·61
21	Somersetshire - - - - -	·677	73·0	71·8	8·64	16·28	14·47	7·93
	VI.—WEST MIDLAND COUNTIES.							
22	Gloucestershire - - - - -	·893	77·8	74·0	6·42	16·30	14·17	8·15
23	Herefordshire - - - - -	·638	66·6	69·2	2·76	14·51	12·63	8·56
24	Shropshire - - - - - -	·691	66·3	64·3	4·42	15·18	13·30	8·06
25	Staffordshire - - - - -	·811	62·9	51·8	9·09	28·67	12·05	9·76
26	Worcestershire - - - - -	·828	72·9	66·3	6·77	19·94	11·92	7·53
27	Warwickshire - - - - -	·795	75·8	67·4	7·78	21·87	13·32	9·19
	VII.—NORTH MIDLAND COUNTIES.							
28	Leicestershire - - - - -	·801	76·4	67·8	9·66	21·11	14·78	8·74
29	Rutlandshire - - - - -	·610	77·6	83·9	3·50	13·99	13·29	6·99
30	Lincolnshire - - - - -	·705	76·8	74·5	4·45	20·72	14·27	8·27
31	Nottinghamshire - - - -	·758	74·7	62·1	8·78	22·46	14·86	8·62
32	Derbyshire - - - - - -	·726	77·0	67·2	8·16	22·73	13·97	7·93
	VIII.—NORTH WESTERN COUNTIES.							
33	Cheshire - - - - - - -	·768	75·4	61·0	6·32	17·15	14·97	9·06
34	Lancashire - - - - - -	·843	75·0	51·8	8·26	21·91	15·07	10·40
	IX.—YORKSHIRE.							
35	West Riding - - - - - -	·856	76·7	55·9	9·17	26·12	15·07	9·35
36	East Riding (with York) - - -	·907	82·1	71·9	6·46	21·50	14·64	8·90
37	North Riding - - - - - -	·674	82·9	74·3	3·61	19·01	13·60	7·08
	X.—NORTHERN COUNTIES.							
38	Durham - - - - - - -	·840	75·9	60·6	6·80	28·37	13·16	10·08
39	Northumberland - - - - -	·903	83·6	71·3	4·39	14·20	11·81	8·63
40	Cumberland - - - - - -	·716	81·0	70·5	5·02	18·93	10·65	7·19
41	Westmorland - - - - - -	·672	88·6	85·4	3·16	13·35	12·62	4·61
	XI.—MONMOUTHSHIRE AND WALES.							
42	Monmouthshire - - - - -	·763	58·9	49·2	6·39	21·81	12·32	11·59
43	South Wales - - - - - -	·759	64·1	43·7	6·02	16·98	12·29	8·03
44	North Wales - - - - - -	·700	64·3	48·5	4·62	12·22	14·54	8·62

The Table may be read thus by omitting the decimal points:—In England, among every 100,000 persons living 807 marriages took place; of 1,000 men married 763, of 1,000 women 668, signed the marriage register by writing their names; of 10,000 men married 647 were not of full age, of 10,000 women married 1979 were not of full age; of 10,000 men married 1369 were Widowers, of the same number of women married 898 were Widows.

number of scholars under 5 years of age was doubled in the ten years. This increasing stream passing through the various schools of the country is asserting its presence in the marriage registers, and has reduced the proportion of those who signed with marks, which 18 years since was as high as 41 per cent., to little more than 28 per cent. of those who married in 1862.

The efforts to extend the benefits of elementary education are bearing every year a more abundant harvest of good results, and should encourage us to increase our exertions until every man and every woman shall be able to attach their names to their marriage register.

It is impossible to calculate how much the value of the work of the population is increased by the increase of its intelligence.

Buildings registered for the solemnization of marriages.—During the year 1862 190 additional places of worship of the Roman Catholics and Dissenting denominations were registered for the solemnization of marriages; of these, 36 belonged to the Independents, 24 to the Baptists, 66 to Wesleyan Methodists, 24 to Welsh Calvinistic Methodists, and 21 to Roman Catholics. In 1861 the number of buildings registered was 161. At the close of 1862 there were 4754 buildings on the register, including 1529 (nearly a third of the whole) belonging to the Independents, 1026 to the Baptists, 961 to the various societies of Wesleyan Methodists, and 572 to the Roman Catholics. The distribution of the registered buildings will be seen in the Table. (See Table VIII.)

The marriages in registered buildings in 1862 were 21,215; in the 324 buildings in London 2251 marriages were solemnized, including 1342 marriages in Roman Catholic chapels; in the 627 buildings in the North-western division (Cheshire and Lancashire) there were 5039 marriages, 3141 of which were in Roman Catholic chapels. In the Welsh Division, where the registered buildings are the most numerous, 2687 marriages were celebrated in the 747 chapels, namely 237 of Roman Catholics, and 2450 of other denominations. With regard to marriages in Roman Catholic chapels, it may be remarked that in some instances one of the parties to the marriage is a Protestant.

TABLE VII.—**Number** and **Annual Rate per Cent.** of **Marriages** in **England** in each **Quarter** of the Years **1838–62.**

YEARS.	MARRIAGES REGISTERED.				ANNUAL RATE per Cent. of MARRIAGES.			
	In the Quarters ending the last day of				In the Quarters ending the last day of			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838 -	23,201	29,801	27,764	37,301	·618	·783	·719	·963
1839 -	24,679	31,339	29,887	37,261	·649	·812	·764	·949
1840 -	26,395	30,786	29,221	36,263	·677	·787	·737	·911
1841 -	24,447	32,551	29,397	36,101	·626	·822	·731	·895
1842 -	25,860	30,048	27,288	35,629	·654	·749	·671	·874
1843 -	25,285	31,113	28,847	38,573	·632	·767	·701	·934
1844 -	26,387	34,268	31,675	39,919	·644	·834	·760	·955
1845 -	29,551	35,300	35,003	43,889	·721	·849	·830	1·038
1846 -	31,417	37,111	35,070	42,066	·757	·882	·822	·983
1847 -	27,480	35,197	32,439	40,729	·655	·826	·751	·940
1848 -	28,398	34,721	32,995	42,116	·661	·805	·755	·961
1849 -	28,429	35,844	33,874	43,736	·661	·822	·766	·986
1850 -	30,567	39,204	37,636	45,337	·702	·888	·840	1·010
1851 -	32,724	38,635	37,316	45,531	·741	·863	·822	1·000
1852 -	32,977	40,092	38,400	47,313	·730	·885	·833	1·027
1853 -	35,149	40,446	39,899	49,026	·778	·883	·859	1·052
1854 -	33,234	40,518	38,182	47,793	·727	·874	·813	1·014
1855 -	29,186	38,549	37,308	47,070	·631	·822	·785	·988
1856 -	33,427	38,820	39,089	48,001	·707	·819	·813	·996
1857 -	33,321	41,267	38,669	45,840	·705	·861	·796	·940
1858 -	29,918	39,890	38,599	47,663	·626	·823	·785	·967
1859 -	35,382	42,042	39,803	50,496	·732	·858	·801	1·013
1860 -	35,150	43,777	40,541	50,688	·711	·883	·807	1·006
1861 -	33,274	42,012	39,884	48,536	·67[illegible]	·839	·785	·953
1862 -	33,953	40,853	40,600	48,624	·680	·807	·791	·945

Seventy new district churches and chapels-of-ease were licensed for marriages according to the rites of the Established Church in 1862.

TABLE VIII.—Showing the **Number of Buildings registered** for the **Solemnization** of **Marria**
and on the Register on **31st December 1862.**

No.	ENGLAND: DIVISIONS AND REGISTRATION COUNTIES.	TOTAL.	Scottish Presbyterians: Church of Scotland.	Scottish Presbyterians: United Presbyterians.	Scottish Presbyterians: Presbyterian Church in England.	Independents.	Baptists.	United Brethren or Moravians.	Roman Catholics.	Unitarians.	Wesleyan Methodists: Original Connexion.	Wesleyan Methodists: New Connexion.	Wesleyan Methodists: Primitive Methodists.	Wesleyan Methodists: Bible Christians.	Wesleyan Methodists: Wesleyan Methodist Association.	Wesleyan Methodists: Wesleyan Reformers.	Wesleyan Methodists: Other Wesleyan Methodists.	Calvinistic Methodists: Welsh Calvinistic Methodists.	Calvinistic Methodists: Countess of Huntingdon's Connexion.	New Church.	Catholic and Apostolic Church
	ENGLAND	4754	16	60	66	1529	1026	12	572	152	481	67	152	32	80	31	118	176	42	23	17
	DIVISIONS.																				
1	LONDON	324	4	4	7	114	64	1	46	8	19	2	2	–	5	–	5	3	3	3	6
2	SOUTH EASTERN COUNTIES	385	1	–	4	140	92	–	45	16	41	–	5	5	5	2	4	–	15	1	3
3	SOUTH MIDLAND COUNTIES	356	–	–	–	130	144	2	25	4	31	–	7	–	1	1	6	–	2	–	1
4	EASTERN COUNTIES	277	–	–	–	112	75	–	22	7	26	1	10	–	–	5	4	–	1	1	–
5	SOUTH WESTERN COUNTIES	516	–	–	–	171	108	2	35	27	77	–	16	26	17	3	13	–	1	1	1
6	WEST MIDLAND COUNTIES	504	–	1	7	146	106	3	87	18	51	14	25	–	9	–	9	3	14	1	3
7	NORTH MIDLAND COUNTIES	299	–	–	–	79	79	–	30	10	40	6	21	–	6	7	16	–	1	1	1
8	NORTH WESTERN COUNTIES	627	4	9	16	162	71	1	144	37	61	19	20	1	16	1	25	6	4	11	1
9	YORKSHIRE	446	–	3	3	135	59	2	58	13	73	17	27	–	12	8	27	–	–	3	1
10	NORTHERN COUNTIES	273	7	43	29	49	12	1	53	3	33	8	14	–	7	3	7	–	–	1	–
11	MONMOUTHSHIRE AND WALES	747	–	–	–	291	216	–	27	9	29	–	5	–	2	1	2	164	1	–	–
	I.—LONDON.																				
	Middlesex (*part of*)	228	4	4	4	76	38	1	33	6	15	–	2	–	5	–	3	3	3	3	5
	Surrey (*part of*)	65	–	–	1	27	16	–	9	2	3	2	–	–	–	–	1	–	–	–	1
	Kent (*part of*)	31	–	–	2	11	10	–	4	–	1	–	–	–	–	–	1	–	–	–	–
	II.—SOUTH EASTERN COUNTIES.																				
1	Surrey (*extra-metropolitan*)	41	–	–	–	21	6	–	7	1	2	–	–	–	1	–	1	–	1	–	–
2	Kent (*extra-metropolitan*)	118	–	–	1	37	35	–	12	4	18	–	–	1	1	1	–	–	6	–	1
3	Sussex	72	1	–	–	26	17	–	8	5	6	–	–	1	1	–	–	–	4	–	1
4	Hampshire	104	–	–	3	41	23	–	11	4	9	–	3	3	1	–	1	–	1	1	1
5	Berkshire	50	–	–	–	15	11	–	7	2	6	–	2	–	1	1	2	–	3	–	–
	III.—SOUTH MIDLAND COUNT[s].																				
6	Middlesex (*extra-metropol.*)	34	–	–	–	18	8	–	6	–	–	–	–	–	–	–	–	–	1	–	–
7	Hertfordshire	50	–	–	–	29	15	–	3	1	1	–	–	–	–	–	1	–	–	–	–
8	Buckinghamshire	42	–	–	–	19	17	–	2	–	3	–	1	–	–	–	–	–	–	–	–
9	Oxfordshire	40	–	–	–	11	12	–	9	1	6	–	–	–	–	1	–	–	–	–	–
10	Northamptonshire	68	–	–	–	24	28	1	3	1	6	–	–	–	1	–	3	–	–	–	–
11	Huntingdonshire	23	–	–	–	4	16	–	–	–	3	–	–	–	–	–	–	–	–	–	–
12	Bedfordshire	44	–	–	–	10	22	1	1	–	8	–	2	–	–	–	–	–	–	–	–
13	Cambridgeshire	55	–	–	–	15	26	–	1	1	4	–	4	–	–	–	2	–	1	–	1
	IV.—EASTERN COUNTIES.																				
14	Essex	96	–	–	–	50	17	–	10	–	10	–	–	–	–	–	2	–	–	1	–
15	Suffolk	81	–	–	–	38	29	–	4	3	3	–	3	–	–	–	–	–	–	–	–
16	Norfolk	100	–	–	–	24	29	–	8	4	13	1	7	–	–	5	2	–	1	–	–
	V.—SOUTH WESTERN COUNTIES.																				
17	Wiltshire	79	–	–	–	30	29	–	4	2	6	–	7	–	–	1	–	–	–	–	
18	Dorsetshire	48	–	–	–	22	4	–	8	4	6	–	3	–	–	–	1	–	–	–	
19	Devonshire	172	–	–	–	61	36	–	8	14	20	–	1	14	3	1	5	–	–	–	
20	Cornwall	73	–	–	–	9	7	–	6	–	24	–	2	8	12	–	5	–	–	–	
21	Somersetshire	144	–	–	–	49	32	2	9	7	21	–	3	4	2	1	2	–	1	1	
	VI.—WEST MIDLAND COUNTIES.																				
22	Gloucestershire	127	–	1	1	48	40	1	10	3	8	1	1	–	2	–	2	–	7	–	
23	Herefordshire	23	–	–	–	4	6	1	2	–	2	–	7	–	–	–	–	–	1	–	
24	Shropshire	62	–	–	–	21	10	1	10	1	2	2	7	–	1	–	3	2	1	–	
25	Staffordshire	132	–	–	3	32	14	–	34	4	21	8	7	–	4	–	2	–	1	–	
26	Worcestershire	56	–	–	1	11	11	–	9	5	9	2	1	–	2	–	–	–	3	–	
27	Warwickshire	104	–	–	2	30	25	–	22	5	9	1	2	–	–	–	2	1	1	1	
	VII.—NORTH MIDLAND COUNT[s].																				
28	Leicestershire	70	–	–	–	22	25	–	8	2	7	1	3	–	1	1	–	–	–	–	
29	Rutlandshire	9	–	–	–	3	3	–	–	–	–	–	–	–	–	–	3	–	–	–	
30	Lincolnshire	86	–	–	–	18	21	–	6	3	16	2	10	–	1	1	8	–	–	–	
31	Nottinghamshire	62	–	–	–	15	20	–	5	2	9	2	3	–	2	1	1	–	–	–	
32	Derbyshire	72	–	–	–	21	10	–	11	3	8	1	5	–	2	4	4	–	1	1	
	VIII.—NORTH WESTERN CO[s].																				
33	Cheshire	100	–	2	8	31	9	–	12	10	13	3	4	–	4	–	5	2	–	–	
34	Lancashire	527	4	7	13	131	62	1	132	27	48	16	16	1	12	1	20	4	4	11	
	IX.—YORKSHIRE.																				
35	West Riding	332	–	2	2	105	48	2	36	10	53	15	16	–	11	8	17	–	–	3	
36	East Riding (with York)	64	–	–	–	18	8	–	10	2	10	2	6	–	1	–	5	–	–	–	
37	North Riding	50	–	1	1	12	3	–	12	1	10	–	5	–	–	–	5	–	–	–	
	X.—NORTHERN COUNTIES.																				
38	Durham	109	–	11	5	21	5	–	26	1	18	7	7	–	2	2	3	–	–	–	
39	Northumberland	105	6	27	21	11	6	–	18	1	6	1	3	–	–	1	2	–	–	1	
40	Cumberland	44	1	4	3	13	–	–	8	–	8	–	3	–	3	–	1	–	–	–	
41	Westmorland	15	–	1	–	4	1	1	1	1	1	–	1	–	2	–	1	–	–	–	
	XI.—MONMOUTHSH. AND WALES.																				
42	Monmouthshire	106	–	–	–	33	49	–	9	–	6	–	3	–	1	1	–	4	–	–	
43	South Wales	413	–	–	–	186	137	–	11	8	11	–	1	–	1	–	2	48	1	–	
44	North Wales	228	–	–	–	72	30	–	7	1	12	–	1	–	–	–	–	112	–	–	

Births.

The births of 712,684 living children were registered in the year 1862, a greater number than has ever been recorded since the commencement of the Registration system, and the proportional rate to the population (3·504 per cent., or one birth to 29 persons living) has only been equalled once, namely, in 1859, when it was the same to a fraction; the average birth-rate of 25 years is 3·325, or one birth to 30 persons living. Durham usually exhibits the highest birth-rate, the average for this county being 4·121, and in 1862 it rose to 4·197 to 100 persons living; the minimum rate (3·013) was in Herefordshire. The only counties that did not maintain their average rate of births were Middlesex (extra-metropolitan), Cambridgeshire, Staffordshire, Warwickshire, Rutlandshire, Nottinghamshire, and Monmouthshire.

Sex.— Of the births registered, 363,534 were male, and 349,150 were female children, being in the proportion of 104 male to every 100 female children. In several counties the proportion of male to female births was unusually large :—thus in Northamptonshire there were 111 males born to every 100 females, in Huntingdonshire nearly 114 males to 100 females, in Derbyshire nearly 110 males to 100 females. Dorsetshire and Rutlandshire reversed the proportion of the sexes, for in the former county there were 99·9, and in the latter only 97 males born to every 100 females.

Seasons.—There is no recorded exception to the rule that the births registered in the first six months of the year exceed those in the last six months; in 1862 there were 181,990 births registered in the March quarter, 185,554 in the June quarter, 172,709 in the September, and 172,431 in the December quarter. Assuming 1000 to represent the average quarterly number of births, the proportion in the first quarter was 1035, in the second 1044, in the third 961, and in the fourth quarter 960.

Children born out of wedlock.—The births of 45,222 illegitimate children were registered, being in the proportion of 6·3 to every 100 births; 23,033 of the illegitimate births were those of male, and 22,189 female children. In Norfolk the proportion of the illegitimate was 10·5 per cent., Herefordshire 8·0, Shropshire 9·8, Lincolnshire 8·7, Nottinghamshire 9·2, North Riding of Yorkshire 9·4, while Cumberland and Westmorland head the list with the respective proportions of 11·3 and 11·2 per cent., thus disappointing the expectations founded on their favourable educational standing.

Table IX.—**Births** in the **Years 1845–62** in **England,** distinguishing the **Legitimate** and **Illegitimate.**

Years.	Total Births.	Legitimate.	Illegitimate.
1845	543,521	505,280	38,241
1846	572,625	534,096	38,529
1847	539,965	503,840	36,125
1848	563,059	526,312	36,747
1849	578,159	538,825	39,334
1850	593,422	553,116	40,306
1851	615,865	573,865	42,000
1852	624,012	581,530	42,482
1853	612,391	572,628	39,763
1854	634,405	593,664	40,741
1855	635,043	594,260	40,783
1856	657,453	614,802	42,651
1857	663,071	620,069	43,002
1858	655,481	612,176	43,305
1859	689,881	645,130	44,751
1860	684,048	640,355	43,693
1861	696,406	652,249	44,157
1862	712,684	667,462	45,222

Deaths.

In 1862 a total number of 436,566 deaths was entered in the English registers. It was less than in 1849, the cholera year, also less than in 1854, another year of that epidemic, less also than in either of the years 1858–9. The increase of deaths with the rising tide of population is such that while there were only two instances, viz. those of 1847 and

Table X.—**Number** and **Proportion** of **Male** and **Female Children** born **in** and **out** of **Wedlock** in the several **Counties** of **England** during the **Year 1862.**

No.	Registration Counties.	Male Children born.	Female Children born.	Born in Wedlock. Males.	Born in Wedlock. Females.	Born out of Wedlock. Males.	Born out of Wedlock. Females.	Males born to every 100 Females born.	Males born *in Wedlock* to every 100 Females so born.	Males born *out of Wedlock* to every 100 Females so born.	Children born *out of Wedlock* to every 100 Births.
	England - - - -	363,534	349,150	340,501	326,961	23,033	22,189	104·1	104·1	103·4	6·3
	I.—London - - -	49,382	48,468	47,191	46,339	2191	2129	101·9	101·8	102·9	4·4
	II.—South Eastern Counties.										
1	Surrey (*extra-metropolitan*) - -	4416	4212	4216	4005	200	207	104·8	105·3	96·6	4·7
2	Kent (*extra-metropolitan*) - -	9249	8924	8740	8442	509	482	103·6	103·5	105·6	5·5
3	Sussex - - - - - - -	5785	5500	5415	5114	370	386	105·2	105·9	95·9	6·7
4	Hampshire - - - - - -	7462	7239	7035	6862	427	377	103·1	102·5	113·3	5·5
5	Berkshire - - - - - -	3409	3301	3170	3048	239	253	103·3	104·0	94·5	7·3
	III.—South Midland Counties.										
6	Middlesex (*extra-metropolitan*) -	2953	2907	2831	2773	122	134	101·6	102·1	91·0	4·4
7	Hertfordshire - - - - - -	2955	2802	2770	2615	185	187	105·5	105·9	98·9	6·5
8	Buckinghamshire - - - - -	2522	2506	2358	2345	164	161	100·6	100·6	101·9	6·5
9	Oxfordshire - - - - - -	2971	2738	2789	2542	182	196	108·5	109·7	92·9	6·6
10	Northamptonshire - - - - -	4318	3888	4056	3685	262	203	111·1	110·1	129·1	5·7
11	Huntingdonshire - - - - -	1069	939	1001	892	68	47	113·8	112·2	144·7	5·7
12	Bedfordshire - - - - - -	2491	2411	2271	2244	220	167	103·3	101·2	131·7	7·9
13	Cambridgeshire - - - - - -	2971	2893	2753	2695	218	198	102·7	102·2	110·1	7·1
	IV.—Eastern Counties.										
14	Essex - - - - - - -	6383	6157	6032	5828	351	329	103·7	103·5	106·7	5·4
15	Suffolk - - - - - - -	5575	5376	5138	4965	437	411	103·7	103·5	106·3	7·7
16	Norfolk - - - - - - -	7176	6685	6444	5960	732	725	107·3	108·1	101·0	10·5
	V.—South Western Counties.										
17	Wiltshire - - - - - - -	4000	3845	3722	3601	278	244	104·0	103·4	113·9	6·7
18	Dorsetshire - - - - - -	2933	2936	2761	2750	172	186	99·9	100·4	92·5	6·1
19	Devonshire - - - - - -	9669	9085	9139	8596	530	489	106·4	106·3	108·4	5·4
20	Cornwall - - - - - - -	6538	6153	6181	5808	357	345	106·3	106·4	103·5	5·5
21	Somersetshire - - - - - -	7350	7108	6933	6705	417	403	103·4	103·4	103·5	5·7
	VI.—West Midland Counties.										
22	Gloucestershire - - - - - -	7475	7194	7096	6829	379	365	103·9	103·9	103·8	5·1
23	Herefordshire - - - - - -	1654	1601	1514	1481	140	120	103·3	102·2	116·7	8·0
24	Shropshire - - - - - -	4350	4231	3917	3822	433	409	102·8	102·5	105·9	9·8
25	Staffordshire - - - - - -	15755	15166	14775	14234	980	932	103·9	103·8	105·2	6·2
26	Worcestershire - - - - - -	5313	5169	4966	4826	347	343	102·8	102·9	101·2	6·6
27	Warwickshire - - - - - -	10779	10332	10183	9754	596	578	104·3	104·4	103·1	5·6
	VII.—North Midland Counties.										
28	Leicestershire - - - - - -	4557	4224	4197	3895	360	329	107·9	107·8	109·4	7·8
29	Rutlandshire - - - - - -	352	363	326	333	26	30	97·0	97·9	86·7	7·8
30	Lincolnshire - - - - - -	6842	6454	6248	5887	594	567	106·0	106·1	104·8	8·7
31	Nottinghamshire - - - - -	5899	5687	5379	5145	520	542	103·7	104·5	95·9	9·2
32	Derbyshire - - - - - -	5619	5129	5219	4783	400	346	109·6	109·1	115·6	6·9
	VIII.—North Western Counties.										
33	Cheshire - - - - - - -	8966	8506	8276	7859	690	647	105·4	105·3	106·6	7·7
34	Lancashire - - - - - -	49416	47653	46352	44602	3064	3051	103·7	103·9	100·4	6·3
	IX.—Yorkshire.										
35	West Riding - - - - - -	30085	28897	28143	27017	1942	1880	104·1	104·2	103·3	6·5
36	East Riding (with York) - - -	5043	4745	4671	4391	372	354	106·3	106·4	105·1	7·4
37	North Riding - - - - - -	3689	3487	3371	3130	318	357	105·8	107·7	89·1	9·4
	X.—Northern Counties.										
38	Durham - - - - - - -	12068	11514	11436	10943	632	571	104·8	104·5	110·7	5·1
39	Northumberland - - - - -	6608	6328	6119	5840	489	488	104·4	104·8	100·2	7·6
40	Cumberland - - - - - -	3604	3473	3203	3075	401	398	103·8	104·2	100·8	11·3
41	Westmorland - - - - - -	953	927	846	824	107	103	102·8	102·7	103·9	11·2
	XI.—Monmouthshire and Wales.										
42	Monmouthshire - - - - - -	3613	3427	3404	3247	209	180	105·4	104·8	116·1	5·5
43	South Wales - - - - - -	12631	12296	11795	11426	836	870	102·7	103·2	96·1	6·8
44	North Wales - - - - - -	6686	6274	6119	5804	567	470	106·6	105·4	120·6	8·0

1849, in the thirteen years 1838–50 in which the annual number reached 400,000, there are ten instances in the series of twelve years 1851–62 in which it rose above 400,000.

If there had been no efflux of the population to parts beyond the limits of the kingdom in the three years 1860–2 its natural growth within that period, derived from the excess of births over deaths, would have added to its numerical strength a population equal to those of the towns of Liverpool and Birmingham united.

TABLE XI.—**Births** to 100 Persons living in the several **Counties** of **England** during each of the **Years 1853–62.**

	REGISTRATION COUNTIES.	BIRTHS TO 100 PERSONS LIVING.										
		1853.	1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	Average Annual Rate, 1853-62.
	ENGLAND - - -	3·327	3·408	3·373	3·453	3·443	3·366	3·504	3·437	3·461	3·504	3·428
	I.—LONDON - - -	3·343	3·390	3·356	3·372	3·397	3·320	3·408	3·372	3·448	3·422	3·383
No.	II.—SOUTH EASTERN COUNTIES.											
1	Surrey (*extra-metropolitan*) - -	2·870	2·853	2·758	2·924	2·907	2·925	3·097	3·031	3·054	3·043	2·946
2	Kent (*extra-metropolitan*) - -	3·110	3·180	3·110	3·231	3·356	3·133	3·327	3·139	3·296	3·279	3·216
3	Sussex - - - - - -	3·017	3·067	2·919	3·092	3·043	2·961	3·111	2·965	3·053	3·054	3·028
4	Hampshire - - - - - -	3·143	3·075	2·916	3·188	3·222	3·119	3·186	3·138	3·162	3·171	3·132
5	Berkshire - - - - - -	2·933	2·982	2·899	3·068	3·081	3·010	3·272	3·016	3·124	3·253	3·064
	III.—SOUTH MIDLAND COUNTIES.											
6	Middlesex (*extra-metropolitan*) -	2·959	3·060	2·923	3·042	3·003	2·996	3·166	3·017	3·060	3·021	3·025
7	Hertfordshire - - - - -	3·053	3·047	2·967	3·161	3·245	3·074	3·265	3·134	3·095	3·237	3·128
8	Buckinghamshire - - - -	3·134	3·195	3·160	3·203	3·350	3·198	3·490	3·324	3·408	3·408	3·287
9	Oxfordshire - - - - -	3·033	3·154	2·971	3·247	3·259	3·180	3·434	3·307	3·330	3·332	3·225
10	Northamptonshire - - - -	3·272	3·335	3·445	3·529	3·563	3·502	3·625	3·613	3·506	3·517	3·491
11	Huntingdonshire - - - -	3·228	3·206	3·196	3·410	3·459	3·363	3·491	3·377	3·214	3·404	3·335
12	Bedfordshire - - - - -	3·311	3·372	3·302	3·431	3·541	3·315	3·634	3·380	3·423	3·469	3·418
13	Cambridgeshire - - - - -	3·153	3·202	3·172	3·350	3·304	3·298	3·486	3·308	3·269	3·251	3·279
	IV.—EASTERN COUNTIES.											
14	Essex - - - - - - -	3·080	3·103	3·133	3·234	3·268	3·146	3·361	3·238	3·236	3·258	3·206
15	Suffolk - - - - - -	3·085	3·136	3·086	3·264	3·302	3·234	3·474	3·208	3·256	3·266	3·231
16	Norfolk - - - - - -	2·995	3·189	3·029	3·219	3·186	3·187	3·427	3·162	3·230	3·249	3·187
	V.—SOUTH WESTERN COUNTIES.											
17	Wiltshire - - - - - -	2·933	3·174	3·024	3·189	3·149	3·140	3·256	3·126	3·170	3·335	3·150
18	Dorsetshire - - - - -	3·041	3·028	2·980	3·034	3·075	3·137	3·296	3·183	3·167	3·215	3·116
19	Devonshire - - - - - -	2·939	2·889	2·803	2·922	2·905	2·959	3·027	3·013	3·102	3·174	2·973
20	Cornwall - - - - - -	3·404	3·476	3·339	3·453	3·395	3·379	3·525	3·374	3·462	3·466	3·427
21	Somersetshire - - - - -	2·919	3·024	2·914	2·996	2·934	2·997	3·139	3·052	3·088	3·120	3·018
	VI.—WEST MIDLAND COUNTIES.											
22	Gloucestershire - - - - -	3·027	3·134	3·112	3·087	3·038	3·139	3·134	3·123	3·212	3·286	3·129
23	Herefordshire - - - - -	2·766	2·985	2·742	2·958	2·921	2·901	3·006	2·975	3·084	3·013	2·935
24	Shropshire - - - - - -	2·755	2·984	2·887	3·072	3·077	3·068	3·214	3·143	3·213	3·273	3·069
25	Staffordshire - - - - -	3·954	4·145	4·227	4·230	4·143	4·152	4·165	4·165	4·024	3·917	4·112
26	Worcestershire - - - - -	3·265	3·472	3·334	3·430	3·359	3·384	3·519	3·430	3·457	3·495	3·415
27	Warwickshire - - - - -	3·636	3·779	3·721	3·754	3·692	3·647	3·698	3·707	3·694	3·690	3·702
	VII.—NORTH MIDLAND COUNTIES.											
28	Leicestershire - - - - -	3·330	3·414	3·364	3·442	3·352	3·279	3·466	3·477	3·447	3·596	3·417
29	Rutlandshire - - - - -	2·989	3·080	2·942	3·055	3·108	3·134	3·075	3·293	3·022	3·048	3·075
30	Lincolnshire - - - - -	3·116	3·176	3·211	3·363	3·336	3·251	3·375	3·301	3·347	3·286	3·276
31	Nottinghamshire - - - -	3·399	3·523	3·469	3·575	3·701	3·480	3·699	3·709	3·563	3·535	3·565
32	Derbyshire - - - - - -	3·333	3·375	3·495	3·591	3·467	3·390	3·642	3·522	3·496	3·598	3·491
	VIII.—NORTH WESTERN COUNTIES.											
33	Cheshire - - - - - -	3·369	3·472	3·464	3·451	3·481	3·332	3·563	3·444	3·528	3·673	3·478
34	Lancashire - - - - - -	3·788	3·837	3·777	3·763	3·747	3·580	3·713	3·676	3·770	3·858	3·751
	IX.—YORKSHIRE.											
35	West Riding - - - - -	3·775	3·826	3·788	3·809	3·767	3·602	3·745	3·759	3·707	3·795	3·757
36	East Riding (with York) - - -	3·254	3·330	3·327	3·486	3·420	3·360	3·453	3·422	3·476	3·539	3·407
37	North Riding - - - - -	3·114	3·192	3·283	3·370	3·344	3·327	3·421	3·429	3·323	3·355	3·316
	X.—NORTHERN COUNTIES.											
38	Durham - - - - - -	3·689	3·943	4·241	4·368	4·276	4·127	4·225	4·110	4·029	4·197	4·121
39	Northumberland - - - -	3·234	3·265	3·431	3·556	3·416	3·454	3·510	3·509	3·552	3·718	3·465
40	Cumberland - - - - - -	3·148	3·271	3·192	3·199	3·267	3·231	3·422	3·277	3·444	3·436	3·289
41	Westmorland - - - - - -	2·926	3·073	2·788	2·902	2·928	2·826	2·993	3·253	3·159	3·067	2·992
	XI.—MONMOUTHSHIRE AND WALES.											
42	Monmouthshire - - - - -	3·348	3·687	3·633	3·812	3·826	3·707	3·842	3·676	3·541	3·539	3·661
43	South Wales - - - - -	3·234	3·357	3·351	3·502	3·559	3·503	3·714	3·585	3·419	3·501	3·473
44	North Wales - - - - -	2·865	2·883	2·934	3·009	2·950	2·879	3·060	2·996	2·953	3·103	2·963

The rate of mortality in the year was 2·147 per cent., having been less by ·064 than the average derived from the ten years 1853–62, which is 2·211.

That the public health was comparatively good in 1862 appears further from the fact that the death-rate was lower in that year than it had been in nineteen out of the twenty-four years that preceded it. One person died out of 47 living. In the healthier year of 1856 one died out of 49.

Sex.—The mortality of males is invariably higher than that of females. Throughout the twenty-five years 1838–62 the mortality of males did not in a single instance fall as low as 2·100 per cent.; the lowest was 2·136

TABLE XII.—**Proportional** Number of **Births** in each **Quarter** to **1000 Births** in the **Average Quarter** of each Year, **1838–62.**

YEARS.	NUMBER OF BIRTHS IN THE AVERAGE QUARTER.	PROPORTIONAL NUMBER OF BIRTHS.				
		In the AVERAGE QUARTER (assumed to be 1000).	FIRST QUARTER ending March 31.	SECOND QUARTER ending June 30.	THIRD QUARTER ending Sept. 30.	FOURTH QUARTER ending Dec. 31.
1838	115,947	1000	995	1053	981	971
1839	123,144	1000	1017	1049	967	967
1840	125,576	1000	1059	1033	949	959
1841	128,040	1000	1059	1017	959	965
1842	129,435	1000	1062	1039	944	955
1843	131,831	1000	1052	999	964	985
1844	135,191	1000	1068	1018	957	957
1845	135,880	1000	1068	1009	966	957
1846	143,156	1000	1027	1047	961	965
1847	134,991	1000	1099	1032	934	935
1848	140,765	1000	998	1070	991	941
1849	144,540	1000	1078	1066	927	929
1850	148,356	1000	974	1051	990	985
1851	153,966	1000	1022	1033	978	967
1852	156,003	1000	1037	1019	969	974
1853	153,098	1000	1056	1037	964	943
1854	158,601	1000	1026	1090	968	916
1855	158,761	1000	1060	1044	966	930
1856	164,363	1000	1035	1060	952	953
1857	165,790	1000	1042	1031	954	963
1858	163,870	1000	1057	1034	953	956
1859	172,470	1000	1032	1022	968	978
1860	171,012	1000	1077	1023	954	946
1861	174,102	1000	1007	1064	980	949
1862	178,171	1000	1035	1044	961	960

TABLE XIII.—**Births** and **Deaths** registered in **England** in each **Quarter** of the Years **1838** to **1862.**

YEARS.	BIRTHS.				DEATHS.			
	In the Quarters ending the last day of				In the Quarters ending the last day of			
	March.	June.	September.	December.	March.	June.	September.	December.
1838	113,815	121,781	114,734	113,457	98,152	90,877	72,877	80,854
1839	123,543	128,806	120,115	120,110	89,740	87,969	76,280	84,995
1840	132,305	129,059	119,822	121,117	98,896	90,339	80,822	89,630
1841	133,720	129,884	123,868	124,686	99,069	86,134	75,440	83,204
1842	135,615	134,096	123,296	124,732	96,314	86,538	82,339	84,328
1843	136,837	131,279	128,161	131,048	94,926	87,234	76,792	87,493
1844	143,578	136,941	130,078	130,166	101,024	85,337	79,708	90,864
1845	143,080	136,853	132,369	131,219	104,664	89,149	74,872	80,681
1846	145,108	149,450	138,718	139,349	89,484	90,230	101,664	108,937
1847	146,453	139,072	127,173	127,267	119,672	106,718	93,435	103,479
1848	139,736	149,760	140,359	133,204	120,032	99,727	87,638	92,436
1849	153,772	153,693	135,223	135,471	105,870	102,153	135,227	97,589
1850	144,551	155,865	146,911	146,095	98,430	92,871	85,849	91,845
1851	157,286	159,073	150,594	148,912	105,359	99,458	91,499	99,080
1852	161,803	159,031	151,222	151,956	106,358	100,625	100,382	99,770
1853	161,729	158,697	147,602	144,363	118,119	107,647	92,201	103,130
1854	160,785	172,457	154,724	146,439	111,843	102,586	113,843	109,633
1855	166,225	165,277	154,700	148,841	134,542	106,493	87,646	97,022
1856	169,250	173,263	157,462	157,478	103,014	100,099	91,155	96,238
1857	170,430	170,444	161,181	161,016	108,665	100,046	100,528	110,576
1858	170,959	169,115	157,445	157,962	125,819	107,142	98,142	118,553
1859	175,532	175,864	168,394	170,091	121,580	105,631	104,216	109,354
1860	183,180	174,028	164,121	162,719	122,617	110,869	86,312	102,923
1861	172,933	184,820	172,033	166,620	121,215	107,558	101,232	105,109
1862	181,990	185,554	172,709	172,431	122,019	107,392	92,381	114,774

in 1856; whereas that of females was in eleven out of the twenty-five years below 2·100, and in 1856 it was 1·969.

The rates of mortality in the sexes are calculated on the male and female populations respectively. In 1862 the death-rate of males was 2·249 to 100 males living; that of females was 2·049 to the same number of females living. The averages are 2·309 and 2·143. Thus it appears that when the salubrity of the year is viewed in regard to its influence on the sexes, the advantage is found in favour of the females; for the decrease of mortality below the average was greater amongst them than amongst the males.

On an average of twenty-five years 103 males died to 100 females. In 1862 the proportion was 104 to 100. But in all the Eleven Divisions of England, except the Northern Counties, the number of males living was less than that of females; consequently if equal numbers living, belonging to the two sexes, are taken, the proportion is found to be higher than that which has just been stated; it becomes 110 instead of 104 to 100.

In the Northern Division, to which mining operations attract that labour which only men can supply, there were 106 deaths of males to 100 of females. If the population had consisted of equal numbers of the two sexes, the proportion of deaths of males would have been rather less than 106.

London and Counties.—While the mortality of England was 2·147 per cent., that of London was 2·356; that of the West Riding of Yorkshire 2·364. The mortality ranged from 1·645 in Rutlandshire, and 1·662 in the extra-metropolitan portion of Surrey, to 2·560 in Lancashire. The distress amongst the operatives of the manufacturing districts of Cheshire and Lancashire, arising from the shortness of the cotton supply, which was caused by war in the United States, commenced in the latter part of

TABLE XIV.—**Annual Rate of Mortality** of Males and of Females in **England, 1838–62.**

Years.	Deaths.		Deaths of Males to 100 Deaths of Females.	Of equal Numbers living, the Number of Male Deaths to every 100 Deaths of Females.
	Of Males to 100 Males living.	Of Females to 100 Females living.		
1838 - -	2·342	2·146	105	109
1839 - -	2·277	2·097	104	109
1840 - -	2·372	2·204	103	108
1841 - -	2·238	2·083	103	107
1842 - -	2·239	2·098	102	107
1843 - -	2·199	2·047	103	107
1844 - -	2·238	2·083	103	107
1845 - -	2·166	2·011	103	108
1846 - -	2·390	2·221	103	108
1847 - -	2·541	2·380	103	107
1848 - -	2·337	2·224	103	107
1849 - -	2·578	2·445	101	105
1850 - -	2·142	2·013	102	106
1851 - -	2·276	2·124	103	107
1852 - -	2·324	2·155	103	108
1853 - -	2·383	2·197	104	108
1854 - -	2·441	2·267	103	108
1855 - -	2·351	2·174	104	108
1856 - -	2·136	1·969	104	108
1857 - -	2·257	2·107	102	107
1858 - -	2·390	2·233	102	107
1859 - -	2·327	2·155	103	108
1860 - -	2·218	2·034	104	109
1861 - -	2·268	2·063	104	110
1862 - -	2·249	2·049	104	110
Average of 25 years, 1838–62 - -	2·309	2·143	103	108

The Table may be read thus:—In the year 1838 to every 100 males living there were 2·342 deaths of males; to every 100 females living there were 2·146 deaths of females; and to every 100 females who died there were 105 deaths of males. The last column shows the *relative* mortality of *males* and *females;* and that out of equal *numbers living* the deaths of males were 109 to every 100 deaths of females in 1838.

1861; but 1862 may be reckoned the first year of that great and wide-spread calamity. The death-rate in Cheshire was 2·246 against an average of 2·219; and in Lancashire, which is five times as populous, it was 2·560 against 2·594. In the West Riding of Yorkshire it rose as high as the average, and in the two other Ridings it was above the average. In Northumberland, Cumberland, and Westmorland it was also higher than the average of each county respectively; and the same is true of North Wales.

TABLE XV.—**Annual Rate of Mortality** per Cent. in the several **Counties** of **England** during each of the **Years 1853–62.**

No.	REGISTRATION COUNTIES.	DEATHS TO 100 PERSONS LIVING.										
		1853.	1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	Average Annual Rate, 1853–62.
	ENGLAND	2·288	2·352	2·261	2·051	2·180	2·309	2·239	2·124	2·163	2·147	2·211
	I.—LONDON	2·441	2·943	2·431	2·209	2·241	2·390	2·269	2·249	2·318	2·356	2·385
	II.—SOUTH EASTERN COUNTIES.											
1	Surrey (*extra-metropolitan*)	1·834	1·896	1·944	1·768	1·648	1·877	1·813	1·767	1·743	1·662	1·795
2	Kent (*extra-metropolitan*)	2·033	2·188	2·083	1·947	1·983	2·129	2·049	1·863	1·992	1·790	2·006
3	Sussex	1·869	1·897	1·971	1·734	1·743	2·070	2·058	1·881	1·819	1·828	1·887
4	Hampshire	2·020	2·081	2·292	1·921	1·989	2·067	2·036	1·902	1·796	1·875	1·998
5	Berkshire	2·087	2·049	2·173	1·856	1·869	2·132	2·043	1·972	1·892	1·876	1·995
	III.—SOUTH MIDLAND COUNTIES.											
6	Middlesex (*extra-metropolitan*)	2·073	2·525	2·047	1·930	2·009	2·001	2·047	1·998	1·981	1·926	2·054
7	Hertfordshire	1·824	1·865	1·975	1·818	1·955	1·938	1·927	1·947	1·820	1·798	1·887
8	Buckinghamshire	2·190	2·063	2·244	1·915	2·034	2·121	2·163	1·981	2·097	1·933	2·074
9	Oxfordshire	2·090	2·185	2·110	1·775	2·031	2·249	2·090	1·966	1·866	1·879	2·024
10	Northamptonshire	2·184	2·230	2·238	1·950	2·043	2·091	2·308	2·137	2·103	1·897	2·118
11	Huntingdonshire	2·064	1·823	2·038	1·856	2·108	2·050	1·978	1·867	2·033	1·992	1·981
12	Bedfordshire	2·001	2·166	2·602	1·968	2·101	1·971	2·065	2·017	1·902	1·876	2·067
13	Cambridgeshire	2·117	2·155	2·324	1·916	2·065	2·007	2·021	1·950	2·117	2·023	2·070
	IV.—EASTERN COUNTIES.											
14	Essex	2·005	2·298	2·118	1·897	2·011	2·087	2·081	1·864	1·901	1·903	2·017
15	Suffolk	2·055	1·919	2·097	1·949	2·003	2·121	2·036	1·971	2·073	1·830	2·005
16	Norfolk	2·075	2·114	2·209	1·906	2·110	2·392	2·095	2·102	2·231	2·003	2·124
	V.—SOUTH WESTERN COUNTIES.											
17	Wiltshire	2·210	2·054	2·254	1·825	1·909	2·081	2·112	2·001	1·787	1·855	2·009
18	Dorsetshire	1·971	1·870	2·005	1·641	1·901	2·185	2·072	1·868	1·692	1·764	1·897
19	Devonshire	1·970	1·938	2·070	1·745	1·948	2·067	2·092	1·971	1·891	1·924	1·962
20	Cornwall	2·101	1·953	2·076	1·909	1·970	2·074	2·019	2·040	1·991	2·004	2·014
21	Somersetshire	2·033	1·852	2·106	1·735	1·848	2·153	2·088	1·963	1·921	1·757	1·945
	VI.—WEST MIDLAND COUNTIES.											
22	Gloucestershire	2·198	2·113	2·186	1·866	1·983	2·245	2·122	1·951	2·058	1·947	2·067
23	Herefordshire	2·135	1·828	2·278	1·923	1·949	2·085	2·212	1·912	1·909	1·790	2·002
24	Shropshire	2·085	1·957	2·074	1·796	2·003	2·084	2·087	2·112	2·092	1·911	2·020
25	Staffordshire	2·557	2·839	2·425	2·268	2·619	2·464	2·605	2·194	2·110	2·343	2·442
26	Worcestershire	2·029	2·182	2·065	1·816	2·043	2·061	2·262	1·878	1·891	1·863	2·009
27	Warwickshire	2·362	2·637	2·206	2·075	2·405	2·423	2·370	2·043	2·112	2·185	2·282
	VII.—NORTH MIDLAND COUNTIES.											
28	Leicestershire	2·269	2·121	2·069	1·951	2·241	2·450	2·292	1·962	2·169	2·049	2·157
29	Rutlandshire	1·818	1·652	1·990	1·785	1·533	2·046	1·956	1·909	1·769	1·645	1·810
30	Lincolnshire	1·841	2·090	2·071	1·675	1·826	2·116	2·168	1·936	1·926	1·802	1·945
31	Nottinghamshire	2·421	2·350	2·050	2·124	2·196	2·466	2·548	2·054	2·136	2·049	2·239
32	Derbyshire	2·338	2·224	2·120	1·953	2·104	2·356	2·264	2·103	2·171	1·984	2·162
	VIII.—NORTH WESTERN COUNTIES.											
33	Cheshire	2·438	2·221	2·197	2·048	2·269	2·267	2·169	2·173	2·164	2·246	2·219
34	Lancashire	2·769	2·701	2·680	2·464	2·628	2·719	2·454	2·371	2·592	2·560	2·594
	IX.—YORKSHIRE.											
35	West Riding	2·457	2·438	2·223	2·212	2·368	2·491	2·396	2·360	2·321	2·364	2·363
36	East Riding (with York)	2·200	2·248	2·072	1·902	2·346	2·349	2·271	2·185	2·333	2·251	2·216
37	North Riding	1·883	1·961	2·063	1·748	1·919	1·939	2·178	2·027	2·001	2·052	1·977
	X.—NORTHERN COUNTIES.											
38	Durham	2·415	2·485	2·304	2·332	2·386	2·404	2·313	2·098	2·256	2·220	2·321
39	Northumberland	2·745	2·070	2·115	2·031	2·167	2·189	2·161	2·218	2·388	2·285	2·237
40	Cumberland	2·062	2·169	2·215	1·945	1·986	2·064	2·199	2·242	2·146	2·256	2·128
41	Westmorland	2·020	1·777	1·805	1·574	1·661	1·770	1·974	1·975	1·777	2·086	1·842
	XI.—MONMOUTHSHIRE AND WALES.											
42	Monmouthshire	2·411	2·487	2·355	2·037	2·161	2·465	2·412	2·026	2·100	2·106	2·256
43	South Wales	2·202	2·219	2·230	2·004	2·004	2·412	2·289	2·116	2·052	1·997	2·153
44	North Wales	2·076	1·962	2·145	1·894	1·938	2·026	2·047	2·225	2·098	2·189	2·060

It is possible, and even probable that individuals and families of the Lancashire workmen, whose simple annals are unwritten on any page, and unremembered by any but themselves, suffered, while under fever or other sickness, from the want of necessaries or comforts which better times had supplied in greater abundance; and may even have traced prolonged illness or debility directly to that cause. If such cases were numerous, circumstances of a local or general character, and favourable to health, were in operation amongst a large and mixed community, and compensated, in the aggregate of sickness and mortality, for effects which the reduction of diet below the natural standard must necessarily produce. When the cotton manufacture was prosperous, factory labour fed and clothed a vast population, but it was not considered an unqualified good under all the conditions incidental to it;—men deprived of needful recreation in the open air;—children robbed of that nursing which their mothers engaged in the factory could not give. When the collapse came, the temporary intermission of that labour was supposed by many persons to have conduced to the public health by offering opportunities which had previously been denied. To what extent, if any, this was true, is subject of reasonable opinion or speculation amongst members of the medical profession accustomed to study the habits and diseases of families in the neighbourhoods in which they live; but there is no evidence to prove that exercise in the fields, domestic superintendence, and moderation in the use of drinks actually depressed the rate of mortality, though it may be safely admitted that this effect must necessarily follow, when for an adequate length of time such causes have been in operation. Influences that in their wide diffusion reduced the mortality of England below the average doubtless tended to reduce it also in Lancashire. The mean temperature of the air in the year (49·5°) somewhat exceeded the average at Greenwich; while in summer, the only quarter in which the temperature was not in excess, the coldness of the season was beneficial in its effect; and other physical agencies that are more difficult to be appreciated than heat and cold were probably at work. But that the registers did not tell a different tale,—that famine did not bear the fruit which in the history of nations it has too often borne, the spectacle of thousands struck by fever and death,—is mainly due to that legal provision for the poor which Christian civilization has established, and to the spontaneous munificence of a people amongst whom the seeds of charity have been liberally scattered.

The Seasons.—In the winter quarter of 1862, viz., the first three months, the rate of mortality (2·443) was slightly below the average of winter; in the spring quarter it was 2·121 per cent., and showed a greater decrease on its average; in summer the rate (1·800) was singularly low; but in autumn, the last three months, it rose to 2·230, a point higher than the average of twenty-five years.

If 1000 deaths be assumed as the average number in a quarter, the following will be the proportional numbers in England in the four quarters of 1862, as obtained from the actual numbers in that year:—1133 in the quarter ended March 31st, 986 in the June quarter, 839 in the September, and 1042 in the December quarter. In Lancashire the proportional numbers will be 1160, 956, 808, and 1076. In Devonshire 1084, 1040, 860, and 1016. In the West Riding of Yorkshire 1064, 996, 856, and 1084. In London 1080, 928, 916, and 1076. It appears from these figures that in the fluctuations of mortality caused by seasonal influences, Lancashire was particularly indebted to summer; that it suffered most in the winter quarter; that in London the winter and autumn quarters were alike, while the two intermediate quarters scarcely differed; that in the West Riding the autumn and winter quarters were the most unhealthy; and that Devonshire, while, like other places, it received most benefit from the summer, experienced a more equable rate of mortality in the course of the year than other parts.

Mortality of Males and Females at the various periods of Life.

Tables XVI. to XIX.

We have from the three Censuses of 1841, 1851, and 1861, in which the ages of the population were enumerated, the means of determining very nearly the numbers living in each of the twenty-five years (1838–62) during which the registration of deaths has been in operation.

The specification of the numbers living at each separate year of age is, except as a matter of curiosity, utterly useless, for in the first place great numbers of the people do not know their exact age within a year or two, and in the second place the actual numbers at each year of age fluctuate considerably from various causes, and an annual Census alone could supply the true numbers living for each year. By collecting together all the numbers returned in each five years of age under fifteen, and in each ten years after that age, groups of population are obtained at the censuses, of sufficient magnitude to allow us to determine the years of life, and the rate of mortality at each important period of life in each of the twenty-five years. The weight of the results is increased by the extended area of observation, which covers the whole of England and Wales, for a quarter of a century.

The deaths vary considerably in number in the various groups; thus under the age of 5 the number of boys dying ranged from 70,000 to 100,000 annually; at the age 10 and under 15, the deaths of boys ranged from 4200 to 6100; while at each of the decennial periods afterwards, from 15 to 85, the number of deaths ranged from 10,000 to 21,000; in the decennium, from 85 to 95, the numbers fell to 4000 or 5000; and for 95 and upwards are about 200 to 300 men, and twice as many women.

The mortality of the two sexes differs considerably at different ages; thus in the first five years of life the excess of mortality among boys over that of girls is in the ratio of 7·216 and 6·216, or 1·000 per cent.; in the next period it is only slightly in excess; but from the age of 10 to

Table XVI.—ENGLAND. **Mortality** per Cent. at different Ages.—**Males.***

YEARS.	AGES.—MALES. All Ages.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwds.
	MEAN OF 25 YEARS.												
1838–62	2·309	7·216	·883	·499	·795	·975	1·272	1·809	3·136	6·702	14·681	30·332	43·566
	MEANS OF 10 YEARS.												
1841–50	2·312	7·153	·920	·513	·822	·991	1·275	1·843	3·188	6·711	14·832	30·612	44·051
1851–60	2·310	7·304	·856	·490	·772	·953	1·261	1·785	3·073	6·653	14·677	30·311	43·710
	MEANS OF 5 YEARS.												
(3 Years.) 1838–40	2·330	7·231	·961	·524	·835	1·024	1·298	1·845	3·250	6·756	14·407	29·381	43·380
(5 Years.) 1841–45	2·216	6·898	·885	·486	·781	·935	1·206	1·742	3·042	6·530	14·376	29·905	43·177
1846–50	2·408	7·407	·956	·540	·862	1·048	1·343	1·943	3·335	6·892	15·288	31·319	44·925
1851–55	2·355	7·418	·878	·516	·806	·991	1·286	1·861	3·150	6·684	15·083	30·502	44·963
1856–60	2·266	7·189	·833	·464	·737	·915	1·236	1·708	2·997	6·621	14·271	30·120	42·456
(2 Years.) 1861–62	2·259	7·070	·722	·439	·723	·930	1·274	1·710	3·020	6·824	14·357	30·469	40·707

* For mode of reading this Table, see Note to Table XVII.

Note.—Tables XVI. to XIX. should be substituted for Table XV. in the 22d and previous Annual Reports. The Population used in the above calculations now being deduced from the ascertained rate of increase observed in the 20 Years 1841–61.

25 and 35, the young women die in a greater proportion than young men, the cause of which it is important to investigate; at the age of 45 and upwards, the women die at a lower rate, and live longer afterwards than men.

The mean mortality among boys of 10–15 is at the rate of 5 in 1000; of young men in the next ten years (15–25) the mortality is somewhat less than 8 in 1000, and in the following decennial periods the numbers dying per 1000 run up to 10, 13, 18, 31, and 67 (at the age of 70=65–75), 147, 303, and 436, which is the rate carrying off the old men of 95 and upwards.

The mortality among women goes through similar variations.

It will be observed that the mortality at the same periods of life fluctuated. Thus while the mean mortality of boys under five years of age was 7·216, their mortality in the year 1846 was as high as 7·781, and in 1845 as low as 6·683 per cent. The one was ·565 above, the other ·533 below the average, making the total range in the rate 1·098.

Generally at all ages, from 5 to 65, the mortality was highest in the year of the great cholera epidemic (1849), and lowest in the years 1856, 1860, and 1861.

The mortality rate never falls so much below the mean mortality as it is raised above it by epidemics especially, and while the absolute difference of the rates is naturally greatest at the advanced ages, when the rates themselves are high, the relative rise and fall is greatest in

Table XVII.—ENGLAND. **Annual Rates** of **Mortality** per Cent. of **Males** at different Ages, **1838–62.**

YEARS.	DEATHS TO 100 LIVING.												
	AGES.—MALES.												
	All Ages.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwds.
1838	2·342	7·012	·899	·519	·853	1·078	1·358	1·945	3·413	7·053	14·810	29·870	45·695
1839	2·277	7·149	·903	·512	·820	·994	1·265	1·795	3·194	6·499	13·908	27·995	39·694
1840	2·372	7·533	1·082	·542	·832	·999	1·270	1·795	3·143	6·715	14·504	30·278	44·752
1841	2·238	6·843	·956	·510	·811	·978	1·217	1·785	3·137	6·482	14·266	29·650	43·164
1842	2·239	7·055	·901	·501	·782	·926	1·193	1·734	3·041	6·566	14·565	29·410	43·142
1843	2·199	6·910	·845	·478	·772	·919	1·212	1·723	3·007	6·525	14·067	28·708	42·651
1844	2·238	7·000	·898	·473	·762	·933	1·217	1·752	3·050	6·665	14·619	31·644	40·589
1845	2·166	6·683	·823	·466	·780	·919	1·193	1·718	2·973	6·413	14·365	30·114	46·340
1846	2·390	7·781	·826	·507	·858	1·016	1·262	1·802	3·128	6·673	15·032	32·127	49·169
1847	2·541	7·608	·971	·550	·927	1·091	1·425	2·067	3·648	7·603	17·284	35·462	54·329
1848	2·387	7·418	1·044	·530	·857	1·018	1·295	1·866	3·265	6·722	14·954	30·552	41·095
1849	2·578	7·526	1·125	·646	·950	1·236	1·573	2·264	3·653	7·186	15·162	29·925	41·916
1850	2·142	6·701	·815	·467	·716	·877	1·162	1·717	2·979	6·278	14·006	28·527	38·117
Mean of 25 Years (1838-62).	2·309	7·216	·883	·499	·795	·975	1·272	1·809	3·136	6·702	14·681	30·332	43·566
1851	2·276	7·298	·869	·491	·776	·948	1·236	1·787	3·031	6·396	14·055	28·245	41·937
1852	2·324	7·500	·908	·522	·802	·972	1·232	1·807	3·056	6·289	14·203	28·659	44·539
1853	2·383	7·332	·850	·508	·833	1·021	1·318	1·935	3·236	6·919	15·968	32·097	49·732
1854	2·441	7·770	·940	·535	·842	1·039	1·355	1·928	3·165	6·684	14·913	29·093	41·426
1855	2·351	7·189	·822	·503	·778	·974	1·288	1·848	3·260	7·132	16·276	34·415	47·181
1856	2·136	6·753	·722	·456	·736	·904	1·189	1·644	2·879	6·163	13·099	28·092	36·701
1857	2·257	7·254	·783	·470	·737	·918	1·215	1·702	2·952	6·461	14·382	30·229	40·374
1858	2·390	7·683	1·052	·503	·766	·928	1·253	1·734	3·045	6·796	14·696	31·771	47·726
1859	2·327	7·499	·926	·478	·736	·920	1·255	1·735	3·018	6·644	14·019	29·376	43·747
1860	2·218	6·758	·683	·414	·712	·905	1·270	1·725	3·091	7·042	15·159	31·133	43·732
1861	2·268	7·176	·674	·433	·728	·923	1·265	1·690	3·008	6·890	14·654	31·092	44·835
1862	2·249	6·963	·770	·444	·717	·936	1·283	1·729	3·031	6·757	14·060	29·846	36·579

The Table may be read thus:—Of 100 males living of the age 35 and under 45, 1·358 died in 1838, 1·265 in 1839, and 1·162 in 1850; the average annual rate in the 25 years, 1838–62, among the aggregate of males in this decennial period of age was 1·272.

childhood after the age of 5 years and under 15, when the zymotic diseases of that age are most prevalent. Women of the age of 15 and under 45 were cut off in great numbers in the cholera years.

The following are examples of the fluctuations of the rates of mortality in the twenty-five years.

The mean annual mortality of men of the age 25–35 was ·975, but the mortality of men of that age in 1849 was 1·236, and in 1850 it was as low as ·877 per cent. The range was ·359; in the one case it was more than 26 per cent. above ·975, and in the other 10 per cent. below that mortality rate.

The mean annual mortality of men of 55–65 was 3·136, but in 1849 the rate was 3·653, in 1850 it was 2·979; thus the range was ·674 in the twenty-five years.

An Insurance office upon a large number of these lives of 55–65 would pay at the rate of 31 policies in 1000 during ordinary years, but it may pay on 37 or 30 deaths in years of high or low mortality. The relative fluctuation is greater when small numbers are concerned.

Meteorology.—At fifty degrees latitude the mean temperature of the air was 50·6°, at fifty-one degrees 49·3°, at fifty-two degrees 48·7°, at fifty-three degrees 47·6°, at fifty-four degrees 46·1°, at fifty-five degrees 45·7°. Between south and north there was a difference in mean temperature amounting to 5°, or one less for every stretch of sixty geographical miles northwards. The mean temperature of the dew-point fell constantly from 45·8° at fifty degrees latitude to 42·1° at fifty-four degrees. The mean elastic force of vapour from ·316 to ·276.

At nearly all the fifty-two meteorological stations westerly winds prevailed, and taking one station with another, from Guernsey and Truro in the south to Shields and Alnwick in the north, the wind blew from a westerly point on 133 days out of the 365, from the east on 70 days, from

Table XVIII.—ENGLAND. **Mortality** per Cent. at different Ages—**Females.**

YEARS.	AGES.—FEMALES.												
	All Ages.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwds.
	MEAN OF 25 YEARS.												
1838-62	2·143	6·216	·876	·518	·831	1·021	1·235	1·552	2·800	5·841	13·380	27·966	42·914
	MEANS OF 10 YEARS.												
1841-50	2·161	6·135	·910	·533	·853	1063	1·279	1·589	2·822	6·134	13·506	28·376	44·445
1851-60	2·142	6·331	·844	·509	·814	·996	1·198	1·514	2·747	5·693	13·355	28·125	42·816
	MEANS OF 5 YEARS.												
(3 Years.) 1838–40	2·149	6·180	·983	·547	·855	1·027	1·280	1·601	2·882	5·764	13·260	26·785	38·682
(5 Years.) 1841–45	2·064	5·878	·886	·500	·817	·995	1·211	1·504	2·704	5·943	13·123	28·019	42·045
1846–50	2·257	6·391	·933	·566	·890	1·130	1·347	1·674	2·941	6·324	13·890	28·732	46·844
1851-55	2·183	6·405	·854	·534	·844	1·040	1·237	1·558	2·785	5·897	13·623	28·359	44·006
1856–60	2·100	6·257	·834	·484	·784	·951	1·159	1·469	2·708	5·489	13·088	27·891	41·626
(2 Years.) 1861-62	2·056	6·107	·712	·447	·764	·931	1·127	1·482	2·831	5·240	13·052	26·893	42·102

the south on 84, and from the north on 78. But it blew from a northerly point nearly a third part of the year at Truro, and even more at Worthing. Southerly winds prevailed more or as much as northerly in some parts.

The amount of rain collected at Greenwich was 26 inches; at Truro, Bath, Barnstaple, Silloth, and Allenheads, about 45 inches; at Stonyhurst 55 inches; at Scarborough, Leeds, Grantham, Holkham, little more than 20 inches. The average rain-fall in England as represented by the fifty-two stations was 31 inches.

Summary of the Quarterly Reports, 1862.

First Quarter.—January, February, March.

The marriage-rate, which had been low during the whole of the previous year 1861, continued low in the first quarter of the year 1862. The births were numerous in the first quarter of the present year, as they had been in 1861; and the rate of mortality, which was comparatively low in the last two years, was not high in the first quarter of the year. The marriage-rate in 1861, and the increase of pauperism in the same period, concur to indicate a less prosperous state of trade and industry in the community; but physical causes, and improvement in sanitary condition, appear to have exercised a favourable influence on the public health.

TABLE XIX.—ENGLAND. **Annual Rates** of **Mortality** per Cent. of **Females** at different Ages, **1838–62.**

YEARS.	DEATHS TO 100 LIVING.												
		AGES.—FEMALES.											
	ALL AGES.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwds.
1838	2·146	6·007	·899	·540	·851	1·044	1·319	1·675	3·037	5·875	13·516	26·599	37·084
1839	2·097	6·113	·937	·533	·847	1·006	1·251	1·558	2·764	5·529	12·655	25·322	36·401
1840	2·204	6·420	1·114	·569	·868	1·032	1·271	1·571	2·845	5·887	13·608	28·435	42·562
1841	2·083	5·861	·963	·520	·842	1·007	1·227	1·542	2·740	5·841	13·375	28·255	42·706
1842	2·098	6·032	·924	·513	·831	1·005	1·219	1·523	2·731	6·023	13·031	28·405	40·216
1843	2·047	5·913	·847	·486	·785	·977	1·225	1·479	2·670	5·894	12·944	27·597	44·217
1844	2·083	5·906	·900	·504	·811	1·007	1·197	1·518	2·743	6·076	13·367	28·356	42·617
1845	2·011	5·680	·798	·478	·816	·981	1·185	1·459	2·635	5·883	12·896	27·482	40·471
1846	2·221	6·704	·811	·535	·871	1·049	1·238	1·550	2·747	6·185	13·640	30·250	50·633
1847	2·380	6·580	·948	·579	·920	1·175	1·418	1·779	3·186	6·996	15·773	32·003	51·995
1848	2·224	6·419	·995	·568	·879	1·091	1·298	1·581	2·829	6·096	13·476	27·547	46·030
1849	2·445	6·506	1·100	·655	1·001	1·348	1·614	1·990	3·328	6·616	13·927	27·969	42·856
1850	2·013	5·747	·810	·492	·778	·988	1·168	1·470	2·613	5·726	12·633	25·892	42·705
Mean of 25 Years (1838–62).	2·143	6·216	·876	·518	·831	1·021	1·235	1·552	2·800	5·841	13·380	27·966	42·914
1851	2·124	6·299	·860	·527	·818	1·005	1·193	1·519	2·679	5·854	12·818	26·357	45·017
1852	2·155	6·441	·877	·539	·837	1·032	1·209	1·508	2·653	5·658	13·164	27·623	41·348
1853	2·197	6·342	·810	·543	·867	1·064	1·239	1·582	2·830	6·017	14·072	29·350	47·206
1854	2·267	6·780	·920	·564	·868	1·102	1·309	1·643	2·834	5·807	13·297	26·950	42·156
1855	2·174	6·163	·801	·497	·828	·998	1·235	1·537	2·931	6·150	14·763	31·517	44·303
1856	1·969	5·885	·732	·455	·759	·933	1·133	1·403	2·512	5·119	11·977	24·266	36·692
1857	2·107	6·377	·769	·466	·792	·942	1·152	1·462	2·711	5·581	13·116	28·141	45·450
1858	2·233	6·752	1·043	·535	·824	·977	1·185	1·479	2·759	5·726	13·775	29·697	45·845
1859	2·155	6·523	·937	·526	·794	·966	1·174	1·507	2·701	5·389	12·920	27·635	40·455
1860	2·034	5·746	·691	·439	·750	·939	1·153	1·496	2·856	5·628	13·651	29·714	39·690
1861	2·063	6·198	·678	·436	·776	·933	1·117	1·472	2·817	5·246	13·123	26·613	44·478
1862	2·049	6·016	·745	·458	·751	·928	1·137	1·491	2·845	5·234	12·980	27·172	39·725

Marriages.—In the first three months of this year 67,906 persons were married in England. They married at the rate (per annum) of 1·360 in a hundred of the population, whilst the average of corresponding quarters in the years 1852–61 is 1·41. But the marriage-rate was not so low as it had been in the same quarter of 1858, when it declined to 1·252, and when, to quote the words of the Report of that period, "the stagnation "of trade in the manufacturing districts had cast a shadow over the "prospects of the people, and they did not marry."

The population of Lancashire has undoubtedly increased during the last five years, and while this circumstance is borne in mind, it may be stated that the marriages in that county in the winter quarter of 1858 were 4157; in that of 1860 they were 5524; and in the same quarter of this year 4882.

It may be anticipated, that when the marriage results in Lancashire for the June quarter are ascertained, the effect of a season of depression worse than that of 1858 will be manifested in the returns more conspicuously.

By comparing the numbers of marriages in the winter quarters of 1861–2, it will be seen that there was an increase in London and in the ten other divisions of England, with the exception of the Eastern Counties, where there was a decrease, of the North Midland Counties, where the number was stationary, and of the North-western counties, where there was an important decrease in consequence of a reduction of the marriage-rate in Lancashire, which forms the chief part of the division.

In Liverpool the marriages decreased from 828 in the winter or March quarter of 1861 to 785 in that of 1862; in Wigan from 228 to 186; in Bury from 210 to 173; in Chorlton from 131 to 91; in Salford from 143 to 126; in Manchester from 951 to 829; in Ashton from 278 to 225; in Oldham from 215 to 172; in Rochdale from 223 to 169; in Haslingden from 170 to 142; in Burnley from 185 to 128; in Blackburn from 259 to 216; in Preston from 265 to 220. In the iron district of Ulverston, in the north-west of Lancashire, the marriages appear to have been fairly maintained; and the report of the Registrar of Dalton in that district is cheerful amid the gloom. He says:—"There is no distress in the sub-

TABLE XX.—**Proportional Number** of **Deaths** in each **Quarter** to **1000 Deaths** in the **Average Quarter** of each Year, **1838–62.**

Years.	Number of Deaths in the Average Quarter.	Proportional Number of Deaths				
		In the Average Quarter (assumed to be 1000).	First Quarter ending March 31.	Second Quarter ending June 30.	Third Quarter ending Sept. 30.	Fourth Quarter ending Dec. 31.
1838	85,690	1000	1145	1061	850	944
1839	84,746	1000	1059	1038	900	1003
1840	89,922	1000	1100	1005	899	997
1841	85,962	1000	1152	1002	878	968
1842	87,380	1000	1102	990	942	965
1843	86,611	1000	1096	1007	887	1010
1844	89,233	1000	1132	956	893	1018
1845	87,342	1000	1198	1021	857	924
1846	97,579	1000	917	925	1042	1116
1847	105,826	1000	1131	1008	833	978
1848	99,958	1000	1201	998	877	925
1849	110,210	1000	961	927	1227	885
1850	92,249	1000	1067	1007	931	996
1851	93,849	1000	1066	1006	926	1002
1852	101,784	1000	1045	989	986	980
1853	105,274	1000	1122	1022	876	980
1854	109,476	1000	1036	940	1031	993
1855	105,426	1000	1280	1001	816	903
1856	97,627	1000	1061	1031	928	980
1857	104,954	1000	1050	955	950	1045
1858	112,414	1000	1134	955	865	1046
1859	110,195	1000	1118	961	938	983
1860	105,680	1000	1166	1054	812	968
1861	108,778	1000	1129	990	923	958
1862	109,142	1000	1133	986	839	1042

"district; men are fully employed, and wages are good according to the "price of food."

Births.—The total number of births in the first three months of this year was 181,990; in the same period of last year it was 172,933. The birth-rate, 3·644, was higher than in any of the years 1852–61, with the exception of 1860; the average rate is 3·59.

By a review of results in the Eleven Divisions it will be seen that in seven of them the number of births was less last quarter than it had been in the corresponding quarter of 1860; that in London, and in the South Eastern Division, the numbers were slightly higher; in the North-western Division the number was higher by nearly 2000; in the Northern Division also the births exhibited an increase.

In connexion with the above statement it may be observed here that in comparing the same two periods the absolute numbers of deaths were less in 1862 in all the Divisions except the two last mentioned, viz., the North-western and the Northern, which embrace Cheshire, Lancashire, Durham, Northumberland, &c. The conclusion is that generally where the quarter was more fruitful than that of 1860 in respect of births it was also unfortunately distinguished by more numerous deaths. Where many children were born, many died; and their names were enrolled on both sides of the account. To this circumstance the tabular results are probably to some extent due. But the observation is not applicable to certain towns in the North-western Division, for in Stockport, Manchester, and Salford, there was a decrease of births and a great increase of deaths.

The following report is from the registrar of—

COVENTRY; *Holy Trinity*, sub-district.—Births 160; Deaths 93. There is a very perceptible diminution in the number of births within my district since the commencement of 1861. Thus, for the five quarters ending 31st December 1860, the number of

TABLE XXI.—**Annual Rate** per Cent. of **Birth,** and **Death,** in **England,** during each **Quarter** of the Years **1838–1862.**

Years.	Birth Rate. In the Quarters ending the last day of				Death Rate. In the Quarters ending the last day of			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838 -	3·032	3·198	2·970	2·928	2·615	2·387	1·887	2·086
1839 -	3·248	3·338	3·069	3·059	2·359	2·280	1·949	2·164
1840 -	3·395	3·301	3·021	3·044	2·538	2·310	2·038	2·252
1841 -	3·424	3·278	3·082	3·092	2·537	2·174	1·877	2·063
1842 -	3·431	3·344	3·032	3·058	2·436	2·158	2·025	2·067
1843 -	3·420	3·234	3·114	3·174	2·373	2·149	1·866	2·119
1844 -	3·507	3·334	3·123	3·115	2·467	2·077	1·913	2·175
1845 -	3·491	3·291	3·140	3·103	2·554	2·144	1·776	1·908
1846 -	3·498	3·551	3·251	3·256	2·157	2·144	2·382	2·545
1847 -	3·488	3·265	2·945	2·938	2·850	2·506	2·163	2·389
1848 -	3·252	3·474	3·211	3·038	2·794	2·313	2·005	2·108
1849 -	3·575	3·523	3·056	3·053	2·462	2·341	3·057	2·199
1850 -	3·321	3·530	3·281	3·253	2·261	2·107	1·917	2·045
1851 -	3·563	3·553	3·318	3·271	2·387	2·222	2·016	2·176
1852 -	3·583	3·511	3·293	3·299	2·355	2·222	2·186	2·166
1853 -	3·579	3·464	3·177	3·099	2·614	2·349	1·985	2·214
1854 -	3·518	3·721	3·293	3·108	2·447	2·213	2·423	2·326
1855 -	3·596	3·526	3·255	3·123	2·910	2·272	1·844	2·036
1856 -	3·580	3·655	3·276	3·267	2·179	2·111	1·896	1·997
1857 -	3·604	3·555	3·316	3·304	2·298	2·087	2·068	2·269
1858 -	3·576	3·488	3·204	3·205	2·631	2·210	1·997	2·406
1859 -	3·631	3·588	3·389	3·414	2·515	2·155	2·097	2·195
1860 -	3·707	3·512	3·267	3·230	2·481	2·237	1·718	2·043
1861 -	3·500	3·690	3·388	3·272	2·453	2·147	1·994	2·064
1862 -	3·644	3·665	3·365	3·350	2·443	2·121	1·800	2·230
Mean -	3·487	3·464	3·193	3·162	2·485	2·217	2·035	2·170

The Table may be read thus, without reference to the decimal points:—In the March quarter of the year 1838, to 100,000 of the population of England there were 3,032 births, and 2,615 deaths registered. The three months January, February, March, contain 90, in Leap year 91 days; the three months April, May, June, 91 days; each of the two last quarters of the year 92 days. For this inequality a correction has been made in the calculation.

births was 1011; while for the 5 quarters just ended, 31st March 1862, the number was only 850. I attribute this decline in the number of births to the circumstance of many young married couples having emigrated, or left Coventry in consequence of the extreme depression of the ribbon and watch trades.

Increase of Population.—The excess of births over deaths constitutes a natural increase of the population. This excess in the quarter was 59,971, which is equal to a daily average of 666.

In the first three months of this year the total number of emigrants who sailed from ports in the United Kingdom where there are Government Emigration Officers was 15,159, of which 5197 were persons of English, and about 8000 of Irish origin. English emigrants left these shores at the rate of 58 daily. About two-thirds of the English went to the Australian Colonies.

The emigration to the Australian Colonies which had been much reduced as well as the emigration to all parts, exhibits some appearance of revival, while that to the United States continues rapidly to decline. In the quarter that ended 31st March emigrants (English, Scotch, Irish, and Foreign) to the Australian Colonies were 4411 in 1860, 3227 in 1861, and 6322 in the present year; to the United States there went in the same periods 15,117, 12,156, and 7210. The last number forms not more than the sixth or seventh part of the emigration to the same part of the world ten years ago.

Prices, the Weather, and Pauperism.—The average price of wheat per quarter was 60*s.*; it was higher than it had been in any quarter since 1856. In the March quarter of 1860 and 1861 the price was 44*s.* 5*d.* and 55*s.* 1*d.* Potatoes were not cheap; they were on an average 142*s.* 6*d.* per ton. Beef was at the same price as in the same period of last year; mutton was a penny per lb. cheaper.

The mean temperature of the air at Greenwich for the three months was 41°·1 (which was also the temperature of February); it was 1°·6 above the average of 21 years. The mean temperature of each month was above the average; the highest temperature recorded was obtained at Bournemouth, near Poole, where the thermometer reached 70° in March; the lowest was registered at Holkham; it was 11°·8, and occurred in March.

The character of the weather as it was observed at Greenwich is thus described by Mr. Glaisher:—"During the whole of the past three months "the temperature of the air has been for a few days together cold, and "then for a few days together warm, and so on alternately; the former "or cold periods have varied from five to nine days, and the warm from "seven to nine days, with one of fifteen days. The warm periods have "generally been of somewhat longer duration than the cold periods, and "have also been generally more in excess of the average than the cold "periods have been in defect, so that upon the quarter the temperature "has been in excess, and would class as a warm period. I have no recol-"lection of such a succession of hot and cold periods of nearly equal "lengths.

"The fall of rain in January was 1·9 inch, in February 0·5 inch, and "in March 3·7 inches; the total fall for the quarter was 6·1 inches, "being about 1¼ inch above the average of the preceding 45 years. The "fall in February was nearly the smallest which has occurred in this "month since 1815, it having been less on three occasions; viz., 0·04 inch "in 1821, 0·4 inch in 1834, and 0·2 inch in 1857. The fall in March "has been exceeded twice since 1815, viz., in 1818, when it was "3·8 inches, and again in 1851, when it was 4·1 inches."

It is stated that at Belvoir Castle the land was in excellent condition for farming operations in January and February; but the wet weather at the latter end of March prevented all out-door work. Wheat looked well in favourable situations. Influenza had been prevalent among horses in January and February, and was fatal in many cases. At Culloden

ploughing was completed about the middle of January on many farms; wheat had an early and rapid growth, and looked well. At Harrogate vegetation was very forward.

The registrar of Wells in Norfolk mentions "the continuance of a very "damp and cold atmosphere," to which he attributes "fever of a low type "and diphtheria, which often proved rapidly fatal." The registrar of Salisbury believes that the excess of deaths which he records was partly caused "by the trying weather which we have had of late." "The "increase of deaths," says the registrar of Lansdown (Bath), "is un-"doubtedly owing to the frequent and sudden changes of the weather "during the past remarkable winter, when the thermometer frequently "ranged 20° or 30° in the course of 24 hours." Variable or otherwise unfavourable weather is reported to have had a similar effect at Bilston, Darlaston (Walsall), and at Birmingham. At Lincoln, where cases of scarlatina were numerous but not fatal, the weather was "extremely damp and unhealthy." At Liverpool pulmonary complaints were supposed to have resulted from damp and changeable weather, aided by privation, which the poor had suffered. At Royton (Oldham) the weather had been very wet, working time short, and the mortality more than double the average. Changeable weather and want of employment had caused much fatal sickness at Crompton in the same district. Wet, cold, and changeable weather had raised the mortality in Lancaster, at Thornton and Wilsden (Bradford), at Malton, Whitby, and Northallerton; Middleton and Chester-le-Street in the county of Durham suffered from the same cause. The registrar of Newport in Monmouthshire states that "the "quarter has been wet and cold to an unusual degree, and chest diseases had prevailed;" and at Kington in South Wales, where there was a great deal of sickness from scarlatina and diphtheria, the medical men attributed it to the unsettled state of the weather.

The Returns of the Poor Law Board bear faithful witness to the distress that unhappily prevails in many districts. The average number of in-door paupers relieved on the last day of each week rose from 118,523 in the March quarter of 1860 to 143,772 in the corresponding quarter of this year; that of out-door paupers from 717,269 to 804,268. The increase which the last returns show was very manifest, though not to an equal degree, in the March quarter of the intermediate year 1861.

Deaths; and State of the Public Health.—The total number of deaths registered in the quarter was 122,019; it was not so great as in the same quarter of 1860, when the number was 122,617. London returned 18,191 deaths; Lancashire, which has a population less by upwards of three hundred thousand persons, returned 18,650. If the rate of mortality had been the same in Lancashire that it was in London, the deaths in that county would have been about 16,000.

The rate of mortality was lowest in the SOUTH EASTERN COUNTIES, which include Sussex, Hampshire, Berkshire, and the extra-metropolitan parts of Surrey and Kent; and in the SOUTH WESTERN, which include Wiltshire, Dorsetshire, Devonshire, Cornwall, and Somersetshire; it was higher in the EASTERN and NORTH and SOUTH MIDLAND DIVISIONS; higher still in the WEST MIDLAND. The highest rates of mortality prevailed in Yorkshire, the Northern Counties, Monmouthshire, and Wales; in London; and in the NORTH-WESTERN DIVISION, which includes Cheshire and Lancashire. The last-mentioned Division is unfavourably distinguished above all the rest.

The rate of mortality in England and Wales in the quarter was 2·443 per cent.; the average being 2·49. It ranged in the March quarter of the previous ten years from 2·2 to 2·9.

In the districts that comprise the chief towns, the rate of mortality was 2·655 per cent. against an average of 2·683. In those that consist chiefly of small towns and country parishes the rate was 2·184, against

an average of 2·278. The country was not only favourably distinguished from town by having a rate of mortality which was lower by five deaths in each thousand of the population; it also appears to have attained a higher degree of salubrity as compared with that which had been experienced in the winters of former years.

The quarter, for which the present return is made, was at least as healthy as the same period in 1861, and more healthy than that of 1860. Taken as a whole, the season was warm, and "the wet," which is so much the subject of complaint in the local reports, was probably an evil that was not without its wholesome mixture of good. But Lancashire, as has been already mentioned in general terms, has tended to darken the aspect of returns, which viewed in the aggregate are not unfavourable. In the last three corresponding quarters the deaths in that county considerably increased; they were in the first 16,024, in the next 17,408, and in the March quarter of the present year 18,650.

Of twenty-six districts of which Lancashire consists, there was in twenty-four an increase of the deaths now returned over those of the March quarter of 1860; and in seventeen an increase over those of the same quarter of 1861. In Leigh the deaths in the three corresponding quarters were successively 273, 274, and 339; in Bury 591, 695, and 802; in Salford 706, 632, and 817; in Oldham 692, 809, and 890; in Haslingden 400, 422, and 490; in Burnley 500, 531, and 603; in Blackburn 727, 850, and 996; in Preston 823, 876, and 886; and in Manchester 1760, 1775, and 2312. In Stockport the deaths in the same periods were 651, 589, and 711.

The registrars in certain districts refer the increased mortality which these figures too plainly reveal, to scarlatina, measles, bronchitis, and pneumonia, which had been prevalent; and by some of them an opinion, which there is reason to fear may be too well founded, appears to be entertained that those complaints had found an active ally in the poverty and want which many of the unemployed thousands now suffer in the great seats of manufacture. Facts have been adduced to prove that in instances of great depression of trade like that which recently occurred in Coventry the mortality of children is reduced in consequence of the due amount of maternal care being bestowed on them which in more prosperous times is withdrawn by the importunate requisition of factory labour. This is within limits. Nursing in straitened circumstances may be better for children than fulness of good cheer without it; but when hard times are prolonged, and the small store that had been gathered in the day of full work is exhausted, the greatest amount of parental attention will not expel physical decline, sickness, or death itself from the dwelling.

The following reports are from Registrars of the district of Stockport:—

"*Hyde.*—Births 183; Deaths 163. The deaths are above the average, 14 occurred "from scarlatina. There has been great privation and distress among the factory "operatives, arising from want of employment."

"*Stockport, First Part.*—Births 239; Deaths 253. The deaths are more than the "average. Measles, whooping-cough, pneumonia, and bronchitis have been prevalent, "and caused many deaths amongst young children. I have had an increased number "of deaths at the workhouse, in consequence of the present depressed state of trade "having augmented the number of inmates."

"*Stockport, Second Part.*—Births 97; Deaths 126. The mortality is considerably in "excess of that of the corresponding quarter of 1861, when the deaths were 78. The "increase is attributable to the prevalence of whooping-cough 17, and bronchitis 19. "The state of the cotton trade, the staple of this district, may have had some effect. "The Board of Guardians, aided by private benevolence, has, however, done much to "mitigate privations consequent on the suspension of employment."

The Registrar of Preston writes thus:—

"Births 932; Deaths 710. The deaths are 72 above the average of five corresponding "quarters. 362 children died at and under 5 years of age. During the last three "months great distress has existed in this district in consequence of the insufficient

"supply of cotton. Several thousands of the operative classes have been out of work, "or only partially employed. From a statement published March 12th it appears that "there are 1,645,830 mule spindles in the cotton factories, of which 533,706 were "entirely stopped; the rest 1,112,124 were working from 3 to 6 days per week. There "are 27,186 power looms for the manufacture of cotton cloth, of which 9033 were "stopped; the rest 18,153 were working from 3 to 6 days per week. The loss of wages "alone to the operatives is estimated at 7000*l.* per week. Great efforts have been made "by the benevolent to relieve the distress, and a large sum of money has been raised. "The operatives at several establishments working full time have manifested a truly "fraternal feeling towards their less fortunate fellow workmen, by contributing towards "their relief. Amongst others, those employed at the extensive cotton mills of Messrs. "Horrocks, Miller, and Co., have presented the noble sum of 225*l.* 4*s.* 4*d.* In the week "ending March 29th, 3149 cases, comprising 14,314 persons, were visited and relieved "from this fund. Too much cannot be said in favour of the distressed operatives "for their patient and orderly conduct in the midst of their privations and sufferings."

Second Quarter.—April, May, June, 1862.

The leading facts that are disclosed in this return are of a mixed character; they are favourable generally, as regards the health and growth of the population, but they are not without indications of a diminished prosperity in important districts of the country. Marriages were not numerous in the spring quarter of this year. During a period of eighteen months, embracing the whole of 1861 and the earlier half of the current year, the marriage rate was low, and the concluding three months exhibited a remarkable inactivity of the rate at which new families are formed. Births were numerous in the three months that ended 30th June. A birth-rate above the average degree of activity has prevailed during the last fifteen months. The mortality was below the average; and it is satisfactory to add, that the healthy summer of 1860 inaugurated a period which has been extended through two years, and in which the mortality has not in any quarter reached the average. Atmospheric agencies of a beneficial character have been at work in that time; but public bodies that have projected and successfully carried out local improvements may claim the credit of having contributed in a great degree to produce this result.

Marriages.—The total number of marriages in the spring quarter of 1860 was 43,777; in that of 1861 it was 42,012; and in the same quarter of the present year it fell to 40,853.

The annual marriage-rate in the spring quarter of this year, viz., persons married to a hundred in the population, was 1·614. This proportion is lower than any result obtained in the same season during an extended series of years, for in the ten years 1852–61 it fell to its lowest point, which was 1·638, in 1856; and the average of the whole series is 1·71.

It will be seen that the whole of England and Wales, for the metropolis hardly constitutes an exception to the rule, has been affected more or less in its different parts by the operation of circumstances unfavourable to marriage, and that in the eighth division (comprising Lancashire and Cheshire) which in its present state of adversity will first excite attention in the observation of results that are to be obtained from the tables, the decrease of marriages is more striking than it is in any other of the groups of counties which form the eleven divisions. It may be remembered that a decrease of marriages in the cotton manufacturing districts in the first quarter of the year was mentioned in the last Quarterly Report.

In the three spring quarters of 1860–2 (ending 30th June) the marriages in Cheshire numbered respectively 993, 940, 917; those in Lancashire in the same times were 6331, 6115, and 5484. By comparing the marriages in both counties, the number in last spring with the mean of the number in two preceding springs, it is found that the decrease is equal to 11·0 per cent.

By a similar mode of comparison the next greatest decrease occurred in the Eastern Counties, Essex, Suffolk, and Norfolk, where it was 9·2 per cent. Sussex may be mentioned as an example of a single county in which there was a decrease of equal amount.

The decrease in Monmouthshire and Wales was 4·6 per cent.; in Yorkshire it was 4·0. The Northern Counties also show a decrease, but it was less than one per cent. London stands alone in the eleven divisions as presenting an example of increase, but as this was only one per cent. in an ever-growing population the marriage-rate even in the metropolis was not unusually brisk.

The decrease in the marriages of all England was 4·8 per cent.; and it may be inferred from the above facts that a large portion of that class of the population by which families are established did not consider that their circumstances justified the formation of fresh alliances. Lancashire in its season of calamity has borne witness to the operation of a law of prudence which has not been without its effect in most of the other parts of the kingdom.

Lancashire is divided into twenty-six districts, and of these there appears to have been in West Derby alone a continuous increase of marriages in three June quarters (1860–2); the numbers in that district were 375, 433, 460. The numbers as returned by some of the more important districts, and showing a decrease, may be stated,—Liverpool 1058, 997, 967; Prescot 137, 139, 126; Wigan 198, 223, 174; Bury 226, 221, 186; Salford 161, 159, 145; Manchester 1245, 1161, 1052; Ashton 352, 284, 220; Oldham 207, 233, 195; Haslingden 167, 173, 145; Burnley 166, 159, 141; Blackburn 346, 315, 200; Chorley 95, 88, 67; Preston 325, 289, 213.

The returns of Ashton, Blackburn, and Preston may be selected from the list as signal instances of the marriage-rate being depressed when *hard times* have fallen on the industry of a people.

Births.—The number of children born in the spring quarter (ending 30th June) was 185,554. The birth-rate was 3·665 to a hundred of the population. The average rate is 3·57. If last quarter is compared with the corresponding quarter of 1861 it will be found that the birth-rate was nearly the same in the two periods. But assuming that there was an increase of population within the last year in each of the eleven divisions, there was a decrease of the birth-rate in London in last spring quarter on that of the same quarter in 1861; there was also a decrease in six other divisions; whilst the birth-rate increased or was tolerably well maintained in Lancashire and Cheshire, in Yorkshire, in Durham, Northumberland, and Wales.

The general result, that the birth-rate exceeded the average, appears to be chiefly due to the Northern parts of the kingdom.

London returned 24,692 births last quarter; Lancashire with a less population returned 25,921. Births were numerous in Liverpool.

Increase of Population.—The births in the quarter exceeded the deaths in the same time by 78,162; and the population, if it had been free from disturbance by migration, would have increased at the rate of 859 persons daily.

Last quarter 47,112 persons, of whom about 14,296 were of English origin, and nearly twice that number were Irish, left ports in the United Kingdom at which there are Government Emigration Officers, for the United States, the Colonies, and other parts.

The emigration to the United States has, during a succession of years, suffered a rapid rate of reduction, but last quarter the number of persons who went thither slightly exceeded that of the same period in 1861. But the emigration to British North America has in late years been constantly on the increase; and that to the Australian Colonies gained last quarter a considerable accession. Notwithstanding these fluctuations the return

shows that the United States still received more than half of the emigrants who sailed from these shores.

Prices, the Weather, and Pauperism.—The average price of Consols was 93¾, which is higher than it had been in any quarter since the middle of 1860. The average price of wheat per quarter was 56*s.* 8*d.* It was higher than that of the same period in either of the two previous years. The mean price of beef sold by the carcase at Leadenhall and Newgate markets was 5*d.* per lb.; the best quality was 6*d.*, and cheaper than it had been, taking the average quarterly prices, for a considerable time. The highest and lowest prices of mutton, if the means are taken, were 5*d.* and 7*d.*, and were lower than the prices of the June quarter in the last two years.

Mr. Glaisher in his Report on the Weather states that at Greenwich the warm weather which set in on the 24th of March continued till the 7th of April; it was followed by a cold period of eight days duration, after which, on the 17th, very warm weather began and with occasional interruptions continued till the 8th of June. On 25th April the mean temperature was 12°·6 in excess of the average of that day, and on several days in May also the excess was remarkable. Cold weather commenced on the 9th of June and continued till the end of the month. The mean temperature of April was higher than that of any April since 1854; that of May was higher than it had been in this month since 1848; whilst the June of this year was the coldest that has occurred since 1854. The mean temperature of the three months was 53°·3, which slightly exceeds the average of the same period in twenty-one years. The amount of rain at Greenwich was 7·4 in. More than the average quantity fell in April. Snow fell throughout the greater part of the country on the 12th and 13th of April; at Guernsey and Brighton on the 14th April; and at Grantham on 9th May. The heaviest falls of rain were at Stonyhurst, Allenheads, and Cockermouth. At the first of these places the amount in the quarter was nearly 15 inches.

Some remarks on the progress of vegetation and the state of the crops have been made by observers at several of the meteorological stations.

The tables of pauperism exhibit heavier totals. The quarterly averages of the number of in-door paupers relieved on the last day of each week in the June quarter of 1860 were 107,050; in that of 1861 they were 117,801; and in that of the present year 127,861. In the same three periods the out-door paupers rose according to the following numbers:—

692,384;
713,786;
782,113.

Deaths; and State of the Public Health.—The total number of deaths registered in the three months was 107,392. In the same period of 1860–1 the numbers were respectively 110,869 and 107,558; whence it appears that in an increasing population decreasing numbers were entered in the records in the last two spring quarters. The annual rates of mortality in the three seasons now compared were 2·237 per cent.; 2·147; 2·121. The average obtained from returns in ten years is 2·20 per cent. The weather generally was favourable to health; and in many parts the purifying agency of rain was supplied in aid of sanitary expedients, or perhaps as a partial remedy for the want of them.

The rate of mortality in the districts which comprise the chief towns was 2·267. In the small towns and country parishes it was 1·940. These rates may be compared with their respective averages, which were 2·349 and 2·040. The benefit was equally shared between town and country.

When the eleven great divisions of England are compared, London, which is one of them, is found to have held last quarter nearly a middle

position in respect of mortality. Its chief zymotic malady was typhus, which numbered about a thousand victims.

The mortality was greatest in the North-western division, which consists of Cheshire and Lancashire, and where the death-rate was 2·418 per cent. The South-eastern counties, viz., Sussex, Hampshire, Berkshire, and the extra-metropolitan parts of Surrey and Kent, were the healthiest division; and the rate of mortality that prevailed there was 1·742, and presented a striking contrast to that of the North-western division, which besides the great seats of manufacture contains the town of Liverpool.

In adverting to these facts it is important to observe that the high mortality of Lancashire is not a newly discovered phenomenon, the cause of which might probably be found in the distress that prevails in that county at the present time. It may be traced in the annual tables of mortality during a long series of years. The average rate of mortality in Lancashire in the ten years 1851–60 was 2·630 per cent. In 1852 the death-rate rose to 2·865; but with increased attention paid to the public health the returns of later years have shown more favourable results.

It was noticed above that the depression of trade in the manufacturing districts had sensibly affected the marriage returns; but happily it does not appear that the same cause, acting in the opposite direction, has tended materially to raise the rate of mortality; and it cannot positively be asserted that it has produced that effect in any degree. England, as has already been mentioned, was generally rather healthier last quarter than in the same season of 1861; but the rate of mortality in Cheshire and Lancashire was, though in an inconsiderable degree, higher last quarter than it had been in the Spring of the previous year. The difference was only between 2·397 and 2·418.

The registrars of the North-western Counties possess the means of personal observation, but they have only in a few instances ventured remarks on manufacturing distress in connexion with the mortality; and some of them have arrived at opposite conclusions. In Hyde, a sub-district of Stockport, the deaths were above the average, and the registrar believes that some of them were caused "by privation arising from the "want of employment." Another registrar of Stockport states that measles was prevalent and very fatal in May, but the mortality in his sub-district was not maintained in excess till the end of the quarter; it became very low in June. The registrar of Bollington (Macclesfield) mentions that fever prevailed to a serious extent in April and May, in Oldham-street, which is mostly inhabited by a very poor class of persons, and he adds that "perhaps the privations they have endured caused the "fever to spread more widely than it would otherwise have done." In Wigan there were cold winds with heavy rains in June, and distress prevailed greatly and was on the increase; but nevertheless the deaths were much below the average. The registrar of Walton-le-dale (Preston), where the deaths were much below the average, though the cotton mills were almost entirely stopped, holds it not improbable that the health of his sub-district had been improved by the able-bodied poor being employed in out-door labour. In the last week of June public relief was extended to a fifth part of the population. The registrar of Preston writes thus:—

"Births 956; Deaths 595. The deaths are 33 less than in the corresponding quarter "of last year, and 4 more than the average for the last five corresponding quarters. "299 children died at and under five years of age. Distress amongst the operatives in "this district has considerably increased, both in extent and intensity, during the past "three months. There are now upwards of 22,000 persons out of employment, and "entirely dependent upon private charity or the Board of Guardians for support. In "the week ending June 14th, 17,244 persons were relieved by the Relief Committee. "But it is gratifying to know, that, notwithstanding so much poverty, the rate of "mortality has not increased, but decreased. During that week I registered 30 deaths, "and in the corresponding week of last year, when the cotton mills and other establish- "ments were in full operation, and working people well employed, 56 deaths were "registered."

Typhus or typhoid fever has prevailed in certain localities where it is reported to have existed in conjunction with bad sanitary condition. These places are:—Weston Colville in Cambridgeshire, Hadleigh in Suffolk, Holt in Norfolk, Willingham (Gainsborough) in Lincolnshire, Horsforth in the West Riding, Northallerton in the North Riding, and Bridgend in Wales. Measles was a common complaint; it was very fatal in the village of Weston near Hitchin, and at Burnham near Slough; and small-pox prevailed much in Bradford and Lowestoft.

The extra-metropolitan part of Kent appears to have enjoyed unusual health; for the deaths in that portion of the county declined from about 2600 in each of the two preceding springs to 2323 in the same season of this year. But the health of Gravesend, one of its towns, was not equally good; in which district the deaths rose from 85 and 96 to 115, in consequence of scarlatina, which numbered 19 fatal cases in the quarter, and, as appears from a subsequent report of the registrar, continued its ravages in July. A house is mentioned, 5 Russell-street, Milton, in which two children died of scarlatina last November, and three last month; and at the date of the report the mother and two others of her children had been attacked by the disease.

Third Quarter.—July, August, September, 1862.

Though the marriage-rate was fairly maintained in London and some other parts, it was so much depressed in Lancashire that the general result was lower than the average. But the birth-rate was well maintained in the last summer quarter, and in each quarterly period during the last eighteen months children were born in a number exceeding the average. It is still more satisfactory to add that the health of last summer was unusually good. The death-rate has not risen above its average in any quarter of the year since June in 1860.

Marriages.—There were 40,600 marriages in the third quarter of the year. In London the number rose from 7708 and 7322 in the third quarter of 1860–1 to 8082 in the same period of 1862. This increase occurred at a time when the Exhibition was an inducement to part of the permanent population to remain in town, and attracted strangers from the provinces, and more distant parts, to spend some weeks of leisure within a convenient distance of its precincts.

In Lancashire the marriages, which were 6315 and 6127 in the third quarter of 1860–1 respectively, declined to 5475 in that of last year. The following are some of the more important districts in that county, with the number of marriages in the quarter ending 30th September of each of the last three years:—

	1860.	1861.	1862.
Bolton	287	301	236
Bury	229	185	167
Chorlton	142	128	140
Salford	161	154	141
Manchester	1,194	1,157	1,018
Ashton	350	365	220
Oldham	243	221	184
Rochdale	218	221	158
Burnley	204	184	175
Blackburn	338	306	243
Preston	298	257	249

The marriages in Stockport, in Cheshire, show a clear decrease in 1862; they were 291, 301, and 204.

It has been stated that Ashton-under-Lyne stands at the top of the scale of pauperism; and if marriages are expected to be fewest where distress is greatest, the returns fully justify that expectation. In Ashton

the decrease on the two previous summers was no less than 38 per cent. Next in respect of decrease is Stockport, where it was 31 per cent. The marriages of Rochdale decreased 28 per cent.; of Chorley 28; of Leigh 24; of Blackburn 25; of Oldham 21; of Bolton 20; of Bury 19; of Manchester 13; of Salford and of Haslingden 11 per cent. In Preston and Burnley they decreased 10 per cent., and in Wigan the decrease was 9 per cent. Chorlton showed a slight increase. When the marriage returns for the year are completed, they may be compared with the amount of pauperism, namely, the proportion which the persons relieved from the local rates and the funds of Relief Committees bore to the whole population.

Births.—The total number of births in the quarter that ended 30th September was 172,709. It showed an increase of 4632 above the mean of two previous summer quarters (1860–1). The birth-rate was 3·365 per cent. of the population, against an average of 3·29 in ten corresponding quarters (1852–61).

In Cheshire and Lancashire the numbers of children born in three summer quarters were 25,691 in 1860; 27,233 in 1861; and 28,029 in 1862. The last number as compared with the mean of the two previous numbers represents an excess of 5·9 per cent. This increase is higher than that shown by any other of the groups of counties distinguished as the "Eleven Divisions." This fact is the more remarkable, because it is probable that not a few of the industrial population had left their homes for Yorkshire and other parts in quest of work, and that comparatively few persons arrived to settle in the districts of the cotton manufacture; while it can be shown that in other parts where the population increases even more rapidly, the increase of births was less than it was in Lancashire; as, for example, in the Northern Division the births increased only 2·8 per cent., and in London about one per cent. The increase which was next to that of Cheshire and Lancashire occurred in the Welsh Division.

Though London contains 300,000 more people than Lancashire the number of children born in the former was less than that of the births returned by the latter. The respective numbers were 23,253 and 23,761.

Increase of Population.—The excess of births over deaths in the last quarter was 80,328. The natural increase of the population was therefore at the rate of 873 daily. As the stream rises, part of it overflows into other regions of the globe.

The number of emigrants to all parts who left ports in the United Kingdom where there are emigration officers, in the three months that ended 30th September, was 33,240; and in this number the English emigrants may be stated approximately as 12,866. The emigration to the Australian colonies has much increased; the English, Irish, Scotch, and others who went thither last quarter was 12,071; in either of the two previous summers they were little more than 7000. British North America also drew a larger company. The number who sought the United States was 14,170, the number in the same quarter of 1860 having been 21,104, and in that of the following year 6348. Of the 12,866 English who emigrated about 5,255 went to the United States, and 6536 to the Australian colonies.

Prices, the Weather, and Pauperism.—The average price of consols was 93¼; it has been above 93 in the four quarters that have elapsed since September of last year. Wheat (the average price 56*s.* 10*d.* per quarter) was dearer than in the same period of last year, when the price was 52*s.* 1*d.* The average of the highest and lowest prices of beef at Leadenhall and Newgate was 5¼*d.* per lb.; and of mutton 6⅛*d.* Best potatoes were 115*s.* per ton; they were dearer than they had been at the same time last year.

The mean temperature of the air at Greenwich was 58°·7, which is 1°·3 below the average of the same three months in twenty-one years. The coldness of the season would have ranged still higher in meteorological notation, but that warmer weather in the latter half of September modified the final result. Mr. Glaisher writes that "the cold weather which set "in on the 9th June continued with trifling exceptions till the 12th "September. Within this long period of ninety-six days there were only "twelve days on which the temperature reached or exceeded its average "value." During the last eighteen days of September the weather was warm. The mean temperature of July was lower than that of the same month in any year since 1841 with the exception of 1860. The mean temperature of August was lower than that of the same month in any year since 1845, with the exception of 1860. The mean temperature of September was nearly one degree above the average. The atmosphere was humid throughout the summer. The fall of rain was 6·3 inches, the half of which was in August; but though the last-mentioned month was wet, the total fall in the quarter was not excessive.

Much rain fell in the northern counties; as much as six inches in August at Alnwick and North Shields. At Manchester the fall in the three months was almost 12 inches. In some of the reports of registrars in Lancashire the weather is stated to have been mild, and conducive to health.

The returns of the Poor Law Commissioners are heavy for the summer quarter. The increase of pauperism is seen in the following statement, which shows the quarterly average of poor persons relieved on the last day of each week:

		Indoor.		Outdoor.
Quarter ending 30th Sept. 1860	-	101,680	-	667,680
" " 1861	-	112,930	-	693,631
" " 1862	-	119,600	-	789,917

Deaths, and the State of the Public Health.—The total number of deaths in the three months that ended 30th September was 92,381. In the same quarter of 1860 it did not much exceed 86,000; in that of 1861 it was 101,232. The cold summer of this year was less healthy than the still colder summer of 1860; but it was healthier than the warmer summer of last year. A cold winter makes frequent funerals; it cuts off quickly the old and infirm; but it may be admitted amongst ascertained facts that a cold summer with rain enough to wash and sweeten the earth and air is favourable to health, and especially to the health of children. The weather which the farmer most desires for his harvest operations is not the most salubrious for the people who are to be afterwards fed with his produce. It is the business of sanitary science to assist in reconciling these separate interests.

The annual rate of mortality in the quarter was 1·800 per cent. of the population against an average derived from ten summers (1852–61) of 2·02 per cent. In these ten summers there is but a single example of so low a death-rate, viz., that furnished by 1860, which was 1·718. Even in summer which is the healthiest season of the year the mortality of all England is seldom so low as 1·90 per cent.

But the country districts apart from the towns testify as usual to the benefit which they derive from "country air," for their rate of mortality was 1·572 (the average being 1·719); whilst in urban populations it was 1·984 (the average being 2·295). The causes, meteorological or of whatever kind they may have been, which exerted a wholesome influence on the population generally, saved in the country districts in every ten thousand persons 15 lives, which would have been lost in a season when the mortality was near its average; and in the towns the saving was double that amount, namely of 31 lives in an equal number (10,000) of the population. The remark is obvious enough, but it may be excused

because it is in accordance with the facts stated, that if there is dirt to be removed by water, or miasms to be checked by cold, the part where such nuisances most abound will be most benefited by the destruction or removal of them.

Though the rate of mortality of town districts in the aggregate was 1·98 per cent., in many towns it was much higher. To take a few instances: in London it was 2·09; in Liverpool 3·12; in Manchester 2·40; in Sheffield 2·47; in Leeds 2·75; and in Rotherham 2·76.

Two of the registrars of Rotherham report that there is a great increase of the deaths in that district in consequence of an outbreak of typhoid fever ascribed by the medical officer of health, Dr. Shearman, to the scantiness of the water supply, which is not sufficient for the effective working of the drains. Of 143 deaths in Kimberworth, a sub-district of Rotherham, no less a number than 66 was from typhoid fever. The two sub-districts, Rotherham and Kimberworth, suffered a mortality in the quarter equal to 3·22 per cent. per annum.

The mortality of the North-western counties (Lancashire and Cheshire), which is always high, was last quarter not quite so high as that of London, and it was not much higher than that of Yorkshire. In the last-mentioned division the death-rate was 1·97 per cent.; in Lancashire and Cheshire 2·02; in London 2·13. The Northern counties (Northumberland, Durham, &c.) show a rate of mortality in the quarter of 1·84. These four divisions are distinguished from the remaining seven divisions by the higher death-rates that prevailed in them. In the South-western counties (Cornwall, Somersetshire, &c.) the population enjoyed the greatest health, for the death-rate did not exceed 1·54; and in the South-eastern (Surrey, Kent, Sussex, &c.) it was almost equally low. The following districts in the North-western counties exhibited a continuous increase in the number of deaths in three September quarters:—

	1860.	1861.	1862.
Northwich	144	155	192
Great Boughton	225	261	299
Wirral and Birkenhead	281	337	397
Liverpool	1,680	2,037	2,115
West Derby	923	1,227	1,321
Clitheroe	68	85	100
Chorley	147	191	207
Ulverston	137	149	177

The excess in Liverpool was caused by diarrhœa and scarlatina; and it cannot be doubted that if those and other diseases of children, or fever, broke out in the more distressed districts where families who had lived apart now crowd in the same house, the mortality would be great. The following are certain of the districts where there has been a decrease of deaths in the last September quarter:—

	1860.	1861.	1862.
Wigan	452	496	432
Bolton	624	836	572
Bury	461	556	453
Chorlton	716	1,000	880
Manchester	1,553	1,968	1,475
Ashton	638	817	636
Oldham	542	666	601
Rochdale	431	481	353
Haslingden	341	387	296
Burnley	339	448	326
Blackburn	562	687	526
Preston	549	731	603

A few of the registrars witnessing a reduction of the mortality with the distress that prevailed in their districts at the same time have been

tempted to speculate on the facts, and as those officers in the course of their duties are in frequent communication with the labouring classes their opinions may be quoted. The registrar of Wigan states that more freedom to breathe the fresh air, inability to indulge in spirituous liquors, and better nursing of children, are believed to have improved the public health. The registrar of Little Bolton holds that the decrease of deaths is mainly due to a greater amount of domestic superintendence. The registrar of Hulme thinks that the even temperature of the weather and increased attention paid to young children have caused the decrease. The registrar of Knott Lanes (Ashton) attributes the result to absence of epidemics, mildness of the weather, out-door exercise, maternal care; also to parish relief and charitable contributions, by means of which food has been obtained not sufficient for health but enough to mitigate distress and prevent hitherto an increase of mortality. The registrar of Preston sub-district also refers to the good effect of fresh air, nursing, and mildness of the weather, and he adds: "In the weeks ending August "2d, 9th, 16th, 23d, and 30th, I registered 30, 25, 29, 24, and 37 deaths, "but in the corresponding weeks of 1861 when work was more plentiful "and people in better circumstances they were 50, 40, 50, 42, and 57. "The peaceful and dignified conduct of the operatives entitles them to the "warmest sympathy and support of all classes." The registrar of Ancoats (Manchester) is convinced that the low rate of mortality in his sub-district was due to the coldness of the summer, in consequence of which diarrhœa did not prevail.

It has been recently asked whether starvation is good for the health, and attempts have been made with indifferent success to solve a difficulty which has not arisen. Nobody will seriously contend that inadequate supplies of food are conducive to health; it is too well known that famine has often slain its thousands; but it is right at the present time to guard against deductions from the returns of mortality which they do not justify. It has been assumed as obvious that if the death-rate in the distressed districts does not exceed or falls below that which has prevailed in times of prosperity, the relief obtained by the unemployed from public and private sources has sufficed to maintain them in health. The allowances may or may not have been sufficient in amount, but the returns of mortality furnish no evidence of the fact; they only show that extreme consequences of famine have not yet been manifested. Recreation in the open air, moderation in meat and drink, and the due administration of domestic offices are beneficial to health, but if they have been compensation for the loss of wages the tables above quoted are silent on the point. These tables prove that under circumstances favourable to human life the mortality in England was reduced last quarter, and that the districts of the cotton manufacture were not prevented by the distress from participating in the benefit; they cannot show that if Lancashire had been prosperous the health of its people would not have been still better and a further reduction of mortality obtained. It is a matter not of speculation but fact that winter approaches, and that the cold of winter swells the bills of mortality by attacking the old, the young, and the infirm of middle age, and it needs not the gift of prophecy to predict that if cold and want, prolonged and embittered, attack a population with combined force, it must fall as if under an armed host. To avert or mitigate such a result, food, clothing, bedding, and firing must be dispensed by a public or private charity that can rise to the greatness of the occasion.

The registrar of Corby (Bourn) in Lincolnshire writes as follows:—

An epidemic of typhus broke out in Corby about three weeks ago, almost simultaneously in all parts of the village. In a few days there were under medical treatment about 40 cases, more or less severe, in a population of rather more than 800. Though there are some severe cases, there has been no death as yet; neither has the epidemic, so far as I am aware, spread into the surrounding parishes. The place, however, is shunned. Corby has, until the last few years, been considered healthy. In 1858 there

were some deaths from fever; in 1859 diphtheria broke out, and 10 deaths from it were registered, in Corby, in a few weeks. Since that time fever appeared to linger in the place, a death from that cause now and then occurred till the present visitation, which may be considered general, for about half the houses in the village contain sufferers from the epidemic.

Smallpox was very prevalent in Sunderland.

Fourth Quarter.—October, November, December, 1862.

In respect to marriages the general result is unfavourable; during the whole of two years, 1861–2, the marriage-rate has been low. The growth of the population did not suffer by failure of the natural supply, for births were numerous in the last three months, as they were during the whole of last year. But the deaths were also numerous. The rate of mortality was above the average; and apparently the principal cause of this excess was the cold weather of November, which carried off many persons in all parts of the country.

Marriages.—There were 48,624 marriages in the last quarter of 1862; a number nearly the same as that of the corresponding period in 1861, but less than in that of 1860 when it was 50,688. The circumstances that have operated to depress marriages in England have not prevented

TABLE XXII.—**Annual Rate** of **Mortality** per Cent. in **Town** and **Country Districts** of **England** in each **Quarter** of the Years **1853–1862.**

——	AREA in Statute Acres.	POPULATION enumerated.		Quarters ending	ANNUAL RATE of MORTALITY per Cent. in each Quarter of the Years										
		1851.	1861.		1853.	1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	Mean 1853-62
In 139 Districts and 56 Sub-districts comprising the CHIEF TOWNS	3,287,151	9,155,964	10,930,841	March	2·800	2·727	3·113	2·391	2·506	2·757	2·651	2·617	2·658	2·655	2·688
				June	2·515	2·445	2·402	2·294	2·243	2·356	2·249	2·316	2·271	2·267	2·336
				Sept.	2·276	2·984	2·057	2·160	2·374	2·245	2·284	1·843	2·193	1·984	2·240
				Dec.	2·606	2·667	2·281	2·256	2·557	2·724	2·358	2·285	2·291	2·525	2·455
				YEAR	2·549	2·706	2·463	2·275	2·420	2·521	2·386	2·265	2·353	2·358	2·430
In the remaining Districts and Sub-districts of England and Wales comprising chiefly SMALL TOWNS and COUNTRY PARISHES	34,037,732	8,771,645	9,135,383	YEAR	2·018	1·975	2·055	1·797	1·916	2·077	2·077	1·951	1·938	1·890	1·969
				March	2·422	2·151	2·698	1·951	2·072	2·497	2·363	2·326	2·210	2·184	2·287
				June	2·177	1·969	2·137	1·915	1·918	2·049	2·051	2·148	1·999	1·940	2·030
				Sept.	1·676	1·817	1·615	1·609	1·727	1·717	1·884	1·573	1·753	1·572	1·694
				Dec.	1·796	1·961	1·771	1·713	1·948	2·044	2·008	1·757	1·790	1·864	1·865

The following are the names of the 139 Districts and 56 Sub-districts comprising the CHIEF TOWNS:—All the 37 Districts of London; Croydon, Kingston, Richmond, Gravesend, Medway, Tunbridge; *West and East Maidstone Sub districts* (Maidstone); Canterbury; *Minster Sub-district* (Sheppey); Thanet, Dover, Hastings, Brighton; *Shoreham Sub-district* (Steyning); Portsea Island, Alverstoke, Southampton; *Winchester Sub district* (Winchester); Reading, Brentford, Edmonton; *St. Clement Sub-district* (Headington); Oxford, Northampton; *Peterborough Sub-district* (Peterborough); *Bedford and Kempston, and Bedford and Cardington Sub-districts* (Bedford); *Luton Sub district* (Luton); Cambridge, West Ham, Colchester, Bury St. Edmunds, Ipswich, Yarmouth, Norwich, King's Lynn, Melksham, Salisbury; *Weymouth Sub-district* (Weymouth); Exeter; *Torquay Sub district* (Newton Abbott); Plymouth, East Stonehouse, Stoke Damerel, Truro. Redruth; *St. Mary Magdalen and St James Sub-districts* (Taunton); *Bridgwater Sub-district* (Bridgwater); Bath; *Bedminster Sub-district* (Bedminster); Bristol, Clifton; *St. Nicholas and St. John Baptist Sub-districts* (Gloucester); Cheltenham; *Hereford City Sub-district* (Hereford); Madeley, Shrewsbury; *Stafford Sub-district* (Stafford); *Newcastle under-Lyme Sub-district* (Newcastle under-Lyme); Wolstanton, Stoke-upon-Trent; *Burton on-Trent Sub-district* (Burton-on-Trent); Wolverhampton, Walsall, West Bromwich, Dudley, Stourbridge; *Kidderminster and Lower Mitton Sub-districts* (Kidderminster); Worcester, Birmingham, Aston, Coventry, Warwick; *Loughborough Sub-district* (Loughborough); Leicester; *Boston Sub-district* (Boston); *Lincoln Home Sub district* (Lincoln); *Great Grimsby Sub district* (Caistor); Radford, Nottingham; *Newark Sub district* (Newark); Derby, Hayfield, Stockport; *East and West Macclesfield and Sutton Sub-districts* (Macclesfield); *Runcorn Sub-district* (Runcorn); *Congleton Sub-district* (Congleton); *Chester Castle and Chester Cathedral Sub-districts* (Great Boughton); Birkenhead, Liverpool, West Derby, Prescot, Wigan, Warrington, Leigh, Bolton, Bury, Barton-upon-Irwell, Chorlton, Salford, Manchester, Ashton, Oldham, Rochdale, Haslingden, Burnley, Blackburn; *Chorley Sub-district* (Chorley); Preston; *Lancaster Sub district* (Lancaster); Keighley, Todmorden, Huddersfield, Halifax, Bradford, Hunslet, Leeds, Dewsbury, Wakefield, Barnsley, Ecclesall Bierlow, Sheffield; *Doncaster Sub-district* (Doncaster); *Bootham, Micklegate, and Walmgate Sub-districts* (York), Sculcoates, Hull; *Scarborough Sub district* (Scarborough); *Darlington Sub-district* (Darlington); Stockton, Hartlepool; *St Oswald and St. Nicholas Sub districts* (Durham); Houghton-le-Spring, Sunderland, South Shields, Gateshead, Newcastle-upon Tyne, Tynemouth; *St Cuthbert and St. Mary Sub-districts* (Carlisle); *Whitehaven Sub-district* (Whitehaven); *Kendal Sub district* (Kendal); *Newport Sub district* (Newport); *Cardiff Sub-district* (Cardiff); Merthyr Tydfil; *Llangafelach and Swansea Sub-districts* (Swansea); *Llanelly Sub-district* (Llanelly); *Pembroke Sub-district* (Pembroke).

Note.—The three months January, February, March, contain 90, in leap year 91 days; the three months April, May, June, 91 days; each of the last two quarters of the year, 92 days. For this inequality a correction has been made in the calculations, also for the difference between 365 and 365·25 days, and 366 and 365·25 days in leap year.

an increase of them in certain parts. In the three March quarters of 1860–2 the marriages in London were respectively 7265, 7333, and 7811. A few districts in the South-eastern Division that furnish examples of increase may be noted, viz., Thanet, Faversham, Eastbourne, Hailsham, Ticehurst, Uckfield, East Grinstead. There is in England as much diversity in the social condition of the populations of different localities as in the nature of their respective soils; they have their various times and opportunities to win and to lose; to marry and abstain from marriage. Circumstances of an exceptional character are also constantly at work to

---

TABLE XXIII.—The **Average Prices** of **Consols,** of **Wheat,** of **Meat,** and of **Potatoes,** in each of the **Years** and in each **Quarter** of the **Years 1854–1862;** and also the **Average Number** of **Paupers relieved** on the *last day* of each Week, in each of the **Years** and in each **Quarter** of the **Years 1857–1862.**

—	Average Price of CONSOLS (for Money).	Average Price of WHEAT per Quarter in England and Wales.	PAUPERISM. Average Number of PAUPERS RELIEVED on the *last day* of each WEEK. In-door.	PAUPERISM. Out-door.	AVERAGE PRICES OF MEAT per lb. at Leadenhall and Newgate Markets (by the Carcase). BEEF. Range of Prices.	BEEF. Mean.	MUTTON. Range of Prices.	MUTTON. Mean.	BEST POTATOES per Ton at WatersideMarket, Southwark. Range of Prices.	Mean.
YEARS.	£	*s. d.*			*d.*	*d.*	*d.*	*d.*	*s.*	*s. d.*
1854 -	$91\frac{3}{8}$	72 5	—	—	$4\frac{1}{2}-6\frac{1}{2}$	$5\frac{1}{2}$	$4\frac{3}{4}-7$	$5\frac{7}{8}$	107—131	119 0
1855 -	$90\frac{3}{8}$	74 8	—	—	$4\frac{6}{8}-6\frac{5}{8}$	$5\frac{5}{8}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	94—107	100 6
1856 -	93	69 2	—	—	$4\frac{1}{4}-6\frac{1}{2}$	$5\frac{3}{8}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	78— 93	85 6
1857 -	$91\frac{7}{8}$	56 5	121,669	737,287	$4\frac{1}{4}-6\frac{1}{2}$	$5\frac{3}{8}$	$4\frac{3}{4}-7$	$5\frac{7}{8}$	108—134	120 8
1858 -	97	44 3	120,140	751,031	$4\frac{1}{4}-6\frac{1}{4}$	$5\frac{1}{4}$	$4\frac{1}{2}-6\frac{3}{4}$	$5\frac{1}{2}$	104—136	120 0
1859 -	95	43 10	110,703	705,590	$4\frac{1}{2}-6\frac{1}{2}$	$5\frac{1}{2}$	$4\frac{3}{4}-7$	$5\frac{7}{8}$	79—109	94 0
1860 -	94	53 3	110,603	687,763	$4-6\frac{5}{8}$	$5\frac{3}{8}$	$5-7\frac{1}{8}$	6	120—145	132 6
1861 -	92	55 4	122,600	720,366	$4-6\frac{1}{2}$	$5\frac{1}{4}$	$5-7\frac{1}{4}$	$6\frac{1}{8}$	114—134	124 0
1862 -	$93\frac{1}{2}$	55 5	130,974	820,953	$4-6\frac{1}{4}$	$5\frac{1}{8}$	$5-6\frac{3}{4}$	$5\frac{7}{8}$	125—149	137 0
QUARTERS ending										
1854:—										
March -	91	79 6	—	—	$4\frac{1}{4}-6\frac{1}{4}$	$5\frac{1}{4}$	$4\frac{1}{2}-7$	$5\frac{3}{4}$	120—160	140 0
June -	$88\frac{5}{8}$	78 4	—	—	$4\frac{1}{2}-6\frac{1}{4}$	$5\frac{3}{8}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	137—172	155 0
Sept. -	$93\frac{7}{8}$	63 10	—	—	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	$5-7$	6	75— 85	80 0
Dec. -	$93\frac{3}{4}$	68 0	—	—	$4\frac{1}{2}-6\frac{3}{4}$	$5\frac{5}{8}$	$5-7$	6	95—105	100 0
1855:—										
March -	$91\frac{7}{8}$	69 11	—	—	$4\frac{3}{4}-6\frac{1}{2}$	$5\frac{5}{8}$	$4\frac{3}{4}-6\frac{1}{2}$	$5\frac{5}{8}$	105—120	112 6
June -	$90\frac{3}{4}$	73 4	—	—	$4\frac{1}{2}-6\frac{1}{2}$	$5\frac{1}{2}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	110—130	120 0
Sept. -	$90\frac{3}{4}$	76 1	—	—	$5-6\frac{3}{4}$	$5\frac{7}{8}$	$5-7$	6	69— 79	74 0
Dec. -	$88\frac{1}{4}$	79 4	—	—	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	90—100	95 0
1856:—										
March -	$90\frac{3}{4}$	72 4	—	—	$4\frac{1}{4}-6\frac{1}{4}$	$5\frac{1}{4}$	$4\frac{1}{4}-6\frac{1}{2}$	$5\frac{3}{8}$	78— 93	86 0
June -	$93\frac{3}{8}$	68 8	—	—	$4\frac{1}{4}-6\frac{1}{4}$	$5\frac{1}{4}$	$5-6\frac{3}{4}$	$5\frac{7}{8}$	70— 90	80 0
Sept. -	95	72 3	—	—	$4\frac{1}{2}-6\frac{1}{2}$	$5\frac{1}{2}$	$5-7$	6	75— 80	78 0
Dec. -	$92\frac{3}{4}$	63 4	—	—	$3\frac{3}{4}-6\frac{3}{4}$	$5\frac{1}{4}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	90—110	100 0
1857:—										
March -	$93\frac{1}{2}$	56 10	135,121	777,426	$4\frac{1}{2}-6\frac{3}{4}$	$5\frac{3}{4}$	$5\frac{1}{4}-7\frac{1}{4}$	$6\frac{1}{4}$	100—120	110 0
June -	$93\frac{3}{8}$	56 9	119,241	732,284	$4\frac{1}{4}-6\frac{1}{2}$	$5\frac{3}{8}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	105—150	127 6
Sept. -	$90\frac{7}{8}$	59 11	109,371	702,644	$4\frac{1}{4}-6\frac{1}{2}$	$5\frac{3}{8}$	$4\frac{1}{2}-7$	$5\frac{3}{4}$	95—115	105 0
Dec. -	$89\frac{1}{2}$	52 0	122,942	736,794	$4\frac{1}{4}-6\frac{1}{2}$	$5\frac{3}{8}$	$4\frac{1}{2}-7$	$5\frac{3}{4}$	130—150	140 0
1858:—										
March -	$96\frac{1}{8}$	46 5	138,376	835,641	$4\frac{1}{4}-6\frac{1}{4}$	$5\frac{1}{4}$	$4\frac{3}{4}-7$	$5\frac{7}{8}$	130—175	152 6
June -	$97\frac{1}{8}$	44 1	119,234	752,278	$4\frac{1}{4}-6$	$5\frac{1}{8}$	$4\frac{1}{2}-6\frac{1}{2}$	$5\frac{1}{2}$	140—185	162 6
Sept. -	$96\frac{1}{2}$	44 7	107,197	705,301	$4\frac{1}{4}-6\frac{1}{4}$	$5\frac{1}{4}$	$4\frac{1}{2}-6\frac{1}{2}$	$5\frac{1}{2}$	65— 90	77 6
Dec. -	$98\frac{1}{4}$	41 9	115,751	710,904	$4-6\frac{1}{2}$	$5\frac{1}{4}$	$4\frac{1}{4}-6\frac{3}{4}$	$5\frac{1}{2}$	80— 95	87 6
1859:—										
March -	$95\frac{5}{8}$	40 8	123,071	743,517	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	$4\frac{3}{4}-7$	$5\frac{7}{8}$	80—100	90 0
June -	$92\frac{7}{8}$	47 3	109,350	710,968	$4\frac{3}{4}-6\frac{1}{2}$	$5\frac{5}{8}$	$5-7$	6	85—110	97 6
Sept. -	$95\frac{3}{8}$	44 0	100,770	683,423	$4\frac{1}{4}-6\frac{1}{4}$	$5\frac{1}{4}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	65—105	85 0
Dec. -	$96\frac{1}{8}$	43 4	109,623	684,454	$4-6\frac{1}{2}$	$5\frac{1}{4}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	85—120	102 6
1860:—										
March -	$94\frac{5}{8}$	44 5	118,523	717,269	$3\frac{3}{4}-6\frac{1}{2}$	$5\frac{3}{8}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	115—145	130 0
June -	$94\frac{7}{8}$	52 8	107,050	692,384	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	$5\frac{1}{2}-7\frac{1}{2}$	$6\frac{1}{2}$	125—160	142 6
Sept. -	$93\frac{1}{4}$	59 1	101,680	667,680	$4\frac{1}{4}-7$	$5\frac{5}{8}$	$5\frac{1}{4}-7\frac{1}{2}$	$6\frac{3}{8}$	125—145	135 0
Dec. -	$93\frac{1}{4}$	56 9	115,161	673,721	$3\frac{1}{2}-6\frac{1}{4}$	$4\frac{7}{8}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	115—130	122 6
1861:—										
March -	$91\frac{3}{4}$	55 1	131,138	757,950	$4-6\frac{1}{4}$	$5\frac{1}{8}$	$5\frac{1}{2}-7\frac{3}{4}$	$6\frac{5}{8}$	140—155	147 6
June -	$91\frac{3}{4}$	54 9	117,801	713,786	$4\frac{1}{4}-6\frac{1}{2}$	$5\frac{3}{8}$	$5\frac{1}{4}-7\frac{1}{4}$	$6\frac{1}{4}$	120—140	130 0
Sept. -	$91\frac{3}{8}$	52 1	112,930	693,631	$4\frac{1}{4}-6\frac{1}{2}$	$5\frac{3}{8}$	$4\frac{7}{8}-7$	$5\frac{7}{8}$	85—110	97 6
Dec. -	$93\frac{2}{8}$	59 3	128,533	716,096	$4-6\frac{1}{4}$	$5\frac{1}{8}$	$4\frac{3}{4}-6\frac{3}{4}$	$5\frac{3}{4}$	110—130	120 0
1862:—										
March -	$93\frac{1}{8}$	60 1	143,772	804,268	$4-6\frac{1}{4}$	$5\frac{1}{8}$	$4\frac{3}{4}-6\frac{1}{2}$	$5\frac{5}{8}$	130—155	142 6
June -	$93\frac{3}{4}$	56 8	127,861	782,113	$4-6$	5	$5-7$	6	180—200	190 0
Sept. -	$93\frac{2}{8}$	56 10	119,600	789,917	$4\frac{1}{4}-6\frac{1}{4}$	$5\frac{1}{4}$	$5\frac{1}{4}-7$	$6\frac{1}{8}$	100—130	115 0
Dec. -	$93\frac{5}{8}$	48 2	132,663	907,514	$4-6\frac{1}{4}$	$5\frac{1}{8}$	$5\frac{1}{4}-6\frac{3}{4}$	6	90—110	100 0

cause fluctuations in the marriage lists; as, for example, the attraction of labourers to a spot for the construction of a new line of railway, or the partial interruption of operations in an iron mine.

In five of the Eleven Divisions an increase of marriages is found in comparing those of the December quarter of 1862 with the mean of the two previous corresponding quarters. Those five Divisions are London, North Midland Counties, Wales, South-eastern Counties, and Northern Counties. The increase in the Northern Counties is hardly appreciable. In the remaining six Divisions there is a decrease which varies from about one per cent. in the South Midland and Eastern Counties to 4 and 5 per cent. in the West Midland Counties and Yorkshire, and to no less than 15 per cent. in the North-western Division, in which the cotton manufacturing industry has been so long in a state of prostration.

Lancashire, exclusive of Ulverston, consists of twenty-five districts; and in fifteen of them there was a decrease of marriages in each of the December quarters of the last two years. The numbers in these districts were—.

TABLE XXIV.—**Mean Annual Value of Meteorological Elements**

NAMES OF STATIONS.	Elevation in feet above the Sea level.	Latitude.	Barometer.		Thermometer.						Mean Temperature	
			Mean.	Mean Monthly Range.	Mean of the highest Monthly Readings.	Mean of the lowest Monthly Readings.	Mean Monthly Range of Readings.	Mean of all the highest Daily Readings.	Mean of all the lowest Daily Readings.	Mean Daily Range.	Of the Air.	Of the Dew-point.
		° ′ ″	in.	in.	°	°	°	°	°	°	°	°
Guernsey	204	49 33 0 N.	29·746	0·931	63·0	40·6	23·4	54·5	47·0	7·5	50·5	46·4
Helston	106	50 7 0	29·868	1·024	64·6	36·8	27·8	58·3	46·7	11·6	51·9	47·9
Truro	43	50 17 0	29·893	1·087	65·8	33·9	31·9	58·3	46·2	12·1	51·3	46·8
Ventnor	150	50 35 0	29·838	0·906	62·2	38·3	23·9	55·5	47·3	8·2	51·4	44·5
Osborne	162	50 42 0	29·770	0·940	66·2	33·7	32·5	58·0	44·3	13·7	50·6	47·7
Bournemouth	30	..	29·861	0·937	67·9	32·1	35·9	58·5	43·3	15·2	50·3	46·7
Little Bridy	367	50 41 0	29·538	1·013	66·1	31·8	34·3	56·9	42·9	14·0	49·2	45·3
Exeter, 7 Albert-ter., St. Leon.	140	50 43 0	29·794	0·991	67·7	33·4	34·3	59·1	44·6	14·5	50·7	44·7
Exeter, 200 High-street	164	50 43 0	29·755	0·990	65·7	35·7	30·0	57·2	45·6	11·6	50·5	44·4
Worthing	34	50 45 0	29·902	0·887	63·2	35·9	27·3	55·6	45·3	10·3	50·0	45·3
St. John's Coll., near Brighton	130	50 56 0	29·734	0·940	69·1	31·3	37·8	56·9	42·9	14·0	49·8	44·9
Petersfield	218	51 0 0	..	..	68·5	30·9	27·6	57·2	43·2	14·0	49·1	44·9
Barnstaple	31	51 5 0	29·913	1·020	66·3	34·6	31·7	56·9	44·9	12·0	50·6	46·3
Aldershot Camp	350	51 15 0	29·610	0·914	68·3	32·1	36·2	56·5	42·5	14·0	49·6	45·0
Bath	607	51 15 0	29·272	0·976	68·4	31·2	37·2	56·4	42·0	14·4	48·1	45·1
Clifton	228	51 28 0	29·680	1·044	65·7	32·4	33·3	56·3	43·9	12·4	48·9	43·9
Royal Observ., Greenwich	157	51 28 0	29·766	0·981	68·6	32·5	36·1	57·9	43·3	14·6	49·5	44·9
Regent's Park	113	51 28 0	29·758	0·886	65·7	35·5	30·2	55·5	44·5	11·2	48·9	44·5
St. John's Wood	161	51 28 0	29·716	0·891	69·3	31·9	37·4	58·7	42·9	15·8	50·3	44·3
Guildhall	47	51 28 0	29·858	0·938	66·1	38·7	27·4	56·0	46·0	9·9	50·5	44·3
Battersea	13	51 28 0	29·934	1·015	67·3	31·7	35·6	56·5	43·1	13·5	49·1	44·7
Leyton	100	51 31 0	29·830	0·987	68·2	31·2	37·0	57·5	42·7	15·7	49·8	45·2
Camden Town	125	51 32 0	29·811	0·968	68·1	32·0	36·1	57·5	43·1	14·4	49·8	43·9
Oxford	210	51 45 0	29·688	1·027	65·3	31·5	34·8	56·0	43·5	12·5	48·9	44·5
Great Berkhampstead	370	51 45 0	29·535	0·971	66·8	28·6	38·2	56·4	42·1	14·3	48·4	43·1
Hartwell House	260	51 49 0	29·623	0·987	68·2	30·9	37·4	58·0	42·4	15·6	49·8	44·2
Hartwell Rectory	290	51 49 0	29·597	0·944	66·9	30·6	36·3	53·6	42·4	11·2	48·8	44·1
Aspley	460	52 1 0	29·345	0·922	60·5	35·7	24·8	52·3	44·5	7·8	47·8	44·6
Royston	271	52 2 0	29·666	0·996	67·6	31·4	36·2	56·7	43·4	15·3	48·5	44·2
Cardington	100	52 7 0	29·815	1·020	67·3	30·1	37·2	57·2	42·3	14·9	49·1	43·5
Lampeter	420	52 7 0	29·451	1·052	65·6	27·5	39·0	56·8	41·4	15·5	48·3	44·1
Diss	106	52 23 0	29·817	1·032	67·9	33·1	34·8	57·0	43·2	14·1	49·1	44·6
Derby	174	52 55 0	29·689	1·113	66·7	31·5	35·2	57·1	43·7	13·4	50·2	40·4
Grantham	190	52 54 52	29·701	1·067	65·2	32·1	33·1	54·7	43·4	11·3	48·0	43·7
Holkham	39	52 57 0	29·872	1·054	65·6	30·7	34·9	55·1	43·2	11·9	48·4	44·1
Nottingham	174	52 58 0	29·726	1·116	67·4	28·7	38·7	56·7	40·9	15·8	48·7	42·7
Hawarden	260	53 11 0	29·606	1·066	63·2	34·4	28·8	54·8	43·7	11·1	48·1	43·1
Kingsley Parsonage	200	53 16 0	29·676	1·120	65·1	30·0	35·1	54·5	40·7	13·8	47·7	43·1
Thelwall	96	53 22 0	29·783	1·173	64·2	30·0	34·1	54·4	41·5	13·0	47·9	43·4
Liverpool	37	53 24 0	29·839	1·108	62·4	38·5	23·9	55·1	46·3	8·8	49·5	43·6
Wakefield	115	53 40 0	29·743	1·152	67·1	28·2	38·9	55·4	40·3	14·9	48·3	43·4
Bradford	364	..	29·496	1·139	61·6	35·5	26·1	53·1	44·4	8·7	47·9	43·6
Leeds	138	53 45 0	29·543	1·109	63·0	30·6	32·4	53·3	40·9	12·4	46·7	42·1
Stonyhurst	301	53 50 0	29·440	1·159	62·9	32·2	30·7	53·9	41·7	12·2	47·3	42·8
Otley	204	53 54 0	29·646	1·128	61·3	33·5	27·8	51·8	42·6	9·2	46·4	42·3
Harrogate	400	53 59 0	29·409	1·116	62·8	31·9	30·9	53·1	41·2	11·9	46·3	42·1
Scarborough	91	54 17 0	29·809	1·099	61·2	35·8	25·4	51·3	42·9	8·4	46·8	44·7
Silloth	28	54 50 0	29·816	1·287	65·6	30·2	34·4	54·0	41·3	12·7	47·8	42·6
Bywell	86	54 56 0	29·742	1·101	65·6	31·7	33·9	55·1	41·1	14·0	47·3	41·7
Allenheads	1360	54 58 0	28·386	1·114	59·5	27·2	32·3	49·8	37·6	12·2	42·7	39·2
North Shields	129	55 0 0	29·805	1·224	61·8	31·9	29·9	51·7	41·3	10·4	45·9	42·3
High House, Alnwick	411	55 24 0	29·396	1·143	63·0	30·6	32·4	52·7	39·2	13·5	45·6	42·6

December quarter	1860	1861	1862
Leigh	86	82	56
Bolton	344	318	249
Bury	244	223	151
Barton-upon-Irwell	116	105	55
Chorlton	166	149	100
Manchester	1285	1150	1045
Ashton	342	271	235
Oldham	240	215	170
Rochdale	237	187	166
Haslingden	189	169	138
Burnley	229	202	131
Blackburn	412	281	181
Chorley	105	60	34
Preston	355	254	197
Lancaster	79	71	63

in the **Year 1862.** By James Glaisher, Esq., F.R.S.

Mean Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean degree of Humidity of the Air (Saturation=100).	Mean Weight of a Cubic Foot of Air.	Wind. Mean estimated Strength.	Wind. Relative Proportion of N.	E.	S.	W.	Mean Amount of Cloud (0–10).	Rain. Number of Days it fell.	Rain. Amount collected.	NAMES OF STATIONS.
in.	grs.	gr.		grs.							days	in.	
·323	3·6	0·6	86	541	1·6	92	67	93	113	5·1	165	33·1	Guernsey.
·339	3·8	0·6	86	541	2·1	..	..	..	..	6·6	178	38·3	Helston.
·324	3·6	0·7	85	541	2·5	112	53	84	116	7·2	222	44·6	Truro.
·304	3·4	0·9	79	541	..	50	83	91	140	..	163	30·0	Ventnor.
·339	3·8	0·5	91	540	0·8	69	73	96	127	6·9	129	30·6	Osborne.
·325	3·7	0·6	87	542	..	75	54	86	150	..	132	28·9	Bournemouth.
·310	3·6	0·5	87	538	..	82	60	80	143	6·7	224	37·2	Little Bridy.
·301	3·4	0·8	82	540	1·5	117	71	74	103	5·5	210	31·2	Exeter, 7 Albert-ter., St. Leon.
·299	3·5	0·8	83	540	1·1	89	58	94	124	6·3	237	28·5	Exeter, 200 High-street.
·310	3·5	0·7	85	543	1·1	127	55	72	111	6·0	198	32·9	Worthing.
·306	3·5	0·7	84	541	1·3	84	64	96	121	6·2	125	30·1	St. John's Coll., near Brighton.
·293	3·3	0·7	82	548	0·9	99	56	99	111	..	163	35·4	Petersfield.
·321	3·6	0·6	86	545	1·3	60	82	104	119	4·7	203	43·7	Barnstaple.
·307	3·5	0·7	85	538	0·5	79	66	81	139	6·8	148	27·6	Aldershot Camp.
·308	3·5	0·5	89	534	0·5	78	80	86	141	6·8	171	45·9	Bath.
·294	3·4	0·7	83	541	0·3	68	74	78	145	6·5	209	32·7	Clifton.
·306	3·4	0·7	84	541	0·5	65	61	102	137	7·7	179	26·4	Royal Observ., Greenwich.
·308	3·4	0·6	85	542	..	..	..	..	..	..	..	..	Regent's Park.
·298	3·4	0·9	80	539	..	70	62	87	146	7·3	197	28·7	St. John's Wood.
·315	3·6	0·7	85	542	..	..	..	..	..	..	170	25·3	Guildhall.
·306	3·5	0·6	86	545	0·9	59	77	94	135	6·1	190	28·1	Battersea.
·309	3·5	0·7	85	542	0·5	83	77	64	141	6·8	164	22·9	Leyton.
·294	3·3	0·8	82	542	..	73	61	94	137	6·6	176	28·8	Camden Town.
·299	3·4	0·7	84	541	1·5	83	48	112	122	7·7	180	27·0	Oxford.
·285	3·2	0·8	83	539	0·8	77	62	89	137	7·0	180	29·6	Great Berkhampstead.
·300	3·5	0·8	82	539	1·0	88	56	118	103	7·2	..	25·6	Hartwell House.
·298	3·4	0·7	85	539	0·9	69	78	95	123	7·5	119	22·5	Hartwell Rectory.
·303	3·4	0·4	89	535	..	..	..	..	..	4·0	177	26·8	Aspley.
·297	3·4	0·6	86	540	..	88	48	88	141	6·9	240	23·9	Royston.
·300	3·4	0·7	84	542	1·1	83	62	88	132	7·2	181	22·2	Cardington.
·295	3·3	0·6	86	536	0·7	55	75	119	116	7·1	187	43·4	Lampeter.
·300	3·4	0·7	85	542	..	82	65	124	94	6·5	186	23·4	Diss.
·263	2·9	1·2	71	541	..	..	..	..	..	..	205	25·9	Derby.
·289	3·3	0·6	84	541	0·4	78	55	110	122	7·6	190	21·9	Grantham.
·299	3·3	0·6	86	545	1·8	78	62	113	112	7·4	162	22·9	Holkham.
·283	3·2	0·9	80	541	0·7	87	66	93	119	7·1	181	23·5	Nottingham.
·284	3·2	0·6	84	539	2·1	..	..	..	..	7·4	150	30·4	Hawarden.
·283	3·2	0·6	84	542	0·5	45	82	109	129	7·1	225	37·3	Kingsley Parsonage.
·287	3·3	0·7	85	543	1·2	54	76	113	122	6·4	218	35·9	Thelwall.
·292	3·3	0·8	82	543	1·4	..	..	..	..	7·5	188	27·5	Liverpool.
·289	3·3	0·7	84	542	1·6	90	73	86	116	7·2	202	27·0	Wakefield.
·294	3·3	0·7	85	538	1·8	83	74	85	123	7·2	220	25·2	Bradford.
·278	3·2	0·6	84	541	1·5	63	69	112	111	7·8	191	21·7	Leeds.
·282	3·2	0·6	84	538	0·6	88	81	72	128	7·7	232	54·6	Stonyhurst.
·277	3·2	0·5	86	543	1·2	72	71	47	175	6·9	116	30·5	Otley.
·275	3·1	0·6	85	538	0·8	98	74	77	116	3·9	202	32·5	Harrogate.
·303	3·4	0·3	93	545	2·9	64	82	106	113	..	..	20·3	Scarborough.
·278	3·2	0·8	83	544	1·4	36	97	84	148	6·3	163	44·0	Silloth.
·272	3·1	0·8	81	544	1·2	61	85	61	158	5·5	205	26·3	Bywell.
·245	2·9	0·4	90	525	1·5	54	41	133	137	[illegible]·0	289	45·3	Allenheads.
·276	3·1	0·5	88	546	1·9	93	57	81	134	6·5	242	27·9	North Shields.
·282	3·2	0·4	87	541	1·8	70	80	54	161	6·7	191	31·0	High House, Alnwick.

In Cheshire the marriages in the district of Stockport were 332; 218; and 198 in the three corresponding quarters.

In Blackburn the decrease of marriages in the quarter on those of two previous December quarters was equal to 48 per cent.; in the more extensive but less populous district of Chorley, the decrease exceeded that high proportion, and reached 59 per cent. In Burnley it was 39 per cent.; in Chorlton, Bury, Preston, about 36 per cent.; in Wigan and Leigh 33 per cent.; in Stockport 28 per cent.; in Bolton and Oldham 25 per cent.; in Ashton and Haslingden 23 per cent.; in Manchester it was only 14 per cent.

The annual marriage-rate in England (persons married to the population) in the quarter was 1·890 per cent. against an average (in the 10 December quarters 1852–61) of 1·99. In London it was 2·15; and in Lancashire it was 1·70 per cent.

Births.—The total number of children born in the autumn, *i.e.* the fourth quarter, was 172,431. In autumn the birth-rate is invariably lower than in either of the first two quarters; and it is generally lower than in the September quarter. But, whatever may be the fluctuations in the birth-rate if season with season, or year with year, is compared, the rule holds, not without deviation, but with tolerable constancy, that more children are enrolled in the birth-registers in any year than have been entered in that which preceded it; and the births in 1862 exceeded by 88,672 the number in 1852. The birth registration of last year, extending over a period of 52 weeks, was as great as it was ten years ago, in fifty-nine or sixty weeks.

In last quarter the annual birth-rate was 3·350 to a hundred of the population. It was higher than the average, which is 3·23. In London 24,480 children were born; in the North-western Counties, Cheshire and Lancashire, the number was 26,419. The metropolis had a population in 1861 in round numbers of 2,804,000; the manufacturing division had 2,936,000.

The birth-rate in Cheshire and Lancashire was 3·481 per cent.; it was higher than the birth-rate in England (3·350). In London the rate was 3·370, and therefore lower than the rate that prevailed in the entire English population. It rose as high as 3·552 in Yorkshire, 3·633 in the Northern Counties (Durham, Northumberland, Cumberland, and Westmorland); and it fell as low as 3·090 in the Welsh Division. The most prolific population is found in the coal-producing districts of the North, and the thriving ports on the Tyne and the Wear.

Increase of Population.—The births in the quarter exceeded the deaths in the same period by 57,657. Part of the accumulation is constantly

TABLE XXV.—**Mean Annual Value** of **Meteorological Elements**

Parallels of Latitude.	Barometer.		Thermometer.						Mean Temperature	
	Mean.	Mean of Monthly Ranges.	Mean of the highest Monthly Readings.	Mean of the lowest Monthly Readings.	Mean Monthly Range of Readings.	Mean of all the highest Daily Readings.	Mean of all the lowest Daily Readings.	Mean Daily Range.	Of the Air.	Of the Dew-point.
Between the latitudes,—	in.	in.	°	°	°	°	°	°	°	°
49° and 50° – –	29·746	0·931	63·0	40·6	22·4	54·5	47·0	7·5	50·5	46·4
50° and 51° – –	29·795	0·971	65·6	34·3	31·3	57·4	44·9	12·5	50·6	45·8
51° and 52° – –	29·673	0·971	67·3	32·3	34·0	56·6	43·3	13·3	49·3	44·5
52° and 53° – –	29·676	1·041	59·3	31·2	28·1	55·9	42·9	13·0	48·7	43·5
53° and 54° – –	29·623	1·127	63·4	32·5	30·9	53·9	42·3	11·6	47·6	43·0
54° and 55° – –	29·438	1·150	62·9	31·2	31·7	52·5	40·7	11·8	46·1	42·1
55° and 56° – –	29·600	1·183	62·4	31·3	31·1	52·2	40·3	11·9	45·7	42·4
Between the latitudes,— 49° and 56° – –	29·650	1·053	64·1	33·3	29·8	54·7	43·1	11·6	48·4	44·0

lost in the stream of emigrants. In the three months 25,284 emigrants left ports in the United Kingdom at which there are Government Emigration Officers; and of these about ten thousand were of English origin. In the last three months of 1861 the total number of emigrants was only 16,559.

The whole emigration of 1862 consisted of 121,214 persons, English, Scotch, Irish, and Foreign, of whom 58,706 left the shores of the United Kingdom for the United States, 15,522 for the North American Colonies, 41,843 for the Australian Colonies, 5143 for other places. England contributed more than a third part of the total number of emigrants. About 60,000 persons of Irish origin left in the year; and more than half of these went to the United States. The Scotch preferred Australasia.

Of married men there were 10,725; of married women 12,854; of the unmarried above 12 years of age there were 39,563 males, 24,240 females.

Prices, the Weather, and Pauperism.—The price of wheat fell. The average price in the last quarter of the year was 48*s.* 2*d.* per quarter, which is less by 8*s.* 7*d.* than in the corresponding period of 1860, and less by 11*s.* 1*d.* than in that of 1861. The average price of the best potatoes was five pounds per ton, which is less by a pound than it was in the last quarter of the two previous years. The cheapness of this favourite and anti-scorbutic esculent was a fortunate circumstance for the workmen of Lancashire in the ruin of their trade.

Mr. Glaisher, in his Report on the Weather, states that the quarter began with a warm period that lasted seventeen days; after which the weather was variable, but for the most part rather cold till the end of the month. November commenced with a few warm days, which were followed by a cold period that set in on the 6th and continued to the 2d December, the mean temperature having been 4°·5 below the average. In the last twenty-nine days the air was as warm as it had previously been cold, the average excess having been 4°·5 daily.

The mean temperature of October was, with two exceptions, higher than it had been in the same month since 1847; that of November was lower than it had been in the same month since 1829, two Novembers excepted; and December was warmer than that month had been since 1843, with the exception of three Decembers in that period.

At Greenwich the fall of rain in the year was 26·5 in., and a fourth part of it was in the last quarter. Both these quantities are rather more than their respective averages. The rain-fall in 1862 varied from 20·4 in. at Scarborough to 54·4 in. at Stonyhurst.

in the **Year 1862** for different **Parallels** of **Latitude.**

Mean Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean Degree of Humidity of the Air. Saturation=100.	Mean Weight of a Cubic Foot of Air.	Wind. Mean estimated Strength.	Wind. Relative Proportion of N.	E.	S.	W.	Mean Amount of Cloud (0–10).	Rain. Number of Days it fell.	Rain. Amount collected.	Parallels of Latitude.
in.	grs.	gr.		grs.							days.	in.	Between the latitudes,—
·323	3·6	0·6	86	541	1·6	92	67	93	113	5·1	165	33·1	49° and 50°
·316	3·6	0·7	85	542	1·5	89	64	86	129	6·4	181	32·7	50° and 51°
·303	3·4	0·8	84	541	0·8	75	78	89	123	6·8	175	29·4	51° and 52°
·292	3·3	0·7	83	540	2·2	79	62	105	119	6·7	190	26·0	52° and 53°
·284	3·2	0·6	84	541	1·3	74	78	52	151	6·8	194	32·3	53° and 54°
·276	3·2	0·6	87	539	1·7	54	76	96	139	6·3	219	34·0	54° and 55°
·279	3·2	0·5	88	544	1·8	82	68	68	147	6·6	217	29·4	55° and 56°
·297	3·4	0·6	85	541	1·7	78	70	84	133	6·4	192	31·0	Between the latitudes,— 49° and 56°

The average numbers of paupers relieved on the last day of each week in the quarter were :—

		In-door.	Out-door.
Quarter ending 31st December 1860	-	115,161	673,721
„ „ 1861	-	128,533	716,096
„ „ 1862	-	132,663	907,514

If the last of the three periods is compared with the first, the recipients of parochial aid increased by 251,318.

Deaths; and the State of the Public Health.—The total number of deaths in the three months that ended 31st December was 114,774. In the corresponding season of 1860 it was nearly 103,000; in that of the following year nearly 105,000. Though the last of these autumns was not as a whole colder than those which preceded it, the sudden invasion of cold in November and the abrupt succession of heat account for its having been the most fatal. The death-rate was 2·230 per cent. against an average of 2·17. In the principal towns the rate of mortality in the quarter would have carried off 253 persons in a year out of a population of ten thousand (against an average of 245); and in the small towns and country parishes it would have carried off 186 out of a population of equal amount (against an average of 187).

The North-western Counties, Yorkshire, London, the Northern Counties, the West Midland, are five divisions in which the highest rate of mortality prevailed. In the first, which contains the districts of the cotton manufacture, the rate (2·66 per cent.) was higher than in any other division. This distinction is not of recent birth; it is not the fruit of adverse circumstances, but has sprung from causes which have been in operation since Liverpool, Manchester, and other towns in what has been called the worst drained part of England rose into importance as seats of commerce and manufacture. But whatever be the sanitary condition of the towns and villages they inhabit, human beings must be affected by the atmosphere in which they are immersed, and the effects of which they can but partially control; and as the cotton districts participated with the rest of the kingdom in the benefit of a healthy summer, they have also suffered, like other parts, from a less healthy autumn. The mortality rose from 2·46 per cent., the mean rate of the two previous autumns, to 2·66 per cent., but in London it also rose from 2·25 to 2·49. Further, the mortality did not increase quite so much in Lancashire and Cheshire as it did in Yorkshire.

The registrar of Preston sub-district reports that typhus became prevalent there in the early part of October; it excited the most serious apprehensions, and, notwithstanding the greatest efforts to check its pro-

TABLE XXVI.—**Meteorology of Greenwich**

YEARS.	Mean Weekly Movement of the Air in Miles.*	Departure from Average.	Fall of Rain in Inches.	Departure from Average.	Mean Dryness of Atmosphere.	Departure from Average.	Mean TEMPERATURE of the AIR.	Departure from Average.
	Miles.	Miles.	Inches.	Inches.	°	°	°	°
1849 - -	1808	+113	23·9	0·0	6·6	+ 0·9	50·0	+ 0·8
1850 - -	1841	+146	19·7	− 4·3	6·1	+ 0·4	49·3	+ 0·1
1851 - -	1730	+ 35	21·6	− 2·3	6·5	+ 0·8	49·2	0·0
1852 - -	1781	+ 86	34·2	+10·3	7·4	+ 1·7	50·6	+ 1·4
1853 - -	1597	− 98	29·0	+ 5·1	6·2	+ 0·5	47·7	− 1·5
1854 - -	1731	+ 36	18·7	− 5·2	4·7	− 1·0	48·9	− 0·3
1855 - -	1659	− 36	21·1	− 2·8	4·5	− 1·2	47·1	− 2·1
1856 - -	1775	+ 80	22·2	− 1·7	5·6	− 0·1	49·0	− 0·2
1857 - -	1562	−133	21·4	− 2·5	5·2	− 0·5	51·0	+ 1·8
1858 - -	1626	− 69	17·8	− 6·1	6·5	+ 0·8	49·2	0·0
1859 - -	1598	− 97	25·9	+ 2·0	6·0	+ 0·3	50·7	+ 1·5
1860 - -	1676	− 19	32·0	+ 8·1	4·6	− 1·1	47·0	− 2·2
1861 - -	1666	− 29	20·8	− 3·1	5·0	− 0·7	49·4	+ 0·2
1862 - -	1680	− 15	26·2	+ 2·3	4·7	− 1·0	49·5	+ 0·3
Average -	1695	—	23·9	—	5·7	—	49·2	—

* Approximated to the results of Robinson's Anemometer by reductions from Whewell's.

gress, 48 cases proved fatal. Dr. Buchanan in his report pronounced it to be of the Irish type, "the steady follower on famine;" he found a decline from the normal standard of health among the unemployed operatives of the cotton towns, and that scurvy and other symptoms of a hæmorrhagic tendency had been manifested. On the other hand, the report of the Central Executive Committee (for the relief of distress), dated 19th January, states that the middle of winter had been gained without the outbreak of any serious epidemic, or the appearance of scurvy, diarrhœa, or dysentery, forms of disease that follow prolonged low diet, and the use of coarse food without much variety. The registrar of Chorlton-upon-Medlock writes that notwithstanding the great number of persons unemployed, no epidemic has prevailed, nor any disease resulting from privation; that the poor are provided for liberally and with "wise economy." Scarlatina and diphtheria, and also diarrhœa, prevailed to a considerable extent in Manchester. An increase of deaths in Ashton-under-Lyne is attributed to scarlatina and measles. Scarlatina caused eighty deaths, being a third part of the total number, in Oldham-above-Town; these occurred not only in the working class but in the general population. In Blackburn and in Witton, which is also in the Blackburn district, the mortality was increased by measles and bronchitis; and at the latter place there was "much sickness in consequence of the damp weather." The mortality in the Chorley sub-district was nearly doubled, chiefly by measles; and the weather, "mild and damp," was considered unfavourable to health.

It will tend to strengthen the conclusion that the increase of mortality in Lancashire in the last quarter was not caused directly by famine, nor indirectly by diseases induced or aggravated by it, if it be stated, in addition to facts that have been mentioned above, that of the twenty-six districts of which that county is composed, while a certain number exhibited an increase of deaths over those of the corresponding quarter in 1861, there was in an equal number of districts an actual decrease. The districts of Bolton, Manchester, Salford, Burnley, and Preston are amongst those that stand in the latter more favourable category. The munificence of the nation, aided by its kinsfolk in other lands who "have brought their food from afar," has hitherto averted the last, direst extremity, the death of a people by famine. Amongst elements of the situation that have been conducive to health, are the cheapness of provisions, a winter in great part unusually mild, increase of maternal care, recreation out of doors, and perhaps, for many men and women who were not robust, a season of needful rest. The future of "the cotton-famine" is still undetermined,—in the language of the Central Executive Com-

in the Fourteen Years **1849-1862.**

Mean Temperatures of the Air in the Quarters ending the last day of								Years.
March.	Departure from Average.	June.	Departure from Average.	Sept.	Departure from Average.	Dec.	Departure from Average.	
°	°	°	°	°	°	°	°	
41·9	+ 2·1	51·7	− 0·6	61·0	+ 0·8	44·8	+ 0·4	1849
39·4	− 0·4	53·5	+ 1·2	59·6	− 0·6	44·7	+ 0·3	1850
41·9	+ 2·1	51·5	− 0·8	59·8	− 0·4	43·7	− 0·7	1851
41·4	+ 1·6	51·2	− 1·1	61·8	+ 1·6	48·1	+ 3·7	1852
38·1	− 1·7	51·8	− 0·5	58·5	− 1·7	42·3	− 2·1	1853
40·8	+ 1·0	51·7	− 0·6	59·8	− 0·4	43·7	− 0·7	1854
34·1	− 5·7	50·5	− 1·8	60·4	+ 0·2	42·7	− 1·7	1855
40·0	+ 0·2	52·3	0·0	59·9	− 0·3	44·2	− 0·2	1856
39·2	− 0·6	53·8	+ 1·5	63·3	+ 3·1	47·9	+ 3·5	1857
37·8	− 2·0	54·3	+ 2·0	61·0	+ 0·8	43·8	− 0·6	1858
43·3	+ 3·5	53·7	+ 1·4	62·8	+ 2·6	43·3	− 1·1	1859
38·8	− 1·0	50·5	− 1·8	56·2	− 4·0	42·6	− 1·8	1860
39·9	+ 0·1	51·8	− 0·5	60·4	+ 0·2	45·5	+ 1·1	1861
41·0	+ 1·2	53·3	+ 1·0	58·8	− 1·4	45·0	+ 0·6	1862
39·8	—	52·3	—	60·2	—	44·4	—	Average.

mittee it may be even "full of gloom and uncertainty," and "to chill the sympathy or arrest the efforts" that have been evoked, would be rash,—but that which is past may be subject of congratulation; and it is now known that the history of the distress is not written in the death-registers of the year that has closed.

The registrar of Preston sub-district wrote at the end of the quarter, as follows:—

There are 42,331 persons, exclusive of 883 in the workhouse, now receiving relief, or more than one half of the whole population entirely dependent upon the Board of Guardians and the Relief Committee for support. It is gratifying that in the midst of so much poverty there has been a decrease of crime to the extent of one-sixth; and the mayor stated, that on Tuesday, December 9th, there was not a police case for adjudication, a circumstance that had not occurred for many years before.

The deaths in the district of Liverpool rose from 1883 and 2184, the numbers in the corresponding quarters of 1860–1, to 2621 last quarter; those in West Derby rose from 1111 and 1472 to 1728. A great part of this formidable increase has been caused by the ravages of scarlatina. This disease caused 50 out of 105 deaths in the Clowance sub-district in Devonshire. Of 203 deaths in Kingston (Portsea Island) no less than 126 were those of children from scarlatina or other fever, and croup. A very malignant form of scarlatina raised the deaths much above the average at Halstead in Essex; and it is reported in many other parts. Diphtheria caused a third part of the mortality at Hailsham in Sussex; and it is stated that it has been very prevalent in South Walsham in Norfolk, where, out of 34 deaths from all causes, 13 were from this disease, and 9 of these occurred in the parish of Beighton. Diphtheria was very prevalent in Diss, Norfolk, and trebled the average mortality in the parish of Dickleburgh. Measles has been unusually rife and fatal in Falmouth; hardly a family with children escaped, and many adults were attacked by it.

The registrar of Monkwearmouth, Sunderland, writes:—

Births are 233; Deaths 165. The deaths are very much above the average. Scarlatina prevails in my sub-district to an alarming extent, and 44 cases have proved fatal. In my opinion the increase of epidemic diseases is partly accounted for by sanitary measures not being thoroughly carried out in back streets, alleys, and courts, where there are many nuisances. Dock-street, Victor-street, Barrington-street, Hardwick-street, Bloomfield-street, Topliffs-row, and Wilson-street, where many of the deaths have occurred, and many children are still lying ill of small-pox and fever, should be specially mentioned.

Health of London in 1862.

The average birth-rate in London is 3·383 per cent.; or in every thousand of a population, which in a short time will have completed its third million, nearly 34 children are born annually. Partly by an excess

Table XXVII.—LONDON.—**Births** and **Deaths** in the Thirteen Years **1851** to **1862.**

Years.	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862
Births - - -	78300	81250	82254	84885	85532	87430	89577	89012	92909	93414	97,064	97850
Deaths - - -	55488	54638	60069	73697	61942	57274	59103	64093	61860	62309	65,251	67371
Excess of Births over Deaths -	22812	26612	22185	11188	23590	30156	30474	24919	31049	31105	31,813	30479
Births — Males -	40056	41388	42132	42988	43501	44410	45885	45347	47330	47645	49,335	49382
Births — Females -	38244	39862	40122	41897	42031	43020	43692	43665	45579	45769	47,729	48468
Deaths — Males -	28140	28063	30852	37151	31354	29076	29769	32579	31577	31657	33,105	34288
Deaths — Females -	27348	26575	29217	36546	30588	28198	29334	31514	30283	30652	32,146	33083
Annual Mortality per 1000 - - -	23·38	22·61	24·41	29·43	24·31	22·09	22·41	23·90	22·69	22·49	23·18	23·56

of births over deaths, which has been maintained above 30,000 in each of the last four years, and partly by immigration from the provinces and more distant parts, the London population has made such progress that its births in 1862 exceeded by nearly seventeen thousand its births in 1852. In 1863 or 1864 100,000 children will probably be born in London. It may be stated in approximative numbers that each of its three millions of inhabitants will produce annually 34,000 children.

Last year 97,850 children were born, of whom 49,382 were boys, and 48,468 were girls. The proportion was nearly 102 males to 100 females. In 1860 the proportion was 104; in 1861 it was 103 males to 100 females. But this due proportion of the sexes at birth is reversed in the actual constitution of the population, in which females preponderate. In the middle of last year the male population is estimated to have been 1,333,781; the female population 1,525,953; the total 2,859,734. The metropolis attracts young women to its families and its shops,—to millinery and other female occupations in which it abounds. Young men are tempted by more active fields of enterprise to seek their fortunes abroad. A higher standard of life has given numerical preponderance to the female element of the population, in England as well as in London.

The following Table exhibits the numbers of males and females at different ages in London, as found on 8th April 1861:—

LL Ages.	Under 5 Years.	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	95 and upwards.
M. 1,307,781	180,893	149,335	130,799	119,949	122,548	111,668	102,755	88,366	82,068	62,782	51,497	34,985	30,438	17,614	12,241	6,133	2,706	779	183	42
F. 1,496,208	181,403	150,924	133,550	139,206	154,841	140,367	122,012	102,151	93,832	71,408	61,231	43,202	40,878	25,322	18,862	10,061	4,821	1,615	412	110

In England the proportion of Females in the population to Males is nearly as 105 to 100. In London it is as 114 to 100. The excess of Females is apparent in eaeh quinquennium.

Not only the births of males are in excess of those of females, but also the deaths of males almost invariably exceed those of females, and in last year the proportion in London was 104 deaths of males to 100 females, which is nearly the average proportion in England. Maitland, who published his History of London in 1739, speculated on this twofold result, which he was enabled to deduce from the christenings and burials of the seventeenth and eighteenth centuries; and he drew the conclusion, which undoubtedly was erroneous in those times, as it would be in the present day, that the population within the bills of mortality contained a

TABLE XXVIII.—LONDON.—**Deaths in Public Institutions, 1853-62.***
(Compiled from the Weekly Returns.)

	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862
TOTAL DEATHS IN PUBLIC INSTITUTIONS	10116	12046	11310	10381	10079	10004	9633	9550	10276	11313
IN WORKHOUSES	5955	6812	6552	5797	5714	5535	5228	5161	5757	6401
PRISONS	106	155	71	81	71	57	40	41	46	53
MILITARY AND NAVAL ASYLUMS	342	312	299	304	285	317	307	272	251	307
GENERAL HOSPITALS	2675	3415	2956	2859	3008	3094	2927	3039	3234	3167
HOSPITALS FOR SPECIAL DISEASES	281	326	441	612	332	272	431	413	335	690
LYING-IN HOSPITALS – Women	13	20	27	14	11	11	35	34	38	35
LYING-IN HOSPITALS – Children	22	43	40	31	23	32	51	57	58	40
MILITARY AND NAVAL HOSPITALS	263	441	404	282	180	211	187	173	223	236
HOSPITALS AND ASYLUMS FOR FOREIGNERS	59	57	64	61	63	53	46	47	58	74
LUNATIC ASYLUMS	400	465	456	340	392	422	381	313	276	310

* See note (*) on page 83.

majority of males. He writes: "Having the bills of mortality now "before me, I think it will not be amiss to undeceive the public in these "particulars: 1. Much the greatest part of mankind are of opinion that "there are two females to one male of the human species; but that this "is a palpable error is manifest from the accounts of christenings and "burials from the year 1657 to that of 1738, during which time of "eighty years there appears to have been christened 619,187 males and "585,334 females, and buried 994,656 males and 965,298 females, which "in the christenings amount to 33,853 more males than females, which "is 5½ per cent. in favour of the former, and in the burials, 29,358, which "is likewise 3 per cent. in favour of the males. This is a double de-"monstration that there are considerably more males than females." He adds, that "the majority in favour of the males is by our naturalists "said to be designed by nature for the support of that part of the human "species which is more liable to be destroyed by war than the other. "But as war is only casual, and not perpetual, I am of opinion that "this supernumerary supply is designed by nature as a constant remedy "against incessant contingencies which the males are more obnoxious to "both by land and water than the females." The second prevailing opinion which he undertakes to refute is, that "not one person in a "thousand lives to the age of seventy or eighty."

Births in England are more numerous in the six months, January—June, than in the six months, July—December; and on an average of years the birth-rate falls with the four quarters, for it is highest in the March quarter, next highest in the following quarter, till the December quarter, when it is lowest. In 1862, the greatest number of births in London in any of the fifty-two weeks was registered in the sixth week, when it rose to 2197. The number of births, which with one exception was the lowest, was returned in the thirty-third week ending 16th August, and was 1648. Only 1610 births were returned in the fifty-second, or last week of the year; but as it included Christmas-day, which is lost in a great measure to registration, the return is not justly admissible in the present comparison. Births which had occurred before the end of the fifty-second week, and which for the reason that has been stated were

Table XXIX.—LONDON.—**Deaths** and **Meteorology, 1849-62.**

Years.	Total Number of Deaths.	Mean Temperature of Air.	Dryness of Atmosphere.	Fall of Rain in Inches.	*Mean Weekly* Amount of Horizontal Movement of the Air, approximated to the results of Robinson's Anemometer by reductions from Whewell's.*
		°	°		Miles.
1849	68756	50·0	6·6	23·9	1808
1850	48950	49·3	6·1	19·7	1841
1851	55488	49·2	6·5	21·6	1730
1852	54638	50·6	7·4	34·2	1781
1853	60069	47·7	6·2	29·0	1597
1854	73697	48·9	4·7	18·7	1731
1855	61942	47·1	4·5	21·1	1659
1856	57274	49·0	5·6	22·2	1775
1857	59103	51·0	5·2	21·4	1562
1858	64093	49·2	6·5	17·8	1626
1859	61860	50·7	6·0	25·9	1598
1860	62309	47·0	4·6	32·0	1676†
1861	65251	49·4	5·0	20·8	1666†
1862	67371	49·5	4·7	26·2	1680†

Weekly Average of 1862.						
1862	Number of Deaths weekly.	Mean Temperature of Air.	Average daily Range of Temperature.	Dryness of Atmosphere.	Fall of Rain in Inches.	Amount of Horizontal Movement of the Air in each Week.†
		°	°	°		
First Quarter	1416	41·0	10·3	4·1	0·44	1706
Second Quarter	1207	53·3	17·3	5·8	0·59	1753
Third Quarter	1164	58·8	19·0	6·0	0·44	1487
Fourth Quarter	1363	45·0	11·9	2·9	0·54	1793

* For the years 1849-59 the results are only approximative, having been reduced to Robinson's Anemometer from observations made with Whewell's.

† By Robinson's Anemometer, adopted in place of Whewell's, which was used formerly.

not registered in that week, contributed to swell the return of the first week of 1863, when the number rose to 2146.

The greatest number of deaths occurred in the forty-eighth week, ending 29th November, when they rose to 1745. In that week the mean temperature of the air fell to 37·1°, and the dryness of the atmosphere was only 2·9°. The least number of deaths occurred in the twenty-eighth week, and was 1065, when the mean temperature of the air rose to 58·2°, and the dryness was 5·1°. The mean dryness of the atmosphere (the difference between the mean dew-point temperature and air temperature) was as high as 10·6° in the thirty-first week, and as low as 1·1° in the forty-fifth. Nearly two inches of rain fell in the twelfth week, and nearly as much in the fifteenth, nineteenth, thirty-fourth, and forty-second week. In three weeks no rain was measured, and in eight others the quantity was little more than appreciable. It fell on 177 days. The whole amount of rain in the year was 26 inches, which is 2 inches above the average. This quantity was distributed in tolerably equal proportions over the four quarters.

The lowest night temperature of the air was 20·4°, and occurred on 19th January. The highest day temperature was 81·5°, on 6th May. In eight out of the twelve months the mean temperature was above the average.

The year to which the present "Summary of Weekly Returns" relates is the tercentenary of bills of mortality in London. It is interesting to know that those records made their first appearance three hundred years ago, and for the year 1562, though it seems that they were not published weekly at that early period but only as a summary at the end of the year. The following is an extract from the writer who has been quoted above: "As neither the parish clerks' account or that published by Mr. Graunt "take any notice of the first bill of mortality published in this city for "the year 1562, nor of those for the years 1593 and and 1603, I shall "supply those defects from the great and valuable library of Sir Hans "Sloane, Bart., which by the vast number of its books and generosity of "its owner is rendered as useful as any of the public libraries within the "city or suburbs of London. In the year 1562 a grievous pestilence "raged in this city; therefore, in order to know the increase and decrease "of the same, it was judged necessary to take an account of the number "of burials, which being the first of the kind that ever was taken in "London, it commenced on the 1st January 1562 and ended the last of "December, whereby it appears that the number total buried within the "city and suburbs in that year amounted to 23,630, whereof of the "plague 20,136."

In 1562 the plague caused 85 per cent. of the total number of deaths; in 1849 cholera and diarrhœa caused 26 per cent., and in 1854 they caused 19 per cent. of the total number.

Last year the deaths from all causes were 67,371, of which 34,288 were those of males; 33,083 were those of females. The rate of mortality was 2·356 per cent. In the North districts the rate was 2·200, in the West 2·230, in the South 2·268, in the Central 2·583, and in the East districts the highest rate of mortality prevailed, namely, 2·598 per cent. The South districts have achieved for themselves a marked improvement.

GREAT BRITAIN.

The estimated population of Great Britain in the year 1862 was 23,416,117, and the marriage-rate was 1·576 per cent., the birth-rate 3·501, and the death-rate 2·151. The marriage-rate of Scotland is below that of England; thus in a population of 100,000 in England,

1614 persons married in the year; while in Scotland 1334 married out of the same population. The Registrar General of Scotland does not appear to consider that this reduced proportion is entirely due to defective registration.

It is a remarkable fact that the registration of marriages is compulsory in England, and is not compulsory in Scotland as regards irregular marriages; while the registration of births is compulsory in Scotland, but is not compulsory in England. The registration is so important to the children in both cases, that it should be at once enforced by penalties in all the divisions of the kingdom.

TABLE XXX.—Estimated **Population, Marriages, Births,** and **Deaths** in **Great Britain,** in the Year **1862.**

—	Area in Statute Acres.	Estimated Population in the middle of the Year 1862.	Marriages.	Persons Married.	Births.	Deaths.
England and Wales -	37,324,883	20,336,467	164,030	328,060	712,684	436,566
Scotland - - -	19,639,377	3,083,989	20,544	41,088	107,138	67,159
GREAT BRITAIN -	56,964,260	23,420,456	184,574	369,148	819,822	503,725

TABLE XXXI.—**Proportion** per Cent. of **Marriages, Births,** and **Deaths** to the Population of **Great Britain,** in the Year **1862.**

—	Acres to a Person.	To 100 Persons living.			
		Marriages.	Persons Married.	Births.	Deaths.
England and Wales - -	1·84	·807	1·614	3·504	2·147
Scotland - - -	6·37	·666	1·332	3·474	2·178
GREAT BRITAIN - -	2·43	·788	1·576	3·500	2·151

Note.—The total area of a country, divided by its population, gives the average area to each person. The reciprocal gives the "density" of the population, or the population to each acre, square mile, or other measure.

TABLE XXXII.—**Estimated Population** of **England, France,** and of **Austria, 1853** to **1862.**

Years.	England and Wales.	France.*	Austria.‡
1853	18,404,368	36,225,000	—
1854	18,616,310	36,155,682	—
1855	18,829,000	36,118,408	—
1856	19,042,412	36,205,792	—
1857	19,256,516	36,292,663	21,774,412
1858	19,471,291	36,387,679	21,999,254
1859	19,686,701	36,426,910	22,244,976
1860	19,902,713	36,597,461	22,474,156
1861	20,119,314	36,752,565	22,648,851
1862	20,336,467	37,532,883†	22,841,580

* M. Legoyt, director of the Statistical Department of France, has favoured the Registrar General with the returns of France for the years 1857–62.

† Including the three newly annexed departments.

‡ Dr. Ficker, chief of the Statistical Department of Austria, has favoured the Registrar General with the returns of Austria. The population returned above is exclusive of Hungary, Croatia, Slavonia, and Transylvania. The population estimated for the entire empire, for each of the years 1857–62, is 34,499,755; 34,822,519; 35,228,383; 35,594,418; 35,905,968; and 36,235,552 respectively. (See also Table XLI.)

The birth-rate of Scotland was below, and the death-rate was above, that of England in 1862.

TABLE XXXIII. — **Number** and **Proportion per Cent.** to **Population** of **Marriages, Births,** and **Deaths** in **England, France,** and in **Austria, 1853–62.**

Years.	Number of Marriages, Births, and Deaths.			Proportions per Cent. of Marriages, Births, and Deaths to the Population.		
	England.	**France.***	**Austria.†**	**England.**	**France.***	**Austria.†**
			MARRIAGES.			
1853	164,520	280,609	—	·894	·775	—
1854	159,727	270,906	—	·858	·749	—
1855	152,113	283,846	—	·808	·786	—
1856	159,337	284,835	—	·837	·785	—
1857	159,097	290,349	183,531	·826	·800	·874
1858	156,070	307,218	189,776	·802	·844	·870
1859	167,723	298,309	160,627	·852	·819	·738
1860	170,156	290,657	190,224	·855	·794	·880
1861	163,706	283,642	189,058	·814	·772	·869
1862	164,030	298,812	207,874	·807	·796	·913
			PERSONS MARRIED.			
1853	329,040	561,218	—	1·788	1·550	—
1854	319,454	541,812	—	1·716	1·498	—
1855	304,226	567,692	—	1·616	1·572	—
1856	318,674	568,670	—	1·674	1·570	—
1857	318,194	580,698	367,062	1·652	1·600	1·748
1858	312,140	614,436	379,552	1·604	1·688	1·740
1859	335,446	596,618	321,254	1·704	1·638	1·476
1860	340,312	581,314	380,448	1·710	1·588	1·760
1861	327,412	567,284	378,116	1·628	1·544	1·738
1862	328,060	597,624	415,748	1·614	1·592	1·826
			BIRTHS.			
1853	612,391	936,967	—	3·327	2·587	—
1854	634,405	923,461	—	3·408	2·554	—
1855	635,043	899,559	—	3·373	2·491	—
1856	657,453	952,116	—	3·453	2·630	—
1857	663,071	929,832	863,812	3·443	2·562	4·160
1858	655,481	967,638	868,599	3·366	2·659	4·091
1859	689,881	1,011,787	910,170	3·504	2·778	4·225
1860	684,048	953,315	845,882	3·437	2·605	3·950
1861	696,406	987,830	857,441	3·461	2·688	3·948
1862	712,684	985,589	869,094	3·504	2·626	3·945
			DEATHS.			
1853	421,097	795,607	—	2·288	2·196	—
1854	437,905	992,779	—	2·352	2·746	—
1855	425,703	936,833	—	2·261	2·594	—
1856	390,506	835,017	—	2·051	2·306	—
1857	419,815	842,961	609,150	2·180	2·323	2·948
1858	449,656	872,622	644,635	2·309	2·398	3·167
1859	440,781	972,556	664,448	2·239	2·670	3·072
1860	422,721	782,764	616,702	2·124	2·139	2·922
1861	435,114	843,174	682,736	2·163	2·308	3·081
1862	436,566	802,590	676,375	2·147	2·138	3·035

* The returns for France in the year 1862 include the three newly annexed departments.

† The returns for Austria exclude Hungary, Kroatia, Slavonia, and Transylvania: but the proportions per cent. are estimated to represent the rates prevailing in the entire empire.

I have for some years been able, through the courtesy of M. Legoyt, to give the returns for France in conjunction with those of England. This year Dr. Ficker, the head of the Statistical Department at Vienna, has supplied me with similar returns for the Austrian Empire; and thus we have the means of comparing the progress of marriage, birth, and death among nearly a hundred millions of people.

The government of the King of Italy has displayed great activity in the field of statistics, and has just published a report on the statistics of the kingdom during the year 1862, from which Table XXXIV. has been derived.

Including the three newly annexed departments, France had 37,532,883 inhabitants in 1862; the marriage-rate was 1·592, the birth-rate 2·626, and the death-rate 2·138 per cent. on the population, including the army.

The death-rate of France agrees closely with that of Great Britain, and is rather below it; but the mortality there fluctuates largely, and the average rate is above that of England. The birth-rate of France is

TABLE XXXIV. — **Italy. Population** on 31st December 1861; **Number** and **Proportion** of **Marriages, Births,** and **Deaths** in the **Year 1862.***

Population enumerated 31st Dec. 1861.	Marriages.	Persons Married.	Births.	Deaths.
21,777,334	176,897	353,794	833,054	681,212
Proportion per Cent. to Population	·812	1·624	3·825	3·128

* Compiled from "Statistica del Regno D'Italia. Movimento dello Stato Civile Nell' Anno 1862."

TABLE XXXV. — **Annual Rate of Mortality** per Cent. in **Great Britain, England, France,** and in **Austria,** *including* the **Deaths of Soldiers Abroad, 1857 to 1862.**

Years.	Great Britain.	England and Wales.	France.	Austria.
1857	2·169	2·184	2·323	2·941
1858	2·297	2·323	2·398	3·160
1859	2·218	2·244	2·670	3·074
1860	2·142	2·127	2·139	2·924
1861	2·147	2·164	2·308	3·066
1862	2·150	2·146	2·138	3·020

TABLE XXXVI.—**Return** showing the **Average Strength** of the **British Army Abroad** in each of the Years **1859–1862.** (Furnished to the Registrar-General by the Adjutant-General by direction of H.R.H. the General Commanding in Chief.)

	1859		1860		1861		1862	
——	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
Cavalry - -	308	6,943	363	6,946	308	5,805	343	6,328
Infantry - -	3,236	100,839	4,289	104,215	4,110	99,473	4,319	100,721
Artillery - -	348	9,705	349	10,160	358	10,303	702	15,410
Engineers -	134	2,196	125	1,944	116	2,063	132	2,244
Total -	4,026	119,683	5,126	123,265	4,892	117,644	5,496	124,703

2·626, of England 3·504 per cent.; the marriage-rate being little lower in France than it is in England.

The marriage-rate of Austria is 1·826, the birth-rate 3·945, and the death-rate 3·020. Austria is evidently advancing rapidly, and the increase of marriages implies the increasing prosperity of the Empire which stands on the Carpathians, the Alps, and the Danube. The measures tried successfully in England will diminish the high mortality there, which is referable to causes evident to all travellers in Germany, and which has attracted the attention of Dr. Helm, Dr. Haller, Dr. Glatter, and other patriotic Austrian physicians. In the meantime Dr. Ficker's Tables exhibit in a trustworthy form an immense series of facts of universal interest.

TABLE XXXVII. — **Number of Deaths in the British Army** during each of the Years **1859–1862.** (Furnished to the Registrar-General by the Adjutant-General by direction of H.R.H. the General Commanding in Chief.)

Corps.	1859						1860						1861						1862					
	Great Britain.		Ireland.		Abroad.		Great Britain.		Ireland.		Abroad.		Great Britain.		Ireland.		Abroad.		Great Britain.		Ireland.		Abroad.	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
Cavalry and Infantry -	22	769	4	294	75	3,666	25	794	10	330	76	2,926	18	728	5	225	69	2,815	22	604	6	194	61	2,063
Artillery -	6	127	1	17	4	355	4	181	-	17	8	238	7	288	-	9	7	167	7	142	-	19	12	370
Engineers	3	11	-	3	6	44	5	11	-	-	-	45	1	19	-	1	1	38	2	18	-	3	1	37
Total -	31	907	5	314	85	4,065	34	986	10	347	84	3,209	26	1,035	5	235	77	3,020	31	764	6	216	74	2,470

TABLE XXXVIII.—**Annual Rate of Mortality** per Cent. amongst the OFFICERS and NON-COMMISSIONED OFFICERS and MEN in the **Army Abroad**, in each of the Years **1858–62.** (Deduced from the Strength and Deaths as given in the two preceding Tables.)

YEARS.	OFFICERS.	NON-COMMISSIONED OFFICERS and MEN.
1858	3·513	6·701
1859	2·111	3·396
1860	1·639	2·603
1861	1·574	2·567
1862	1·346	1·981

TABLE XXXIX.—**Army serving at Home and Abroad.**

	1861
Officers and Men born in ENGLAND - - -	130,469
,, ,, SCOTLAND - - -	20,901
,, ,, IRELAND - - -	71,556
,, ,, FOREIGN PARTS -	6,635
TOTAL - - - - - -	229,561

It will be gratifying to observe that our army, which was for many years of peace exposed to a mortality in the various climates of the British

TABLE XL.—**Deaths** of **Officers and Men** in the **Army Abroad,** and Estimated Numbers belonging to **Great Britain** and to **England and Wales,** in each of the Five Years **1858–1862.**

YEARS.	DEATHS of OFFICERS AND MEN in the ARMY ABROAD.	Estimated Numbers in Col. 2. belonging to	
		GREAT BRITAIN.	ENGLAND AND WALES.
1	2	3	4
1858	7,363	4,275	3,486
1859	4,150	2,409	1,965
1860	3,293	1,912	1,559
1861	3,097	2,042	1,760
1862	2,544	1,677	1,445

The number of Deaths in the cols. 3 and 4 were estimated on the assumption that the soldiers abroad belonged to the different parts of the British Empire in the proportions indicated in the Table XXXIX.

TABLE XLI.—**Austria. Annual Rate** of **Mortality** per Cent. in the **Army** in each of the Years **1857–62.**

YEARS.	ESTIMATED STRENGTH.	DEATHS.	ANNUAL RATE of MORTALITY per Cent.
1857	379,374	8,646	2·279
1858	347,696	8,577	2·467
1859	527,772	16,638	3·152
1860	384,302	11,903	3·097
1861	459,300	8,763	1·908
1862	400,895	6,800	1·696

TABLE XLII.—**Number** of **Births** and **Deaths** of **British* Subjects at Sea,** exclusive of Soldiers, Marines, invalided Seamen from the Royal Navy, and Seamen on Ships' Articles, in the Years **1856–1862** inclusive, reported by the Captains or Commanding Officers of Vessels to the Registrar General of Seamen upon Schedule C., deposited at the Termination of their respective Voyages in Ports of the United Kingdom.—(Furnished to the Registrar General by the Registrar General of Seamen.)

		MALES.	FEMALES.	TOTAL.
BIRTHS at Sea	1856 (imperfect)	71	66	137
	1857	168	142	310
	1858	132	117	249
	1859	135	132	267
	1860	136	114	250
	1861	110	108	218
	1862	146	148	294
	Total	898	827	1,725
†DEATHS at Sea	1856 (imperfect)	121	78	199
	1857	238	140	378
	1858	253	182	435
	1859	524	303	827
	1860	241	156	397
	1861	213	121	334
	1862	221	148	369
	Total	1,811	1,128	2,939

* British subjects are not particularly described upon Schedule C., but foreign names have been excluded from this account.

† The deaths of soldiers, marines, and invalided seamen from the Royal Navy were 33 in 1856, 59 in 1857, 156 in 1858, 196 in 1859, 196 in 1860, 69 in 1861, and 122 in 1862. The number is 831 in seven years, which, if added to the 2939 above, makes 3401, the total number of deaths of British subjects at sea in 1856-62, exclusive of those of merchant seamen.

Empire greater than that of any army in Europe, is now approaching the normal state. The deaths per 1000 of the non-commissioned officers and

TABLE XLIII.—**Mortality of Merchant Seamen at Sea,** in the 11 Years **1852–62.***

YEARS.	STRENGTH.	DEATHS.	ANNUAL RATE OF MORTALITY. To 100 living.
1852	159,563	2,205	1·38
1853	172,525	3,276	1·90
1854	162,416	2,772	1·71
1855	168,537	3,318	1·97
1856	173,918	3,549	2·04
1857	176,387	3,444	1·95
1858	177,832	3,486	1·96
1859	172,506	3,430	1·99
1860	171,592	3,760	2·19
1861	171,957	3,580	2·08
1862	173,863	3,620	2·08
In the 11 years 1852–62	1,881,096	36,440	1·94

* Deduced from a return of the number of accounts of wages and effects of seamen (exclusive of masters) dying before the termination of the voyage, received by the Registrar General of Seamen. This return does not include seamen dying ashore in foreign parts, whose wages and effects are delivered to the consuls or officers of the hospitals to which such men are sent; accounts of their effects are sent direct to the Board of Trade.

If a seaman dies on the passage from Sunderland to Calcutta, his death is reported at Calcutta, and his wages and effects are accounted for and transmitted home, if the vessel is not to return direct to the United Kingdom. But if a *passenger* dies on board a ship which does not return to a British port immediately, but trades for a time in foreign parts, considerable delay may occur before his death is reported. In all cases, however, the date is given, and in the accompanying tables the births and deaths are classed according to the years in which they occurred.

A column headed *Place of Birth* was formerly contained in the schedule, for the purpose of distinguishing passengers as British subjects or Foreigners, but in many cases it was not filled up by masters, in consequence of their inability to obtain the information after the death had taken place. A column headed "Whether "supposed to be a British subject or Foreigner" might be attempted. British and Foreign *seamen* are distinguished.

When a ship is lost with all persons on board, the owners return the number and names of the crew, but not of the passengers, to the Registrar-General of Seamen.

TABLE XLIV.—**Aggregate Number of Names on the Registers** at the End of each Year **1837–62**; also the **Number of Searches for Registers** at the **Central Office** (exclusive of Searches in Non-parochial Registers).

YEARS.	AGGREGATE NUMBER				NUMBER OF SEARCHES for REGISTERS at the CENTRAL OFFICE.
	OF PERSONS MARRIED.	OF BIRTHS.	OF DEATHS.	OF NAMES REGISTERED.	
1837 - -	116,958	164,116	148,701	429,775	Not known.
1838 - -	353,092	627,903	491,461	1,472,456	
1839 - -	599,424	1,120,477	830,445	2,550,346	
1840 - -	844,754	1,622,780	1,190,132	3,657,666	
1841 - -	1,089,746	2,134,938	1,533,979	4,758,663	
1842 - -	1,327,396	2,652,677	1,883,498	5,863.571	
1843 - -	1,575,032	3,180,002	2,229,943	6,984,977	620
1844 - -	1,839,530	3,720,765	2,586,876	8,147,171	705
1845 - -	2,127,016	4,264,286	2,936,242	9,327,544	744
1846 - -	2,418,344	4,836,911	3,326,557	10,581,812	881
1847 - -	2,690,034	5,376,876	3,749,861	11,816,771	941
1848 - -	2,966,494	5,939,935	4,149,694	13,056,123	1,030
1849 - -	3,250,260	6,518,094	4,590,533	14,358,887	1,162
1850 - -	3,555,748	7,111,516	4,959,528	15,626,792	1,228
1851 - -	3,864,160	7,727,381	5,354,924	16,946,465	1,442
1852 - -	4,181,724	8,351,393	5,762,059	18,295,176	1,658
1853 - -	4,510,764	8,963,784	6,183,156	19,657,704	1,676
1854 - -	4,830,218	9,598,189	6,621,061	21,049,468	2,340
1855 - -	5,134,444	10,233,232	7,046,764	22,414,440	2,492
1856 - -	5,453,118	10,890,685	7,437,270	23,781,073	2,853
1857 - -	5,771,312	11,553,756	7,857,085	25,182,153	2,965
1858 - -	6,083,452	12,209,237	8,306,741	26,599,430	4,063
1859 - -	6,418,898	12,899,118	8,747,522	28,065,538	5,052
1860 - -	6,759.210	13,583,166	9,170,243	29,512,619	5,636
1861 - -	7,086,622	14,279,572	9,605,357	30,971,551	6,133
1862 - -	7,414,682	14,992,256	10,041,923	32,448,861	7,297

NOTE.—The numbers registered in 1837 are for the Half Year ending December 31st.

men during the five years 1858–62,—the first that of the war with China,—were 67, 34, 26, 26, and 20. Still further reductions may be hoped for when the army in India is subject to judicious sanitary regulation, such as is now in contemplation. The mortality of the officers in the same period was in the five successive years 35, 21, 16, 16, and 13 per 1000.

Mortality of Merchant Seamen at Sea.

In the year, 294 births and only 369 deaths of British subjects at sea were reported at this office for entry in the Marine Register.

The Merchant Seamen in the year 1862 were 173,863 in number, out of whom 3620 deaths were recorded by the Registrar General of Merchant Seamen. The mortality among them was at the rate of 2·08 per cent., or nearly 21 in 1000. This return does not include seamen dying ashore, at home, or in foreign parts. Something may be done to reduce this high rate of mortality, affecting an important class of men.

Progress of Registration.

The number of searches for entries in the registers of births, of deaths, or of marriages, at the Central Office, was 7297 in the year 1862; but these numbers bear a small proportion to the number of searches in the books of which the Superintendent Registrars and Registrars have the custody. The utility of the records is every day increasing.

Certified Places of Religious Worship.

The number of buildings certified as places of meeting for religious worship, and recorded in this Office under the Act of 18 & 19 Vict. c. 81., during 1862 was 704. At the close of the year the total number of such buildings on the register was 15,354, including 517 belonging to the Roman Catholics, 1910 to the Independents, 1546 to the Baptists, 9285 to the various denominations of Wesleyan Methodists, and 752 to the Calvinistic Methodists.

For an account of the Causes of Death in 1862, I beg to refer you to a letter addressed to me by Dr. Farr, which will be found in the Appendix.

I have the honour to be,
Sir,
Your faithful servant,
GEORGE GRAHAM,
Registrar-General.

ANNUAL ABSTRACTS

OF

BIRTHS, DEATHS, AND MARRIAGES.

1862.

ABSTRACT OF MARRIAGES.—Marriages registered in England, pursuant t

DIVISIONS AND REGISTRATION COUNTIES.*	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Places. Roman Catholics.	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.
ENGLAND -	37,324,883	20,066,224	164,030†	18	19,486	102,870	3066	3293	129,733	34,297	7345	13870	12723	59
No. DIVISIONS.														
I. LONDON - - -	77,997	2,803,989	28839	6	4008	21423	78	34	25549	3290	1342	909	807	5
II. SOUTH EASTERN -	4,065,935	1,847,661	13761	3	1465	9359	415	526	11768	1993	209	1049	721	3
III. SOUTH MIDLAND -	3,201,290	1,295,497	8748	2	914	5852	113	492	7373	1375	73	835	461	6
IV. EASTERN - -	3,214,099	1,142,580	7655	–	751	5028	82	340	6201	1454	58	691	701	4
V. SOUTH WESTERN -	4,993,660	1,835,714	13792	–	1611	7815	210	520	10156	3636	119	1582	1925	7
VI. WEST MIDLAND -	3,865,332	2,436,568	19925	2	2025	14245	277	478	17027	2898	612	1355	911	8
VII. NORTH MIDLAND -	3,540,797	1,288,928	9605	1	1128	6038	183	241	7591	2014	160	1186	665	1
VIII. NORTH WESTERN -	2,000,227	2,935,540	24858	1	3094	14221	1191	189	18696	6162	3141	1898	1090	6
IX. YORK - - -	3,654,636	2,015,541	17258	–	1746	11028	760	220	13754	3504	660	1334	1492	11
X. NORTHERN - -	3,492,322	1,151,372	9747	1	1468	4385	412	97	6363	3384	734	581	2053	8
XI. WELSH - - -	5,218,588	1,312,834	9842	2	1276	3476	245	256	5255	4587	237	2450	1897	–
I.—LONDON.														
MIDDLESEX (*part of*) -	32,455	2,030,814	21342	5	3164	15498	65	28	18760	2582	979	678	694	4
SURREY (*part of*) - -	22,951	579,748	5878	1	657	4699	13	5	5375	503	259	148	95	1
KENT (*part of*) - - -	22,591	193,427	1619	–	187	1226	–	1	1414	205	104	83	18	–
II.—SOUTH EASTERN.														
1 SURREY (*extra-metrop.*)-	476,191	273,264	1718	–	231	1233	10	51	1525	193	24	104	65	–
2 KENT (*extra-metropolitan*)	1,013,838	545,272	4196	1	378	3013	127	129	3648	548	102	277	167	1
3 SUSSEX - - - - - -	949,581	366,836	2645	–	322	1832	32	144	2330	315	18	177	117	–
4 HAMPSHIRE - - -	1,061,608	456,654	3768	2	384	2326	233	104	3049	719	52	320	339	1
5 BERKSHIRE - - -	564,717	205,635	1434	–	150	955	13	98	1216	218	13	171	33	1
III.—SOUTH MIDLAND.														
6 MIDDLESEX (*ex.-metro.*)	176,555	187,325	1029	1	166	744	2	19	932	97	43	43	10	1
7 HERTFORDSHIRE -	428,143	177,452	1001	–	66	739	6	61	872	129	–	102	24	3
8 BUCKINGHAMSHIRE	402,616	147,207	1019	–	96	711	15	61	883	136	–	87	49	–
9 OXFORDSHIRE - -	479,267	171,233	1142	–	138	708	14	111	971	171	17	112	42	–
10 NORTHAMPTONSH. -	632,219	231,079	1775	1	173	1097	32	85	1388	387	7	205	175	–
11 HUNTINGDONSHIRE	205,366	59,137	406	–	48	293	3	20	364	42	–	32	10	–
12 BEDFORDSHIRE - -	305,366	140,479	1147	–	87	726	35	91	939	208	–	136	70	2
13 CAMBRIDGESHIRE -	571,758	181,585	1229	–	140	834	6	44	1024	205	6	118	81	–
IV.—EASTERN.														
14 ESSEX - - - - - -	983,443	379,705	2276	–	209	1547	34	120	1910	366	39	183	142	2
15 SUFFOLK - - - - -	930,345	335,409	2283	–	219	1417	25	139	1800	483	2	252	228	1
16 NORFOLK - - - - -	1,300,311	427,466	3096	–	323	2064	23	81	2491	605	17	256	331	1

* The *Registration Counties* consist of groups of entire Registration Districts; which Districts are, in general, identical with the Poor Law Unions. As the principle adopted has been to place a District or Union which extends into more than one County with the County in which either the principal town or greater part of the population is located, the limits of the Reg tration Counties differ more or less from the boundaries of Counties proper.

. 6 and 7 Wm. IV. c. 86, in the Year ending December 31st, 1862.

MARRIAGES. Registered in the Quarter ending the last day of — June.	September.	December.	Contracted between — Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.*	Of — Widowers.	Widows.	Of Persons not of Full Age. — Men.	Women.	Signed the Marriage Register with Marks. — Men.	Women.	Cases in which — Both signed.	One signed.	DIVISIONS AND REGISTRATION COUNTIES.
40,853	40,600	48,624	134,727	6846	14,566	7891	22,457	14,737	10,615	32,464	38,801	54,405	25,075	43,056	**ENGLAND.**
															DIVISIONS.
7209	8082	7811	23595	1327	2644	1273	3917	2600	992	3999	3023	5060	1674	4735	LONDON.
3328	3181	4381	11412	714	1091	544	1635	1258	592	2701	3111	2794	1369	3167	SOUTH EASTERN.
1976	2082	3099	7270	285	798	395	1193	680	810	1959	2673	2785	1551	2356	SOUTH MIDLAND.
1551	1642	3025	6229	270	759	397	1156	667	555	1612	2684	2274	1393	2172	EASTERN.
3542	3342	3826	11465	513	1199	615	1814	1128	971	2401	3583	4007	2038	3514	SOUTH WESTERN.
4950	4888	6071	16558	800	1607	960	2567	1760	1459	4351	5876	7301	3954	5269	WEST MIDLAND.
2653	2117	3037	7879	339	923	464	1387	803	716	2075	2284	3033	1364	2589	NORTH MIDLAND.
6401	6380	6369	20006	1110	2315	1427	3742	2537	1983	5273	6189	11646	4920	7995	NORTH WESTERN.
4159	4123	5143	14066	623	1622	947	2569	1570	1434	4369	3794	6940	2660	5414	YORK.
2590	2272	2762	8099	447	776	425	1201	872	546	2119	1979	3258	1359	2519	NORTHERN.
2494	2241	3100	8148	418	832	444	1276	862	557	1605	3605	5307	2793	3326	WELSH.
															I.—LONDON.
5340	5989	5790	17487	959	1989	907	2896	1866	745	2998	2115	3703	1218	3382	MIDDLESEX (*part of*).
1434	1647	1612	4772	273	551	282	833	555	185	726	679	1028	334	1039	SURREY (*part of*).
435	446	409	1336	95	104	84	188	179	62	275	229	329	122	314	KENT (*part of*).
															II.—SOUTH EASTERN.
392	489	523	1438	77	151	52	203	129	59	298	359	302	152	357	SURREY (*extra-metropolit*).
1053	1039	1378	3500	223	324	149	473	372	163	885	988	931	432	1055	KENT (*extra-metropolitan*).
640	675	824	2199	112	214	120	334	232	127	467	590	455	246	553	SUSSEX.
920	941	1157	3102	224	277	165	442	389	158	770	754	743	322	853	HAMPSHIRE.
323	337	499	1173	78	125	58	183	136	85	281	420	363	217	349	BERKSHIRE.
															III.—SOUTH MIDLAND.
258	284	298	835	57	96	41	137	98	32	159	239	188	95	237	MIDDLESEX (*ex.-metro.*)
224	239	348	849	31	76	45	121	76	95	219	385	356	225	291	HERTFORDSHIRE.
216	237	382	858	24	78	59	137	83	109	247	328	351	192	295	BUCKINGHAMSHIRE.
270	244	404	920	44	129	49	178	93	64	199	317	290	155	297	OXFORDSHIRE.
411	397	648	1475	54	160	86	246	140	163	432	446	556	249	504	NORTHAMPTONSH.
93	79	144	343	11	31	21	52	32	51	123	140	142	88	106	HUNTINGDONSHIRE.
247	285	388	962	29	117	39	156	68	178	288	428	513	319	303	BEDFORDSHIRE.
257	267	487	1028	35	111	55	166	90	118	292	390	389	228	323	CAMBRIDGESHIRE.
															IV.—EASTERN.
501	570	830	1897	88	177	114	291	202	149	512	766	588	372	610	ESSEX.
460	450	943	1822	77	263	121	384	198	186	488	811	678	419	651	SUFFOLK.
590	622	1252	2510	105	319	162	481	267	220	612	1107	1008	602	911	NORFOLK.

Where the parties to a marriage are of different religious persuasions it sometimes happens that the ceremony is performed according to the rites of both persuasions: in these cases the two ceremonies are entered as two marriages. This column includes 29 cases of divorce, viz., 15 *men divorced* who married spinsters, 2 *men divorced* who married widows, 9 bachelors who married *women divorced*, 2 widowers who married *women divorced*, and in one case the parties, once husband and wife, but divorced, were re-married. For the districts in which these marriages took place see subsequent pages.

ABSTRACT OF MARRIAGES.—Marriages registered in England, pursuant to

No.	DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Places. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.
	V.—SOUTH WESTERN.														
17	WILTSHIRE	777,453	236,027	1568	–	138	999	23	111	1271	297	6	246	45	–
18	DORSETSHIRE	615,783	182,193	1242	–	130	814	31	81	1056	186	10	130	46	–
19	DEVONSHIRE	1,643,700	589,278	4978	–	671	2447	51	195	3364	1614	84	503	1024	–
20	CORNWALL	889,263	364,848	2866	–	291	1670	29	31	2021	845	4	279	561	1
21	SOMERSETSHIRE	1,067,461	463,368	3138	–	381	1885	76	102	2444	694	15	424	249	6
	VI.—WEST MIDLAND.														
22	GLOUCESTERSHIRE	716,045	443,535	3988	2	496	2548	45	106	3197	791	65	341	383	2
23	HEREFORDSHIRE	425,580	106,796	689	–	115	356	5	67	543	146	3	82	60	1
24	SHROPSHIRE	924,676	260,409	1812	–	324	1016	29	103	1472	340	23	213	104	–
25	STAFFORDSHIRE	755,017	769,541	6404	–	521	4975	88	60	5644	760	306	332	120	1
26	WORCESTERSHIRE	434,076	294,953	2483	–	257	1949	12	52	2270	213	21	144	47	1
27	WARWICKSHIRE	609,938	561,334	4549	–	312	3401	98	90	3901	648	194	243	197	3
	VII.—NORTH MIDLAND.														
28	LEICESTERSHIRE	535,346	243,648	1956	–	184	1178	77	73	1512	444	48	195	201	–
29	RUTLANDSHIRE	107,728	23,479	143	–	16	92	–	18	126	17	–	7	10	–
30	LINCOLNSHIRE	1,739,312	404,143	2853	1	378	1688	29	83	2179	674	10	540	124	–
31	NOTTINGHAMSHIRE	599,791	323,784	2484	–	261	1763	18	33	2075	409	29	178	199	1
32	DERBYSHIRE	558,620	293,874	2169	–	289	1317	59	34	1699	470	73	266	131	–
	VIII.—NORTH WESTERN.														
33	CHESHIRE	680,836	470,174	3655	1	637	2249	67	65	3019	636	288	264	83	1
34	LANCASHIRE	1,319,391	2,465,366	21203	–	2457	11972	1124	124	15677	5526	2853	1634	1007	5
	IX.—YORK.														
35	WEST RIDING	1,706,430	1,530,007	13310	–	964	8877	710	99	10650	2660	522	1020	1108	8
36	EAST RIDING (*with York*)	717,144	274,425	2507	–	459	1446	23	45	1973	534	99	197	232	1
37	NORTH RIDING	1,231,062	211,109	1441	–	323	705	27	76	1131	310	39	117	152	2
	X.—NORTHERN.														
38	DURHAM	754,183	542,125	4720	–	493	2297	236	51	3077	1643	421	279	933	6
39	NORTHUMBERLAND	1,249,299	343,025	3141	–	379	1700	45	8	2132	1009	212	207	586	–
40	CUMBERLAND	1,001,273	205,276	1474	1	431	242	90	34	798	676	97	77	501	1
41	WESTMORLAND	487,567	60,946	412	–	165	146	41	4	356	56	4	18	33	1
	XI.—WELSH.														
42	MONMOUTHSHIRE	432,906	196,977	1518	–	110	660	17	82	869	649	53	361	235	–
43	SOUTH WALES	2,816,599	699,722	5402	1	627	1870	110	90	2698	2704	158	1406	1137	–
44	NORTH WALES	1,969,083	416,135	2922	1	539	946	118	84	1688	1234	26	683	525	–

›f 6 and 7 Wm. IV. c. 86, in the Year ending December 31st, 1862—*continued.*

MARRIAGES. Registered in Quarter ending the last day of			MARRIAGES. Contracted between				MARRIAGES. Of		MARRIAGES. Of Persons not of Full Age.		Signed the Marriage Register with Marks.		Signed the Marriage Register with Marks. Cases in which		DIVISIONS AND REGISTRATION COUNTIES.
June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
															V.—SOUTH WESTERN.
413	352	515	1270	53	162	83	245	136	140	289	474	447	254	413	WILTSHIRE.
320	304	318	1062	27	99	51	153	81	76	226	346	314	173	314	DORSETSHIRE.
1250	1237	1297	4151	225	383	219	602	444	253	783	978	1209	492	1203	DEVONSHIRE.
742	701	779	2406	100	242	118	360	218	231	592	938	1153	626	839	CORNWALL.
817	748	887	2576	108	313	141	454	249	271	511	847	884	493	745	SOMERSETSHIRE.
															VI.—WEST MIDLAND.
991	963	1249	3266	157	397	168	565	325	256	650	885	1036	486	949	GLOUCESTERSHIRE.
183	176	183	572	30	53	29	87	59	19	100	230	212	124	194	HEREFORDSHIRE.
514	413	485	1518	53	148	93	241	146	80	275	610	646	388	480	SHROPSHIRE.
1537	1569	1955	5358	274	421	351	772	625	582	1836	2374	3087	1818	1825	STAFFORDSHIRE.
605	635	784	2095	92	201	95	296	187	168	495	674	836	439	632	WORCESTERSHIRE.
1120	1132	1424	3749	194	382	224	606	418	354	995	1103	1484	699	1189	WARWICKSHIRE.
															VII.—NORTH MIDLAND.
457	429	714	1602	65	183	106	289	171	189	413	462	630	281	530	LEICESTERSHIRE.
34	34	44	121	3	12	7	19	10	5	20	32	23	16	23	RUTLANDSHIRE.
984	611	752	2339	107	278	129	407	236	127	591	662	727	332	725	LINCOLNSHIRE.
651	537	832	2028	87	242	127	369	214	218	558	629	942	424	723	NOTTINGHAMSHIRE.
527	506	695	1789	77	208	95	303	172	177	493	499	711	311	588	DERBYSHIRE.
															VIII.—NORTH WESTERN.
917	905	1007	2958	150	366	181	547	331	231	627	898	1425	643	1037	CHESHIRE.
5484	5475	5362	17048	960	1949	1246	3195	2206	1752	4646	5291	10221	4277	6958	LANCASHIRE.
															IX.—YORKSHIRE.
3194	3315	3800	10822	482	1243	763	2006	1245	1220	3456	3098	5865	2285	4393	WEST RIDING.
577	543	837	2043	97	241	126	367	223	162	539	449	704	252	649	EAST RIDING (*with York*).
388	265	506	1201	44	138	58	196	102	52	274	247	371	123	372	NORTH RIDING.
															X.—NORTHERN.
1254	1098	1322	3871	228	373	248	621	476	321	1339	1138	1861	800	1399	DURHAM.
847	750	836	2623	147	247	124	371	271	138	446	514	902	359	698	NORTHUMBERLAND.
380	337	476	1255	62	113	44	157	106	74	279	280	435	176	363	CUMBERLAND.
109	87	128	350	10	43	9	52	19	13	55	47	60	24	59	WESTMORLAND.
															XI.—WELSH.
374	381	446	1239	92	103	84	187	176	97	331	624	771	467	461	MONMOUTHSHIRE.
1300	1278	1771	4515	223	453	211	664	434	325	917	1938	3030	1544	1880	SOUTH WALES.
820	582	883	2394	103	276	149	425	252	135	357	1043	1506	782	985	NORTH WALES.

I.—LONDO[N]

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of th[e] Established Church. TOTAL.	In Registered Places. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	
	MIDDLESEX (*part of*).															
1	Kensington	7,342	185,950	†1953	1	441	1294	1	1	1738	215	112	60	43	–	
2	Chelsea	865	63,439	651	–	82	507	1	1	591	60	37	9	14	–	
3	St. George Hanover Square	1,161	87,771	‡1151	2	402	711	1	–	1116	35	–	13	22	–	
4	Westminster	917	68,213	§583	–	82	394	–	–	476	107	58	6	41	2	
5	St. Martin-in-the-Fields	305	22,689	452	–	81	344	2	–	427	25	–	6	19	–	
6	St. James Westminster	164	35,326	409	2	105	213	–	–	320	89	57	12	12	–	
7	Marylebone	1,509	161,680	‖1950	–	314	1400	29	1	1744	206	122	52	29	–	
8	Hampstead	2,252	19,106	96	–	39	47	–	–	86	10	2	5	3	–	
9	Pancras	2,716	198,788	1956	–	313	1400	13	–	1726	230	56	48	126	–	
10	Islington	3,127	155,341	¶1399	–	258	895	8	7	1168	231	44	67	120	–	
11	Hackney	3,929	83,295	874	–	143	626	2	2	773	101	14	65	22	–	
12	St. Giles	245	54,076	461	–	64	303	3	–	370	91	34	37	20	–	
13	Strand	172	42,979	416	–	75	272	1	–	348	68	36	16	15	–	
14	Holborn	196	44,862	235	–	21	132	–	–	153	82	54	9	19	–	
15	Clerkenwell	380	65,681	591	–	53	482	2	1	538	53	9	10	34	–	
16	St. Luke	220	57,073	**305	–	34	224	–	–	258	47	22	19	6	–	
17	East London	153	40,687	481	–	74	386	–	–	460	21	–	7	14	–	
18	West London	138	27,145	432	–	92	325	2	2	421	11	–	4	7	–	
19	London City	434	45,555	§661	–	104	186	–	3	293	368	94	38	19	2	2
20	Shoreditch	646	129,364	1905	–	84	1762	–	3	1849	56	–	23	33	–	
21	Bethnal Green	760	105,101	1268	–	20	1214	–	4	1238	30	–	18	12	–	
22	Whitechapel	406	78,970	¶684	–	34	514	–	–	548	136	44	80	12	–	
23	St. George-in-the-East	243	48,891	478	–	49	253	–	–	302	176	151	12	13	–	
24a	Stepney	576	56,572	651	–	83	546	–	3	632	19	–	11	8	–	
24b	Mile End Old Town	681	73,064	685	–	37	606	–	–	643	42	–	24	18	–	
25	Poplar	2,918	79,196	615	–	80	462	–	–	542	73	33	27	13	–	
	SURREY (*part of*).															
26	St. Saviour Southwark	250	36,170	261	–	36	205	–	–	241	20	–	16	4	–	
27	St. Olave Southwark	169	19,056	162	–	22	115	–	1	138	24	17	4	3	–	
28	Bermondsey	688	58,355	483	1	28	405	2	–	436	47	35	12	–	–	
29	St. George Southwark	282	55,510	627	–	37	396	3	1	437	190	153	21	15	1	
30	Newington	624	82,220	905	–	91	752	1	–	844	61	–	22	39	–	
31	Lambeth	4,015	162,044	2261	–	227	1982	3	2	2214	47	–	26	21	–	
32	Wandsworth	11,695	70,403	450	–	96	324	–	1	421	29	10	17	2	–	
33	Camberwell	4,342	71,488	577	–	115	389	4	–	508	69	29	30	10	–	
34	Rotherhithe	886	24,502	152	–	5	131	–	–	136	16	15	–	1	–	
	KENT (*part of*).															
35	Greenwich	5,367	127,670	994	–	90	716	–	–	806	188	104	67	17	–	
36	Lewisham	17,224	65,757	625	–	97	510	–	1	608	17	–	16	1	–	

II.—SOUTH EASTERN COUNTIE[S]

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.
	1.—SURREY (*Extra-metrop.*)														
37	Epsom	41,180	22,409	84	–	18	61	–	1	80	4	–	4	–	–
38	Chertsey	43,541	18,642	102	–	14	84	–	2	100	2	–	1	1	–
39	Guildford	65,592	29,330	166	–	15	130	4	–	149	17	1	12	4	–
40	Farnham	31,197	30,707	246	–	17	146	6	2	171	75	–	43	32	–
41	Farnborough	39,571	14,318	69	–	5	48	–	7	60	9	–	–	9	–
42	Hambledon	60,351	13,907	79	–	10	62	–	4	76	3	–	3	–	–
43	Dorking	40,006	12,445	56	–	7	28	–	10	45	11	–	8	3	–
44	Reigate	51,276	20,109	118	–	15	77	–	13	105	13	1	9	3	–
45	Godstone	43,848	9,642	40	–	3	32	–	1	36	4	–	4	–	–
46	Croydon	32,803	46,474	414	–	55	334	–	5	394	20	13	3	4	–
47	Kingston	22,487	36,479	225	–	41	159	–	6	206	19	–	11	8	–
48	Richmond	4,339	18,802	119	–	31	72	–	–	103	16	9	6	1	–
	2.—KENT (*Extra-metropol.*)														
49	Bromley	39,927	20,368	130	–	14	98	1	1	114	16	10	6	–	–
50	Dartford	53,109	32,316	247	–	18	184	–	16	218	29	13	16	–	–
51	Gravesend	1,541	18,782	176	–	22	116	1	–	139	37	14	11	12	–
52	North Aylesford	41,732	19,121	184	–	19	162	–	–	181	3	–	–	3	–
53	Hoo	33,281	2,861	16	–	–	15	–	1	16	–	–	–	–	–
54	Medway	14,565	51,805	554	–	26	453	19	–	498	56	22	24	10	–
55	Malling	47,398	21,447	116	–	4	98	–	13	115	1	–	1	–	–
56	Sevenoaks	67,488	22,039	107	–	15	79	–	–	94	13	–	11	2	–
57	Tunbridge	46,179	34,271	252	–	27	203	4	8	242	10	–	7	3	–
58	Maidstone	38,082	38,670	327	–	21	237	31	17	306	21	1	20	–	–
59	Hollingbourn	57,017	13,584	74	–	4	51	–	8	63	11	–	2	9	–
60	Cranbrook	40,249	13,412	74	–	8	60	–	1	69	5	–	2	3	–
61	Tenterden	46,889	10,947	68	–	4	52	1	–	57	11	–	7	4	–
62	West Ashford	41,901	15,137	102	–	15	35	10	9	69	33	–	32	–	1
63	East Ashford	54,498	12,286	79	–	4	67	1	3	75	4	–	1	3	–
64	Bridge	41,394	11,316	63	1	11	49	–	2	63	–	–	–	–	–
65	Canterbury	3,121	16,643	123	–	18	65	4	1	88	35	–	5	29	–
66	Blean	32,221	16,161	130	–	12	69	–	3	84	46	6	2	38	–
67	Faversham	46,448	18,867	155	–	8	122	8	3	141	14	–	7	7	–
68	Milton	35,409	14,775	120	–	10	73	20	–	103	17	–	10	7	–

* The *Districts*, which are arranged according to their local position, are collections of contiguous Parishes or Places, generally identical with the Poor Law Unions of the same names.

† Includes a man divorced who married a widow.

‡ Includes a bachelor and a widower who married women div[orced]

§ Includes a bachelor who married a woman divorced, also a [...] divorced who married a spinster.

RIAGES in the Year 1862—in DISTRICTS.

MARRIAGES. ...ered in the Quarter ...ng the last Day of: June.	September.	December.	Contracted between: Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Of: Widowers.	Widows.	Of Persons not of Full Age: Men.	Women.	Signed the Marriage Register with Marks: Men.	Women.	Cases in which: Both signed.	One signed.	DISTRICTS.
															MIDDLESEX (*part of*).
480	555	517	1588	80	212	73	285	153	61	221	192	239	102	227	KENSINGTON.
156	192	178	535	30	65	21	86	51	28	115	62	81	28	87	CHELSEA.
296	327	301	945	44	126	36	162	80	11	72	18	28	–	46	ST. GEORGE HANOVER SQUARE.
159	163	135	467	34	52	30	82	64	16	75	59	82	36	69	WESTMINSTER.
114	139	111	371	13	51	17	68	30	17	80	17	40	6	45	ST. MARTIN-IN-THE-FIELDS.
106	114	100	324	25	40	20	60	45	7	38	11	31	4	34	ST. JAMES WESTMINSTER.
475	558	497	1601	92	179	78	257	170	29	123	119	225	55	234	MARYLEBONE.
22	32	24	79	3	11	3	14	6	1	6	6	6	2	8	HAMPSTEAD.
466	561	520	1602	96	190	68	258	164	59	245	148	220	60	248	PANCRAS.
321	412	399	1165	45	142	47	189	92	34	166	55	98	23	107	ISLINGTON.
250	233	226	712	25	103	34	137	59	20	100	66	96	30	102	HACKNEY.
111	123	140	374	22	48	17	65	39	26	70	45	65	27	56	ST. GILES.
105	99	130	345	19	38	14	52	33	10	67	35	73	26	56	STRAND.
44	65	69	192	11	22	10	32	21	11	41	34	64	26	46	HOLBORN.
151	147	177	479	24	60	28	88	52	22	93	35	89	20	84	CLERKENWELL.
75	87	73	246	11	34	14	48	25	2	25	30	50	14	52	ST. LUKE.
122	139	133	393	18	46	24	70	42	13	68	38	92	22	86	EAST LONDON.
101	109	123	336	22	49	25	74	47	5	36	16	44	7	46	WEST LONDON.
160	181	181	558	18	54	31	85	49	27	111	85	144	64	101	LONDON CITY.
480	549	519	1585	86	138	96	234	182	122	410	260	538	150	498	SHOREDITCH.
348	350	376	1038	54	102	74	176	128	113	331	292	510	205	392	BETHNAL GREEN.
182	183	176	554	52	45	33	78	85	34	122	127	214	78	185	WHITECHAPEL.
125	122	141	385	36	36	21	57	57	18	84	103	168	72	127	ST. GEORGE-IN-THE-EAST.
150	190	188	526	42	57	26	83	68	22	115	78	153	45	141	STEPNEY.
190	182	183	566	34	50	35	85	69	21	66	108	217	73	179	MILE END OLD TOWN.
151	177	173	521	23	39	32	71	55	16	118	76	136	43	126	POPLAR.
															SURREY (*part of*).
69	82	51	211	14	16	20	36	34	9	19	10	19	2	25	ST. SAVIOUR SOUTHWARK.
40	50	45	128	5	22	7	29	12	6	15	17	35	11	30	ST. OLAVE SOUTHWARK.
135	130	135	407	25	29	22	51	47	22	83	61	100	31	99	BERMONDSEY.
157	169	182	499	39	66	23	89	62	14	49	127	173	91	118	ST. GEORGE SOUTHWARK.
204	266	252	727	45	84	49	133	94	32	138	86	146	39	154	NEWINGTON.
565	615	625	1824	108	216	113	329	221	64	271	234	403	103	431	LAMBETH.
99	129	125	383	13	40	14	54	27	11	58	52	53	14	77	WANDSWORTH.
127	172	148	468	19	63	27	90	46	20	67	61	60	26	69	CAMBERWELL.
38	34	49	125	5	15	7	22	12	7	26	31	39	17	36	ROTHERHITHE.
															KENT (*part of*).
273	261	254	819	65	55	55	110	120	43	176	165	235	94	212	GREENWICH.
162	185	155	517	30	49	29	78	59	19	119	64	94	28	102	LEWISHAM.

RIAGES in the Year 1862—in DISTRICTS.

June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	DISTRICTS.
															1.—SURREY (*Extra-metropol.*)
27	24	20	69	4	9	2	11	6	1	11	11	5	3	10	EPSOM.
21	32	36	91	1	9	1	10	2	2	22	29	14	6	31	CHERTSEY.
37	44	51	144	5	13	4	17	9	9	35	43	33	15	46	GUILDFORD.
51	71	84	210	12	15	9	24	21	3	44	46	60	21	64	FARNHAM.
10	20	34	50	8	6	5	11	13	2	14	24	26	15	20	FARNBOROUGH.
20	14	31	67	1	9	2	11	3	5	20	25	15	13	14	HAMBLEDON.
9	11	26	40	7	7	2	9	9	2	10	17	9	5	16	DORKING.
38	29	31	94	7	9	8	17	15	1	19	28	27	14	27	REIGATE.
9	13	8	36	1	3	–	3	1	–	9	14	12	9	8	GODSTONE.
92	127	106	352	14	38	10	48	24	18	73	76	70	36	74	CROYDON.
55	65	60	188	14	17	6	23	20	13	26	30	16	6	34	KINGSTON.
23	39	36	97	3	16	3	19	6	3	15	16	15	9	13	RICHMOND.
															2.—KENT (*Extra-metropolitan*).
27	35	47	115	4	8	3	11	7	4	14	30	28	13	32	BROMLEY.
69	72	67	209	12	17	9	26	21	5	52	88	80	55	58	DARTFORD.
42	55	56	147	11	12	6	18	17	7	30	32	38	16	38	GRAVESEND.
38	49	66	146	17	11	10	21	27	9	43	39	49	26	36	NORTH AYLESFORD.
3	3	6	14	–	1	1	2	1	–	5	5	4	2	5	HOO.
146	141	158	446	47	35	26	61	73	11	124	108	149	57	143	MEDWAY.
35	27	38	101	10	2	3	5	13	9	29	39	41	16	48	MALLING.
28	24	36	93	2	8	4	12	6	6	18	30	20	9	32	SEVENOAKS.
64	60	83	209	6	23	14	37	20	15	35	55	44	23	53	TUNBRIDGE.
70	95	104	272	18	27	10	37	28	19	65	77	69	37	72	MAIDSTONE.
22	17	28	62	4	7	1	8	5	4	19	22	18	10	20	HOLLINGBOURN.
20	17	21	59	7	4	4	8	11	4	16	20	16	9	18	CRANBROOK.
21	16	23	59	4	5	–	5	4	4	16	14	14	8	22	TENTERDEN.
29	16	35	82	3	9	8	17	11	2	19	9	15	4	16	WEST ASHFORD.
18	12	35	66	2	7	4	11	6	3	18	29	18	12	23	EAST ASHFORD.
16	14	23	49	4	10	–	10	4	2	17	21	10	7	17	BRIDGE.
30	32	33	100	9	9	5	14	14	4	24	25	29	11	32	CANTERBURY.
32	26	49	103	7	18	2	20	9	5	29	39	23	14	34	BLEAN.
35	32	62	134	7	9	5	14	12	8	39	61	41	27	48	FAVERSHAM.
40	22	40	101	2	13	4	17	6	3	28	37	37	18	38	MILTON.

Includes two bachelors who married women divorced, also a man ...rced who married a spinster.

¶ Includes a bachelor who married a woman divorced.
** Includes a man divorced who married a spinster.

II.—SOUTH EASTERN COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Places. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	2.-KENT (*Extra-metro.*)-*cont.*															
69	SHEPPEY	31,083	18,494	123	–	4	88	3	–	95	28	11	4	13	–	–
70	THANET	29,733	31,862	247	–	89	140	7	7	193	54	3	44	7	–	–
71	EASTRY	50,710	25,900	190	–	16	124	5	8	153	37	–	31	6	–	–
72	DOVER	29,881	31,575	318	–	32	210	2	26	270	48	22	25	1	–	–
73	ELHAM	43,197	26,925	192	–	24	139	9	2	174	18	–	9	9	–	–
74	ROMNEY MARSH	46,785	5,708	29	–	3	24	1	–	28	1	–	–	1	–	–
	3.—SUSSEX.															
75	RYE	39,369	11,927	71	–	9	48	1	7	65	6	–	3	3	–	–
76	HASTINGS	14,027	26,631	233	–	43	136	22	–	201	32	3	28	1	–	–
77	BATTLE	54,000	12,680	84	–	9	58	4	9	80	4	–	2	2	–	–
78	EASTBOURNE	38,072	10,721	76	–	15	49	–	4	68	8	–	6	2	–	–
79	HAILSHAM	54,365	12,668	83	–	7	59	–	5	71	12	–	12	–	–	–
80	TICEHURST	51,659	14,626	101	–	11	82	1	–	94	7	–	7	–	–	–
81	UCKFIELD	74,230	17,260	122	–	5	88	1	24	118	4	–	1	3	–	–
82	EAST GRINSTEAD	61,317	14,097	87	–	4	73	–	3	80	7	–	7	–	–	–
83	CUCKFIELD	61,793	17,163	102	–	7	85	–	4	96	6	–	5	1	–	–
84	LEWES	85,104	26,995	151	–	18	78	–	28	124	27	–	8	19	–	–
85	BRIGHTON	2,320	77,693	743†	–	101	489	1	–	591	152	9	80	60	–	3
86	STEYNING	44,344	24,053	138	–	21	107	1	4	133	5	–	3	2	–	–
87	HORSHAM	57,023	15,313	82	–	10	62	–	4	76	6	2	4	–	–	–
88	PETWORTH	39,329	9,397	53	–	4	48	–	–	52	1	–	1	–	–	–
89	THAKEHAM	35,599	7,567	45	–	2	26	–	17	45	–	–	–	–	–	–
90	WORTHING	42,457	18,921	133‡	–	22	94	–	2	118	15	3	6	6	–	–
91	WESTHAMPNETT	74,913	14,811	88	–	12	69	–	2	83	5	1	–	4	–	–
92	CHICHESTER	21,054	14,775	109	–	13	67	–	19	99	10	–	4	6	–	–
93	MIDHURST	65,720	12,581	92	–	5	76	1	3	85	7	–	–	7	–	–
94	WESTBOURNE	32,886	6,957	52	–	4	38	–	9	51	1	–	–	1	–	–
	4.—HAMPSHIRE.															
95	HAVANT	24,527	7,212	48	–	8	35	–	1	44	4	–	1	3	–	–
96	PORTSEA ISLAND	7,806	94,828	1135	–	103	749	72	14	938	197	27	43	121	–	6
97	ALVERSTOKE	5,222	22,653	257	–	12	214	4	–	230	27	8	3	16	–	–
98	FAREHAM	42,225	14,864	92	–	15	58	10	2	85	7	–	5	2	–	–
99	ISLE OF WIGHT	99,746	55,362	426	1	44	169	71	15	300	126	7	68	51	–	–
100	LYMINGTON	42,169	12,094	77	–	9	60	–	1	70	7	–	6	1	–	–
101	CHRISTCHURCH	36,775	10,438	71	–	6	31	–	–	37	34	1	20	13	–	–
102	RINGWOOD	33,300	5,357	30	–	6	19	–	–	25	5	–	3	2	–	–
103	FORDINGBRIDGE	31,167	6,377	40	–	3	32	–	–	35	5	–	5	–	–	–
104	NEW FOREST	85,532	13,509	76	–	10	58	1	3	72	4	–	3	1	–	–
105	SOUTHAMPTON	2,630	43,414	516	1	52	245	52	1	351	165	7	54	102	1	1
106	SOUTH STONEHAM	30,715	25,542	162	–	27	108	11	3	149	13	–	5	8	–	–
107	ROMSEY	28,203	10,771	59	–	7	26	4	7	44	15	–	14	1	–	–
108	STOCKBRIDGE	45,343	7,286	52	–	5	34	–	8	47	5	–	2	3	–	–
109	WINCHESTER	78,676	26,607	193	–	27	88	7	15	137	56	2	47	7	–	–
110	DROXFORD	48,263	10,665	47	–	5	40	–	2	47	–	–	–	–	–	–
111	CATHERINGTON	10,561	2,497	11	–	1	10	–	–	11	–	–	–	–	–	–
112	PETERSFIELD	40,112	7,853	49	–	3	39	–	–	42	7	–	7	–	–	–
113	ALRESFORD	39,761	7,182	36	–	4	21	–	3	28	8	–	4	4	–	–
114	ALTON	53,057	12,063	66	–	7	52	–	2	61	5	–	5	–	–	–
115	HARTLEY WINTNEY	42,051	11,480	48	–	5	30	1	10	46	2	–	1	1	–	–
116	BASINGSTOKE	73,852	17,429	90	–	7	69	–	4	80	10	–	10	–	–	–
117	WHITCHURCH	29,513	5,522	44	–	6	28	–	–	34	10	–	7	3	–	–
118	ANDOVER	83,615	17,132	89	–	6	68	–	9	83	6	–	6	–	–	–
119	KINGSCLERE	46,787	8,517	54	–	6	43	–	4	53	1	–	1	–	–	–
	5.—BERKSHIRE.															
120	NEWBURY	42,956	19,999	144	–	14	89	–	8	111	33	–	33	–	–	–
121	HUNGERFORD	98,287	19,882	124	–	8	80	–	25	113	11	–	11	–	–	–
122	FARINGDON	64,207	15,658	126	–	12	93	–	3	108	18	2	13	3	–	–
123	ABINGDON	56,445	20,861	146	–	14	83	1	14	112	34	–	34	–	–	–
124	WANTAGE	75,700	17,308	129	–	14	89	–	16	119	10	3	3	4	–	–
125	WALLINGFORD	40,860	14,017	85	–	14	54	2	9	79	6	–	4	2	–	–
126	BRADFIELD	62,166	15,771	71	–	6	51	–	9	66	5	1	3	1	–	–
127	READING	4,699	25,876	274	–	22	184	4	–	210	64	5	44	14	1	–
128	WOKINGHAM	42,226	14,465	85	–	10	70	–	–	80	5	–	5	–	–	–
129	COOKHAM	29,588	13,031	70	–	3	54	1	4	62	8	–	8	–	–	–
130	EASTHAMPSTEAD	25,176	7,436	36	–	3	23	1	6	33	3	–	–	3	–	–
131	WINDSOR	22,407	21,301	144	–	30	85	4	4	123	21	2	13	6	–	–

III.—SOUTH MIDLAND COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	6. MIDDLESEX (*Extra-met.*)															
132	STAINES	24,881	15,976	88	–	10	59	–	13	82	6	1	4	1	–	–
133	UXBRIDGE	25,906	23,155	145	–	8	130	–	–	138	7	–	6	1	–	–
134	BRENTFORD *	20,705	50,534	337	–	52	237	–	–	289	48	34	10	4	–	–
135	HENDON *	32,767	19,220	101	–	24	72	–	4	100	1	–	1	–	–	–
136	BARNET	25,689	19,128	66	–	7	53	–	1	61	5	–	1	4	–	–
137	EDMONTON	46,607	59,312	292	1	65	193	2	1	262	30	8	21	–	1	–

* Twyford Abbey parish (population 18 in 1861) was transferred on 28th January 1862 from the Willesden sub-district of Hendon (135) to the Brentford sub-district of Brentford (134).

† Includes a man divorced who married a widow.
‡ Includes a man divorced who married a spinster.

MARRIAGES in the Year 1862—in DISTRICTS—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																2. KENT (*Extra-metropol.*) *cont.*
24	36	28	35	108	6	7	2	9	8	6	40	27	38	15	35	SHEPPEY.
34	59	53	101	209	9	21	8	29	17	11	36	47	24	12	47	THANET.
29	48	49	64	166	2	15	7	22	9	7	45	44	32	12	52	EASTRY.
61	77	87	93	261	17	31	9	40	26	10	76	46	55	12	77	DOVER.
31	41	50	70	163	11	14	4	18	15	5	43	36	36	10	52	ELHAM.
10	7	7	5	26	2	1	–	1	2	–	5	8	3	2	7	ROMNEY MARSH.
																3.—SUSSEX.
12	20	22	17	64	1	3	3	6	4	3	15	22	15	9	10	RYE.
44	65	65	59	192	12	20	9	29	21	14	34	22	24	8	30	HASTINGS.
17	22	17	28	70	8	3	3	6	11	3	18	18	20	9	20	BATTLE.
17	13	15	31	68	4	3	1	4	5	6	15	13	9	4	14	EASTBOURNE.
14	20	13	36	71	2	8	2	10	4	4	14	17	14	7	17	HAILSHAM.
14	21	26	37	78	1	14	8	22	9	2	21	37	31	20	28	TICEHURST.
21	33	27	41	109	5	5	3	8	8	5	36	41	37	23	32	UCKFIELD.
16	19	18	34	76	1	4	6	10	7	2	26	35	21	16	24	EAST GRINSTEAD.
18	28	23	33	83	5	9	5	14	10	6	17	27	19	11	24	CUCKFIELD.
27	39	38	47	127	7	11	6	17	13	9	22	33	24	13	31	LEWES.
161	172	199	211	598	31	77	37	114	68	51	98	99	94	36	121	BRIGHTON.
25	27	33	48	120	3	9	6	15	9	4	28	33	20	13	27	STEYNING.
15	22	18	27	71	5	2	4	6	9	5	21	25	17	11	20	HORSHAM.
8	15	15	15	50	–	2	1	3	1	2	13	26	14	10	20	PETWORTH.
15	8	5	17	36	5	1	3	4	8	1	12	23	13	9	18	THAKEHAM.
23	33	43	34	102	13	10	8	18	21	4	13	29	19	10	28	WORTHING.
20	15	23	30	75	1	8	4	12	5	4	19	22	19	8	25	WESTHAMPNETT.
16	31	31	31	88	4	14	3	17	7	2	19	19	13	8	16	CHICHESTER.
13	21	27	31	74	4	8	6	14	10	–	20	40	25	18	29	MIDHURST.
10	13	12	17	47	–	3	2	5	2	–	6	9	7	3	10	WESTBOURNE.
																4.—HAMPSHIRE.
8	9	15	16	44	1	2	1	3	2	3	14	9	7	3	10	HAVANT.
251	288	287	309	931	91	62	51	113	142	59	290	162	256	77	264	PORTSEA ISLAND.
58	74	60	65	196	26	18	17	35	43	7	40	45	72	18	81	ALVERSTOKE.
15	28	23	26	83	2	4	3	7	5	1	13	13	11	5	14	FAREHAM.
82	99	106	139	358	17	37	14	51	31	19	89	75	53	20	88	ISLE OF WIGHT.
19	13	18	27	67	2	6	2	8	4	3	15	19	11	8	14	LYMINGTON.
8	22	17	24	59	2	7	3	10	5	3	8	18	6	3	18	CHRISTCHURCH.
5	5	6	14	25	1	3	1	4	2	–	2	5	5	3	4	RINGWOOD.
9	5	8	18	33	1	4	2	6	3	4	9	14	9	6	11	FORDINGBRIDGE.
14	17	21	24	67	5	3	1	4	6	4	17	8	10	4	10	NEW FOREST.
103	125	155	133	417	29	43	27	70	56	24	105	73	75	30	88	SOUTHAMPTON.
35	43	39	45	126	8	22	6	28	14	9	26	22	25	10	27	SOUTH STONEHAM.
8	16	19	16	51	–	4	4	8	4	1	5	11	9	4	12	ROMSEY.
10	15	8	19	44	–	4	4	8	4	2	8	21	15	13	10	STOCKBRIDGE.
35	42	51	65	159	8	18	8	26	16	4	22	38	27	8	49	WINCHESTER.
6	14	11	16	44	2	1	–	1	2	1	10	16	12	9	10	DROXFORD.
2	1	1	7	8	1	2	–	2	1	–	1	5	3	2	4	CATHERINGTON.
8	19	7	15	37	5	5	2	7	7	2	7	24	11	10	15	PETERSFIELD.
9	4	10	13	34	–	2	–	2	–	–	5	14	8	5	12	ALRESFORD.
12	13	11	30	52	3	6	5	11	8	2	13	30	22	18	16	ALTON.
5	11	16	16	39	5	2	2	4	7	1	2	14	14	8	12	HARTLEY WINTNEY.
12	20	16	42	74	5	7	4	11	9	6	25	42	24	16	34	BASINGSTOKE.
6	10	9	19	33	5	5	1	6	6	–	7	20	14	11	12	WHITCHURCH.
20	20	17	82	78	3	4	4	8	7	2	23	30	21	14	23	ANDOVER.
10	7	10	27	43	2	6	3	9	5	1	14	26	23	17	15	KINGSCLERE.
																5.—BERKSHIRE.
32	32	37	43	110	8	15	11	26	19	10	32	53	47	26	48	NEWBURY.
20	28	24	52	108	5	7	4	11	9	11	27	52	41	30	33	HUNGERFORD.
24	24	27	51	99	3	17	7	24	10	6	26	47	37	25	34	FARINGDON.
20	30	26	70	115	6	14	11	25	17	9	31	45	49	29	36	ABINGDON.
28	36	20	45	105	5	15	4	19	9	8	26	47	39	25	36	WANTAGE.
14	22	19	30	71	6	7	1	8	7	4	15	20	18	12	14	WALLINGFORD.
15	16	20	20	62	–	8	1	9	1	5	20	28	21	12	25	BRADFIELD.
51	61	81	81	225	23	21	5	26	28	15	54	50	50	25	50	READING.
11	16	23	35	73	4	5	3	8	7	3	10	29	16	9	27	WOKINGHAM.
12	11	23	24	62	2	3	3	6	5	8	19	14	14	8	12	COOKHAM.
9	10	10	7	34	1	–	1	1	2	1	8	13	9	8	6	EASTHAMPSTEAD.
39	37	27	41	109	15	13	7	20	22	5	13	22	22	8	28	WINDSOR.

MARRIAGES in the Year 1862—in DISTRICTS.

																6.-MIDDLESEX (*Extra metr.*)
17	15	22	34	71	3	7	7	14	10	3	13	23	12	6	23	STAINES.
29	42	37	37	123	7	10	5	15	12	9	31	49	39	20	48	UXBRIDGE.
69	83	87	98	272	18	35	12	47	30	6	43	87	87	46	82	BRENTFORD.
19	24	33	25	86	2	11	2	13	4	4	16	16	10	3	20	HENDON.
10	19	18	19	52	5	6	3	9	8	2	8	16	8	3	18	BARNET.
45	75	87	85	231	22	27	12	39	34	8	48	48	32	17	46	EDMONTON.

III.—SOUTH MIDLAND COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Places. Roman Catholics.	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	7.—HERTFORDSHIRE.															
138	WARE	35,747	16,515	74	–	5	55	–	11	71	3	–	3	–	–	–
139	BISHOP STORTFORD	53,689	20,212	90	–	1	77	–	2	80	10	–	5	5	–	–
140	ROYSTON	88,791	25,014	156	–	10	107	–	19	136	20	–	20	–	–	–
141	HITCHIN	64,847	25,603	154	–	9	95	2	24	130	24	–	16	7	1	–
142	HERTFORD	34,410	15,301	90	–	8	79	1	–	88	2	–	–	–	2	–
143	HATFIELD	29,484	8,400	40	–	5	33	–	–	38	2	–	–	2	–	–
144	ST. ALBANS	34,615	18,926	136	–	8	99	3	–	110	26	–	20	6	–	–
145	WATFORD	36,520	20,355	111	–	9	93	–	–	102	9	–	5	4	–	–
146	HEMEL HEMPSTEAD	25,457	13,922	69	–	4	51	–	–	55	14	–	14	–	–	–
147	BERKHAMPSTEAD	24,583	13,204	81	–	7	50	–	5	62	19	–	19	–	–	–
	8.—BUCKINGHAMSH.															
148	AMERSHAM	49,840	18,240	120	–	4	62	1	9	76	44	–	44	–	–	–
149	ETON	41,589	22,353	124	–	12	91	–	10	113	11	–	4	7	–	–
150	WYCOMBE	81,308	35,138	253	–	20	177	5	8	210	43	–	17	26	–	–
151	AYLESBURY	73,364	23,600	161	–	18	120	–	9	147	14	–	8	6	–	–
152	WINSLOW	35,395	9,265	67	–	7	43	–	15	65	2	–	2	–	–	–
153	NEWPORT PAGNELL	68,701	24,855	186	–	17	141	9	4	171	15	–	8	7	–	–
154	BUCKINGHAM	52,419	13,756	108	–	18	77	–	6	101	7	–	4	3	–	–
	9.—OXFORDSHIRE.															
155	HENLEY	61,662	18,200	105	–	9	52	–	33	94	11	2	8	1	–	–
156	THAME	54,997	15,305	84	–	5	61	1	8	75	9	–	9	–	–	–
157	HEADINGTON	25,727	17,185	120	–	17	74	–	25	116	4	3	–	1	–	–
158	OXFORD	2,930	20,037	173	–	32	98	5	1	136	37	1	9	27	–	–
159	BICESTER	64,127	15,555	103	–	16	77	–	2	95	8	3	5	–	–	–
160	WOODSTOCK	47,913	14,236	74	–	3	55	–	14	72	2	–	2	–	–	–
161	WITNEY	70,169	23,238	154	–	19	109	–	11	139	15	–	12	3	–	–
162	CHIPPING NORTON	76,418	17,306	107	–	10	65	–	15	90	17	3	9	5	–	–
163	BANBURY	75,324	30,171	222	–	27	117	8	2	154	68	5	58	5	–	–
	10.—NORTHAMPTONSH.															
164	BRACKLEY	58,769	13,471	101	–	10	65	–	13	88	13	–	13	–	–	–
165	TOWCESTER	42,216	13,004	84	–	15	34	–	22	71	13	–	9	4	–	–
166	POTTERSPURY	22,401	11,632	92	–	8	68	–	–	76	16	–	16	–	–	–
167	HARDINGSTONE	32,408	9,928	75	–	7	48	1	10	66	9	–	1	8	–	–
168	NORTHAMPTON *	20,453	41,152	424	–	33	203	19	10	265	159	4	50	105	–	–
169	DAVENTRY	63,301	20,600	114	–	15	69	5	–	89	25	–	12	13	–	–
170	BRIXWORTH *	60,376	15,367	96	–	10	74	–	3	87	9	–	2	7	–	–
171	WELLINGBOROUGH	55,505	24,224	202	–	15	134	1	9	159	43	–	22	21	–	–
172	KETTERING	55,266	18,995	137	–	15	93	2	3	113	24	–	20	4	–	–
173	THRAPSTON	51,188	14,065	102	–	7	75	–	3	85	17	–	17	–	–	–
174	OUNDLE	69,822	15,463	93	–	10	63	–	7	80	13	–	13	–	–	–
175	PETERBOROUGH	100,514	33,178	255	1	28	171	4	5	209	46	3	30	13	–	–
	11.—HUNTINGDONSH.															
176	HUNTINGDON	77,180	20,518	145	–	16	112	3	3	134	11	–	7	4	–	–
177	ST. IVES	62,930	19,654	133	–	16	80	–	13	109	24	–	18	6	–	–
178	ST. NEOTS	65,256	18,965	128	–	16	101	–	4	121	7	–	7	–	–	–
	12.—BEDFORDSHIRE.															
179	BEDFORD	97,320	38,072	328	–	30	193	15	26	264	64	–	30	34	–	–
180	BIGGLESWADE	58,041	25,393	179	–	11	116	2	23	152	27	–	26	1	–	–
181	AMPTHILL	41,551	16,970	158	–	11	124	1	8	144	14	–	14	–	–	–
182	WOBURN	29,603	11,684	85	–	7	49	1	11	68	17	–	15	2	–	–
183	LEIGHTON BUZZARD	38,015	17,648	137	–	12	93	–	8	113	24	–	24	–	–	–
184	LUTON	40,836	30,712	260	–	16	151	16	15	198	62	–	27	33	2	–
	13.—CAMBRIDGESH.															
185	CAXTON	49,885	10,966	79	–	4	70	–	2	76	3	–	2	1	–	–
186	CHESTERTON	76,728	25,083	164	–	16	114	–	2	132	32	–	8	24	–	–
187	CAMBRIDGE	3,470	26,361	187	–	40	95	3	1	139	48	2	21	25	–	–
188	LINTON	47,869	13,510	83	–	8	55	–	4	67	16	–	5	11	–	–
189	NEWMARKET	97,373	28,675	186	–	12	140	2	12	166	20	–	9	11	–	–
190	ELY	79,894	21,910	171	–	17	117	1	10	145	26	–	22	4	–	–
191	NORTH WITCHFORD	59,823	14,791	92	–	14	57	–	1	72	20	–	17	3	–	–
192	WHITTLESEY	25,131	6,966	49	–	4	44	–	–	48	1	–	1	–	–	–
193	WISBECH	131,585	33,323	218	–	25	142	–	12	179	39	4	33	2	–	–

IV.—EASTERN COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	14.—ESSEX.															
194	WEST HAM	19,477	59,319	354†	–	53	273	–	–	326	28	17	8	2	1	–
195	EPPING	46,452	16,549	84	–	9	65	–	5	79	5	–	5	–	–	–
196	ONGAR	47,465	11,317	65	–	7	53	–	5	65	–	–	–	–	–	–
197	ROMFORD	48,244	26,965	114	–	17	83	–	8	108	6	3	3	–	–	–

* Moulton Park parish (population 8 in 1861) was transferred on 24th March 1862 from the St. Giles's sub-district of Northampton (168) to the Moulton sub-district of Brixworth (170).

† Includes a man divorced who married a spinster.

MARRIAGES in the Year 1862—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of March.	June.	September.	December.	Contracted between Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Of Widowers.	Widows.	Of Persons not of Full Age. Men.	Women.	Signed the Marriage Register with Marks. Men.	Women.	Cases in which Both signed.	One signed.	DISTRICTS.
																7.- HERTFORDSHIRE.
19	15	16	24	57	8	5	4	9	12	5	15	30	25	15	25	WARE.
26	17	17	30	73	4	6	7	13	11	7	25	35	18	13	27	BISHOP STORTFORD.
27	32	39	58	138	5	7	6	13	11	18	40	54	46	31	38	ROYSTON.
37	26	35	56	131	4	12	7	19	11	22	41	70	73	50	43	HITCHIN.
11	25	25	29	74	4	10	2	12	6	5	12	28	20	10	28	HERTFORD.
4	11	7	18	38	1	–	1	1	2	2	8	13	6	4	11	HATFIELD.
27	41	36	32	116	2	13	5	18	7	11	24	66	74	51	38	ST. ALBANS.
25	21	29	36	93	1	11	6	17	7	5	24	38	35	17	39	WATFORD.
9	19	18	23	59	–	7	3	10	3	4	14	23	27	14	22	HEMEL HEMPSTEAD.
5	17	17	42	70	2	5	4	9	6	16	16	28	32	20	20	BERKHAMPSTEAD.
																8.- BUCKINGHAMSHIRE.
21	35	30	34	106	3	4	7	11	10	17	31	40	48	27	34	AMERSHAM.
21	25	39	39	102	5	10	7	17	12	7	19	29	22	11	29	ETON.
42	55	61	95	215	7	24	7	31	14	18	60	98	103	59	83	WYCOMBE.
29	31	36	65	134	1	11	15	26	16	27	40	54	61	35	45	AYLESBURY.
16	11	13	27	61	–	1	5	6	5	8	25	25	29	17	20	WINSLOW.
33	36	40	77	154	7	17	8	25	15	20	44	54	55	31	47	NEWPORT PAGNELL.
22	23	18	45	86	1	11	10	21	11	12	28	28	33	12	37	BUCKINGHAM.
																9.—OXFORDSHIRE.
22	28	24	31	88	2	12	3	15	5	4	19	32	19	12	27	HENLEY.
13	15	23	33	58	5	14	7	21	12	9	20	30	33	16	31	THAME.
21	25	32	42	93	3	17	7	24	10	4	18	20	17	6	25	HEADINGTON.
40	46	39	48	129	9	25	10	35	19	4	17	20	26	10	26	OXFORD.
21	26	17	39	87	3	7	6	13	9	6	18	45	36	24	33	BICESTER.
13	21	12	28	63	1	7	3	10	4	8	15	25	23	13	22	WOODSTOCK.
33	30	34	57	128	9	13	4	17	13	11	29	53	58	34	43	WITNEY.
17	18	20	52	92	3	10	2	12	5	9	30	35	25	18	24	CHIPPING NORTON.
44	61	43	74	182	9	24	7	31	16	9	33	57	53	22	66	BANBURY.
																10.–NORTHAMPTONSH.
24	18	17	42	85	2	10	4	14	6	9	27	27	30	18	21	BRACKLEY.
13	23	15	33	67	2	12	3	15	5	16	13	26	30	16	24	TOWCESTER.
14	23	21	34	83	–	7	2	9	2	5	17	21	25	7	32	POTTERSPURY.
9	18	17	31	56	2	8	9	17	11	10	20	16	24	9	22	HARDINGSTONE.
77	104	115	128	336	17	48	23	71	40	39	125	91	135	52	122	NORTHAMPTON.
21	18	24	51	100	5	6	3	9	8	10	32	29	33	14	34	DAVENTRY.
18	20	16	42	84	2	5	5	10	7	8	14	19	26	10	25	BRIXWORTH.
34	57	34	77	170	6	11	15	26	21	22	51	70	88	53	52	WELLINGBOROUGH.
27	29	33	48	123	3	9	2	11	5	16	34	27	39	13	40	KETTERING.
19	18	28	37	84	3	11	4	15	7	8	22	29	31	12	36	THRAPSTON.
24	18	19	32	75	3	9	6	15	9	7	23	27	34	16	29	OUNDLE.
39	65	58	93	212	9	24	10	34	19	13	54	64	61	29	67	PETERBOROUGH.
																11.-HUNTINGDONSHIRE.
36	34	23	52	122	5	10	8	18	13	15	42	53	48	33	35	HUNTINGDON.
26	32	29	46	111	4	12	6	18	10	21	40	43	45	26	36	ST. IVES.
28	27	27	46	110	2	9	7	16	9	15	41	44	49	29	35	ST. NEOTS.
																12.—BEDFORDSHIRE.
70	67	83	108	260	6	45	17	62	23	42	76	95	116	63	85	BEDFORD.
33	37	40	69	160	4	6	9	15	13	31	41	87	95	67	48	BIGGLESWADE.
29	35	41	53	135	4	16	3	19	7	29	43	72	75	51	45	AMPTHILL.
14	19	22	30	73	3	6	3	9	6	11	16	23	39	21	20	WOBURN.
23	26	40	48	114	4	16	3	19	7	22	33	49	63	34	44	LEIGHTON BUZZARD.
58	63	59	80	220	8	28	4	32	12	43	79	102	125	83	61	LUTON.
																13.—CAMBRIDGESHIRE.
13	17	13	66	70	2	6	1	7	3	7	20	34	30	23	18	CAXTON.
31	39	34	60	137	3	17	7	24	10	15	36	48	42	22	46	CHESTERTON.
31	42	53	61	148	9	20	10	30	19	11	30	20	29	9	31	CAMBRIDGE.
17	16	17	33	70	3	8	2	10	5	10	18	33	22	12	31	LINTON.
36	35	29	86	161	3	15	7	22	10	27	60	75	64	45	49	NEWMARKET.
22	37	38	74	142	5	15	9	24	14	20	45	66	65	40	51	ELY.
18	21	20	33	76	3	7	6	13	9	4	27	29	34	12	19	NORTH WITCHFORD.
7	10	12	20	43	–	5	1	6	1	7	10	15	22	12	13	WHITTLESEY.
43	40	51	84	181	7	18	12	30	19	17	46	70	81	43	65	WISBECH.

MARRIAGES in the Year 1862—in DISTRICTS.

March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	DISTRICTS.
																14.—ESSEX.
51	101	103	99	294	12	31	17	48	29	10	51	54	52	24	58	WEST HAM.
19	17	23	25	73	4	3	4	7	8	4	15	38	15	12	29	EPPING.
10	9	13	33	54	2	6	3	9	5	4	18	30	22	18	16	ONGAR.
21	25	35	33	95	4	8	7	15	11	3	25	45	26	19	33	ROMFORD.

IV.—EASTERN COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Places. Roman Catholics.	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	14.—ESSEX—*continued.*															
198	Orsett	45,597	11,595	52	–	–	42	–	10	52	–	–	–	–	–	–
199	Billericay	50,845	15,031	77*	–	5	52	–	7	64	13	8	5	–	–	–
200	Chelmsford	83,906	32,765	175	–	16	117	–	5	138	37	3	18	16	–	–
201	Rochford	107,846	18,282	115	–	6	90	–	4	100	15	–	4	11	–	–
202	Maldon	107,050	22,556	147	–	7	89	3	17	116	31	–	21	10	–	–
203	Tendring	89,803	27,105	201	–	22	139	5	19	185	16	–	5	11	–	–
204	Colchester	11,200	23,815	223	–	16	91	17	4	128	98	7	27	64	–	–
205	Lexden	73,831	22,950	158	–	15	105	7	13	140	18	–	17	1	–	–
206	Witham	38,938	16,324	87	–	13	50	–	5	68	19	1	6	11	1	–
207	Halstead	38,913	18,482	102	–	4	59	2	10	75	27	–	24	3	–	–
208	Braintree	38,652	17,170	102	–	6	71	–	–	77	25	–	19	6	–	–
209	Dunmow	72,594	19,759	108	–	5	83	–	4	92	16	–	16	–	–	–
210	Saffron Walden	62,630	19,721	109	–	8	85	–	4	97	12	–	5	7	–	–
	15.—SUFFOLK.															
211	Risbridge	53,634	17,432	136	–	4	95	–	19	118	18	–	17	1	–	–
212	Sudbury	78,302	31,415	198	–	13	112	–	32	157	41	–	12	28	1	–
213	Cosford	52,696	17,376	112	–	11	75	–	8	94	18	–	9	9	–	–
214	Thingoe	82,464	18,224	107	–	8	92	–	5	105	2	–	1	1	–	–
215	Bury St. Edmunds	2,934	13,318	91	–	15	56	–	2	73	18	1	5	12	–	–
216	Mildenhall	61,244	9,595	53	–	6	39	–	–	45	8	–	5	3	–	–
217	Stow	55,342	20,908	166	–	19	91	1	6	117	49	–	29	20	–	–
218	Hartismere	54,215	17,665	129	–	7	82	–	12	101	28	–	26	2	–	–
219	Hoxne	53,035	14,694	92	–	10	62	1	–	73	19	–	14	5	–	–
220	Bosmere	57,899	16,174	133	–	20	88	–	15	123	10	–	7	3	–	–
221	Samford	50,230	12,736	67	–	7	58	–	2	67	–	–	–	–	–	–
222	Ipswich	8,395	37,881	327	–	25	123	7	2	157	170	1	52	117	–	–
223	Woodbridge	82,195	22,754	139	–	12	83	11	11	117	22	–	8	14	–	–
224	Plomesgate	75,064	20,720	141	–	15	94	–	10	119	22	–	12	10	–	–
225	Blything	92,097	28,848	157	–	16	110	2	6	134	23	–	23	–	–	–
226	Wangford	35,079	13,619	84	–	10	51	2	–	63	21	–	19	2	–	–
227	Mutford	35,490	24,050	151	–	21	106	1	9	137	14	–	13	1	–	–
	16.—NORFOLK.															
228	Yarmouth	1,510	30,338	330	–	37	251	–	–	288	42	5	27	10	–	–
229	Flegg	29,087	8,631	46	–	6	37	–	–	43	3	–	3	–	–	–
230	Tunstead	62,607	14,516	102	–	11	86	–	–	97	5	–	4	1	–	–
231	Erpingham	72,513	20,874	132	–	13	105	–	3	121	11	–	7	4	–	–
232	Aylsham	68,123	19,052	112	–	5	82	–	12	99	13	–	12	1	–	–
233	St. Faiths	48,304	11,749	60	–	5	54	–	1	60	–	–	–	–	–	–
234	Norwich	4,325	74,440	720	–	82	323	17	–	422	298	10	59	229	–	–
235	Forehoe	37,834	12,818	78	–	9	46	–	–	55	23	1	10	12	–	–
236	Henstead	43,358	11,290	64	–	6	53	–	3	62	2	–	–	2	–	–
237	Blofield	44,178	11,521	63	–	10	53	–	–	63	–	–	–	–	–	–
238	Loddon	59,401	14,242	82	–	20	52	–	4	76	6	–	1	5	–	–
239	Depwade	72,681	25,248	159	–	21	97	–	9	127	32	–	29	2	1	–
240	Guiltcross	44,585	11,541	85	–	5	73	–	–	78	7	–	7	–	–	–
241	Wayland	51,063	11,562	84	–	13	49	1	3	66	18	–	17	1	–	–
242	Mitford	105,233	28,020	206	–	17	145	–	16	178	28	–	18	10	–	–
243	Walsingham	87,342	21,118	123	–	9	87	–	1	97	26	–	9	17	–	–
244	Docking	101,136	17,596	108	–	10	89	2	3	104	4	–	4	–	–	–
245	Freebridge Lynn	78,775	13,486	86	–	9	70	–	2	81	5	–	–	5	–	–
246	Kings Lynn	5,499	16,701	116	–	6	70	2	–	78	38	–	19	19	–	–
247	Downham	83,687	20,264	130	–	11	98	–	8	117	13	–	13	–	–	–
248	Swaffham	81,200	13,747	91	–	11	63	–	1	75	16	–	11	5	–	–
249	Thetford	117,870	18,712	119	–	7	81	1	15	104	15	1	6	8	–	–

V.—SOUTH WESTERN COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	17.—WILTSHIRE.															
250	Highworth	50,064	19,237	166	–	11	117	–	3	131	35	1	21	13	–	–
251	Cricklade	41,566	11,470	91	–	7	60	–	10	77	14	–	5	9	–	–
252	Malmsbury	57,508	14,556	100	–	12	63	–	6	81	19	–	19	–	–	–
253	Chippenham	60,025	22,029	117	–	22	70	1	6	99	18	–	18	–	–	–
254	Calne	28,610	8,885	55	–	5	32	6	9	52	3	–	3	–	–	–
255	Marlborough	42,092	9,774	50	–	3	42	–	–	45	5	–	5	–	–	–
256	Devizes	63,491	21,680	136	–	8	88	–	31	127	9	–	9	–	–	–
257	Melksham	17,768	17,233	115	–	6	38	–	4	48	67	–	67	–	–	–
258	Bradford	18,800	10,475	61	–	2	39	3	4	48	13	–	8	5	–	–
259	Westbury	30,944	11,751	68	–	3	46	–	–	49	19	–	19	–	–	–
260	Warminster	56,356	15,942	113	–	10	79	–	–	89	24	–	16	8	–	–
261	Pewsey	65,650	12,466	89	–	10	63	–	14	87	2	–	1	1	–	–
262	Amesbury	62,420	8,127	57	–	7	38	3	3	51	6	–	6	–	–	–
263	Alderbury	52,660	14,770	86	–	6	65	3	1	75	11	–	8	3	–	–
264	Salisbury	480	9,039	65	–	9	23	7	1	40	25	1	21	3	–	–
265	Wilton	55,304	10,674	79	–	5	61	–	7	73	6	–	5	1	–	–
266	Tisbury	40,494	9,862	69	–	7	49	–	7	63	6	3	3	–	–	–
267	Mere	33,211	8,057	51	–	5	26	–	5	36	15	1	12	2	–	–

* Includes two men divorced who married spinsters.

MARRIAGES in the Year 1862—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of March.	June.	September.	December.	Contracted between Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Of Widowers.	Widows.	Of Persons not of Full Age. Men.	Women.	Signed the Marriage Register with Marks. Men.	Women.	Cases in which Both signed.	One signed.	DISTRICTS.
																14.—ESSEX—*continued.*
4	11	18	19	39	2	5	6	11	8	4	17	28	16	10	24	ORSETT.
9	18	23	27	61	4	5	4	9	8	5	20	29	22	17	17	BILLERICAY.
31	39	32	73	140	11	14	10	24	21	11	31	62	32	22	50	CHELMSFORD.
18	22	32	43	94	9	7	5	12	14	8	42	43	34	18	41	ROCHFORD.
25	36	23	63	129	4	8	6	14	10	15	43	51	33	23	38	MALDON.
28	39	57	77	163	7	18	13	31	20	16	34	70	61	38	55	TENDRING.
41	53	63	69	199	9	10	8	18	17	8	50	47	61	18	72	COLCHESTER.
33	28	30	67	133	6	13	6	19	12	11	37	58	48	34	38	LEXDEN.
11	26	16	34	70	1	13	3	16	4	4	11	25	19	12	20	WITHAM.
18	23	20	41	82	3	9	8	17	11	8	21	51	46	37	23	HALSTEAD.
17	19	27	39	85	3	9	5	14	8	13	21	38	39	21	35	BRAINTREE.
18	20	20	50	91	4	6	7	13	11	7	39	48	36	26	32	DUNMOW.
21	15	35	38	92	3	12	2	14	5	18	37	49	26	23	29	SAFFRON WALDEN.
																15.—SUFFOLK.
15	29	33	59	110	3	17	6	23	9	21	50	88	77	64	37	RISBRIDGE.
31	35	38	94	165	9	15	9	24	18	20	43	84	77	47	67	SUDBURY.
15	29	18	50	92	1	13	6	19	7	11	32	59	45	33	38	COSFORD.
26	19	18	44	86	3	17	1	18	4	10	24	40	24	12	40	THINGOE.
18	21	23	29	74	3	10	4	14	7	10	16	14	21	11	13	BURY ST. EDMUNDS.
9	12	8	24	41	1	7	4	11	5	6	12	21	15	11	14	MILDENHALL.
31	32	31	72	125	4	22	15	37	19	10	39	69	43	32	48	STOW.
27	22	21	59	104	10	10	5	15	15	6	31	57	54	35	41	HARTISMERE.
11	25	16	40	71	–	15	6	21	6	5	19	39	32	19	33	HOXNE.
26	24	25	58	113	5	10	5	15	10	10	36	48	37	24	37	BOSMERE.
12	16	14	25	57	1	5	4	9	5	6	9	22	18	8	24	SAMFORD.
67	65	87	108	249	17	40	21	61	38	25	54	44	62	19	68	IPSWICH.
21	31	22	65	109	4	16	10	26	14	10	22	45	35	22	36	WOODBRIDGE.
29	24	22	66	107	6	20	11	31	14	9	27	43	44	25	37	PLOMESGATE.
39	32	20	66	125	6	19	7	26	13	4	27	67	36	24	55	BLYTHING.
16	15	17	36	73	–	8	3	11	3	5	18	23	16	9	21	WANGFORD.
37	29	37	48	121	7	19	4	23	11	17	29	48	42	24	42	MUTFORD.
																16.—NORFOLK.
77	67	67	119	263	18	32	17	49	35	16	77	101	109	57	99	YARMOUTH.
14	8	11	13	37	1	5	3	8	4	3	8	20	13	8	17	FLEGG.
22	16	19	45	88	2	10	2	12	4	7	26	45	42	25	37	TUNSTEAD.
37	15	25	55	115	2	9	6	15	8	10	25	56	54	40	30	ERPINGHAM.
17	23	23	46	101	2	7	2	9	4	9	26	45	37	21	40	AYLSHAM.
11	10	11	28	53	1	6	–	6	1	7	15	28	28	19	18	ST. FAITHS.
134	167	183	236	533	28	98	61	159	89	73	136	151	220	89	193	NORWICH.
13	10	19	36	57	2	9	10	19	12	4	14	32	30	19	24	FOREHOE.
10	12	7	35	56	1	4	3	7	4	3	11	32	12	7	30	HENSTEAD.
18	6	19	20	54	2	3	4	7	6	5	10	37	23	18	24	BLOFIELD.
20	17	16	29	69	2	8	3	11	5	4	12	28	20	16	16	LODDON.
42	19	29	69	124	7	17	11	28	18	6	30	60	49	31	47	DEPWADE.
14	16	12	43	68	2	13	2	15	4	5	25	35	26	16	29	GUILTCROSS.
19	17	14	34	69	3	10	2	12	5	5	21	37	21	14	30	WAYLAND.
37	41	33	95	165	5	25	11	36	16	7	28	90	75	48	69	MITFORD.
31	18	19	55	101	5	13	4	17	9	11	16	58	33	27	37	WALSINGHAM.
23	16	23	46	87	3	16	2	18	5	3	18	50	35	29	27	DOCKING.
15	17	8	46	76	1	5	4	9	5	2	12	42	33	27	21	FREEBRIDGE LYNN.
24	20	28	44	96	8	7	5	12	13	10	26	20	30	9	32	KINGS LYNN.
18	27	21	64	122	4	3	1	4	5	14	31	59	50	37	35	DOWNHAM.
16	18	20	37	78	1	8	4	12	5	7	14	35	31	22	22	SWAFFHAM.
20	27	15	57	98	5	11	5	16	10	9	31	43	37	23	34	THETFORD.

MARRIAGES in the Year 1862—in DISTRICTS.

																17.—WILTSHIRE.
22	47	33	64	140	2	9	6	15	8	19	35	54	54	28	52	HIGHWORTH.
14	20	23	34	73	6	9	3	12	9	7	18	31	28	16	27	CRICKLADE.
21	33	19	27	85	1	10	4	14	5	8	18	30	27	15	27	MALMSBURY.
23	37	23	34	95	5	12	5	17	10	6	16	38	32	19	32	CHIPPENHAM.
10	26	4	15	45	2	6	2	8	4	4	9	17	12	9	11	CALNE.
10	7	12	21	35	2	8	5	13	7	2	8	19	18	9	19	MARLBOROUGH.
21	34	33	48	105	3	20	8	28	11	10	30	47	47	27	40	DEVIZES.
18	28	36	33	88	5	14	8	22	13	21	26	27	36	15	33	MELKSHAM.
10	17	14	20	51	2	7	1	8	3	9	12	15	18	9	15	BRADFORD.
15	26	13	14	55	4	6	3	9	7	9	16	22	14	10	16	WESTBURY.
25	28	22	33	84	6	13	10	23	16	9	19	38	37	30	15	WARMINSTER.
22	17	16	34	72	5	7	5	12	10	8	10	37	29	18	30	PEWSEY.
7	10	14	26	44	4	6	3	9	7	4	11	22	16	13	12	AMESBURY.
17	20	15	34	67	1	11	7	18	8	7	17	18	16	8	18	ALDERBURY.
16	19	17	13	53	2	6	4	10	6	1	11	7	10	2	13	SALISBURY.
18	17	22	22	68	2	7	2	9	4	4	10	21	20	9	23	WILTON.
9	17	22	21	61	1	4	3	7	4	6	15	20	14	10	14	TISBURY.
10	10	14	17	40	–	7	4	11	4	6	8	11	19	7	16	MERE.

V.—SOUTH WESTERN COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Places. Roman Catholics.	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	18.—DORSETSHIRE.															
268	SHAFTESBURY	36,493	12,986	90	–	5	41	–	30	76	14	–	14	–	–	–
269	STURMINSTER *	37,934	10,340	60	–	9	41	–	2	52	8	1	7	–	–	–
270	BLANDFORD *	57,271	14,821	92	–	12	71	1	1	85	7	–	5	2	–	–
271	WIMBORNE	81,163	17,253	97	–	10	71	–	9	90	7	–	5	2	–	–
272	POOLE	27,023	13,742	125	–	14	62	19	–	95	30	1	19	10	–	–
273	WAREHAM	96,309	17,072	105	–	5	77	2	8	92	13	4	3	6	–	–
274	WEYMOUTH †	37,282	27,291	199	–	28	116	9	6	159	40	1	26	13	–	–
275	DORCHESTER †	115,339	24,810	175	–	17	133	–	6	156	19	–	9	10	–	–
276	SHERBORNE	40,018	13,463	88	–	12	53	–	2	67	21	–	19	2	–	–
277	BEAMINSTER	53,764	13,587	97	–	11	63	–	13	87	10	–	9	1	–	–
278	BRIDPORT	33,187	16,828	114	–	7	86	–	4	97	17	3	14	–	–	–
	19.—DEVONSHIRE.															
279	AXMINSTER	61,738	19,758	132	–	17	82	–	9	108	24	2	18	4	–	–
280	HONITON	80,867	22,729	128	–	21	92	–	–	113	15	–	15	–	–	–
281	ST. THOMAS	130,141	48,405	293	–	59	149	5	35	248	45	–	10	35	–	–
282	EXETER	1,800	33,742	473	–	83	159	8	17	267	206	3	25	177	–	1
283	NEWTON ABBOT	117,396	59,063	436	–	68	163	2	39	272	164	4	69	91	–	–
284	TOTNES	98,342	32,942	236	–	29	125	3	10	167	69	–	29	40	–	–
285	KINGSBRIDGE	72,918	19,394	114	–	15	73	2	13	103	11	–	6	5	–	–
286	PLYMPTON ST. MARY	75,569	20,502	85	–	14	70	–	1	85	–	–	–	–	–	–
287	PLYMOUTH	1,635	62,599	898	–	80	385	12	–	477	421	73	53	293	–	2
288	EAST STONEHOUSE	385	14,343	214	–	32	125	1	1	159	55	–	8	47	–	–
289	STOKE DAMEREL	2,380	50,440	698	–	97	393	1	–	491	207	–	30	177	–	–
290	TAVISTOCK	158,567	35,265	193	–	9	93	1	3	106	87	–	18	69	–	–
291	OKEHAMPTON	126,797	18,580	105	–	19	43	–	17	79	26	–	23	3	–	–
292	CREDITON	91,866	20,274	112	–	21	63	–	5	89	23	–	12	11	–	–
293	TIVERTON ‡	103,212	30,875	198	–	24	115	4	17	160	38	–	33	5	–	–
294	SOUTH MOLTON §	142,503	19,532	115	–	16	58	–	7	81	34	–	32	2	–	–
295	BARNSTAPLE §	149,729	36,293	244	–	43	112	7	2	164	80	2	61	17	–	–
296	TORRINGTON	81,472	16,876	91	–	8	53	–	8	69	22	–	13	9	–	–
297	BIDEFORD	63,864	17,790	144	–	14	57	2	9	82	62	–	28	34	–	–
298	HOLSWORTHY	82,519	9,876	69	–	2	37	3	2	44	25	–	20	5	–	–
	20.—CORNWALL.															
299	STRATTON	54,406	8,028	46	–	4	33	–	1	38	8	–	6	2	–	–
300	CAMELFORD	51,847	7,784	53	–	4	32	–	6	42	11	–	11	–	–	–
301	LAUNCESTON	101,777	17,005	106	–	8	51	1	2	62	44	–	15	29	–	–
302	ST. GERMANS	47,148	17,631	56	–	15	35	–	2	52	4	–	4	–	–	–
303	LISKEARD	107,320	33,562	224	–	15	114	3	3	135	89	–	16	73	–	–
304	BODMIN	88,981	19,691	115	–	20	79	3	2	104	11	–	7	4	–	–
305	ST. COLUMB	78,693	16,754	124	–	24	79	–	6	109	15	–	11	4	–	–
306	ST. AUSTELL	57,446	33,797	303	–	31	149	–	1	181	122	–	18	104	–	–
307	TRURO	92,211	43,070	349	–	38	191	–	1	230	119	–	33	86	–	–
308	FALMOUTH	27,906	23,332	228	–	29	106	8	–	143	85	1	22	61	1	–
309	HELSTON	72,571	30,036	260	–	22	161	7	1	191	69	–	26	43	–	–
310	REDRUTH	40,305	57,173	552	–	34	322	6	2	364	188	2	88	98	–	–
311	PENZANCE	65,092	54,554	440	–	46	312	1	1	360	80	1	22	57	–	–
312	SCILLY ISLANDS	3,560	2,431	10	–	1	6	–	3	10	–	–	–	–	–	–
	21.—SOMERSETSHIRE.															
313a	WILLITON	109,202	19,918	109	–	23	77	–	–	100	9	–	7	2	–	–
313b	DULVERTON ‡ §	57,906	6,158	31	–	4	23	–	3	30	1	–	1	–	–	–
314	WELLINGTON	60,454	20,480	127	–	11	88	–	3	102	25	–	15	10	–	–
315	TAUNTON	70,452	35,601	275	–	44	159	7	13	223	52	2	15	35	–	–
316	BRIDGWATER	92,273	34,420	210	–	26	121	13	8	168	42	–	26	15	1	–
317	LANGPORT	59,391	18,077	99	–	15	65	2	2	84	15	–	9	6	–	–
318	CHARD	60,342	25,591	173	–	16	119	2	6	143	30	–	24	6	–	–
319	YEOVIL	52,151	28,189	210	–	22	99	7	20	148	62	–	42	20	–	–
320	WINCANTON	66,120	21,500	142	–	27	80	–	6	113	29	–	29	–	–	–
321	FROME	51,239	23,704	153	–	13	79	6	7	105	48	–	44	4	–	–
322	SHEPTON MALLET	49,657	16,619	102	–	12	66	–	3	81	21	–	20	1	–	–
323	WELLS	64,822	21,889	116	–	18	68	–	–	86	30	–	25	3	2	–
324	AXBRIDGE	105,679	36,106	180	–	21	93	1	13	128	52	–	38	11	3	–
325	CLUTTON	47,026	23,721	123	–	5	93	–	10	108	15	2	11	2	–	–
326	BATH	30,321	68,336	673	–	77	345	31	5	458	215	11	77	127	–	–
327	KEYNSHAM	33,358	21,802	117	–	9	89	–	3	101	16	–	13	3	–	–
328	BEDMINSTER	57,068	41,257	298	–	38	221	7	–	266	32	–	28	4	–	–

VI.—WEST MIDLAND COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	Special Licence.	Licence.	Banns	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	22.—GLOUCESTERSH.															
329	BRISTOL	1,840	66,027	1244	–	108	791	18	1	918	326	38	52	235	1	–
330	CLIFTON	29,475	94,687	654	1	89	474	4	8	576	78	11	21	46	–	–
331	CHIPPING SODBURY	62,356	18,763	86	–	11	58	–	12	81	5	–	4	1	–	–
332	THORNBURY	65,840	16,499	70	–	12	43	–	6	61	9	–	8	1	–	–
333	DURSLEY	26,521	13,331	74	–	7	47	–	1	55	19	–	19	–	–	–
334	WESTBURY-ON-SEVERN	43,246	20,189	145	–	10	84	5	20	119	26	–	11	15	–	–
335	NEWENT	45,281	12,420	52	–	9	32	–	6	47	5	–	5	–	–	–

* Hanford parish (population 6 in 1861) was transferred on 21st May 1862 from the Blandford sub-district of Blandford (270) to the Sturminster sub-district of Sturminster (269).

† Watercombe parish (population 37 in 1861) was transferred on 14th March 1862 from the Upway sub-district of Weymouth (274) to the Puddletown sub-district of Dorchester (275).

MARRIAGES in the Year 1862—in Districts—*continued*.

MARRIAGES. Registered in the Quarter ending the last day of — March.	June.	September.	December.	Contracted between — Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Of — Widowers.	Widows.	Of Persons not of Full Age. — Men.	Women.	Signed the Marriage Register with Marks. — Men.	Women.	Cases in which — Both signed.	One signed.	DISTRICTS.
																18.—DORSETSHIRE.
22	22	19	27	77	2	7	4	11	6	9	16	24	29	15	23	Shaftesbury.
10	20	13	17	55	–	4	1	5	1	5	3	25	19	14	16	Sturminster.
18	20	23	31	77	2	9	4	13	6	1	14	24	15	8	23	Blandford.
25	28	28	16	84	3	7	3	10	6	1	17	24	16	8	24	Wimborne.
36	28	37	24	100	4	13	8	21	12	8	26	29	21	10	30	Poole.
19	20	27	39	93	2	7	3	10	5	10	23	31	30	17	27	Wareham.
32	45	56	66	174	7	14	4	18	11	16	48	40	48	24	40	Weymouth.
33	54	35	53	140	4	21	10	31	14	8	38	58	38	25	46	Dorchester.
20	26	19	23	75	2	7	4	11	6	9	15	18	22	8	24	Sherborne.
29	25	19	24	87	–	5	5	10	5	3	10	36	33	21	27	Beaminster.
26	32	28	28	100	1	5	8	13	9	6	16	37	43	23	34	Bridport.
																19.—DEVONSHIRE.
30	42	36	24	111	1	13	7	20	8	8	19	38	32	19	32	Axminster.
31	38	24	35	108	2	15	3	18	5	7	18	31	26	13	31	Honiton.
78	67	69	79	242	7	30	14	44	21	17	27	46	56	20	62	St. Thomas.
91	131	132	119	377	22	55	19	74	41	22	50	71	67	27	84	Exeter.
92	106	120	118	372	11	36	17	53	28	18	61	56	70	21	84	Newton Abbot.
62	57	62	55	203	3	17	13	30	16	11	40	46	47	20	53	Totnes.
33	33	24	24	97	3	9	5	14	8	10	23	44	43	26	35	Kingsbridge.
13	26	16	30	75	3	6	1	7	4	7	17	17	21	8	22	Plympton St. Mary.
218	217	224	239	729	59	68	42	110	101	40	127	193	269	107	248	Plymouth.
51	39	60	64	173	24	8	9	17	33	8	35	58	88	37	72	East Stonehouse.
174	156	191	177	576	53	34	35	69	88	27	157	101	175	47	182	Stoke Damerel.
46	47	47	53	168	5	11	9	20	14	18	46	46	59	27	51	Tavistock.
35	21	20	29	91	4	6	4	10	8	7	25	21	28	11	27	Okehampton.
29	25	27	31	98	1	8	5	13	6	2	14	29	28	17	23	Crediton.
44	57	44	53	171	5	11	11	22	16	13	26	55	49	28	48	Tiverton.
38	82	17	28	101	4	7	3	10	7	10	23	18	21	7	25	South Molton.
50	81	50	63	208	8	20	8	28	16	11	24	37	40	18	41	Barnstaple.
26	19	22	24	73	–	14	4	18	4	9	15	29	40	22	25	Torrington.
33	42	43	26	121	5	11	7	18	12	4	20	24	32	10	36	Bideford.
20	14	9	26	57	5	4	3	7	8	4	16	18	18	7	22	Holsworthy.
																20.—CORNWALL.
16	14	9	7	45	–	1	–	1	–	–	8	10	8	6	6	Stratton.
11	15	10	17	47	2	3	1	4	3	6	15	19	20	10	19	Camelford.
26	36	23	21	91	3	8	4	12	7	5	22	26	31	19	19	Launceston.
15	13	19	9	43	2	9	2	11	4	3	10	10	13	7	9	St. Germans.
48	54	51	71	191	7	16	10	26	17	17	52	57	84	39	63	Liskeard.
23	29	22	41	99	2	8	6	14	8	9	22	20	24	11	22	Bodmin.
27	27	22	48	108	2	9	5	14	7	6	27	25	29	11	32	St. Columb.
67	77	79	80	255	6	27	15	42	21	14	50	98	118	64	88	St. Austell.
77	97	88	87	290	12	33	14	47	26	18	64	121	130	75	101	Truro.
43	51	63	71	182	17	21	8	29	25	12	33	55	78	29	75	Falmouth.
56	69	59	76	218	12	21	9	30	21	29	51	107	111	67	84	Helston.
129	148	125	150	466	15	53	18	71	33	70	135	256	298	187	180	Redruth.
104	110	129	97	364	20	31	25	56	45	42	103	134	209	101	141	Penzance.
2	2	2	4	7	–	2	1	3	1	–	–	–	–	–	–	Scilly Islands.
																21.—SOMERSETSHIRE.
37	24	24	24	96	3	9	1	10	4	6	19	40	34	25	24	Williton.
3	12	7	9	29	1	–	1	1	2	3	4	3	6	2	5	Dulverton.
25	45	18	39	110	4	12	1	13	5	6	15	36	28	16	32	Wellington.
70	55	68	82	223	13	30	9	39	22	18	34	70	81	38	75	Taunton.
49	59	39	63	169	5	21	15	36	20	15	36	64	58	31	60	Bridgwater.
13	34	21	31	89	1	5	4	9	5	17	20	43	37	27	26	Langport.
36	43	39	55	145	6	16	6	22	12	17	32	69	72	50	41	Chard.
46	56	42	66	173	8	24	5	29	13	30	48	78	85	46	71	Yeovil.
40	30	29	43	112	3	20	7	27	10	12	17	46	54	29	42	Wincanton.
31	36	42	44	124	3	14	12	26	15	8	24	41	40	23	35	Frome.
28	27	26	21	81	3	12	6	18	9	8	17	40	42	30	22	Shepton Mallet.
22	34	31	29	85	7	20	4	24	11	10	19	28	33	17	27	Wells.
41	57	43	39	151	3	18	8	26	11	16	30	42	50	25	42	Axbridge.
25	26	21	51	107	2	5	9	14	11	15	34	47	43	29	32	Clutton.
134	164	190	185	537	29	76	31	107	60	49	71	97	104	39	123	Bath.
24	27	25	41	100	5	7	5	12	10	14	26	51	53	40	24	Keynsham.
62	88	83	65	245	12	24	17	41	29	27	65	52	64	26	64	Bedminster.

MARRIAGES in the Year 1862—in Districts.

March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men (not of Full Age).	Women (not of Full Age).	Men (Marks).	Women (Marks).	Both signed.	One signed.	DISTRICTS.
																22.-GLOUCESTERSHIRE.
251	321	333	339	1011	56	116	61	177	117	86	197	211	326	117	303	Bristol.
146	176	159	173	555	18	61	20	81	38	52	114	162	214	117	142	Clifton.
14	27	15	30	74	3	9	–	9	3	6	19	28	26	13	28	Chipping Sodbury.
8	25	19	18	62	2	4	2	6	4	5	15	25	17	10	22	Thornbury.
14	24	16	20	51	1	17	5	22	6	4	7	25	19	13	18	Dursley.
23	28	33	61	125	7	9	4	13	11	11	40	57	52	36	37	Westbury-on-Severn.
3	14	9	26	47	2	2	1	3	3	7	10	21	21	14	14	Newent.

‡ The parish of Morebath (population 430 in 1861) was transferred on 24th January 1862 from the Bampton sub-district of Tiverton (293) to the Dulverton district (313 *b*).

§ The parish of Exmoor (population 323 in 1861) was transferred on 26th February 1862 from the districts of Barnstaple (295) and Dulverton (313 *b*) to the South Molton sub-district of South Molton (294).

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.
	22.—GLOUCESTER.—*cont.*			
336	GLOUCESTER	32,222	34,950	407
337	WHEATENHURST	24,471	7,813	45
338	STROUD	43,720	36,448	316
339	TETBURY	25,641	6,110	43
340	CIRENCESTER	85,366	20,934	150
341	NORTHLEACH	67,647	10,895	75
342	STOW-ON-THE-WOLD	41,131	9,687	71
343	WINCHCOMB	57,494	10,082	56
344	CHELTENHAM	24,876	49,792	401
345	TEWKESBURY	38,918	14,908	99
	23.—HEREFORDSHIRE.			
346	LEDBURY	48,783	14,880	83
347	ROSS	55,568	16,306	65
348	HEREFORD	144,991	39,287	312
349	WEOBLY	48,959	9,018	60
350	BROMYARD	61,659	11,811	70
351	LEOMINSTER	65,620	15,494	99
	24.—SHROPSHIRE.			
352	LUDLOW	87,573	17,721	128
353	CLUN	82,886	10,615	68
354	CHURCH STRETTON	46,184	6,289	35
355	CLEOBURY MORTIMER	54,610	8,304	44
356	BRIDGNORTH	69,896	15,920	100
357	SHIFFNAL	46,053	11,994	90
358	MADELEY	27,951	30,403	190
359	ATCHAM	104,144	19,455	95
360	SHREWSBURY	18,032	25,784	249
361	OSWESTRY	77,048	23,817	176
362	ELLESMERE	71,081	14,611	90
363a	WEM	51,197	10,644	69
363b	WHITCHURCH	39,076	11,272	95
364	MARKET DRAYTON	67,910	14,260	101
365	WELLINGTON	33,528	23,873	179
366	NEWPORT	47,477	15,447	103
	25.—STAFFORDSHIRE.			
367	STAFFORD	52,022	24,474	188
368	STONE	68,524	21,926	183
369	NEWCASTLE-UNDER-LYME	26,718	24,567	157
370	WOLSTANTON	13,679	54,356	557
371	STOKE-UPON-TRENT	10,490	71,308	692
372	LEEK	72,893	24,806	140
373	CHEADLE	55,146	20,988	159
374	UTTOXETER	62,890	14,787	72
375	BURTON-UPON-TRENT	90,652	41,065	283
376	TAMWORTH	46,740	15,504	94
377	LICHFIELD	71,613	27,541	209
378	PENKRIDGE	70,799	18,662	118
379	WOLVERHAMPTON	53,900	126,902	1002
380	WALSALL	21,603	59,908	365
381	WEST BROMWICH	19,364	92,480	918
382	DUDLEY*	17,984	130,267	1267
	26. WORCESTERSHIRE.			
383	STOURBRIDGE	16,200	68,726	541
384	KIDDERMINSTER	37,321	30,307	225
385	TENBURY	35,941	7,366	34
386	MARTLEY	53,718	15,098	89
387	WORCESTER	6,699	30,969	265
388	UPTON-ON-SEVERN	53,016	21,010	136
389	EVESHAM	46,609	14,767	107
390	PERSHORE	52,269	13,865	99
391	DROITWICH	56,525	19,289	185
392	BROMSGROVE	47,374	26,207	170†
393	KINGS NORTON	28,404	47,349	632
	27.—WARWICKSHIRE.			
394	BIRMINGHAM	2,660	212,621	2106‡
395	ASTON	31,273	100,522	810§
396	MERIDEN	48,618	11,290	59
397	ATHERSTONE	27,883	12,118	71
398	NUNEATON	20,428	13,054	79
399	FOLESHILL	19,389	19,997	130
400	COVENTRY	5,489	41,647	341
401	RUGBY	80,755	24,436	134
402	SOLIHULL	46,015	13,231	80
403	WARWICK	66,639	44,047	307
404	STRATFORD-ON-AVON	79,051	21,249	129
405	ALCESTER	52,430	16,878	100
406	SHIPSTON-ON-STOUR	78,899	19,852	131
407	SOUTHAM	50,409	10,392	72

MARRIAGES.

No.	DISTRICTS.	According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
		Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Places: Roman Catholics.	In Registered Places: Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	22.—GLOUCESTER.—*cont.*												
336	GLOUCESTER	1	62	291	1	1	356	51	3	40	7	1	–
337	WHEATENHURST	–	12	30	–	3	45	–	–	–	–	–	–
338	STROUD	–	31	146	14	9	200	116	7	84	25	–	–
339	TETBURY	–	5	26	–	3	34	9	–	–	9	–	–
340	CIRENCESTER	–	21	93	1	7	122	28	–	27	1	–	–
341	NORTHLEACH	–	9	46	–	14	69	6	–	4	2	–	–
342	STOW-ON-THE-WOLD	–	8	55	–	2	65	6	–	6	–	–	–
343	WINCHCOMB	–	12	39	1	–	52	4	–	4	–	–	–
344	CHELTENHAM	–	77	225	1	8	311	90	5	49	36	–	–
345	TEWKESBURY	–	13	68	–	5	86	13	1	7	5	–	–
	23.—HEREFORDSHIRE.												
346	LEDBURY	–	16	48	–	–	64	19	–	18	1	–	–
347	ROSS	–	9	27	–	9	45	20	–	20	–	–	–
348	HEREFORD	–	55	134	4	38	231	81	3	19	58	1	–
349	WEOBLY	–	8	42	–	7	57	3	–	3	–	–	–
350	BROMYARD	–	10	46	–	7	63	7	–	7	–	–	–
351	LEOMINSTER	–	17	59	1	6	83	16	–	15	1	–	–
	24.—SHROPSHIRE.												
352	LUDLOW	–	30	78	1	6	115	13	–	11	2	–	–
353	CLUN	–	13	41	–	4	58	10	1	9	–	–	–
354	CHURCH STRETTON	–	7	28	–	–	35	–	–	–	–	–	–
355	CLEOBURY MORTIMER	–	3	36	1	3	43	1	–	–	1	–	–
356	BRIDGNORTH	–	20	53	–	10	83	17	3	6	8	–	–
357	SHIFFNAL	–	16	72	–	2	90	–	–	–	–	–	–
358	MADELEY	–	14	93	6	8	121	69	6	59	4	–	–
359	ATCHAM	–	14	48	–	19	81	14	–	2	12	–	–
360	SHREWSBURY	–	66	95	14	7	182	67	6	21	40	–	–
361	OSWESTRY	–	34	89	2	–	125	51	–	20	31	–	–
362	ELLESMERE	–	15	40	–	32	87	3	–	3	–	–	–
363a	WEM	–	14	22	3	1	40	29	–	29	–	–	–
363b	WHITCHURCH	–	20	66	–	–	86	9	–	9	–	–	–
364	MARKET DRAYTON	–	21	52	1	9	83	18	–	18	–	–	–
365	WELLINGTON	–	16	140	–	–	156	23	5	15	3	–	–
366	NEWPORT	–	21	63	1	2	87	16	2	11	3	–	–
	25.—STAFFORDSHIRE.												
367	STAFFORD	–	36	100	6	6	148	40	11	15	14	–	–
368	STONE	–	38	120	3	2	163	20	12	8	–	–	–
369	NEWCASTLE-UNDER-LYME	–	26	77	7	–	110	47	22	23	2	–	–
370	WOLSTANTON	–	40	382	33	2	457	100	20	50	30	–	–
371	STOKE-UPON-TRENT	–	53	548	12	3	616	76	37	31	7	1	–
372	LEEK	–	32	90	8	–	130	10	1	8	1	–	–
373	CHEADLE	–	22	114	–	–	136	23	12	11	–	–	–
374	UTTOXETER	–	23	44	–	1	68	4	–	4	–	–	–
375	BURTON-UPON-TRENT	–	32	193	1	20	246	37	3	26	8	–	–
376	TAMWORTH	–	14	67	1	4	86	8	1	1	6	–	–
377	LICHFIELD	–	30	144	–	6	180	29	10	9	10	–	–
378	PENKRIDGE	–	20	79	–	9	108	10	7	3	–	–	–
379	WOLVERHAMPTON	–	65	734	12	3	814	188	75	95	17	–	1
380	WALSALL	–	8	268	2	1	279	86	51	21	14	–	–
381	WEST BROMWICH	–	53	808	3	–	864	54	30	14	10	–	–
382	DUDLEY*	–	29	1207	–	3	1239	28	14	13	1	–	–
	26. WORCESTERSHIRE.												
383	STOURBRIDGE	–	31	476	3	–	510	31	3	23	5	–	–
384	KIDDERMINSTER	–	28	143	–	12	183	42	5	27	10	–	–
385	TENBURY	–	5	23	–	6	34	–	–	–	–	–	–
386	MARTLEY	–	17	70	–	1	88	1	–	1	–	–	–
387	WORCESTER	–	26	180	3	6	215	50	5	34	10	1	–
388	UPTON-ON-SEVERN	–	27	88	–	1	116	20	4	4	12	–	–
389	EVESHAM	–	7	71	–	5	83	24	2	14	8	–	–
390	PERSHORE	–	10	83	–	5	98	1	–	–	1	–	–
391	DROITWICH	–	24	158	1	–	183	2	1	–	1	–	–
392	BROMSGROVE	–	26	110	2	4	142	28	1	27	–	–	–
393	KINGS NORTON	–	56	547	3	12	618	14	–	14	–	–	–
	27.—WARWICKSHIRE.												
394	BIRMINGHAM	–	66	1567	44	4	1681	425	163	117	131	3	11
395	ASTON	–	60	703	4	–	767	43	9	16	18	–	–
396	MERIDEN	–	10	45	–	4	59	–	–	–	–	–	–
397	ATHERSTONE	–	11	36	–	12	59	12	–	10	2	–	–
398	NUNEATON	–	7	47	5	12	71	8	1	3	4	–	–
399	FOLESHILL	–	12	103	1	3	119	11	–	6	5	–	–
400	COVENTRY	–	25	230	23	–	278	63	7	25	31	–	–
401	RUGBY	–	18	97	1	–	116	18	2	14	2	–	–
402	SOLIHULL	–	5	69	–	5	79	1	1	–	–	–	–
403	WARWICK	–	53	184	19	7	263	44	5	37	2	–	–
404	STRATFORD-ON-AVON	–	16	95	–	10	121	8	2	6	–	–	–
405	ALCESTER	–	10	70	–	13	93	7	2	5	–	–	–
406	SHIPSTON-ON-STOUR	–	9	104	1	12	126	5	2	3	–	–	–
407	SOUTHAM	–	10	51	–	8	69	3	–	1	2	–	–

* The Town of Dudley is in Worcestershire, but the greater part of the Dudley District (382) being located in Staffordshire it is classed with that Registration County. See page 2, Note *.

† Includes a bachelor who married a woman divorced.

‡ Includes a man and a woman divorced who were re-married to each other, and also a man divorced who married a spinster.

§ Includes a man divorced who married a spinster.

MARRIAGES in the Year 1862—in DISTRICTS—*continued*.

MARRIAGES.												Signed the Marriage Register with Marks.				DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																22. GLOUCESTERSH-*cont.*
93	74	91	149	322	19	45	21	66	40	13	64	79	92	40	91	GLOUCESTER.
7	12	13	13	37	–	6	2	8	2	5	3	17	19	9	18	WHEATENHURST.
62	88	74	92	252	12	35	17	52	29	20	46	69	95	37	90	STROUD.
7	8	12	16	35	2	1	5	6	7	1	5	4	2	1	4	TETBURY.
40	30	32	48	126	4	15	5	20	9	8	31	43	31	19	33	CIRENCESTER.
15	14	16	30	61	4	9	1	10	5	5	21	20	22	9	24	NORTHLEACH.
12	11	10	38	60	4	5	2	7	6	5	9	27	13	12	16	STOW-ON-THE-WOLD.
11	18	10	17	48	3	3	2	5	5	2	6	18	10	7	14	WINCHCOMB.
76	98	107	120	324	11	50	16	66	27	20	41	47	43	13	64	CHELTENHAM.
12	23	14	50	76	9	10	4	14	13	6	22	32	34	19	28	TEWKESBURY.
																23.—HEREFORDSHIRE.
15	21	22	25	68	2	11	2	13	4	1	16	33	30	20	23	LEDBURY.
17	14	15	19	49	3	5	8	13	11	–	6	17	17	9	16	ROSS.
62	78	87	85	257	15	25	15	40	30	13	42	98	86	48	88	HEREFORD.
15	20	9	16	53	3	2	2	4	5	1	10	23	19	11	20	WEOBLY.
18	23	14	15	58	3	7	2	9	5	2	14	29	27	17	22	BROMYARD.
20	27	29	23	87	4	8	–	8	4	2	12	30	33	19	25	LEOMINSTER.
																24.—SHROPSHIRE.
17	54	26	31	102	4	14	8	22	12	3	8	32	31	15	33	LUDLOW.
11	26	15	16	60	–	6	2	8	2	–	16	22	23	11	23	CLUN.
12	9	7	7	27	2	3	3	6	5	2	4	10	8	6	6	CHURCH STRETTON.
4	11	15	14	39	–	4	1	5	1	7	12	16	14	11	8	CLEOBURY MORTIMER.
15	30	25	30	83	1	10	6	16	7	5	18	32	34	20	26	BRIDGNORTH.
24	14	22	30	80	4	1	5	6	9	4	15	38	37	21	33	SHIFFNAL.
36	51	45	58	155	3	15	17	32	20	8	34	76	101	64	49	MADELEY.
19	36	24	16	81	2	7	5	12	7	5	12	34	27	16	29	ATCHAM.
63	64	65	57	198	10	28	13	41	23	11	41	41	43	21	42	SHREWSBURY.
35	57	33	51	148	6	12	10	22	16	7	22	62	56	34	50	OSWESTRY.
25	26	19	20	76	6	6	2	8	8	2	8	31	34	18	29	ELLESMERE.
24	21	6	18	59	4	5	1	6	5	2	10	18	20	10	18	WEM.
24	17	21	33	82	1	12	–	12	1	5	13	29	38	20	27	WHITCHURCH.
29	24	17	31	83	4	7	7	14	11	5	16	40	39	26	27	MARKET DRAYTON.
39	42	44	54	156	5	10	8	18	13	10	32	89	105	70	54	WELLINGTON.
23	32	29	19	89	1	8	5	13	6	4	14	40	36	25	26	NEWPORT.
																25.—STAFFORDSHIRE.
38	52	45	53	149	6	20	13	33	19	10	43	50	67	33	51	STAFFORD.
39	48	39	57	151	8	11	13	24	21	13	30	48	71	32	55	STONE.
52	32	41	32	120	7	20	10	30	17	7	40	43	69	32	48	NEWCASTLE-UNDER-LYME.
115	141	123	178	453	31	40	33	73	64	56	149	247	301	191	166	WOLSTANTON.
129	151	197	215	576	27	53	36	89	63	55	190	231	324	175	205	STOKE-UPON-TRENT.
41	28	35	36	122	3	8	7	15	10	18	42	42	59	34	33	LEEK.
35	38	39	47	136	7	5	11	16	18	12	48	55	57	38	36	CHEADLE.
25	18	8	21	62	2	8	–	8	2	5	8	14	14	7	14	UTTOXETER.
66	53	65	99	248	8	20	7	27	15	19	59	67	84	35	81	BURTON-UPON-TRENT.
15	20	13	46	78	4	8	4	12	8	7	25	17	22	9	21	TAMWORTH.
53	51	47	58	177	5	18	9	27	14	11	43	50	56	32	42	LICHFIELD.
28	32	23	35	99	4	6	9	15	13	5	20	41	38	21	37	PENKRIDGE.
192	249	270	291	803	57	76	66	142	123	70	262	399	511	313	284	WOLVERHAMPTON.
88	90	91	96	299	22	17	27	44	49	42	124	133	172	98	109	WALSALL.
183	221	237	277	792	36	47	43	90	79	81	308	274	396	198	274	WEST BROMWICH.
244	313	296	414	1093	47	64	63	127	110	171	445	663	846	570	369	DUDLEY.
																26.—WORCESTERSHIRE.
82	121	148	190	463	17	32	29	61	46	52	155	210	288	170	158	STOURBRIDGE.
41	55	52	77	193	6	15	11	26	17	13	44	69	93	54	54	KIDDERMINSTER.
5	9	9	11	31	–	2	1	3	1	–	4	10	7	4	9	TENBURY.
21	22	22	24	67	10	9	3	12	13	3	12	30	29	17	25	MARTLEY.
47	75	70	73	217	16	22	10	32	26	11	45	57	75	29	74	WORCESTER.
25	26	35	50	113	3	12	8	20	11	5	21	43	32	18	39	UPTON-ON-SEVERN.
20	24	27	36	90	1	13	3	16	4	11	26	35	30	12	41	EVESHAM.
29	24	19	27	81	7	7	4	11	11	10	16	40	32	18	36	PERSHORE.
34	59	44	48	155	3	23	4	27	7	8	33	50	54	29	46	DROITWICH.
28	32	50	60	134	8	23	5	28	13	21	44	59	67	44	38	BROMSGROVE.
127	158	159	188	551	21	43	17	60	38	34	95	71	129	44	112	KINGS NORTON.
																27.—WARWICKSHIRE.
422	510	520	654	1714	105	183	104	287	209	188	485	544	785	384	561	BIRMINGHAM.
147	207	214	242	678	32	58	42	100	74	58	208	164	250	103	208	ASTON.
11	17	11	20	52	–	3	4	7	4	2	10	16	12	6	16	MERIDEN.
14	17	11	29	57	4	6	4	10	8	9	10	21	24	13	19	ATHERSTONE.
16	13	25	25	61	4	10	4	14	8	6	18	21	33	16	22	NUNEATON.
17	44	34	35	107	5	10	8	18	13	20	41	46	70	39	38	FOLESHILL.
64	83	98	96	282	8	34	17	51	25	18	61	72	125	45	107	COVENTRY.
23	35	28	48	117	5	5	7	12	12	7	18	20	21	8	25	RUGBY.
23	14	21	22	67	4	6	3	9	7	3	13	20	27	13	21	SOLIHULL.
55	78	89	85	247	13	33	14	47	27	19	47	44	28	8	56	WARWICK.
34	25	25	45	104	7	12	6	18	13	5	25	32	26	15	28	STRATFORD-ON-AVON.
11	33	23	33	83	4	9	4	13	8	4	16	41	36	25	27	ALCESTER.
23	29	21	58	116	2	7	6	13	8	8	28	42	37	17	45	SHIPSTON-ON-STOUR.
13	15	12	32	64	1	6	1	7	2	7	15	20	10	7	16	SOUTHAM.

VII.—NORTH MIDLAND COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Total Marriages.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
				MARRIAGES.	According to the Rites of the Established Church.						Not according to the Rites of the Established Church.	In Registered Places.				
	28.—LEICESTERSHIRE.															
408	Lutterworth	59,031	15,515	95	–	12	48	2	23	85	10	–	4	6	–	–
409	Market Harborough	64,094	16,059	95	–	9	60	1	9	79	16	–	12	4	–	–
410	Billesdon	50,721	7,272	55	–	6	45	–	2	53	2	–	–	2	–	–
411	Blaby *	34,207	14,305	98	–	12	63	–	–	75	23	–	4	19	–	–
412	Hinckley	28,070	16,374	108	–	10	76	–	–	86	22	–	18	4	–	–
413	Market Bosworth	53,526	13,428	90	–	11	59	–	13	83	7	–	7	–	–	–
414	Ashby-de-la-Zouch †	51,952	28,543	197	–	22	106	–	2	130	67	12	16	39	–	–
415	Loughborough †	43,840	24,147	173	–	19	82	20	7	128	45	10	32	3	–	–
416	Barrow-upon-Soar	47,868	19,778	153	–	12	110	3	3	128	25	–	12	13	–	–
417	Leicester *	3,960	68,056	756	–	52	447	51	–	550	206	25	79	102	–	–
418	Melton Mowbray	98,077	20,171	136	–	19	82	–	14	115	21	1	11	9	–	–
	29.—RUTLANDSHIRE.															
419	Oakham	55,030	11,112	69	–	9	46	–	1	56	13	–	3	10	–	–
420	Uppingham	52,698	12,367	74	–	7	46	–	17	70	4	–	4	–	–	–
	30.—LINCOLNSHIRE.															
421	Stamford	52,858	18,213	132	–	14	93	1	3	111	21	–	9	12	–	–
422	Bourn ‡	90,644	20,113	137	–	17	81	–	11	109	28	3	21	4	–	–
423	Spalding ‡	86,471	22,129	142	–	25	92	3	1	121	21	–	21	–	–	–
424	Holbeach	107,299	18,402	125	–	24	80	–	6	110	15	–	15	–	–	–
425	Boston	125,547	37,969	242	–	30	137	–	5	172	70	1	56	13	–	–
426	Sleaford	131,777	24,919	193§	–	29	120	–	7	156	37	–	12	25	–	–
427	Grantham	103,929	28,886	188	–	25	116	6	4	151	37	1	36	–	–	–
428	Lincoln	158,920	47,063	389	1	53	191	17	11	273	116	1	105	10	–	–
429	Horncastle	113,588	24,718	139	–	22	95	–	2	119	20	–	20	–	–	–
430	Spilsby	140,269	28,799	210	–	28	135	–	9	172	38	–	28	10	–	–
431	Louth	170,708	34,711	265	–	25	147	–	17	189	76	–	52	24	–	–
432	Caistor	183,164	37,517	289	–	26	157	–	4	187	102	4	97	1	–	–
433	Glanford Brigg	165,470	34,731	232	–	27	139	2	3	171	61	–	52	9	–	–
434	Gainsborough	108,668	25,973	170	–	33	105	–	–	138	32	–	16	16	–	–
	31.—NOTTINGHAMSH.															
435	East Retford	86,797	22,677	139	–	28	76	–	13	117	22	–	8	14	–	–
436	Worksop	80,850	20,704	127	–	14	101	4	1	120	7	6	1	–	–	–
437	Mansfield	55,960	30,593	216	–	19	154	1	3	177	39	–	23	16	–	–
438	Basford ‖	88,039	74,357	514	–	49	380	1	4	434	80	–	40	40	–	–
439	Radford	6,800	30,479	256	–	21	194	4	–	219	37	–	6	31	–	–
440	Nottingham ‖	1,870	74,693	805	–	83	591	1	1	676	129	22	62	42	1	2
441	Southwell	117,134	24,425	138	–	15	104	–	1	120	18	–	1	17	–	–
442	Newark	94,202	30,186	209	–	16	113	6	7	142	67	1	34	32	–	–
443	Bingham	68,139	15,670	80	–	16	50	1	3	70	10	–	3	7	–	–
	32.—DERBYSHIRE.															
444	Shardlow	73,290	31,113	167	–	30	120	1	4	155	12	–	11	1	–	–
445	Derby	2,970	51,049	561	–	60	285	38	1	384	177	28	61	88	–	–
446	Belper	66,590	51,711	430	–	46	264	1	–	311	119	–	111	8	–	–
447	Ashborne	100,937	20,648	132	–	34	81	–	10	125	7	1	5	1	–	–
448	Chesterfield	94,825	61,779	435	–	37	299	5	9	350	85	22	42	21	–	–
449	Bakewell	107,905	31,378	197	–	38	115	9	3	165	32	2	18	12	–	–
450	Chapel-en-le-Frith	63,248	14,020	90	–	23	59	–	7	89	1	–	1	–	–	–
451	Hayfield	48,855	32,176	157	–	21	94	5	–	120	37	20	17	–	–	–

VIII.—NORTH WESTERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Total Marriages.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	33.—CHESHIRE.															
452	Stockport	30,709	94,360	814	–	48	666	–	–	714	100	60	40	–	–	–
453	Macclesfield	81,561	61,543	466	–	58	343	18	2	421	45	27	13	4	1	–
454	Altrincham	73,665	40,517	233§	–	66	120	–	9	195	38	18	15	5	–	–
455	Runcorn	45,776	26,792	183	1	31	112	5	–	149	34	13	19	2	–	–
456	Northwich	65,445	33,338	210	–	51	126	–	–	177	33	5	25	3	–	–
457	Congleton	52,889	34,328	256	–	48	130	29	3	210	46	4	31	11	–	–
458	Nantwich	111,126	40,955	325	–	69	142	–	39	250	75	11	41	23	–	–
459	Great Boughton (Chester)	107,555	58,501	647¶	–	169	348	10	12	539	108	45	40	23	–	–
460a	Wirral	88,258	18,420	94	–	29	64	–	–	93	1	1	–	–	–	–
460b	Birkenhead	23,852	61,420	427	–	68	198	5	–	271	156	104	40	12	–	–
	34.—LANCASHIRE.															
461	Liverpool	2,220	269,742	3835	–	560	2303	62	–	2925	910	696	100	100	1	13
462	West Derby	50,567	225,845	1808§	–	364	998	16	6	1384	424	328	58	38	–	–
463	Prescot	56,859	73,127	546	–	43	342	1	–	386	160	145	15	–	–	–
464	Ormskirk	111,968	46,252	301	–	76	129	14	5	224	77	60	17	–	–	–
465	Wigan	47,018	94,561	718	–	34	364	82	–	480	238	127	52	59	–	–
466	Warrington	29,984	43,875	397	–	48	261	16	1	326	71	60	8	3	–	–
467	Leigh	23,610	37,700	261	–	22	75	9	–	106	155	30	123	2	–	–
468	Bolton	43,896	130,269	1098	–	86	585	75	3	749	349	103	143	103	–	–
469	Bury	32,990	101,135	677	–	33	332	100	–	465	212	34	161	17	–	–
470	Barton-upon-Irwell	23,279	39,038	272	–	46	189	2	–	237	35	12	23	–	–	–

* The parishes of Freaks Ground, Newfound Pool, and New Parks (population 131 in 1861) were on 30th January 1862 transferred from the west sub-district of Leicester (417) to the Enderby sub-district of Blaby (411).

† Bardon parish (population 63 in 1861) was transferred on 2d April 1862 from the Loughborough sub-district of Loughborough (415) to the Whitwick sub-district of Ashby-de-la-Zouch (414).

MARRIAGES in the Year 1862—in DISTRICTS.

MARRIAGES.												Signed the Marriage Register with Marks.				DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																28.—LEICESTERSHIRE.
15	18	15	47	78	6	6	5	11	11	9	8	25	24	12	25	LUTTERWORTH.
25	14	23	33	80	3	6	6	12	9	4	11	19	18	7	23	MARKET HARBOROUGH.
17	8	6	24	42	1	7	5	12	6	1	5	10	7	4	9	BILLESDON.
13	24	21	40	82	3	9	4	13	7	8	21	28	41	18	33	BLABY.
22	30	18	38	94	1	11	2	13	3	7	24	27	48	16	43	HINCKLEY.
15	19	13	43	80	2	6	2	8	4	5	16	26	24	11	28	MARKET BOSWORTH.
33	48	40	76	166	7	15	9	24	16	30	59	65	73	39	60	ASHBY-DE-LA-ZOUCH.
28	39	45	61	143	7	11	12	28	19	23	51	44	56	29	42	LOUGHBOROUGH.
26	36	34	57	123	7	15	8	23	15	11	41	51	58	33	43	BARROW-UPON-SOAR.
135	184	196	241	606	25	74	51	125	76	84	159	143	264	102	203	LEICESTER.
27	37	18	54	108	3	23	2	25	5	7	18	24	17	10	21	MELTON MOWBRAY.
																29.—RUTLANDSHIRE.
13	17	16	23	53	3	7	6	13	9	1	10	15	11	7	12	OAKHAM.
18	17	18	21	68	–	5	1	6	1	4	10	17	12	9	11	UPPINGHAM.
																30.—LINCOLNSHIRE.
27	37	31	37	116	5	8	3	11	8	6	21	27	25	13	26	STAMFORD.
28	33	34	42	111	5	15	6	21	11	8	20	32	36	18	32	BOURN.
20	50	33	39	122	5	12	3	15	8	10	32	38	31	12	45	SPALDING.
27	37	24	37	96	7	15	7	22	14	8	25	35	41	18	40	HOLBEACH.
43	79	57	63	187	14	27	14	41	28	9	56	59	69	33	62	BOSTON.
25	61	48	59	151	7	29	6	35	13	10	38	61	51	33	46	SLEAFORD.
31	63	41	53	159	6	15	8	23	14	9	35	38	33	17	37	GRANTHAM.
70	115	100	104	325	19	33	12	45	31	26	77	71	82	30	93	LINCOLN.
19	61	27	32	109	3	21	6	27	9	2	23	35	41	20	36	HORNCASTLE.
32	76	51	51	174	7	19	10	29	17	7	41	56	49	22	61	SPILSBY.
55	105	45	60	216	8	24	17	41	25	9	67	70	65	38	59	LOUTH.
58	109	51	71	244	9	20	16	36	25	7	65	61	93	38	78	CAISTOR.
33	104	40	55	192	7	23	10	33	17	15	56	48	61	22	65	GLANFORD BRIGG.
38	54	29	49	137	5	17	11	28	16	7	35	31	50	18	45	GAINSBOROUGH.
																31.—NOTTINGHAMSH.
26	51	21	41	120	3	14	2	16	5	9	40	29	39	16	36	EAST RETFORD.
29	29	34	35	103	6	13	5	18	11	8	26	32	32	16	32	WORKSOP.
35	53	50	78	182	9	13	12	25	21	20	54	61	89	40	70	MANSFIELD.
92	121	117	184	422	16	52	24	76	40	68	155	170	242	128	156	BASFORD.
45	62	59	90	216	7	21	12	33	19	25	62	59	119	43	92	RADFORD.
165	207	173	260	649	28	76	52	128	80	62	147	176	307	131	221	NOTTINGHAM.
28	37	23	50	104	12	13	9	22	21	8	16	32	41	16	41	SOUTHWELL.
31	70	49	59	170	4	27	8	35	12	14	44	51	51	25	52	NEWARK.
13	21	11	35	62	2	13	3	16	5	4	14	19	22	9	23	BINGHAM.
																32.—DERBYSHIRE.
21	51	33	62	145	3	16	3	19	6	15	29	30	36	14	38	SHARDLOW.
103	147	141	170	455	21	61	24	85	45	38	103	83	147	47	136	DERBY.
84	96	100	150	357	16	33	24	57	40	52	119	139	159	88	122	BELPER.
30	34	30	38	118	2	9	3	12	5	8	25	26	31	14	29	ASHBORNE.
95	107	93	140	351	23	45	16	61	39	34	126	133	174	90	127	CHESTERFIELD.
46	46	42	63	168	6	14	9	23	15	11	39	44	58	25	52	BAKEWELL.
16	16	26	32	76	2	8	4	12	6	5	21	19	29	10	28	CHAPEL-EN-LE-FRITH.
46	30	41	40	119	4	22	12	34	16	14	31	25	77	23	56	HAYFIELD.

MARRIAGES in the Year 1862—in DISTRICTS.

March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	DISTRICTS.
																33. CHESHIRE.
184	228	204	198	645	23	94	52	146	75	40	85	218	438	187	282	STOCKPORT.
115	112	112	127	356	15	68	27	95	42	37	93	106	202	77	154	MACCLESFIELD.
73	50	50	60	187	18	22	6	28	24	9	24	56	70	31	64	ALTRINCHAM.
27	54	56	46	159	4	12	8	20	12	8	37	46	62	28	52	RUNCORN.
57	41	49	63	173	12	14	11	25	23	22	51	70	94	49	66	NORTHWICH.
43	70	68	75	216	7	22	11	33	18	35	70	69	104	52	69	CONGLETON.
93	76	61	95	271	9	29	16	45	25	28	60	80	122	60	82	NANTWICH.
128	153	168	198	526	36	54	31	85	67	30	120	146	187	85	163	GREAT BOUGHTON (CHESTER).
24	27	13	30	78	4	11	1	12	5	1	15	14	21	10	15	WIRRAL.
82	106	124	115	347	22	40	18	58	40	21	72	93	125	64	90	BIRKENHEAD.
																34.—LANCASHIRE.
785	967	1023	1060	3001	274	313	247	560	521	254	875	951	1601	683	1186	LIVERPOOL.
378	460	482	488	1449	114	150	95	245	209	64	308	251	405	160	336	WEST DERBY.
134	126	135	151	463	25	25	33	58	58	56	163	248	326	207	160	PRESCOT.
59	74	82	86	252	17	24	8	32	25	22	56	97	144	78	85	ORMSKIRK.
186	174	197	161	602	24	52	40	92	64	87	202	305	482	260	267	WIGAN.
99	92	91	115	320	11	44	22	66	33	37	99	151	218	127	115	WARRINGTON.
77	66	62	56	202	4	45	10	55	14	28	57	102	181	91	101	LEIGH.
312	301	236	249	914	37	91	56	147	93	94	246	323	646	278	413	BOLTON.
173	186	167	151	546	22	70	39	109	61	50	122	169	342	141	229	BURY.
80	69	68	55	215	8	37	12	49	20	24	48	77	147	68	88	BARTON-UPON-IRWELL.

‡ The parish of St. Nicholas Deeping (population 1180 in 1861) was transferred on 27th May 1862 from the Deeping sub-district of the Bourn District (422) to the Spalding District (423), of which it now forms a sub-district.

§ Includes a man divorced who married a spinster.

‖ Standard Hill (and the limits of the Castle of Nottingham) containing a population of 1072 in 1861 was transferred on 8th April 1862 from the Park sub-district of the Nottingham district (440) to the Basford sub-district of Basford (438).

¶ Includes a bachelor who married a woman divorced.

VIII.—NORTH WESTERN COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Places. Roman Catholics.	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	34.—LANCASHIRE—*cont.*															
471	CHORLTON	11,549	169,579	480	–	62	210	8	–	280	200	102	67	31	–	–
472	SALFORD	4,830	105,335	552	–	29	314	9	16	368	184	122	48	14	–	–
473	MANCHESTER	12,628	243,988	3944	–	459	2941	36	30	3466	478	352	71	38	3	14
474	ASHTON-UNDER-LYNE	38,657	134,753	900	–	30	553	120	3	706	194	75	73	46	–	–
475	OLDHAM	16,872	111,276	721	–	21	537	25	–	583	138	48	51	39	–	–
476	ROCHDALE	40,340	91,754	680	–	31	356	21	1	409	271	34	154	83	–	–
477	HASLINGDEN	26,681	69,781	566	–	31	154	118	–	303	263	36	74	153	–	–
478	BURNLEY	54,126	75,595	575	–	44	198	82	–	324	251	26	111	114	–	–
479	CLITHEROE	114,697	20,476	157	–	31	65	14	–	110	47	25	22	–	–	–
480	BLACKBURN	43,569	119,942	840	–	65	272	142	–	479	361	133	148	80	–	–
481	CHORLEY	52,213	41,678	224	–	30	124	24	–	178	46	39	3	4	–	–
482	PRESTON	68,035	110,523	879	–	109	372	89	5	575	304	193	67	44	–	–
483	FYLDE	76,397	25,682	199	–	35	63	7	42	147	52	40	11	1	–	–
484	GARSTANG	62,617	12,425	75	–	22	30	–	–	52	23	17	2	4	–	–
485	LANCASTER	138,746	35,297	255	–	64	88	44	8	204	51	12	23	16	–	–
486	ULVERSTON	135,043	35,738	243	–	82	117	8	4	211	32	4	9	18	1	–

IX.—YORKSHIRE.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	35.—WEST RIDING.															
487	SEDBERGH	52,882	4,391	30	–	5	19	–	–	24	6	–	6	–	–	–
488	SETTLE	154,591	12,528	83	–	21	50	2	1	74	9	–	4	5	–	–
489	SKIPTON	157,073	31,343	214	–	25	101	10	20	156	58	3	13	42	–	–
490	PATELEY BRIDGE	74,275	9,534	59	–	9	38	4	–	51	8	–	6	2	–	–
491	RIPON	70,590	15,742	110	–	25	47	12	–	84	26	7	8	11	–	–
492a	GREAT OUSEBURN	51,808	11,534	55	–	12	33	1	–	46	9	1	1	7	–	–
492b	KNARESBOROUGH	39,942	17,176	164	–	39	47	22	3	111	53	9	14	30	–	–
492c	WETHERBY	32,459	6,668	32	–	8	17	2	–	27	5	–	–	5	–	–
492d	KIRKDEIGHTON	6,941	987	6	–	3	3	–	–	6	–	–	–	–	–	–
493a	OTLEY	43,254	18,669	110	–	12	52	6	–	70	40	6	10	24	–	–
493b	WHARFEDALE	30,798	15,453	117	–	7	99	1	–	107	10	–	3	5	2	–
494	KEIGHLEY	39,144	43,122	329	–	12	129	55	2	198	131	12	41	78	–	–
495	TODMORDEN	26,920	31,113	125	–	10	58	3	–	71	54	–	23	31	–	–
496	SADDLEWORTH	18,280	18,631	102	–	4	44	26	–	74	28	6	7	15	–	–
497	HUDDERSFIELD	66,560	131,336	1121	–	57	696	82	11	846	275	18	145	112	–	–
498	HALIFAX	51,784	128,673	1233	–	66	847	61	–	974	259	27	140	92	–	–
499	BRADFORD	40,334	196,475	1828	–	55	1439	32	1	1527	301	96	135	70	–	–
500	HUNSLET * †	34,612	102,418	583	–	38	321	17	3	379	204	2	37	165	–	–
501	LEEDS	2,100	117,566	1652	–	96	1104	68	–	1268	384	154	104	120	5	1
502	DEWSBURY	24,456	92,883	1002	–	39	572	197	1	809	193	53	82	58	–	–
503	WAKEFIELD *	41,028	54,899	430	–	58	254	36	4	352	78	17	25	35	1	–
504a	PONTEFRACT *	27,465	14,635	190	–	22	100	21	9	152	38	11	7	20	–	–
504b	HEMSWORTH	33,870	7,793	39	–	8	23	1	–	32	7	–	1	6	–	–
504c	CASTLEFORD *	37,613	19,954	98	–	6	56	1	17	80	18	–	3	15	–	–
505	BARNSLEY	35,376	45,797	344	–	23	248	30	–	301	43	10	16	17	–	–
506	WORTLEY	85,790	38,511	209	–	18	164	8	13	203	6	–	3	3	–	–
507	ECCLESALL BIERLOW	20,860	63,618	199	–	16	135	1	–	152	47	–	39	8	–	–
508	SHEFFIELD	10,590	128,951	1805	–	115	1544	7	–	1666	139	50	62	26	–	1
509	ROTHERHAM	50,591	44,350	327	–	29	233	3	3	268	59	13	30	16	–	–
510	DONCASTER	109,031	39,388	265	–	33	151	–	3	187	78	3	20	55	–	–
511	THORNE	71,946	16,011	106	–	20	70	1	–	91	15	–	9	6	–	–
512	GOOLE	40,908	15,153	120	–	25	78	–	–	103	17	–	14	3	–	–
513	SELBY	56,014	16,001	105	–	22	54	–	–	76	29	8	11	10	–	–
514a	TADCASTER *	17,902	4,805	50	–	10	16	–	8	34	16	5	1	10	–	–
514b	BRAMHAM (*from 28 May*)*	48,643	13,899	68	–	16	35	–	–	51	17	11	–	6	–	–
	36.—E. RIDING (*with York*).															
515	YORK	82,912	59,909	565	–	136	247	2	1	386	179	34	55	89	1	–
516	POCKLINGTON	107,636	16,710	93	–	17	45	–	16	78	15	3	2	10	–	–
517	HOWDEN	72,253	15,001	111	–	17	71	–	–	88	23	17	4	2	–	–
518	BEVERLEY	78,434	21,029	157	–	39	78	–	1	118	39	3	10	26	–	–
519	SCULCOATES	45,084	51,956	581	–	78	373	16	15	482	99	42	33	24	–	–
520	HULL	1,827	56,888	690‡	–	111	455	4	–	570	120	–	56	59	–	5
521	PATRINGTON	88,872	9,681	45	–	7	36	–	2	45	–	–	–	–	–	–
522	SKIRLAUGH	67,028	9,654	46	–	7	27	–	7	41	5	–	3	2	–	–
523	DRIFFIELD	105,114	19,226	124	–	19	61	1	1	82	42	–	25	17	–	–
524	BRIDLINGTON	67,984	14,371	95	–	28	53	–	2	83	12	–	9	3	–	–
	37.—NORTH RIDING.															
525	SCARBOROUGH	81,460	30,425	256	–	40	116	–	5	161	95	13	39	41	2	–
526	MALTON	112,407	23,483	140	–	26	85	–	2	113	27	2	9	16	–	–
527	EASINGWOLD	63,603	10,148	64	–	19	35	–	2	56	8	6	1	1	–	–
528	THIRSK	62,444	12,299	94	–	20	33	–	10	63	31	–	13	18	–	–
529	HELMSLEY	131,516	11,832	90	–	28	55	–	1	84	6	1	4	1	–	–
530	PICKERING	88,062	10,549	75	–	20	37	–	7	64	11	–	9	2	–	–
531	WHITBY	90,371	23,633	158	–	40	48	22	14	124	34	8	19	7	–	–
532	GUISBROUGH	96,862	22,128	140	–	31	66	2	24	123	17	–	–	17	–	–
533	STOKESLEY	79,315	10,381	81	–	22	36	3	–	61	20	4	1	15	–	–
534	NORTHALLERTON	68,342	12,174	90	–	20	49	–	–	69	21	–	8	13	–	–
535	BEDALE	45,588	8,650	66	–	17	36	–	–	53	13	–	6	7	–	–
536	LEYBURN	84,918	10,105	51	–	10	32	–	5	47	4	–	–	4	–	–
537	ASKRIGG	77,308	5,649	31	–	7	24	–	–	31	–	–	–	–	–	–
538	REETH	70,267	6,196	39	–	6	31	–	–	37	2	–	2	–	–	–
539	RICHMOND	78,569	13,457	66	–	17	22	–	6	45	21	5	6	10	–	–

* Changes were made in the constitution of the Districts of Hunslet (500), Wakefield (503), Pontefract (504 *a*), and Tadcaster (514 *a*), and four new districts, viz., Kirkstall, Holbeck, Castleford, and Bramham, were formed therefrom during the year 1862. For particulars see "List of Changes," p. 172.

ARRIAGES in the Year 1862—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of March.	June.	September.	December.	Contracted between Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Of Widowers.	Of Widows.	Of Persons not of Full Age. Men.	Women.	Signed the Marriage Register with Marks. Men.	Women.	Cases in which Both signed.	One signed.	DISTRICTS.
																34.—LANCASHIRE—*cont.*
91	149	140	100	388	23	43	26	69	49	37	73	70	141	58	95	CHORLTON.
126	145	141	140	454	12	49	37	86	49	66	151	142	283	121	183	SALFORD.
829	1052	1018	1045	3106	173	412	253	665	426	341	924	715	1768	575	1333	MANCHESTER.
225	220	220	235	749	25	70	56	126	81	72	122	214	483	185	327	ASHTON-UNDER-LYNE.
172	195	184	170	576	26	68	51	119	77	63	179	213	459	190	292	OLDHAM.
169	187	158	166	536	28	64	52	116	80	58	187	160	373	131	271	ROCHDALE.
142	145	141	138	472	19	48	27	75	46	72	133	153	336	127	235	HASLINGDEN.
128	141	175	131	449	23	60	43	103	66	61	130	179	352	154	223	BURNLEY.
28	45	35	49	129	2	19	7	26	9	12	24	17	63	16	48	CLITHEROE.
216	200	243	181	686	19	80	55	135	74	101	209	253	551	230	344	BLACKBURN.
63	67	60	34	187	9	24	4	28	13	21	43	64	122	55	76	CHORLEY.
220	213	249	197	697	36	95	51	146	87	85	154	267	531	230	338	PRESTON.
57	40	47	55	169	7	19	4	23	11	18	40	48	85	34	65	FYLDE. ‡
24	20	11	20	67	1	6	1	7	2	5	17	10	23	8	17	GARSTANG.
61	76	55	63	209	9	24	13	37	22	15	40	53	88	33	75	LANCASTER.
48	74	55	66	210	12	17	4	21	16	9	44	59	71	37	56	ULVERSTON.

MARRIAGES in the Year 1862—in DISTRICTS.

March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	DISTRICTS.
																35.—WEST RIDING.
4	10	5	11	24	1	4	1	5	2	4	9	4	6	4	2	SEDBERGH.
14	23	27	19	70	5	7	1	8	6	1	17	20	19	6	27	SETTLE.
50	54	49	61	175	7	27	5	32	12	17	38	38	91	27	75	SKIPTON.
15	17	16	11	51	1	5	2	7	3	3	12	7	23	5	20	PATELEY BRIDGE.
25	36	22	27	91	2	13	4	17	6	5	24	18	23	12	17	RIPON.
16	12	7	20	45	2	6	2	8	4	5	8	9	14	6	11	GREAT OUSEBURN.
32	54	26	52	122	9	25	8	33	17	8	22	37	40	19	30	KNARESBOROUGH.
5	4	11	12	29	–	2	1	3	1	1	3	4	5	3	3	WETHERBY.
1	1	1	3	6	–	–	–	–	–	–	1	1	–	–	1	KIRKDEIGHTON.
25	20	34	31	81	6	19	4	23	10	4	19	32	41	22	29	OTLEY.
20	27	29	41	102	4	5	6	11	10	5	31	24	38	13	36	WHARFEDALE.
69	71	88	101	254	8	42	25	67	33	31	64	72	158	57	116	KEIGHLEY.
37	37	21	30	105	3	10	7	17	10	15	25	32	71	28	47	TODMORDEN.
25	35	25	17	82	4	12	4	16	8	4	14	19	47	12	42	SADDLEWORTH.
249	275	284	313	906	41	105	69	174	110	57	196	185	508	155	383	HUDDERSFIELD.
305	311	292	325	1015	35	110	73	183	108	107	277	257	573	206	418	HALIFAX.
431	435	429	533	1468	48	198	114	312	162	189	415	464	1035	389	721	BRADFORD.
128	143	149	163	469	20	53	41	94	61	67	161	118	246	87	190	HUNSLET.
347	385	450	470	1308	71	168	105	273	176	144	435	375	672	274	499	LEEDS.
217	225	271	289	849	33	65	55	120	88	143	307	273	579	236	380	DEWSBURY.
109	110	107	104	342	15	50	23	73	38	45	121	108	160	65	138	WAKEFIELD. †
58	39	44	49	155	5	15	15	30	20	10	43	63	75	45	48	PONTEFRACT.
10	5	12	12	35	1	2	1	3	2	2	7	6	5	1	9	HEMSWORTH.
–	28	33	37	86	1	7	4	11	5	14	31	31	41	24	24	CASTLEFORD.
73	79	85	107	272	24	32	16	48	40	30	108	110	164	69	136	BARNSLEY.
41	58	48	62	185	6	12	6	18	12	7	70	67	81	47	54	WORTLEY.
47	38	54	60	170	4	17	8	25	12	19	65	31	51	17	48	ECCLESALL BIERLOW.
385	419	470	531	1471	93	130	111	241	204	211	650	466	769	320	595	SHEFFIELD.
77	76	80	94	273	17	20	17	37	34	35	124	78	118	52	92	ROTHERHAM.
81	57	54	73	211	8	35	11	46	19	17	49	53	67	29	62	DONCASTER.
31	31	12	32	89	1	9	7	16	8	5	32	25	37	16	30	THORNE.
22	32	24	42	95	4	14	7	21	11	7	34	24	34	10	38	GOOLE.
21	19	24	41	85	2	14	4	18	6	3	25	26	39	17	31	SELBY.
31	8	7	4	45	–	2	3	5	3	2	12	10	13	5	13	TADCASTER.
–	20	25	23	56	1	8	3	11	4	3	7	11	22	7	19	BRAMHAM.
																36.—E. RIDING (*with York*).
122	135	141	167	465	17	63	20	83	37	21	90	84	138	47	128	YORK.
15	22	18	28	73	1	10	9	19	10	2	17	28	33	18	25	POCKLINGTON.
27	20	18	46	94	4	7	6	13	10	9	34	29	47	20	36	HOWDEN.
30	36	29	62	138	5	11	3	14	8	5	26	25	32	12	33	BEVERLEY.
110	136	131	204	468	20	56	37	93	57	54	150	99	168	56	155	SCULCOATES.
175	170	158	187	553	40	61	36	97	76	47	146	111	210	62	197	HULL.
7	12	7	19	41	2	2	–	2	2	2	12	14	11	8	9	PATRINGTON.
10	11	7	18	36	4	4	2	6	6	4	8	10	11	5	11	SKIRLAUGH.
34	22	19	49	98	4	13	9	22	13	8	28	27	33	13	34	DRIFFIELD.
20	13	15	47	77	–	14	4	18	4	10	28	22	21	11	21	BRIDLINGTON.
																37.—NORTH RIDING.
54	69	48	85	195	4	42	15	57	19	6	48	40	61	18	65	SCARBOROUGH.
24	40	16	60	117	7	11	5	16	12	5	23	23	37	12	36	MALTON.
11	13	15	25	54	1	7	2	9	3	2	12	20	19	10	19	EASINGWOLD.
16	21	12	45	77	2	10	5	15	7	3	20	13	21	4	26	THIRSK.
23	19	18	30	81	2	4	3	7	5	3	19	15	27	8	26	HELMSLEY. ‡
22	15	13	25	69	2	3	1	4	3	3	13	17	20	6	25	PICKERING.
41	27	44	46	137	5	8	8	16	13	7	35	26	43	17	35	WHITBY.
27	45	27	41	111	8	16	5	21	13	7	28	23	44	16	35	GUISBROUGH.
17	32	9	23	69	1	9	2	11	3	3	15	11	19	5	20	STOKESLEY.
14	23	13	40	80	4	3	3	6	7	5	17	16	20	6	24	NORTHALLERTON.
8	18	10	30	47	3	12	4	16	7	1	8	11	13	6	12	BEDALE.
7	12	9	23	47	2	2	–	2	2	1	10	7	10	5	7	LEYBURN.
6	13	4	8	27	1	2	1	3	2	3	6	5	9	2	10	ASKRIGG.
4	18	9	8	34	1	3	1	4	2	2	13	9	18	4	19	REETH.
8	23	18	17	56	1	6	3	9	4	1	7	11	10	4	13	RICHMOND.

† In October and November 1862 two new districts, viz., Kirkstall and Holbeck, were formed out of the Hunslet district; but to avoid the inconvenience of disturbing the Tables they will be returned as heretofore in this year's Abstract. Of the 163 marriages entered for the December quarter in the Hunslet district 70 took place in the district of Kirkstall (population 60,831 in 1861), 25 in the Holbeck district (population 15,824 in 1861).

‡ Includes a man divorced who married a spinster.

X.—NORTHERN COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	MARRIAGES. Not according to the Rites of the Established Church. TOTAL.	In Registered Places. Roman Catholics.	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews
	38.—DURHAM.															
540	DARLINGTON	62,952	26,122	253	–	50	66	55	–	171	82	24	11	43	4	–
541a	STOCKTON	101,358	57,099	556	–	71	204	34	–	309	247	44	25	178	–	–
541b	HARTLEPOOL	26,369	29,153	275	–	39	132	1	–	172	103	14	63	26	–	–
542	AUCKLAND	59,303	50,491	442	–	28	150	33	–	211	231	38	15	178	–	–
543	TEESDALE	174,162	20,880	154	–	30	45	2	16	93	61	5	9	47	–	–
544	WEARDALE	90,533	16,418	128	–	30	50	2	2	84	44	8	9	27	–	–
545	DURHAM	98,368	70,274	527	–	51	222	20	4	297	230	69	28	133	–	–
546	EASINGTON	38,493	27,293	255	–	18	180	28	11	237	18	6	–	12	–	–
547	HOUGHTON-LE-SPRING	16,202	21,773	121	–	8	79	5	–	92	29	10	15	4	–	–
548	CHESTER-LE-STREET	33,079	27,660	114	–	3	81	1	4	89	25	16	5	4	–	–
549	SUNDERLAND	11,944	90,704	1015	–	103	564	47	–	714	301	84	55	156	2	4
550	SOUTH SHIELDS	15,477	44,849	418	–	31	315	1	1	348	70	31	29	10	–	–
551	GATESHEAD	25,943	59,409	462	–	31	209	7	13	260	202	72	15	115	–	–
	39.—NORTHUMBERLD.															
552	NEWCASTLE-UPON-TYNE	7,102	110,968	1707*	–	156	1076	30	2	1264	443	120	56	265	–	2
553	TYNEMOUTH	39,737	77,955	605	–	78	365	4	–	447	158	55	54	47	–	2
554	CASTLE WARD	88,587	14,943	41	–	13	21	–	–	34	7	2	–	5	–	–
555	HEXHAM	198,586	31,850	220†	–	42	85	2	–	129	91	6	8	77	–	–
556	HALTWHISTLE	83,861	6,693	51	–	19	26	–	–	45	6	–	–	6	–	–
557	BELLINGHAM	235,861	7,080	36	–	12	13	–	1	26	10	1	8	1	–	–
558	MORPETH	95,429	24,003	132	–	21	45	2	4	72	60	8	4	48	–	–
559	ALNWICK	98,935	21,053	100	–	15	25	1	–	41	59	8	30	21	–	–
560	BELFORD	41,753	6,260	40	–	7	11	–	–	18	22	1	8	13	–	–
561	BERWICK	57,975	21,862	113	–	9	6	2	1	18	95	6	22	67	–	–
562	GLENDALE	142,305	13,211	66	–	3	15	1	–	19	47	4	11	32	–	–
563	ROTHBURY	159,168	7,147	30	–	4	12	3	–	19	11	1	6	4	–	–
	40.—CUMBERLAND.															
564	ALSTON	35,060	6,404	35	–	12	12	–	1	25	10	–	9	1	–	–
565	PENRITH	181,236	22,322	147	–	55	29	1	–	85	62	–	8	54	–	–
566	BRAMPTON	95,473	10,866	56	–	15	14	1	–	30	26	–	2	24	–	–
567	LONGTOWN	86,871	10,469	42	–	20	15	–	–	35	7	–	–	7	–	–
568	CARLISLE	70,810	44,820	338	1	65	32	5	2	105	233	19	20	194	–	–
569	WIGTON	176,529	23,273	152	–	71	25	5	5	106	46	2	3	41	–	–
570	COCKERMOUTH	156,025	41,292	303	–	95	76	24	4	199	104	22	9	72	1	–
571	WHITEHAVEN	99,203	39,950	365	–	73	30	54	21	178	187	54	26	107	–	–
572	BOOTLE	100,066	5,880	36	–	25	9	–	1	35	1	–	–	1	–	–
	41.—WESTMORLAND.															
573	EAST WARD	177,910	15,411	90	–	50	32	1	–	83	7	–	6	1	–	–
574	WEST WARD	120,523	8,072	44	–	20	18	–	1	39	5	–	–	5	–	–
575	KENDAL	189,134	37,463	278	–	95	96	40	3	234	44	4	12	27	1	–

XI.—MONMOUTHSHIRE AND WALES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews
	42.—MONMOUTHSHIRE.															
576	CHEPSTOW	81,255	17,941	108	–	17	65	–	9	91	17	2	14	1	–	–
577	MONMOUTH	101,791	30,244	201	–	6	105	2	23	136	65	–	65	–	–	–
578a	ABERGAVENNY	60,178	19,527	137	–	20	44	6	1	71	66	5	22	39	–	–
578b	BEDWELTY	27,998	47,565	394	–	11	133	2	47	193	201	–	151	50	–	–
579	PONTYPOOL	51,429	30,288	242	–	17	135	6	2	160	82	11	24	47	–	–
580	NEWPORT	110,255	51,412	436	–	39	178	1	–	218	218	35	85	98	–	–
	43.—SOUTH WALES.															
	GLAMORGANSHIRE.															
581	CARDIFF	117,797	74,575	672	–	77	152	8	6	243	429	79	133	216	–	1
582	MERTHYR TYDFIL	112,886	107,105	879	–	18	190	3	–	211	668	46	327	293	–	2
583	BRIDGEND	109,511	26,465	182	–	28	86	–	2	116	66	3	39	24	–	–
584	NEATH	162,817	58,533	471	–	45	214	1	1	261	210	–	64	146	–	–
585a	SWANSEA	44,166	51,260	491	–	92	201	–	–	293	198	20	61	117	–	–
585b	GOWER	59,603	8,316	33	–	12	8	–	2	22	11	–	6	5	–	–
	CARMARTHENSHIRE.															
586	LLANELLY	73,451	27,979	269	–	21	96	1	–	118	151	–	137	14	–	–
587	LLANDOVERY	154,572	14,775	116	–	11	42	–	3	56	60	–	35	25	–	–
588	LLANDILOFAWR	97,207	17,222	113	–	6	55	10	1	72	41	–	38	3	–	–
589	CARMARTHEN	172,546	36,675	250	–	29	89	6	16	140	110	4	73	33	–	–
	PEMBROKESHIRE.															
590	NARBERTH	124,903	21,344	124	–	15	56	1	4	76	48	–	36	12	–	–
591	PEMBROKE	70,276	29,003	246	1	39	91	12	–	143	103	1	26	76	–	–
592	HAVERFORDWEST	170,861	37,343	282	–	50	91	22	6	169	113	–	43	70	–	–
	CARDIGANSHIRE.															
593	CARDIGAN	85,481	18,585	135	–	26	32	–	–	58	77	–	77	–	–	–
594	NEWCASTLE-IN-EMLYN	113,346	19,081	118	–	4	39	5	2	50	68	–	40	28	–	–
595	LAMPETER	75,710	9,994	78	–	8	43	3	–	54	24	–	24	–	–	–

* Includes a man divorced who married a spinster.

† Includes a widower who married a woman divorced.

MARRIAGES in the Year 1862—in DISTRICTS.

MARRIAGES.												Signed the Marriage Register with Marks.				DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																38.—DURHAM.
47	62	59	85	208	10	21	14	35	24	9	42	38	61	24	51	DARLINGTON.
103	156	124	173	447	38	37	34	71	72	29	128	125	201	80	166	STOCKTON.
55	80	60	80	236	10	18	11	29	21	12	77	40	75	20	75	HARTLEPOOL.
94	109	105	134	355	21	40	26	66	47	42	155	146	213	110	139	AUCKLAND.
28	55	29	42	118	7	21	8	29	15	6	31	18	31	7	35	TEESDALE.
27	42	24	35	105	6	11	6	17	12	2	25	20	34	12	30	WEARDALE.
109	147	119	152	438	21	43	25	68	46	41	168	160	246	118	170	DURHAM.
56	77	60	62	217	13	14	11	25	24	23	94	83	127	62	86	EASINGTON.
27	27	33	34	96	8	10	7	17	15	7	33	44	64	36	36	HOUGHTON-LE-SPRING.
28	31	21	34	101	1	11	1	12	2	8	40	46	62	36	36	CHESTER-LE-STREET.
245	278	240	252	828	48	79	60	139	108	89	330	207	380	139	309	SUNDERLAND.
113	85	103	117	332	29	29	28	57	57	16	91	91	167	58	142	SOUTH SHIELDS.
114	105	121	122	390	16	39	17	56	33	37	125	120	200	98	124	GATESHEAD.
																39. NORTHUMBERLAND.
387	435	420	465	1426	81	123	77	200	158	66	235	303	536	224	391	NEWCASTLE-UPON-TYNE.
139	157	156	153	491	39	46	29	75	68	38	115	120	211	84	163	TYNEMOUTH.
7	20	9	5	36	1	3	1	4	2	1	5	5	13	3	12	CASTLE WARD.
38	80	34	68	196	4	16	4	20	8	7	26	30	55	14	57	HEXHAM.
7	17	10	17	41	2	7	1	8	3	2	9	5	8	3	7	HALTWHISTLE.
7	10	7	12	30	1	8	2	5	3	–	4	2	3	1	3	BELLINGHAM.
33	37	33	29	102	7	19	4	23	11	10	20	18	33	11	29	MORPETH.
26	22	23	29	81	6	11	2	13	8	4	8	9	12	3	15	ALNWICK.
5	20	8	7	36	1	3	–	3	1	–	4	–	3	–	3	BELFORD.
31	30	25	27	100	4	6	3	9	7	7	11	15	19	10	14	BERWICK.
18	15	18	15	60	–	6	–	6	–	2	8	3	4	3	1	GLENDALE.
10	4	7	9	24	1	4	1	5	2	1	1	4	5	3	3	ROTHBURY.
																40.—CUMBERLAND.
4	15	9	7	24	1	8	2	10	3	2	9	11	11	6	10	ALSTON.
23	49	27	48	132	2	9	4	13	6	8	20	14	23	4	29	PENRITH.
8	15	20	13	49	3	4	–	4	3	3	10	8	16	5	14	BRAMPTON.
9	14	8	11	40	–	1	1	2	1	–	10	3	5	1	6	LONGTOWN.
71	80	81	106	278	15	33	12	45	27	24	64	47	108	27	101	CARLISLE.
30	42	28	52	131	5	12	4	16	9	7	21	18	29	10	27	WIGTON.
61	77	57	108	263	17	17	6	23	23	12	59	69	103	48	76	COCKERMOUTH.
71	79	97	118	310	19	22	14	36	33	17	81	100	134	71	92	WHITEHAVEN.
4	9	10	13	28	–	7	1	8	1	1	5	10	6	4	8	BOOTLE.
																41.—WESTMORLAND.
20	26	15	29	81	2	6	1	7	3	2	15	9	10	1	17	EAST WARD.
7	14	5	18	38	–	6	–	6	–	–	6	4	5	2	5	WEST WARD.
61	69	67	81	231	8	31	8	39	16	11	34	34	45	21	37	KENDAL.

MARRIAGES in the Year 1862—in DISTRICTS.

March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	DISTRICTS.
																42.—MONMOUTHSHIRE.
13	30	33	32	90	6	6	6	12	12	6	15	28	30	16	26	CHEPSTOW.
50	50	40	61	172	11	13	5	18	16	12	47	67	55	34	54	MONMOUTH.
23	44	37	33	115	8	8	6	14	14	10	30	57	58	40	35	ABERGAVENNY.
89	91	90	124	321	24	20	29	49	53	27	87	211	301	193	126	BEDWELTY.
49	57	64	72	194	12	21	15	36	27	13	55	122	157	100	79	PONTYPOOL.
93	102	117	124	347	31	35	23	58	54	29	97	139	170	84	141	NEWPORT.
																43.—SOUTH WALES.
																GLAMORGANSHIRE.
138	169	179	186	551	49	46	26	72	75	48	165	237	299	159	218	CARDIFF.
173	187	227	292	714	44	67	54	121	98	64	180	464	662	415	296	MERTHYR TYDFIL.
31	55	37	59	153	7	17	5	22	12	7	31	73	83	49	58	BRIDGEND.
103	115	111	142	404	19	33	15	48	34	35	105	195	294	159	171	NEATH.
96	109	130	156	421	22	34	14	48	36	31	105	153	250	123	157	SWANSEA.
7	11	6	9	26	–	5	2	7	2	2	4	10	14	8	8	GOWER.
																CARMARTHENSHIRE.
48	70	65	86	231	8	21	9	30	17	24	55	95	158	75	103	LLANELLY.
21	24	24	47	93	3	18	2	20	5	4	17	34	74	28	52	LLANDOVERY.
25	27	23	38	91	4	12	6	18	10	5	17	39	65	34	36	LLANDILOFAWR.
48	44	42	116	201	13	29	7	36	20	12	29	78	144	63	96	CARMARTHEN.
																PEMBROKESHIRE.
22	21	25	56	107	3	11	3	14	6	9	7	35	64	26	47	NARBERTH.
44	41	82	79	207	7	24	8	32	15	12	23	54	108	41	80	PEMBROKE.
51	71	68	92	231	9	27	15	42	24	26	42	72	127	53	93	HAVERFORDWEST.
																CARDIGANSHIRE.
36	15	31	53	112	3	10	10	20	13	3	5	24	65	23	43	CARDIGAN.
20	31	25	42	98	–	15	5	20	5	7	7	21	77	18	62	NEWCASTLE-IN-EMLYN.
24	16	10	28	71	2	4	1	5	3	2	10	25	58	24	35	LAMPETER.

XI.—MONMOUTHSHIRE AND WALES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	MARRIAGES. Not according to the Rites of the Established Church. TOTAL.	In Registered Places. Roman Catholics.	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	43. SOUTH WALES *cont.*															
	CARDIGANSHIRE—*cont.*															
596	ABERAYRON	65,704	13,540	88	–	21	41	2	–	64	24	–	22	2	–	–
597	ABERYSTWITH	132,592	25,464	190	–	44	65	21	–	130	60	–	27	33	–	–
598	TREGARON	122,050	10,737	53	–	10	25	7	–	42	11	–	5	6	–	–
	BRECKNOCKSHIRE.															
599	BUILTH	102,953	8,305	41	–	2	14	–	14	30	11	–	11	–	–	–
600	BRECKNOCK	196,793	17,279	134	–	22	43	7	8	80	54	5	31	18	–	–
601	CRICKHOWELL	53,692	22,457	190	–	9	64	1	–	74	116	–	104	12	–	–
602	HAY	89,695	10,819	64	–	12	37	–	–	49	15	–	15	–	–	–
	RADNORSHIRE.															
603	PRESTEIGNE	104,963	15,671	88	–	6	47	–	14	67	21	–	18	3	–	–
604	KNIGHTON	97,492	10,379	51	–	12	31	–	1	44	7	–	6	1	–	–
605	RHAYADER	105,532	6,816	44	–	8	18	–	10	36	8	–	8	–	–	–
	44.—NORTH WALES.															
	MONTGOMERYSHIRE.															
606	MACHYNLLETH	116,647	12,395	101	–	16	27	2	1	46	55	–	33	22	–	–
607	NEWTOWN	189,537	23,732	192	–	33	49	19	20	121	71	–	66	5	–	–
608	MONTGOMERY	74,067	19,097	124	–	21	53	2	–	76	48	–	32	16	–	–
609	LLANFYLLIN	187,870	21,699	149	–	38	58	7	12	115	34	–	33	1	–	–
	FLINTSHIRE.															
610	HOLYWELL	89,479	39,941	214	–	30	124	6	–	160	54	15	25	14	–	–
	DENBIGHSHIRE.															
611	WREXHAM	78,592	47,975	364	–	17	210	3	5	235	129	7	26	96	–	–
612	RUTHIN	92,853	16,083	97	–	15	31	–	12	58	39	–	10	29	–	–
613	ST. ASAPH	93,934	27,518	173	–	31	31	5	10	77	96	2	94	–	–	–
614	LLANRWST	100,631	12,770	86	–	9	12	6	–	27	59	–	13	46	–	–
	MERIONETHSHIRE.															
615	CORWEN	123,807	16,107	124	–	14	60	3	4	81	43	–	36	7	–	–
616	BALA	58,292	6,352	49	–	4	11	3	–	18	31	–	31	–	–	–
617	DOLGELLY	145,213	12,482	79	–	8	15	6	3	32	47	–	34	13	–	–
618	FESTINIOG	138,714	18,289	153	–	33	14	1	–	48	105	–	94	11	–	–
	CARNARVONSHIRE.															
619	PWLLHELI	93,319	20,908	118	–	42	11	–	2	55	63	–	28	35	–	–
620	CARNARVON	97,635	32,425	267	1	53	44	27	–	125	142	–	24	118	–	–
621	BANGOR	108,280	36,309	300	–	90	40	21	8	159	141	1	37	103	–	–
622	CONWAY	57,131	13,896	96	–	16	45	3	4	68	28	–	24	4	–	–
	ANGLESEY.															
623*	ANGLESEY	123,082	38,157	236	–	69	111	4	8	187	49	1	43	5	–	–

* The number of districts is increased to 639 by the formation of the following 16 new districts: Mile End Old Town (24 *b*), Dulverton (313 *b*), Whitchurch, Salop (363 *b*), Birkenhead (460 *b*), Great Ouseburn (492 *a*), Wetherby (492 *c*), Kirkdeighton (492 *d*), Wharfedale (493 *b*), Kirkstall (500 *a*), Holbeck (500 *c*), Hemsworth (504 *b*), Castleford (504 *c*), Bramham (514 *b*), Hartlepool (541 *b*), Bedwelty (578 *b*), and Gower (585 *b*).

MARRIAGES in the Year 1862—in DISTRICTS—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																43.—SOUTH WALES—*cont.*
																CARDIGANSHIRE—*continued.*
15	31	13	29	79	1	7	1	8	2	1	7	16	44	15	30	ABERAYRON.
38	45	47	60	160	3	20	7	27	10	5	17	49	112	43	75	ABERYSTWITH.
8	11	10	24	45	1	5	2	7	3	3	2	19	36	17	21	TREGARON.
																BRECKNOCKSHIRE.
5	18	6	12	35	3	3	–	3	3	–	3	13	22	9	17	BUILTH.
16	41	25	52	119	5	7	3	10	8	3	14	44	63	30	47	BRECKNOCK.
36	59	44	51	157	9	16	8	24	17	11	39	102	130	83	66	CRICKHOWELL.
20	18	12	14	56	3	4	1	5	4	4	9	22	16	10	18	HAY.
																RADNORSHIRE.
16	34	20	18	73	3	10	2	12	5	4	14	26	23	10	29	PRESTEIGNE.
9	19	7	16	42	1	5	3	8	4	1	5	22	25	16	15	KNIGHTON.
3	18	9	14	38	1	3	2	5	3	2	5	16	17	13	7	RHAYADER.
																44.—NORTH WALES.
																MONTGOMERYSHIRE.
15	33	19	34	88	1	9	3	12	4	6	9	38	54	29	34	MACHYNLLETH.
41	67	37	47	159	7	17	9	26	16	6	24	61	102	49	65	NEWTOWN.
25	42	19	38	101	5	10	8	18	13	5	22	42	47	26	37	MONTGOMERY.
30	58	19	42	119	3	15	12	27	15	3	13	53	55	27	54	LLANFYLLIN.
																FLINTSHIRE.
51	57	50	56	170	10	16	18	34	28	8	32	94	121	73	69	HOLYWELL.
																DENBIGHSHIRE.
98	73	81	112	293	19	28	24	52	43	33	84	169	210	121	137	WREXHAM.
22	38	15	22	83	6	7	1	8	7	4	15	40	40	26	28	RUTHIN.
33	55	42	43	132	7	24	10	34	17	6	8	65	82	48	51	ST. ASAPH.
13	14	20	34	71	–	10	5	15	5	1	10	27	52	20	39	LLANRWST.
																MERIONETHSHIRE.
27	30	25	42	97	4	17	6	23	10	8	11	41	64	32	41	CORWEN.
12	18	10	9	43	2	2	2	4	4	1	3	11	22	9	15	BALA.
15	28	13	23	68	3	6	2	8	5	3	6	11	35	7	32	DOLGELLY.
34	36	32	51	127	9	11	6	17	15	5	19	46	86	36	60	FESTINIOG.
																CARNARVONSHIRE.
27	33	23	32	105	2	6	5	11	7	1	7	32	66	28	42	PWLLHELI.
51	76	55	85	218	7	29	13	42	20	16	26	99	151	80	90	CARNARVON.
68	75	54	103	250	12	27	11	38	23	11	35	84	133	65	87	BANGOR.
16	27	25	28	84	1	7	4	11	5	5	8	37	44	27	27	CONWAY.
																ANGLESEY.
54	57	43	82	186	5	35	10	45	15	13	25	93	142	79	77	ANGLESEY.

Ages of 208,728 Persons who were married in England in the Year 1862.

The Total Number of Marriages solemnized in England in the Year 1862 was 164,030; the precise Ages of both Parties were specified in 104,364 instances.*

Ages of 104,364 Men and 104,364 Women married in England in the Year 1862.

	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Men	–	4	56	514	2411	6164	43320	26627	10400	5270	3620	2159	1676	955	733	257	153	31	14	104,364
Women	28	209	1200	4439	8315	11226	40695	20394	7597	4158	2784	1636	884	443	252	70	29	5	–	104,364

Ages of 91,053 Bachelors and 95,344 Spinsters married in 1862.

	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Bachelors	–	4	56	514	2411	6155	43022	25160	8199	3032	1486	577	267	103	42	15	9	–	1	91,053
Spinsters	28	208	1199	4437	8307	11194	40259	18993	5924	2516	1361	574	228	83	26	5	2	–	–	95,344

Ages of 13,311 Widowers and 9,020 Widows married in 1862.

	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Widowers	–	–	–	–	–	9	298	1467	2201	2238	2134	1582	1409	852	691	242	144	31	13	13,311
Widows	–	1	1	2	8	32	436	1401	1673	1642	1423	1062	656	360	226	65	27	5	–	9,020

Ages of 104,364 Husbands and their Wives, in combination in 1862.

Ages of Husbands. Years.	Ages of Wives. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Husbands.	Ages of Husbands.
15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	4	16–
17–	–	6	13	12	9	5	9	1	1	–	–	–	–	–	–	–	–	–	–	56	17–
18–	1	13	72	179	96	68	71	13	1	–	–	–	–	–	–	–	–	–	–	514	18–
19–	9	31	173	529	787	373	439	61	8	–	1	–	–	–	–	–	–	–	–	2,411	19–
20–	3	38	193	805	1459	1620	1789	222	28	6	1	–	–	–	–	–	–	–	–	6,164	20–
21–	10	87	553	2242	4473	6681	23279	5303	575	93	18	4	2	–	–	–	–	–	–	43,320	21–
25–	2	24	156	540	1204	1933	11411	8956	1857	431	92	18	1	1	1	–	–	–	–	26,627	25–
30–	3	8	31	92	207	392	2654	3558	2393	763	239	53	6	1	–	–	–	–	–	10,400	30–
35–	–	–	5	23	54	86	668	1428	1331	1102	439	110	18	3	–	2	1	–	–	5,270	35–
40–	–	–	3	7	16	52	237	532	806	843	784	261	66	8	2	1	2	–	–	3,620	40–
45–	–	–	1	5	8	6	61	190	320	506	491	416	108	40	7	–	–	–	–	2,159	45–
50–	–	1	–	2	2	7	45	75	166	228	399	383	272	77	16	2	1	–	–	1,676	50–
55–	–	–	–	1	–	1	17	34	59	104	163	207	192	134	32	9	2	–	–	955	55–
60–	–	–	–	–	–	1	12	10	35	57	115	116	145	108	111	18	5	–	–	733	60–
65–	–	–	–	–	–	1	–	5	11	14	22	42	41	41	46	20	12	2	–	257	65–
70–	–	–	–	–	–	–	2	5	4	9	17	19	29	23	27	13	5	–	–	153	70–
75–	–	–	–	–	–	–	–	1	2	1	1	5	3	6	8	3	–	1	–	31	75–
80–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	2	2	1	2	–	14	80–
																				104,364	Husbands.
Total Wives	28	209	1200	4439	8315	11226	40695	20394	7597	4158	2784	1636	884	443	252	70	29	5	–	104,364	Wives.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands when married:—Thus, Of 11,226 *Wives* of the age 20 and under 21 years *Five* married Husbands aged 17; *Sixty-eight* married Husbands aged 18; *Three hundred and seventy-three* married husbands aged 19 years, &c.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives when married:—Thus, Of 6,164 Husbands of the age of 20 and under 21 years *Three* married Wives aged 15; *Thirty-eight* married Wives aged 16 years, &c.

Ages of 86,865 Bachelors and 86,865 Spinsters who intermarried in 1862.

Ages of Bachelors. Years.	Ages of Spinsters. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Bachelors.	Ages of Bachelors.
15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	4	16–
17–	–	6	13	12	9	5	9	1	–	–	–	–	–	–	–	–	–	–	–	55	17–
18–	1	13	72	179	96	67	71	13	1	–	–	–	–	–	–	–	–	–	–	513	18–
19–	9	31	173	529	787	371	432	60	7	–	–	–	–	–	–	–	–	–	–	2,399	19–
20–	3	38	193	805	1456	1615	1770	204	19	3	–	–	–	–	–	–	–	–	–	6,106	20–
21–	10	87	547	2230	4451	6629	22931	4896	428	47	6	–	–	–	–	–	–	–	–	42,262	21–
25–	2	21	150	510	1149	1832	10738	7960	1372	224	27	3	–	–	–	–	–	–	–	23,988	25–
30–	3	5	27	80	167	314	2064	2696	1510	340	82	16	1	–	–	–	–	–	–	7,305	30–
35–	–	–	4	18	34	52	396	808	621	403	109	18	1	–	–	–	–	–	–	2,467	35–
40–	–	–	2	1	12	23	112	207	294	228	174	38	9	–	–	–	–	–	–	1,100	40–
45–	–	–	–	2	4	2	20	56	72	86	80	59	9	3	–	–	–	–	–	393	45–
50–	–	1	–	–	–	1	12	17	21	32	34	25	27	4	–	–	–	–	–	174	50–
55–	–	–	–	–	–	–	2	3	6	7	14	15	7	6	2	1	–	–	–	63	55–
60–	–	–	–	–	–	–	2	1	2	1	6	3	–	3	1	1	–	–	–	20	60–
65–	–	–	–	–	–	–	–	–	4	1	1	1	2	1	–	–	–	–	–	10	65–
70–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	1	–	–	–	–	5	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	80–
																				86,865	Bachelors.
Total Spinsters	28	203	1181	4368	8165	10911	38560	16923	4358	1375	535	178	56	17	4	2	1	–	–	86,865	Spinsters.

* In the other 59,666 cases the column of the Register headed "Age" is filled in by the Officiating Minister or by the Registrar of Marriages with the words "of full Age," "Minor," "Under Age," as the case may be; thus losing the additional means of identification afforded by a precise statement of the age of persons at the time of marriage.

Ages of 4,188 Bachelors and 4,188 Widows who intermarried in 1862.

	AGES OF WIDOWS.																				
Years.	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Bachelors.	
AGES OF BACHELORS. 15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15– AGES OF BACHELORS.
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	17–
18–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	18–
19–	–	–	–	–	–	2	7	1	1	–	1	–	–	–	–	–	–	–	–	12	19–
20–	–	–	–	–	1	3	17	17	8	2	1	–	–	–	–	–	–	–	–	49	20–
21–	–	–	1	1	5	14	182	356	138	46	11	4	2	–	–	–	–	–	–	760	21–
25–	–	1	–	1	–	6	118	448	350	174	56	15	1	1	1	–	–	–	–	1,172	25–
30–	–	–	–	–	2	3	35	176	339	213	91	31	3	1	–	–	–	–	–	894	30–
35–	–	–	–	–	–	–	13	58	141	197	98	46	9	–	–	2	1	–	–	565	35–
40–	–	–	–	–	–	1	–	18	66	82	127	63	22	4	2	–	1	–	–	386	40–
45–	–	–	–	–	–	–	–	3	11	36	43	58	17	13	3	–	–	–	–	184	45–
50–	–	–	–	–	–	–	–	–	2	12	19	22	21	11	5	–	1	–	–	93	50–
55–	–	–	–	–	–	–	–	–	–	4	4	5	11	10	5	1	–	–	–	40	55–
60–	–	–	–	–	–	–	–	–	–	1	1	4	6	3	6	1	–	–	–	22	60–
65–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	5	65–
70–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	4	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
																				4,188	Bachelors.
Total Widows	–	1	1	2	8	30	372	1,077	1,057	767	452	248	93	45	25	5	4	1	–	4,188	Widows.

Ages of 8,479 Widowers and 8,479 Spinsters who intermarried in 1862.

	AGES OF SPINSTERS.																				
Years.	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	
AGES OF WIDOWERS. 15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15– AGES OF WIDOWERS.
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	2	2	2	1	–	1	–	–	–	–	–	–	–	–	–	8	20–
21–	–	–	5	11	17	38	162	43	8	–	1	–	–	–	–	–	–	–	–	285	21–
25–	–	2	6	29	55	94	536	470	92	19	4	–	–	–	–	–	–	–	–	1,307	25–
30–	–	3	4	12	38	75	531	593	383	104	27	3	–	–	–	–	–	–	–	1,773	30–
35–	–	–	1	5	20	33	253	483	417	268	99	12	1	1	–	–	–	–	–	1,593	35–
40–	–	–	1	6	4	28	119	266	327	310	201	39	7	–	–	–	–	–	–	1,308	40–
45–	–	–	1	3	4	4	38	118	155	223	175	85	15	4	1	–	–	–	–	826	45–
50–	–	–	–	2	2	6	32	50	109	110	168	117	44	10	–	–	–	–	–	650	50–
55–	–	–	–	1	–	1	14	27	38	54	67	71	44	19	1	–	–	–	–	337	55–
60–	–	–	–	–	–	1	10	9	28	36	63	41	36	16	10	–	–	–	–	250	60–
65–	–	–	–	–	–	1	–	5	6	9	10	18	10	9	3	1	–	–	–	72	65–
70–	–	–	–	–	–	–	2	4	1	5	10	7	14	5	5	1	1	–	–	55	70–
75–	–	–	–	–	–	–	–	1	2	1	–	1	1	1	1	–	–	–	–	8	75–
80–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	1	–	–	–	7	80–
																				8,479	Widowers.
Total Spinsters	–	5	18	69	142	283	1,699	2,070	1,536	1,141	826	396	172	66	22	3	1	–	–	8,479	Spinsters.

Ages of 4,832 Widowers and 4,832 Widows who intermarried in 1862.

	AGES OF WIDOWS.																				
Years.	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	
AGES OF WIDOWERS. 15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15– AGES OF WIDOWERS.
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	20–
21–	–	–	–	–	–	–	4	8	1	–	–	–	–	–	–	–	–	–	–	13	21–
25–	–	–	–	–	–	1	19	78	43	14	5	–	–	–	–	–	–	–	–	160	25–
30–	–	–	–	–	–	–	24	93	161	106	39	3	2	–	–	–	–	–	–	428	30–
35–	–	–	–	–	–	1	6	79	152	231	133	34	7	2	–	–	–	–	–	645	35–
40–	–	–	–	–	–	–	6	41	119	223	282	121	28	4	–	1	1	–	–	826	40–
45–	–	–	–	–	–	–	3	13	82	161	193	214	67	20	3	–	–	–	–	756	45–
50–	–	–	–	–	–	–	1	8	34	74	178	219	180	52	11	2	–	–	–	759	50–
55–	–	–	–	–	–	–	1	4	15	39	78	116	130	99	24	7	2	–	–	515	55–
60–	–	–	–	–	–	–	–	–	5	19	45	68	103	86	94	16	5	–	–	441	60–
65–	–	–	–	–	–	–	–	–	1	4	11	23	29	30	42	18	11	1	–	170	65–
70–	–	–	–	–	–	–	–	–	2	4	5	12	14	17	19	12	4	–	–	89	70–
75–	–	–	–	–	–	–	–	–	–	–	1	4	2	5	7	3	–	1	–	23	75–
80–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	2	–	6	80–
																				4,832	Widowers.
Total Widows	–	–	–	–	–	2	64	324	616	875	971	814	563	315	201	60	23	4	–	4,832	Widows.

MARRIAGES, BIRTHS, and DEATHS registered in the Year 1862.

No.	DIVISIONS AND REGISTRATION COUNTIES.*	AREA in Statute Acres.	POPULATION, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	ENGLAND - -	37,324,883	20,066,224	164,030	† 712,684	436,566	363,534	349,150	23,033	22,189	222,622	213,944	276118
	DIVISIONS.												
I.	LONDON - -	77,997	2,803,989	23839	97850	67371	49382	48468	2191	2129	34288	33083	30479
II.	SOUTH EASTERN -	4,065,935	1,847,661	13761	59497	33952	30321	29176	1745	1705	17524	16428	25545
III.	SOUTH MIDLAND -	3,201,290	1,295,497	8748	43334	24909	22250	21084	1421	1293	12169	12440	18425
IV.	EASTERN - -	3,214,099	1,142,580	7655	37352	22005	19134	18218	1520	1465	11158	10847	15347
V.	SOUTH WESTERN -	4,993,660	1,835,714	13792	59617	34432	30490	29127	1754	1667	17255	17177	25185
VI.	WEST MIDLAND -	3,865,332	2,436,568	19925	89019	52217	45326	43693	2875	2747	26865	25352	36802
VII.	NORTH MIDLAND -	3,540,797	1,288,928	9605	45126	25324	23269	21857	1900	1814	12847	12477	19802
VIII.	NORTH WESTERN -	2,000,227	2,935,540	24858	114541	75097	58382	56159	3754	3698	38422	36675	39444
IX.	YORK - - -	3,654,636	2,015,541	17258	75946	47357	38817	37129	2632	2591	24160	23197	28589
X.	NORTHERN - -	3,492,322	1,151,372	9747	45475	26346	23233	22242	1629	1560	13528	12818	19129
XI.	WELSH - -	5,218,588	1,312,834	9842	44927	27556	22930	21997	1612	1520	14106	13450	17371
	I.—LONDON.												
	MIDDLESEX (*part of*) -	32,455	2,030,814	21342	69577	49316	34994	34583	1614	1592	25069	24247	20261
	SURREY (*part of*) - -	22,951	579,748	5878	21178	13800	10757	10421	479	434	6885	6915	7378
	KENT (*part of*) - - -	22,591	193,427	1619	7095	4255	3631	3464	98	103	2334	1921	2840
	II.—SOUTH EASTERN.												
1	**SURREY** (*extra-metropolit.*)	476,191	273,264	1718	8628	4713	4416	4212	200	207	2428	2285	3915
2	**KENT** (*extra-metropolitan*) -	1,013,838	545,272	4196	18173	9920	9249	8924	509	482	5156	4764	8253
3	**SUSSEX** - - - - -	949,581	366,836	2645	11285	6755	5785	5500	370	386	3448	3307	4530
4	**HAMPSHIRE** - - -	1,061,608	456,654	3768	14701	8694	7462	7239	427	377	4536	4158	6007
5	**BERKSHIRE** - - -	564,717	205,635	1434	6710	3870	3409	3301	239	253	1956	1914	2840
	III.—SOUTH MIDLAND.												
6	**MIDDLESEX** (*ex.-metrop.*)	176,555	187,325	1029	5860	3736	2953	2907	122	134	1924	1812	2124
7	**HERTFORDSHIRE** - -	428,143	177,452	1001	5757	3199	2955	2802	185	187	1626	1573	2558
8	**BUCKINGHAMSHIRE** -	402,616	147,207	1019	5028	2852	2522	2506	164	161	1403	1449	2176
9	**OXFORDSHIRE** - - -	479,267	171,233	1142	5709	3220	2971	2738	182	196	1551	1669	2489
10	**NORTHAMPTONSHIRE**	632,219	231,079	1775	8206	4427	4318	3888	262	203	2241	2186	3779
11	**HUNTINGDONSHIRE** -	205,366	59,137	406	2008	1175	1069	939	68	47	580	595	833
12	**BEDFORDSHIRE** - -	305,366	140,479	1147	4902	2651	2491	2411	220	167	1299	1352	2251
13	**CAMBRIDGESHIRE** -	571,758	181,585	1229	5864	3649	2971	2893	218	198	1845	1804	2215
	IV.—EASTERN.												
14	**ESSEX** - - - - -	983,443	379,705	2276	12540	7322	6383	6157	351	329	3822	3500	5218
15	**SUFFOLK** - - - - -	930,345	335,409	2283	10951	6135	5575	5376	437	411	3052	3083	4816
16	**NORFOLK** - - - -	1,300,311	427,466	3096	13861	8548	7176	6685	732	725	4284	4264	5313

* The *Registration Counties* consist of groups of entire Registration Districts; which Districts are, in general, identical with the Poor Law Unions. As the principle adopted has been to place a District or Union which extends into more than one County with the County in which either the principal town or the greater part of the population is located, the limits of the Registration Counties differ more or less from the boundaries of the Counties proper.

† Some of the births—especially of illegitimate children in London and large towns—escape registration.

MARRIAGES, BIRTHS, and DEATHS registered in the Year 1862—*continued.*

No.	REGISTRATION COUNTIES.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	V.—SOUTH WESTERN.												
17	WILTSHIRE - - -	777,453	236,027	1568	7845	4364	4000	3845	278	214	2261	2103	3481
18	DORSETSHIRE - -	615,783	182,193	1242	5869	3220	2933	2936	172	186	1562	1658	2649
19	DEVONSHIRE - -	1,643,700	589,278	4978	18754	11370	9669	9085	530	489	5772	5598	7384
20	CORNWALL - - -	880,263	364,848	2866	12691	7338	6538	6153	357	345	3678	3660	5353
21	SOMERSETSHIRE -	1,067,161	463,368	3138	14458	8140	7350	7108	417	403	3982	4158	6318
	VI.—WEST MIDLAND.												
22	GLOUCESTERSHIRE-	716,045	443,535	3988	14669	8691	7475	7194	379	365	4324	4367	5978
23	HEREFORDSHIRE -	425,580	106,796	689	3255	1934	1654	1601	140	120	984	950	1321
24	SHROPSHIRE - - -	924,676	260,409	1812	8581	5011	4350	4231	433	409	2507	2504	3570
25	STAFFORDSHIRE -	755,017	769,541	6104	30921	18491	15755	15166	980	932	9777	8714	12430
26	WORCESTERSHIRE -	434,076	294,953	2483	10482	5586	5313	5169	317	343	2900	2686	4896
27	WARWICKSHIRE -	609,938	561,334	4540	21111	12504	10779	10332	596	578	6373	6131	8607
	VII.—NORTH MIDLAND.												
28	LEICESTERSHIRE -	535,346	243,648	1956	8781	5003	4557	4224	360	329	2528	2475	3778
29	RUTLANDSHIRE - -	107,728	23,479	143	715	386	352	363	26	30	192	194	329
30	LINCOLNSHIRE - -	1,739,312	404,143	2853	13296	7292	6842	6454	594	567	3743	3549	6004
31	NOTTINGHAMSHIRE	599,791	323,784	2484	11586	6716	5899	5687	520	542	3322	3394	4870
32	DERBYSHIRE - -	558,620	293,874	2169	10748	5927	5619	5129	400	346	3062	2865	4821
	VIII.—NORTH WESTERN.												
33	CHESHIRE - - - -	680,836	470,174	3655	17472	10682	8966	8506	690	647	5489	5193	6790
34	LANCASHIRE - - -	1,319,391	2,465,366	21203	97069	64415	49416	47653	3064	3051	32933	31482	32654
	IX.—YORK.												
35	WEST RIDING - -	1,706,430	1,530,007	13310	58982	36745	30085	28897	1942	1880	18763	17982	22237
36	EAST RIDING (*with York*)	717,144	274,425	2507	9788	6224	5043	4745	372	354	3166	3058	3564
37	NORTH RIDING - -	1,231,062	211,109	1441	7176	4388	3689	3487	318	357	2231	2157	2788
	X.—NORTHERN.												
38	DURHAM - - - -	754,183	542,125	4720	23582	12471	12068	11514	632	571	6353	6118	11111
39	NORTHUMBERLAND	1,249,299	343,025	3141	12936	7950	6608	6328	489	488	4192	3758	4986
40	CUMBERLAND - -	1,001,273	205,276	1474	7077	4646	3604	3473	401	398	2339	2307	2431
41	WESTMORLAND - -	487,567	60,916	412	1880	1279	953	927	107	103	644	635	601
	XI.—WELSH.												
42	MONMOUTHSHIRE -	432,906	196,977	1518	7040	4190	3613	3427	209	180	2193	1997	2850
43	SOUTH WALES - -	2,816,599	699,722	5402	24927	14221	12631	12296	836	870	7368	6853	10706
44	NORTH WALES - -	1,969,083	416,135	2922	12960	9145	6386	6274	567	470	4545	4600	3815

I.—LONDON.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1861.	Total: Marriages.	Total: Births.	Total: Deaths.†	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths.†: Males.	Deaths.†: Females.	Excess of Births over Deaths.
	MIDDLESEX (*part of*).												
1	Kensington	7,342	185,950	1953	5930	4097	2980	2950	145	162	2055	2042	1833
2	Chelsea	865	63,439	651	2136	1554	1103	1033	74	64	807	747	582
3	St. George Hanover-square	1,161	87,771	1151	2420	1933	1235	1185	58	48	1032	901	487
4	Westminster	917	68,213	583	2228	1704	1117	1111	63	62	923	781	524
5	St. Martin-in-the-Fields	305	22,689	452	578	567	277	301	11	13	293	274	11
6	St. James Westminster	164	35,326	409	1009	731	498	511	27	38	375	356	278
7	Marylebone	1,509	161,680	1950	5137	3872	2539	2598	252	234	1852	2020	1265
8	Hampstead	2,252	19,106	96	497	308	243	254	8	6	155	153	189
9	Pancras	2,716	198,788	1956	6801	4536	3414	3387	193	201	2278	2258	2265
10	Islington	3,127	155,341	1399	5619	3496	2798	2821	100	107	1703	1793	2123
11	Hackney	3,929	83,295	874	2784	1753	1351	1433	47	52	852	901	1031
12	St. Giles	245	54,076	461	1737	1498	894	843	51	55	765	733	239
13	Strand	172	42,979	416	1314	1009	650	664	29	36	553	456	305
14	Holborn	196	44,862	235	1413	1212	683	730	39	27	644	568	201
15	Clerkenwell	380	65,681	591	2279	1581	1165	1114	45	50	822	759	698
16	St. Luke	220	57,073	305	2537	1378	1260	1277	28	35	699	679	1159
17	East London	153	40,687	481	1317	962	705	612	22	11	469	493	355
18	West London	138	27,145	432	724	1276	375	349	24	19	723	553	−552
19	London City	434	45,555	661	1009	754	501	508	15	7	393	361	255
20	Shoreditch	646	129,364	1905	5269	3327	2730	2539	137	113	1683	1644	1942
21	Bethnal Green	760	105,101	1268	4143	2555	2101	2042	38	58	1266	1289	1588
22	Whitechapel	406	78,970	684	2843	2574	1421	1422	50	49	1366	1208	269
23	St. George-in-the-East	243	48,891	478	1868	1333	913	955	46	35	658	675	535
24a	Stepney	576	56,572	651	1851	1409	937	914	28	24	769	640	442
24b	Mile End Old Town	681	73,064	685	2838	1844	1423	1415	43	41	897	947	994
25	Poplar	2,918	79,196	615	3296	2053	1681	1615	41	45	1037	1016	1243
	SURREY (*part of*).												
26	St. Saviour Southwark	250	36,170	261	1230	920	631	599	33	29	438	482	310
27	St. Olave Southwark	169	19,056	162	592	1049	305	287	16	14	646	403	−457
28	Bermondsey	688	58,355	483	2489	1365	1264	1225	28	39	692	673	1124
29	St. George Southwark	282	55,510	627	2136	1457	1111	1025	55	53	769	688	679
30	Newington	624	82,220	905	2975	1733	1545	1430	54	41	835	898	1242
31	Lambeth	4,015	162,044	2261	6082	3773	3100	2982	190	158	1824	1949	2309
32	Wandsworth	11,695	70,403	450	2298	1376	1149	1149	37	36	670	706	922
33	Camberwell	4,342	71,488	577	2507	1567	1248	1259	51	47	717	850	940
34	Rotherhithe	886	24,502	152	869	560	404	465	15	17	294	266	309
	KENT (*part of*).												
35	Greenwich	5,367	127,670	994	4612	3129	2367	2245	78	66	1766	1363	1483
36	Lewisham	17,224	65,757	625	2483	1126	1264	1219	20	37	568	558	1357

II.—SOUTH EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1861.	Total: Marriages.	Total: Births.	Total: Deaths.†	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths.†: Males.	Deaths.†: Females.	Excess of Births over Deaths.
	1.—SURREY (*extra-metropolitan*).												
37	Epsom	41,180	22,409	84	636	404	314	322	13	19	202	202	232
38	Chertsey	43,541	18,642	102	563	278	281	282	24	16	146	132	285
39	Guildford	65,592	29,330	166	905	521	465	440	17	20	269	252	384
40	Farnham	31,197	30,707	246	1113	573	626	487	13	17	309	264	540
41	Farnborough	39,571	14,318	69	348	207	157	191	4	14	111	96	141
42	Hambledon	60,351	13,907	79	442	207	231	211	14	10	96	111	235
43	Dorking	40,006	12,445	56	362	162	178	184	6	15	89	73	200
44	Reigate	51,276	20,109	118	683	349	325	358	13	17	177	172	334
45	Godstone	43,848	9,642	40	320	137	167	153	3	8	74	63	183
46	Croydon	32,803	46,474	414	1605	887	815	790	39	31	453	434	718
47	Kingston	22,487	36,479	225	1107	650	594	513	42	28	337	313	457
48	Richmond	4,339	18,802	119	544	338	263	281	12	12	165	173	206
	2.—KENT (*extra-metropolitan*).												
49	Bromley	39,927	20,368	130	650	355	298	352	13	12	184	171	295
50	Dartford	53,109	32,316	247	1114	552	548	566	21	25	303	249	562
51	Gravesend	1,541	18,782	176	605	466	315	290	14	13	255	211	139
52	North Aylesford	41,732	19,121	184	734	396	355	379	14	12	215	181	338
53	Hoo	33,281	2,861	16	134	78	62	72	2	4	46	32	56
54	Medway	14,565	51,805	554	1826	1080	864	962	26	36	579	501	746
55	Malling	47,398	21,447	116	747	349	386	361	32	29	192	157	398
56	Sevenoaks	67,488	22,039	107	707	362	367	340	19	23	190	172	345
57	Tunbridge	46,179	34,271	252	1123	660	611	512	39	30	322	338	463
58	Maidstone	38,082	38,670	327	1198	793	628	570	45	43	408	385	405
59	Hollingbourn	57,017	13,584	74	434	206	223	211	16	18	111	95	228
60	Cranbrook	40,249	13,412	74	440	231	238	202	28	14	114	117	209
61	Tenterden	46,889	10,947	68	316	166	160	156	9	18	67	99	150
62	West Ashford	41,901	15,137	102	519	273	263	256	14	16	133	140	246
63	East Ashford	54,498	12,286	79	422	194	205	217	13	12	106	88	228
64	Bridge	41,394	11,316	63	348	161	176	172	7	12	72	89	187

* The *Districts* are collections of contiguous Parishes or Places combined for purposes connected with the Registration of Births, Deaths, and Marriages; and are generally identical with the Poor Law Unions of the same names. The Districts, 639 in number, are arranged according to their local position under the Registration Counties.

† For a table of the Deaths in the principal *Public Institutions* situated in the Districts of London *see* pages 83–4.

Note.—Wherever the minus sign is prefixed to the number in the column headed "Excess of Births over Deaths," it denotes that the Births in the District, instead of exceeding the Deaths, were, in fact, *less than the Deaths* to the extent stated.

II.—SOUTH EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL: Marriages.	TOTAL: Births.	TOTAL: Deaths.	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	2.—KENT (*Extra-metropolitan*)—*cont.*												
65	Canterbury	3,121	16,643	123	467	361	222	245	20	23	175	186	106
66	Blean	32,221	16,161	130	590	271	297	293	20	19	136	135	319
67	Faversham	46,448	18,867	155	684	320	371	313	27	15	180	140	364
68	Milton	35,409	14,775	120	637	268	314	323	12	10	149	119	369
69	Sheppey	31,083	18,494	123	744	278	399	345	13	11	156	122	466
70	Thanet	29,733	31,862	247	875	588	471	404	30	21	292	296	287
71	Eastry	50,710	25,900	190	840	436	436	404	16	20	225	211	404
72	Dover	29,881	31,575	318	1009	569	504	505	30	24	288	281	440
73	Elham	43,137	26,925	192	807	415	424	383	23	17	205	210	392
74	Romney Marsh	46,785	5,708	29	203	92	112	91	6	5	53	39	111
	3.—SUSSEX.												
75	Rye	39,369	11,927	71	326	206	169	157	20	14	102	104	120
76	Hastings	14,027	26,631	233	820	509	439	381	20	27	256	253	311
77	Battle	54,000	12,680	84	389	209	199	190	18	17	109	100	180
78	Eastbourne	38,072	10,721	76	365	164	188	177	5	7	94	70	201
79	Hailsham	54,365	12,668	83	388	222	202	186	21	17	107	115	166
80	Ticehurst	51,659	14,626	101	491	263	243	248	28	20	138	125	228
81	Uckfield	74,230	17,260	122	583	273	289	294	22	22	143	130	310
82	East Grinstead	61,317	14,097	87	429	263	219	210	12	16	128	135	166
83	Cuckfield	61,793	17,163	102	564	311	269	295	13	28	161	150	253
84	Lewes	85,104	26,995	151	848	541	429	419	26	17	284	257	307
85	Brighton	2,320	77,693	743	2461	1652	1295	1166	94	93	818	834	809
86	Steyning	44,344	24,053	138	635	380	319	316	12	14	192	188	255
87	Horsham	57,023	15,313	82	474	282	255	219	10	9	144	138	192
88	Petworth	39,329	9,397	53	263	154	132	131	2	11	77	77	109
89	Thakeham	35,599	7,567	45	244	136	127	117	11	15	72	64	108
90	Worthing	42,457	18,921	133	522	340	263	259	11	15	171	169	182
91	Westhampnett	74,913	14,811	88	441	224	228	213	12	13	114	110	217
92	Chichester	21,054	14,775	109	406	293	215	191	15	11	158	135	113
93	Midhurst	65,720	12,581	92	398	219	196	202	12	12	122	97	179
94	Westbourne	32,886	6,957	52	238	114	109	129	6	8	58	56	124
	4.—HAMPSHIRE.												
95	Havant	24,527	7,212	48	216	142	106	110	6	7	76	66	74
96	Portsea Island	7,806	94,828	1135	3352	2092	1688	1664	68	52	1072	1020	1260
97	Alverstoke	5,222	22,653	257	790	543	408	382	18	11	327	216	247
98	Fareham	42,225	14,864	92	445	356	237	208	12	9	179	177	89
99	Isle of Wight	99,746	55,362	426	1595	791	804	791	46	53	416	375	804
100	Lymington	42,169	12,094	77	350	190	179	171	11	8	89	101	160
101	Christchurch	36,775	10,438	71	280	192	134	146	11	9	90	102	88
102	Ringwood	33,300	5,357	30	158	99	81	77	4	8	45	54	59
103	Fordingbridge	31,167	6,377	40	195	191	105	90	6	9	101	90	4
104	New Forest	85,532	13,509	76	418	210	222	196	15	17	117	93	208
105	Southampton	2,630	43,414	516	1583	910	780	803	51	38	487	423	673
106	South Stoneham	30,715	25,542	162	850	393	412	438	15	20	190	203	457
107	Romsey	28,203	10,771	59	362	207	205	157	6	8	103	104	155
108	Stockbridge	45,343	7,286	52	225	103	111	114	8	9	59	44	122
109	Winchester	78,676	26,607	193	723	479	365	358	19	20	252	227	244
110	Droxford	48,263	10,665	47	310	190	167	143	17	6	101	89	120
111	Catherington	10,561	2,497	11	84	35	39	45	–	2	15	20	49
112	Petersfield	40,112	7,853	49	235	125	139	96	8	6	70	55	110
113	Alresford	39,761	7,182	36	207	118	99	108	3	10	62	56	89
114	Alton	53,057	12,063	66	376	204	199	177	16	6	110	94	172
115	Hartley Wintney	42,051	11,480	48	385	207	199	186	19	8	104	103	178
116	Basingstoke	73,852	17,429	90	555	328	287	268	30	22	175	153	227
117	Whitchurch	29,513	5,522	44	183	83	90	93	9	7	48	35	100
118	Andover	83,615	17,132	89	557	342	277	280	19	18	164	178	215
119	Kingsclere	46,787	8,517	54	267	164	129	138	10	14	84	80	103
	5.—BERKSHIRE.												
120	Newbury	42,956	19,999	144	661	429	334	327	26	25	213	216	232
121	Hungerford	98,287	19,882	124	705	334	370	335	27	25	169	165	371
122	Faringdon	64,207	15,688	126	537	316	280	257	38	28	176	140	221
123	Abingdon	56,445	20,861	146	653	497	334	319	23	36	243	254	156
124	Wantage	75,700	17,308	129	562	275	275	287	17	24	127	148	287
125	Wallingford	40,860	14,017	85	462	286	254	208	20	20	147	139	176
126	Bradfield	62,166	15,771	71	498	248	262	236	19	17	124	124	250
127	Reading	4,699	25,876	274	902	515	464	438	26	27	264	251	387
128	Wokingham	42,226	14,465	85	465	222	203	262	8	19	112	110	243
129	Cookham	29,588	13,031	70	404	209	201	203	16	11	104	105	195
130	Easthampstead	25,176	7,436	36	223	128	123	100	7	4	70	58	95
131	Windsor	22,407	21,301	144	638	411	309	329	12	17	207	204	227

III.—SOUTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL: Marriages.	TOTAL: Births.	TOTAL: Deaths.	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	6.—MIDDLESEX—(*Extra-metropol.*)												
132	Staines	24,881	15,976	88	543	242	269	274	7	14	108	134	301
133	Uxbridge	25,906	23,155	145	693	522	374	319	23	20	235	287	171
134	Brentford *	20,705	50,534	337	1570	1041	787	783	32	46	549	492	529
135	Hendon *	32,767	19,220	101	633	380	304	329	12	10	199	181	253
136	Barnet	25,689	19,128	66	475	442	242	233	16	9	248	194	33
137	Edmonton	46,607	59,312	292	1946	1109	977	969	32	35	585	524	837

* See page 8, Note *.

III.—SOUTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			Births.				Deaths.		Excess of Births over Deaths.
				Marriages.	Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	7.—HERTFORDSHIRE.												
138	Ware	35,747	16,515	74	494	322	262	232	14	14	160	162	172
139	Bishop Stortford	53,689	20,212	90	643	425	339	304	22	14	225	200	218
140	Royston	88,791	25,014	156	878	440	463	415	28	24	232	208	438
141	Hitchin	64,847	25,603	154	863	485	431	432	15	39	233	252	378
142	Hertford	34,410	15,301	90	454	267	223	231	17	8	138	129	187
143	Hatfield	29,484	8,400	40	267	152	129	138	12	8	79	73	115
144	St. Albans	34,615	18,926	136	614	334	317	297	30	30	183	151	280
145	Watford	36,520	20,355	111	616	339	331	285	17	17	176	163	277
146	Hemel Hempstead	25,457	13,922	69	473	231	239	234	12	16	108	123	242
147	Berkhampstead	24,583	13,204	81	455	204	221	234	18	17	92	112	251
	8.—BUCKINGHAMSHIRE.												
148	Amersham	49,840	18,240	120	602	326	297	305	25	20	166	160	276
149	Eton	41,589	22,353	124	672	395	364	308	20	14	196	199	277
150	Wycombe	81,308	35,138	253	1322	674	642	680	42	51	333	341	648
151	Aylesbury	73,364	23,600	161	780	534	396	384	32	28	244	290	246
152	Winslow	35,395	9,265	67	300	176	146	154	10	9	82	94	124
153	Newport Pagnell	68,701	24,855	186	878	474	436	442	22	19	235	239	404
154	Buckingham	52,419	13,756	108	474	273	241	233	13	20	147	126	201
	9.—OXFORDSHIRE.												
155	Henley	61,662	18,200	105	544	357	290	254	18	17	198	159	187
156	Thame	54,997	15,305	84	460	275	230	230	18	25	126	149	185
157	Headington	25,727	17,185	120	611	373	310	301	13	26	188	185	238
158	Oxford	2,930	20,037	173	662	377	354	308	15	17	163	214	285
159	Bicester	64,127	15,555	103	564	311	298	266	26	20	159	152	253
160	Woodstock	47,913	14,236	74	478	276	260	218	24	20	132	144	202
161	Witney	70,169	23,238	154	755	396	400	355	31	24	188	208	359
162	Chipping Norton	76,418	17,306	107	612	301	315	297	8	14	127	174	311
163	Banbury	75,324	30,171	222	1023	554	514	509	29	33	270	284	469
	10.—NORTHAMPTONSHIRE.												
164	Brackley	58,769	13,471	101	447	240	242	205	18	12	121	119	207
165	Towcester	42,216	13,004	84	456	260	228	228	9	14	124	136	196
166	Potterspury	22,401	11,632	92	410	235	217	193	6	7	113	122	175
167	Hardingstone	32,408	9,928	75	324	163	179	145	12	6	71	92	161
168	Northampton *	20,453	41,152	424	1540	907	802	738	39	32	454	453	633
169	Daventry	63,301	20,600	114	653	376	326	327	14	15	194	182	277
170	Brixworth *	60,376	15,367	96	489	296	281	208	22	9	151	145	193
171	Wellingborough	55,505	24,224	202	929	480	475	454	28	22	267	213	449
172	Kettering	55,266	18,995	137	708	333	376	332	25	22	185	148	375
173	Thrapston	51,188	14,065	102	514	235	278	236	15	10	122	113	279
174	Oundle	69,822	15,463	93	528	283	268	260	25	18	139	144	245
175	Peterborough	100,514	38,178	255	1208	619	646	562	49	36	300	319	589
	11.—HUNTINGDONSHIRE.												
176	Huntingdon	77,180	20,518	145	733	412	373	360	20	22	203	209	321
177	St. Ives	62,930	19,654	133	668	410	348	320	20	14	202	208	258
178	St. Neots	65,256	18,965	128	607	353	348	259	28	11	175	178	254
	12.—BEDFORDSHIRE.												
179	Bedford	97,320	38,072	328	1246	753	609	637	38	36	373	380	493
180	Biggleswade	58,041	25,393	179	928	484	478	450	55	35	253	231	444
181	Ampthill	41,551	16,970	158	590	339	292	298	22	19	145	194	251
182	Woburn	29,603	11,684	85	370	205	203	167	21	17	92	113	165
183	Leighton Buzzard	38,015	17,648	137	623	305	314	309	27	17	152	153	318
184	Luton	40,836	30,712	260	1145	565	595	550	57	43	284	281	580
	13.—CAMBRIDGESHIRE.												
185	Caxton	49,885	10,966	79	391	166	189	202	20	11	85	81	225
186	Chesterton	76,728	25,083	164	876	476	440	436	28	21	254	222	400
187	Cambridge	3,470	26,361	187	719	572	366	353	17	16	283	289	147
188	Linton	47,869	13,510	83	441	278	222	219	23	19	140	138	163
189	Newmarket	97,373	28,675	186	899	585	466	433	34	23	288	297	314
190	Ely	79,894	21,910	171	715	438	351	364	17	26	224	214	277
191	North Witchford	59,823	14,791	92	539	315	288	251	23	17	154	161	224
192	Whittlesey	25,131	6,966	49	224	193	112	112	11	4	111	82	31
193	Wisbech	131,585	33,323	218	1060	626	537	523	45	61	306	320	434

IV.—EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Marriages.	Births.	Deaths.	Births incl. Illeg. Males.	Births incl. Illeg. Females.	Illeg. Males.	Illeg. Females.	Deaths Males.	Deaths Females.	Excess of Births over Deaths.
	14.—ESSEX.												
194	West Ham	19,477	59,319	354	2133	1279	1100	1033	31	41	692	587	854
195	Epping	46,452	16,549	84	521	281	255	266	21	11	135	146	240
196	Ongar	47,465	11,317	65	374	185	184	190	14	13	98	87	189
197	Romford	48,244	26,965	114	957	457	464	493	28	26	257	200	500
198	Orsett	45,597	11,595	52	384	204	216	168	12	5	103	101	180
199	Billericay	50,845	15,031	77	431	266	223	208	9	11	133	133	165
200	Chelmsford	83,906	32,765	175	1003	750	513	490	19	21	409	341	253
201	Rochford	107,846	18,282	115	661	325	344	317	22	15	172	153	336
202	Maldon	107,050	22,556	147	741	450	398	343	18	17	217	233	291
203	Tendring	89,803	27,105	201	831	466	407	424	25	24	255	211	365
204	Colchester	11,200	23,815	226	754	453	394	360	23	17	225	228	301
205	Lexden	73,831	22,950	158	794	371	425	369	27	19	190	181	423
206	Witham	38,938	16,324	87	503	377	265	238	16	13	195	182	126
207	Halstead	38,913	18,482	102	609	413	298	311	21	30	201	212	196
208	Braintree	38,652	17,170	102	557	377	273	284	17	25	194	183	180
209	Dunmow	72,594	19,759	108	661	320	317	344	23	21	167	153	341
210	Saffron Walden	62,630	19,721	109	626	348	307	319	25	20	179	169	278

* See page 10, Note *.

IV.—EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Total: Marriages.	Total: Births.	Total: Deaths.	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	15.—SUFFOLK.												
211	Risbridge	53,664	17,432	136	631	326	311	320	37	26	167	159	305
212	Sudbury	78,302	31,415	198	1033	563	518	515	33	53	300	263	470
213	Cosford	52,696	17,376	112	574	308	283	291	21	14	147	161	266
214	Thingoe	82,464	18,224	107	563	301	283	280	25	16	144	157	262
215	Bury St. Edmunds	2,934	13,318	91	408	328	209	199	23	18	187	141	80
216	Mildenhall	61,244	9,595	53	288	183	151	137	8	8	93	90	105
217	Stow	55,342	20,908	166	664	365	345	319	33	22	170	195	299
218	Hartismere	54,215	17,665	129	602	328	315	287	40	22	158	170	274
219	Hoxne	53,035	14,694	92	496	266	255	241	26	26	126	140	230
220	Bosmere	57,899	16,174	133	523	293	264	259	16	22	149	144	230
221	Samford	50,230	12,736	67	437	205	231	206	6	11	106	99	232
222	Ipswich	8,395	37,881	327	1263	761	631	632	40	49	350	411	507
223	Woodbridge	82,195	22,754	139	710	456	376	334	30	26	227	229	254
224	Plomesgate	75,064	20,720	141	610	355	322	288	24	28	171	184	255
225	Blything	92,097	26,848	157	889	446	430	459	22	32	237	209	443
226	Wangford	35,079	13,619	84	410	228	211	199	21	23	107	121	182
227	Mutford	35,490	24,050	151	845	423	435	410	32	15	213	210	422
	16.—NORFOLK.												
228	Yarmouth	1,510	30,338	330	1028	622	534	494	40	41	309	313	406
229	Flegg	29,987	8,631	46	312	132	147	165	11	13	76	56	180
230	Tunstead	62,607	14,516	102	480	258	256	224	32	21	132	126	222
231	Erpingham	72,513	20,874	132	688	465	341	347	32	22	246	219	223
232	Aylsham	68,123	19,052	112	638	395	328	310	33	45	213	182	243
233	St. Faiths	48,304	11,749	60	336	216	175	161	15	18	94	122	120
234	Norwich	4,325	74,440	720	2559	1626	1348	1211	136	137	814	812	933
235	Forehoe	37,834	12,818	78	434	250	218	216	30	21	113	137	184
236	Henstead	43,358	11,290	64	343	196	171	172	18	14	98	98	147
237	Blofield	44,178	11,521	63	325	229	155	170	9	13	115	114	96
238	Loddon	59,401	14,242	82	404	232	200	204	20	20	123	109	172
239	Depwade	72,681	25,248	159	835	510	427	408	58	42	249	261	325
240	Guiltcross	44,585	11,541	85	370	236	189	181	21	24	116	120	134
241	Wayland	51,063	11,562	84	358	210	201	157	23	17	99	111	148
242	Mitford	105,233	28,020	206	832	536	434	428	46	59	264	272	326
243	Walsingham	87,342	21,118	123	678	459	358	320	39	45	234	225	219
244	Docking	101,136	17,596	108	573	367	305	268	21	44	175	192	206
245	Freebridge Lynn	78,775	13,486	86	471	249	244	227	25	30	132	117	222
246	Kings Lynn	5,499	16,701	116	455	373	240	215	26	21	186	187	82
247	Downham	83,687	20,264	130	676	392	348	328	33	29	192	200	284
248	Swaffham	81,200	13,747	91	467	229	247	220	31	22	118	111	238
249	Thetford	117,870	18,712	119	569	366	310	259	33	24	186	180	203

V.—SOUTH WESTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Total: Marriages.	Total: Births.	Total: Deaths.	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	17.—WILTSHIRE.												
250	Highworth	50,064	19,237	166	761	363	407	354	24	26	176	187	398
251	Cricklade	41,566	11,470	91	394	226	180	214	21	18	118	108	168
252	Malmsbury	57,508	14,556	100	439	232	216	223	14	13	125	107	207
253	Chippenham	60,035	22,029	117	728	357	390	338	24	12	172	185	371
254	Calne	28,610	8,885	55	269	149	139	130	6	6	95	54	120
255	Marlborough	42,092	9,774	50	344	148	181	163	14	12	85	63	196
256	Devizes	63,491	21,680	136	678	387	349	329	31	24	195	192	291
257	Melksham	17,768	17,233	115	540	374	269	271	17	12	191	183	166
258	Bradford-on-Avon	18,800	10,475	61	316	188	149	167	7	3	91	97	128
259	Westbury	30,944	11,751	68	393	243	187	206	9	15	116	127	150
260	Warminster	56,356	15,912	113	542	246	280	262	16	15	125	121	296
261	Pewsey	65,650	12,466	89	471	259	250	221	21	19	136	123	212
262	Amesbury	62,420	8,127	57	274	150	141	133	10	6	77	73	124
263	Alderbury	52,660	14,770	86	469	304	227	242	19	11	167	137	165
264	Salisbury	480	9,039	65	307	240	163	144	12	12	133	107	67
265	Wilton	55,304	10,674	79	340	213	173	167	14	10	108	105	127
266	Tisbury	40,494	9,862	69	310	141	161	149	12	18	74	67	169
267	Mere	33,211	8,057	51	270	144	138	132	7	12	77	67	126
	18.—DORSETSHIRE.												
268	Shaftesbury	36,493	12,086	90	414	217	199	215	14	12	111	106	197
269	Sturminster *	37,934	10,340	60	301	180	165	136	12	13	84	96	121
270	Blandford *	57,271	14,821	92	470	255	236	234	8	18	126	129	215
271	Wimborne	81,163	17,253	97	578	322	290	288	19	21	160	162	256
272	Poole	27,023	13,742	125	432	260	206	226	18	17	126	134	172
273	Wareham	96,309	17,072	105	565	275	269	296	19	23	131	144	290
274	Weymouth †	37,282	27,291	199	890	420	449	441	14	14	210	210	470
275	Dorchester †	115,339	24,810	175	777	453	396	381	28	14	222	231	324
276	Sherborne	40,018	13,463	88	454	220	235	219	13	11	104	116	234
277	Beaminster	53,764	13,587	97	470	273	229	241	12	21	130	143	197
278	Bridport	33,187	16,828	114	518	345	259	259	15	22	158	187	173
	19.—DEVONSHIRE.												
279	Axminster	61,738	19,758	132	642	366	321	321	15	11	181	185	276
280	Honiton	80,867	22,729	128	689	400	376	318	25	18	199	201	289
281	St. Thomas	130,141	48,405	293	1441	844	746	695	41	40	400	444	597
282	Exeter	1,800	33,742	473	1055	756	532	523	46	48	371	385	299
283	Newton Abbot	117,396	59,063	436	1820	1115	946	874	50	54	582	533	705
284	Totnes	98,342	32,942	236	993	611	509	484	24	23	285	326	382
285	Kingsbridge	72,918	19,394	114	603	309	304	299	20	16	173	136	294
286	Plympton St. Mary	75,569	20,502	85	658	371	326	332	12	15	199	172	287
287	Plymouth	1,635	62,599	898	2197	1468	1157	1040	58	62	729	739	729
288	East Stonehouse	385	14,343	214	597	357	323	274	6	5	193	164	240
289	Stoke Damerel	2,380	50,440	698	1686	1132	852	834	19	24	562	579	554

* See page 14, Note *. † See page 14, Note †.

V.—SOUTH WESTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: MARRIAGES.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	19.—DEVONSHIRE—*continued.*												
290	TAVISTOCK	158,567	35,265	193	1220	664	621	599	26	14	351	313	556
291	OKEHAMPTON	126,797	18,580	105	572	307	304	268	25	20	156	151	265
292	CREDITON	91,866	20,274	112	619	337	321	298	23	23	183	154	282
293	TIVERTON *	103,212	30,875	198	937	605	482	455	35	23	300	305	332
294	SOUTH MOLTON †	142,503	19,532	115	613	380	312	301	19	14	211	169	233
295	BARNSTAPLE †	149,729	36,293	244	1020	579	527	493	31	33	311	268	441
296	TORRINGTON	81,472	16,876	91	516	276	263	253	24	25	135	141	240
297	BIDEFORD	63,864	17,790	144	550	318	282	268	18	12	160	158	232
298	HOLSWORTHY	82,519	9,876	69	326	175	165	161	13	9	91	84	151
	20.—CORNWALL.												
299	STRATTON	54,406	8,028	46	255	158	137	118	9	3	81	77	97
300	CAMELFORD	51,847	7,784	53	269	117	139	130	11	6	51	66	152
301	LAUNCESTON	101,777	17,005	106	552	288	286	266	15	18	130	158	264
302	ST. GERMANS	47,148	17,631	56	596	321	303	293	9	12	169	152	275
303	LISKEARD	107,320	33,562	224	1308	644	702	606	42	38	326	318	664
304	BODMIN	88,981	19,691	115	595	349	294	301	23	25	190	159	246
305	ST. COLUMB	78,693	16,754	124	520	272	268	252	16	20	122	150	248
306	ST. AUSTELL	57,446	33,797	303	1248	673	647	601	36	36	338	335	575
307	TRURO	92,211	43,070	349	1311	975	688	623	40	43	491	484	336
308	FALMOUTH	27,906	23,332	228	767	519	394	373	10	15	243	276	248
309	HELSTON	72,571	30,033	260	1045	597	522	523	31	31	312	285	448
310	REDRUTH	40,305	57,173	552	2132	1325	1075	1057	46	49	669	656	807
311	PENZANCE	65,092	54,554	440	2025	1052	1047	978	65	46	536	516	973
312	SCILLY ISLANDS	3,560	2,431	10	68	48	36	32	4	3	20	28	20
	21.—SOMERSETSHIRE.												
313a	WILLITON	109,202	19,918	109	586	297	306	280	19	17	138	159	289
313b	DULVERTON * †	57,906	6,158	31	163	71	86	77	6	2	36	35	92
314	WELLINGTON	60,454	20,480	127	587	332	281	306	11	18	175	157	255
315	TAUNTON	70,452	35,601	275	1043	566	518	525	28	44	276	290	477
316	BRIDGWATER	92,273	34,420	210	1111	613	561	550	22	30	305	308	498
317	LANGPORT	59,391	18,077	99	531	313	267	264	18	17	161	152	218
318	CHARD	60,342	25,591	173	838	395	420	418	24	26	184	211	443
319	YEOVIL	52,151	28,189	210	999	521	521	478	43	31	241	280	478
320	WINCANTON	66,120	21,500	142	672	415	337	335	21	16	207	208	257
321	FROME	51,239	23,704	153	761	425	374	387	28	23	222	203	336
322	SHEPTON MALLET	49,657	16,619	102	505	288	268	237	27	19	146	142	217
323	WELLS	64,822	21,889	116	674	398	336	338	16	16	195	203	276
324	AXBRIDGE	105,679	36,106	180	1158	581	588	570	30	38	304	277	577
325	CLUTTON	47,026	23,721	123	826	383	401	425	20	22	195	188	443
326	BATH	30,321	68,336	673	1764	1387	932	832	44	44	632	755	377
327	KEYNSHAM	33,358	21,802	117	746	415	403	343	22	18	195	220	331
328	BEDMINSTER	57,068	41,257	298	1494	740	751	743	38	22	370	370	754

VI.—WEST MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: MARRIAGES.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	22.—GLOUCESTERSHIRE.												
329	BRISTOL	1,840	66,027	1244	2370	1642	1186	1184	69	53	840	802	728
330	CLIFTON	29,475	94,687	654	3111	1896	1635	1476	31	42	916	980	1215
331	CHIPPING SODBURY	62,356	18,763	86	640	331	319	321	14	14	162	169	309
332	THORNBURY	65,840	16,499	70	516	253	263	253	17	15	132	121	263
333	DURSLEY	26,521	13,331	74	406	239	220	186	13	12	128	111	167
334	WESTBURY-ON-SEVERN	43,246	20,189	145	648	365	325	323	9	13	186	179	283
335	NEWENT	45,281	12,420	52	345	199	177	168	10	12	104	95	146
336	GLOUCESTER	32,222	34,950	407	1305	731	695	610	44	29	371	360	574
337	WHEATENHURST	24,471	7,813	45	247	133	115	132	6	8	69	64	114
338	STROUD	43,720	36,448	316	1208	787	610	598	30	29	380	407	421
339	TETBURY	25,641	6,110	43	190	99	85	105	4	6	41	58	91
340	CIRENCESTER	85,366	20,934	150	702	380	360	342	25	26	179	201	322
341	NORTHLEACH	67,647	10,895	75	355	186	192	163	14	15	102	84	169
342	STOW-ON-THE-WOLD	41,131	9,687	71	350	189	182	168	8	15	87	102	161
343	WINCHCOMB	57,494	10,082	56	346	137	185	161	16	14	66	71	209
344	CHELTENHAM	24,876	49,792	401	1439	848	691	748	48	48	424	424	591
345	TEWKESBURY	38,918	14,908	99	491	276	235	256	21	14	137	139	215
	23.—HEREFORDSHIRE.												
346	LEDBURY	48,783	14,880	83	439	223	211	228	20	15	112	111	216
347	ROSS	55,568	16,306	65	475	292	245	230	17	13	135	157	183
348	HEREFORD	144,991	39,287	312	1230	772	626	604	55	48	385	387	458
349	WEOBLY	48,959	9,018	60	261	162	143	118	11	10	88	74	99
350	BROMYARD	61,659	11,811	70	369	208	200	169	18	13	111	97	161
351	LEOMINSTER	65,620	15,494	99	481	277	229	252	19	21	153	124	204
	24.—SHROPSHIRE.												
352	LUDLOW	87,573	17,721	128	557	313	282	275	32	25	170	143	244
353	CLUN	82,886	10,615	68	397	193	225	172	30	15	83	110	204
354	CHURCH STRETTON	46,184	6,289	35	197	97	104	93	8	11	58	39	100
355	CLEOBURY MORTIMER	54,640	8,304	44	220	142	117	103	7	14	75	67	78
356	BRIDGNORTH	69,896	15,920	100	483	246	234	249	18	20	106	140	237
357	SHIFFNAL	46,053	11,994	90	399	248	202	197	19	19	114	134	151
358	MADELEY	27,951	30,403	190	1100	649	557	543	43	53	327	322	451
359	ATCHAM	104,144	19,455	95	575	267	308	267	26	19	140	127	308
360	SHREWSBURY	18,032	25,784	249	840	583	404	436	38	36	297	286	257
361	OSWESTRY	77,048	23,817	176	782	492	395	387	38	26	245	247	290
362	ELLESMERE	71,081	14,611	90	448	248	226	222	31	10	121	127	200
363a	WEM	51,197	10,644	69	322	188	171	151	7	15	103	85	134
363b	WHITCHURCH	39,076	11,272	95	387	227	196	191	34	36	112	115	160
364	MARKET DRAYTON	67,910	14,260	101	493	241	254	239	32	38	122	119	252
365	WELLINGTON	33,528	23,873	179	883	574	423	460	48	51	280	294	309
366	NEWPORT	47,477	15,447	103	498	303	252	246	22	21	154	149	195

* See page 15, Note ‡.

† See page 15, Note §.

VI.—WEST MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL: Marriages.	TOTAL: Births.	TOTAL: Deaths.	Births: Including Illegitimate Births: Males.	Births: Including Illegitimate Births: Females.	Births: Illegitimate Births: Males.	Births: Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	25.—STAFFORDSHIRE.												
367	Stafford	52,022	24,474	188	816	569	397	419	28	33	309	260	247
368	Stone	68,524	21,926	183	690	439	354	336	26	23	222	217	251
369	Newcastle-under-Lyme	26,718	24,567	157	934	533	450	484	32	22	267	266	401
370	Wolstanton	13,679	54,356	557	2397	1368	1245	1152	94	88	717	651	1029
371	Stoke-upon-Trent	10,490	71,308	692	2958	1918	1542	1416	114	98	1013	905	1040
372	Leek	72,893	24,806	140	923	481	499	424	50	30	252	229	442
373	Cheadle	55,146	20,988	159	772	464	410	362	36	24	246	218	308
374	Uttoxeter	62,890	14,787	72	453	278	231	222	22	21	143	135	175
375	Burton-upon-Trent	90,652	41,065	283	1566	804	796	770	55	51	427	377	762
376	Tamworth	46,740	15,504	94	567	286	277	290	19	21	146	140	281
377	Lichfield	71,613	27,541	209	910	605	488	422	40	34	306	299	305
378	Penkridge	70,799	18,662	118	620	361	318	302	26	26	203	158	259
379	Wolverhampton	53,900	126,902	1002	4937	3225	2545	2392	147	134	1757	1468	1712
380	Walsall	21,603	59,908	365	2577	1538	1286	1291	58	81	832	706	1039
381	West Bromwich	19,364	92,480	918	3956	2232	2016	1940	97	106	1177	1055	1724
382	Dudley	17,984	130,267	1267	5845	3390	2901	2944	136	140	1760	1630	2455
	26.—WORCESTERSHIRE.												
383	Stourbridge	16,200	68,726	541	2999	1397	1511	1488	85	93	737	660	1602
384	Kidderminster	37,321	30,307	225	927	530	485	442	27	25	271	259	397
385	Tenbury	35,941	7,363	34	220	127	114	106	18	8	78	49	93
386	Martley	53,718	15,098	89	475	248	259	216	19	15	135	113	227
387	Worcester	6,699	30,969	265	1043	722	521	522	47	42	389	333	321
388	Upton-on-Severn	53,016	21,010	136	666	402	343	323	29	23	201	201	264
389	Evesham	46,609	14,767	107	474	240	230	244	14	14	114	126	234
390	Pershore	52,269	13,865	99	441	225	222	219	19	17	121	104	216
391	Droitwich	56,525	19,289	185	680	339	348	332	20	34	181	158	341
392	Bromsgrove	47,374	26,207	170	1009	497	519	490	30	40	261	236	512
393	Kings Norton	28,404	47,349	632	1548	859	761	787	39	32	412	447	689
	27.—WARWICKSHIRE.												
394	Birmingham	2,660	212,621	2106	8616	5700	4424	4192	242	236	2978	2722	2916
395	Aston	31,273	100,522	810	4324	2269	2238	2086	81	76	1145	1124	2055
396	Meriden	48,618	11,290	59	329	178	159	170	9	11	97	81	151
397	Atherstone	27,883	12,118	71	415	214	215	200	12	11	101	113	201
398	Nuneaton	20,428	13,054	79	485	266	247	238	18	21	126	140	219
399	Foleshill	19,389	19,997	130	755	407	394	361	28	24	194	213	348
400	Coventry	5,489	41,647	341	1380	793	686	694	39	52	387	406	587
401	Rugby	80,755	24,436	134	751	407	406	345	28	20	201	206	344
402	Solihull	46,015	13,231	80	438	239	205	233	10	11	113	126	199
403	Warwick	66,639	44,047	307	1307	871	659	648	45	48	445	426	436
404	Stratford-on-Avon	79,051	21,249	129	647	357	313	334	20	19	178	179	290
405	Alcester	52,430	16,878	100	566	279	288	278	24	18	138	141	287
406	Shipston-on-Stour	78,899	19,852	131	709	349	350	359	27	19	178	171	360
407	Southam	50,409	10,392	72	389	175	195	194	13	12	92	83	214

VII.—NORTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

	28.—LEICESTERSHIRE.												
408	Lutterworth	59,031	15,515	95	489	250	255	234	16	18	111	139	239
409	Market Harborough	64,094	16,059	95	550	296	277	273	12	16	147	149	254
410	Billesdon	50,721	7,272	55	197	90	111	86	3	2	46	44	107
411	Blaby *	34,207	14,305	98	539	282	281	258	18	17	145	137	257
412	Hinckley	28,070	16,374	108	597	310	294	303	34	38	162	148	287
413	Market Bosworth	53,526	13,428	90	437	237	213	224	23	22	116	121	200
414	Ashby-de-la-Zouch †	51,952	28,543	197	1114	583	577	537	44	33	302	281	531
415	Loughborough †	43,840	24,147	173	792	484	433	359	40	34	228	256	308
416	Barrow-upon-Soar	47,868	19,778	153	702	399	369	333	24	33	203	196	303
417	Leicester *	3,960	68,056	736	2723	1720	1424	1299	116	87	882	838	1003
418	Melton Mowbray	98,077	20,171	136	641	352	323	318	30	29	186	166	289
	29.—RUTLANDSHIRE.												
419	Oakham	55,030	11,112	69	364	177	189	175	17	16	97	80	187
420	Uppingham	52,698	12,367	74	351	209	163	188	9	14	95	114	142
	30.—LINCOLNSHIRE.												
421	Stamford	52,858	18,213	132	550	302	294	256	18	20	150	152	248
422	Bourn ‡	90,644	20,113	137	684	372	360	324	46	24	175	197	312
423	Spalding ‡	86,471	22,129	142	649	411	341	308	35	32	221	190	238
424	Holbeach	107,299	18,402	125	605	337	295	310	25	25	167	170	268
425	Boston	125,547	37,969	242	1107	716	574	533	61	53	361	355	391
426	Sleaford	131,777	24,919	198	906	473	450	456	45	51	237	236	433
427	Grantham	103,929	28,886	188	964	532	517	447	40	38	291	241	432
428	Lincoln	158,920	47,063	389	1563	914	823	740	81	58	475	439	649
429	Horncastle	113,588	24,718	139	820	420	395	425	31	45	210	210	400
430	Spilsby	140,269	28,799	210	968	462	500	468	56	46	245	217	506
431	Louth	170,708	34,711	265	1211	576	637	574	46	39	306	270	635
432	Caistor	183,164	37,517	289	1248	642	631	617	34	39	321	321	606
433	Glanford Brigg	165,470	34,731	232	1174	571	605	569	41	62	299	272	603
434	Gainsborough	108,668	25,973	170	847	564	420	427	35	35	285	279	283
	31.—NOTTINGHAMSHIRE.												
435	East Retford	86,797	22,677	139	730	378	379	351	31	32	199	179	352
436	Worksop	80,850	20,704	127	792	420	418	374	37	32	215	205	372
437	Mansfield	55,960	30,593	216	1170	694	603	567	58	76	335	359	476
438	Basford §	88,039	74,357	514	2900	1559	1470	1430	115	132	793	766	1341
439	Radford	6,800	30,479	256	1102	581	562	540	53	39	268	313	521

* See page 18, Note *. † See page 18, Note †. ‡ See page 19, Note ‡. § See page 19, Note ‖.

VII.—NORTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL: Marriages.	TOTAL: Births.	TOTAL: Deaths.	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	31.—NOTTINGHAMSHIRE—*cont.*												
440	Nottingham *	1,870	74,693	805	2656	1770	1367	1289	145	128	872	898	886
441	Southwell	117,134	21,425	138	726	435	352	374	28	47	193	242	291
442	Newark	94,202	30,186	209	1036	614	524	512	35	35	312	302	422
443	Bingham	68,139	15,670	80	474	265	224	250	18	21	135	130	209
	32.—DERBYSHIRE.												
444	Shardlow	73,290	31,113	167	955	548	499	456	33	38	272	276	407
445	Derby	2,970	51,019	561	1979	1012	1053	926	78	80	547	465	967
446	Belper	66,590	51,711	430	1893	1084	997	896	75	55	538	546	809
447	Ashborne	100,937	20,648	132	612	392	306	306	34	29	183	209	220
448	Chesterfield	94,825	61,779	435	2621	1195	1322	1299	93	71	638	557	1426
449	Bakewell	107,905	31,378	197	1077	665	581	496	32	21	347	318	412
450	Chapel-en-le-Frith	63,248	14,020	90	503	339	279	224	18	17	173	166	164
451	Hayfield	48,855	32,176	157	1108	692	582	526	37	35	364	328	416

VIII.—NORTH WESTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL: Marriages.	TOTAL: Births.	TOTAL: Deaths.	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	33.—CHESHIRE.												
452	Stockport	30,709	94,360	814	3330	2475	1746	1584	122	128	1263	1212	855
453	Macclesfield	81,561	61,543	466	1982	1466	998	984	129	106	720	746	516
454	Altrincham	73,665	40,517	233	1447	785	755	692	78	51	407	378	662
455	Runcorn	45,776	26,792	183	1028	559	544	484	36	34	294	265	469
456	Northwich	65,445	33,338	210	1409	873	732	677	64	72	438	435	536
457	Congleton	52,889	34,328	256	1275	746	631	644	58	59	382	364	529
458	Nantwich	111,126	40,955	325	1583	708	830	753	82	72	382	326	875
459	Great Boughton (Chester)	107,555	58,501	647	1967	1367	989	978	70	63	705	662	600
460a	Wirral	88,258	18,420	94	675	324	332	343	16	19	171	153	351
460b	Birkenhead	23,852	61,420	427	2776	1379	1409	1367	35	43	727	652	1397
	34.—LANCASHIRE.												
461	Liverpool	2,220	269,742	3835	10068	8950	5129	4939	221	236	4725	4225	1118
462	West Derby	50,567	225,845	1808	9104	5797	4638	4466	142	126	2901	2896	3307
463	Prescot	56,859	73,127	546	3231	1684	1608	1623	61	80	877	807	1547
464	Ormskirk	111,968	46,252	301	1697	954	840	857	65	72	475	479	743
465	Wigan	47,018	94,561	718	4489	2521	2302	2187	272	236	1292	1229	1968
466	Warrington	29,984	48,875	397	1931	1010	958	973	63	37	505	505	921
467	Leigh	23,610	37,700	261	1569	978	802	767	70	75	498	480	591
468	Bolton	43,893	130,269	1098	5583	3256	2863	2720	202	210	1706	1550	2327
469	Bury	32,990	101,135	677	3781	2485	1975	1806	124	97	1293	1192	1296
470	Barton-upon-Irwell	23,279	39,038	272	1414	855	710	704	46	50	397	458	559
471	Chorlton	11,549	169,579	480	6679	3992	3373	3306	210	208	1945	2047	2687
472	Salford	4,830	105,335	552	4206	2747	2196	2010	150	144	1337	1410	1459
473	Manchester	12,628	243,988	3914	9128	7448	4635	4493	284	332	3828	3620	1680
474	Ashton-under-Lyne	33,657	134,753	960	5076	3526	2637	2439	158	184	1791	1735	1550
475	Oldham	16,872	111,276	721	4494	3028	2284	2210	133	121	1576	1452	1466
476	Rochdale	40,340	91,754	680	3357	2007	1701	1656	90	90	1044	963	1350
477	Haslingden	26,681	69,781	566	2653	1513	1328	1325	62	76	754	759	1140
478	Burnley	54,126	75,595	575	2962	1738	1540	1422	132	104	883	855	1224
479	Clitheroe	114,697	20,476	157	648	427	344	304	26	18	224	203	221
480	Blackburn	43,369	119,942	840	5211	3182	2616	2595	159	148	1677	1505	2029
481	Chorley	52,213	41,678	224	1575	982	799	776	75	53	498	484	593
482	Preston	68,035	110,523	879	4369	3009	2163	2206	179	187	1507	1502	1360
483	Fylde	76,397	25,682	199	893	496	455	438	43	37	232	264	397
484	Garstang	62,317	12,425	75	431	220	214	217	18	14	115	105	211
485	Lancaster	138,746	35,297	255	1207	748	646	561	47	54	370	378	459
486	Ulverston	135,043	35,738	243	1313	862	660	653	52	62	483	379	451

IX.—YORKSHIRE.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL: Marriages.	TOTAL: Births.	TOTAL: Deaths.	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	35.—WEST RIDING.												
487	Sedbergh	52,882	4,891	30	117	95	61	56	9	7	37	58	22
488	Settle	154,591	12,528	83	394	233	204	190	14	23	115	118	161
489	Skipton	157,073	31,343	214	1002	626	545	457	34	41	313	313	376
490	Pateley Bridge	74,275	9,581	59	343	212	186	157	13	13	120	92	131
491	Ripon	70,590	15,742	110	493	283	266	227	17	10	143	140	210
492a	Great Ouseburn	51,808	11,534	55	346	220	173	173	7	9	114	106	126
492b	Knaresborough	39,942	17,176	164	541	342	276	265	16	19	180	162	199
492c	Wetherby	32,459	6,668	32	215	117	106	109	5	6	57	60	98
492d	Kirkdeighton	6,941	987	6	30	12	17	13	–	–	3	9	18
493a	Otley	43,254	18,669	110	602	363	288	314	17	20	193	170	239
493b	Wharfedale	30,798	15,453	117	600	395	300	300	14	21	204	191	205
494	Keighley	39,144	43,122	329	1470	1019	759	711	49	52	499	520	451
495	Todmorden	26,920	31,113	125	999	654	500	499	35	26	341	313	345
496	Saddleworth	18,280	18,631	102	639	414	312	327	21	20	199	215	225
497	Huddersfield	66,560	131,336	1121	4797	2940	2502	2295	217	146	1531	1409	1857
498	Halifax	51,784	128,673	1233	4623	3081	2349	2274	128	144	1531	1550	1542
499	Bradford	40,334	196,475	1828	7679	5110	3927	3752	259	297	2574	2536	2569
500	Hunslet †	34,612	102,418	583	4324	2394	2232	2092	109	111	1250	1144	1930
501	Leeds	2,100	117,566	1652	4814	3488	2445	2369	179	145	1740	1748	1326
502	Dewsbury	24,156	92,883	1002	4205	2183	2103	2102	138	117	1105	1078	2022
503	Wakefield †	41,028	54,899	430	2180	1383	1116	1064	79	85	736	647	797
504a	Pontefract †	27,465	14,635	190	847	533	422	425	29	30	288	245	314
504b	Hemsworth	33,870	7,793	39	238	154	126	112	8	9	79	75	84
504c	Castleford	37,613	19,954	98	540	319	278	262	18	11	175	144	221
505	Barnsley	35,376	45,797	344	1991	1003	1047	944	67	66	519	484	988

* See page 19, Note B.

† For alterations in the districts of Hunslet (500) (which during the year 1862 was divided into three superintendents' districts, viz., Kirkstall, Hunslet, and Holbeck), Wakefield (503), Pontefract (504 a), and Tadcaster (514), see "List of Changes," page 172.

IX.—YORKSHIRE.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
							Including Illegitimate Births.		Illegitimate Births.				
				MARRIAGES.	BIRTHS.	DEATHS.	Males.	Females.	Males.	Females.	Males.	Females.	
	35.—WEST RIDING—*continued.*												
506	WORTLEY	85,790	38,511	209	1606	834	835	771	60	60	454	380	772
507	ECCLESALL BIERLOW	20,860	63,318	199	2453	1351	1207	1246	57	59	709	642	1102
508	SHEFFIELD	10,590	128,951	1805	5391	3703	2718	2673	148	165	1893	1810	1688
509	ROTHERHAM	50,591	44,350	327	1852	1172	915	937	64	53	592	580	680
510	DONCASTER	109,031	39,388	265	1370	860	709	661	48	45	414	446	510
511	THORNE	71,946	16,011	106	591	339	305	286	31	16	173	166	252
512	GOOLE	40,908	15,153	120	566	301	267	299	14	15	171	130	265
513	SELBY	56,014	16,001	105	568	303	294	274	17	23	152	151	265
514	TADCASTER*	66,545	18,704	118	556	309	295	261	21	16	159	150	247
	36.—EAST RIDING (*with York*).												
515	YORK	82,912	59,909	565	2019	1368	1014	975	76	79	661	707	651
516	POCKLINGTON	107,636	16,710	93	537	284	281	256	26	24	127	157	253
517	HOWDEN	72,253	15,001	111	653	401	343	310	30	20	220	181	252
518	BEVERLEY	78,434	21,029	157	679	430	349	330	31	25	236	194	249
519	SCULCOATES	45,084	51,956	581	2087	1295	1065	1022	58	52	646	649	792
520	HULL	1,827	56,888	690	1966	1317	1003	963	53	47	694	623	649
521	PATRINGTON	88,872	9,681	45	333	173	181	152	10	27	89	84	160
522	SKIRLAUGH	67,028	9,654	46	319	206	164	155	15	17	94	112	113
523	DRIFFIELD	105,114	19,226	124	696	459	355	341	48	38	251	208	237
524	BRIDLINGTON	67,984	14,371	95	499	291	258	241	25	25	148	143	208
	37.—NORTH RIDING.												
525	SCARBOROUGH	81,460	30,425	256	1083	648	560	523	58	46	326	322	435
526	MALTON	112,407	23,483	140	776	494	393	383	41	68	238	256	282
527	EASINGWOLD	63,603	10,148	64	356	199	182	174	14	21	108	91	157
528	THIRSK	62,444	12,299	94	387	244	200	187	16	20	114	130	143
529	HELMSLEY	131,516	11,832	90	417	236	228	189	32	33	135	101	181
530	PICKERING	88,062	10,549	75	380	231	201	179	23	19	122	109	149
531	WHITBY	90,371	23,633	158	794	620	406	388	20	34	311	309	174
532	GUISBROUGH	95,862	22,128	140	914	468	479	435	24	23	275	193	446
533	STOKESLEY	79,345	10,381	81	380	204	187	193	13	20	92	112	176
534	NORTHALLERTON	68,342	12,174	90	351	244	190	161	15	17	117	127	107
535	BEDALE	45,588	8,650	66	253	180	130	123	12	12	89	91	73
536	LEYBURN	84,918	10,105	51	285	172	126	159	9	14	89	83	113
537	ASKRIGG	77,308	5,649	31	196	113	95	101	12	8	56	57	83
538	REETH	70,267	6,196	39	200	109	107	93	9	4	55	54	91
539	RICHMOND	78,569	13,457	66	404	226	205	199	17	18	104	122	178

X.—NORTHERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	MARRIAGES.	BIRTHS.	DEATHS.	Births incl. Illegitimate: Males.	Females.	Illegitimate Births: Males.	Females.	Deaths: Males.	Females.	Excess of Births over Deaths.
	38.—DURHAM.												
540	DARLINGTON	62,952	26,122	253	1034	651	545	489	35	32	322	329	383
541a	STOCKTON	101,358	57,099	556	2569	1321	1331	1238	67	62	708	613	1248
541b	HARTLEPOOL	25,269	29,153	275	1266	651	607	659	31	16	341	310	615
542	AUCKLAND	59,308	50,491	442	2581	1243	1342	1239	63	62	650	593	1338
543	TEESDALE	174,162	20,880	154	725	421	397	328	42	36	202	219	304
544	WEARDALE	90,533	16,418	128	637	359	331	306	30	30	179	180	278
545	DURHAM	98,368	70,274	527	2965	1409	1506	1459	73	66	734	675	1556
546	EASINGTON	38,493	27,293	255	1301	644	663	638	26	22	330	314	657
547	HOUGHTON-LE-SPRING	16,202	21,773	121	945	549	478	467	16	27	272	277	396
548	CHESTER-LE-STREET	33,079	27,660	114	1284	647	659	625	26	23	341	306	637
549	SUNDERLAND	11,944	90,704	1015	3785	2152	1919	1866	90	70	1016	1136	1633
550	SOUTH SHIELDS	15,477	44,849	418	1936	982	978	958	42	29	493	489	954
551	GATESHEAD	25,943	59,409	462	2554	1442	1312	1242	91	96	765	677	1112
	39.—NORTHUMBERLAND.												
552	NEWCASTLE-UPON-TYNE	7,102	110,968	1707	4531	2968	2298	2233	150	158	1542	1426	1563
553	TYNEMOUTH	39,737	77,955	605	3325	1949	1682	1643	78	89	1100	849	1376
554	CASTLE WARD	88,587	14,943	41	515	258	274	241	29	23	149	109	257
555	HEXHAM	198,586	31,850	220	1070	614	552	518	73	79	319	295	456
556	HALTWHISTLE	83,861	6,693	51	218	136	99	119	13	14	64	72	82
557	BELLINGHAM	235,861	7,080	36	188	114	93	95	9	8	63	51	74
558	MORPETH	95,429	24,003	132	1010	556	536	474	42	39	285	271	454
559	ALNWICK	98,935	21,053	100	654	453	341	313	30	32	206	247	201
560	BELFORD	41,753	6,260	40	188	143	102	86	9	7	73	70	45
561	BERWICK	57,975	21,862	113	673	432	339	334	27	13	237	195	241
562	GLENDALE	112,305	13,211	66	385	218	195	190	16	20	100	118	167
563	ROTHBURY	159,168	7,147	30	179	109	97	82	13	6	54	55	70
	40.—CUMBERLAND.												
564	ALSTON	35,060	6,404	35	223	149	109	114	12	18	72	77	74
565	PENRITH	181,236	22,322	147	724	495	377	347	58	54	258	237	229
566	BRAMPTON	95,473	10,866	56	326	225	160	166	18	26	113	112	101
567	LONGTOWN	86,871	10,469	42	326	193	171	155	30	28	103	90	133
568	CARLISLE	70,810	44,820	338	1534	1092	799	735	80	62	548	544	442
569	WIGTON	176,529	23,273	152	707	464	360	347	50	49	243	221	243
570	COCKERMOUTH	156,025	41,292	303	1469	969	744	725	79	78	480	489	500
571	WHITEHAVEN	99,203	39,950	365	1604	956	808	796	59	71	471	485	648
572	BOOTLE	100,066	5,880	36	164	103	76	88	15	12	51	52	61
	41.—WESTMORLAND.												
573	EAST WARD	177,910	15,411	90	435	284	220	215	28	23	151	133	151
574	WEST WARD	120,523	8,072	44	260	192	133	127	19	20	100	92	68
575	KENDAL	189,134	37,463	278	1185	803	600	585	60	60	393	410	382

* See "List of Changes" page 172.

XI.—MONMOUTHSHIRE AND WALES.—MARRIAGES, BIRTHS, AND DEATHS, 1862—DISTRICTS.

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: MARRIAGES.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS: Including Illegitimate Births: Males.	BIRTHS: Including Illegitimate Births: Females.	BIRTHS: Illegitimate Births: Males.	BIRTHS: Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	42.—MONMOUTHSHIRE.												
576	CHEPSTOW	81,255	17,941	108	563	297	305	258	26	16	143	154	266
577	MONMOUTH	101,791	30,244	201	971	643	503	468	40	30	322	321	328
578a	ABERGAVENNY	60,178	19,527	137	724	457	375	349	23	25	231	226	267
578b	BEDWELTY	27,998	47,565	394	1999	1243	1005	994	52	58	664	579	756
579	PONTYPOOL	51,429	30,288	242	1055	557	547	508	26	17	318	239	498
580	NEWPORT	110,255	51,412	436	1728	993	878	850	42	34	515	478	735
	43.—SOUTH WALES.												
	GLAMORGANSHIRE.												
581	CARDIFF	117,797	74,575	672	2890	1534	1500	1390	78	60	821	713	1356
582	MERTHYR TYDFIL	112,886	107,105	879	4491	2633	2304	2187	95	106	1459	1174	1858
583	BRIDGEND	109,511	26,465	182	848	527	423	425	24	26	257	270	321
584	NEATH	162,817	58,533	471	2465	1204	1256	1209	56	70	646	558	1261
585a	SWANSEA	44,166	51,260	491	2050	1044	1010	1040	37	36	558	486	1006
585b	GOWER	59,603	8,316	33	232	130	119	113	7	4	78	52	102
	CARMARTHENSHIRE.												
586	LLANELLY	73,451	27,979	269	1121	508	565	556	39	36	266	242	613
587	LLANDOVERY	154,572	14,775	116	455	270	211	244	22	17	151	119	185
588	LLANDILOFAWR	97,207	17,222	113	508	276	271	237	24	27	134	142	232
589	CARMARTHEN	172,546	36,675	250	1120	675	572	548	43	43	345	330	445
	PEMBROKESHIRE.												
590	NARBERTH	124,903	21,344	124	641	403	308	333	34	30	190	213	238
591	PEMBROKE	70,276	29,003	246	967	503	451	516	38	41	246	257	464
592	HAVERFORDWEST	170,861	37,343	282	1181	769	598	583	69	67	369	400	412
	CARDIGANSHIRE.												
593	CARDIGAN	85,481	18,585	135	470	375	235	235	21	18	167	208	95
594	NEWCASTLE-IN-EMLYN	113,346	19,081	118	526	371	270	256	40	29	182	189	155
595	LAMPETER	75,710	9,994	78	292	170	148	144	19	21	81	89	122
596	ABERAYRON	65,704	13,540	88	412	238	198	214	22	25	116	122	174
597	ABERYSTWITH	132,592	25,464	190	896	564	471	425	21	33	278	286	332
598	TREGARON	122,050	10,737	53	331	161	164	167	13	22	81	80	170
	BRECKNOCKSHIRE.												
599	BUILTH	102,953	8,305	41	232	155	122	110	16	16	82	73	77
600	BRECKNOCK	196,793	17,279	134	577	349	303	274	22	27	171	178	228
601	CRICKHOWELL	53,692	22,457	190	837	488	426	411	18	18	260	228	349
602	HAY	89,695	10,819	64	296	193	146	150	11	23	97	96	103
	RADNORSHIRE.												
603	PRESTEIGNE	104,963	15,671	88	527	356	276	251	21	26	164	192	171
604	KNIGHTON	97,492	10,379	51	336	198	176	160	30	24	100	98	138
605	RHAYADER	105,532	6,816	44	226	127	108	118	16	25	69	58	99
	44.—NORTH WALES.												
	MONTGOMERYSHIRE.												
606	MACHYNLLETH	116,647	12,395	101	426	303	226	200	24	22	137	166	123
607	NEWTOWN	189,537	23,732	192	816	479	414	402	59	62	226	253	337
608	MONTGOMERY	74,067	19,097	124	595	375	310	285	41	22	187	188	220
609	LLANFYLLIN	187,870	21,699	149	644	467	355	289	51	39	231	236	177
	FLINTSHIRE.												
610	HOLYWELL	89,479	39,941	214	1307	830	705	602	45	24	422	408	477
	DENBIGHSHIRE.												
611	WREXHAM	78,592	47,975	364	1943	1281	993	950	68	53	647	634	662
612	RUTHIN	92,853	16,083	97	446	364	238	208	16	12	194	170	82
613	ST. ASAPH	93,934	27,518	173	775	665	410	365	38	22	330	335	110
614	LLANRWST	100,631	12,770	86	328	280	153	175	15	11	148	132	48
	MERIONETHSHIRE.												
615	CORWEN	123,807	16,107	124	474	323	250	224	12	18	165	158	151
616	BALA	58,292	6,352	49	175	109	96	79	4	5	60	49	66
617	DOLGELLY	145,213	12,482	79	308	269	138	170	23	21	147	122	39
618	FESTINIOG	138,714	18,289	153	625	457	307	318	25	22	232	225	168
	CARNARVONSHIRE.												
619	PWLLHELI	93,319	20,908	118	521	391	285	236	33	26	193	198	130
620	CARNARVON	97,635	32,425	267	1017	679	508	509	39	31	342	337	338
621	BANGOR	108,280	36,309	300	1127	799	556	571	25	25	383	416	328
622	CONWAY	57,131	13,896	96	434	285	217	217	15	20	116	169	149
	ANGLESEY.												
623*	ANGLESEY	123,082	38,157	236	999	789	525	474	34	35	385	404	210

* See page 24, Note *.

I.—LONDON.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.		Males.	Females.	
						Males.	Females.	Males.	Females.			
	MIDDLESEX (*part of*).											
	1.—KENSINGTON.											
1	St. Mary Paddington *W*	795	39015	1437	869	717	720	32	53	431	438	568
2	St. John Paddington	450	36769	849	686	427	422	13	17	371	315	163
3	Kensington Town *W*	1244	51910	1796	1175	912	884	44	47	603	572	621
4	Brompton	698	18198	440	439	228	212	8	6	223	216	1
5	St. Peter Hammersmith	203	5415	169	97	79	90	3	4	44	53	72
6	St. Paul Hammersmith	2118	19104	640	403	315	325	17	13	188	215	237
7	Fulham *W*	1834	15539	599	428	302	297	28	22	195	233	171
	2.—CHELSEA.											
1	Chelsea South	368	21654	659	520	342	317	21	7	323	197	139
2	Chelsea North-West *W w*	213	19899	764	571	374	390	32	42	252	319	193
3	Chelsea North-East	284	21886	713	463	387	326	21	15	232	231	250
	3.—ST. GEORGE HANOVER SQUARE.											
1	Hanover Square	445	19773	441	302	230	211	10	6	146	156	139
2	May Fair *W*	136	12885	262	272	134	128	23	11	158	114	−10
3	Belgrave	580	55113	1717	1359	871	846	25	31	728	631	358
	4.—WESTMINSTER.											
1	St. John	260	37483	1345	775	670	675	16	18	427	348	570
2	St. Margaret *W*	657	30730	883	929	447	436	47	44	496	433	−46
	5. ST. MARTIN-IN-THE-FIELDS.											
1	Charing Cross *W*	263	11071	215	331	104	111	7	7	185	146	−116
2	Long Acre	42	11618	363	236	173	190	4	6	108	128	127
	6.—ST. JAMES WESTMINSTER.											
1	Berwick Street	25	10607	387	218	184	203	2	8	105	113	169
2	St. James's Square	85	10753	179	126	93	86	8	3	70	56	53
3	Golden Square *W*	54	13966	443	387	221	222	22	27	200	187	56
	7.—MARYLEBONE.											
1	All Souls	112	29952	950	838	470	480	26	17	417	421	112
2	Cavendish Square	113	15090	327	236	148	179	8	5	112	124	91
3	Rectory *W*	116	26692	906	953	456	450	87	70	434	519	−47
4	St. Mary	108	22493	874	480	426	448	85	97	204	276	394
5	Christchurch	518	34913	1092	775	544	548	25	25	387	388	317
6	St. John	542	32540	988	590	495	493	21	20	298	292	398
	8.—HAMPSTEAD.											
1	Hampstead *W*	2252	19106	497	308	243	254	8	6	155	153	189
	9.—PANCRAS.											
1	Regent's Park	427	34927	1109	638	558	551	21	15	306	332	471
2	Tottenham Court *w*	145	29371	870	859	428	442	43	35	465	394	11
3	Gray's Inn Lane	155	27808	903	616	477	426	19	20	308	308	287
4	Somers Town	184	39099	1349	769	683	666	19	23	365	404	580
5	Camden Town *W*	171	23266	925	887	466	459	71	83	444	443	38
6	Kentish Town	1634	44317	1645	767	802	843	20	25	390	377	878
	10.—ISLINGTON.											
1	Islington West *W*	1228	75442	2893	2094	1413	1480	60	75	1062	1032	799
2	Islington East *W*	1899	79899	2726	1402	1385	1341	40	32	641	761	1324
	11.—HACKNEY.											
1	Stoke Newington	639	6608	190	115	84	106	1	1	42	73	75
2	Stamford Hill	615	5483	139	85	75	64	1	–	37	48	54
3	West Hackney	472	24265	763	409	371	392	13	9	196	213	354
4	Hackney *W w*	1731	31481	1085	812	512	573	31	29	410	402	273
5	South Hackney	472	15458	607	332	309	298	1	13	167	165	275
	12.—ST. GILES.											
1	St. George Bloomsbury	122	17392	382	344	201	181	3	6	183	161	38
2	St. Giles South *W*	63	19483	764	747	391	373	43	44	377	370	17
3	St. Giles North	60	17201	591	407	302	289	5	5	205	202	184
	13.—STRAND.											
1	St. Anne Soho	53	17426	552	330	253	299	12	19	172	158	222
2	St. Mary-le-Strand	67	10346	267	205	156	111	6	5	109	96	62
3	St. Clement Danes	52	15207	495	474	241	254	11	12	272	202	21

NOTE. The Sub-districts are sub-divisions of the Districts, and comprise the Parishes or Places in which the Births and Deaths are registered by Registrars severally appointed for that purpose.

The letter *W* denotes that the Sub-district contains within its limits a Workhouse belonging to the District or Union; *w* indicates that a Workhouse belonging to *another* District or Union is included.

Wherever the minus sign (−) is prefixed to the numbers given in the Column headed "Excess of Births over Deaths," it denotes that the Births in the Sub-district, instead of exceeding the Deaths, were, in fact, *less than the Deaths* to the extent stated.

The Excess of *Deaths* over Births in several of the Sub-districts of London is attributable to the mortality in Hospitals.

For the number of Deaths in the Hospitals, Workhouses, and other principal Public Institutions in London, see pp. 83-4.

I.—LONDON.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	MIDDLESEX (*part of*)—*continued.*											
	14.—HOLBORN.											
1	St. George-the-Martyr	103	19903	617	495	300	317	7	6	251	244	122
2	St. Andrew Holborn *W*	33	12947	448	454	213	235	29	16	255	199	−6
3	Saffron Hill	60	12012	348	263	170	178	3	5	138	125	85
	15.—CLERKENWELL.											
1	St. James *W*	74	19152	693	611	348	345	27	27	343	268	82
2	Amwell	82	17250	604	358	305	299	6	10	190	168	246
3	Pentonville	134	13079	437	265	229	208	6	4	121	144	172
4	Goswell Street	90	16200	545	347	283	262	6	9	168	179	198
	16.—ST. LUKE.											
1	Old Street	52	11504	433	254	218	215	6	6	139	115	179
2	City Road	77	17860	1224	449	602	622	14	17	215	234	775
3	Whitecross Street	33	14778	470	393	245	225	4	7	195	198	77
4	Finsbury	58	12931	410	282	195	215	4	5	150	132	128
	17.—EAST LONDON.											
1	St. Botolph	85	20990	715	504	396	319	10	4	235	269	211
2	Cripplegate	68	19697	602	458	309	293	12	7	234	224	144
	18.—WEST LONDON.											
1	West London North* *W*	47	11750	336	947	175	161	15	14	563	384	−611
2	West London South	91	15395	388	329	200	188	9	5	160	169	59
	19.—LONDON CITY.											
1	London City South-west	67	7762	201	138	91	110	2	–	69	69	63
2	London City North-west	72	9020	142	115	72	70	5	3	60	55	27
3	London City South	100	8570	221	156	112	109	3	3	80	76	65
4	London City South-east	103	8659	178	130	96	82	2	–	79	51	48
5	London City North-east	92	11544	267	215	130	137	3	1	105	110	52
	20.—SHOREDITCH.											
1	Holywell	63	17313	612	420	316	296	8	10	210	210	192
2	St. Leonard	75	19188	783	508	404	379	16	14	280	228	275
3	Hoxton New Town *w*	130	26516	1060	773	553	507	51	42	370	403	287
4	Hoxton Old Town	116	25777	1088	542	552	536	17	9	268	274	546
5	Haggerstone West *W*	132	23260	1012	737	541	471	41	33	380	357	275
6	Haggerstone East	125	17310	714	347	364	350	4	5	175	172	367
	21.—BETHNAL GREEN.											
1	Hackney Road	141	26298	1035	597	512	523	4	9	290	307	438
2	Green *W*	391	31789	1235	994	617	618	23	29	502	492	241
3	Church	132	25528	985	513	513	472	7	15	257	256	472
4	Town	96	21486	888	451	459	429	4	5	217	234	437
	22.—WHITECHAPEL.											
1	Artillery	25	6557	231	141	117	114	3	3	71	70	90
2	Spitalfields	53	15700	589	391	302	287	5	4	191	200	198
3	Mile End New Town *W*	64	15392	645	738	301	344	27	30	391	347	−93
4	Whitechapel North *W*	58	12122	480	333	244	236	3	1	172	161	147
5	Whitechapel Church*	47	8062	256	497	130	126	3	3	311	186	−241
6	Goodman's Fields	51	11166	401	215	219	182	6	1	102	113	186
7	Aldgate	108	9971	241	259	108	133	3	7	128	131	−18
	23.—ST. GEORGE-IN-THE-EAST.											
1	St. Mary	62	18181	679	449	335	344	6	4	229	220	230
2	St. Paul	84	21015	780	459	379	401	7	6	231	228	321
3	St. John *W*	97	9695	409	425	199	210	33	25	198	227	−16
	24 *a*.—STEPNEY.											
1	Shadwell *W*	179	12537	340	351	167	173	12	16	166	185	−11
2	Ratcliff *W*	132	16874	547	439	292	255	9	3	266	173	108
3	Limehouse *W*	265	27161	964	619	478	486	7	5	337	282	345
	24 *b*. MILE END OLD TOWN.											
1	Mile End Old Town Western	191	33747	1313	809	662	651	12	9	414	395	504
2	Mile End Old Town Eastern *Ww*	490	39317	1525	1035	761	764	31	32	483	552	490
	25.—POPLAR.											
1	Bow *w*	1428	35667	1468	970	738	730	16	26	492	478	498
2	Poplar *W*	1490	43529	1828	1083	943	885	25	19	545	538	745
	SURREY (*part of*).											
	26.—ST. SAVIOUR SOUTHWARK.											
1	Christchurch *W*	95	17069	617	475	309	308	20	22	229	246	142
2	St. Saviour	155	19101	613	445	322	291	13	7	209	236	168
	27.—ST. OLAVE SOUTHWARK.											
1	St. Olave*	75	7663	209	782	118	91	8	4	522	260	−573
2	St. John Horsleydown *W*	94	11393	383	267	187	196	8	10	124	143	116

* The Excess of *Deaths* over Births in these Sub-districts is attributable to the fact of Hospitals for the sick being situated in them. For the number of Deaths in Hospitals, &c. see Table pp. 83–4.

I.—LONDON.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	SURREY (*part of*)—*continued.*											
	28.—BERMONDSEY.											
1	St. James	454	25154	1120	494	566	554	10	12	258	236	626
2	St. Mary Magdalen *W*	142	16505	735	460	353	382	14	21	233	227	275
3	Leather Market	92	16696	634	411	315	289	4	6	201	210	223
	29.—ST. GEORGE SOUTHWARK.											
1	Kent-road	105	19652	687	441	363	324	7	6	228	213	246
2	Borough-road *W*	65	16668	712	582	367	345	36	31	320	262	130
3	London-road	112	19190	737	434	381	356	12	16	221	213	303
	30.—NEWINGTON.											
1	Trinity Newington	142	22675	816	412	424	392	9	12	198	214	404
2	St. Peter Walworth *W*	321	44463	1712	1003	881	831	33	26	495	508	709
3	St. Mary	161	15082	447	318	240	207	12	3	142	176	129
	31.—LAMBETH.											
1	Waterloo-road First	91	15269	580	350	290	290	12	5	186	164	230
2	Waterloo-road Second	142	18640	835	390	424	411	33	30	211	179	445
3	Lambeth Church First	206	19839	776	484	405	371	12	8	224	260	292
4	Lambeth Church Second *W*	186	29542	1268	1054	662	606	88	87	504	550	214
5	Kennington First	459	30785	1144	677	571	573	28	11	332	345	467
6	Kennington Second	510	20440	615	347	315	300	6	4	153	194	268
7	Brixton	1445	20067	599	331	306	293	7	6	156	175	268
8	Norwood *W*	976	7462	265	140	127	138	4	7	58	82	125
	32.—WANDSWORTH.											
1	Clapham	1233	20894	624	343	309	315	6	8	165	178	281
2	Battersea *W*	2343	19600	844	516	432	412	22	21	260	256	328
3	Wandsworth	2478	13346	388	274	194	194	7	5	137	137	114
4	Putney	2176	6481	180	108	78	102	2	1	41	67	72
5	Streatham	3465	10082	262	135	136	126	–	1	67	68	127
	33.—CAMBERWELL.											
1	Dulwich	1423	1723	41	25	16	25	–	–	16	9	16
2	Camberwell *W*	1339	21297	690	556	364	326	24	19	251	305	134
3	Peckham	1146	28135	1008	593	499	509	18	18	274	319	415
4	St. George	434	20333	768	393	369	399	9	10	176	217	375
	34.—ROTHERHITHE.											
1	Rotherhithe *W*	886	24502	869	560	404	465	15	17	294	266	309
	KENT (*part of*).											
	35.—GREENWICH.											
1	St. Paul Deptford	1609	37834	1450	801	758	692	27	15	396	405	649
2	St. Nicholas Deptford	149	8139	302	171	138	164	2	4	81	90	131
3	Greenwich West	326	21696	765	550	397	368	9	15	323	227	215
4	Greenwich East* *W*	1687	18306	554	732	285	269	26	14	471	261	−178
5	Woolwich Dockyard	495	22919	832	394	421	411	10	8	216	178	438
6	Woolwich Arsenal	1101	18776	709	481	368	341	4	10	279	202	228
	36.—LEWISHAM.											
1	Plumstead	5057	32974	1387	567	681	706	8	18	275	292	820
2	Eltham	4350	3009	93	40	42	51	2	3	23	17	53
3	Lee	2399	11807	306	158	174	132	2	1	78	80	148
4	Lewisham Village *W*	} 5418	7372	278	184	142	136	6	9	101	83	94
5	Sydenham		10595	419	177	225	194	2	6	91	86	242

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	1.—**SURREY** (*extra-metropolitan*).											
	37.—EPSOM.											
1	Carshalton	12119	8341	276	180	138	138	4	5	90	90	96
2	Epsom *W*	12377	7908	193	129	95	98	6	14	66	63	64
3	Leatherhead	16684	6160	167	95	81	86	3	–	46	49	72
	38.—CHERTSEY.											
1	Walton	8126	5613	153	68	75	78	4	4	34	34	85
2	Chertsey *W*	14165	7740	240	127	117	123	13	11	65	62	113
3	Chobham	21250	5289	170	83	89	81	7	1	47	36	87
	39.—GUILDFORD.											
1	Woking	19051	6171	201	98	110	91	5	3	62	36	103
2	Ripley	8823	2591	83	45	37	46	2	1	22	23	38
3	Albury	19760	4453	138	57	68	70	1	2	20	37	81
4	Guildford *W*	5329	9643	276	210	140	136	8	11	120	90	66
5	Godalming	12629	6472	207	111	110	97	1	3	45	66	96

* Greenwich Hospital and the Union Workhouse are situated in this Sub-district. For the number of Deaths in those institutions see Table pp. 83-4.

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS: Including Illegitimate Births: Males.	BIRTHS: Including Illegitimate Births: Females.	BIRTHS: Illegitimate Births: Males.	BIRTHS: Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	1.—SURREY (*extra-metropolitan*) —*continued.*											
	40.—FARNHAM.											
1	Frimley	11649	19403	716	316	396	320	6	8	175	141	400
2	Farnham *W*	19548	11304	397	257	230	167	7	9	134	123	140
	41.—FARNBOROUGH.											
1	Farnborough	24142	11190	255	149	114	141	3	10	82	67	106
2	Headley *W*	15429	3128	93	58	43	50	1	4	29	29	35
	42.—HAMBLEDON.											
1	Witley *W*	28157	6354	197	105	101	96	8	5	48	57	92
2	Cranley	32194	7553	245	102	130	115	6	5	48	54	143
	43.—DORKING.											
1	Capel	23989	4094	114	42	54	60	2	2	22	20	72
2	Dorking *W*	16017	8351	248	120	124	124	4	13	67	53	128
	44.—REIGATE.											
1	Reigate *W*	22726	13704	435	260	215	250	8	12	134	126	205
2	Horley	28550	6405	218	89	110	108	5	5	43	46	129
	45.—GODSTONE.											
1	Godstone *W*	43848	9642	320	137	167	153	3	8	74	63	183
	46.—CROYDON.											
1	Croydon *W*	21209	37093	1278	707	641	637	29	23	366	341	571
2	Mitcham	11594	9381	327	180	174	153	10	8	87	93	147
	47.—KINGSTON.											
1	Wimbledon	3700	4644	133	68	68	65	3	–	29	39	65
2	Kingston *W*	6037	18112	596	384	337	259	25	21	205	179	212
3	Esher	8440	7185	215	108	104	111	9	3	61	47	107
4	Hampton	4310	6538	163	90	85	78	5	4	42	48	73
	48.—RICHMOND.											
1	Richmond *W*	2120	12665	371	245	179	192	10	12	123	122	126
2	Mortlake	2219	6137	173	93	84	89	2	–	42	51	80
	2.—KENT (*extra-metropolitan*).											
	49.—BROMLEY.											
1	Bromley	23118	11755	381	201	168	213	7	5	100	101	180
2	Chislehurst *W*	16809	8613	269	154	130	139	6	7	84	70	115
	50.—DARTFORD.											
1	Bexley	12969	13026	456	208	219	237	8	12	109	99	248
2	Dartford *W*	17675	13180	484	281	243	241	11	10	161	120	203
3	Farningham	22465	6110	174	63	86	88	2	3	33	30	111
	51.—GRAVESEND.											
1	Gravesend *W*	1541	18782	605	466	315	290	14	13	255	211	139
	52.—NORTH AYLESFORD.											
1	Northfleet	21687	9600	340	165	170	170	6	3	100	65	175
2	Strood *W*	20045	9521	394	231	185	209	8	9	115	116	163
	53.—HOO.											
1	Hoo *W*	33281	2861	134	78	62	72	2	4	46	32	56
	54.—MEDWAY.											
1	Rochester *W*	3120	17550	577	410	270	307	15	4	216	194	167
2	Gillingham *W*	11445	34255	1249	670	594	655	11	32	363	307	579
	55.—MALLING.											
1	Aylesford	19208	8036	300	124	163	137	8	7	62	62	176
2	East Peckham *W*	12007	7554	270	150	131	139	18	17	84	66	120
3	Wrotham	16183	5857	177	75	92	85	6	5	46	29	102
	56.—SEVENOAKS.											
1	Shoreham	19290	5183	151	80	84	67	3	4	44	36	71
2	Sevenoaks *W*	20173	9568	306	181	153	153	11	13	93	88	125
3	Penshurst	28025	7288	250	101	130	120	5	6	53	48	149
	57.—TUNBRIDGE.											
1	Tunbridge Wells	} 30401	17656	530	315	288	242	14	8	147	168	215
2	Tunbridge *W*	}	11129	390	245	208	182	19	17	127	118	145
3	Brenchley	15778	5486	208	100	115	88	6	5	48	52	103

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	2.—KENT (*extra-metropolitan*)—*cont.*											
	58.—MAIDSTONE.											
1	Yalding	10807	4882	134	69	69	65	7	4	27	42	65
2	Marden *W*	15317	4905	149	148	75	74	15	12	76	72	1
3	Loose	7916	5867	159	77	94	65	3	4	36	41	82
4	West Maidstone	2056	10907	331	245	172	159	6	10	129	116	86
5	East Maidstone	1986	12109	425	254	218	207	14	13	140	114	171
	59.—HOLLINGBOURN.											
1	Hollingbourn *W*	22026	4690	164	87	85	79	9	10	47	40	77
2	Lenham	16142	3608	116	59	65	51	5	2	32	27	57
3	Headcorn	18849	5286	154	60	73	81	2	6	32	28	94
	60.—CRANBROOK.											
1	Cranbrook *W*	19688	6688	218	127	121	97	14	8	59	68	91
2	Hawkhurst	20561	6724	222	104	117	105	14	6	55	49	118
	61.—TENTERDEN.											
1	Rolvenden	20517	4331	123	46	66	57	3	4	19	27	77
2	Tenterden *W*	26372	6616	193	120	94	99	6	14	48	72	73
	62.—WEST ASHFORD.											
1	Calehill *W*	22535	5311	155	97	70	85	6	3	49	48	58
2	Ashford	19366	9826	364	176	193	171	8	13	84	92	188
	63.—EAST ASHFORD.											
1	Aldington	16127	2487	93	33	42	51	–	2	12	21	60
2	Braybourne *W*	11035	4032	154	71	71	83	7	3	45	26	83
3	Wye	27336	5767	175	90	92	83	6	7	49	41	85
	64.—BRIDGE.											
1	Chartham	18523	5020	162	72	80	82	2	6	35	37	90
2	Barham *W*	22874	6296	186	89	96	90	5	6	37	52	97
	65.—CANTERBURY.											
1	Canterbury *W*	3121	16643	467	361	222	245	20	23	175	186	106
	66.—BLEAN.											
1	Sturry	9791	6467	189	120	97	92	7	5	62	58	69
2	Herne *W*	13887	4473	171	81	82	89	10	12	37	44	90
3	Whitstable	8543	5221	230	70	118	112	3	2	37	33	160
	67.—FAVERSHAM.											
1	Boughton	22200	5333	175	79	95	80	6	3	44	35	96
2	Faversham *W*	8371	9473	367	182	196	171	16	8	111	71	185
3	Teynham	15877	4061	142	59	80	62	5	4	25	34	83
	68.—MILTON.											
1	Milton *W*	35409	14775	637	268	314	323	12	10	149	119	369
	69.—SHEPPEY.											
1	Minster *W*	11535	16937	674	262	353	321	12	11	147	115	412
2	Eastchurch	19548	1557	70	16	46	24	1	–	9	7	54
	70.—THANET.											
1	Minster *W*	17063	3836	132	102	77	55	14	7	51	51	30
2	Margate	4572	10019	253	211	141	112	8	4	94	117	42
3	Ramsgate	8098	18007	490	275	253	237	8	10	147	128	215
	71.—EASTRY.											
1	Sandwich *W*	24870	8759	297	148	153	144	10	12	79	69	149
2	Wingham	8447	2878	84	52	41	43	1	1	28	24	32
3	Eythorn	8639	2158	48	29	27	21	–	1	12	17	19
4	Deal	8754	12105	411	207	215	196	5	6	106	101	204
	72.—DOVER.											
1	St. James	9935	12419	399	196	200	199	8	4	95	101	203
2	St. Mary	125	10914	339	192	161	178	11	6	99	93	147
3	Hougham *W*	19821	8242	271	181	143	128	11	14	94	87	90
	73.—ELHAM.											
1	Folkestone	7072	17341	506	259	263	243	10	7	131	128	247
2	Elham *W*	20916	3841	113	74	58	55	5	8	41	33	39
3	Hythe	15209	5743	188	82	103	85	8	2	33	49	106
	74.—ROMNEY MARSH.											
1	New Romney *W*	20671	2882	94	50	55	39	4	2	34	16	44
2	Lydd	26114	2826	109	42	57	52	2	3	19	23	67

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	3.—SUSSEX.											
	75.—RYE.											
1	Rye *W*	16296	6353	174	129	88	86	14	11	63	66	45
2	Beckley	23073	5574	152	77	81	71	6	3	39	38	75
	76.—HASTINGS.											
1	Ore *W*	11372	3188	107	57	61	46	6	9	27	30	50
2	All Saints	585	7559	276	183	147	129	5	8	97	86	93
3	St. Mary-in-the-Castle	2070	15884	437	269	231	206	9	10	132	137	168
	77.—BATTLE.											
1	Bexhill	20660	4512	123	70	58	65	5	4	42	28	53
2	Ewhurst	12864	2674	77	39	44	33	3	1	14	25	38
3	Battle *W*	20476	5494	189	100	97	92	10	12	53	47	89
	78.—EASTBOURNE.											
1	Westham	18927	2594	85	34	39	46	1	1	19	15	51
2	Eastbourne *W*	19145	8127	280	130	149	131	4	6	75	55	150
	79.—HAILSHAM.											
1	Hailsham	25245	6005	170	103	86	84	6	7	49	54	67
2	Hellingly *W*	29120	6663	218	119	116	102	15	10	58	61	99
	80.—TICEHURST.											
1	Ticehurst *W*	15523	4901	172	94	85	87	11	12	51	43	78
2	Salehurst	11827	3181	98	61	46	52	7	4	30	31	37
3	Wadhurst	15437	4075	142	73	69	73	6	2	38	35	69
4	Frant	8872	2469	79	35	43	36	4	2	19	16	44
	81.—UCKFIELD.											
1	Rotherfield	28337	6101	236	92	120	116	8	7	42	50	144
2	Framfield	14918	3102	97	40	56	41	1	–	24	16	57
3	Isfield *W*	5819	2494	64	50	32	32	6	8	27	23	14
4	Maresfield	25156	5563	186	91	81	105	7	7	50	41	95
	82.—EAST GRINSTEAD.											
1	Withyham	18353	3048	90	30	53	37	3	2	18	12	60
2	East Grinstead *W*	24081	6468	226	155	113	113	9	11	71	84	71
3	Worth *W*	18883	4581	113	78	53	60	–	3	39	39	35
	83.—CUCKFIELD.											
1	Lindfield	18683	4213	122	70	55	67	2	4	37	33	52
2	Cuckfield *W*	24534	6792	232	110	114	118	5	18	64	46	122
3	Hurstpierpoint	18576	6158	210	131	100	110	6	6	60	71	79
	84.—LEWES.											
1	Ditchling	17814	3948	110	116	50	60	2	1	53	63	–6
2	Chailey *W*	18464	4947	145	83	81	64	6	4	46	37	62
3	Lewes *W*	5870	10116	335	203	165	170	11	7	108	95	132
4	Westfirle *W*	14494	2379	69	44	40	29	3	2	26	18	25
5	Newhaven *W*	11751	3213	125	61	67	58	4	3	35	26	64
6	Rottingdean	16711	2392	64	34	26	38	–	–	16	18	30
	85.—BRIGHTON.											
1	Kemp Town	2320	13589	338	218	185	153	13	8	95	123	120
2	St. Peter *W*		42156	1314	1050	854	760	72	71	539	511	564
3	The Palace		21948	509	384	256	253	9	14	184	200	125
	86.—STEYNING.											
1	Shoreham *W*	20973	18369	459	283	233	226	8	9	146	137	176
2	Steyning	23371	5684	176	97	86	90	4	5	46	51	79
	87.—HORSHAM.											
1	South Horsham	24416	4514	129	72	69	60	1	1	37	35	57
2	North Horsham *W*	32607	10799	345	210	186	159	9	8	107	103	135
	88.—PETWORTH.											
1	Billingshurst	21072	4245	113	68	65	48	1	1	31	37	45
2	Petworth *W*	18257	5152	150	86	67	83	1	10	46	40	64
	89.—THAKEHAM.											
1	Pulborough	13064	3378	105	78	52	53	6	6	43	35	27
2	Washington *W*	22535	4189	139	58	75	64	5	9	29	29	81
	90.—WORTHING.											
1	Broadwater	8485	8387	213	133	111	102	7	8	66	67	80
2	Littlehampton *W*	19882	6737	187	120	91	96	–	4	53	67	67
3	Arundel *W*	14090	3797	122	87	61	61	4	3	52	35	35

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	3.—SUSSEX—*continued.*											
	91.—WESTHAMPNETT.											
1	Manhood	17455	3418	112	58	52	60	2	–	32	26	54
2	Wyke	11452	2909	84	30	51	33	2	–	12	18	54
3	Yapton	13674	3006	81	44	42	39	2	1	18	26	37
4	Boxgrove *W*	16752	3382	114	66	59	55	4	10	40	26	48
5	Singleton	15580	1846	50	26	24	26	2	2	12	14	24
	92.—CHICHESTER.											
1	Sutton *W*	16216	2763	97	58	52	45	2	2	33	25	39
2	Chichester *W*	1830	8884	225	191	123	102	13	6	99	92	34
3	South Berstod	3008	3128	84	44	40	44	–	3	26	18	40
	93.—MIDHURST.											
1	Midhurst *W*	20218	5258	151	92	70	81	5	3	57	35	59
2	Fernhurst	17894	2786	90	42	42	48	3	3	21	21	48
3	Harting	27608	4587	157	85	84	73	4	6	44	41	72
	94.—WESTBOURNE.											
1	Funtington	18766	3231	102	55	40	62	–	1	26	29	47
2	Westbourne *W*	14120	3726	136	59	69	67	6	7	32	27	77
	4.—HAMPSHIRE.											
	95.—HAVANT.											
1	Havant *W*	24527	7212	216	142	106	110	6	7	76	66	74
	96.—PORTSEA ISLAND.											
1	Kingston *W*	7806	23089	930	654	477	453	28	22	333	321	276
2	Portsea Town		19967	459	343	224	235	5	5	194	149	116
3	Portsmouth Town		10346	208	193	103	105	4	4	104	89	15
4	Landport		41426	1755	902	884	871	31	21	441	461	853
	97.—ALVERSTOKE.											
1	Alverstoke *W*	5222	22653	790	543	408	382	18	11	327	216	247
	98.—FAREHAM.											
1	Fareham *W*	21089	9640	277	284	147	130	8	5	140	144	−7
2	Titchfield	21136	5224	168	72	90	78	4	4	39	33	96
	99.—ISLE OF WIGHT.											
1	Cowes	10330	10149	319	127	162	157	5	5	72	55	192
2	Newport *W*	19481	13761	378	241	187	191	17	22	131	110	137
3	Ryde	17894	17715	560	243	288	272	16	12	110	133	317
4	Godshill	26988	8020	193	112	87	106	5	12	65	47	81
5	Calbourne	25050	5417	145	68	80	65	3	2	38	30	77
	100.—LYMINGTON.											
1	Lymington *W*	24267	8070	235	128	128	107	9	5	55	73	107
2	Milford	17902	4024	115	62	51	64	2	3	34	28	53
	101.—CHRISTCHURCH.											
1	Christchurch *W*	36775	10438	280	192	134	146	11	9	90	102	88
	102.—RINGWOOD.											
1	Ringwood *W*	33300	5357	158	99	81	77	4	8	45	54	59
	103.—FORDINGBRIDGE.											
1	Fordingbridge *W*	31167	6377	195	191	105	90	6	9	101	90	4
	104.—NEW FOREST.											
1	Lyndhurst	25723	3355	109	56	58	51	6	3	32	24	53
2	Fawley	33430	4202	124	58	67	57	2	4	31	27	66
3	Eling *W*	26379	5952	185	96	97	88	7	10	54	42	89
	105.—SOUTHAMPTON.											
1	Southampton *W*	2630	43414	1583	910	780	803	51	38	487	423	673
	106.—SOUTH STONEHAM.											
1	St. Mary Extra	9895	5675	192	66	103	89	2	–	32	34	126
2	South Stoneham *W*	10764	8621	323	156	143	180	8	5	83	73	167
3	Milbrook	10056	11246	335	171	166	169	5	15	75	96	164
	107.—ROMSEY.											
1	Romsey *W*	9776	6795	225	144	121	104	2	6	68	76	81
2	Michelmersh	18427	3976	137	63	84	53	4	2	35	28	74

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	Births. Including Illegitimate Births. Males.	Births. Including Illegitimate Births. Females.	Births. Illegitimate Births. Males.	Births. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	4.—HAMPSHIRE—*continued.*											
	108.—STOCKBRIDGE.											
1	Broughton	24694	3709	121	50	64	57	4	3	29	21	71
2	Stockbridge *W*	20649	3577	104	53	47	57	4	6	30	23	51
	109.—WINCHESTER.											
1	Mitcheldever	18573	2347	52	35	26	26	1	1	10	25	17
2	The Worthys	21119	2577	100	41	52	48	5	2	16	25	59
3	Winchester *W*	3861	14930	364	289	188	176	10	14	171	118	75
4	Twyford	18785	4203	140	64	68	72	2	3	34	30	76
5	Hursley *W*	16338	2550	67	50	31	36	1	–	21	29	17
	110.—DROXFORD.											
1	Bishops Waltham	12714	3267	103	49	51	52	5	2	27	22	54
2	Westmeon	13709	2177	57	31	26	31	–	1	14	17	26
3	Hambledon *W*	21840	5221	150	110	90	60	12	3	60	50	40
	111.—CATHERINGTON.											
1	Horndean *W*	10561	2497	84	35	39	45	–	2	15	20	49
	112.—PETERSFIELD.											
1	Petersfield *W*	19561	5172	140	83	77	63	4	5	46	37	57
2	Eastmeon	20551	2681	95	42	62	33	4	1	24	18	53
	113.—ALRESFORD.											
1	Ropley	23142	3508	100	62	53	47	–	3	28	34	38
2	Alresford *W*	16619	3674	107	56	46	61	3	7	34	22	51
	114.—ALTON.											
1	Alton *W*	25575	7197	217	143	116	101	12	1	72	71	74
2	Binsted	27482	4866	159	61	83	76	4	5	38	23	98
	115.—HARTLEY WINTNEY.											
1	Odiham	22058	6515	207	107	103	104	10	4	54	53	100
2	Hartley Wintney *W*	19993	4965	178	100	96	82	9	4	50	50	78
	116.—BASINGSTOKE.											
1	Basingstoke *W*	19884	7784	264	179	144	120	14	6	97	82	85
2	Bramley	21591	5006	155	76	79	76	10	7	40	36	79
3	Dummer	32377	4639	136	73	64	72	6	9	38	35	63
	117.—WHITCHURCH.											
1	Whitchurch *W*	29513	5522	183	83	90	93	9	7	48	35	100
	118.—ANDOVER.											
1	Longparish	27353	4284	144	81	68	76	5	1	45	36	63
2	Ludgershall	24658	3538	106	65	55	51	3	2	32	33	41
3	Andover *W*	12706	6435	215	144	110	105	9	11	69	75	71
4	Hurstbourne Tarrant	18898	2875	92	52	44	48	2	4	18	34	40
	119.—KINGSCLERE.											
1	Highclere	19500	3257	99	59	51	48	3	3	27	32	40
2	Kingsclere *W*	27287	5260	168	105	78	90	7	11	57	48	63
	5.—BERKSHIRE.											
	120.—NEWBURY.											
1	Thatcham	15327	5226	198	126	93	105	5	9	60	66	72
2	Newbury *W*	6521	7193	205	149	114	91	12	8	84	65	56
3	Speen	21108	7580	258	154	127	131	9	8	69	85	104
	121.—HUNGERFORD.											
1	Kintbury	23733	4398	146	67	80	66	6	5	40	27	79
2	Hungerford *W*	40590	9830	368	172	194	174	17	13	79	93	196
3	Lambourn	33964	5654	191	95	96	95	4	7	50	45	96
	122.—FARINGDON.											
1	Shrivenham	19114	4521	147	86	76	71	9	4	53	33	61
2	Faringdon *W*	19738	6222	196	136	104	92	17	11	78	58	60
3	Buckland	25355	4945	194	94	100	94	12	13	45	49	100
	123.—ABINGDON.											
1	Fyfield	7963	1861	54	39	32	22	1	2	20	19	15
2	Abingdon *W*	12983	8672	296	198	142	154	9	21	87	111	98
3	Cumnor	13113	2853	86	58	49	37	4	4	29	29	28
4	Nuneham Courtney	12009	3500	96	125	48	48	4	3	63	62	– 29
5	Sutton Courtney	10377	3975	121	77	63	58	5	6	44	33	44

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	5.—BERKSHIRE—*continued.*											
	124.—WANTAGE.											
1	Wantage *W*	23648	7304	217	125	96	121	5	7	58	67	92
2	Ilsley	32992	5635	196	72	106	90	7	8	32	40	124
3	Hendred	19060	4369	149	78	73	76	5	9	37	41	71
	125.—WALLINGFORD.											
1	Cholsey	22811	6232	225	116	123	102	12	6	66	50	109
2	Wallingford *W*	18049	7785	237	170	131	106	8	14	81	89	67
	126.—BRADFIELD.											
1	Bucklebury *W*	23949	5532	176	101	101	75	12	8	52	49	75
2	Mortimer	22402	4931	157	64	77	80	6	8	30	34	93
3	Tilehurst	15815	5308	165	83	84	81	1	1	42	41	82
	127.—READING.											
1	St. Mary *W*	1846	10940	399	212	210	189	9	7	111	101	187
2	St. Lawrence	315	4736	123	83	74	49	5	10	48	35	40
3	St. Giles	2538	10200	380	220	180	200	12	10	105	115	160
	128.—WOKINGHAM.											
1	Wokingham *W*	23107	7807	242	120	100	142	6	10	61	59	122
2	Wargrave	19119	6658	223	102	103	120	2	9	51	51	121
	129.—COOKHAM.											
1	Bray	16462	6714	214	100	105	109	10	4	40	60	114
2	Cookham *W*	13126	6317	190	109	96	94	6	7	64	45	81
	130.—EASTHAMPSTEAD.											
1	Bracknell *W*	20614	6165	174	114	97	77	6	2	61	53	60
2	Sandhurst	4562	1271	49	14	26	23	1	2	9	5	35
	131.—WINDSOR.											
1	Egham	12103	7680	226	130	104	122	3	5	65	65	96
2	Windsor *W*	10304	13621	412	281	205	207	9	12	142	139	131

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	6.—MIDDLESEX— (*Extra-Metropolitan*).											
	132.—STAINES.											
1	Sunbury	11603	7289	228	96	110	118	3	2	41	55	132
2	Staines *W*	13278	8687	315	146	159	156	4	12	67	79	169
	133.—UXBRIDGE.											
1	Hillingdon *W*	} 11783	8844	295	150	171	124	9	7	72	78	145
2	Uxbridge		5154	150	92	74	76	5	4	46	46	58
3	Hayes	14123	9157	248	280	129	119	9	9	117	163	−32
	134.—BRENTFORD.											
1	Isleworth *W*	6848	15533	489	352	245	244	15	16	194	158	137
2	Twickenham	2249	8077	249	150	107	142	2	6	70	80	99
3	Brentford *	4334	13976	496	304	256	240	10	20	163	141	192
4	Chiswick	1311	6505	193	113	106	87	2	3	55	58	80
5	Acton	5963	6443	143	122	73	70	3	1	67	55	21
	135.—HENDON.											
1	Harrow	13590	7374	243	130	113	130	2	3	70	60	113
2	Edgware	6737	3423	95	53	53	42	-	2	23	30	42
3	Willesden *	4190	3879	179	103	86	93	4	1	57	46	76
4	Hendon *W*	8250	4544	116	94	52	64	6	4	49	45	22
	136.—BARNET.											
1	South Mimms	14186	5381	136	71	74	62	6	1	39	32	65
2	Barnet *W*	7312	5466	130	100	65	65	5	4	57	43	30
3	Finchley	4191	8281	209	271	103	106	5	4	152	119	−62
	137.—EDMONTON.											
1	Hornsey	2895	11082	363	183	180	183	3	6	105	78	180
2	Tottenham	4403	13240	451	222	232	219	10	5	111	111	229
3	Edmonton *W w*	7480	10930	289	225	153	136	5	13	115	110	64
4	Enfield *W w*	12460	12424	434	267	214	220	8	2	134	133	167
5	Waltham Abbey	10876	5044	187	90	89	98	3	6	49	41	97
6	Cheshunt	8493	6592	222	122	109	113	3	3	71	51	100

* See page 8, Note *.

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS: Including Illegitimate Births: Males.	BIRTHS: Including Illegitimate Births: Females.	BIRTHS: Illegitimate Births: Males.	BIRTHS: Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	7.—HERTFORDSHIRE.											
	138.—WARE.											
1	Hoddesdon	7932	4895	118	79	72	46	3	2	40	39	39
2	Stanstead	7839	2431	72	46	41	31	1	1	24	22	26
3	Ware *W*	6900	5886	200	136	93	107	7	10	62	74	64
4	Standon	13076	3303	104	61	56	48	3	1	34	27	43
	139.—BISHOP STORTFORD.											
1	Sawbridgeworth	12385	4278	126	60	67	59	1	1	35	25	66
2	Stansted	16326	5040	155	85	75	80	5	3	46	39	70
3	Bishop Stortford *W*	12732	7982	262	208	137	125	12	8	107	101	54
4	Braughing	12246	2912	100	72	60	40	4	2	37	35	28
	140.—ROYSTON.											
1	Buntingford *W*	23351	6389	225	122	125	100	7	3	68	54	103
2	Royston	33204	10175	341	154	174	167	13	8	78	76	187
3	Melbourne *W*	27283	8450	312	164	164	148	8	13	86	78	148
	141.—HITCHIN.											
1	Baldock	28660	8738	273	170	137	136	4	5	80	90	103
2	Hitchin *W*	33187	16865	590	315	294	296	11	34	153	162	275
	142.—HERTFORD.											
1	Watton	16133	4138	141	77	62	79	3	3	40	37	64
2	Hertford *W*	18277	11163	313	190	161	152	14	5	98	92	123
	143.—HATFIELD.											
1	Hatfield *W*	23027	6189	200	112	91	109	6	6	61	51	88
2	Welwyn *W*	6457	2211	67	40	38	29	6	2	18	22	27
	144.—ST. ALBANS.											
1	Harpenden	20375	7000	267	98	150	117	15	9	51	47	169
2	St. Albans *W*	14240	11926	347	236	167	180	15	21	132	104	111
	145.—WATFORD.											
1	Bushey	9028	4928	143	89	70	73	2	4	35	54	54
2	Watford *W*	10792	7418	239	129	125	114	12	4	76	53	110
3	Rickmansworth	11487	5609	167	89	97	70	3	8	48	41	78
4	Abbots Langley	5213	2400	67	32	39	28	–	1	17	15	35
	146.—HEMEL HEMPSTEAD.											
1	Kings Langley	8318	2908	102	46	53	49	1	5	23	23	56
2	Hemel Hempstead *W*	7136	7948	266	143	128	138	7	7	67	76	123
3	Flamstead	10003	3066	105	42	58	47	4	4	18	24	63
	147.—BERKHAMPSTEAD.											
1	Berkhampstead *W*	9474	5783	198	99	95	103	12	9	53	46	99
2	Tring	15109	7471	257	105	126	131	6	8	39	66	152
	8.—BUCKINGHAMSHIRE.											
	148.—AMERSHAM.											
1	Missenden	6231	2366	89	35	41	48	4	2	12	23	54
2	Chesham	13562	6203	184	120	85	99	7	8	65	55	64
3	Amersham *W*	10544	3550	120	86	61	59	7	4	36	50	34
4	Chalfont	10102	3029	107	43	50	57	3	4	22	21	64
5	Beaconsfield	9401	3092	102	42	60	42	4	2	31	11	60
	149.—ETON.											
1	Iver	17380	5787	205	75	103	102	4	4	34	41	130
2	Eton *W*	7629	10432	316	218	166	150	9	7	114	104	98
3	Burnham	16580	6134	151	102	95	56	7	3	48	54	49
	150.—WYCOMBE.											
1	High Wycombe	13040	11583	423	269	216	207	9	11	132	137	154
2	Great Marlow	9771	5450	205	92	95	110	5	11	45	47	113
3	West Wycombe	23687	7156	267	109	118	149	5	8	56	53	158
4	Wendover	19150	5042	204	92	109	95	8	5	41	51	112
5	Princes Risborough *W*	15660	5907	223	112	104	119	15	16	59	53	111
	151.—AYLESBURY.											
1	Haddenham	19221	4652	160	94	74	86	4	6	41	53	66
2	Aylesbury *W*	11239	8272	252	182	129	123	12	10	84	98	70
3	Aston Clinton	17752	5246	175	107	82	93	4	7	49	58	68
4	Waddesdon	25152	5430	193	151	111	82	12	5	70	81	42
	152.—WINSLOW.											
1	Winslow *W*	35395	9265	300	176	146	154	10	9	82	94	124

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL. BIRTHS.	TOTAL. DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	8.—BUCKINGHAMSHIRE—*cont.*											
	153.—NEWPORT PAGNELL.											
1	Fenny Stratford	31254	10453	380	217	193	187	8	7	117	100	163
2	Newport Pagnell *W*	3220	3823	137	81	65	72	8	5	41	40	56
3	Olney	34227	10579	361	176	178	183	6	7	77	99	185
	154.—BUCKINGHAM.											
	Leckhampstead	21474	4098	148	71	84	64	5	6	34	37	77
	Buckingham *W*	14983	5987	192	127	87	105	5	12	76	51	65
3	Tingewick	15932	3671	134	75	70	64	3	2	37	38	59
	9.—OXFORDSHIRE.											
	155.—HENLEY.											
1	Henley *W*	41349	13791	412	277	220	192	9	16	152	125	135
2	Watlington	20313	4409	132	80	70	62	9	1	46	34	52
	156.—THAME.											
1	Lewknor	18412	3701	116	60	51	65	4	6	34	26	56
2	Thame *W*	15865	5958	174	113	82	92	6	7	42	71	61
3	Brill	20720	5646	170	102	97	73	8	12	50	52	68
	157.—HEADINGTON.											
1	Wheatley	12517	3679	141	56	82	59	3	2	26	30	85
2	St. Clement *W w*	13210	13503	470	317	228	242	10	24	162	155	153
	158.—OXFORD.											
1	Oxford	2930	20037	662	377	354	308	15	17	163	214	285
	159.—BICESTER.											
1	Bletchington	30178	7440	276	150	147	129	9	9	75	75	126
2	Bicester *W*	33949	8115	288	161	151	137	17	11	84	77	127
	160.—WOODSTOCK.											
1	Deddington	22577	6458	237	121	126	111	11	11	51	70	116
2	Woodstock *W*	25336	7778	241	155	134	107	13	9	81	74	86
	161.—WITNEY.											
1	Ensham	17571	5237	177	81	86	91	13	9	39	42	96
2	Bampton	20300	5629	190	105	99	91	7	4	56	49	85
3	Witney *W*	14453	7556	227	119	129	98	5	7	56	63	108
4	Burford	17845	4816	161	91	86	75	6	4	37	54	70
	162.—CHIPPING NORTON.											
1	Charlbury	40288	8915	320	120	163	157	3	9	55	65	200
2	Chipping Norton *W*	36130	8391	292	181	152	140	5	5	72	109	111
	163.—BANBURY.											
1	Bloxham	18770	6216	189	126	100	89	3	9	63	63	63
2	Swalcliffe	21720	6219	233	109	112	121	10	10	57	52	124
3	Cropredy	19909	4443	141	54	76	65	6	4	23	31	87
4	Banbury *W*	14925	13293	460	265	226	234	10	10	127	138	195
	10.—NORTHAMPTONSHIRE.											
	164.—BRACKLEY.											
1	Brackley *W*	31630	7676	264	154	144	120	14	11	84	70	110
2	Sulgrave	27139	5815	183	86	98	85	4	1	37	49	97
	165.—TOWCESTER.											
1	Abthorpe	22323	5473	179	98	92	87	3	5	44	54	81
2	Towcester *W*	19893	7531	277	162	136	141	6	9	80	82	115
	166.—POTTERSPURY.											
1	Potterspury *W*	22401	11632	410	235	217	193	6	7	113	122	175
	167.—HARDINGSTONE.											
1	Brafield	12225	3414	109	52	60	49	2	3	22	30	57
2	Hardingstone	12253	3657	121	71	67	54	5	–	33	38	50
3	Milton *W*	7930	2857	94	40	52	42	5	3	16	24	54
	168.—NORTHAMPTON.											
1	St. Giles * *W*	} 10908	{ 23674	906	561	475	431	24	18	276	285	345
2	All Saints		{ 14028	520	269	263	257	12	12	134	135	251
3	Bugbrooke	9545	3450	114	77	64	50	3	2	44	33	37
	169.—DAVENTRY.											
1	Weedon	18496	5926	190	117	101	89	3	4	60	57	73
2	Daventry *W*	24617	8917	299	167	148	151	9	5	80	87	132
3	Long Buckby	20188	5757	164	92	77	87	2	6	54	38	72

* See page 10, Note [illegible].

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	10.—NORTHAMPTONSHIRE— *continued.*											
	170.—BRIXWORTH.											
1	Spratton	23600	5914	140	117	79	61	2	2	52	65	23
2	Moulton *	17341	4898	168	96	91	77	3	-	55	41	72
3	Brixworth *W*	19435	4555	181	83	111	70	17	7	44	39	98
	171.—WELLINGBOROUGH.											
1	Earls Barton	19284	6239	235	117	112	123	7	4	65	52	118
2	Higham Ferrers	18356	7100	284	144	147	137	7	6	79	65	140
3	Wellingborough *W*	17865	10885	410	219	216	194	14	12	123	96	191
	172.—KETTERING.											
1	Kettering *W*	14375	8606	316	175	165	151	17	9	92	83	141
2	Rothwell	20783	6179	233	91	119	114	3	6	55	36	142
3	Corby	20108	4210	159	67	92	67	5	7	38	29	92
	173.—THRAPSTON.											
1	Thrapston *W*	27387	7459	269	138	138	131	6	7	70	68	131
2	Raunds	23801	6606	245	97	140	105	9	3	52	45	148
	174.—OUNDLE.											
1	Oundle *W*	27895	6669	192	136	92	100	9	10	65	71	56
2	Weldon	15817	2543	90	40	40	50	2	1	18	22	50
3	Fotheringhay	26110	6251	246	107	136	110	14	7	56	51	139
	175.—PETERBOROUGH.											
1	Stilton	28884	5797	204	101	108	96	3	4	45	56	103
2	Peterborough *W*	22390	17158	648	329	344	304	30	22	164	165	319
3	Crowland	31650	8004	294	147	167	127	16	9	67	80	147
4	Thorney	17590	2219	62	42	27	35	-	1	24	18	20
	11.—HUNTINGDONSHIRE.											
	176.—HUNTINGDON.											
1	Ramsey	20805	5266	207	120	110	97	5	4	53	67	87
2	Sawtry	15628	2329	84	41	44	40	3	1	22	19	43
3	Spaldwick	20140	3555	140	62	69	71	1	1	36	26	78
4	Huntingdon *W*	20607	9368	302	189	150	152	11	16	92	97	113
	177.—ST. IVES.											
1	Warboys	16115	3355	95	61	42	53	3	3	26	35	34
2	Somersham	15424	4480	159	88	83	76	2	3	48	40	71
3	Swavesey	14161	3675	131	71	66	65	3	2	29	42	60
4	St. Ives *W*	17230	8144	283	190	157	126	12	6	99	91	93
	178.—ST. NEOTS.											
1	St. Neots	30827	9616	322	174	187	135	12	5	93	81	148
2	Kimbolton *W*	34429	9349	285	179	161	124	16	6	82	97	106
	12.—BEDFORDSHIRE.											
	179.—BEDFORD.											
1	Riseley	13190	2778	109	61	43	66	2	2	31	30	48
2	Sharnbrook	13683	2894	85	46	43	42	2	1	21	25	39
3	Harrold	12100	3238	117	58	58	59	4	4	27	31	59
4	Turvey	9280	2407	69	34	34	35	1	-	18	16	35
5	Bedford and Kempston *W*	18351	11921	382	249	189	193	14	21	118	131	133
6	Bedford and Cardington	18376	11734	394	269	201	193	13	8	139	130	125
7	Barford	12340	3100	90	36	41	49	2	-	19	17	54
	180.—BIGGLESWADE.											
1	Potton	26125	9280	324	147	169	155	20	9	68	79	177
2	Biggleswade *W*	31916	16113	604	337	309	295	35	26	185	152	267
	181.—AMPTHILL.											
1	Shillington	12242	4188	151	75	66	85	5	4	30	45	76
2	Ampthill *W*	19118	9076	305	201	154	151	13	10	88	113	104
3	Cranfield	10191	3706	134	63	72	62	4	5	27	36	71
	182.—WOBURN.											
1	Woburn *W*	16791	6771	197	120	105	92	7	11	51	69	77
2	Toddington	12812	4913	173	85	98	75	14	6	41	44	88
	183.—LEIGHTON BUZZARD.											
1	Leighton Buzzard *W*	12278	9243	311	173	150	161	15	8	91	82	138
2	Wing	11010	2492	91	49	45	46	9	5	26	23	42
3	Ivinghoe	6658	2477	95	40	54	41	2	2	14	26	55
4	Edlesborough	8069	3436	126	43	65	61	1	2	21	22	83
	184.—LUTON.											
1	Dunstable	13869	9293	305	138	152	153	13	11	61	77	167
2	Luton *W*	26967	21419	840	427	443	397	44	32	223	204	413

* See page 10, Note *.

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	13.—CAMBRIDGESHIRE.											
	185.—CAXTON.											
1	Caxton *W*	49885	10966	391	166	189	202	20	11	85	81	225
	186.—CHESTERTON.											
1	Willingham	33215	9633	333	178	165	168	5	8	91	87	155
2	Fulbourn *W*	21933	8293	295	168	152	143	16	8	102	66	127
3	Shelford	21580	7157	248	130	123	125	7	5	61	69	118
	187.—CAMBRIDGE.											
1	St. Andrew the Less *W*	3470 (1–4)	11848	391	272	204	187	10	12	139	133	119
2	St. Mary the Great		4293	85	98	35	50	2	1	51	47	− 13
3	St. Andrew the Great		6078	128	103	65	63	3	2	49	54	25
4	St. Giles		4142	115	99	62	53	2	1	44	55	16
	188.—LINTON.											
1	Duxford	14928	4772	159	121	75	84	5	6	65	56	38
2	Linton *W*	15169	4813	167	101	91	76	10	7	53	48	66
3	Balsham	17772	3925	115	56	56	59	8	6	22	34	59
	189.—NEWMARKET.											
1	Cheveley	21645	6489	199	106	98	101	8	6	42	64	93
2	Newmarket *W*	28323 (2–3)	5967	192	138	108	84	9	8	74	64	54
3	Bottisham		3373	120	67	56	64	3	1	30	37	53
4	Gazeley	17421	3446	104	57	60	44	4	2	31	26	47
5	Soham	29984	9400	284	217	144	140	10	6	111	106	67
	190.—ELY.											
1	Haddenham	18085	3998	137	69	73	64	2	1	40	29	68
2	Sutton	35884 (2–3)	4025	137	86	68	69	3	4	41	45	51
3	Ely *W*		7919	259	168	133	126	9	12	79	89	91
4	Littleport	25925	5968	182	115	77	105	3	9	64	51	67
	191.—NORTH WITCHFORD.											
1	Chatteris *W*	33093	8222	314	183	172	142	10	11	97	86	131
2	March	26730	6569	225	132	116	109	13	6	57	75	93
	192.—WHITTLESEY.											
1	Whittlesey *W*	25131	6966	224	193	112	112	11	4	111	82	31
	193.—WISBECH.											
1	Leverington	25524	5385	190	100	85	105	3	9	53	47	90
2	Wisbech *W*	6432	9276	269	209	146	123	16	19	104	105	60
3	Walpole St. Peter	15695	2925	96	58	48	48	7	7	27	31	38
4	Terrington St. Clement	45252	5355	179	81	93	86	7	9	42	39	98
5	Walsoken	19210	5435	161	96	74	87	5	11	45	51	65
6	Upwell	19472	4947	165	82	91	74	7	6	35	47	83

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862.—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	14.—ESSEX											
	194.—WEST HAM.											
1	Stratford	8648 (1–2)	15994	636	337	322	314	7	9	181	156	299
2	West Ham		25195	979	566	512	467	11	12	303	263	413
3	Leyton *W*	4245	7536	210	212	108	102	12	17	133	79	− 2
4	Walthamstow	6584	10594	308	164	158	150	1	3	75	89	144
	195.—EPPING.											
1	Chigwell	12634	5987	191	96	95	96	3	4	48	48	95
2	Epping *W*	16940	5018	143	92	78	65	13	6	43	49	51
3	Harlow	16878	5544	187	93	82	105	5	1	44	49	94
	196.—ONGAR.											
1	Bobbingworth	24163	5465	184	82	92	92	5	3	38	44	102
2	Chipping Ongar *W*	23302	5852	190	103	92	98	9	10	60	43	87
	197.—ROMFORD.											
1	Romford *W*	15781	9741	342	198	153	189	16	21	101	97	144
2	Ilford	12741 (2–3)	5405	195	86	104	91	5	1	47	39	109
3	Barking Town		5591	218	86	115	103	5	1	56	30	132
4	Hornchurch	19722	6228	202	87	92	110	2	3	53	34	115
	198.—ORSETT.											
1	Grays	15982	6361	232	98	126	106	5	4	41	57	134
2	Orsett *W*	29615	5234	152	106	90	62	7	1	62	44	46

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	14.—ESSEX—*continued.*											
	199.—BILLERICAY.											
1	Brentwood	14438	8167	205	143	107	98	4	6	69	74	62
2	Great Burstead *W*	20367	4803	158	87	74	84	3	5	43	44	71
3	Wickford	16040	2061	68	36	42	26	2	–	21	15	32
	200.—CHELMSFORD.											
1	Ingatestone	27534	6573	198	130	92	106	4	5	72	58	68
2	Chelmsford *W*	3533	8664	275	268	146	129	8	9	152	116	7
3	Writtle	19107	5076	135	102	60	75	3	1	51	51	33
4	Great Waltham	19047	5595	157	81	85	72	2	–	44	37	76
5	Great Baddow	14635	6857	238	169	130	108	2	6	90	79	69
	201.—ROCHFORD.											
1	Rayleigh	23764	4937	150	88	81	69	3	1	47	41	62
2	Prittlewell	18089	5394	179	93	99	80	4	3	44	49	86
3	Rochford *W*	16793	3895	149	85	75	74	11	8	46	39	64
4	Great Wakering	49200	4056	183	59	89	94	4	3	35	24	124
	202.—MALDON.											
1	Southminster	21923	4639	178	89	103	75	3	–	39	50	89
2	Bradwell	25887	2328	99	40	58	41	3	3	21	19	59
3	All Saints	24773	4714	140	62	73	67	2	–	27	35	78
4	St. Peter *W*	13311	6741	221	172	119	102	10	6	85	87	49
5	Tollesbury	21156	3634	103	87	45	58	–	8	45	42	16
	203.—TENDRING.											
1	St. Osyth	26942	6072	185	98	92	93	7	4	54	44	87
2	Thorpe *W*	24176	5776	169	98	82	87	4	3	62	36	71
3	Harwich	3306	5070	166	81	80	86	8	7	42	39	85
4	Manningtree	17342	5223	156	91	80	76	4	3	50	41	65
5	Ardleigh	18037	4964	155	98	73	82	7	7	47	51	57
	204.—COLCHESTER.											
1	Colchester First Ward *W*	11200 (wards 1–3 together)	11456	343	219	181	162	11	8	119	100	124
2	Colchester Second Ward		5870	181	121	89	92	6	3	55	66	60
3	Colchester Third Ward		6489	230	113	124	106	6	6	51	62	117
	205.—LEXDEN.											
1	Wivenhoe	5157	4428	178	72	100	78	3	3	45	27	106
2	Peldon	22769	4685	166	79	79	87	6	5	39	40	87
3	Stanway *W*	17338	4603	133	87	70	63	8	4	44	43	46
4	Fordham	15925	4621	162	57	90	72	4	4	24	33	105
5	Dedham	12642	4553	155	76	86	69	6	3	38	38	79
	206.—WITHAM.											
1	Kelvedon	14053	4423	122	86	71	51	–	1	42	44	36
2	Witham *W*	17251	6947	212	143	113	99	12	6	72	71	69
3	Coggeshall	7634	4954	169	148	81	88	4	6	81	67	21
	207.—HALSTEAD.											
1	Halstead *W*	20507	11544	375	283	189	186	13	15	141	142	92
2	Hedingham	18406	6938	234	130	109	125	8	15	60	70	104
	208.—BRAINTREE.											
1	Finchingfield	16706	5289	183	84	92	91	4	8	41	43	99
2	Bocking *W*	11507	5281	157	152	79	78	8	8	74	78	5
3	Braintree	10439	6600	217	141	102	115	5	9	79	62	76
	209.—DUNMOW.											
1	Stebbing	17307	4956	157	65	78	79	3	3	31	34	92
2	Dunmow *W*	18556	5686	168	105	81	87	10	3	58	47	63
3	Hatfield	21381	4554	161	57	84	77	8	7	32	25	104
4	Thaxted	15350	4563	175	93	74	101	2	8	46	47	82
	210.—SAFFRON WALDEN.											
1	Newport	18696	5040	164	80	82	82	4	4	35	45	84
2	Saffron Walden *W*	22522	9646	291	191	141	150	16	11	95	96	100
3	Radwinter	21412	5035	171	77	84	87	5	5	49	28	94
	15.—SUFFOLK.											
	211.—RISBRIDGE.											
1	Haverhill *W*	18289	7328	267	157	130	137	16	12	78	79	110
2	Wickhambrook	18698	4825	171	79	77	94	6	6	41	38	92
3	Clare	16677	5279	193	90	104	89	15	8	48	42	103
	212.—SUDBURY.											
1	Bulmer	17504	4853	151	80	80	71	2	6	40	40	71
2	Bures	17622	5642	161	90	71	90	3	6	38	52	71
3	Sudbury *W*	8067	8918	337	175	167	170	11	23	100	75	162
4	Melford	16799	5574	170	95	81	89	7	5	56	39	75
5	Hartest	18310	6428	214	123	119	95	10	13	66	57	91

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
						Including Illegitimate Births.		Illegitimate Births.				
				BIRTHS.	DEATHS.	Males.	Females.	Males.	Females.	Males.	Females.	
	15.—SUFFOLK—*continued.*											
	213.—COSFORD.											
1	Lavenham	27110	7742	260	145	124	136	8	7	73	72	115
2	Hadleigh *W*	25586	9634	314	163	159	155	13	7	74	89	151
	214.—THINGOE.											
1	Rougham	26113	6185	210	95	100	110	8	7	51	44	115
2	Fornham	32369	5789	173	100	95	78	10	5	49	51	73
3	Ixworth	23982	6250	180	106	88	92	7	4	44	62	74
	215.—BURY ST. EDMUNDS.											
1	Bury St. Edmunds *W w*	2934	13318	408	328	209	199	23	18	187	141	80
	216.—MILDENHALL.											
1	Worlington	} 61244	3705	103	65	52	51	5	3	28	37	38
2	Lakenheath *W*		5890	185	118	99	86	3	5	65	53	67
	217.—STOW.											
1	Walsham-le-Willows	18585	5990	186	106	104	82	6	4	52	54	80
2	Rattlesden *W*	20180	6551	210	111	104	106	10	12	55	56	99
3	Stowmarket	16577	8357	268	148	137	131	17	6	63	85	120
	218.—HARTISMERE.											
1	Mendlesham	20092	5830	173	111	77	96	11	6	52	59	62
2	Botesdale	15081	5288	181	83	101	80	8	3	36	47	98
3	Eye *W*	19042	6547	248	134	137	111	21	13	70	64	114
	219.—HOXNE.											
1	Stradbroke *W*	26492	7692	266	158	137	129	15	16	73	85	108
2	Dennington	26543	7002	230	108	118	112	11	10	53	55	122
	220.—BOSMERE.											
1	Coddenham *W*	30765	8480	268	173	139	129	9	18	96	77	95
2	Needham Market	27134	7694	255	120	125	130	7	4	53	67	135
	221.—SAMFORD.											
1	Capel St. Mary	22565	6592	216	94	122	94	2	4	36	58	122
2	Holbrook *W*	27665	6144	221	111	109	112	4	7	70	41	110
	222.—IPSWICH.											
1	St. Matthew *W*	} 8395	16028	550	345	279	271	23	18	165	180	205
2	St. Clement		8911	303	185	147	156	8	19	75	110	118
3	St. Margaret		12942	415	231	210	205	9	12	110	121	184
	223.—WOODBRIDGE.											
1	Carlford	19634	5358	196	94	113	83	9	6	40	54	102
2	Colneis *W*	28365	5883	187	111	90	97	10	8	65	46	76
3	Woodbridge and Wilford	23145	7782	228	150	122	106	10	11	71	79	78
4	Woodbridge Out	11051	3731	99	101	51	48	1	1	51	50	− 2
	224.—PLOMESGATE.											
1	Earl-Soham	9722	2629	65	65	39	26	3	5	30	35	..
2	Framlingham	9465	3330	80	58	42	38	4	3	23	35	22
3	Wickham Market *W*	12734	4322	150	68	81	69	7	8	33	35	82
4	Orford	20762	3281	90	53	51	39	6	2	32	21	37
5	Aldeburgh	12946	4049	123	65	63	60	4	8	29	36	58
6	Saxmundham	9435	3109	102	46	46	56	–	2	24	22	56
	225.—BLYTHING.											
1	Westleton *W*	37494	10074	385	190	201	184	15	15	93	94	195
2	Halesworth	26292	7983	230	136	103	127	3	8	71	65	94
3	Wenhaston	28311	8791	274	120	126	148	4	9	70	50	154
	226.—WANGFORD.											
1	Bungay	16898	6398	190	97	98	92	10	9	41	56	93
2	Beccles *W*	18181	7221	220	131	113	107	11	14	66	65	89
	227.—MUTFORD.											
1	Kessingland	10621	4759	170	73	89	81	7	3	36	37	97
2	Lowestoft *W*	13927	12952	481	253	241	240	15	8	133	120	228
3	Gorleston	10942	6339	194	97	105	89	10	4	44	53	97
	16.—NORFOLK.											
	228.—YARMOUTH.											
1	Yarmouth Southern	} 1510	13073	485	245	245	240	16	12	121	124	240
2	Yarmouth Northern *W*		17265	543	377	289	254	24	29	188	189	166
	229.—FLEGG.											
1	East Flegg	13301	4060	150	64	71	79	1	6	34	30	86
2	West Flegg *W*	15786	4571	162	68	76	86	10	7	42	26	94

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS: Including Illegitimate Births: Males.	BIRTHS: Including Illegitimate Births: Females.	BIRTHS: Illegitimate Births: Males.	BIRTHS: Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	16.—NORFOLK—*continued.*											
	230.—TUNSTEAD.											
1	Ludham	18219	3682	144	61	84	60	12	3	34	27	83
2	Smallburgh *W*	16999	4229	142	92	72	70	8	9	40	52	50
3	Stalham	15794	4031	130	59	76	54	10	8	35	24	71
4	Bacton	11595	2574	64	46	24	40	2	1	23	23	18
	231.—ERPINGHAM.											
1	North Walsham	20523	6942	215	137	103	112	15	8	84	53	78
2	Cromer *W*	23769	7145	238	155	129	109	9	6	79	76	83
3	Holt	28221	6787	235	173	109	126	8	8	83	90	62
	232.—AYLSHAM.											
1	Eynsford	40099	8960	313	193	159	154	12	22	103	90	120
2	Buxton *W*	28024	10092	325	202	169	156	21	23	110	92	123
	233.—ST. FAITHS.											
1	St. Faiths *W*	28370	5630	152	110	80	72	10	13	50	60	42
2	Sprowston	19934	6119	184	106	95	89	5	5	44	62	78
	234.—NORWICH.											
1	Coslany	} 4325	13260	468	276	250	218	21	29	121	155	192
2	East Wymer		13641	469	326	260	209	28	13	169	157	143
3	Conisford		12983	450	251	257	193	37	21	128	123	199
4	Mancroft		14397	419	335	199	220	14	17	166	169	84
5	West Wymer *W*		20159	753	438	382	371	36	57	230	208	315
	235.—FOREHOE.											
1	Costessey	15618	4116	146	83	73	73	7	4	41	42	63
2	Wymondham *W*	22216	8702	288	167	145	143	23	20	72	95	121
	236.—HENSTEAD.											
1	Humbleyard *W*	24027	5620	166	102	86	80	8	9	57	45	64
2	Henstead	19331	5670	177	94	85	92	10	5	41	53	83
	237.—BLOFIELD.											
1	Blofield *W*	17816	5787	163	131	79	84	5	8	71	60	32
2	South Walsham	26362	5734	162	98	76	86	4	5	44	54	64
	238.—LODDON.											
1	Aldeby	24573	4954	141	78	65	76	8	3	48	30	63
2	Loddon *W*	19330	5072	156	92	79	77	12	12	45	47	64
3	Woodton	15498	4216	107	62	56	51	5	5	30	32	45
	239.—DEPWADE.											
1	Harleston	17447	5922	193	92	93	100	6	9	52	40	101
2	Diss	17412	7567	240	170	122	118	16	14	79	91	70
3	Stratton *W*	19737	6065	201	130	102	99	18	12	59	71	71
4	Forncett	18085	5694	201	118	110	91	18	7	59	59	83
	240.—GUILTCROSS.											
1	Banham	18681	5516	192	119	103	89	13	12	53	66	73
2	Kenninghall *W*	25904	6025	178	117	86	92	8	12	63	54	61
	241.—WAYLAND.											
1	Attleborough *W*	22885	5506	176	103	99	77	13	10	47	56	73
2	Watton	28178	6056	182	107	102	80	10	7	52	55	75
	242.—MITFORD.											
1	Shipdham	11349	2777	70	46	36	34	2	6	18	28	24
2	Mattishall	16664	4340	114	81	69	45	6	5	40	41	33
3	Bawdeswell	14076	3333	111	80	57	54	5	9	34	46	31
4	East Dereham *W*	18172	7531	247	137	114	133	18	18	74	63	110
5	Litcham	26585	5413	174	109	94	80	11	7	55	54	65
6	North Elmham	18387	4626	146	83	64	82	4	14	43	40	63
	243.—WALSINGHAM.											
1	Fakenham	27818	7325	234	128	118	116	6	11	69	59	106
2	Walsingham *W*	28251	6492	218	156	108	110	18	24	75	81	62
3	Wells	31273	7301	226	175	132	94	15	10	90	85	51
	244.—DOCKING.											
1	Burnham	33180	6497	190	118	106	84	2	12	52	66	72
2	Snettisham	39480	5702	190	128	85	105	8	16	56	72	62
3	Docking *W*	28476	5397	193	121	114	79	11	16	67	54	72
	245.—FREEBRIDGE LYNN.											
1	Hillington	26155	4543	174	71	87	87	6	3	42	29	103
2	Gayton *W*	22766	4284	144	88	73	71	12	16	46	42	56
3	Middleton	10848	2239	82	47	48	34	1	3	23	24	35
4	Castle Rising	19006	2420	71	43	36	35	6	8	21	22	28

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	16.—NORFOLK -*continued.*											
	246.—KINGS LYNN.											
1	Kings Lynn North	5499	3962	124	91	69	55	3	4	42	49	33
2	Kings Lynn Middle *W*		5955	154	113	82	72	9	6	53	60	41
3	Kings Lynn South		6784	177	169	89	88	14	11	91	78	8
	247.—DOWNHAM.											
1	Wiggenhall	32152	6171	204	105	109	95	5	13	56	49	99
2	Downham *W*	28686	8878	307	172	160	147	18	9	86	86	135
3	Fincham	22849	5215	165	115	79	86	10	7	50	65	50
	248.—SWAFFHAM.											
1	Swaffham *W*	41458	6516	204	121	120	84	17	4	68	53	83
2	Saham Toney	39742	7231	263	108	127	136	14	18	50	58	155
	249.—THETFORD.											
1	Methwold	68693	8869	263	168	135	128	17	12	88	80	95
2	Thetford *W*	49177	9843	306	198	175	131	16	12	98	100	108

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	17.—WILTSHIRE.											
	250.—HIGHWORTH.											
1	Highworth *W*	23456	7013	239	131	130	109	13	14	70	61	108
2	Swindon	26608	12224	522	232	277	245	11	12	106	126	290
	251.—CRICKLADE.											
1	Wootton Bassett	20229	5675	184	123	84	100	9	6	69	54	61
2	Cricklade *W*	21337	5795	210	103	96	114	12	12	49	54	107
	252.—MALMSBURY.											
1	Malmsbury Eastern	37116	7475	218	125	111	107	3	7	74	51	93
2	Malmsbury Western *W*	20392	7081	221	107	105	116	11	6	51	56	114
	253.—CHIPPENHAM.											
1	Castle Combe	14011	3286	91	41	51	40	3	1	18	23	50
2	Corsham	17127	6979	236	101	130	103	4	6	47	54	135
3	Chippenham *W*	16288	8574	305	159	157	148	13	5	76	83	146
4	Christian Malford	12609	3190	96	56	52	44	4	-	31	25	40
	254.—CALNE.											
1	Calne *W*	28610	8885	269	149	139	130	6	6	95	54	120
	255.—MARLBOROUGH.											
1	Marlborough *W*	42092	9774	344	148	181	163	14	12	85	63	196
	256.—DEVIZES.											
1	Bishops Cannings	22892	3812	132	73	68	64	2	2	38	35	59
2	Lavington	23409	5620	197	84	105	92	10	12	39	45	113
3	Bromham	13903	4884	143	58	80	63	8	3	34	24	85
4	Devizes *W*	3287	7364	206	172	96	110	11	7	84	88	34
	257.—MELKSHAM											
1	Melksham *W*	14248	5866	166	117	79	87	6	5	67	50	49
2	Trowbridge	3520	11367	374	257	190	184	11	7	124	133	117
	258.—BRADFORD-ON-AVON.											
1	Bradford South Eastern *W*	18800	6679	200	123	91	109	3	2	63	60	77
2	Bradford North Western		3796	116	65	58	58	4	1	28	37	51
	259.—WESTBURY.											
1	Bradley	6076	2510	80	56	36	44	1	1	31	25	24
2	Edington	24868	3490	98	67	48	50	2	6	28	39	31
3	Westbury *W*		5751	215	120	103	112	6	8	57	63	95
	260.—WARMINSTER.											
1	Warminster *W*	28810	7643	248	125	128	120	10	12	55	70	123
2	Longbridge Deverill		3927	141	65	76	68	3	-	38	27	79
3	Heytesbury	27546	4372	150	56	76	74	3	3	32	24	94
	261.—PEWSEY.											
1	Netheravon	36866	5471	189	88	100	89	3	3	44	44	101
2	Pewsey *W*	28784	6995	282	171	150	132	18	16	92	79	111

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL: Births.	TOTAL: Deaths.	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	17. WILTSHIRE—*continued.*											
	262.—AMESBURY.											
1	Orcheston	18496	2454	80	45	41	39	2	–	21	24	35
2	Amesbury *W*	27363	3756	122	81	61	61	7	2	45	36	41
3	Winterbourne	16561	1917	72	24	39	33	1	4	11	13	48
	263.—ALDERBURY.											
1	Alderbury	23721	4357	149	53	75	74	4	1	30	23	96
2	Downton	19844	4790	150	96	77	73	8	5	43	53	54
3	Britford *W*	9095	5623	170	155	75	95	7	5	94	61	15
	264.—SALISBURY.											
1	Salisbury *W*	480	9039	307	240	163	144	12	12	133	107	67
	265.—WILTON.											
1	Wilton *W*	23845	5770	185	121	88	97	9	7	55	66	64
2	Bishopstone	31459	4904	155	92	85	70	5	3	53	39	63
	266.—TISBURY.											
1	Donhead	19842	4154	124	52	68	56	4	5	27	25	72
2	Tisbury *W*	10839	3207	96	56	46	50	6	9	27	29	40
3	Hindon	9813	2501	90	33	47	43	2	4	20	13	57
	267.—MERE.											
1	Mere *W*	33211	8057	270	144	138	132	7	12	77	67	126
	18.—DORSETSHIRE.											
	268.—SHAFTESBURY.											
1	Shaftesbury *W*	8171	4940	157	103	75	82	2	6	54	49	54
2	Fontmell	14944	3358	104	31	48	56	5	3	15	16	73
3	Gillingham	13378	4688	153	83	76	77	7	3	42	41	70
	269.—STURMINSTER.											
1	Stalbridge	15678	4422	128	61	71	57	5	7	32	29	67
2	Sturminster * *W*	22256	5918	173	119	94	79	7	6	52	67	54
	270.—BLANDFORD.											
1	Milton Abbas	26201	6285	217	94	105	112	2	8	43	51	123
2	Blandford * *W*	31070	8536	253	161	131	122	6	10	83	78	92
	271.—WIMBORNE.											
1	Cranborne	45437	7624	267	130	130	137	11	9	68	62	137
2	Witchampton	13153	4196	130	69	65	65	–	4	35	34	61
3	Wimborne *W*	22573	5433	181	123	95	86	8	8	57	66	58
	272. POOLE.											
1	Canford	12768	2326	95	37	39	56	2	8	19	18	58
2	Poole *W*	5671	9366	276	178	137	139	13	12	87	91	98
3	Lytchett	8584	2050	61	45	30	31	3	2	20	25	16
	273.—WAREHAM.											
1	Swanage	15872	3682	110	70	51	59	1	2	41	29	40
2	Corfe Castle	12804	2411	71	38	34	37	2	2	18	20	33
3	Wareham *W*	33800	6230	220	98	98	122	10	14	43	55	122
4	Bere Regis	33833	4749	164	69	86	78	6	5	29	40	95
	274.—WEYMOUTH.											
1	Upway †	15510	3931	115	52	58	57	1	1	24	28	63
2	Weymouth *W*	6859	12858	454	223	228	226	10	9	106	117	231
3	Portland	3555	8468	262	118	133	129	2	3	66	52	144
4	Abbotsbury	11358	2034	59	27	30	29	1	1	14	13	32
	275.—DORCHESTER.											
1	Dorchester *W*	9830	7709	248	159	131	117	16	8	82	77	89
2	Puddletown †	24912	4180	132	72	76	56	3	1	39	33	60
3	Maiden Newton	35234	5603	166	107	77	89	3	–	47	60	59
4	Cerne *W*	45863	7318	231	115	112	119	6	5	54	61	116
	276.—SHERBORNE.											
1	Yetminster	20715	4298	141	60	69	72	2	6	28	32	81
2	Sherborne *W*	6467	5793	194	96	111	83	9	4	48	48	98
3	Bradford Abbas	12836	3372	119	64	55	64	2	1	28	36	55
	277.—BEAMINSTER.											
1	Evershot	16317	2874	100	59	53	47	3	8	25	34	41
2	Misterton	5180	1630	61	39	32	29	–	1	22	17	22
3	Netherbury *W*	20366	4971	168	102	78	90	5	9	44	58	66
4	Beaminster	11901	4112	141	73	66	75	4	3	39	34	68
	278.—BRIDPORT.											
1	Burton Bradstock	16306	4724	151	72	78	73	4	5	29	43	79
2	Bridport *W*	1622	8009	245	192	125	120	10	14	90	102	53
3	Whitchurch Canonicorum	15259	4095	122	81	56	66	1	3	39	42	41

* See page 14, Note *.

† See page 14, Note †.

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	19.—DEVONSHIRE.											
	279.—AXMINSTER.											
1	Lyme	5216	4204	109	88	58	51	2	1	43	45	21
2	Axminster *W*	19219	5537	214	105	103	111	9	7	55	50	109
3	Chardstock	17447	3827	109	53	51	58	2	2	29	24	56
4	Colyton	19856	6190	210	120	109	101	2	1	54	66	90
	280.—HONITON.											
1	Honiton *W*	48387	10783	366	201	196	170	17	12	104	97	165
2	Ottery St. Mary	32480	11946	323	199	180	143	8	6	95	104	124
	281.—ST. THOMAS.											
1	East Budleigh	12021	4649	148	88	83	65	5	4	35	53	60
2	Exmouth	7668	7171	194	104	102	92	5	4	48	56	90
3	Woodbury	15142	3916	126	60	66	60	6	5	33	27	66
4	Broad-Clist	14992	3537	120	50	51	69	3	2	21	29	70
5	Topsham	6207	4777	169	79	87	82	2	2	35	44	90
6	Heavitree	10854	6556	150	101	84	66	2	2	51	50	49
7	St. Thomas *W*	11271	6053	162	120	74	88	7	9	57	63	42
8	Alphington	17470	4097	136	61	75	61	4	7	33	28	75
9	Christow	11432	2207	86	42	50	36	3	–	20	22	44
10	Kenton	23084	5442	150	139	74	76	4	5	67	72	11
	282.—EXETER.											
1	St. Sidwell *W*	1800	18530	571	435	292	279	31	27	218	217	136
2	St. David		15212	484	321	240	244	15	21	153	168	163
	283.—NEWTON ABBOT.											
1	Teignmouth	7540	11184	298	209	155	143	5	5	105	104	89
2	Chudleigh	23736	6747	214	114	115	99	6	6	60	54	100
3	Moreton Hampstead	22342	2718	80	51	36	44	1	3	25	26	29
4	Ashburton	31599	6362	215	109	115	100	5	8	53	56	106
5	Newton Abbot *W*	21313	10467	362	218	175	187	16	20	117	101	144
6	Torquay	10536	21585	651	414	350	301	17	12	222	192	237
	284.—TOTNES.											
1	Paington	10494	4266	135	62	78	57	4	3	23	39	73
2	Brixham	8517	6750	216	116	126	90	1	2	59	57	100
3	Dartmouth	5508	5429	113	106	62	51	1	2	47	59	7
4	Totnes *W*	12876	5881	203	146	94	109	11	13	74	72	57
5	Buckfastleigh	19646	4263	116	99	49	67	1	2	44	55	17
6	Ugborough	24849	3778	126	49	61	65	2	1	21	28	77
7	Harberton	16452	2575	84	33	39	45	4	–	17	16	51
	285.—KINGSBRIDGE.											
1	Blackawton	12408	2571	67	39	33	34	1	2	23	16	28
2	Stokenham	18354	3877	123	48	62	61	4	2	25	23	75
3	West Alvington *W*	15901	4835	165	87	83	82	7	5	54	33	78
4	Kingsbridge	10147	4132	135	81	68	67	4	6	39	42	54
5	Modbury	16108	3679	113	54	58	55	4	1	32	22	59
	286.—PLYMPTON ST. MARY.											
1	Yealmpton	27760	9209	313	181	156	157	6	2	100	81	132
2	Plympton *W*	47809	11293	345	190	170	175	6	13	99	91	155
	287.—PLYMOUTH.											
1	Charles-the-Martyr *W*	1116	23390	880	579	469	411	36	37	276	303	301
2	St. Andrew *W*	519	39209	1317	889	688	629	22	25	453	436	428
	288.—EAST STONEHOUSE.											
1	East Stonehouse *W*	385	14343	597	357	323	274	6	5	193	164	240
	289.—STOKE DAMEREL.											
1	St. Aubyn	2380	7239	197	128	99	98	–	2	65	63	69
2	Clowance *W*		10662	443	292	235	208	6	3	146	146	151
3	Morice		14089	326	196	166	160	4	5	99	97	130
4	Stoke		9034	303	291	151	152	6	10	136	155	12
5	Tamar		9416	417	225	201	216	3	4	116	109	192
	290.—TAVISTOCK.											
1	Buckland Monachorum	86562	8698	252	154	135	117	1	6	90	64	98
2	Tavistock *W*	26312	17864	682	379	335	347	20	4	200	179	303
3	Milton Abbot	22746	4728	158	70	85	73	3	–	31	39	88
4	Lifton	22947	3975	128	61	66	62	2	4	30	31	67
	291.—OKEHAMPTON.											
1	Bratton Clovelly	23663	2339	77	28	34	43	5	5	12	16	49
2	Hatherleigh	26143	3986	130	48	66	64	5	4	27	21	82
3	Okehampton *W*	32610	5026	145	97	77	68	7	5	48	49	48
4	Chagford	19821	2907	85	45	50	35	2	2	22	23	40
5	North Tawton	24560	4322	135	89	77	58	6	4	47	42	46

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
						Including Illegitimate Births.		Illegitimate Births.				
				BIRTHS.	DEATHS.	Males.	Females.	Males.	Females.	Males.	Females.	
	19.—DEVONSHIRE—*continued.*											
	292.—CREDITON.											
1	Morchard Bishop	27659	4569	166	70	84	82	4	5	36	34	96
2	Bow	19402	3516	107	53	56	51	4	3	30	23	54
3	Crediton *W*	17298	6533	169	111	84	85	9	8	58	53	58
4	Cheriton-Fitzpaine	27507	5656	177	103	97	80	6	7	59	44	74
	293.—TIVERTON.											
1	Silverton	19026	5120	162	76	78	84	4	3	36	40	86
2	Cullompton	12077	4482	131	82	67	64	6	1	40	42	49
3	Uffculme	17778	5229	157	108	75	82	1	2	65	43	49
4	Tiverton *W*	17650	10447	322	254	168	154	19	13	118	136	68
5	Washfield	22412	2731	78	37	50	28	2	1	18	19	41
6	Bampton *	14269	2866	87	48	44	43	3	3	23	25	39
	294.—SOUTH MOLTON.											
1	Witheridge	48070	5449	168	89	87	81	1	2	49	40	79
2	Chulmleigh	35286	5062	162	105	80	82	8	3	53	52	57
3	South Molton † *W*	59147	9021	283	186	145	138	15	9	109	77	97
	295.—BARNSTAPLE.											
1	Barnstaple *W*	12711	10652	300	176	159	141	14	16	103	73	124
2	Parracombe †	35537	2839	62	32	27	35	–	1	12	20	30
3	Combmartin	24042	3875	95	71	53	42	1	3	43	28	24
4	Ilfracombe	19231	5663	171	87	79	92	6	–	44	43	84
5	Braunton	31469	6957	222	121	114	108	4	8	68	53	101
6	Bishops Tawton	26709	6307	170	92	95	75	6	5	41	51	78
	296.—TORRINGTON.											
1	High Bickington	17455	2937	89	38	45	44	4	6	21	17	51
2	Winkleigh	16516	2472	91	26	52	39	5	2	15	11	65
3	Dolton	15480	3181	91	40	47	44	2	–	20	20	51
4	Shebbear	17666	3063	99	63	54	45	2	3	27	36	36
5	Great Torrington *W*	14355	5223	146	109	65	81	11	14	52	57	37
	297.—BIDEFORD.											
1	Bideford *W*	3527	5851	180	127	82	98	3	5	57	70	53
2	Northam	7198	4460	142	90	70	72	2	5	43	47	52
3	Parkham	16797	2794	65	30	37	28	7	1	17	13	35
4	Hartland	28671	3774	132	57	80	52	5	1	34	23	75
5	Bradworthy	7671	911	31	14	13	18	1	–	9	5	17
	298.—HOLSWORTHY.											
1	Milton Damerel	21281	2542	78	42	43	35	–	4	24	18	36
2	Holsworthy	18857	2756	101	64	53	48	7	2	33	31	37
3	Black Torrington	16804	1970	61	29	31	30	4	3	14	15	32
4	Broadwoodwidger	8587	803	23	7	12	11	–	–	4	3	16
5	Clawton	16990	1805	63	33	26	37	2	–	16	17	30
	20.—CORNWALL.											
	299.—STRATTON.											
1	Kilkhampton	16228	2066	58	35	28	30	2	–	16	19	23
2	Stratton	13683	3392	114	75	61	53	5	2	40	35	39
3	Week St. Mary	24495	2570	83	48	48	35	2	1	25	23	35
	300. CAMELFORD.											
1	Boscastle	17368	2429	87	44	45	42	1	2	20	24	43
2	Camelford	34479	5355	182	73	94	88	10	4	31	42	109
	301.—LAUNCESTON.											
1	Altarnon	22489	2496	86	39	41	45	2	5	18	21	47
2	North Petherwin	20615	2269	79	31	45	34	1	1	13	18	48
3	St. Stephen	28776	3607	98	56	45	53	1	1	24	32	42
4	Launceston *W*	4809	3125	85	68	45	40	5	8	31	37	17
5	North-Hill	25088	5508	204	94	110	94	6	3	44	50	110
	302.—ST. GERMANS.											
1	Antony *W*	9740	7878	288	183	146	142	5	5	94	89	105
2	St. Germans	12944	3513	111	51	55	56	–	2	29	22	60
3	Saltash	24464	6240	197	87	102	95	4	5	46	41	110
	303.—LISKEARD.											
1	Callington	22851	8899	379	174	205	174	10	5	88	86	205
2	Liskeard *W*	44817	15194	610	300	342	268	25	23	153	147	310
3	Looe	19953	5665	200	86	89	111	2	7	47	39	114
4	Lerrin	19699	3804	119	84	66	53	5	3	38	46	35
	304.—BODMIN.											
1	Lanlivery	18391	5118	186	58	93	93	8	2	35	23	128
2	St Mabyn	28569	3085	78	36	37	41	8	4	13	23	42
3	Bodmin *W*	16347	6524	187	170	89	98	11	14	99	71	17
4	Egloshayle	25674	4964	144	85	75	69	1	5	43	42	59

* See page 15, Note ‡. † See page 15, Note §.

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	20.—CORNWALL—*continued.*											
	305.—ST. COLUMB.											
1	Padstow	28263	6649	213	105	109	104	7	6	45	60	108
2	St. Columb *W*	30313	6512	186	112	98	88	8	8	56	56	74
3	Newlyn	20117	3593	121	55	61	60	1	6	21	34	66
	306.—ST. AUSTELL.											
1	Fowey	8464	9343	371	190	186	185	3	7	89	101	181
2	St. Austell *W*	21665	14768	544	312	293	251	26	20	167	145	232
3	Mevagissey	12874	4575	152	79	78	74	3	5	39	40	73
4	Grampound	14443	5111	181	92	90	91	4	4	43	49	89
	307.—TRURO.											
1	Probus	21670	3702	102	72	54	48	4	2	27	45	30
2	St. Just	18448	4737	144	75	75	69	3	4	35	40	69
3	St. Agnes	19694	9509	236	239	121	115	4	1	123	116	−3
4	St. Clement *W*	11692	8089	244	242	126	118	16	20	129	113	2
5	Kenwyn	10004	10673	394	244	204	190	10	12	128	116	150
6	Kea	10703	6360	191	103	108	83	3	4	49	54	88
	308.—FALMOUTH.											
1	Mylor	6798	3730	154	100	79	75	2	1	43	57	54
2	Falmouth *W*	5203	11643	331	284	175	156	5	8	139	145	47
3	Penryn	2899	4760	174	84	89	85	1	5	41	43	90
4	Constantine	13006	3199	108	51	51	57	2	1	20	31	57
	309.—HELSTON.											
1	Wendron	18927	9314	370	185	204	166	9	9	97	88	185
2	Helston *W*	9838	5499	157	130	79	78	8	6	66	64	27
3	St. Keverne	28119	4904	136	87	71	65	3	7	48	39	49
4	Breage *W*	8448	6188	232	116	107	125	9	4	65	51	116
5	Crowan	7239	4131	150	79	61	89	2	5	36	43	71
	310.—REDRUTH.											
1	Gwennap	10856	12895	426	279	212	214	6	8	139	140	147
2	Redruth	3907	11504	446	256	227	219	7	5	141	115	190
3	Illogan *W*	8317	9683	369	280	196	173	18	15	136	144	89
4	Camborne	6744	14056	556	348	275	281	9	13	178	170	208
5	Phillack	10481	9035	335	162	165	170	6	8	75	87	173
	311.—PENZANCE.											
1	Uny-Lelant	12603	8357	329	152	168	161	11	9	73	79	177
2	St. Ives	8899	8967	369	164	205	164	12	8	89	75	205
3	Marazion	4909	5098	186	79	91	95	2	1	43	36	107
4	Penzance *W*	13971	18741	642	410	328	314	25	18	200	210	232
5	St. Just-in-Penwith	13118	10903	416	205	208	208	11	8	108	97	211
6	St. Buryan	11592	2488	83	42	47	36	4	2	23	19	41
	312.—SCILLY ISLANDS.											
1	Scilly Islands	3560	2431	68	48	36	32	4	3	20	28	20
	21.—SOMERSETSHIRE.											
	313 *a.*—WILLITON.											
1	Minehead	25869	3480	100	53	45	55	1	1	19	34	47
2	Dunster	26984	4293	137	51	63	74	5	8	26	25	86
3	Williton *W*	17709	5679	148	109	93	55	5	3	47	62	39
4	Stogursey	18628	2677	76	35	41	35	3	1	22	13	41
5	Stogumber	20012	3789	125	49	64	61	5	4	24	25	76
	313 *b.*—DULVERTON.											
1	Dulverton *	57906	6158	163	71	86	77	6	2	36	35	92
	314.—WELLINGTON.											
1	Wiveliscombe	10949	3526	128	63	67	61	1	1	28	35	65
2	Milverton	15130	4214	100	72	44	56	–	3	46	26	28
3	Wellington *W*	13563	8305	243	129	119	124	8	13	68	61	114
4	Culmstock	20812	4435	116	68	51	65	2	1	33	35	48
	315.—TAUNTON.											
1	Pitminster	21702	4950	148	57	74	74	5	4	24	33	91
2	North Curry	17064	5999	171	89	83	88	–	4	54	35	82
3	Taunton St. Mary Magdalen *W*	3926	10283	306	218	160	146	15	20	110	108	88
4	Taunton St. James	12678	10339	295	153	139	156	7	11	65	88	142
5	Bishops-Lydeard	15082	4030	123	49	62	61	1	5	23	26	74
	316.—BRIDGWATER.											
1	Stowey	19540	4977	139	75	68	71	3	4	37	38	64
2	North Petherton	} 37102	{ 5305	177	77	98	79	2	3	35	42	100
3	Middlezoy		{ 2737	84	37	44	40	4	4	18	19	47
4	Bridgwater *W*		{ 13694	482	323	234	248	8	14	168	155	159
5	Huntspill	19481	4003	119	50	60	59	2	2	23	27	69
6	Polden Hill	16150	3704	110	51	57	53	8	3	24	27	59
	317.—LANGPORT.											
1	Somerton	20744	5797	176	105	91	85	5	5	55	50	71
2	Langport *W*	21032	7091	210	117	108	102	11	6	60	57	93
3	Curry-Rivell	17615	5189	145	91	68	77	2	6	46	45	54

* See page 15, Notes ‡ §.

V. SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS: Including Illegitimate Births: Males.	BIRTHS: Including Illegitimate Births: Females.	BIRTHS: Illegitimate Births: Males.	BIRTHS: Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	21.—SOMERSETSHIRE—*cont.*											
	318.—CHARD.											
1	Ilminster	20220	7448	231	100	110	121	7	8	49	51	131
2	Combe St. Nicholas	16743	3398	107	56	59	48	1	1	28	28	51
3	Chard *W*	10276	6661	254	118	127	127	12	9	49	69	136
4	Crewkerne	13103	8084	246	121	124	122	4	8	58	63	125
	319.—YEOVIL.											
1	Coker	15929	6321	239	101	120	119	7	7	47	54	138
2	South Petherton	5385	3862	148	71	77	71	8	7	25	46	77
3	Martock	11945	5979	209	126	107	102	8	4	62	64	83
4	Yeovil *W*	8048	9535	331	186	174	157	18	10	90	95	145
5	Ilchester	10844	2492	72	37	43	29	2	3	17	20	35
	320.—WINCANTON.											
1	Castle Cary	16906	6129	190	93	93	97	4	5	42	51	97
2	Milborne Port	17603	5395	216	109	114	102	4	1	59	50	107
3	Wincanton *W*	19646	6007	165	144	90	75	10	4	75	69	21
4	Bruton	11962	3939	101	69	40	61	3	6	31	38	32
	321.—FROME.											
1	Nunney	} 28303	4589	133	72	63	70	4	3	37	35	61
2	Frome *W*		11543	379	213	182	197	16	17	112	101	166
3	Road	11348	3573	102	79	60	42	4	–	43	36	23
4	Kilmersdon	11588	3999	147	61	69	78	4	3	30	31	86
	322.—SHEPTON MALLET.											
1	Stoke Lane	13172	3323	102	57	55	47	6	3	28	29	45
2	Evercreech	21233	5141	142	81	85	57	5	2	41	40	61
3	Shepton Mallet *W*	15252	8152	261	150	128	133	16	14	77	73	111
	323.—WELLS.											
1	Wells *W*	33428	11254	313	218	160	153	10	10	114	104	95
2	Glastonbury	31394	10635	361	180	176	185	6	6	81	99	181
	324.—AXBRIDGE.											
1	Wedmore	20044	6265	184	91	96	88	7	2	53	38	93
2	Burnham	25256	5707	210	86	101	109	3	12	43	43	114
3	Banwell	19906	12649	424	203	225	199	6	5	105	98	221
4	Axbridge *W*	18297	5856	194	110	94	100	12	15	50	60	84
5	Blagdon	22176	5629	146	91	72	74	2	4	53	38	55
	325.—CLUTTON.											
1	Harptree	16128	3562	108	63	52	56	–	3	34	29	45
2	Chew Magna	13009	4422	137	70	65	72	1	1	28	42	67
3	Clutton *W*	7684	6663	235	115	114	121	14	8	65	50	120
4	Midsomer-Norton	10205	9074	346	135	170	176	5	10	68	67	211
	326.—BATH.											
1	Twerton	14192	6953	227	99	136	91	4	1	49	50	128
2	Bathwick	3452	7132	137	106	67	70	6	4	47	59	31
3	Abbey	*	11086	276	302	144	132	10	6	150	152	– 26
4	Lyncombe *W*	1845	9900	309	264	156	153	12	11	128	136	45
5	Walcot	} 10832*	11268	336	228	190	146	2	6	94	134	108
6	Lansdown		15008	315	289	158	157	7	13	114	175	26
7	Batheaston		6989	164	99	81	83	3	3	50	49	65
	327.—KEYNSHAM.											
1	Bitton	8267	5071	183	83	96	87	6	5	43	40	100
2	Oldland	5180	10091	380	192	216	164	11	8	82	110	188
3	Newton	10198	2426	72	45	37	35	2	1	22	23	27
4	Keynsham *W*	9713	4214	111	95	54	57	3	4	48	47	16
	328.—BEDMINSTER.											
1	Bedminster	4161	22346	915	426	454	461	16	10	207	219	489
2	Long Ashton *W*	19349	5864	180	115	95	85	13	10	55	60	65
3	Yatton	20048	8236	240	119	121	119	8	–	71	48	121
4	St. George	13510	4811	159	80	81	78	6	2	37	43	79

VI. WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS: Including Illegitimate Births: Males.	BIRTHS: Including Illegitimate Births: Females.	BIRTHS: Illegitimate Births: Males.	BIRTHS: Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	22.—GLOUCESTERSHIRE.											
	329.—BRISTOL.											
1	St. Mary Redcliff	} 1840	14335	534	330	272	262	8	6	181	149	204
2	Castle Precincts		10194	380	289	177	203	38	34	137	152	91
3	St. Paul		15775	619	367	330	289	12	7	176	191	252
4	St. James		10325	338	379	165	173	1	1	212	167	–41
5	St. Augustine		15398	499	277	242	257	10	5	134	143	222

* The area of the Abbey sub-district (326; 3) is returned with that of sub-districts 326; 5—7.

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	22.—GLOUCESTERSHIRE—*cont.*											
	330.—CLIFTON.											
1	Clifton	740	21375	534	365	297	237	3	8	179	186	169
2	Ashley	1777	11690	354	237	174	180	2	6	108	129	117
3	St. George	1831	10276	415	200	208	207	1	5	101	99	215
4	St. Philip and Jacob	310	31753	1282	623	666	616	14	16	308	315	659
5	Westbury	15998	10409	277	153	151	126	3	4	62	91	124
6	Stapleton *W w*	8819	9184	249	318	139	110	8	3	158	160	– 69
	331.—CHIPPING SODBURY.											
1	Chipping Sodbury	14115	5252	177	95	88	89	2	2	43	52	82
2	Marshfield	16177	4103	151	61	72	79	1	3	30	31	90
3	Hawkesbury	20668	4156	127	69	63	64	4	2	37	32	58
4	Iron Acton *W*	11396	5252	185	106	96	89	7	7	52	54	79
	332.—THORNBURY.											
1	Almondsbury	23037	5233	167	86	75	92	3	4	45	41	81
2	Thornbury *W*	21617	5870	196	90	99	97	10	6	41	49	106
3	Berkeley	21136	5396	153	77	89	64	4	5	46	31	76
	333.—DURSLEY.											
1	Wotton-under-Edge	10475	5754	158	106	90	68	7	3	53	53	52
2	Uley	6147	2471	90	43	48	42	1	1	25	18	47
3	Dursley *W*	9899	5106	158	90	82	76	5	8	50	40	68
	334.—WESTBURY-ON-SEVERN.											
1	Newnham	24023	14474	488	266	245	243	6	10	139	127	222
2	Huntley *W*	19223	5715	160	99	80	80	3	3	47	52	61
	335.—NEWENT.											
1	Newent *W*	23122	6689	210	110	106	104	6	10	54	56	100
2	Redmarley	22159	5731	135	89	71	64	4	2	50	39	46
	336.—GLOUCESTER.											
1	Kingsholm	18993	7309	216	147	106	110	5	3	72	75	69
2	St. Nicholas *W*	} 680	{ 7416	315	199	176	139	10	13	107	92	116
3	St. John the Baptist		7798	273	148	139	134	12	7	73	75	125
4	South Hamlet	12549	12427	501	237	274	227	8	6	119	118	264
	337.—WHEATENHURST.											
1	Haresfield	13157	3314	85	52	41	44	1	4	27	25	33
2	Frampton *W*	11314	4499	162	81	74	88	5	4	42	39	81
	338.—STROUD.											
1	Stonehouse	3955	4538	140	106	79	61	3	1	47	59	34
2	Painswick	10325	4334	159	72	95	64	4	2	46	26	87
3	Bisley	8033	4692	158	103	68	90	5	3	52	51	55
4	Stroud *W*	3810	9090	311	204	148	163	10	17	96	108	107
5	Rodborough	4192	5019	164	124	83	81	2	1	61	63	40
6	Minchinhampton	4895	4147	120	94	61	59	4	3	42	52	26
7	Horsley	8510	4628	156	84	76	80	2	2	36	48	72
	339.—TETBURY.											
1	Didmarton	9382	1470	45	20	22	23	1	2	7	13	25
2	Tetbury *W*	16259	4640	145	79	63	82	3	4	34	45	66
	340.—CIRENCESTER.											
1	Cotswold	29094	3946	112	68	52	60	–	1	33	35	104
2	Cirencester *W*	30074	10840	351	221	189	162	22	19	106	115	130
3	Fairford	26198	6148	239	91	119	120	3	6	40	51	148
	341.—NORTHLEACH.											
1	Bibury *W*	31198	5642	183	116	98	85	8	12	72	44	67
2	Chedworth	36449	5253	172	70	94	78	6	3	30	40	102
	342.—STOW-ON-THE-WOLD.											
1	Bourton-on-the-Water	23037	4624	168	95	93	75	1	2	48	47	73
2	Stow-on-the-Wold	18094	5063	182	94	89	93	7	13	39	55	88
	343.—WINCHCOMB.											
1	Guyting *W*	36568	5974	193	81	101	92	11	9	35	46	112
2	Cleeve	20926	4108	153	56	84	69	5	5	31	25	97
	344.—CHELTENHAM.											
1	Charlton Kings	21136	10099	316	144	135	181	6	6	75	69	172
2	Cheltenham *W*	3740	39693	1123	704	556	567	42	42	349	355	419
	345.—TEWKESBURY.											
1	Deerhurst	18152	4229	131	59	61	70	2	4	29	30	72
2	Overbury	10427	2970	95	45	49	46	5	3	19	26	50
3	Tewkesbury *W*	10339	7709	265	172	125	140	14	7	89	83	93

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
						Including Illegitimate Births.		Illegitimate Births.				
				BIRTHS.	DEATHS.	Males.	Females.	Males.	Females.	Males.	Females.	
	23.—HEREFORDSHIRE.											
	346.—LEDBURY.											
1	Ledbury *W*	27704	10295	302	148	144	158	12	10	73	75	154
2	Yarkhill	21079	4585	137	75	67	70	8	5	39	36	62
	347.—ROSS.											
1	Sollershope	18509	3641	95	63	50	45	4	2	27	36	32
2	Ross *W*	17250	9032	260	166	129	131	10	10	80	86	94
3	St. Weonards	19809	3633	120	63	66	54	3	1	28	35	57
	348.—HEREFORD.											
1	Dewchurch	24727	4352	127	71	74	53	8	4	37	34	56
2	Fownhope	19079	5614	167	98	83	84	7	3	47	51	69
3	Burghill	23851	5737	179	99	90	89	6	5	52	47	80
4	Hereford City *W*	2417	14035	494	342	230	264	20	23	166	176	152
5	Madley	19790	3088	79	53	44	35	5	4	33	20	26
6	Kentchurch *W*	26723	3567	114	59	66	48	7	6	30	29	55
7	Clodock	28404	2864	70	50	39	31	2	3	20	30	20
	349.—WEOBLY.											
1	Weobly *W*	28407	5317	156	96	86	70	8	3	52	44	60
2	Dilwyn	20552	3701	105	66	57	48	3	7	36	30	39
	350.—BROMYARD.											
1	Bromyard	17542	3656	109	75	52	57	6	7	36	39	34
2	Bishops Frome	22305	4439	146	73	90	56	5	3	46	27	73
3	Brockhampton *W*	21812	3716	114	60	58	56	7	3	29	31	54
	351.—LEOMINSTER.											
1	Leominster *W*	13844	6618	236	141	116	120	5	13	74	67	95
2	Bodenham	24884	4021	109	68	48	61	5	–	42	26	41
3	Kingsland	26892	4855	136	68	65	71	9	8	37	31	68
	24.—SHROPSHIRE.											
	352.—LUDLOW.											
1	Leintwardine	19178	2556	68	36	38	30	1	2	21	15	32
2	Ludlow *W*	22697	8801	289	186	152	137	21	16	102	84	103
3	Cainham	12195	2227	80	42	37	43	3	2	19	23	38
4	Munslow	15193	2051	63	24	27	36	4	4	13	11	39
5	Diddlebury	18310	2086	57	25	28	29	3	1	15	10	32
	353.—CLUN.											
1	Clun	31358	4152	149	83	82	67	12	4	37	46	66
2	Bishops Castle *W*	16834	2924	113	51	60	53	7	8	20	31	62
3	Norbury	21282	1636	67	26	44	23	5	1	10	16	41
4	Lydbury	13412	1903	68	33	39	29	6	2	16	17	35
	354.—CHURCH STRETTON.											
1	Church Stretton *W*	24870	3928	123	69	65	58	6	10	42	27	54
2	Wall	21314	2361	74	28	39	35	2	1	16	12	46
	355.—CLEOBURY MORTIMER.											
1	Cleobury Mortimer *W*	29817	5514	153	106	81	72	4	10	51	55	47
2	Stottesden	24823	2790	67	36	36	31	3	4	24	12	31
	356.—BRIDGNORTH.											
1	Chetton	38589	4725	152	58	77	75	2	4	25	33	94
2	Bridgnorth *W*	3382	6240	201	111	101	100	11	9	53	58	90
3	Worfield	27925	4955	130	77	56	74	5	7	28	49	53
	357.—SHIFFNAL.											
1	Albrighton	22511	4145	110	60	51	59	3	4	28	32	50
2	Shiffnal *W*	23542	7849	289	188	151	138	16	15	86	102	101
	358.—MADELEY.											
1	Dawley	3576	11323	482	252	252	230	17	17	129	123	230
2	Madeley *W*	7682	10733	356	234	173	183	18	25	122	112	122
3	Broseley	7847	5853	185	112	89	96	6	9	53	59	73
4	Much Wenlock	8846	2494	77	51	43	34	2	2	23	28	26
	359.—ATCHAM.											
1	Condover *W*	37057	6063	168	94	87	81	18	10	49	45	74
2	Pontesbury	12052	3866	123	61	69	54	4	3	29	32	62
3	Westbury	11274	2545	77	35	43	34	1	1	22	13	42
4	Alberbury	12034	2235	65	25	33	32	–	2	17	8	40
5	Montford	7857	1166	42	11	21	21	–	–	5	6	31
6	Battlefield	11554	1881	56	28	32	24	2	1	14	14	28
7	Atcham	12316	1699	44	13	23	21	1	2	4	9	31
	360.—SHREWSBURY.											
1	St. Mary	} 18032	16251	535	373	250	285	22	18	201	172	162
2	St. Chad *W*		9533	305	210	154	151	16	18	96	114	95

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862.—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	24.—SHROPSHIRE—*continued.*											
	361.—OSWESTRY.											
1	Knockin	19422	4423	134	85	70	64	7	6	44	41	49
2	Llansilin	22978	4128	132	89	67	65	7	3	46	43	43
3	Oswestry *W*	15703	9357	325	210	162	163	13	14	98	112	115
4	St. Martin	18945	5909	191	108	96	95	11	3	57	51	83
	362.—ELLESMERE.											
1	Overton	6434	1779	58	34	33	25	5	1	14	20	24
2	Hanmer	14718	2519	75	26	35	40	4	3	13	13	49
3	Ellesmere *W*	28646	6878	214	141	110	104	16	6	69	72	73
4	Baschurch	21283	3435	101	47	48	53	6	–	25	22	54
	363 *a.*—WEM.											
1	Wem *W*	34547	7282	215	122	111	104	4	8	65	57	93
2	Prees	16650	3362	107	66	60	47	3	7	38	28	41
	363 *b.*—WHITCHURCH.											
1	Whitchurch *W*	23229	7651	250	145	128	122	20	18	74	71	105
2	Malpas	15847	3621	137	82	68	69	14	18	38	44	55
	364.—MARKET DRAYTON.											
1	Moreton Say	21490	3923	134	64	66	68	9	11	37	27	70
2	Market Drayton *W*	14216	5242	201	91	104	97	15	17	39	52	110
3	Hodnet	32204	5095	158	86	84	74	8	10	46	40	72
	365.—WELLINGTON.											
1	Ercall Magna *W*	17370	3230	101	58	50	51	4	5	26	32	43
2	Wellington *W*	12863	14046	517	353	245	272	35	38	166	187	164
3	Wombridge	3295	6597	265	163	128	137	9	8	88	75	102
	366.—NEWPORT.											
1	Newport *W*	22662	10478	354	218	170	184	14	15	115	103	136
2	Gnosall	24815	4969	144	85	82	62	8	6	39	46	59
	25.—STAFFORDSHIRE.											
	367.—STAFFORD.											
1	Stafford *W*	17581	14739	494	423	248	246	17	26	253	170	71
2	Castle Church	13071	5413	183	86	83	100	3	3	35	51	97
3	Colwich	21370	4322	139	60	66	73	8	4	21	39	79
	368.—STONE.											
1	Stone *W*	26657	9528	314	186	159	155	15	14	100	86	128
2	Eccleshall	32810	6139	177	113	98	79	8	5	57	56	64
3	Trentham	9057	6259	199	140	97	102	3	4	65	75	59
	369.—NEWCASTLE-UNDER-LYME.											
1	Whitmore	6680	1302	38	19	21	17	3	–	12	7	19
2	Newcastle-under-Lyme *W*	8867	15640	578	360	278	300	18	11	182	178	218
3	Audley	11171	7625	318	154	151	167	11	11	73	81	164
	370.—WOLSTANTON.											
1	Wolstanton	10739	9563	435	198	224	211	7	11	96	102	237
2	Tunstall *W*		22466	1057	601	560	497	50	43	344	257	456
3	Burslem	2940	22327	905	569	461	444	37	34	277	292	336
	371.—STOKE-UPON-TRENT.											
1	Hanley		16848	687	438	368	319	20	16	231	207	249
2	Shelton		18331	787	522	415	372	21	18	269	253	265
3	Stoke-upon-Trent *W*	10490	11390	450	287	224	226	18	26	162	125	163
4	Fenton		7882	313	190	168	145	18	11	104	86	123
5	Longton		16857	721	481	367	354	37	27	247	234	240
	372.—LEEK.											
1	Norton		5634	261	111	147	114	13	11	57	54	150
2	Leek *W*	43174	12341	431	246	232	199	20	7	135	111	185
3	Leek Frith		1790	67	32	30	37	–	8	16	16	35
4	Longnor	29719	5041	164	92	90	74	17	9	44	48	72
	373.—CHEADLE.											
1	Alton	9487	2693	94	65	51	43	6	3	41	24	29
2	Ipstones	20677	6118	253	93	143	110	10	7	47	46	160
3	Dilhorne	12638	5070	191	125	101	90	4	8	65	60	66
4	Cheadle *W*	12344	7107	234	181	115	119	16	6	93	88	53
	374.—UTTOXETER.											
1	Uttoxeter *W*	24807	8008	260	171	132	128	19	14	87	84	89
2	Abbots Bromley	17355	2976	80	53	38	42	1	2	26	27	27
3	Sudbury	20728	3803	113	54	61	52	2	5	30	24	59
	375.—BURTON-UPON-TRENT.											
1	Tutbury	27211	6797	190	106	107	83	12	10	58	48	84
2	Repton	27430	6484	192	141	93	99	9	9	75	66	51
3	Gresley	18873	9039	399	208	203	193	17	12	101	107	191
4	Burton-upon-Trent *W*	17138	18745	785	349	390	395	17	20	193	156	436

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	25.—STAFFORDSHIRE—*continued.*											
	376.—TAMWORTH.											
1	Tamworth *W*	26176	8647	295	148	139	156	12	13	68	80	147
2	Fazeley	20564	6857	272	138	138	134	7	8	78	60	134
	377.—LICHFIELD.											
1	Lichfield *W*	37688	15628	530	362	278	252	20	24	186	176	168
2	Yoxall	20417	4765	156	88	92	64	12	3	42	46	68
3	Rugeley	13508	7148	224	155	118	106	8	7	78	77	69
	378.—PENKRIDGE.											
1	Penkridge	27434	4230	130	64	70	60	7	6	35	29	66
2	Brewood *W*	20782	5629	148	115	72	76	7	7	67	48	33
3	Cannock	22583	8773	342	182	176	166	12	13	101	81	160
	379.—WOLVERHAMPTON.											
1	Tettenhall *W*	14222	6046	173	108	91	82	6	2	57	51	65
2	Kinfare	16391	4832	166	64	95	71	5	3	34	30	102
3	Wombourn	12931	4991	165	105	87	78	7	3	50	55	60
4	Wolverhampton Western	} 3008	{ 24514	902	504	462	440	23	19	253	251	398
5	Wolverhampton Eastern *W*		36346	1434	1206	739	695	50	44	688	518	228
6	Willenhall	5583	25809	1098	583	539	529	83	34	318	265	515
7	Bilston *W*	1730	24354	999	655	502	497	23	29	357	298	344
	380.—WALSALL.											
1	Darlaston	2551	13230	631	421	308	323	9	23	235	186	210
2	Bloxwich	} 19052	{ 9237	384	207	193	191	10	8	121	86	177
3	Walsall *W*		30415	1273	779	651	622	33	38	410	369	494
4	Aldridge		7026	289	131	134	155	6	12	66	65	158
	381.—WEST BROMWICH.											
1	Handsworth	7680	11459	338	188	171	167	3	7	86	102	150
2	Oldbury	3799	17258	811	358	400	411	24	31	189	169	453
3	West Bromwich South West *W*	1500	21588	907	512	465	442	21	12	271	241	395
4	West Bromwich North East *W*	4210	20207	899	602	482	417	30	41	325	277	297
5	Wednesbury *W*	2175	21968	1001	572	498	503	19	15	306	266	429
	382.—DUDLEY.											
1	Rowley-Regis	3370	19785	953	451	463	490	29	28	231	220	502
2	Tipton *W*	3020	28870	1267	743	633	634	11	12	397	346	524
3	Sedgley *W*	7364	36637	1614	1002	802	812	52	53	517	485	612
4	Dudley *W*	3930	44975	2011	1194	1003	1008	44	47	615	579	817
	26.—WORCESTERSHIRE.											
	383.—STOURBRIDGE.											
1	Halesowen	5570	11511	534	237	273	261	22	21	121	116	297
2	Stourbridge	3315	22958	940	425	470	470	24	26	218	207	515
3	Kingswinford *W*	7315	34257	1525	735	768	757	39	46	398	337	790
	384.—KIDDERMINSTER.											
1	Chaddesley Corbett	9582	2091	55	29	22	33	2	3	14	15	26
2	Wolverley	7172	3204	89	36	49	40	1	1	21	15	53
3	Kidderminster *W*	10685	17912	563	343	308	255	16	14	185	158	220
4	Lower Mitton	861	2958	91	60	44	47	1	1	24	36	31
5	Bewdley	9021	4142	129	62	62	67	7	6	27	35	67
	385.—TENBURY.											
1	Tenbury *W*	18164	4320	134	84	67	67	14	5	46	38	50
2	Bockleton	17777	3046	86	43	47	39	4	3	32	11	43
	386.—MARTLEY.											
1	Martley *W*	13335	3128	90	55	48	42	7	5	32	23	35
2	Witley	13299	3480	110	40	61	49	5	3	28	12	70
3	Holt	13997	3509	106	60	63	43	6	2	31	29	46
4	Leigh	13087	4981	169	93	87	82	1	5	44	49	76
	387.—WORCESTER.											
1	West Worcester	3950	8593	301	184	150	151	14	9	95	89	117
2	North Worcester *W*	1440	10725	316	294	162	154	18	21	169	125	22
3	South Worcester	1309	11651	426	244	209	217	15	12	125	119	182
	388.—UPTON-ON-SEVERN.											
1	Hanley Castle	20007	11377	357	215	182	175	13	8	108	107	142
2	Upton-on-Severn *W*	20604	6122	205	120	108	97	10	13	64	56	85
3	Kempsey	12405	3511	104	67	53	51	6	2	29	38	37
	389.—EVESHAM.											
1	Evesham *W*	18039	7897	247	132	125	122	4	7	61	71	115
2	Broadway	28570	6870	227	108	105	122	10	7	53	55	119

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS. Including Illegitimate Births: Males.	BIRTHS. Including Illegitimate Births: Females.	BIRTHS. Illegitimate Births: Males.	BIRTHS. Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	26.—WORCESTERSHIRE— *continued.*											
	390.—PERSHORE.											
1	Eckington	16897	4228	134	80	66	68	5	4	41	39	54
2	Pershore *W*	17781	6507	195	100	91	104	7	10	55	45	95
3	Upton Snodsbury	17591	3130	112	45	65	47	7	3	25	20	67
	391.—DROITWICH.											
1	Claines	16782	7465	272	125	147	125	1	10	69	56	147
2	Ombersley	18867	5181	156	67	80	76	5	8	32	35	89
3	Droitwich *W*	20876	6613	252	147	121	131	14	16	80	67	105
	392.—BROMSGROVE.											
1	Bromsgrove *W*	14788	12444	533	272	268	265	17	21	143	129	261
2	Belbroughton	15584	4867	137	75	73	64	5	5	42	33	62
3	Tardebigg	17002	8896	339	150	178	161	8	14	76	74	189
	393.—KINGS NORTON.											
1	Kings Norton *W*	16312	14316	489	305	245	244	21	12	145	160	184
2	Edgbaston	8496	16037	416	244	212	204	7	6	106	138	172
3	Harborne	3293	16993	643	310	304	339	11	14	161	149	333
	27.—WARWICKSHIRE.											
	394.—BIRMINGHAM.											
1	Lady Wood	2660 (Birmingham, nos. 1–9 together)	34723	1512	737	776	736	26	21	363	374	775
2	St. Thomas		32239	1350	837	688	662	33	30	447	390	513
3	St. Martin		30252	1350	772	724	626	37	34	395	377	578
4	St. Peter		14896	509	359	262	247	10	11	187	172	150
5	St. Philip		9375	275	166	132	143	6	11	90	76	109
6	St. Paul		9489	299	228	140	159	7	9	136	92	71
7	St. Mary		17477	627	443	334	293	13	10	232	211	184
8	St. George		44405	1844	1325	928	916	35	35	682	643	519
9	All Saints *W*		19320	850	833	440	410	75	75	446	387	17
	395.—ASTON.											
1	Deritend	1690	31788	1455	758	736	719	20	16	372	386	697
2	Duddeston	936	38760	1693	902	887	806	36	37	464	438	791
3	Erdington *W*	11251	24447	1032	525	536	496	11	18	272	253	507
4	Sutton Coldfield	17306	5527	144	84	79	65	5	5	37	47	60
	396.—MERIDEN.											
1	Coleshill	22223	4903	150	71	68	82	2	9	36	35	79
2	Meriden *W*	26395	6387	179	107	91	88	7	2	61	46	72
	397.—ATHERSTONE.											
1	Atherstone *W*	27883	12118	415	214	215	200	12	11	101	113	201
	398.—NUNEATON.											
1	Nuneaton *W*	20428	13054	485	266	247	238	18	21	126	140	219
	399.—FOLESHILL.											
1	Foleshill *W*	7799	15327	585	332	303	282	25	21	156	176	253
2	Sowe	11590	4670	170	75	91	79	3	3	38	37	95
	400.—COVENTRY.											
1	St. John *W*	3665	22166	775	455	378	397	24	35	222	233	320
2	Holy Trinity	1824	19481	605	338	308	297	15	17	165	173	267
	401.—RUGBY.											
1	Rugby *W*	25130	13601	417	221	224	193	14	11	110	111	196
2	Crick	23669	4962	152	85	83	69	4	6	41	44	67
3	Dunchurch	28956	5873	182	101	99	83	10	3	50	51	81
	402.—SOLIHULL.											
1	Solihull *W*	19778	7383	232	126	110	122	6	8	62	64	106
2	Knowle	11461	2819	106	65	54	52	2	2	29	36	41
3	Tanworth	14776	3029	100	48	41	59	2	1	22	26	52
	403.—WARWICK.											
1	Budbrooke	18463	4446	115	115	60	55	2	4	67	48	..
2	Leamington	2900	18768	553	356	281	272	16	19	163	193	197
3	Kenilworth	23693	6195	189	100	86	103	6	9	45	55	89
4	Warwick *W*	5410	10589	335	229	173	162	16	14	129	100	106
5	Radford	16168	4049	115	71	59	56	5	2	41	30	44
	404.—STRATFORD-ON-AVON.											
1	Kineton	10166	2378	66	49	29	37	3	2	25	24	17
2	Wellesbourne	14074	3026	93	38	41	52	1	2	14	24	55
3	Stratford-on-Avon	14384	6117	175	89	86	89	4	5	49	40	86
4	Old Stratford *W*	22680	5931	208	116	110	98	9	8	61	55	92
5	Wootton Wawen	17747	3797	105	65	47	58	3	2	29	36	40

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	27.—WARWICKSHIRE—*cont.*											
	405.—ALCESTER.											
1	Studley	12095	4274	135	57	67	68	5	5	33	24	78
2	Alcester *W*	15419	4787	166	99	94	72	13	8	45	54	67
3	Feckenham	15636	5068	173	83	82	91	6	3	46	37	90
4	Bidford	9280	2749	92	40	45	47	–	2	14	26	52
	406.—SHIPSTON-ON-STOUR.											
1	Campden	20186	4845	161	84	79	82	7	3	41	43	77
2	Moreton	20612	6086	214	103	104	110	9	6	56	47	111
3	Shipston-on-Stour *W*	17021	5064	174	103	92	82	5	7	52	51	71
4	Halford	21080	3857	160	59	75	85	6	3	29	30	101
	407.—SOUTHAM.											
1	Southam *W*	50409	10392	389	175	195	194	13	12	92	83	214

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862.—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	28.—LEICESTERSHIRE.											
	408.—LUTTERWORTH.											
1	Lutterworth *W*	59031	15515	489	250	255	234	16	18	111	139	239
	409.—MARKET HARBOROUGH.											
1	Market Harborough *W*	64094	16059	550	296	277	273	12	16	147	149	254
	410.—BILLESDON.											
1	Billesdon *W*	50721	7272	197	90	111	86	3	2	46	44	107
	411.—BLABY.											
1	Wigston	13210	7314	273	146	137	136	10	8	70	76	127
2	Enderby * *W*	20997	6991	266	136	144	122	8	9	75	61	130
	412.—HINCKLEY.											
1	Burbage	15000	5137	178	97	84	94	8	10	52	45	81
2	Hinckley *W*	8210	7658	290	133	146	144	16	19	71	62	157
3	Earl Shilton	4860	3579	129	80	64	65	10	9	39	41	49
	413.—MARKET BOSWORTH.											
1	Market Bosworth *W*	35137	7185	234	127	109	125	9	13	68	59	107
2	Ibstock	18389	6243	203	110	104	99	14	9	48	62	93
	414.—ASHBY-DE-LA-ZOUCH.											
1	Measham	9457	4109	144	83	73	71	4	2	40	43	61
2	Hartshorn	14007	6207	236	94	119	117	10	5	48	46	142
3	Ashby-de-la-Zouch *W*	12480	8290	312	168	164	148	16	15	89	79	144
4	Whitwick †	16008	9937	422	238	221	201	14	11	125	113	184
	415.—LOUGHBOROUGH.											
1	Loughborough † *W*	18690	17520	588	374	322	266	33	20	177	197	214
2	Leake	25150	6627	204	110	111	93	7	14	51	59	94
	416.—BARROW-UPON-SOAR.											
1	Barrow-upon-Soar	13521	5144	206	119	104	102	5	13	56	63	87
2	Quorndon	8830	5089	182	113	102	80	8	4	53	60	69
3	Rothley *W*	14657	4796	175	89	99	76	8	8	52	37	86
4	Syston	10860	4749	139	78	64	75	3	8	42	36	61
	417.—LEICESTER.											
1	East Leicester *W*	} 3960	41194	1740	1043	904	836	83	70	528	515	697
2	West Leicester *		26862	983	677	520	463	33	17	354	323	306
	418.—MELTON MOWBRAY.											
1	Somerby	22668	3892	139	59	69	70	6	3	35	24	80
2	Melton Mowbray *W*	17900	6375	207	121	103	104	10	13	64	57	86
3	Clawson	27084	5537	161	104	83	78	8	8	49	55	57
4	Waltham	30425	4367	134	68	68	66	6	5	38	30	66
	29.—RUTLANDSHIRE.											
	419.—OAKHAM.											
1	Oakham *W*	55030	11112	364	177	189	175	17	16	97	80	187
	420.—UPPINGHAM.											
1	Uppingham *W*	19007	5345	143	94	64	79	4	9	53	41	49
2	Great Easton	14882	3135	95	47	40	55	1	2	10	37	48
3	Barrowden	18809	3887	113	68	59	54	4	3	32	36	45

* See page 18, Note *.

† See page 18, Note †.

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	30.—LINCOLNSHIRE.											
	421.—STAMFORD.											
1	Stamford *W*	24136	12521	365	227	188	177	11	13	110	117	138
2	Barnack	28722	5692	185	75	106	79	7	7	40	35	110
	422.—BOURN.											
1	Corby	20103	3396	110	47	56	54	10	4	21	26	63
2	Aslackby	23635	4730	163	68	79	84	7	4	35	33	95
3	Bourn *W*	33106	7354	233	141	128	105	18	9	65	76	92
4	Deeping *	13800	4633	178	116	97	81	11	7	54	62	62
	423.—SPALDING.											
1	Pinchbeck	11640	3052	107	54	57	50	5	3	30	24	53
2	Donington	10390	2691	74	60	28	46	5	2	26	34	14
3	Gosberton	12320	3060	104	51	58	46	3	5	32	19	53
4	Spalding *W*	16660	9253	270	205	152	118	19	19	112	93	65
5	Moulton	19171	2893	76	38	38	38	3	2	19	19	38
6	Deeping St. Nicholas (*from 27th May*)*	16290	1180	18	3	8	10	–	1	2	1	15
	424.—HOLBEACH.											
1	Gedney Hill		2994	104	50	50	54	1	5	24	26	54
2	Long Sutton	107299	7999	264	144	132	132	10	5	71	73	120
3	Holbeach *W*		7409	237	143	113	124	14	15	72	71	94
	425.—BOSTON.											
1	Kirton-in-Holland	31412	5028	139	78	74	65	5	5	38	40	61
2	Bennington	50285	6572	192	105	96	96	4	9	50	55	87
3	Sibsey	15290	3259	91	51	48	43	1	1	35	16	40
4	Boston *W*	7850	17527	513	362	256	257	38	34	178	184	151
5	Swineshead	20710	5583	172	120	100	72	13	4	60	60	52
	426.—SLEAFORD.											
1	Billinghay	68646	5423	204	85	90	114	7	12	40	45	119
2	Sleaford *W*		8131	300	165	160	140	16	19	84	81	135
3	Leadenham	19202	3940	129	94	64	65	4	3	47	47	35
4	Heckington	26189	4366	173	72	83	90	12	12	32	40	101
5	Aswarby	17740	3059	100	57	53	47	6	5	34	23	43
	427.—GRANTHAM.											
1	Colsterworth	35320	5391	202	91	109	93	8	10	48	43	111
2	Denton	36512	7225	227	121	124	103	9	9	57	64	106
3	Grantham *W*	32097	16270	535	320	284	251	23	19	186	134	215
	428.—LINCOLN.											
1	Lincoln South-West	70276	13605	401	224	212	189	14	13	103	121	177
2	Lincoln Home *W*	29614	24917	903	565	473	430	58	36	301	264	338
3	Lincoln North-East	59030	8541	259	125	138	121	9	9	71	54	134
	429.—HORNCASTLE.											
1	Wragby	31004	4537	149	69	75	74	–	2	32	37	80
2	Horncastle *W*	27209	9112	312	183	148	164	20	29	104	79	129
3	Tetford	28065	4460	142	68	72	70	2	5	26	42	74
4	Tattershall	27310	6609	217	100	100	117	9	9	48	52	117
	430.—SPILSBY.											
1	Stickney	11910	2131	69	37	31	38	5	5	19	18	32
2	Wainfleet	37673	5502	180	80	95	85	9	5	44	36	100
3	Spilsby *W*	32834	8421	310	165	170	140	28	18	82	83	145
4	Burgh	25282	4941	147	71	79	68	8	8	40	31	76
5	Alford	32570	7804	262	109	125	137	6	10	60	49	153
	431.—LOUTH.											
1	Withern	27131	4643	166	78	86	80	7	2	44	34	88
2	Louth *W*	38555	14442	487	270	251	236	23	21	148	122	217
3	Binbrook	29072	4468	171	67	93	78	7	7	34	33	104
4	Saltfleet	39876	5503	195	76	106	89	5	2	38	38	119
5	Tetney	36074	5655	192	85	101	91	4	7	42	43	107
	432.—CAISTOR.											
1	Great Grimsby	63215	18288	676	318	352	324	9	13	163	155	358
2	Caistor *W*	63811	9005	259	133	118	141	15	9	68	65	126
3	Market Rasen	56138	10224	313	191	161	152	10	17	90	101	122
	433.—GLANFORD BRIGG.											
1	Brigg *W*	52077	12326	444	212	237	207	15	24	110	102	232
2	Winterton	56316	9806	352	164	186	166	17	19	95	69	188
3	Barton	57077	12599	378	195	182	196	9	19	94	101	183
	434.—GAINSBOROUGH.											
1	Owston	13820	4649	146	90	76	70	3	5	36	54	56
2	Scotter	30104	4706	129	80	57	72	4	3	47	33	49
3	Misterton	14763	3151	107	70	61	46	4	4	31	39	37
4	Gainsborough *W*	7300	7339	246	207	122	124	13	16	113	94	39
5	Willingham	28634	4037	154	80	82	72	7	4	43	37	74
6	Marton	14047	2091	65	37	22	43	4	3	15	22	28

* See page 19, Note ‡.

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	31.—NOTTINGHAMSHIRE.											
	435.—EAST RETFORD.											
1	Gringley	18591	3446	96	60	56	40	6	3	28	32	36
2	Clarborough *W*	19560	6076	213	104	112	101	11	13	58	46	109
3	East Retford	23607	8157	284	140	148	136	7	12	79	61	144
4	Tuxford	25039	4938	137	74	63	74	7	4	34	40	63
	436.—WORKSOP.											
1	Worksop *W*	20630	8373	360	194	194	166	18	16	109	85	166
2	Carlton	25200	3586	125	62	64	61	5	4	23	39	63
3	Anston	16580	3222	108	58	53	55	4	3	29	29	50
4	Carburton	18440	5523	199	106	107	92	10	9	54	52	93
	437.—MANSFIELD.											
1	Warsop	9570	3689	145	86	73	72	8	8	44	42	59
2	Pleasley	16294	2484	67	30	34	33	4	2	19	11	37
3	Blackwell	6920	4552	217	94	110	107	12	8	50	44	123
4	Sutton-in-Ashfield	7496	8455	366	222	189	177	17	32	105	117	144
5	Mansfield *W*	9070	10225	343	243	180	163	16	23	107	136	100
6	Blidworth	6610	1188	32	19	17	15	1	3	10	9	13
	438.—BASFORD.											
1	Greasley	31680	18028	772	402	372	400	18	30	192	210	370
2	Ilkeston		13745	569	297	286	283	17	20	149	148	272
3	Basford * *W*	6500	17007	638	383	332	306	32	37	202	181	255
4	Bulwell	8264	7823	311	158	157	154	22	20	82	76	153
5	Arnold	18540	8378	285	158	155	130	17	13	79	79	127
6	Carlton	8435	4328	149	80	74	75	4	7	48	32	69
7	Wilford	14620	5048	176	81	94	82	5	5	41	40	95
	439.—RADFORD.											
1	Lenton		5678	191	90	98	93	8	6	36	54	101
2	Radford *W*	6080	10192	421	216	221	200	29	16	98	118	205
3	Hyson Green		3561	109	54	55	54	2	2	24	30	55
4	Snenton	720	11048	381	221	188	193	14	15	110	111	160
	440.—NOTTINGHAM.											
1	Sherwood		12572	445	209	224	221	16	14	104	105	236
2	St. Mary		6659	200	193	111	89	17	12	104	89	7
3	St. Ann *W*		20079	800	588	410	390	48	51	279	309	212
4	Byron	1870	14673	549	318	287	262	26	27	159	159	231
5	Exchange		8964	326	187	164	162	17	12	89	98	139
6	Castle		6723	202	143	99	103	12	7	68	75	59
7	Park *		5023	134	132	72	62	9	5	69	63	2
	441.—SOUTHWELL.											
1	Southwell *W*	51511	13055	395	254	189	206	13	31	109	145	141
2	Kneesal	65623	11370	331	181	163	168	15	16	84	97	150
	442.—NEWARK.											
1	North Collingham	23813	5683	202	91	96	106	11	8	46	45	111
2	Bassingham	20272	3852	135	57	71	64	5	4	31	26	78
3	Newark	1889	11498	414	289	219	195	12	11	142	147	125
4	Bennington	22642	4606	138	88	67	71	5	4	47	41	50
5	Claypole *W*	25586	4487	147	89	71	76	2	8	46	43	58
	443.—BINGHAM.											
1	Bingham *W*	31695	7879	244	135	118	126	12	13	68	67	109
2	Ratcliffe-on-Trent	36444	7791	230	130	106	124	6	8	67	63	100
	32.—DERBYSHIRE.											
	444.—SHARDLOW.											
1	Castle Donington	13355	5775	165	91	75	90	4	10	43	48	74
2	Melbourne	15143	4694	152	89	87	65	6	8	41	48	63
3	Shardlow *W*	11586	4454	135	76	73	62	7	3	39	37	59
4	Stapleford	33206	8952	278	179	144	134	7	9	94	85	99
5	Spondon		7238	225	113	120	105	9	8	55	58	112
	445.—DERBY.											
1	St. Alkmund	2970	17817	600	350	315	285	24	22	183	167	250
2	St. Peter *W*		33232	1379	662	738	641	54	58	364	298	717
	446.—BELPER.											
1	Duffield	23975	6466	210	118	102	108	9	8	57	61	92
2	Horsley	9672	5930	230	108	125	105	14	4	54	54	122
3	Belper *W*	3078	9509	323	228	174	149	16	11	114	114	95
4	Ripley	10967	12185	488	302	255	233	19	19	145	157	186
5	Alfreton	4550	11549	455	214	245	210	12	8	109	105	241
6	Wirksworth	14348	6072	187	114	96	91	5	5	59	55	73
	447.—ASHBORNE.											
1	Brailsford	15362	3168	91	47	52	39	2	3	23	24	44
2	Mayfield	12766	3446	110	69	52	58	7	5	36	33	41
3	Ashborne *W*	11442	4876	139	112	68	71	8	7	58	54	27
4	Calton	17689	3036	76	51	37	39	6	6	20	31	25
5	Hartington	29671	1652	47	28	24	23	1	4	14	14	19
6	Brassington	14007	4470	149	85	73	76	10	4	32	53	64

* See page 19, Note ‖.

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS: Including Illegitimate Births: Males.	BIRTHS: Including Illegitimate Births: Females.	BIRTHS: Illegitimate Births: Males.	BIRTHS: Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	32.—DERBYSHIRE—*continued.*											
	448.—CHESTERFIELD.											
1	Ashover	21334	10757	404	193	208	196	22	19	101	92	211
2	Chesterfield *W*	27966	28983	1242	548	613	629	45	24	302	246	694
3	Bolsover	11247	2402	84	41	49	35	4	3	19	22	43
4	Eckington	14938	13948	618	291	312	306	17	15	148	143	327
5	Dronfield	19340	5689	273	122	140	133	5	10	68	54	151
	449.—BAKEWELL.											
1	Bakewell *W*	56916	12547	410	274	222	188	17	11	139	135	136
2	Matlock	14895	9815	301	196	157	144	7	6	103	93	105
3	Tideswell	36094	9016	366	195	202	164	8	4	105	90	171
	450.—CHAPEL-EN-LE-FRITH.											
1	Buxton	5741	4142	139	92	83	56	5	3	54	38	47
2	Chapel-en-le-Frith *W*	57507	9878	364	247	196	168	13	14	119	128	117
	451.—HAYFIELD.											
1	Glossop *W*	48855	21200	691	406	360	331	26	20	190	216	285
2	Hayfield *W*		10976	417	286	222	195	11	15	174	112	131

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS: Including Illegitimate Births: Males.	BIRTHS: Including Illegitimate Births: Females.	BIRTHS: Illegitimate Births: Males.	BIRTHS: Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	33.—CHESHIRE.											
	452.—STOCKPORT.											
1	Marple	6230	5128	176	124	87	89	5	9	67	57	52
2	Hyde	4970	20594	774	513	416	358	21	38	255	258	261
3	Heaton Norris	3649	17696	597	401	331	266	24	13	209	192	196
4	Stockport First *W*	7017	28224	993	844	503	490	41	34	430	414	149
5	Stockport Second		12860	432	385	217	215	15	16	191	194	47
6	Cheadle	8843	4941	161	100	93	68	8	10	60	40	61
7	Hazelgrove		4917	197	108	99	98	8	8	51	57	89
	453.—MACCLESFIELD.											
1	Prestbury	12647	5197	176	114	93	83	10	12	65	49	62
2	Bollington	8676	10357	328	254	166	162	14	13	112	142	74
3	Rainow	15995	3478	107	60	48	59	6	3	25	35	47
4	East Macclesfield	2410	10901	353	295	181	172	29	19	142	153	58
5	West Macclesfield *W*		16574	579	448	302	277	43	38	231	217	131
6	Sutton	11420	7392	204	188	95	109	17	16	93	95	16
7	Gawsworth	16354	3118	84	41	40	44	5	3	19	22	43
8	Alderley	13559	4526	151	66	73	78	5	2	33	33	85
	454.—ALTRINCHAM.											
1	Wilmslow	15525	7531	256	140	128	128	11	11	70	70	116
2	Altrincham	17796	18214	663	353	343	320	34	21	187	166	310
3	Lymm	18170	7395	245	132	132	113	11	6	75	57	113
4	Knutsford *W*	22174	7377	283	160	152	131	22	13	75	85	123
	455.—RUNCORN.											
1	Budworth	11823	4311	151	104	73	78	4	6	54	50	47
2	Daresbury	8963	2841	87	65	52	35	3	5	31	34	22
3	Runcorn	10602	13590	555	273	294	261	16	12	144	129	282
4	Frodsham	14388	6050	235	117	125	110	13	11	65	52	118
	456.—NORTHWICH.											
1	Weaverham	19686	6449	266	169	141	125	10	13	84	85	97
2	Northwich *W*	12473	12941	536	359	271	265	16	28	186	173	177
3	Over	18146	8304	374	197	200	174	23	15	99	98	177
4	Middlewich	15140	5644	233	148	120	113	15	16	69	79	85
	457.—CONGLETON.											
1	Church Hulme	12600	2514	84	52	40	44	3	4	33	19	32
2	Congleton	18657	19124	723	434	369	354	45	31	226	208	289
3	Sandbach *W*	21632	12690	468	260	222	246	10	24	123	137	208
	458.—NANTWICH.											
1	Wybunbury	32400	16901	753	296	394	359	22	16	158	138	457
2	Nantwich *W*	21460	10062	354	157	187	167	23	21	93	64	197
3	Bunbury	27127	7959	280	152	152	128	22	19	78	74	128
4	Wrenbury	30139	6033	196	103	97	99	15	16	53	50	93
	459.—GREAT BOUGHTON.											
1	Tattenhall	34688	7539	200	112	103	97	5	11	53	59	88
2	Chester Castle	16030	21672	745	504	376	369	24	18	258	246	241
3	Chester Cathedral *W*	25222	19762	713	549	352	361	30	21	287	262	164
4	Hawarden	31015	9528	309	202	158	151	11	13	107	95	107

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL: BIRTHS.	TOTAL: DEATHS.	BIRTHS: Including Illegitimate Births: Males.	BIRTHS: Including Illegitimate Births: Females.	BIRTHS: Illegitimate Births: Males.	BIRTHS: Illegitimate Births: Females.	DEATHS: Males.	DEATHS: Females.	Excess of Births over Deaths.
	33.—CHESHIRE—*continued.*											
	460 *a.*—WIRRAL.											
1	Neston	24170	5223	176	87	95	81	2	3	44	43	89
2	Eastham *W*	19324	9167	353	178	172	181	11	11	94	84	175
3	Woodchurch	44764	4020	146	59	65	81	3	5	33	26	87
	460 *b.*—BIRKENHEAD.											
1	Birkenhead	1265	36212	1818	904	907	911	25	29	492	412	914
2	Tranmere	4812	14485	548	265	288	260	6	8	128	137	283
3	Wallasey	17775	10723	410	210	214	196	4	6	107	103	200
	34.—LANCASHIRE.											
	461.—LIVERPOOL.											
1	St. Martin		81228	3473	2321	1783	1690	27	31	1191	1130	1152
2	Howard-street		24816	928	851	485	443	17	8	449	402	77
3	Dale-street		29078	1056	879	551	505	8	4	464	415	177
4	St. George	2220	16827	370	343	188	182	1	3	188	155	27
5	St. Thomas		29142	993	886	466	527	10	15	462	424	107
6	Mount Pleasant *W*		47410	1784	2504	909	875	142	151	1379	1125	−720
7	Islington		41241	1464	1166	747	717	16	24	592	574	298
	462.—WEST DERBY.											
1	Toxteth Park	3768	69284	2783	2050	1441	1342	55	39	1039	1011	733
2	Everton *W*	1832	70983	3115	1909	1579	1536	43	39	939	970	1206
3	Walton	9275	11834	443	243	220	223	5	7	132	111	200
4	Crosby	14899	5075	142	112	71	71	–	4	67	45	30
5	Litherland	6269	5084	161	77	82	79	3	2	35	42	84
6	West Derby	7076	52740	2127	1201	1084	1043	36	33	587	614	926
7	Wavertree	7448	10845	333	205	161	172	–	2	102	103	128
	463.—PRESCOT.											
1	Hale	13042	2424	73	42	33	40	–	4	18	24	31
2	Much Woolton	2130	4608	187	77	85	102	1	6	40	37	110
3	Huyton	9807	4094	128	63	59	69	3	2	33	30	65
4	Farnworth	10861	8879	362	190	182	180	3	4	93	97	172
5	Prescot *W*	15216	12377	518	269	257	261	12	18	148	121	249
6	St. Helens		37961	1843	985	933	910	39	41	518	467	858
7	Rainford	5803	2784	120	58	59	61	3	5	27	31	62
	464.—ORMSKIRK.											
1	Bickerstaffe	11335	2826	97	49	50	47	1	3	28	21	48
2	Aughton	8530	3862	128	71	56	72	2	8	38	33	57
3	Halsall	10470	1952	77	34	47	30	4	2	13	21	43
4	Formby	25218	3606	127	73	60	67	4	7	41	32	54
5	North Meols	18871	14661	514	339	248	266	20	16	167	172	175
6	Tarleton	12139	3656	136	72	63	73	5	14	42	30	64
7	Scarisbrick	13336	4573	175	79	92	83	11	4	38	41	96
8	Ormskirk *W*	572	6426	273	164	140	133	11	15	76	88	109
9	Lathom	11497	4690	170	73	84	86	7	8	32	41	97
	465.—WIGAN.											
1	Standish	10661	6894	298	147	153	145	15	18	74	73	151
2	Aspull	6355	8372	406	220	195	211	30	22	127	93	186
3	Wigan *W*	2161	37658	1821	1118	926	895	105	103	562	556	703
4	Hindley *W*	6801	17654	852	486	439	413	44	35	247	239	366
5	Pemberton	6263	10435	480	259	246	234	39	30	134	125	221
6	Upholland	9220	6982	323	141	176	147	19	10	69	72	182
7	Ashton-in-Mackerfield	5557	6566	309	150	167	142	20	18	79	71	159
	466.—WARRINGTON.											
1	Newton	5054	9524	449	235	236	213	12	11	113	122	214
2	Winwick	4121	1798	51	25	27	24	1	1	11	14	26
3	Sankey	8818	2529	97	51	41	56	3	–	27	24	46
4	Warrington *W*	2507	24050	1124	583	553	571	41	19	290	293	541
5	Latchford	3967	4054	147	76	73	74	4	4	44	32	71
6	Rixton	5517	1920	63	40	28	35	2	2	20	20	23
	467.—LEIGH.											
1	Lowton	5055	5434	224	105	119	105	8	7	65	40	119
2	Culcheth	10427	10881	426	255	212	214	18	21	130	125	171
3	West Leigh	3331	9449	432	243	230	202	17	15	107	136	189
4	Atherton *W*	4797	11936	487	375	241	246	27	32	196	179	112
	468.—BOLTON.											
1	Farnworth	2350	13723	639	435	336	303	37	26	229	206	204
2	Hulton	5350	6488	262	143	145	117	12	6	74	69	119
3	Westhoughton	4460	5156	166	120	96	70	11	10	63	57	46
4	Halliwell	3950	6908	299	139	146	153	8	6	78	61	160
5	Horwich	4656	4051	145	88	72	73	4	6	41	47	57
6	Tonge-with-Haulgh	3100	7156	264	149	135	129	10	7	76	73	115
7	Turton *W*	7080	5459	188	116	89	99	5	10	75	41	72
8	Edgeworth	4430	2025	81	34	38	43	2	2	14	20	47
9	Sharples	5370	4243	164	95	87	77	6	6	43	52	69
10	Little Bolton		24942	1114	615	537	577	30	36	326	289	499
11	Bolton Eastern *W*	820	24996	1025	620	546	479	38	35	305	315	405
12	Bolton Western		18439	948	549	487	461	38	51	306	243	399
13	Lever	2330	6683	288	153	149	139	6	9	76	77	135

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL: Births.	TOTAL: Deaths.	Births, Including Illegitimate Births: Males.	Births, Including Illegitimate Births: Females.	Illegitimate Births: Males.	Illegitimate Births: Females.	Deaths: Males.	Deaths: Females.	Excess of Births over Deaths.
	34.—LANCASHIRE—*continued.*											
	469.—BURY.											
1	Holcombe		6645	218	127	116	102	7	3	74	53	91
2	Tottington Lower End	10094	5119	191	122	102	89	6	6	55	67	69
3	Walmersley		5062	169	96	83	86	4	7	50	46	73
4	Birtle	8865	4758	155	162	82	73	9	4	85	77	−7
5	Heywood W		17591	663	358	333	330	25	13	177	181	305
6	South Bury	2370	15726	603	428	326	277	21	20	224	204	175
7	North Bury		15375	629	494	336	293	17	17	275	219	135
8	Elton	3817	9584	345	239	175	170	14	8	117	122	106
9	Radcliffe W	2466	8972	358	202	196	162	8	6	114	88	156
10	Pilkington	5378	12303	450	257	226	224	13	13	122	135	193
	470.—BARTON-UPON-IRWELL.											
1	Worsley	7060	14015	560	343	278	282	15	19	169	174	217
2	Barton W	10530	14216	528	334	265	263	26	26	140	194	194
3	Stretford	5689	10807	326	178	167	159	5	5	88	90	148
	471.—CHORLTON.											
1	Didsbury	5948	5904	241	342	112	129	42	48	161	181	−101
2	Ardwick	4031	47752	1957	1071	1003	954	38	46	522	549	886
3	Chorlton-upon-Medlock	700	44795	1541	863	780	761	38	43	427	436	678
4	Hulme W	870	71028	2940	1716	1478	1462	92	71	835	881	1224
	472.—SALFORD.											
1	Pendleton	2650	24448	992	523	528	464	35	39	266	257	469
2	Broughton	960	9885	271	153	147	124	1	4	75	78	118
3	Greengate	1220	37534	1592	1045	795	797	55	55	472	573	547
4	Regent-road W		33468	1351	1026	726	625	59	46	524	502	325
	473.—MANCHESTER.											
1	Ancoats W		55983	2194	1551	1122	1072	55	41	759	792	643
2	Deansgate		29029	1000	831	480	520	17	36	416	415	169
3	London-road	1480	28817	1035	848	531	504	25	42	428	420	187
4	Market-street W		23526	903	1377	470	433	99	106	765	612	−474
5	St. George		48055	1914	1353	1000	914	25	27	700	653	561
6	Newton	1924	19311	788	496	387	401	21	24	266	230	292
7	Cheetham	1652	21731	758	566	370	388	27	33	295	271	192
8	Failsworth	2335	6312	196	127	107	89	9	7	60	67	69
9	Blackley	1956	4939	162	124	81	81	–	6	60	64	38
10	Prestwich W	3281	6285	178	175	87	91	6	10	79	96	3
	474.—ASHTON-UNDER-LYNE.											
1	Knott-lanes	*9300	7312	284	144	156	128	9	6	77	67	140
2	Ashton Town W		33917	1282	1035	676	606	61	58	530	505	247
3	Audenshaw	1611	15125	582	371	291	291	7	13	201	170	211
4	Denton	2777	6706	270	187	142	128	11	7	84	103	83
5	Newton	1507	7625	245	232	115	130	6	13	119	113	13
6	Dukinfield	1690	29953	1179	760	637	542	36	41	366	394	419
7	Hartshead	*	19245	754	466	393	361	15	28	251	215	288
8	Mottram	21772	7652	243	150	117	126	8	9	79	71	93
9	Stayley		7218	237	181	110	127	5	9	84	97	56
	475.—OLDHAM.											
1	Oldham-below-Town W	4617	41770	1816	1284	888	928	50	61	668	616	532
2	Oldham-above-Town		30563	1234	792	652	582	43	24	403	389	442
3	Chadderton	3345	12092	469	263	223	246	13	10	149	114	206
4	Middleton	2696	10299	360	254	193	167	9	7	131	123	106
5	Royton	3350	9520	358	284	182	176	3	14	144	140	74
6	Crompton	2864	7032	257	151	146	111	15	5	81	70	106
	476.—ROCHDALE.											
1	Butterworth Freehold-side W		2909	96	80	51	45	1	4	46	34	16
2	Butterworth Lordship-side		3795	133	96	57	76	3	3	55	41	37
3	Castleton-without W		9800	339	188	173	166	7	9	98	90	151
4	Castleton-within		13971	527	293	264	263	16	12	139	154	234
5	Spotland-near-side W		9867	386	254	187	199	17	10	136	118	132
6	Spotland-further-side	40340	6505	230	124	109	121	5	5	53	71	106
7	Wardleworth		17840	699	414	348	351	23	25	218	196	285
8	Wuerdle W		8201	290	170	166	124	7	6	98	72	120
9	Blatchinworth		4860	152	95	90	62	3	5	48	47	57
10	Whitworth		14006	505	293	256	249	8	11	153	140	212
	477.—HASLINGDEN.											
1	Newchurch W	9650	24413	920	533	466	454	18	27	253	280	387
2	Rossendale	4175	12637	455	249	239	216	12	13	127	122	206
3	Edenfield	4856	4723	169	82	80	89	1	2	44	38	87
4	Haslingden W	4780	10320	389	274	204	185	10	9	152	122	115
5	Accrington	3220	17688	720	375	339	381	21	25	178	197	345
	478.—BURNLEY.											
1	Burnley W	21448	42702	1683	986	868	815	71	52	505	481	697
2	Padiham	11963	9906	400	214	223	177	20	5	113	101	186
3	Colne	15435	21203	817	501	409	408	36	47	248	253	316
4	Pendle	5280	1784	62	37	40	22	5	–	17	20	25

* The area of the Hartshead sub-district (474; 7) is returned with that of sub-districts 474; 1–2.

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	34.—LANCASHIRE—*continued.*											
	479.—CLITHEROE.											
1	Gisburn *W*	24374	2693	68	62	36	32	4	2	35	27	6
2	Slaidburn	40321	1799	54	17	26	28	3	1	10	7	37
3	Chipping *W*	22226	3217	90	77	48	42	4	2	43	34	13
4	Clitheroe	18776	9804	353	212	191	162	14	10	109	103	141
5	Whalley	9000	2963	83	59	43	40	1	3	27	32	24
	480.—BLACKBURN.											
1	Billington	5550	1717	52	28	32	20	4	5	13	15	24
2	Harwood	6950	10220	440	229	227	213	10	7	115	114	211
3	Mellor	6227	2863	80	59	45	35	3	4	28	31	21
4	Blackburn *W*	3610	63126	2754	1815	1378	1376	83	78	968	847	939
5	Oswaldtwistle	5390	12454	533	272	265	268	12	17	160	112	261
6	Darwen	9652	21447	990	588	474	516	22	27	299	289	402
7	Witton	6190	8115	362	191	195	167	5	10	94	97	171
	481.—CHORLEY.											
1	Brindle *W*	10388	6021	196	129	96	100	7	5	69	60	67
2	Leyland	10182	8768	307	219	156	151	17	18	120	99	88
3	Rivington	7742	3493	133	59	78	55	6	3	29	30	74
4	Chorley *W*	10859	18027	775	462	389	386	40	25	222	240	313
5	Croston	13042	5369	164	113	80	84	5	2	58	55	51
	482.—PRESTON.											
1	Longton	14240	6620	212	139	114	98	9	8	73	66	73
2	Preston *W*	2753	82985	3522	2414	1738	1784	156	162	1181	1233	1108
3	Walton-le-Dale *W*	9400	8654	277	191	131	146	4	7	103	88	86
4	Alston *W*	11773	4414	119	117	59	60	4	5	68	49	2
5	Broughton *W*	29869	7850	239	148	121	118	6	5	82	66	91
	483.—FYLDE.											
1	Kirkham *W*	31404	9141	330	185	175	155	18	18	82	103	145
2	Lytham	15542	3627	104	40	58	46	3	3	14	26	64
3	Poulton-le-Fylde	29391	12914	459	271	222	237	22	16	136	135	188
	484.—GARSTANG.											
1	Stalmine	15618	3037	103	57	45	58	6	5	29	28	46
2	St. Michael	15965	3359	106	69	61	45	1	2	35	34	37
3	Garstang *W*	31034	6029	222	94	108	114	11	7	51	43	128
	485.—LANCASTER.											
1	Ellel	28888	4020	128	67	67	61	2	5	40	27	61
2	Heaton	12865	3455	154	60	80	74	5	9	24	36	94
3	Lancaster *W*	13250	18347	600	441	315	285	29	26	218	223	159
4	Caton *W*	16516	1817	62	39	26	36	2	6	14	25	23
5	Wray	28953	2270	82	45	53	29	3	1	27	18	37
6	Tunstal	11034	916	35	13	13	22	2	4	5	8	22
7	Arkholme	9278	910	38	13	21	17	1	–	9	4	25
8	Warton	17932	3562	108	70	71	37	3	3	33	37	38
	486.—ULVERSTON.											
1	Cartmel	22960	5108	187	106	87	100	11	12	60	46	81
2	Colton	22486	3838	124	81	72	52	4	3	46	35	43
3	Ulverston *W*	7317	8781	311	223	151	160	18	23	120	103	88
4	Dalton	25158	11243	462	309	237	225	12	17	175	134	153
5	West Broughton	26990	3169	95	67	50	45	5	2	37	30	28
6	Hawkshead	30132	3599	134	76	63	71	2	5	45	31	58

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1862.—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	35.—WEST RIDING.											
	487—SEDBERGH.											
1	Sedbergh *W*	21402	2346	55	58	26	29	5	5	28	30	− 3
2	Garsdale	8280	618	24	11	15	9	–	2	3	8	13
3	Dent	23200	1427	38	26	20	18	4	–	6	20	12
	488.—SETTLE.											
1	Bentham	51652	5436	178	100	101	77	4	12	44	56	78
2	Settle *W*	47009	4503	124	87	61	63	7	8	50	37	37
3	Long Preston	14823	1358	42	27	24	18	–	1	10	17	15
4	Kirkby Malham	20310	826	30	16	10	20	–	–	9	7	14
5	Arncliffe	20797	405	20	3	8	12	3	2	2	1	17
	489.—SKIPTON.											
1	Kettlewell	30262	1141	37	16	23	14	2	–	8	8	21
2	Gargrave	18614	1852	59	33	28	31	3	3	14	19	26
3	Barnoldswick	17463	5986	202	122	110	92	9	8	57	65	80
4	Kildwick	17717	7853	214	141	114	100	6	8	73	68	73
5	Skipton *W*	22556	8590	302	208	165	137	7	14	104	104	94
6	Addingham	22890	3157	97	39	58	39	4	3	22	17	58
7	Grassington	27571	2764	91	67	47	44	3	5	35	32	24

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	35.—WEST RIDING—*continued.*											
	490.—PATELEY BRIDGE.											
1	Ramsgill	33703	1189	38	20	21	17	–	1	11	9	18
2	Pateley Bridge *W*	11685	3349	143	96	75	68	5	4	56	40	47
3	Thornthwaite	12450	1925	46	39	28	18	1	1	25	14	7
4	Dacre Banks	16437	3071	116	57	62	54	7	7	28	29	59
	491.—RIPON.											
1	Ripon *W*	22251	8979	315	161	169	146	12	8	84	77	154
2	Kirkby Malzeard	24600	3269	83	60	44	39	2	2	30	30	23
3	Wath	13413	1700	46	34	30	16	1	–	19	15	12
4	Dishforth	10326	1794	49	28	23	26	2	–	10	18	21
	492 *a.*—GREAT OUSEBURN.											
1	Boroughbridge	21461	5061	154	89	66	88	4	4	44	45	65
2	Whixley *W*	17094	3731	113	89	62	51	2	2	50	39	24
3	Poppleton	13253	2742	79	42	45	34	1	3	20	22	37
	492 *b.*—KNARESBOROUGH.											
1	Knaresborough *W*	18297	8571	300	192	155	145	8	10	112	80	108
2	Harrogate *W*	21645	8605	241	150	121	120	8	9	68	82	91
	492 *c.*—WETHERBY.											
1	Wetherby	32459	6668	215	117	106	109	5	6	57	60	98
	492 *d.*—KIRKDEIGHTON.											
1	Kirkdeighton	6911	987	30	12	17	13	–	–	3	9	18
	493 *a.*—OTLEY.											
1	Harewood	14498	2762	87	36	49	38	3	3	20	16	51
2	Otley	28756	15907	515	327	239	276	14	17	173	154	188
	493 *b.*—WHARFEDALE.											
1	Yeadon	3995	7194	279	181	122	157	8	10	93	88	98
2	Horsforth	5530	5733	234	166	131	103	4	6	82	84	68
3	Fewston	21278	2526	87	48	47	40	2	5	29	19	39
	494.—KEIGHLEY.											
1	Bingley *W*	13892	15367	535	340	274	261	17	15	171	169	195
2	Keighley *W*	14712	21859	743	543	385	358	23	29	259	284	200
3	Haworth	10540	5896	192	136	100	92	9	8	69	67	56
	495.—TODMORDEN.											
1	Hebden Bridge	}26920	19826	309	239	145	164	13	10	127	112	70
2	Todmorden		20287	690	415	355	335	22	16	214	201	275
	496.—SADDLEWORTH.											
1	Delph	}18280	9754	331	211	158	173	12	10	98	113	120
2	Upper Mill *W*		8877	308	203	154	154	9	10	101	102	105
	497.—HUDDERSFIELD.											
1	Slaithwaite	10740	7971	281	178	152	129	11	7	86	92	103
2	Meltham	6085	6840	220	187	127	93	9	5	88	99	33
3	Honley *W*	3640	5723	210	201	102	108	8	10	94	107	9
4	Holmfirth	6460	10845	400	197	199	201	20	17	105	92	203
5	Newmill	9760	6322	234	148	104	130	11	12	65	83	86
6	Kirkburton	7160	12501	452	265	243	209	29	21	137	128	187
7	Almondbury *W*	4208	11063	384	256	201	183	9	6	122	134	128
8	Kirkheaton *W*	6468	11923	419	207	216	203	19	12	111	96	212
9	Huddersfield *W*	3950	34877	1227	827	640	587	62	34	449	378	400
10	Lockwood	1329	9488	380	222	194	186	15	10	134	88	158
11	Golcar	6760	13783	590	252	324	266	24	12	140	112	338
	498.—HALIFAX.											
1	Rastrick	2180	4904	189	139	93	96	3	6	69	70	50
2	Brighouse	5514	9992	354	247	181	173	5	9	123	124	107
3	Southowram	2280	7245	303	145	159	144	9	5	69	76	158
4	Halifax *W*	2330	36437	1234	991	625	609	42	51	490	501	243
5	Elland	5090	13373	502	298	259	243	14	15	147	151	204
6	Ripponden	13570	6620	241	174	121	120	7	5	94	80	67
7	Sowerby	}10900	13945	495	296	255	240	11	12	142	154	199
8	Luddenden		5850	169	105	87	82	6	8	55	50	64
9	Ovenden	5170	11067	386	239	190	196	13	13	117	122	147
10	Northowram	4750	19240	750	447	379	371	18	20	225	222	303
	499.—BRADFORD.											
1	Cleckheaton	3956	10446	432	216	229	203	13	9	123	93	216
2	Drighlington	3774	7309	321	198	166	155	10	17	98	100	123
3	North Bierley	3090	12500	513	331	255	258	12	18	164	167	182
4	Bowling	1545	14494	679	402	316	363	24	20	199	203	277
5	Bradford East-End	}1680	28579	1233	801	648	585	56	50	402	399	432
6	Bradford West-End		20067	711	593	362	349	25	32	292	301	118
7	Horton *W*	2365	43078	1598	1113	823	775	49	76	541	572	485
8	Thornton *W*	6000	13282	493	359	266	227	21	24	198	161	134
9	Wilsden	4420	4902	172	122	93	79	7	2	61	61	50
10	Shipley	2436	8773	310	213	143	167	7	14	97	116	97
11	Idle *W*	4226	14574	519	361	249	270	18	21	187	174	158
12	Calverley	3500	5559	208	120	120	88	3	2	67	53	88
13	Pudsey	2342	12912	490	281	257	233	14	12	145	136	209

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	35.—WEST RIDING—*continued.*											
	500.—HUNSLET.*											
1	Wortley	5053	24557	1043	567	547	496	13	24	303	264	476
2	Kirkstall	5389	18364	710	400	375	335	24	15	209	191	310
3	Chapeltown	7274	5930	166	98	87	79	4	–	45	53	68
4	Whitkirk	8030	3747	150	75	79	71	4	8	38	37	75
5	Rothwell	4983	4122	173	81	88	85	6	4	42	39	92
6	Holbeck W	2783	19935	837	466	421	416	23	29	257	209	371
7	Hunslet W	1100	25763	1245	707	635	610	35	31	356	351	538
	501.—LEEDS.											
1	South-East Leeds	2100	29196	1264	869	652	612	48	45	428	441	395
2	North Leeds W		41136	1881	1447	973	908	95	62	744	703	434
3	West Leeds		47234	1669	1172	820	849	36	38	568	604	497
	502.—DEWSBURY.											
1	Morley	2698	6840	310	165	164	146	10	5	75	90	145
2	Batley	2140	14173	665	356	335	330	19	19	187	169	309
3	Gomersal	3119	11230	464	254	244	220	10	11	130	124	210
4	Liversedge	2807	14520	703	282	319	384	22	29	133	149	421
5	Mirfield	3390	9263	389	208	187	202	12	10	108	100	181
6	Dewsbury W	1392	18148	875	507	427	448	35	24	266	241	368
7	Soothill	2393	6238	269	111	148	121	11	7	56	55	158
8	Ossett	3019	7950	310	180	160	150	10	8	88	92	130
9	Thornhill	3498	4521	220	120	119	101	9	4	62	58	100
	503.—WAKEFIELD.											
1	Bretton	9820	5057	212	99	107	105	12	10	52	47	113
2	Sandal *	14285	7438	325	170	176	149	10	6	102	68	155
3	Stanley W	4345	8237	302	362	145	157	8	15	209	153	– 60
4	Wakefield	630	17611	613	357	311	302	22	33	188	169	256
5	Horbury	1183	3246	144	101	80	64	5	7	42	59	43
6	Alverthorpe	3153	6645	290	158	145	145	10	9	75	83	132
7	Ardsley	4414	2786	123	70	59	64	4	5	36	34	53
8	Oulton	3198	3879	171	66	93	78	8	–	32	34	105
	504 *a.*—PONTEFRACT.*											
1	Kippax W (*to 29th May* 1862)	—	—	65	48	30	35	2	3	29	19	17
2	Knottingley	8713	5645	330	211	157	173	14	15	113	98	119
3	Whitley	15086	2439	71	45	39	32	2	2	21	24	26
4	Pontefract W	3666	6551	381	229	196	185	11	10	125	104	152
	504 *b.*—HEMSWORTH.											
1	Hemsworth	33870	7793	238	154	126	112	8	9	79	75	84
	504 *c.*—CASTLEFORD.*											
1	Castleford (*from 30th May* 1862)	22398	11496	275	150	132	143	9	5	78	72	125
2	Kippax (*from 30th May* 1862)	15215	8458	265	169	146	119	9	6	97	72	96
	505.—BARNSLEY.											
1	Darton	11170	4450	182	83	101	81	7	2	40	43	99
2	Barnsley W	10628	25468	1023	607	547	476	40	47	324	283	416
3	Darfield	8292	10028	519	192	268	251	12	10	93	99	327
4	Worsbrough	5286	5851	267	121	131	136	8	7	62	59	146
	506.—WORTLEY.											
1	Cawthorne	8396	4825	209	87	109	100	14	6	30	57	122
2	High Hoyland	4804	3569	125	78	64	61	4	6	45	33	47
3	Penistone	20646	6025	275	122	134	141	5	17	69	53	153
4	Wortley	8404	2524	98	47	56	42	4	2	30	17	51
5	Ecclesfield W	9810	12479	519	299	261	258	20	21	169	130	220
6	Bradfield	33730	9089	380	201	211	169	13	8	111	90	179
	507.—ECCLESALL BIERLOW.											
1	Nether Hallam	5480	17305	686	410	344	342	8	19	219	191	276
2	Upper Hallam	5870	2649	93	59	41	52	2	2	30	29	34
3	Norton	5110	2440	73	41	36	37	3	1	19	22	32
4	Ecclesall Bierlow W	4400	41224	1601	841	786	815	44	37	441	400	760
	508.—SHEFFIELD.											
1	West Sheffield	3120	17307	559	425	296	263	15	21	217	208	134
2	North Sheffield W		33994	1465	1319	716	749	67	59	679	640	146
3	South Sheffield		17680	625	401	317	308	18	15	210	191	224
4	Sheffield Park		18737	845	567	446	399	20	26	296	271	278
5	Brightside	2690	29818	1413	753	692	721	14	28	361	392	660
6	Attercliffe	1270	7464	321	167	168	153	9	11	86	81	154
7	Handsworth	3510	3951	163	71	83	80	5	5	44	27	92
	509.—ROTHERHAM.											
1	Beighton	10656	3279	96	71	44	52	2	4	39	32	25
2	Rotherham W	10633	12094	506	374	256	250	23	18	199	175	132
3	Kimberworth	7717	17921	828	488	423	405	21	18	245	243	340
4	Wath	8697	8468	357	193	167	190	15	12	88	105	164
5	Maltby	12888	2588	65	46	25	40	3	1	21	25	19
	510.—DONCASTER.											
1	Tickhill	25763	6950	230	115	124	106	8	7	52	63	115
2	Barmbrough	23953	5860	193	127	89	104	7	12	67	60	66
3	Doncaster W	1879	16406	632	433	337	295	16	16	215	218	199
4	Campsall	25671	4549	146	76	80	66	8	5	34	42	70
5	Bawtry	31765	5623	169	109	79	90	9	5	46	63	60

* See page 20, Note *, and page 21, Note †.

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	35.—WEST RIDING—*continued.*											
	511.—THORNE.											
1	Epworth	19916	4360	149	77	71	78	2	2	36	41	72
2	Thorne *W*	39220	7153	262	160	145	117	23	6	86	74	102
3	Crowle	12810	4498	180	102	89	91	6	8	51	51	78
	512.—GOOLE.											
1	Swinefleet	17303	4042	131	53	61	70	2	2	23	30	78
2	Goole *W*	9680	6994	286	176	131	155	7	9	109	67	110
3	Snaith	13925	4117	149	72	75	74	5	4	39	33	77
	513.—SELBY.											
1	Carlton	11829	2423	72	47	32	40	2	1	22	25	25
2	Selby *W*	26774	10091	340	201	173	167	14	19	106	95	139
3	Riccall	17411	3487	156	55	89	67	1	3	24	31	101
	514.—TADCASTER.*											
1	Appleton Roebuck	8671	1272	135	70	78	57	1	4	39	31	65
2	Aberford *W*	23912	6559	90	47	49	41	5	1	24	23	43
3	Bramham	11812	4990	195	118	98	97	10	5	56	62	77
4	Tadcaster	13848	4390	94	50	49	45	4	3	29	21	44
5	Bilton	8302	1493	42	24	21	21	1	3	11	13	18
	36.—EAST RIDING (with YORK).											
	515.—YORK.											
1	Skelton	7698	1533	62	37	30	32	3	2	17	20	25
2	Bootham *W*	9447	14425	397	347	203	194	18	20	179	168	50
3	Micklegate	9861	13790	450	266	220	230	10	16	134	132	184
4	Walmgate	6630	22632	870	584	457	413	36	35	266	318	286
5	Escrick	18633	2786	82	54	44	38	4	2	26	28	28
6	Dunnington	17484	3066	106	58	63	43	4	–	31	27	48
7	Flaxton	13159	1677	52	22	27	25	1	4	8	14	30
	516.—POCKLINGTON.											
1	East Stamford Bridge	35160	4502	135	71	69	66	5	4	29	42	64
2	Pocklington *W*	40076	6954	256	142	126	130	18	19	62	80	114
3	Market Weighton	32400	5254	146	71	86	60	3	1	36	35	75
	517.—HOWDEN.											
1	Holme	10820	1913	50	24	30	20	3	–	13	11	26
2	Bubwith	15861	2108	77	20	47	30	4	1	12	8	57
3	Howden *W*	28443	6934	389	281	193	196	18	15	158	123	108
4	Newport	17129	4046	137	76	73	64	5	4	37	39	61
	518.—BEVERLEY.											
1	Cave	20354	3390	97	56	53	44	4	2	31	25	41
2	Beverley *W*	24639	13007	433	301	226	207	20	17	165	136	132
3	Lockington	22457	3163	109	46	50	59	2	4	22	24	63
4	Leven	10984	1469	40	27	20	20	5	2	18	9	13
	519.—SCULCOATES.											
1	Sutton	4450	8348	335	198	191	144	5	5	102	96	137
2	Cottingham	10315	3391	105	63	58	47	3	2	32	31	42
3	Ferriby	10595	1858	60	28	33	27	–	1	12	16	32
4	Hessle	7480	2522	85	62	37	48	–	3	30	32	23
5	Hedon	8948	2053	66	25	41	25	6	1	12	13	41
6	Drypool	2286	6617	297	160	142	155	7	5	89	71	137
7	East Sculcoates	} 1010	{ 12160	497	329	258	239	12	10	163	166	168
8	West Sculcoates *W*		15007	642	430	305	337	25	25	206	224	212
	520.—HULL.											
1	Humber	} 1827	{ 10690	298	192	149	149	13	11	107	85	106
2	St. Mary		6132	206	109	102	104	5	5	53	56	97
3	Myton *W*		40066	1462	1016	752	710	85	31	534	482	446
	521.—PATRINGTON.											
1	Patrington *W*	88872	9681	333	173	181	152	10	27	89	84	160
	522.—SKIRLAUGH.											
1	Humbleton	10782	1438	44	21	27	17	–	1	13	8	23
2	Skirlaugh *W*	18364	2336	77	60	33	44	6	6	25	35	17
3	Aldbrough	10669	1735	57	56	27	30	–	3	21	35	1
4	Hornsea	14327	2529	81	42	43	38	6	3	23	19	39
5	Brandesburton	12886	1616	60	27	34	26	3	4	12	15	33
	523.—DRIFFIELD.											
1	Foston	17437	3171	97	57	51	46	7	5	27	30	40
2	Driffield *W*	20927	7787	299	239	147	152	26	21	132	107	60
3	Bainton	31014	4009	146	65	74	72	6	6	41	24	81
4	Langtoft	35736	4259	154	98	83	71	9	6	51	47	56
	524.—BRIDLINGTON.											
1	Skipsea	} 37727	{ 1939	62	32	28	34	1	3	18	14	30
2	Bridlington *W*		8518	293	194	158	135	19	12	100	94	99
3	Hunmanby	30257	3914	144	65	72	72	5	10	30	35	79

* A new temporary district—Bramham—was formed on 28th May 1862 by the severance of parishes and townships from the Tadcaster district (514); in this year's abstracts the original constitution of Tadcaster is adhered to.

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS Including Illegitimate Births. Males.	BIRTHS Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	37.—NORTH RIDING.											
	525.—SCARBOROUGH.											
1	Filey	13477	3728	144	71	82	62	8	3	37	34	73
2	Scarborough *W*	20078	20467	730	472	370	360	39	34	236	236	258
3	Hutton Bushell	35445	4666	150	80	78	72	9	6	36	44	70
4	Sherburn	12460	1564	59	25	30	29	2	3	17	8	34
	526.—MALTON.											
1	Rillington	37303	4287	145	80	80	65	8	11	38	42	65
2	Westow	22939	2952	90	42	49	41	5	2	22	20	48
3	Malton *W*	18159	9972	356	260	175	181	23	41	121	139	96
4	Hovingham	12754	2198	64	35	29	35	1	5	14	21	29
5	Bulmer	21222	4074	121	77	60	61	7	9	43	34	44
	527.—EASINGWOLD.											
1	Stillington	21217	2846	106	47	61	45	5	3	28	19	59
2	Easingwold *W*	28479	5478	186	108	92	94	5	15	55	53	78
3	Coxwold	13907	1824	64	44	29	35	4	3	25	19	20
	528.—THIRSK.											
1	Topcliffe	12537	1810	57	29	32	25	1	2	15	14	28
2	Pickhill	8447	1557	38	27	17	21	1	2	10	17	11
3	Thirsk *W*	14169	5743	205	132	103	102	11	15	68	64	73
4	Sutton	9814	1431	29	27	15	14	3	–	11	16	2
5	Knayton	17477	1758	58	29	33	25	–	1	10	19	29
	529.—HELMSLEY.											
1	Helmsley *W*	56844	3969	132	86	65	67	11	14	55	31	46
2	Oswaldkirk	16041	2124	73	31	34	39	4	2	18	13	42
3	Kirkby Moorside *W*	58631	5739	212	119	129	83	17	17	62	57	93
	530.—PICKERING.											
1	Lastingham	23780	1659	77	35	48	29	7	4	24	11	42
2	Pickering *W*	26920	4701	160	109	91	69	11	8	56	53	51
3	Sinnington	5772	1119	34	26	12	22	3	3	11	15	8
4	Allerston	22018	2526	89	52	37	52	1	3	26	26	37
5	Lockton	9572	544	20	9	13	7	1	1	5	4	11
	531.—WHITBY.											
1	Egton	43568	4226	131	72	69	62	1	5	39	33	59
2	Whitby *W*	28419	14484	495	446	256	239	19	24	225	221	49
3	Lythe	18384	4923	168	102	81	87	–	5	47	55	66
	532.—GUISBROUGH.											
1	Lofthouse	16302	2339	73	40	42	31	2	3	27	13	33
2	Marske	17618	4803	202	72	111	91	4	7	35	37	130
3	Kirk Leatham	19705	8178	388	204	199	189	8	7	127	77	184
4	Guisbrough *W*	12316	4762	188	116	96	92	6	4	61	55	72
5	Danby	30921	2046	63	36	31	32	4	2	25	11	27
	533.—STOKESLEY.											
1	Stokesley *W*	60236	7853	300	158	150	150	12	17	67	91	142
2	Hutton	19109	2528	80	46	37	43	1	3	25	21	34
	534.—NORTHALLERTON.											
1	Appleton-upon-Wiske	26590	2952	81	62	41	40	1	2	26	36	19
2	Northallerton *W*	41752	9222	270	182	149	121	14	15	91	91	88
	535.—BEDALE.											
1	Bedale *W*	25210	6000	182	116	93	89	9	8	61	55	66
2	Masham	20378	2650	71	64	37	34	3	4	28	36	7
	536.—LEYBURN.											
1	Middleham	43071	4230	126	66	58	68	2	6	35	31	60
2	Leyburn *W*	41847	5875	159	106	68	91	7	8	54	52	53
	537.—ASKRIGG.											
1	Askrigg *W*	44206	3207	106	65	55	51	7	3	29	36	41
2	Hawes	33102	2442	90	48	40	50	5	5	27	21	42
	538.—REETH.											
1	Muker	40368	2627	83	35	40	43	1	3	18	17	48
2	Reeth *W*	29899	3569	117	74	67	50	8	1	37	37	43
	539.—RICHMOND.											
1	Richmond *W*	29913	7174	218	129	116	102	11	5	61	68	89
2	Catterick	20179	3164	87	50	41	46	2	6	27	23	37
3	Newsham	16481	1413	48	24	25	23	2	3	7	17	24
4	Aldborough	11996	1706	51	23	23	28	2	4	9	14	28

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	38.—DURHAM.											
	540.—DARLINGTON.											
1	Darlington *W*	35207	21167	862	571	461	401	28	27	285	286	291
2	Aycliffe	27745	4955	172	80	84	88	7	5	37	43	92
	541*a*.—STOCKTON.											
1	Yarm	33842	25079	1164	565	613	551	30	23	306	259	599
2	Stockton *W*	23563	20246	865	463	414	421	25	22	243	220	402
3	Sedgefield *W*	43953	11774	540	293	274	266	12	17	159	134	247
	541*b*.—HARTLEPOOL.											
1	Hartlepool	26369	29153	1266	651	607	659	31	16	341	310	615
	542.—AUCKLAND.											
1	Bishop Auckland *W*	23545	34878	1809	894	926	883	39	48	479	415	915
2	Hamsterley	35758	15613	772	349	416	356	24	14	171	178	423
	543.—TEESDALE.											
1	Staindrop	26828	5246	182	75	103	79	8	7	35	40	107
2	Barnard Castle *W*	58607	8555	299	181	170	129	23	17	80	101	118
3	Middleton	88727	7079	244	165	124	120	11	12	87	78	79
	544.—WEARDALE.											
1	St. John	32190	5691	208	127	115	93	13	10	64	63	81
2	Stanhope *W*	37940	5196	193	119	89	104	8	10	54	65	74
3	Wolsingham	20403	5531	236	113	127	109	9	10	61	52	123
	545.—DURHAM.											
1	Tanfield	9357	7594	343	139	185	158	12	12	76	63	204
2	Lanchester *W*	45186	20218	791	329	387	404	19	17	165	164	462
3	St. Oswald *W*	27720	18714	788	431	411	377	19	22	221	210	357
4	St. Nicholas	16105	23748	1043	510	523	520	23	15	272	238	533
	546.—EASINGTON.											
1	Easington *W*	38493	27293	1301	644	663	638	26	22	330	314	657
	547.—HOUGHTON-LE-SPRING.											
1	Houghton-le-Spring *W*	9720	11238	425	263	205	220	10	16	129	134	162
2	Hetton-le-Hole	6482	10535	520	286	273	247	6	11	143	143	234
	548.—CHESTER-LE-STREET.											
1	Chester-le-Street *W*	16306	14237	643	315	320	323	10	12	176	139	328
2	Harraton	16773	13423	641	332	339	302	16	11	165	167	309
	549.—SUNDERLAND.											
1	North Bishop-Wearmouth *W*	6347	23749	1022	593	534	488	30	26	282	311	429
2	South Bishop-Wearmouth		25083	990	534	517	473	11	12	238	296	456
3	East Sunderland	178	9915	415	335	185	230	17	8	170	165	80
4	West Sunderland		8517	322	210	160	162	15	11	93	117	112
5	Monk Wearmouth	5419	23440	1036	480	523	513	17	13	233	247	556
	550.—SOUTH SHIELDS.											
1	Westoe *W*	12155	29382	1348	665	682	666	27	22	340	325	683
2	South Shields	3322	15467	588	317	296	292	15	7	153	164	271
	551.—GATESHEAD.											
1	Heworth	2853	10315	428	283	227	201	11	12	151	132	145
2	Gateshead *W*	3255	32749	1512	848	765	747	51	55	453	395	664
3	Whickham	5993	5921	204	106	103	101	8	9	52	54	98
4	Winlaton	13842	10424	410	205	217	193	21	20	109	96	205
	39.—NORTHUMBERLAND.											
	552.—NEWCASTLE-UPON-TYNE.											
1	Westgate *W*	2778	37477	1746	983	871	875	52	52	491	492	763
2	St. Andrew	1469	17100	556	380	299	257	16	20	177	203	176
3	St. Nicholas		16632	505	517	256	249	24	25	316	201	− 12
4	All Saints	2855	26765	1200	766	607	593	37	44	389	377	434
5	Byker		12994	524	322	265	259	21	17	169	153	202
	553.—TYNEMOUTH.											
1	Wallsend	2787	6715	319	138	159	160	12	16	82	56	181
2	North Shields	3733	17138	591	370	292	299	9	9	196	174	221
3	Tynemouth *W*	3489	18266	732	464	375	357	17	21	211	253	268
4	Longbenton	9040	13304	614	293	311	303	20	18	154	139	321
5	Earsdon	10466	9543	468	427	244	224	10	9	331	96	41
6	Blyth	10222	12989	601	257	301	300	10	16	126	131	344
	554.—CASTLE WARD.											
1	Ponteland *W*	47568	7190	268	129	142	126	14	15	78	51	139
2	Stamfordham	41019	7753	247	129	132	115	15	8	71	58	118

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	39.—NORTHUMBERLAND— *continued.*											
	555.—HEXHAM.											
1	Bywell	47859	8128	307	136	156	151	12	18	63	73	171
2	Hexham *W*	53542	9735	314	254	160	154	21	32	131	123	60
3	Allendale	50955	8622	315	138	170	145	30	19	85	53	177
4	Chollerton	46230	5365	134	86	66	68	10	10	40	46	48
	556.—HALTWHISTLE.											
1	Haltwhistle *W*	83861	6693	218	136	99	119	13	14	64	72	82
	557.—BELLINGHAM.											
1	Bellingham *W*	235861	4247	106	73	48	58	3	4	41	32	33
2	Kirkwhelpington		2833	82	41	45	37	6	4	22	19	41
	558.—MORPETH.											
1	Morpeth *W*	44807	8426	279	188	146	133	15	16	92	96	91
2	Bedlington	50622	15577	731	368	390	341	27	23	193	175	363
	559.—ALNWICK.											
1	Warkworth	31864	7631	239	132	119	120	8	13	69	63	107
2	Alnwick *W*	16484	7359	232	221	129	103	13	8	94	127	11
3	Embleton	50587	6063	183	100	93	90	9	11	43	57	83
	560.—BELFORD.											
1	Belford *W*	41753	6260	188	143	102	86	9	7	73	70	45
	561.—BERWICK.											
1	Islandshire	26791	4052	138	68	62	76	7	2	46	22	70
2	Berwick-upon-Tweed *W*	11335	14027	427	287	214	213	12	9	149	138	140
3	Norhamshire	19849	3783	108	77	63	45	8	2	42	35	31
	562.—GLENDALE.											
1	Ford	59774	6833	218	109	118	100	9	9	57	52	109
2	Wooler *W*	82531	6378	167	109	77	90	7	11	43	66	58
	563.—ROTHBURY.											
1	Rothbury *W*	83187	5310	137	76	71	66	13	5	36	40	61
2	Elsdon	75981	1837	42	33	26	16	–	1	18	15	9
	40.—CUMBERLAND.											
	564.—ALSTON.											
1	Alston *W*	35060	6404	223	149	109	114	12	18	72	77	74
	565.—PENRITH.											
1	Penrith *W*	49291	11532	402	299	214	188	35	33	153	146	103
2	Greystoke	67536	4975	140	87	73	67	11	9	52	35	53
3	Kirkoswald	64409	5815	182	109	90	92	12	12	53	56	73
	566.—BRAMPTON.											
1	Hayton	21281	2583	76	58	30	46	3	7	31	27	18
2	Brampton *W*	74192	5501	179	118	91	88	9	13	57	61	61
3	Walton		2782	71	49	39	32	6	6	25	24	22
	567.—LONGTOWN.											
1	High Longtown	48637	3291	101	49	50	51	9	8	27	22	52
2	Low Longtown *W*	38234	7178	225	144	121	104	21	20	76	68	81
	568.—CARLISLE.											
1	Wetheral	16861	3886	107	78	57	50	4	7	38	40	29
2	St. Cuthbert *W*	9828	14127	499	323	258	241	31	15	156	167	176
3	St. Mary *W*	1954	17648	681	482	358	323	31	27	241	241	199
4	Stanwix	13840	3801	118	76	53	65	7	7	40	36	42
5	Burgh	11249	1493	39	23	26	13	6	1	14	9	16
6	Dalston	17078	3865	90	110	47	43	1	5	59	51	– 20
	569.—WIGTON.											
1	Wigton *W*	115762	10052	305	227	149	156	21	19	119	108	78
2	Abbey Holme		8024	249	125	132	117	18	18	68	57	124
3	Caldbeck	60767	5197	153	112	79	74	11	12	56	56	41
	570.—COCKERMOUTH.											
1	Keswick	72143	6274	199	147	93	106	8	9	81	66	52
2	Cockermouth *W*	44560	10546	356	285	182	174	30	31	141	144	71
3	Workington	18993	10765	389	230	223	166	15	8	100	130	159
4	Maryport	20329	13707	525	307	246	279	26	30	158	149	218

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	40.—CUMBERLAND— *continued.*											
	571.—WHITEHAVEN.											
1	Harrington	51089	6765	284	130	143	141	8	15	68	62	154
2	Whitehaven *W*	267	14064	507	357	252	255	16	22	164	193	150
3	St. Bees *W*	10407	8681	359	244	194	165	20	17	128	116	115
4	Egremont	37440	10410	454	225	219	235	15	17	111	114	229
	572.—BOOTLE.											
	Muncaster	37684	2282	52	46	16	36	3	5	25	21	6
	Bootle *W*	62382	3598	112	57	60	52	12	7	26	31	55
	41.—WESTMORLAND.											
	573.—EAST WARD.											
1	Appleby	55873	5529	170	98	80	90	10	14	50	48	72
2	Kirkby Stephen *W*	70762	6563	174	122	93	81	15	7	68	54	52
3	Orton	51275	3319	91	64	47	44	3	2	33	31	27
	574.—WEST WARD.											
1	Morland	59414	4212	136	98	71	65	11	10	43	55	38
2	Lowther *W*	61109	3860	124	94	62	62	8	10	57	37	30
	575.—KENDAL.											
1	Ambleside	*110616 (1–2)	8404	264	151	123	141	6	10	71	80	113
2	Grayrigg		4026	123	64	52	71	3	7	29	35	59
3	Kirkby Lonsdale	44255	6734	176	109	88	88	13	8	59	50	67
4	Kendal *W*	*	12305	407	330	220	187	11	14	160	170	77
5	Milnthorpe *W*	34263	5994	215	149	117	98	27	21	74	75	66

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1862.—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Females.	Illegitimate Births. Males.	Females.	DEATHS. Males.	Females.	Excess of Births over Deaths.
	42.—MONMOUTHSHIRE.											
	576.—CHEPSTOW.											
1	Shire-Newton	37623	4893	183	81	91	92	9	4	33	48	102
2	Chepstow *W*	21297	7141	208	137	118	90	11	7	72	65	71
3	Lydney	22335	5907	172	79	96	76	6	5	38	41	93
	577.—MONMOUTH.											
1	Coleford	22672	13964	480	277	235	245	16	17	135	142	203
2	Dingestow	45407	5459	153	95	83	70	7	4	47	48	58
3	Monmouth *W*	7268	6024	204	185	106	98	13	5	94	91	19
4	Trelleck	26444	4797	134	86	79	55	4	4	46	40	48
	578 *a*.—ABERGAVENNY.											
1	Llanarth	11061	1884	50	35	30	20	1	1	21	14	15
2	Llanvihangel	20510	1860	65	31	32	33	1	2	13	18	34
3	Abergavenny *W*	20674	8669	268	222	129	139	12	14	114	108	46
4	Blaenavon	7933	7114	341	169	184	157	9	8	83	86	172
	578 *b*.—BEDWELTY.											
1	Aberystruth	11788	16055	613	416	312	301	22	18	212	204	197
2	Tredegar	16210 (2–3)	28548	1272	753	634	638	26	39	417	336	519
3	Rock Bedwelty		2962	114	74	59	55	4	1	35	39	40
	579.—PONTYPOOL.											
1	Pontypool	20434	22633	823	419	432	391	14	9	247	172	404
2	Llangibby *W*	12635	3620	117	65	55	62	11	8	39	26	52
3	Usk	18360	4035	115	73	60	55	1	–	32	41	42
	580.—NEWPORT.											
1	Caerleon	51398	7615	226	131	126	100	6	5	64	67	95
2	Newport *W*	3584	24756	848	497	429	419	20	12	267	230	351
3	St. Woollos	29962	8445	252	152	125	127	5	7	77	75	100
4	Mynyddyslwyn	25311	10596	402	213	198	204	11	10	107	106	189
	43.—SOUTH WALES. GLAMORGANSHIRE.											
	581.—CARDIFF.											
1	Caerphilly	27164	10012	338	167	193	145	10	7	88	79	171
2	Cardiff *W*	26543	46954	1890	1035	960	930	50	39	553	482	855
3	St. Nicholas	30865	4705	148	68	68	80	1	4	35	33	80
4	Llantrisaint	33225	12904	514	264	279	235	17	10	145	119	250
	582.—MERTHYR-TYDFIL.											
1	Gelligaer	34955	16840	794	393	395	399	14	19	214	179	401
2	Lower Merthyr-Tydfil *W*	15244	25300	1016	714	527	489	29	34	408	306	302
3	Upper Merthyr-Tydfil	9097	27478	1058	618	561	497	24	21	334	284	440
4	Aberdare	53590	37487	1623	908	821	802	28	32	503	405	715
	583.—BRIDGEND.											
1	Maesteg	43164	8562	293	156	141	152	7	14	71	85	137
2	Cowbridge	32939	6486	171	121	81	90	3	4	59	62	50
3	Bridgend *W*	33408	11417	384	250	201	183	14	8	127	123	134

* The area of the Kendal sub-district (575 ; 4) is returned with that of sub-districts 575 ; 1-2.

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1862—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	43.—SOUTH WALES—*continued.*											
	GLAMORGANSHIRE—*cont.*											
	584.—NEATH.											
1	Margam	32902	16815	740	364	371	369	16	19	206	158	376
2	Neath *W*	20183	13462	551	284	277	274	14	19	148	136	267
3	Ystradvelltey	39089	3303	103	58	62	46	3	4	28	30	50
4	Ystradgunlais	34504	12328	536	237	285	251	17	11	131	106	299
5	Cadoxton	27304	7522	335	145	169	166	5	11	75	70	190
6	Llansamlet	8835	5103	195	116	92	103	1	6	58	58	79
	585*a*.—SWANSEA.											
1	Llandilo-Talybont	34706	5114	197	72	102	95	8	5	42	30	125
2	Llangafelach	2750	14553	672	307	346	326	11	11	159	148	365
3	Swansea *W*	6710	31593	1181	665	562	619	18	20	357	308	516
	585*b*.—GOWER.											
1	Gower Eastern	21858	4962	168	76	86	82	4	2	49	27	92
2	Gower Western	37745	3354	64	54	33	31	3	2	29	25	10
	CARMARTHENSHIRE.											
	586.—LLANELLY.											
1	Loughor	} 24468,	{ 3970	157	88	83	74	9	6	49	39	69
2	Llanelly *W*		{ 14619	640	280	318	322	17	19	156	124	360
3	Pembrey	31905	5797	203	101	102	101	6	5	48	53	102
4	Llannon	17078	3593	121	39	62	59	7	6	13	26	82
	587.—LLANDOVERY.											
1	Llanddausaint	10307	848	30	24	13	17	2	2	10	14	6
2	Llangadock	15642	2789	94	44	42	52	4	1	25	19	50
3	Llansadwrn	11505	1710	46	29	28	18	2	3	15	14	17
4	Myddfai	11914	1118	33	15	14	19	1	2	10	5	18
5	Llandingat *W*	8107	2389	73	52	35	38	5	3	29	23	21
6	Llanfairarybryn	23457	1559	50	35	25	25	2	1	24	11	15
7	Llanwrtyd	14555	731	20	6	6	14	–	–	5	1	14
8	Cilycwm	17300	1380	44	18	18	26	3	2	8	10	26
9	Conwil Cayo	41785	2251	65	47	30	35	3	3	25	22	18
	588.—LLANDILOFAWR.											
1	Talley	17184	2025	66	26	34	32	8	6	12	14	40
2	Llanfynydd	11790	1410	40	19	26	14	1	–	6	13	21
3	Llangathen	17843	2897	77	43	43	34	–	4	24	19	34
4	Llandilo *W*	20909	4546	128	96	67	61	9	10	50	46	32
5	Llandebie	29481	6344	197	92	101	96	6	7	42	50	105
	589. CARMARTHEN.											
1	Llangendeirne	48501	9034	311	150	168	143	5	19	89	61	161
2	St. Clears	42238	6862	194	118	99	95	10	3	53	65	76
3	Carmarthen *W*	18563	12583	382	267	187	195	15	15	131	136	115
4	Conwil	63244	8196	233	140	118	115	13	6	72	68	93
	PEMBROKESHIRE.											
	590.—NARBERTH.											
1	Llanboidy	26655	3635	108	65	59	49	7	6	39	26	43
2	Llandissilio	25686	3340	93	70	46	47	8	2	34	36	23
3	Amroth	24608	3265	87	58	39	48	3	4	27	31	29
4	Narberth	} 34921	{ 3620	117	78	59	58	6	7	32	46	39
5	Slebech *W*		{ 3171	85	47	36	49	1	5	19	28	38
6	Begelly	13033	4313	151	85	69	82	9	6	39	46	66
	591.—PEMBROKE.											
1	Tenby	29740	9219	276	152	126	150	12	15	64	88	124
2	Pembroke *W*	30991	16559	551	289	249	302	21	19	153	136	262
3	Roose	9545	3225	140	62	76	64	5	7	29	33	78
	592.—HAVERFORDWEST.											
1	Milford	36186	9771	340	186	179	161	18	15	84	102	154
2	Haverfordwest *W*	40059	12330	387	267	201	186	26	25	138	129	120
3	St. Davids	44524	7347	233	154	106	127	12	14	67	87	79
4	Fishguard	50092	7895	221	162	112	109	13	13	80	82	59
	CARDIGANSHIRE.											
	593.—CARDIGAN.											
1	Newport	37639	5566	148	103	76	72	6	7	46	57	45
2	Cardigan *W*	27982	8886	220	167	110	110	9	4	69	98	53
3	Llandygwidd	19860	4133	102	105	49	53	6	7	52	53	−3
	594.—NEWCASTLE-IN-EMLYN.											
1	Kenarth *W*	47459	8072	227	164	115	112	17	12	78	86	63
2	Penbryn	25165	5075	126	89	58	68	4	5	41	48	37
3	Llandyssil	40722	5934	173	118	97	76	19	12	63	55	55
	595.—LAMPETER.											
1	Llanybyther	25667	2541	80	43	44	36	3	4	16	27	37
2	Pencarreg	22231	2878	63	48	28	35	4	3	25	23	15
3	Lampeter	14612	2710	79	49	37	42	7	7	25	24	30
4	Llanwenog	13200	1865	70	30	39	31	5	7	15	15	40

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1862—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	43.—SOUTH WALES—*continued.*											
	CARDIGANSHIRE—*continued.*											
	596.—ABERAYRON.											
1	Llandisilio	33730	6459	216	114	103	113	13	12	49	65	102
2	Llansaintffraid *W*	31974	7081	196	124	95	101	9	13	67	57	72
	597.—ABERYSTWITH.											
1	Llanrhystyd	22403	3419	105	67	60	45	5	2	33	34	38
2	Aberystwith *W*	15440	8772	356	231	181	175	11	18	112	119	125
3	Geneur-Glynn	32290	4638	149	95	72	77	3	5	45	50	54
4	Rheidol	62459	8635	286	171	158	128	2	8	88	83	115
	598.—TREGARON.											
1	Gwnnws	33140	3423	127	57	64	63	4	3	30	27	70
2	Llangeitho	21622	3336	86	44	42	44	4	9	26	18	42
3	Tregaron	67288	3978	118	60	58	60	5	10	25	35	58
	BRECKNOCKSHIRE.											
	599.—BUILTH.											
1	Abergwessin	46144	2897	78	61	42	36	7	4	31	30	17
2	Colwyn	25020	1954	63	33	34	29	2	4	17	16	30
3	Builth	31789	3444	91	61	46	45	7	8	34	27	30
	600.—BRECKNOCK.											
1	Merthyr-Cynog	34651	1593	51	24	24	27	1	3	16	8	27
2	Devynnock	65053	4075	121	77	66	55	7	5	37	40	44
3	Brecknock *W*	43018	7054	246	156	124	122	9	14	74	82	90
4	Penkelly	25749	1657	56	38	29	27	1	1	19	19	18
5	Llangorse	23322	2900	103	54	60	43	4	4	25	29	49
	601.—CRICKHOWELL.											
1	Cwmdû	10068	1056	29	21	13	16	–	–	11	10	8
2	Llangunider	13908	3594	130	76	70	60	2	1	38	38	54
3	Llangattock *W*	9597	5759	250	121	120	130	3	10	65	56	129
4	Llanelly	5183	9603	355	222	181	174	11	6	124	98	133
5	Crickhowell	14936	2445	73	48	42	31	2	1	22	26	25
	602.—HAY.											
1	Talgarth	28155	2476	60	37	27	33	–	3	20	17	23
2	Clyro	31753	3521	94	50	50	44	6	5	25	25	44
3	Hay *W*	29787	4822	142	106	69	73	5	15	52	54	36
	RADNORSHIRE.											
	603.—PRESTEIGNE.											
1	Brilley	15315	2067	63	44	37	26	1	–	24	20	19
2	Radnor	39265	3567	116	63	62	54	3	2	29	34	53
3	Kington *W*	24849	6296	226	166	111	115	9	12	75	91	60
4	Presteigne	25534	3741	122	83	66	56	8	12	36	47	39
	604.—KNIGHTON.											
1	Knighton *W*	97492	6009	182	99	94	88	13	11	50	49	83
2	Llanbister		4370	154	99	82	72	17	13	50	49	55
	605.—RHAYADER.											
1	Rhayader	74004	3639	127	71	58	69	8	10	34	37	56
2	Nantmel	31528	3177	99	56	50	49	8	15	35	21	43
	44.—NORTH WALES.											
	MONTGOMERYSHIRE.											
	606.—MACHYNLLETH.											
1	Machynlleth	34210	4068	162	116	88	74	8	6	60	56	46
2	Pennal	44184	4167	121	108	67	54	3	4	41	67	13
3	Darowen	38253	4160	143	79	71	72	13	12	36	43	64
	607.—NEWTOWN.											
1	Upper Llanidloes	83956	3663	125	84	63	62	5	2	38	46	41
2	Lower Llanidloes		3666	131	69	65	66	9	13	31	38	62
3	Llanwnog *W*	45535	4802	187	82	91	96	14	22	39	43	105
4	Kerry	26455	2601	84	38	45	39	5	4	15	23	46
5	Newtown	7162	6086	206	145	107	99	19	15	70	75	61
6	Tregynon	26429	2914	83	61	43	40	7	6	33	28	22
	608.—MONTGOMERY.											
1	Montgomery	33351	6121	184	102	94	90	16	8	52	50	82
2	Chirbury *W*	18668	5756	187	93	96	91	9	8	48	45	94
3	Pool	22048	7220	224	180	120	104	16	6	87	93	44
	609.—LLANFYLLIN.											
1	Llanfair	71059	6375	217	124	118	99	20	16	63	61	93
2	Llansaintffraid *W*	54095	10223	257	233	147	110	23	15	112	121	24
3	Llanrhaiadr	62716	5101	170	110	90	80	8	8	56	54	60

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1862—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	44.—NORTH WALES—*continued.*											
	FLINTSHIRE.											
	610.—HOLYWELL.											
1	Whitford	28302	8043	220	148	119	101	9	3	66	82	72
2	Holywell *W*	22079	12100	374	241	196	178	13	11	126	115	133
3	Flint	18145	8079	304	185	175	129	9	2	108	77	119
4	Mold	20953	11719	409	256	215	194	14	8	122	134	153
	DENBIGHSHIRE.											
	611.—WREXHAM.											
1	Hope	26903	11297	421	235	209	212	17	16	125	110	186
2	Holt	20969	4452	138	86	71	67	10	6	36	50	52
3	Ruabon	15966	14680	634	501	337	297	17	3	257	244	133
4	Wrexham *W*	14754	17546	750	459	376	374	24	28	229	230	291
	612.—RUTHIN.											
1	Llanarmon	18385	3198	99	57	51	48	3	3	31	26	42
2	Ruthin *W*	9740	4438	122	143	66	56	5	1	80	63	− 21
3	Llanelidan	13840	2684	60	61	33	27	3	3	21	40	− 1
4	Gyffylliog	18923	1326	30	25	16	14	2	–	12	13	5
5	Llanrhaiadr	21897	2611	87	48	46	41	1	3	32	16	39
6	Llandyrnog	10068	1826	48	30	26	22	2	2	18	12	18
	613.—ST. ASAPH.											
1	St. Asaph *W*	33589	11922	381	276	190	191	19	12	135	141	105
2	Abergele	22145	6543	164	146	93	71	10	5	78	68	18
3	Denbigh	38200	9053	230	243	127	108	9	5	117	126	− 13
	614.—LLANRWST.											
1	Llanrwst *W*	40665	7100	167	181	76	91	11	7	102	79	− 14
2	Bettws-y-coed	35118	2735	88	50	38	50	1	2	21	29	38
3	Yspytty	24848	2935	73	49	39	34	3	2	25	24	24
	MERIONETHSHIRE.											
	615.—CORWEN.											
1	Gwyddelwern	69921	5479	133	82	68	65	1	4	47	35	51
2	Corwen *W*	53886	10628	341	241	182	159	11	14	118	123	100
	616.—BALA.											
1	Bala *W*	58292	6352	175	109	96	79	4	5	60	49	66
	617.—DOLGELLY.											
1	Talyllyn	73066	4839	104	93	47	57	9	8	47	46	11
2	Barmouth	72147	7643	204	176	91	113	14	13	100	76	28
	618.—FESTINIOG.											
1	Llanfihangel-y-Traethau *W*	31954	3658	114	88	59	55	9	1	45	43	26
2	Festiniog	51353	7783	272	203	124	148	8	15	106	97	69
3	Tremadoc	55407	6848	239	166	124	115	8	6	81	85	73
	CARNARVONSHIRE.											
	619.—PWLLHELI.											
1	Criccieth	30734	5591	144	111	80	64	7	1	58	53	33
2	Pwllheli *W*	23526	6579	171	134	93	78	16	16	72	62	37
3	Aberdaron	20433	3800	90	46	47	43	4	3	21	25	44
4	Nevin	18626	4938	116	100	65	51	6	6	42	58	16
	620.—CARNARVON.											
1	Llandwrog	40556	8518	251	143	127	124	12	12	79	64	108
2	Llanrug	29204	10404	355	219	172	183	5	9	109	110	136
3	Carnarvon *W*	8676	10190	328	244	163	165	18	10	118	126	84
4	Llanidan	19199	3313	83	73	46	37	4	–	36	37	10
	621.—BANGOR.											
1	Beaumaris	51172	13139	354	265	179	175	10	9	129	136	89
2	Bangor *W*	23643	14043	448	316	226	222	9	10	154	162	132
3	Llanllechid	33465	9127	325	218	151	174	6	6	100	118	107
	622.—CONWAY.											
1	Conway	11936	3956	127	75	70	57	4	5	33	42	52
2	Creuddyn	24867	7903	239	164	111	128	7	14	64	100	75
3	Llechwedd-Isaf	20328	2037	68	46	36	32	4	1	19	27	22
	ANGLESEY.											
	623.*—ANGLESEY.											
1	Llangefni	23259	5431	134	118	70	64	2	4	61	57	16
2	Bryngwran	25738	5746	142	108	77	65	10	6	51	57	34
3	Llandyfrydog	23384	4580	129	104	68	61	6	9	52	52	25
4	Amlwch	13375	7777	179	178	90	89	5	4	89	89	1
5	Llanddausaint	27758	5388	120	69	63	57	7	7	36	33	51
6	Holyhead	9568	9235	295	212	157	138	4	5	96	116	83

* See page 24, Note *.

LONDON.—Number of DEATHS in the different Classes of PUBLIC INSTITUTIONS during the Year 1862.*

INSTITUTIONS.		DEATHS in 1862.	Of the Total Deaths in London the Proportion per Cent. in Public Institutions.
LONDON.—TOTAL DEATHS IN 113 PUBLIC INSTITUTIONS		11,313	16·79
In 44 WORKHOUSES (*a*) - - - - - - - - -		6401	9·50
12 PRISONS (*a*) - - - - - - - - - -		53	·08
4 MILITARY AND NAVAL ASYLUMS - - - - - -		307	·46
15 GENERAL HOSPITALS (*a*) - - - - - - -		3167	4·70
7 HOSPITALS FOR SPECIAL DISEASES - - - - -		690	1·02
4 LYING-IN-HOSPITALS - - -	Women - - -	35	·05
	Children - -	40	·06
7 MILITARY AND NAVAL HOSPITALS - - - - -		236	·35
2 HOSPITALS AND ASYLUMS FOR FOREIGNERS - - -		74	·11
18 LUNATIC ASYLUMS (*a*) - - - - - - - -		310	·46

(*a*) In London, at the Census of 1861 (April 8th), the inmates of Workhouses were 23,745, of Prisons 5,612, of general Hospitals 3,123, and of Lunatic Asylums 3,102. The officers of the institutions, their families, and the infant children of female prisoners, are not included in these numbers or in the number of deaths.

DEATHS in PUBLIC INSTITUTIONS in each District of LONDON during the Year 1862.

No.	DISTRICTS.	Deaths in Public Institutions, 1862.	No.	DISTRICTS.	Deaths in Public Institutions, 1862.	No.	DISTRICTS.	Deaths in Public Institutions, 1862.
	LONDON - - -	11,313	12	St. Giles - - - - -	299		SURREY (*part of*).	
	MIDDLESEX (*part of*).		13	Strand - - - - -	159	26	St. Saviour Southwark -	206
			14	Holborn - - - - -	236	27	St. Olave Southwark -	655
			15	Clerkenwell - - -	190	28	Bermondsey - - -	123
1	Kensington - - -	567	16	St. Luke - - -	40	29	St. George Southwark -	250
2	Chelsea - - - -	250	17	East London - - -	–	30	Newington - - -	137
3	St. George Hanover-squ.	416	18	West London - - -	746	31	Lambeth - - -	334
4	Westminster - - -	422	19	London City - - -	–	32	Wandsworth - - -	166
5	St. Martin in-the-Fields	152	20	Shoreditch - - -	472	33	Camberwell - - -	179
6	St. James Westminster -	127	21	Bethnal Green - -	300	34	Rotherhithe - - -	42
7	Marylebone - - -	729	22	Whitechapel - - -	691			
8	Hampstead - - -	20	23	St. George-in-the-East -	190		KENT (*part of*).	
9	Pancras - - - -	859	24*a*	Stepney - - - -	179			
10	Islington - - -	691	24*b*	Mile End Old Town -	139	35	Greenwich - - -	670
11	Hackney - - - -	292	25	Poplar - - - -	339	36	Lewisham - - -	46

SUB-DISTRICTS of LONDON in which the principal PUBLIC INSTITUTIONS are situated, and DEATHS in those Institutions registered in 1862.

SUB-DISTRICTS.	PUBLIC INSTITUTIONS.	Deaths in 1862.
	WEST DISTRICTS.	
	1.—KENSINGTON.	
1. St. Mary Paddington	Workhouse - - - -	80
	Lock Hospital - - -	4
2. St. John Paddington -	St. Mary's Hospital - -	168
3. Kensington Town -	Workhouse - - - -	88
	Kensington House Lunatic Asylum - - - -	4
4. Brompton - -	Consumption Hospital - -	121
	Cancer Hospital - - -	15
7. Fulham - - -	Workhouse - - - -	75
	Normand House Lunatic Asylum - - - - -	–
	Munster House ditto - -	3
	Otto House ditto - - -	1
	Sussex and Brandenburgh House ditto - - - -	8
	2.—CHELSEA.	
1. Chelsea South -	Royal Hospital (*Chelsea In-Pensioners*) - - - -	82
	Royal Military Asylum (*Boys*)	3
2. Chelsea North-west	Workhouse - - - - -	138
	Workhouse belonging to Saint George Hanover Square District 3. - - - - -	24
3. Chelsea North-east	Blacklands House Lunatic Asylum - - - -	3
	3.—ST. GEORGE HANOVER SQUARE.	
2. Mayfair - - -	Workhouse (*see also Chelsea, North-west* 2; 2.) - - -	98
3. Belgrave - - -	St. George's Hospital - -	318

SUB-DISTRICTS.	PUBLIC INSTITUTIONS.	Deaths in 1862.
	4.—WESTMINSTER.	
1. St. John Westminster	Grenadier Guards Hospital -	5
	Coldstream Guards ditto -	8
	Scots Fusilier Guards ditto -	9
	Millbank Prison (*the Penitentiary*) - - - - -	3
2. St. Margaret Westminster.	Workhouse, York-street - - } Workhouse, Wright's Lane, Kensington - - - - }	195
	Westminster Hospital - -	186
	Westminster House of Correction	16
	5.—ST. MARTIN-IN-THE-FIELDS.	
1. Charing Cross - -	Workhouse - - - -	71
	Charing Cross Hospital - -	81
	6.—ST. JAMES WESTMINSTER.	
3. Golden Square -	Workhouse - - - - -	127
	NORTH DISTRICTS.	
	7.—MARYLEBONE.	
1. All Souls - -	Middlesex Hospital - - -	268
3. Rectory - - -	Workhouse - - - -	422
4. St. Mary - -	Queen Charlotte's Lying-in-Hospital { Women	19
	{ Children	20
	8.—HAMPSTEAD.	
1. Hampstead - -	Workhouse - - - -	20

* This Table is compiled from the Weekly Returns made by the Registrars of London and relates to the 52 weeks of the year.

Sub-districts of London in which the principal Public Institutions are situated, &c.—*continued.*

Sub-districts.	Public Institutions.	Deaths in 1862.
	9.—Pancras.	
2. Tottenham Court	*Workhouse belonging to the Strand Union, District* 13.	144
	University College Hospital	155
3. Gray's Inn Lane	Royal Free Hospital	95
5. Camden Town	Workhouse	465
	10.—Islington.	
1. Islington West	Workhouse	160
	Small-pox Hospital	56
	Fever Hospital	466
	Pentonville Prison	1
	City House of Correction	1
	Great Northern Hospital	7
2. Islington East	Infant Poor	–
	11.—Hackney.	
1. Stoke Newington	Northumberland House Lunatic Asylum	4
4. Hackney	Workhouse	84
	Workhouse belonging to East London, District 17.	136
	German Hospital	65
5. South Hackney	Pembroke House Lunatic Asylum	3
	CENTRAL DISTRICTS.	
	12.—St. Giles.	
2. St. Giles South	Workhouse	294
	British Lying-in-Hospital { Women	4
	British Lying-in-Hospital { Children	1
	13.—Strand.	
–	Workhouse (*see* Tottenham-*court*, 9; 2.)	
3. St. Clement Danes	King's College Hospital	159
	14.—Holborn.	
1. St. George the Martyr	Hospital for Sick Children	73
2. St. Andrew Eastern	Workhouse	163
	15.—Clerkenwell.	
1. St. James Clerkenwell	Workhouse	172
	Middlesex House of Detention	2
2. Amwell, Clerkenwell	Middlesex House of Correction	16
	16.—St. Luke.	
–	Workhouse (*see Hoxton New Town*, 20; 3.)	
1. Old Street	St. Mark's Hospital	1
2. City-road	City of London Lying-in-Hospital { Women	11
	City of London Lying-in-Hospital { Children	18
	St. Luke's Hospital for Lunatics	10
	17.—East London.	
–	Workhouse (*see Hackney*, 11; 4.)	
2. Cripplegate	Whitecross-street Prison	–
	18.—West London.	
1. West London North	Workhouse	111
	St. Bartholomew's Hospital	633
	Newgate Prison	2
	19.—London City.	
–	Workhouse (*see Bow*, 25; 1. *and Mile End Old Town Eastern*, 24*b*; 2.)	
	EAST DISTRICTS.	
	20.—Shoreditch.	
2. St. Leonard	Hoxton House Lunatic Asylum	26
3. Hoxton New Town	*Workhouse belonging to the Parish of St. Luke, District* 16.	234
5. Haggerstone West	Workhouse	212
	21.—Bethnal Green.	
2. The Green	Workhouse	237
	Bethnal House Lunatic Asylum	36
	City of London Hospital for Diseases of Chest	27
	22.—Whitechapel.	
3. Mile End New Town	Workhouse	361
5. Whitechapel Church	London Hospital	324
7. Aldgate	Tower Hospital	6

Sub-districts.	Public Institutions.	Deaths in 1862.
	23.—St. George-in-the-East.	
3. St. John	Workhouse	190
	24*a*.—Stepney.	
1. Shadwell	Workhouse	90
2. Ratcliff	Workhouse	76
3. Limehouse	Workhouse	13
	24*b*.—Mile End Old Town.	
2. Mile End Old Town, Eastern.	Workhouse	90
	Part of Workhouse belonging to the City of London, District 19.	40
	Portuguese Jews Hospital	9
	25.—Poplar.	
1. Bow	*Part of Workhouse belonging to the City of London, District* 19.	163
	Grove Hall Lunatic Asylum	48
	Poplar Hospital	21
2. Poplar	Workhouse	107
	SOUTH DISTRICTS.	
	26.—St. Saviour Southwark.	
1. Christchurch	Workhouse	112
2. St. Saviour	Part of Guy's Hospital	27
	Part of St. Thomas's Hospital	67*
	27.—St. Olave Southwark.	
1. St. Olave	Part of Guy's Hospital	431
	Part of St. Thomas's Hospital	154
2. St. John Horsley-down.	Workhouse	70
	28.—Bermondsey.	
2. St. Mary Magdalen	Workhouse	123
	29.—St. George Southwark.	
2. Borough-road	Workhouse	229
	Queen's Prison	–
3. London-road	Bethlehem Lunatic Asylum	20
	House of Occupations	1
	30.—Newington.	
1. Trinity, Newington	Surrey County Gaol	3
2. St. Peter Walworth	Workhouse	134
3. St. Mary	St. Thomas's temporary Hospital (*see note*).	
	31.—Lambeth.	
2. Waterloo-road, 2d part	General Lying-in-Hospital, York-rd. { Women	2
	General Lying-in-Hospital, York-rd. { Children	–
4. Lambeth Church, 2d part.	Workhouse	312
7. Brixton	Effra Hall Lunatic Asylum	–
8. Norwood	Workhouse	20
	32.—Wandsworth.	
1. Clapham	Retreat Lunatic Asylum	3
2. Battersea	Workhouse	107
3. Wandsworth	Surrey House of Correction	8
	Surrey County Lunatic Asylum	48
	33.—Camberwell.	
2. Camberwell	Workhouse	86
	Peckham House Lunatic Asylum	55
	Camberwell House Lunatic Asylum	38
	34.—Rotherhithe.	
1. Rotherhithe	Workhouse	42
	35.—Greenwich.	
3. Greenwich West	Dreadnought Hospital Ship for Seamen	128
4. Greenwich East	Workhouse	240
	Royal Hospital (*Greenwich In-Pensioners*)	220
	Naval School (*Boys*)	2
5. Woolwich Dockyard	Royal Marine Infirmary	28
6. Woolwich Arsenal	Royal Ordnance Hospital	52
	36.—Lewisham.	
4. Lewisham Village	Workhouse	46

* Of the 67 deaths entered as occurring in that part of St. Thomas's Hospital which was situate in the parish of St. Saviour, 42 took place in the temporary Hospital, Penton Place, and were registered by the Registrar of St. Mary Newington during the last quarter of 1862.

TABLES SHOWING THE NUMBER

OF

BIRTHS,

OF

BIRTHS OF CHILDREN BORN OUT OF WEDLOCK,

AND OF

DEATHS,

REGISTERED IN EACH OF THE FOUR QUARTERS OF THE YEAR;

ALSO

DEATHS AT DIFFERENT AGES,

AND

CAUSES OF DEATH;

IN 1862.

Note.—The Number of Marriages *celebrated in each Quarter of the Year* 1862 *will be found stated in the Abstract of Marriages, Page* 2.

BIRTHS registered in England in the Four Quarters ending
(*Exclusive of*

No.	DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	POPULATION, 1861.	MALES AND FEMALES. TOTAL.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	ENGLAND	37,324,883	20,066,224	712,684	181,990	185,554	172,709	172,431
No.	DIVISIONS.							
I.	LONDON	77,997	2,803,989	97850	25425	24692	23253	24480
II.	SOUTH EASTERN	4,065,935	1,847,661	59497	15550	14825	14068	15054
III.	SOUTH MIDLAND	3,201,290	1,295,497	43334	11106	11203	10411	10614
IV.	EASTERN	3,214,099	1,142,580	37352	9425	9768	8976	9183
V.	SOUTH WESTERN	4,993,660	1,835,714	59617	15357	15301	14173	14786
VI.	WEST MIDLAND	3,865,332	2,436,568	89019	22767	23443	21488	21321
VII.	NORTH MIDLAND	3,540,797	1,288,928	45126	11350	11665	11163	10948
VIII.	NORTH WESTERN	2,000,227	2,935,540	114541	29424	30669	28029	26419
IX.	YORK	3,654,636	2,015,541	75946	18892	19773	18887	18394
X.	NORTHERN	3,492,322	1,151,372	45475	11519	12069	11046	10841
XI.	WELSH	5,218,588	1,312,834	44927	11175	12146	11215	10391
	I.—LONDON.							
	MIDDLESEX (*part of*)	32,455	2,030,814	69577	18136	17551	16500	17390
	SURREY (*part of*)	22,951	579,748	21178	5426	5356	5069	5327
	KENT (*part of*)	22,591	193,427	7095	1863	1785	1684	1763
	II.—SOUTH EASTERN.							
1	SURREY (*extra-metropolitan*)	476,191	273,264	8628	2196	2133	2114	2185
2	KENT (*extra-metropolitan*)	1,013,838	545,272	18173	4624	4526	4417	4606
3	SUSSEX	949,581	366,836	11285	3010	2803	2594	2878
4	HAMPSHIRE	1,061,608	456,654	14701	3958	3634	3387	3722
5	BERKSHIRE	564,717	205,635	6710	1762	1729	1556	1663
	III.—SOUTH MIDLAND.							
6	MIDDLESEX (*extra-metropolitan*)	176,555	187,325	5860	1501	1422	1429	1508
7	HERTFORDSHIRE	428,143	177,452	5757	1453	1513	1358	1433
8	BUCKINGHAMSHIRE	402,616	147,207	5028	1232	1308	1250	1238
9	OXFORDSHIRE	479,267	171,233	5709	1487	1462	1320	1440
10	NORTHAMPTONSHIRE	632,219	231,079	8206	2135	2155	1956	1960
11	HUNTINGDONSHIRE	205,365	59,137	2008	480	572	490	466
12	BEDFORDSHIRE	305,366	140,479	4902	1230	1222	1241	1209
13	CAMBRIDGESHIRE	571,758	181,585	5864	1588	1549	1367	1360
	IV.—EASTERN.							
14	ESSEX	983,443	379,705	12540	3089	3300	3057	3094
15	SUFFOLK	930,345	335,409	10951	2748	2897	2613	2693
16	NORFOLK	1,300,311	427,466	13861	3588	3571	3306	3396

NOTE.—The *Registration Counties* comprise groups of entire Registration Districts, which Districts are generally
Counties in which the greater part of

March 31st, June 30th, September 30th, and December 31st, 1862.
Still-born.)

MALES. Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.	MALES. TOTAL.	FEMALES. TOTAL.	FEMALES. Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.	DIVISIONS AND REGISTRATION COUNTIES.
92,525	94,873	88,000	88,136	363,534	349,150	89,465	90,681	84,709	84,295	**ENGLAND AND WALES.**
										DIVISIONS.
12711	12464	11771	12436	49382	48468	12714	12228	11482	12044	LONDON.
7869	7581	7148	7723	30321	29176	7681	7244	6920	7331	SOUTH EASTERN.
5724	5662	5378	5486	22250	21084	5382	5541	5033	5128	SOUTH MIDLAND.
4835	5019	4574	4706	19134	18218	4590	4749	4402	4477	EASTERN.
7954	7762	7193	7581	30490	29127	7403	7539	6980	7205	SOUTH WESTERN.
11483	11990	10962	10891	45326	43693	11284	11453	10526	10430	WEST MIDLAND.
5841	6070	5709	5649	23269	21857	5509	5595	5454	5299	NORTH MIDLAND.
15047	15588	14247	13500	58382	56159	14377	15081	13782	12919	NORTH WESTERN.
9522	10276	9644	9375	38817	37129	9370	9497	9243	9019	YORK.
5852	6223	5642	5516	23233	22242	5667	5846	5404	5325	NORTHERN.
5687	6238	5732	5273	22930	21997	5488	5908	5483	5118	WELSH.
										I.—LONDON.
9024	8799	8385	8786	34994	34583	9112	8752	8115	8604	MIDDLESEX (*part of*).
2745	2742	2536	2734	10757	10421	2681	2614	2533	2593	SURREY (*part of*).
942	923	850	916	3631	3464	921	862	834	847	KENT (*part of*).
										II.—SOUTH EASTERN.
1083	1102	1075	1156	4416	4212	1113	1031	1039	1029	SURREY (*extra-metropolitan*).
2333	2318	2248	2350	9249	8924	2291	2208	2169	2256	KENT (*extra-metropolitan*).
1570	1430	1317	1468	5785	5500	1440	1373	1277	1410	SUSSEX.
1985	1848	1719	1910	7462	7239	1973	1786	1668	1812	HAMPSHIRE.
898	883	789	839	3409	3301	864	846	767	824	BERKSHIRE.
										III.—SOUTH MIDLAND.
780	684	739	750	2953	2907	721	738	690	758	MIDDLESEX (*extra-metropolitan*).
750	787	715	703	2955	2802	703	726	643	730	HERTFORDSHIRE.
615	618	676	613	2522	2506	617	690	574	625	BUCKINGHAMSHIRE.
761	775	661	774	2971	2738	726	687	659	666	OXFORDSHIRE.
1124	1131	1033	1030	4318	3888	1011	1024	923	930	NORTHAMPTONSHIRE.
261	285	266	257	1069	939	219	287	224	209	HUNTINGDONSHIRE.
650	593	609	639	2491	2411	580	629	632	570	BEDFORDSHIRE.
783	789	679	720	2971	2893	805	760	688	640	CAMBRIDGESHIRE.
										IV.—EASTERN.
1553	1678	1550	1602	6383	6157	1536	1622	1507	1492	ESSEX.
1399	1504	1300	1372	5575	5376	1349	1393	1313	1321	SUFFOLK.
1883	1837	1724	1732	7176	6685	1705	1734	1582	1664	NORFOLK.

co-extensive with Poor Law Unions. Districts extending into more than one county are referred to the Registration
the population was enumerated in 1861.

BIRTHS registered in England in the Four Quarters ending

No.	DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	POPULATION, 1861.	MALES AND FEMALES. TOTAL.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	V.—SOUTH WESTERN.							
17	WILTSHIRE	777,453	236,027	7845	1993	2024	1882	1946
18	DORSETSHIRE	615,783	182,193	5869	1478	1499	1392	1500
19	DEVONSHIRE	1,643,700	589,278	18754	4847	4693	4516	4698
20	CORNWALL	889,263	364,848	12691	3395	3314	2927	3055
21	SOMERSETSHIRE	1,067,461	463,368	14458	3644	3771	3456	3587
	VI.—WEST MIDLAND.							
22	GLOUCESTERSHIRE	716,045	443,535	14669	3801	3825	3493	3550
23	HEREFORDSHIRE	425,580	106,796	3255	772	878	798	807
24	SHROPSHIRE	924,676	260,409	8581	2066	2361	2101	2053
25	STAFFORDSHIRE	755,017	769,541	30921	7967	8145	7579	7230
26	WORCESTERSHIRE	434,076	294,953	10482	2677	2633	2557	2615
27	WARWICKSHIRE	609,938	561,334	21111	5484	5601	4960	5066
	VII.—NORTH MIDLAND.							
28	LEICESTERSHIRE	535,346	243,648	8781	2163	2314	2206	2098
29	RUTLANDSHIRE	107,728	23,479	715	169	192	177	177
30	LINCOLNSHIRE	1,739,312	404,143	13296	3342	3372	3253	3329
31	NOTTINGHAMSHIRE	599,791	323,784	11586	3045	2962	2810	2769
32	DERBYSHIRE	558,620	293,874	10748	2631	2825	2717	2575
	VIII.—NORTH WESTERN.							
33	CHESHIRE	680,836	470,174	17472	4406	4748	4268	4050
34	LANCASHIRE	1,319,391	2,465,366	97069	25018	25921	23761	22369
	IX.—YORK.							
35	WEST RIDING	1,706,430	1,530,007	58982	14814	15346	14617	14205
36	EAST RIDING (*with York*)	717,144	274,425	9788	2319	2534	2439	2496
37	NORTH RIDING	1,231,062	211,109	7176	1759	1893	1831	1693
	X.—NORTHERN.							
38	DURHAM	754,183	542,125	23582	6011	6298	5634	5639
39	NORTHUMBERLAND	1,249,299	343,025	12936	3170	3411	3244	3111
40	CUMBERLAND	1,001,273	205,276	7077	1829	1895	1714	1639
41	WESTMORLAND	487,567	60,946	1880	509	465	454	452
	XI.—WELSH.							
42	MONMOUTHSHIRE	432,906	196,977	7040	1708	1858	1774	1700
43	SOUTH WALES	2,816,599	699,722	24927	6240	6736	6176	5775
44	NORTH WALES	1,969,083	416,135	12960	3227	3552	3265	2916

March 31st, June 30th, September 30th, and December 31st, 1862—*continued.*

MALES.					FEMALES.					DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH WESTERN.
1027	1022	965	986	4000	3845	966	1002	917	960	WILTSHIRE.
751	721	694	767	2933	2936	727	778	698	733	DORSETSHIRE.
2578	2408	2270	2413	9669	9035	2269	2285	2246	2285	DEVONSHIRE.
1712	1719	1517	1590	6538	6153	1683	1595	1410	1465	CORNWALL.
1886	1892	1747	1825	7350	7108	1758	1879	1709	1762	SOMERSETSHIRE.
										VI.—WEST MIDLAND.
1950	1937	1761	1827	7475	7194	1851	1888	1732	1723	GLOUCESTERSHIRE.
386	451	409	408	1654	1601	386	427	389	399	HEREFORDSHIRE.
1026	1191	1115	1018	4350	4231	1040	1170	986	1035	SHROPSHIRE.
3996	4171	3919	3669	15755	15166	3971	3974	3660	3561	STAFFORDSHIRE.
1339	1314	1279	1381	5313	5169	1338	1319	1278	1234	WORCESTERSHIRE.
2786	2926	2479	2588	10779	10332	2698	2675	2481	2478	WARWICKSHIRE.
										VII.—NORTH MIDLAND.
1103	1223	1143	1088	4557	4224	1060	1091	1063	1010	LEICESTERSHIRE.
78	102	84	88	352	363	91	90	93	89	RUTLANDSHIRE.
1765	1761	1642	1674	6842	6454	1577	1611	1611	1655	LINCOLNSHIRE.
1545	1507	1418	1429	5899	5687	1500	1455	1392	1340	NOTTINGHAMSHIRE.
1350	1477	1422	1370	5619	5129	1281	1348	1295	1205	DERBYSHIRE.
										VIII.—NORTH WESTERN.
2280	2393	2166	2127	8966	8506	2126	2355	2102	1923	CHESHIRE.
12767	13195	12081	11373	49416	47653	12251	12726	11680	10996	LANCASHIRE.
										IX.—YORK.
7472	7917	7461	7235	30085	28897	7342	7429	7156	6970	WEST RIDING.
1175	1361	1228	1279	5043	4745	1144	1173	1211	1217	EAST RIDING (*with York*).
875	998	955	861	3689	3487	884	895	876	832	NORTH RIDING.
										X.—NORTHERN.
3062	3234	2836	2936	12068	11514	2949	3064	2798	2703	DURHAM.
1610	1772	1677	1549	6608	6328	1560	1639	1567	1562	NORTHUMBERLAND.
919	972	894	819	3604	3473	910	923	820	820	CUMBERLAND.
261	245	235	212	953	927	248	220	219	240	WESTMORLAND.
										XI.—WELSH.
857	949	908	899	3613	3427	851	909	866	801	MONMOUTHSHIRE.
3164	3458	3157	2852	12631	12296	3076	3278	3019	2923	SOUTH WALES.
1666	1831	1667	1522	6686	6274	1561	1721	1598	1394	NORTH WALES.

BIRTHS (included in the foregoing Table, pp. 86–89) of CHILDREN BORN OUT OF WEDLOCK and December 31st, 1862.

No.	DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	POPULATION, 1861.	MALES AND FEMALES. TOTAL.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	ENGLAND	37,324,883	20,066,224	45,222	11,882	11,340	10,836	11,164
No.	DIVISIONS.							
I.	LONDON	77,997	2,803,989	4320	1165	1055	1026	1074
II.	SOUTH EASTERN	4,065,935	1,847,661	3450	948	911	758	833
III.	SOUTH MIDLAND	3,201,290	1,295,497	2714	752	711	596	655
IV.	EASTERN	3,214,099	1,142,580	2985	812	760	648	765
V.	SOUTH WESTERN	4,993,660	1,835,714	3421	936	820	784	881
VI.	WEST MIDLAND	3,865,332	2,436,568	5622	1435	1468	1402	1317
VII.	NORTH MIDLAND	3,540,797	1,288,928	3714	960	882	910	962
VIII.	NORTH WESTERN	2,000,227	2,935,540	7452	1921	1888	1847	1796
IX.	YORK	3,654,636	2,015,541	5223	1299	1342	1286	1296
X.	NORTHERN	3,492,322	1,151,372	3189	812	752	804	821
XI.	WELSH	5,218,588	1,312,834	3132	842	751	775	764
	I.—LONDON.							
	MIDDLESEX (*part of*)	32,455	2,030,814	3206	851	796	761	798
	SURREY (*part of*)	22,951	579,748	913	255	211	219	228
	KENT (*part of*)	22,591	193,427	201	59	48	46	48
	II.—SOUTH EASTERN.							
1	SURREY (*extra-metropolitan*)	476,191	273,264	407	117	106	96	88
2	KENT (*extra-metropolitan*)	1,013,838	545,272	991	248	276	219	248
3	SUSSEX	949,581	366,836	756	205	202	153	196
4	HAMPSHIRE	1,061,608	456,654	804	229	205	187	183
5	BERKSHIRE	564,717	205,635	492	149	122	103	118
	III.—SOUTH MIDLAND.							
6	MIDDLESEX (*extra-metropolitan*)	176,555	187,325	256	65	59	56	76
7	HERTFORDSHIRE	428,143	177,452	372	105	92	82	93
8	BUCKINGHAMSHIRE	402,616	147,207	325	83	71	86	85
9	OXFORDSHIRE	479,267	171,233	378	118	101	77	82
10	NORTHAMPTONSHIRE	632,219	231,079	465	136	125	99	105
11	HUNTINGDONSHIRE	205,366	59,137	115	23	42	21	29
12	BEDFORDSHIRE	305,366	140,479	387	98	106	90	93
13	CAMBRIDGESHIRE	571,758	181,585	416	124	115	85	92
	IV.—EASTERN.							
14	ESSEX	983,443	379,705	680	184	160	162	174
15	SUFFOLK	930,345	335,409	848	213	226	180	229
16	NORFOLK	1,300,311	427,466	1457	415	374	306	362

registered in England in the Four Quarters ending March 31st, June 30th, September 30th,
(*Exclusive of Still-born.*)

MALES. Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.	MALES. TOTAL.	FEMALES. TOTAL.	FEMALES. Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.	DIVISIONS AND REGISTRATION COUNTIES.
6,042	5,811	5,505	5,675	23,033	22,189	5,840	5,529	5,331	5,489	**ENGLAND AND WALES.**
										DIVISIONS.
568	532	554	537	2191	2129	597	523	472	537	LONDON.
481	458	371	435	1745	1705	467	453	387	398	SOUTH EASTERN.
412	362	310	337	1421	1293	340	349	286	318	SOUTH MIDLAND.
405	390	343	382	1520	1465	407	370	305	383	EASTERN.
467	436	395	456	1754	1667	469	384	389	425	SOUTH WESTERN.
740	755	710	670	2875	2747	695	713	692	647	WEST MIDLAND.
499	463	445	493	1900	1814	461	419	465	469	NORTH MIDLAND.
954	971	918	911	3754	3698	967	917	929	885	NORTH WESTERN.
680	666	631	655	2632	2591	619	676	655	641	YORK.
416	392	412	409	1629	1560	396	360	392	412	NORTHERN.
420	386	416	390	1612	1520	422	365	359	374	WELSH.
										I.—LONDON.
407	405	409	393	1614	1592	444	391	352	405	**MIDDLESEX** (*part of*).
135	105	118	121	479	434	120	106	101	107	**SURREY** (*part of*).
26	22	27	23	98	103	33	26	19	25	**KENT** (*part of*).
										II.—SOUTH EASTERN.
49	57	51	43	200	207	68	49	45	45	**SURREY** (*extra-metropolitan*).
141	139	113	116	509	482	107	137	106	132	**KENT** (*extra-metropolitan*).
96	94	76	104	370	386	109	108	77	92	**SUSSEX.**
116	112	89	110	427	377	113	93	98	73	**HAMPSHIRE.**
79	56	42	62	239	253	70	66	61	56	**BERKSHIRE.**
										III.—SOUTH MIDLAND.
34	24	27	37	122	134	31	35	29	39	**MIDDLESEX** (*extra-metropolitan*).
48	49	40	48	185	187	57	43	42	45	**HERTFORDSHIRE.**
42	32	47	43	164	161	41	39	39	42	**BUCKINGHAMSHIRE.**
61	52	30	39	182	196	57	49	47	43	**OXFORDSHIRE.**
84	71	48	59	262	203	52	54	51	46	**NORTHAMPTONSHIRE.**
15	26	12	15	68	47	8	16	9	14	**HUNTINGDONSHIRE.**
58	58	57	47	220	167	40	48	33	46	**BEDFORDSHIRE.**
70	50	49	49	218	198	54	65	36	43	**CAMBRIDGESHIRE.**
										IV.—EASTERN.
90	88	89	84	351	329	94	72	73	90	**ESSEX.**
105	111	97	124	437	411	108	115	83	105	**SUFFOLK.**
210	191	157	174	732	725	205	183	149	188	**NORFOLK.**

BIRTHS of CHILDREN BORN OUT OF WEDLOCK registered in England in the Four

No.	DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	POPULATION, 1861.	MALES AND FEMALES. TOTAL.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	V.—SOUTH WESTERN.							
17	WILTSHIRE	777,453	236,027	522	160	123	105	134
18	DORSETSHIRE	615,783	182,193	358	99	79	86	94
19	DEVONSHIRE	1,643,700	589,278	1019	249	250	254	266
20	CORNWALL	889,263	364,848	702	210	160	158	174
21	SOMERSETSHIRE	1,067,461	463,368	820	218	208	181	213
	VI.—WEST MIDLAND.							
22	GLOUCESTERSHIRE	716,045	443,535	744	187	194	192	171
23	HEREFORDSHIRE	425,580	106,796	260	60	65	62	73
24	SHROPSHIRE	924,676	260,409	842	216	209	213	204
25	STAFFORDSHIRE	755,017	769,541	1912	486	502	490	434
26	WORCESTERSHIRE	434,076	294,953	690	168	184	177	161
27	WARWICKSHIRE	609,938	561,334	1174	318	314	268	274
	VII.—NORTH MIDLAND.							
28	LEICESTERSHIRE	535,346	243,648	689	185	179	175	150
29	RUTLANDSHIRE	107,728	23,479	56	13	17	14	12
30	LINCOLNSHIRE	1,739,312	404,143	1161	306	254	281	320
31	NOTTINGHAMSHIRE	599,791	323,784	1062	269	244	262	287
32	DERBYSHIRE	558,620	293,874	746	187	188	178	193
	VIII.—NORTH WESTERN.							
33	CHESHIRE	680,836	470,174	1337	344	343	335	315
34	LANCASHIRE	1,319,391	2,465,366	6115	1577	1545	1512	1481
	IX.—YORK.							
35	WEST RIDING	1,706,430	1,530,007	3822	955	965	935	967
36	EAST RIDING (*with York*)	717,144	274,425	726	190	186	180	170
37	NORTH RIDING	1,231,062	211,109	675	154	191	171	159
	X.—NORTHERN.							
38	DURHAM	754,183	542,125	1203	289	308	303	303
39	NORTHUMBERLAND	1,249,299	343,025	977	247	211	259	260
40	CUMBERLAND	1,001,273	205,276	799	214	189	190	206
41	WESTMORLAND	487,567	60,946	210	62	44	52	52
	XI.—WELSH.							
42	MONMOUTHSHIRE	432,906	196,977	389	103	105	90	91
43	SOUTH WALES	2,816,599	699,722	1706	458	427	401	420
44	NORTH WALES	1,969,083	416,135	1037	281	219	284	253

Quarters ending March 31st, June 30th, September 30th, and December 31st, 1862—*continued.*

MALES. Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.	MALES. TOTAL.	FEMALES. TOTAL.	FEMALES. Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.	DIVISIONS AND REGISTRATION COUNTIES.
										V.—SOUTH WESTERN.
83	70	55	70	278	244	77	53	50	64	WILTSHIRE
43	35	41	53	172	186	56	44	45	41	DORSETSHIRE.
126	130	133	141	530	489	123	120	121	125	DEVONSHIRE.
99	92	78	88	357	345	111	68	80	86	CORNWALL.
116	109	88	104	417	403	102	99	93	109	SOMERSETSHIRE.
										VI.—WEST MIDLAND.
90	92	101	96	379	365	97	102	91	75	GLOUCESTERSHIRE.
33	37	33	37	140	120	27	28	29	36	HEREFORDSHIRE.
114	102	111	106	433	409	102	107	102	98	SHROPSHIRE.
247	264	260	209	980	932	239	238	230	225	STAFFORDSHIRE.
89	92	85	81	347	343	79	92	92	80	WORCESTERSHIRE.
167	168	120	141	596	578	151	146	148	133	WARWICKSHIRE.
										VII.—NORTH MIDLAND.
95	100	90	75	360	329	90	79	85	75	LEICESTERSHIRE.
4	8	7	7	26	30	9	9	7	5	RUTLANDSHIRE.
166	130	134	164	594	567	140	124	147	156	LINCOLNSHIRE.
137	117	127	139	520	542	132	127	135	148	NOTTINGHAMSHIRE.
97	108	87	108	400	346	90	80	91	85	DERBYSHIRE.
										VIII.—NORTH WESTERN.
171	190	167	162	690	647	173	153	168	153	CHESHIRE
783	781	751	749	3064	3051	794	764	761	732	LANCASHIRE.
										IX.—YORK.
501	485	463	493	1942	1880	454	480	472	474	WEST RIDING.
99	95	93	85	372	354	91	91	87	85	EAST RIDING (*with York*).
80	86	75	77	318	357	74	105	96	82	NORTH RIDING.
										X.—NORTHERN.
151	162	170	149	632	571	138	146	133	154	DURHAM.
126	115	115	133	489	488	121	96	144	127	NORTHUMBERLAND.
104	93	106	98	401	398	110	96	84	108	CUMBERLAND.
35	22	21	29	107	103	27	22	31	23	WESTMORLAND.
										XI.—WELSH.
42	61	53	53	209	180	61	44	37	38	MONMOUTHSHIRE.
225	202	210	199	836	870	233	225	191	221	SOUTH WALES.
153	123	153	138	567	470	128	96	131	115	NORTH WALES.

DEATHS registered in England in the Four Quarters ending

No.	DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	POPULATION, 1861.	MALES AND FEMALES. TOTAL.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	ENGLAND	37,324,883	20,066,224	436,566	122,019	107,392	92,381	114,774
No.	DIVISIONS.							
I.	LONDON	77,997	2,803,989	67371	18191	15654	15418	18108
II.	SOUTH EASTERN	4,065,935	1,847,661	33952	9590	8138	7340	8884
III.	SOUTH MIDLAND	3,201,290	1,295,497	24909	7005	6176	5353	6375
IV.	EASTERN	3,214,099	1,142,580	22005	6189	5456	4692	5668
V.	SOUTH WESTERN	4,993,660	1,835,714	34432	9701	8799	7131	8801
VI.	WEST MIDLAND	3,865,332	2,436,568	52217	14867	12456	10617	14277
VII.	NORTH MIDLAND	3,540,797	1,288,928	25324	7073	6533	5328	6390
VIII.	NORTH WESTERN	2,000,227	2,935,540	75097	21604	18024	15291	20178
IX.	YORK	3,654,636	2,015,541	47357	12537	11821	10161	12838
X.	NORTHERN	3,492,322	1,151,372	26346	7182	6815	5458	6891
XI.	WELSH	5,218,588	1,312,834	27556	8080	7520	5592	6364
	I.—LONDON.							
	MIDDLESEX (*part of*)	32,455	2,030,814	49316	13167	11431	11456	13262
	SURREY (*part of*)	22,951	579,748	13800	3759	3211	3030	3800
	KENT (*part of*)	22,591	193,427	4255	1265	1012	932	1046
	II.—SOUTH EASTERN.							
1	SURREY (*extra-metropolitan*)	476,191	273,264	4713	1320	1191	1015	1187
2	KENT (*extra-metropolitan*)	1,013,838	545,272	9920	2817	2323	2145	2635
3	SUSSEX	949,581	366,836	6755	1962	1655	1459	1679
4	HAMPSHIRE	1,061,608	456,654	8694	2400	1989	1939	2366
5	BERKSHIRE	564,717	205,635	3870	1091	980	782	1017
	III.—SOUTH MIDLAND.							
6	MIDDLESEX (*extra-metropolitan*)	176,555	187,325	3736	938	856	904	1038
7	HERTFORDSHIRE	428,143	177,452	3199	836	814	681	868
8	BUCKINGHAMSHIRE	402,616	147,207	2852	832	675	612	733
9	OXFORDSHIRE	479,267	171,233	3220	911	822	690	797
10	NORTHAMPTONSHIRE	632,219	231,079	4427	1246	1123	909	1149
11	HUNTINGDONSHIRE	205,366	59,137	1175	329	308	258	280
12	BEDFORDSHIRE	305,366	140,479	2651	801	614	553	683
13	CAMBRIDGESHIRE	571,758	181,585	3649	1112	964	746	827
	IV.—EASTERN.							
14	ESSEX	983,443	379,705	7322	1933	1790	1681	1918
15	SUFFOLK	930,345	335,409	6135	1737	1571	1293	1534
16	NORFOLK	1,300,311	427,466	8548	2519	2095	1718	2216

March 31st, June 30th, September 30th, and December 31st, 1862.

MALES. Registered in the Quarter ending the last day of					FEMALES.	Registered in the Quarter ending the last day of				DIVISIONS AND REGISTRATION COUNTIES.
March.	June.	Sept.	Dec.	TOTAL.	TOTAL.	March.	June.	Sept.	Dec.	
62,286	55,137	47,068	58,131	222,622	213,944	59,733	52,255	45,313	56,643	**ENGLAND AND WALES.**
										DIVISIONS.
9161	8064	7949	9114	34288	33083	9030	7590	7469	8994	LONDON.
4933	4244	3730	4617	17524	16428	4657	3894	3610	4267	SOUTH EASTERN.
3529	3125	2659	3156	12469	12440	3476	3051	2694	3219	SOUTH MIDLAND.
3120	2806	2354	2878	11158	10847	3069	2650	2338	2790	EASTERN.
4892	4404	3571	4388	17255	17177	4809	4395	3560	4413	SOUTH WESTERN.
7654	6480	5479	7252	26865	25352	7213	5976	5138	7025	WEST MIDLAND.
3617	3291	2755	3184	12847	12477	3456	3242	2573	3206	NORTH MIDLAND.
10992	9303	7764	10363	38422	36675	10612	8721	7527	9815	NORTH WESTERN.
6492	6045	5167	6456	24160	23197	6045	5776	4994	6382	YORK.
3702	3526	2817	3483	13528	12818	3480	3289	2641	3408	NORTHERN.
4194	3849	2823	3240	14106	13450	3886	3671	2769	3124	WELSH.
										I.—LONDON.
6596	5910	5905	6658	25069	24247	6571	5521	5551	6604	**MIDDLESEX** (*part of*).
1874	1599	1534	1878	6885	6915	1885	1612	1496	1922	**SURREY** (*part of*).
691	555	510	578	2334	1921	574	457	422	468	**KENT** (*part of*).
										II.—SOUTH EASTERN.
666	622	531	609	2428	2285	654	569	484	578	**SURREY** (*extra-metropolitan*).
1452	1229	1109	1366	5156	4764	1365	1094	1036	1269	**KENT** (*extra-metropolitan*).
1012	844	718	874	3448	3307	950	811	741	805	**SUSSEX.**
1240	1068	989	1239	4536	4158	1160	921	950	1127	**HAMPSHIRE.**
563	481	383	529	1956	1914	528	499	399	488	**BERKSHIRE.**
										III.—SOUTH MIDLAND.
496	435	467	526	1924	1812	442	421	437	512	**MIDDLESEX** (*extra-metropolitan*).
416	416	346	448	1626	1573	420	398	335	420	**HERTFORDSHIRE.**
422	333	294	354	1403	1449	410	342	318	379	**BUCKINGHAMSHIRE.**
437	405	336	373	1551	1669	474	417	354	424	**OXFORDSHIRE.**
635	574	457	575	2241	2186	611	549	452	574	**NORTHAMPTONSHIRE.**
163	154	122	141	580	595	166	154	136	139	**HUNTINGDONSHIRE.**
397	316	255	331	1299	1352	404	298	298	352	**BEDFORDSHIRE.**
563	492	382	408	1845	1804	549	472	364	419	**CAMBRIDGESHIRE.**
										IV.—EASTERN.
1009	935	881	997	3822	3500	924	855	800	921	**ESSEX.**
860	794	641	757	3052	3083	877	777	652	777	**SUFFOLK.**
1251	1077	832	1124	4284	4264	1268	1018	886	1092	**NORFOLK.**

DEATHS registered in England in the Four Quarters ending

No.	DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	POPULATION, 1861.	MALES AND FEMALES. TOTAL.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	V.—SOUTH WESTERN.							
17	WILTSHIRE	777,453	236,027	4364	1254	1105	886	1119
18	DORSETSHIRE	615,783	182,193	3220	923	771	671	855
19	DEVONSHIRE	1,643,700	589,278	11370	3086	2957	2443	2884
20	CORNWALL	889,263	364,848	7338	2015	1931	1460	1932
21	SOMERSETSHIRE	1,067,461	463,368	8140	2423	2035	1671	2011
	VI.—WEST MIDLAND.							
22	GLOUCESTERSHIRE	716,045	443,535	8691	2638	2051	1661	2341
23	HEREFORDSHIRE	425,580	106,796	1934	552	496	441	445
24	SHROPSHIRE	924,676	260,409	5011	1507	1266	1041	1197
25	STAFFORDSHIRE	755,017	769,541	18491	5277	4394	3726	5094
26	WORCESTERSHIRE	434,076	294,953	5586	1573	1402	1126	1485
27	WARWICKSHIRE	609,938	561,334	12504	3320	2847	2622	3715
	VII.—NORTH MIDLAND.							
28	LEICESTERSHIRE	535,346	243,648	5003	1401	1268	1032	1302
29	RUTLANDSHIRE	107,728	23,479	386	96	99	94	97
30	LINCOLNSHIRE	1,739,312	404,143	7292	2059	1890	1586	1757
31	NOTTINGHAMSHIRE	599,791	323,784	6716	1898	1668	1413	1737
32	DERBYSHIRE	558,620	293,874	5927	1619	1608	1203	1497
	VIII.—NORTH WESTERN.							
33	CHESHIRE	680,836	470,174	10682	2954	2615	2256	2857
34	LANCASHIRE	1,319,391	2,465,366	64415	18650	15409	13035	17321
	IX.—YORK.							
35	WEST RIDING	1,706,430	1,530,007	36745	9782	9143	7853	9967
36	EAST RIDING (*with York*)	717,144	274,425	6224	1590	1612	1355	1667
37	NORTH RIDING	1,231,062	211,109	4388	1165	1066	953	1204
	X.—NORTHERN.							
38	DURHAM	754,183	542,125	12471	3315	3087	2661	3408
39	NORTHUMBERLAND	1,249,299	343,025	7950	2115	2124	1642	2069
40	CUMBERLAND	1,001,273	205,276	4646	1394	1258	924	1070
41	WESTMORLAND	487,567	60,946	1279	358	346	231	344
	XI.—WELSH.							
42	MONMOUTHSHIRE	432,906	196,977	4190	1303	1133	795	959
43	SOUTH WALES	2,816,599	699,722	14221	4149	3893	2917	3262
44	NORTH WALES	1,969,083	416,135	9145	2628	2494	1880	2143

March 31st, June 30th, September 30th, and December 31st, 1862—*continued.*

MALES. Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.	MALES. TOTAL.	FEMALES. TOTAL.	FEMALES. Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.	DIVISIONS AND REGISTRATION COUNTIES.
										V.—SOUTH WESTERN.
642	585	456	578	2261	2103	612	520	430	541	WILTSHIRE.
451	369	333	409	1562	1658	472	402	338	446	DORSETSHIRE.
1612	1518	1223	1419	5772	5598	1474	1439	1220	1465	DEVONSHIRE.
1004	953	736	985	3678	3660	1011	978	724	947	CORNWALL.
1183	979	823	997	3982	4158	1240	1056	848	1014	SOMERSETSHIRE.
										VI.—WEST MIDLAND.
1347	1014	841	1122	4324	4367	1291	1037	820	1219	GLOUCESTERSHIRE.
272	266	223	223	984	950	280	230	218	222	HEREFORDSHIRE.
751	647	521	588	2507	2504	756	619	520	609	SHROPSHIRE.
2762	2346	1970	2699	9777	8714	2515	2048	1756	2395	STAFFORDSHIRE.
800	751	583	766	2900	2686	773	651	543	719	WORCESTERSHIRE.
1722	1456	1341	1854	6373	6131	1598	1391	1281	1861	WARWICKSHIRE.
										VII.—NORTH MIDLAND.
717	636	533	642	2528	2475	684	632	499	660	LEICESTERSHIRE.
47	46	51	48	192	194	49	53	43	49	RUTLANDSHIRE
1063	985	820	875	3743	3549	996	905	766	882	LINCOLNSHIRE.
954	795	733	840	3322	3394	944	873	680	897	NOTTINGHAMSHIRE.
836	829	618	779	3062	2865	783	779	585	718	DERBYSHIRE.
										VIII.—NORTH WESTERN.
1494	1357	1123	1515	5489	5193	1460	1258	1133	1342	CHESHIRE.
9498	7946	6641	8848	32933	31482	9152	7463	6394	8473	LANCASHIRE.
										IX.—YORK.
5094	4699	3983	4987	18763	17982	4688	4444	3870	4980	WEST RIDING.
806	831	693	836	3166	3058	784	781	662	831	EAST RIDING (*with York*).
592	515	491	633	2231	2157	573	551	462	571	NORTH RIDING.
										X.—NORTHERN.
1685	1525	1418	1725	6353	6118	1630	1562	1243	1683	DURHAM.
1124	1167	860	1041	4192	3758	991	957	782	1028	NORTHUMBERLAND.
713	648	434	544	2339	2307	681	610	490	526	CUMBERLAND.
180	186	105	173	644	635	178	160	126	171	WESTMORLAND.
										XI.—WELSH.
697	602	390	504	2193	1997	606	531	405	455	MONMOUTHSHIRE.
2192	2010	1496	1670	7368	6853	1957	1883	1421	1592	SOUTH WALES.
1305	1237	937	1066	4545	4600	1323	1257	943	1077	NORTH WALES

ENGLAND.—DEATHS at different Ages Registered in the Year 1862—in the DIVISIONS and REGISTRATION COUNTIES.

No.	DIVISIONS AND REGISTRATION COUNTIES.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.*
	ENGLAND † -	363,534	222,622	56,960	19,492	9611	5976	3990	96,029	9,154	4760	6037	7170	13,078	14,299	15,571	17,939	19,609	15,067	3746	163*
No.	DIVISIONS.																				
I.	LONDON † - - - -	49382	34288	7762	3627	1886	1177	720	15172	1456	553	671	1058	2214	2824	2956	3037	2532	1479	322	14
II.	SOUTH EASTERN -	30321	17524	3865	1215	575	382	264	6301	669	378	470	668	1237	1277	1249	1525	1762	1534	432	22
III.	SOUTH MIDLAND -	22250	12469	3226	908	439	270	175	5018	473	267	283	361	670	736	842	1039	1342	1131	291	16
IV.	EASTERN - - - -	19134	11158	2785	681	371	263	184	4284	514	276	313	363	579	609	673	896	1223	1078	336	14
V.	SOUTH WESTERN -	30490	17255	4077	1200	604	364	243	6458	582	372	469	536	981	993	1090	1455	1981	1842	449	17
VI.	WEST MIDLAND - -	45326	26865	7390	2520	1236	737	490	12373	994	535	609	725	1422	1599	1825	2160	2342	1839	422	20
VII.	NORTH MIDLAND -	23269	12847	3605	883	406	269	194	5357	446	261	376	397	660	678	789	1065	1393	1135	284	6
VIII.	NORTH WESTERN -	58382	38422	10649	4112	1977	1226	842	18806	1729	788	1088	1190	2202	2515	2769	2827	2617	1591	290	10
IX.	YORK - - - - -	38817	24160	6877	2042	962	561	386	10828	1019	579	762	783	1345	1413	1604	1914	2100	1473	335	5
X.	NORTHERN - - -	23233	13528	3547	1241	596	394	267	6045	663	356	416	458	836	798	848	997	1044	831	224	12
XI.	WELSH - - - -	22930	14106	3177	1063	559	333	225	5357	609	395	580	631	932	857	926	1024	1273	1134	361	27
	I.—LONDON.																				
	MIDDLESEX (*part of*)	34994	25069	5619	2733	1407	873	516	11148	1069	400	464	729	1600	2079	2165	2291	1882	1021	213	8
	SURREY (*part of*) - -	10757	6885	1642	714	389	228	160	3133	289	121	144	222	424	562	617	578	464	266	59	6
	KENT (*part of*) - - -	3651	2334	501	180	90	76	44	891	98	32	63	107	190	183	174	168	186	192	50	–
	II.—SOUTH EASTERN.																				
1	**SURREY** (*extra-metrop.*)	4416	2428	528	141	77	51	40	837	108	57	40	101	175	175	179	233	252	212	55	4
2	**KENT** (*extra-metropolitan*)	9249	5156	1138	348	178	113	79	1856	194	119	150	212	390	395	347	419	540	414	113	7
3	**SUSSEX** - - - -	5785	3448	787	255	106	65	53	1266	120	70	111	119	238	216	254	302	338	317	94	3
4	**HAMPSHIRE** - - -	7462	4536	968	344	158	125	69	1664	179	89	119	175	324	338	332	389	414	393	116	4
5	**BERKSHIRE** - - -	3409	1956	444	127	56	28	23	678	68	43	50	61	110	153	137	182	218	198	54	4
	III.—SOUTH MIDLAND.																				
6	**MIDDLESEX** (*ex.-met.*)	2953	1924	388	140	69	40	27	664	78	41	41	58	136	166	187	187	178	152	34	2
7	**HERTFORDSHIRE** -	2955	1626	379	137	66	48	20	650	66	27	26	44	76	102	119	139	180	166	30	1
8	**BUCKINGHAMSHIR**	2522	1403	361	96	61	41	21	580	53	25	32	42	54	78	71	117	171	187	39	4
9	**OXFORDSHIRE** - -	2971	1551	381	102	42	31	17	573	50	28	29	38	89	81	110	138	196	171	46	2
10	**NORTHAMPTONSH**	4318	2241	695	171	73	32	24	995	70	47	51	68	118	105	124	177	246	191	48	1
11	**HUNTINGDONSHIR**	1069	580	151	36	19	14	9	229	27	15	22	18	23	37	48	38	53	50	18	2
12	**BEDFORDSHIRE** -	2491	1299	422	91	36	26	22	597	51	26	29	35	70	79	73	94	118	105	22	–
13	**CAMBRIDGESHIRE**	2971	1845	449	135	73	38	35	730	78	58	53	58	104	88	110	149	200	159	54	4
	IV.—EASTERN.																				
14	**ESSEX** - - - - -	6383	3822	877	282	155	119	86	1519	218	99	98	121	207	229	235	298	409	307	77	5
15	**SUFFOLK** - - - -	5575	3052	762	184	96	58	47	1142	116	67	79	91	175	154	184	235	351	351	104	3
16	**NORFOLK** - - - -	7176	4284	1146	215	120	91	51	1623	180	110	136	151	197	226	254	363	463	420	155	6

NOTE.—The Table may be read thus:—Of the 222,622 deaths of Males, 56,960 were those of children under 1 year of age; 19,492 those of the age 1 and under 2 years; 9,154 of the age 5 and under 10 years; 6,037 of the age 15 and under 20 years, and so on.

* This column includes the deaths of 23 males aged 100 years and upwards; namely, 7 aged 100, 3 aged 101, 6 aged 102, 2 aged 103, 2 aged 104, 1 aged 105, 1 aged 106, and 1 aged 109 years.

† The *Causes of Death* in England and in London, in combination with the Ages at Death, are given at pp. 120–135.

ENGLAND.—DEATHS at different Ages Registered in the Year 1862—in the DIVISIONS and REGISTRATION COUNTIES.

No.	DIVISIONS AND REGISTRATION COUNTIES.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES.																	
				AGES AT DEATH.																	
				Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	*95
	ENGLAND	349,150	213,944	44,413	18,167	9763	5972	4169	82,481	8838	4859	5740	7612	14,914	14,364	13,475	16,593	20,787	17,537	5351	39
	DIVISIONS.																				
I.	LONDON	48468	33083	6237	3281	1945	1168	822	13453	1490	561	754	936	2283	2537	2351	2869	3081	2140	580	48
II.	SOUTH EASTERN	29176	16428	2972	1030	632	399	297	5830	724	402	579	675	1213	1152	1049	1305	1835	1592	539	33
III.	SOUTH MIDLAND	21084	12440	2498	816	444	276	207	4241	510	323	457	469	834	789	780	985	1440	1215	366	31
IV.	EASTERN	18218	10847	2153	617	343	237	198	3548	529	332	391	429	719	699	611	774	1151	1186	450	23
V.	SOUTH WESTERN	29127	17177	3197	1096	541	353	260	5447	557	425	585	591	1123	1037	1033	1398	2138	2113	687	43
VI.	WEST MIDLAND	43693	25352	5741	2431	1277	752	473	10374	876	527	704	778	1600	1533	1426	1838	2428	2215	708	45
VII.	NORTH MIDLAND	21857	12477	2740	824	401	240	165	4370	440	307	497	524	958	758	792	975	1319	1189	333	13
VIII.	NORTH WESTERN	56159	36675	8138	3966	1988	1199	800	16091	1550	677	1062	1300	2633	2676	2623	2914	2880	1854	388	27
IX.	YORK	37129	23197	5357	1940	996	555	427	9275	938	599	849	937	1675	1516	1362	1721	2145	1681	417	32
X.	NORTHERN	22242	12818	2874	1136	610	401	268	5289	598	323	358	429	880	771	717	875	1144	1073	337	24
XI.	WELSH	21997	13450	2506	1030	586	392	252	4766	576	383	504	544	996	896	729	939	1226	1279	546	60
	I.—LONDON.																				
	MIDDLESEX (*part of*)	34583	24247	4501	2437	1425	881	592	9836	1075	394	553	696	1718	1871	1759	2146	2236	1537	393	33
	SURREY (*part of*)	10421	6915	1358	643	416	234	187	2838	332	124	158	190	438	511	469	574	660	466	146	9
	KENT (*part of*)	3464	1921	378	201	104	53	43	779	83	43	48	50	127	155	123	149	185	137	41	6
	II.—SOUTH EASTERN.																				
1	SURREY (*extra-metrop.*)	4212	2285	422	142	77	70	40	751	93	60	73	93	179	153	134	195	252	206	86	7
2	KENT (*extra-metropolitan*)	8924	4764	874	296	192	117	95	1574	241	134	178	183	337	307	281	377	491	490	161	10
3	SUSSEX	5500	3307	571	200	128	55	43	997	132	81	132	139	269	257	234	253	374	330	107	2
4	HAMPSHIRE	7239	4158	768	286	167	113	90	1424	184	86	138	177	277	307	270	329	474	378	108	6
5	BERKSHIRE	3301	1914	337	106	68	44	29	584	74	41	58	80	151	128	130	151	244	188	77	8
	III.—SOUTH MIDLAND.																				
6	MIDDLESEX (*ex.-met.*)	2907	1812	333	117	75	44	38	607	89	43	44	58	133	126	130	166	214	148	50	4
7	HERTFORDSHIRE	2802	1573	281	95	68	39	23	506	69	39	49	70	113	96	89	130	189	167	52	4
8	BUCKINGHAMSHIR.	2506	1449	262	105	61	42	30	500	72	42	46	44	97	84	77	114	173	155	42	8
9	OXFORDSHIRE	2738	1669	334	108	52	29	23	546	46	39	63	50	105	112	112	139	205	191	56	5
10	NORTHAMPTONSH.	3888	2186	496	154	58	41	36	785	70	64	84	84	152	152	128	151	252	203	58	3
11	HUNTINGDONSHIR.	939	595	117	38	22	15	8	200	30	17	31	38	30	28	42	39	64	55	20	1
12	BEDFORDSHIRE	2411	1352	320	85	46	36	18	505	50	30	57	60	93	79	85	113	133	112	32	3
13	CAMBRIDGESHIRE	2898	1804	355	114	62	30	31	592	84	49	83	65	111	112	117	133	210	184	56	8
	IV.—EASTERN.																				
14	ESSEX	6157	3500	643	247	146	92	87	1215	183	112	121	129	231	233	191	244	388	338	107	8
15	SUFFOLK	5376	3083	595	168	95	61	35	954	142	91	99	145	208	204	172	211	333	380	137	7
16	NORFOLK	6685	4264	915	202	102	84	76	1379	204	129	171	155	280	262	248	319	430	468	206	13

* This column includes the deaths of 52 females aged 100 years and upwards; namely, 24 aged 100, 5 aged 101, 10 aged 102, 2 aged 103, 5 aged 104, 2 aged 105, 2 aged 106, 1 aged 108, and 1 aged 110 years.

ENGLAND.—DEATHS at different Ages Registered in the Year 1862—in the DIVISIONS and REGISTRATION COUNTIES—*continued.*

No.	DIVISIONS AND REGISTRATION COUNTIES.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES.																	
				AGES AT DEATH.																	
				Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	V.—SOUTH WESTERN.																				
17	WILTSHIRE	4000	2261	530	147	69	41	28	815	71	57	56	65	130	126	126	180	290	283	59	3
18	DORSETSHIRE	2933	1562	400	118	59	20	19	616	48	41	38	47	91	76	98	115	172	174	46	–
19	DEVONSHIRE	9669	5772	1280	445	214	133	97	2169	216	110	153	182	337	340	367	474	699	579	140	6
20	CORNWALL	6538	3678	982	309	140	85	54	1570	133	75	131	125	197	191	220	294	345	315	79	3
21	SOMERSETSHIRE	7350	3982	885	181	122	85	45	1318	114	89	91	117	226	260	279	392	475	491	125	5
	VI.—WEST MIDLAND.																				
22	GLOUCESTERSHIRE	7475	4324	1066	311	151	90	51	1669	151	87	111	124	254	291	303	402	443	399	86	4
23	HEREFORDSHIRE	1654	984	211	49	31	12	18	321	30	23	21	18	50	57	86	93	131	122	31	1
24	SHROPSHIRE	4350	2507	588	137	67	49	36	877	105	72	60	81	142	147	169	237	293	258	62	4
25	STAFFORDSHIRE	15755	9777	3000	1115	551	309	198	5173	378	190	203	249	481	566	602	656	691	474	113	1
26	WORCESTERSHIRE	5313	2900	801	193	112	75	47	1228	84	46	69	84	145	169	230	258	286	210	48	7
27	WARWICKSHIRE	10779	6373	1724	715	324	202	140	3105	246	117	145	169	350	369	435	514	498	340	82	3
	VII.—NORTH MIDLAND.																				
28	LEICESTERSHIRE	4557	2528	775	190	82	48	28	1123	67	53	70	68	116	121	141	215	270	226	58	–
29	RUTLANDSHIRE	352	192	42	6	4	2	2	56	5	7	8	5	9	7	14	21	26	28	6	–
30	LINCOLNSHIRE	6842	3743	982	224	104	80	61	1451	159	82	114	118	208	205	209	296	452	342	104	3
31	NOTTINGHAMSHIRE	5899	3322	951	243	122	75	52	1443	112	63	96	114	161	170	212	230	356	294	68	3
32	DERBYSHIRE	5619	3062	855	220	94	64	51	1284	103	56	88	92	166	175	213	303	289	245	48	–
	VIII.—NORTH WESTERN.																				
33	CHESHIRE	8966	5489	1456	457	246	175	108	2442	242	116	154	184	307	347	398	420	511	299	69	–
34	LANCASHIRE	49116	32938	9193	3655	1731	1051	734	16364	1487	672	934	1006	1895	2168	2371	2407	2106	1292	221	10
	IX.—YORK.																				
35	WEST RIDING	30085	18763	5498	1713	757	429	304	8701	766	459	590	596	1017	1119	1241	1490	1576	999	205	4
36	EAST RIDING (*with York*)	5043	3166	859	201	126	69	47	1302	131	63	111	114	206	174	221	262	268	246	68	–
37	NORTH RIDING	3689	2231	520	128	79	63	35	825	122	57	61	73	122	120	142	162	256	228	62	1
	X.—NORTHERN.																				
38	DURHAM	12068	6353	1920	686	322	210	138	3276	336	155	168	222	305	369	343	410	399	296	70	4
39	NORTHUMBERLAND	6608	4192	986	354	167	119	78	1704	184	125	163	145	328	262	297	323	327	258	75	1
40	CUMBERLAND	3604	2339	525	164	85	48	41	863	115	61	67	68	163	129	170	211	230	196	60	6
41	WESTMORLAND	958	644	116	37	22	17	10	202	28	15	18	23	40	38	38	53	88	81	19	1
	XI.—WELSH.																				
42	MONMOUTHSHIRE	3613	2198	548	203	111	56	45	963	74	70	64	83	106	133	146	166	196	151	37	4
43	SOUTH WALES	12631	7368	1624	593	291	177	113	2798	295	217	325	339	519	484	470	550	591	568	194	18
44	NORTH WALES	6686	4545	1005	267	157	100	67	1596	240	108	191	209	307	240	310	308	486	415	180	5

ENGLAND.—DEATHS at different Ages Registered in the Year 1862—in the DIVISIONS and REGISTRATION COUNTIES—*continued.*

No.	DIVISIONS AND REGISTRATION COUNTIES.	FEMALES.																			
		TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																	
				Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	IV.—SOUTH WESTERN.																				
17	WILTSHIRE - - -	3845	2103	341	119	55	43	31	589	72	46	64	71	154	157	116	187	304	265	77	1
18	DORSETSHIRE - -	2936	1658	297	112	63	30	31	533	52	34	55	54	119	114	113	129	185	203	62	5
19	DEVONSHIRE - - -	9085	5598	967	395	195	123	97	1777	194	137	185	174	376	322	349	468	702	668	230	16
20	CORNWALL - - - -	6153	3660	820	266	139	80	45	1350	130	96	142	148	195	188	171	258	418	429	124	11
21	SOMERSETSHIRE -	7108	4158	772	204	89	77	56	1198	109	112	139	144	279	256	284	356	529	548	194	10
	VI.—WEST MIDLAND.																				
22	GLOUCESTERSHIRE -	7194	4367	780	308	173	87	64	1412	113	103	124	150	270	301	299	402	501	507	173	12
23	HEREFORDSHIRE -	1601	950	175	47	24	20	9	275	22	16	32	24	51	66	78	77	112	135	56	6
24	SHROPSHIRE - - -	4231	2504	503	136	65	51	44	799	101	58	75	80	167	154	160	191	295	307	107	7
25	STAFFORDSHIRE - -	15166	8714	2288	1105	554	326	177	4450	321	167	227	239	527	478	402	523	673	537	161	9
26	WORCESTERSHIRE -	5169	2686	594	209	96	63	44	1006	87	51	79	105	174	175	154	217	270	265	98	5
27	WARWICKSHIRE - -	10332	6131	1401	626	365	205	135	2732	229	132	167	180	411	359	333	428	577	464	113	6
	VII.—NORTH MIDLAND.																				
28	LEICESTERSHIRE -	4224	2475	565	163	61	34	13	841	66	65	90	89	196	161	150	215	284	254	62	2
29	RUTLANDSHIRE - -	363	194	34	9	7	2	6	58	5	7	4	7	19	14	15	22	12	25	5	1
30	LINCOLNSHIRE - -	6454	3549	744	211	115	78	57	1205	179	90	137	142	252	212	207	268	368	363	123	3
31	NOTTINGHAMSHIRE	5687	3394	779	274	114	64	38	1269	101	85	137	165	257	200	220	236	335	306	77	6
32	DERBYSHIRE - - -	5129	2865	618	167	104	62	46	997	89	60	129	121	234	171	200	234	320	241	66	3
	VIII.—NORTH WESTERN.																				
33	CHESHIRE - - - -	8506	5193	1049	424	234	138	107	1952	219	119	157	186	387	381	337	418	550	389	88	10
34	LANCASHIRE - - -	47653	31482	7089	3542	1754	1061	693	14139	1331	558	905	1114	2246	2295	2286	2496	2330	1465	300	17
	IX.—YORK.																				
35	WEST RIDING - - -	28897	17982	4236	1637	808	450	332	7463	745	468	678	753	1324	1179	1033	1334	1600	1142	247	16
36	EAST RIDING (*with York*)	4745	3058	696	191	119	67	57	1130	126	71	106	107	216	209	215	218	302	270	78	10
37	NORTH RIDING - -	3487	2157	425	112	69	38	38	682	117	60	65	77	135	128	114	169	243	269	92	6
	X.—NORTHERN.																				
38	DURHAM - - - -	11514	6118	1566	603	327	212	150	2858	313	140	150	180	427	347	331	361	461	404	135	11
39	NORTHUMBERLAND -	6328	3758	748	341	174	108	73	1444	176	91	111	133	254	232	215	280	367	343	105	7
40	CUMBERLAND - -	3173	2307	443	158	90	66	39	796	90	78	73	91	156	153	131	182	237	240	77	3
41	WESTMORLAND - -	927	635	117	34	19	15	6	191	19	14	24	25	43	39	40	52	79	86	20	3
	XI.—WELSH.																				
42	MONMOUTHSHIRE -	3427	1997	436	198	116	74	31	855	90	48	60	74	114	126	131	132	161	145	53	8
43	SOUTH WALES - -	12296	6853	1319	506	289	206	120	2140	267	200	274	276	549	450	353	473	627	623	282	39
44	NORTH WALES - -	6274	4600	751	326	181	112	101	1471	219	135	170	194	333	320	245	334	438	511	211	19

I.—LONDON.—DEATHS at different Ages Registered in the Year 1862—in DISTRICTS.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES.																	
				AGES AT DEATH.																	
				Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	MIDDLESEX (*part of*).																				
1	KENSINGTON	2980	2055	476	192	104	73	50	895	104	33	50	79	132	164	151	170	160	97	19	1
2	CHELSEA	1103	807	185	66	36	30	17	334	33	12	7	14	40	67	53	68	97	71	16	–
3	ST. GEORGE HANOVER SQUARE	1235	1032	202	92	46	21	16	377	41	19	17	31	93	101	133	120	65	29	5	1
4	WESTMINSTER	1117	923	205	86	40	21	14	366	30	12	16	32	69	94	98	99	71	32	4	–
5	ST. MARTIN-IN-THE-FIELDS	277	293	46	27	10	7	5	95	14	6	5	7	25	37	33	39	22	9	1	–
6	ST. JAMES WESTMINSTER	498	375	77	39	22	8	13	159	12	3	6	6	26	38	27	37	35	20	6	–
7	MARYLEBONE	2539	1852	437	196	112	65	32	842	83	25	33	50	99	121	150	189	167	71	22	–
8	HAMPSTEAD	243	155	46	9	11	2	2	70	3	3	5	3	10	7	10	17	20	6	1	–
9	PANCRAS	3414	2278	502	247	124	96	51	1020	92	41	36	62	137	186	183	215	169	111	26	–
10	ISLINGTON	2798	1703	406	162	78	61	33	740	75	28	47	74	110	142	156	147	108	63	12	1
11	HACKNEY	1351	852	171	84	31	28	22	336	32	15	13	32	72	71	68	86	79	41	7	–
12	ST. GILES	894	765	187	80	42	28	14	351	23	10	9	18	43	60	75	73	67	33	3	–
13	STRAND	650	553	122	55	29	16	10	232	14	10	10	20	32	55	66	69	29	15	1	–
14	HOLBORN	683	644	130	62	43	28	12	275	50	11	7	20	31	43	58	62	51	32	4	–
15	CLERKENWELL	1165	822	178	104	50	19	22	373	36	15	12	28	45	67	64	67	70	37	7	1
16	ST. LUKE	1260	699	199	111	48	24	15	397	40	8	6	11	32	42	61	47	37	13	5	–
17	EAST LONDON	705	469	115	69	38	18	8	248	22	9	5	5	24	35	40	32	32	15	2	–
18	WEST LONDON	375	723	88	43	33	22	12	198	21	13	25	24	96	105	94	72	52	20	3	–
19	LONDON CITY	501	393	80	47	22	13	5	167	10	5	9	9	21	37	37	45	34	17	1	1
20	SHOREDITCH	2730	1683	411	227	112	55	37	842	57	18	28	39	81	124	136	154	123	69	12	–
21	BETHNAL GREEN	2101	1266	302	192	97	69	33	693	72	19	22	24	60	80	77	98	79	32	10	–
22	WHITECHAPEL	1421	1366	260	126	92	55	27	560	58	19	21	45	97	151	149	138	71	45	12	–
23	ST. GEORGE-IN-THE-EAST	913	658	163	72	42	20	15	312	21	5	11	15	44	64	47	47	55	30	7	–
24a	STEPNEY	937	769	145	105	49	31	17	347	39	29	16	26	56	51	52	61	59	30	3	–
24b	MILE END OLD TOWN	1423	897	230	108	45	27	18	428	41	14	17	22	59	62	69	75	56	37	15	2
25	POPLAR	1681	1037	256	132	51	36	16	491	46	18	31	33	66	75	78	69	74	46	9	1
	SURREY (*part of*).																				
26	ST. SAVIOUR SOUTHWARK	631	438	118	59	42	15	11	245	15	5	9	9	19	27	27	39	23	19	–	1
27	ST. OLAVE SOUTHWARK	305	646	51	27	7	14	9	108	20	23	31	53	99	114	87	74	29	6	2	–
28	BERMONDSEY	1264	692	197	99	43	26	16	381	25	10	10	25	45	42	49	49	89	14	3	–
29	ST. GEORGE SOUTHWARK	1111	769	198	85	43	27	12	365	26	16	10	16	35	61	75	75	51	36	3	–
30	NEWINGTON	1545	835	205	76	62	27	22	392	38	13	20	20	50	70	70	64	55	32	11	–
31	LAMBETH	3100	1824	493	214	107	59	48	921	84	22	29	45	90	112	161	145	126	74	12	3
32	WANDSWORTH	1149	670	167	57	30	20	13	287	24	10	15	20	38	46	64	57	60	37	11	1
33	CAMBERWELL	1248	717	160	60	37	22	21	300	42	18	13	20	36	66	58	51	62	35	15	1
34	ROTHERHITHE	404	294	53	37	18	18	8	134	15	4	7	14	12	24	26	24	19	13	2	–
	KENT (*part of*).																				
35	GREENWICH	2367	1766	352	126	68	55	29	630	63	22	52	90	158	136	141	127	142	168	37	–
36	LEWISHAM	1264	568	149	54	22	21	15	261	35	10	11	17	32	47	33	41	44	24	13	–

II.—SOUTH EASTERN COUNTIES.

No.	Districts	Total Births	Total Deaths	Under 1 Year	1	2	3	4	Under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	1.—SURREY (*extra-metropol.*)																				
37	EPSOM	814	202	35	8	2	3	9	57	25	5	3	3	14	9	16	25	28	12	5	–
38	CHERTSEY	281	146	31	6	3	2	2	44	1	3	3	7	13	13	8	13	19	15	7	–
39	GUILDFORD	465	269	54	13	6	3	4	80	8	4	4	14	21	23	20	25	31	34	5	–
40	FARNHAM	626	309	89	28	11	9	3	140	8	6	1	20	33	30	21	20	17	12	–	1
41	FARNBOROUGH	157	111	25	4	2	1	1	33	4	3	3	6	11	5	8	13	13	9	2	1*
42	HAMBLEDON	231	96	21	4	3	2	3	33	6	4	2	1	5	4	3	8	10	16	4	–
43	DORKING	178	89	18	2	3	1	–	24	3	2	1	2	8	6	3	10	18	10	2	–
44	REIGATE	325	177	36	7	5	6	5	59	10	10	7	7	9	10	12	9	22	15	7	–
45	GODSTONE	167	74	17	1	1	5	1	25	3	1	1	4	3	2	4	11	14	5	1	–
46	CROYDON	815	453	101	25	20	9	3	158	24	8	9	16	31	31	36	56	39	34	10	1
47	KINGSTON	594	337	67	32	12	7	9	127	9	5	4	14	19	25	32	24	29	40	9	–
48	RICHMOND	263	165	34	11	9	3	–	57	7	6	2	7	8	17	16	19	12	10	3	1
	2.—KENT (*extra-metropolitan*).																				
49	BROMLEY	298	184	31	14	6	3	5	59	9	4	9	3	7	14	19	15	23	17	5	–
50	DARTFORD	548	303	62	20	6	8	5	101	11	6	14	15	26	27	24	27	31	17	4	–
51	GRAVESEND	315	255	41	14	12	12	6	85	13	2	5	11	26	27	20	19	25	17	5	–
52	NORTH AYLESFORD	355	215	47	21	7	6	5	86	4	8	4	12	12	18	10	26	22	11	2	–
53	HOO	62	46	11	–	1	–	-	12	2	2	–	3	5	4	5	7	6	–	–	–
54	MEDWAY	864	579	123	44	28	10	10	215	20	9	13	45	79	52	35	31	48	25	7	–
55	MALLING	386	192	44	14	5	6	3	72	4	5	5	8	12	8	14	20	23	16	5	–
56	SEVENOAKS	367	190	31	12	5	4	4	56	8	4	5	6	11	16	9	16	27	22	8	2†
57	TUNBRIDGE	611	322	78	28	10	6	5	127	14	6	2	10	10	16	31	31	35	34	5	1
58	MAIDSTONE	628	408	78	22	15	6	5	126	13	10	11	13	37	39	29	52	44	26	8	–
59	HOLLINGBOURN	223	111	26	7	2	4	–	39	6	3	4	4	7	6	5	4	14	16	3	–
60	CRANBROOK	238	114	30	12	2	–	1	45	1	3	5	2	8	5	4	5	16	14	6	–
61	TENTERDEN	160	67	18	1	5	2	1	27	2	3	4	1	4	3	2	7	8	9	2	–
62	WEST ASHFORD	263	133	33	11	6	8	1	59	6	6	7	3	6	8	6	11	11	7	3	–
63	EAST ASHFORD	205	106	26	7	1	2	1	37	5	–	3	5	8	5	1	12	10	17	3	–
64	BRIDGE	176	72	15	2	3	1	1	22	4	2	1	2	4	8	4	3	17	8	2	–
65	CANTERBURY	222	175	39	7	7	4	1	58	7	5	3	11	12	20	11	10	18	17	2	1
66	BLEAN	297	136	38	9	6	3	3	59	6	3	2	3	9	8	6	10	15	10	4	1
67	FAVERSHAM	371	180	42	11	4	3	2	62	5	7	7	3	7	12	17	14	23	18	5	–
68	MILTON	314	149	51	10	4	3	3	71	4	9	3	6	3	12	8	4	15	11	3	–
69	SHEPPEY	399	156	48	12	6	6	2	74	8	2	2	7	15	6	9	12	8	10	3	–
70	THANET	471	292	60	18	13	3	4	98	8	7	14	11	26	22	26	30	20	19	9	2‡
71	EASTRY	436	225	44	14	4	3	1	66	6	3	11	8	18	15	15	17	28	31	7	–
72	DOVER	504	288	78	21	7	6	5	117	12	5	4	9	20	23	21	20	30	19	8	–
73	ELHAM	424	205	35	14	7	4	4	64	14	5	8	8	16	15	14	12	24	22	3	–
74	ROMNEY MARSH	112	53	9	3	6	–	1	19	2	–	4	3	2	6	2	4	4	6	1	–

* Aged 100. † One aged 100. ‡ One aged 101.

I.—LONDON.—DEATHS at different Ages Registered in the Year 1862—in DISTRICTS.

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	MIDDLESEX (*part of*).																				
1	Kensington	2950	2042	348	178	93	71	45	735	106	33	53	66	162	142	163	192	200	154	35	1
2	Chelsea	1033	747	128	50	35	18	14	245	30	16	18	22	43	56	50	75	96	66	26	4
3	St. George Hanover Square	1185	901	154	60	46	29	30	319	33	15	23	32	74	76	81	97	86	43	20	2
4	Westminster	1111	781	169	70	33	19	9	300	27	15	28	24	69	62	65	66	66	47	11	1
5	St. Martin-in-the-Fields	301	274	45	25	12	11	4	97	12	5	4	5	20	24	30	24	33	17	2	1
6	St. James Westminster	511	356	70	35	22	21	14	162	21	2	2	7	22	28	24	30	30	23	5	–
7	Marylebone	2598	2020	374	165	98	72	48	757	75	25	45	55	141	157	155	211	202	155	37	5*
8	Hampstead	254	153	24	5	9	7	7	52	11	6	1	1	8	10	13	22	16	10	3	–
9	Pancras	3387	2258	393	224	119	76	72	884	93	24	53	63	172	183	173	187	222	176	27	1
10	Islington	2821	1793	333	143	82	52	34	644	78	36	49	66	142	177	144	162	159	109	27	–
11	Hackney	1433	901	130	61	34	27	19	271	32	18	25	22	60	64	65	92	132	86	33	1
12	St. Giles	843	733	144	71	56	29	11	311	30	10	8	16	52	74	62	71	52	37	8	2†
13	Strand	664	456	84	39	19	12	7	161	15	14	12	16	39	41	45	56	33	22	2	–
14	Holborn	730	568	113	47	46	23	20	249	24	6	13	14	31	46	43	46	58	31	7	–
15	Clerkenwell	1114	759	135	113	52	28	19	347	37	10	16	19	52	50	32	60	70	53	12	1
16	St. Luke	1277	679	159	97	55	26	15	352	33	9	8	14	35	50	24	58	59	25	11	1
17	East London	612	493	107	66	35	26	12	246	29	3	10	8	29	32	39	37	29	23	8	–
18	West London	349	553	54	32	26	15	12	139	26	13	24	36	54	64	56	59	41	37	4	–
19	London City	508	361	51	36	17	7	10	121	19	4	3	16	22	27	31	32	53	24	9	–
20	Shoreditch	2539	1644	334	211	119	61	33	758	67	24	36	35	105	111	106	132	146	99	22	3
21	Bethnal Green	2042	1289	247	183	104	64	39	637	66	24	24	45	83	75	76	98	79	64	16	2
22	Whitechapel	1422	1208	241	163	86	50	30	570	51	22	17	35	90	102	85	95	76	49	15	1
23	St. George-in-the-East	955	675	154	79	38	28	14	313	31	7	10	14	39	38	47	56	71	38	9	2‡
24*a*	Stepney	914	640	111	69	47	22	23	272	32	14	20	21	41	58	38	51	47	38	7	1
24*b*	Mile End Old Town	1415	947	179	105	67	46	22	419	44	15	25	25	69	55	50	71	91	60	20	3
25	Poplar	1615	1016	220	110	75	41	29	475	53	24	26	19	64	69	62	66	89	51	17	1
	SURREY (*part of*).																				
26	St. Saviour Southwark	599	482	96	45	39	12	16	208	18	2	16	12	33	41	27	45	52	20	7	1§
27	St. Olave Southwark	287	403	56	25	19	8	9	117	13	6	32	17	53	48	37	39	25	20	1	–
28	Bermondsey	1225	673	144	79	46	25	21	315	35	7	12	27	29	53	38	52	58	37	10	–
29	St. George Southwark	1025	688	138	68	43	32	17	298	25	4	14	22	44	64	50	58	52	40	16	1
30	Newington	1430	898	173	71	47	26	16	333	54	17	17	23	63	64	68	79	96	70	13	1
31	Lambeth	2982	1949	397	202	123	70	61	853	110	49	35	58	100	124	127	141	178	130	44	5
32	Wandsworth	1149	706	131	57	40	20	15	263	23	14	10	14	51	41	54	68	72	68	27	1
33	Camberwell	1259	850	159	65	43	24	22	313	38	24	18	19	57	64	55	74	105	60	23	–
34	Rotherhithe	465	266	64	31	16	17	10	138	16	1	4	3	8	17	13	18	22	21	5	–
	KENT (*part of*).																				
35	Greenwich	2245	1363	278	129	76	40	34	557	61	28	30	32	81	101	88	104	142	109	24	6‖
36	Lewisham	1219	558	100	72	28	13	9	222	22	15	13	18	46	54	35	45	43	28	17	–

II.—SOUTH EASTERN COUNTIES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	1.—SURREY (*extra-metropol.*)																				
37	Epsom	322	202	29	5	3	4	7	48	20	6	4	11	12	19	15	10	20	26	9	2
38	Chertsey	282	132	22	4	4	1	1	32	6	1	5	6	5	11	7	10	25	15	8	1
39	Guildford	440	252	39	14	5	9	6	73	5	3	7	17	16	20	13	20	37	30	11	–
40	Farnham	487	264	70	29	13	12	6	130	8	2	9	16	24	16	13	11	21	9	4	1
41	Farnborough	191	96	22	6	3	2	1	34	4	4	1	3	7	6	7	13	9	5	3	–
42	Hambledon	211	111	20	3	–	5	1	29	3	3	7	6	9	5	7	17	8	10	7	–
43	Dorking	184	73	10	7	1	1	–	19	7	2	5	3	6	7	3	2	10	8	1	–
44	Reigate	358	172	22	12	7	6	1	48	6	16	10	8	20	16	11	14	10	8	5	–
45	Godstone	153	63	15	2	3	3	–	23	6	6	2	1	2	1	2	3	6	7	4	–
46	Croydon	790	434	85	28	16	14	10	153	15	9	9	11	36	25	18	52	52	35	17	2
47	Kingston	513	313	52	24	15	11	4	106	10	7	14	10	24	19	26	27	31	30	9	–
48	Richmond	281	173	36	8	7	2	3	56	3	1	–	4	18	8	12	16	23	23	8	1¶
	2.—KENT (*extra-metropolitan*).																				
49	Bromley	352	171	20	8	7	6	5	46	11	6	8	6	10	9	14	13	19	19	10	–
50	Dartford	566	249	60	10	12	5	3	90	17	5	11	5	16	20	11	19	29	18	7	1
51	Gravesend	290	211	33	23	9	7	7	79	18	6	6	6	10	9	15	18	17	18	8	1**
52	North Aylesford	379	181	44	13	7	3	6	73	15	4	7	11	6	14	8	9	16	15	3	–
53	Hoo	72	32	10	2	1	–	1	14	1	–	2	1	4	–	1	2	4	2	1	–
54	Medway	962	501	107	40	27	16	14	204	19	15	12	20	38	28	24	42	39	45	15	–
55	Malling	361	157	37	13	5	3	–	58	10	8	10	6	11	9	7	9	13	11	5	–
56	Sevenoaks	340	172	24	5	8	1	4	42	9	8	11	7	13	19	12	11	14	20	5	1
57	Tunbridge	512	338	44	18	11	7	6	86	18	12	17	11	30	26	23	34	34	38	9	–
58	Maidstone	570	385	68	24	13	11	7	123	19	6	17	17	20	27	27	32	39	45	13	–
59	Hollingbourn	211	95	13	6	3	4	1	27	4	3	4	3	6	5	3	9	15	13	3	–
60	Cranbrook	202	117	23	8	4	1	3	39	3	3	4	7	11	7	8	6	12	12	4	1
61	Tenterden	156	99	16	7	4	2	2	31	8	3	3	5	6	6	8	2	15	8	3	1
62	West Ashford	256	140	21	9	4	3	1	38	4	2	4	9	10	7	9	15	16	19	6	1
63	East Ashford	217	88	12	8	4	1	–	25	3	5	3	3	7	6	6	12	6	8	4	–
64	Bridge	172	89	22	1	1	–	1	25	4	3	2	4	7	4	9	1	10	15	5	–
65	Canterbury	245	186	27	9	10	3	4	53	8	6	5	9	14	13	11	9	27	25	5	1
66	Blean	293	135	18	7	6	10	3	44	5	1	7	4	9	8	5	15	13	18	6	–
67	Faversham	313	140	35	10	4	5	1	55	8	5	4	5	11	9	6	12	15	8	2	–
68	Milton	323	119	27	8	3	2	–	40	6	6	4	5	12	10	5	9	9	9	4	–
69	Sheppey	345	122	28	8	8	4	6	54	3	1	1	3	10	9	5	9	12	12	3	–
70	Thanet	404	296	40	18	8	7	5	78	13	10	17	9	22	15	21	23	40	36	12	–
71	Eastry	404	211	37	10	9	6	4	66	8	3	3	11	15	8	12	22	22	28	11	2
72	Dover	505	281	61	14	10	5	2	92	13	7	9	8	21	24	19	24	30	27	6	1
73	Elham	383	210	35	15	12	4	8	77	13	5	6	6	11	13	10	16	22	18	10	–
74	Romney Marsh	91	39	9	2	2	1	1	15	1	1	1	2	4	2	2	4	3	3	1	–

* One aged 100. † One aged 104. ‡ One aged 102. § Aged 100. ‖ One aged 100 and one aged 102. ¶ Aged 103. ** Aged 105.

II.—SOUTH EASTERN COUNTIES.—DEATHS at different Ages, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	MALES. TOTAL DEATHS.	Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	3.—SUSSEX.																				
75	RYE	169	102	23	5	4	3	3	38	1	–	4	4	6	3	7	11	13	11	4	–
76	HASTINGS	439	256	60	24	10	5	3	102	7	5	12	11	22	23	21	14	18	13	8	–
77	BATTLE	199	109	22	5	6	7	2	42	3	1	1	5	6	3	1	7	18	15	7	–
78	EASTBOURNE	188	94	22	8	3	–	1	34	4	4	2	4	6	5	3	8	10	12	2	–
79	HAILSHAM	202	107	16	7	3	2	2	30	9	4	5	2	4	6	5	8	13	12	8	1
80	TICEHURST	243	138	28	10	5	3	3	49	9	2	7	5	5	5	7	12	10	23	4	–
81	UCKFIELD	289	143	32	10	4	2	1	49	3	2	4	7	11	6	12	8	17	22	2	–
82	EAST GRINSTEAD	219	128	29	5	4	–	2	40	9	3	2	–	8	9	7	12	16	18	4	–
83	CUCKFIELD	269	161	39	12	5	2	4	62	6	3	6	9	12	8	10	12	15	13	5	–
84	LEWES	429	284	49	22	5	1	5	82	11	5	6	12	24	23	22	33	37	22	6	1
85	BRIGHTON	1295	818	234	79	28	26	16	383	18	14	26	20	57	55	62	67	59	50	7	–
86	STEYNING	319	192	59	13	4	3	2	81	4	2	8	7	11	13	16	18	13	14	5	–
87	HORSHAM	255	144	33	10	5	1	1	50	2	8	6	–	14	6	10	12	11	21	4	–
88	PETWORTH	132	77	21	6	2	–	1	30	3	1	–	2	7	4	7	3	11	8	1	–
89	THAKEHAM	127	72	10	10	1	3	1	25	2	3	2	7	2	2	8	5	6	8	2	–
90	WORTHING	263	171	31	8	6	2	2	49	7	3	6	7	12	16	16	21	17	9	8	–
91	WESTHAMPNETT	228	114	17	3	6	1	1	28	6	3	1	5	8	8	11	14	17	10	3	–
92	CHICHESTER	215	158	22	11	3	3	2	41	6	–	6	7	9	16	19	16	15	20	3	–
93	MIDHURST	196	122	32	5	2	–	1	40	8	2	3	3	8	3	5	17	16	9	7	1
94	WESTBOURNE	109	58	8	2	–	1	–	11	2	5	4	2	6	2	5	4	6	7	4	–
	4.—HAMPSHIRE.																				
95	HAVANT	106	76	17	4	2	2	–	25	1	1	1	1	4	10	4	4	11	10	4	–
96	PORTSEA ISLAND	1688	1072	248	102	60	45	27	482	67	26	25	24	67	76	78	79	73	53	22	–
97	ALVERSTOKE	408	327	54	25	14	10	2	105	7	4	17	29	52	39	20	21	14	13	5	1
98	FAREHAM	237	179	33	15	8	3	2	61	4	–	2	6	15	18	14	14	18	20	6	1
99	ISLE OF WIGHT	804	416	79	18	5	5	8	115	9	4	9	22	47	32	31	43	49	45	10	–
100	LYMINGTON	179	89	15	7	5	–	2	29	1	5	2	3	5	6	5	11	8	11	3	–
101	CHRISTCHURCH	134	90	19	7	2	3	1	32	2	2	4	5	6	11	5	7	8	6	2	–
102	RINGWOOD	81	45	6	3	2	4	2	17	2	2	1	–	2	4	1	2	5	7	2	–
103	FORDINGBRIDGE	105	101	20	8	3	4	1	36	9	4	3	3	2	–	7	10	6	14	6	1
104	NEW FOREST	222	117	31	6	5	3	1	46	5	2	3	3	7	5	8	11	10	11	6	–
105	SOUTHAMPTON	780	487	126	45	15	16	3	205	17	6	8	21	31	55	44	35	33	27	5	–
106	SOUTH STONEHAM	412	190	46	16	6	4	1	73	7	4	4	5	6	10	20	17	20	21	3	–
107	ROMSEY	205	103	26	6	2	5	2	41	4	4	4	3	6	5	7	8	9	9	2	1
108	STOCKBRIDGE	111	59	9	2	1	–	–	12	1	1	2	3	4	5	2	5	11	10	3	–
109	WINCHESTER	365	252	41	21	10	4	9	85	13	3	4	13	23	13	24	25	27	16	6	–
110	DROXFORD	167	101	26	6	1	2	–	35	4	1	1	4	5	7	5	8	14	13	4	–
111	CATHERINGTON	89	15	3	2	–	1	–	6	–	–	1	1	–	–	2	1	3	1	–	–
112	PETERSFIELD	139	70	16	5	1	1	1	24	–	–	5	3	2	2	3	8	10	11	2	–
113	ALRESFORD	99	62	15	3	1	2	–	21	2	–	1	3	6	3	3	5	8	9	1	–
114	ALTON	199	110	28	4	2	1	1	36	6	2	6	3	4	9	10	13	8	9	4	–
115	HARTLEY WINTNEY	199	104	15	8	1	2	–	26	6	1	2	3	10	2	9	8	14	16	7	–
116	BASINGSTOKE	287	175	39	6	5	3	3	56	8	4	4	1	8	11	16	23	21	17	6	–
117	WHITCHURCH	90	48	9	7	1	–	–	17	–	1	–	2	2	4	1	5	6	6	4	–
118	ANDOVER	277	164	26	13	4	3	2	48	2	8	6	7	5	4	9	23	21	28	3	–
119	KINGSCLERE	129	84	21	5	2	2	1	31	2	4	4	7	5	7	4	3	7	10	–	–
	5.—BERKSHIRE.																				
120	NEWBURY	334	213	56	12	5	2	3	78	3	6	7	11	11	22	13	16	23	10	3	1
121	HUNGERFORD	370	169	38	12	6	1	3	60	5	3	5	6	11	10	6	18	23	17	5	–
122	FARINGDON	280	176	38	14	8	1	–	61	6	2	4	7	6	8	17	17	13	26	8	1
123	ABINGDON	334	243	57	12	–	2	2	73	2	8	6	6	15	24	21	22	34	26	6	–
124	WANTAGE	275	127	28	6	5	2	–	41	5	5	2	3	9	5	9	11	16	16	5	–
125	WALLINGFORD	254	147	41	13	2	2	–	58	5	5	2	4	3	12	7	14	13	18	6	–
126	BRADFIELD	262	124	31	8	1	2	2	44	4	1	1	3	7	4	6	17	16	17	4	–
127	READING	464	264	57	20	10	8	7	102	13	3	7	7	16	26	20	21	26	21	2	–
128	WOKINGHAM	203	112	12	8	6	2	1	29	5	2	4	6	9	4	14	7	13	13	5	1
129	COOKHAM	201	104	29	3	2	3	–	37	3	4	5	3	6	7	7	10	14	4	4	–
130	EASTHAMPSTEAD	123	70	16	5	3	–	1	25	6	2	3	2	6	5	6	5	5	3	1	1
131	WINDSOR	309	207	41	14	8	3	4	70	11	2	4	3	11	26	11	24	22	18	5	–

III.—SOUTH MIDLAND COUNTIES.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	6.—MIDDLESEX (*extra-met.*)																				
132	STAINES	269	108	24	10	5	4	1	44	3	3	1	1	3	4	12	12	9	12	4	–
133	UXBRIDGE	374	235	37	9	4	2	1	53	5	3	8	5	24	36	23	25	29	21	3	–
134	BRENTFORD (*a*)	787	549	119	48	22	11	10	210	27	16	9	11	35	33	44	48	58	48	9	1
135	HENDON (*a*)	304	199	45	11	9	6	3	74	11	7	5	8	13	10	25	16	17	9	3	1
136	BARNET	242	248	32	8	7	3	4	54	1	3	2	11	28	47	46	27	18	8	3	–
137	EDMONTON	977	585	131	54	22	14	8	229	31	9	16	22	33	36	37	59	47	54	12	–
	7.—HERTFORDSHIRE.																				
138	WARE	262	160	15	15	18	8	–	56	8	1	1	7	10	9	14	17	14	18	5	–
139	BISHOP STORTFORD	339	225	44	23	10	10	6	93	16	7	6	9	9	11	14	18	15	22	5	–
140	ROYSTON	463	232	73	22	5	3	2	105	8	3	6	2	11	10	12	17	25	30	3	–
141	HITCHIN	431	233	72	17	9	3	2	103	5	2	8	5	12	13	14	20	28	23	4	1
142	HERTFORD	223	138	26	14	5	8	7	60	5	2	–	5	6	11	5	11	14	18	1	–
143	HATFIELD	129	79	19	5	2	6	–	32	1	2	–	2	2	2	11	6	12	6	3	–
144	ST. ALBANS	317	183	41	15	3	6	1	66	5	1	5	6	7	14	20	19	23	15	2	–
145	WATFORD	331	176	29	14	5	1	–	49	10	4	4	3	10	15	11	20	30	15	5	–
146	HEMEL HEMPSTEAD	239	108	33	7	4	1	2	47	3	3	1	3	6	9	14	4	5	11	2	–
147	BERKHAMPSTEAD	221	92	27	5	5	2	–	39	5	2	–	2	3	8	4	7	14	8	–	–
	8.—BUCKINGHAMSHIRE.																				
148	AMERSHAM	297	166	46	11	–	4	3	64	4	2	2	3	8	6	9	13	30	16	9	–
149	ETON	364	196	37	12	4	6	1	60	6	1	5	7	9	18	16	25	27	19	2	1
150	WYCOMBE	642	333	103	25	21	12	3	164	11	7	8	8	8	14	13	25	34	28	11	2
151	AYLESBURY	396	244	56	10	16	7	7	96	15	2	9	7	8	15	11	17	22	31	10	1
152	WINSLOW	146	82	18	9	3	4	2	36	3	5	1	4	4	6	2	4	11	6	–	–
153	NEWPORT PAGNELL	436	235	60	13	11	6	2	92	10	3	2	9	11	11	12	23	31	26	5	–
154	BUCKINGHAM	241	147	41	16	6	2	3	68	4	5	5	4	6	8	8	10	16	11	2	–

(*a*) See Note (*), page 8.

II.—SOUTH EASTERN COUNTIES.—DEATHS at different Ages, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	FEMALES.		Ages at Death.																	
		Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	3.—SUSSEX.																				
75	Rye	157	104	16	3	1	2	1	23	7	3	4	5	10	7	9	5	19	9	3	–
76	Hastings	381	253	36	19	14	2	2	73	8	8	12	10	29	18	18	20	28	23	6	–
77	Battle	190	100	14	10	5	–	2	31	8	1	7	3	3	7	8	6	13	9	4	–
78	Eastbourne	177	70	19	2	4	3	1	29	2	3	2	2	4	4	5	3	9	5	2	–
79	Hailsham	186	115	15	6	3	1	1	26	7	2	10	6	10	6	11	10	13	14	–	–
80	Ticehurst	248	125	21	6	1	3	2	33	7	1	9	5	11	13	8	8	16	13	1	–
81	Uckfield	294	130	29	4	5	–	–	38	4	4	9	10	14	12	5	7	12	12	3	–
82	East Grinstead	210	135	26	9	5	5	5	50	4	4	5	6	13	10	6	4	17	10	6	–
83	Cuckfield	295	150	32	11	5	3	1	52	7	5	3	5	9	13	10	11	16	11	8	–
84	Lewes	419	257	49	15	8	5	2	79	9	6	13	3	22	31	14	17	26	33	4	–
85	Brighton	1166	834	158	61	41	15	10	285	25	15	18	33	69	64	56	82	82	76	28	1
86	Steyning	316	188	39	11	7	4	3	64	9	5	5	4	15	14	15	13	19	21	4	–
87	Horsham	219	138	23	7	6	–	2	38	10	4	5	9	10	12	6	10	14	13	7	–
88	Petworth	131	77	7	2	1	4	3	17	4	1	6	3	7	8	8	10	2	9	2	–
89	Thakeham	117	64	9	6	4	3	4	26	5	–	2	–	4	3	8	–	6	10	–	–
90	Worthing	259	169	20	7	5	1	1	34	4	5	4	11	12	10	24	14	19	19	12	1
91	Westhampnett	213	110	23	3	3	1	1	31	8	3	5	6	5	5	7	5	21	11	3	–
92	Chichester	191	135	12	10	3	2	1	28	3	3	8	8	14	9	10	11	22	12	7	–
93	Midhurst	202	97	16	6	2	–	1	25	–	4	3	8	5	7	4	12	11	14	4	–
94	Westbourne	129	56	7	2	5	1	–	15	1	4	2	2	3	4	2	5	9	6	3	–
	4.—HAMPSHIRE.																				
95	Havant	110	66	9	5	2	1	2	19	–	1	3	7	8	4	5	2	6	10	1	–
96	Portsea Island	1664	1020	207	93	67	36	31	434	61	20	30	39	63	76	55	56	95	68	21	2
97	Alverstoke	382	216	47	22	12	7	7	95	12	3	8	8	9	19	12	15	13	12	9	1*
98	Fareham	208	177	27	6	3	3	2	41	4	4	7	7	13	22	16	20	24	18	–	1
99	Isle of Wight	791	375	70	15	11	2	4	102	10	3	18	14	30	29	24	30	50	53	12	–
100	Lymington	171	101	13	4	1	2	1	21	4	3	6	4	8	10	8	6	17	11	8	–
101	Christchurch	146	102	16	6	4	2	–	28	2	3	4	10	6	12	4	10	12	8	3	–
102	Ringwood	77	54	10	1	2	2	3	18	1	2	–	2	4	2	4	6	8	5	2	–
103	Fordingbridge	90	90	12	8	6	8	2	36	8	3	3	4	5	4	4	5	9	7	2	–
104	New Forest	196	93	16	5	1	1	2	25	7	3	1	7	3	4	4	4	19	12	4	–
105	Southampton	803	423	86	40	10	12	12	160	15	1	7	16	34	43	38	33	46	22	8	–
106	South Stoneham	438	203	48	7	3	4	8	70	5	4	9	3	12	15	15	23	27	19	1	–
107	Romsey	157	104	17	6	5	4	3	35	5	4	4	4	4	8	7	6	13	8	6	–
108	Stockbridge	114	44	6	2	1	–	1	10	2	1	1	3	–	6	4	6	4	7	–	–
109	Winchester	358	227	40	11	7	7	2	67	15	6	8	11	18	11	12	22	21	27	8	1
110	Droxford	143	89	8	4	2	–	1	15	3	1	3	3	8	2	8	13	14	15	4	–
111	Catherington	43	20	2	1	–	–	1	4	1	–	–	1	1	1	2	4	2	4	–	–
112	Petersfield	96	55	14	4	4	–	1	23	1	1	3	2	–	4	2	2	6	8	3	–
113	Alresford	108	56	7	2	4	2	–	15	3	1	3	1	3	5	4	6	5	8	2	–
114	Alton	177	94	21	6	2	2	1	32	3	1	4	5	6	5	5	11	16	5	1	–
115	Hartley Wintney	186	103	16	7	2	3	–	28	7	5	2	7	6	4	4	6	18	14	2	–
116	Basingstoke	268	153	30	10	9	4	4	57	6	9	2	6	13	5	9	11	16	10	9	–
117	Whitchurch	93	35	7	2	–	1	–	10	–	1	1	2	3	2	2	7	4	2	1	–
118	Andover	280	178	27	12	7	7	1	54	7	4	7	6	10	11	17	17	22	13	4	1
119	Kingsclere	138	80	12	7	2	3	1	25	2	2	4	5	10	3	5	8	7	7	2	–
	5.—BERKSHIRE.																				
120	Newbury	327	216	44	10	9	2	3	68	4	5	7	7	21	14	14	16	20	29	11	–
121	Hungerford	335	165	27	8	3	1	5	44	3	4	4	7	17	12	13	14	25	17	4	1
122	Faringdon	257	140	35	5	4	2	3	49	9	3	1	4	7	6	13	7	18	16	7	–
123	Abingdon	319	254	39	16	7	3	2	67	7	4	10	9	26	23	24	17	27	29	9	2
124	Wantage	287	148	25	5	1	2	2	35	3	3	7	3	13	9	8	11	21	17	11	2
125	Wallingford	208	139	19	10	5	3	1	38	4	5	4	12	7	11	8	9	23	14	4	–
126	Bradfield	236	124	20	5	8	2	1	36	7	3	5	4	10	10	11	10	10	9	9	–
127	Reading	438	251	44	9	11	10	3	77	11	6	8	15	21	17	19	21	27	22	7	–
128	Wokingham	262	110	21	6	6	3	1	37	5	3	3	5	7	6	3	9	18	11	3	–
129	Cookham	203	105	22	5	2	4	3	36	3	2	4	3	3	7	5	11	16	10	3	2†
130	Easthampstead	100	58	9	6	4	1	3	23	2	–	–	2	4	4	2	9	7	–	4	1‡
131	Windsor	329	204	32	21	8	11	2	74	11	3	5	9	15	9	10	17	32	14	5	–

III.—SOUTH MIDLAND COUNTIES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	6.—MIDDLESEX (*extra-met.*)																				
132	Staines	274	134	20	6	4	5	3	38	5	3	2	3	11	6	12	16	18	15	4	1
133	Uxbridge	319	287	39	14	9	3	3	68	10	2	10	9	27	32	27	41	31	17	13	–
134	Brentford (*a*)	783	492	107	36	19	10	11	183	28	15	13	15	38	26	28	39	57	41	9	–
135	Hendon (*a*)	329	181	38	12	10	4	7	71	6	6	3	5	12	13	10	16	20	13	6	–
136	Barnet	233	194	19	9	4	4	2	38	6	6	3	8	14	23	19	22	30	19	5	1
137	Edmonton	969	524	110	40	29	18	12	209	34	11	13	18	31	26	34	32	58	43	13	2
	7.—HERTFORDSHIRE.																				
138	Ware	232	162	19	10	9	8	3	49	9	4	5	1	13	12	7	15	22	18	6	1
139	Bishop Stortford	304	200	28	12	13	6	4	63	14	8	7	8	17	13	7	9	28	19	6	1
140	Royston	415	208	46	11	6	3	2	68	12	5	10	11	14	12	16	15	23	17	5	–
141	Hitchin	432	252	57	19	12	1	1	90	5	4	8	17	23	11	11	17	24	31	11	–
142	Hertford	231	129	22	17	9	6	4	58	4	2	2	1	8	9	7	13	11	10	3	1
143	Hatfield	138	73	16	4	2	–	–	22	1	1	1	5	7	8	3	6	9	9	1	–
144	St. Albans	297	151	29	7	3	2	2	43	7	3	4	8	7	15	11	9	18	19	7	–
145	Watford	285	163	28	5	5	7	3	48	8	5	4	7	13	3	9	15	23	19	8	1
146	Hemel Hempstead	234	123	20	6	6	5	3	40	4	5	3	5	6	9	11	13	15	10	2	–
147	Berkhampstead	234	112	16	4	3	1	1	25	5	2	5	7	5	4	7	18	16	15	8	–
	8.—BUCKINGHAMSHIRE.																				
148	Amersham	305	160	26	10	4	1	1	42	4	4	3	9	12	10	9	15	28	19	5	–
149	Eton	308	199	36	14	9	3	4	66	9	1	7	–	17	14	12	19	21	23	8	2
150	Wycombe	680	341	64	28	18	15	7	132	18	15	5	5	25	21	14	21	43	32	10	–
151	Aylesbury	384	290	58	19	12	11	9	109	20	8	16	8	13	16	18	22	28	28	4	–
152	Winslow	154	94	12	9	6	2	5	34	7	9	4	4	2	3	6	9	5	7	4	–
153	Newport Pagnell	442	239	46	13	6	3	2	70	8	3	8	9	18	14	9	23	33	33	10	1
154	Buckingham	233	126	20	12	6	7	2	47	6	2	3	9	10	6	9	5	15	18	1	–

(*a*) See Note (*), page 8. * Aged 100. † One aged 106. ‡ Aged 102.

III.—SOUTH MIDLAND COUNTIES.—DEATHS at different Ages, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	9.—OXFORDSHIRE.																				
155	HENLEY	290	198	41	19	10	8	4	82	9	3	6	3	9	7	13	12	26	21	6	1
156	THAME	230	126	30	3	4	–	1	38	6	4	2	4	6	4	11	11	17	16	7	–
157	HEADINGTON	310	188	37	9	2	2	3	53	7	5	7	6	10	20	14	13	24	25	4	–
158	OXFORD	354	163	41	11	5	4	1	62	7	1	4	9	7	15	17	15	13	12	–	1*
159	BICESTER	298	159	49	8	7	2	1	67	4	4	1	2	11	6	7	12	23	18	4	–
160	WOODSTOCK	260	132	36	4	5	2	–	47	2	3	1	2	6	7	8	19	17	13	7	–
161	WITNEY	400	188	51	12	4	4	1	72	6	3	5	5	12	6	13	12	29	20	5	–
162	CHIPPING NORTON	315	127	29	15	–	3	1	48	–	2	2	3	9	11	10	12	9	12	9	–
163	BANBURY	514	270	67	21	5	6	5	104	9	3	1	4	19	5	17	32	38	34	4	–
	10.—NORTHAMPTONSH.																				
164	BRACKLEY	242	121	36	6	8	1	1	52	4	3	1	4	5	2	3	11	20	12	4	–
165	TOWCESTER	228	124	35	10	1	4	3	53	6	4	2	6	4	6	9	8	11	14	1	–
166	POTTERSPURY	217	113	41	9	3	2	–	55	3	2	5	5	4	4	9	6	12	5	3	–
167	HARDINGSTONE	179	71	26	5	1	–	–	32	–	–	3	4	4	2	1	3	10	8	4	–
168	NORTHAMPTON (*a*)	802	454	147	38	10	6	5	206	10	10	6	17	34	27	32	44	32	27	9	–
169	DAVENTRY	326	194	47	12	3	5	2	69	7	2	5	7	15	8	12	15	29	20	5	–
170	BRIXWORTH (*a*)	281	151	41	17	9	3	1	71	3	3	4	3	8	5	4	14	21	11	4	–
171	WELLINGBOROUGH	475	267	86	21	9	4	2	122	9	5	4	4	17	14	17	17	33	21	4	–
172	KETTERING	376	185	58	13	7	3	5	86	4	6	5	5	8	8	10	14	18	19	2	–
173	THRAPSTON	278	122	46	11	6	–	–	63	1	2	5	3	3	4	5	12	11	11	2	–
174	OUNDLE	268	139	43	10	6	1	1	61	6	2	4	5	5	8	7	9	14	14	4	–
175	PETERBOROUGH	646	300	89	19	10	3	4	125	17	8	7	5	11	17	15	24	35	29	6	1
	11.—HUNTINGDONSHIRE.																				
176	HUNTINGDON	373	203	59	16	8	4	4	91	6	5	9	6	7	12	13	18	11	16	8	1
177	ST. IVES	348	202	46	16	4	4	3	73	13	8	7	8	9	13	22	8	21	16	4	–
178	ST. NEOTS	348	175	46	4	7	6	2	65	8	2	6	4	7	12	13	12	21	18	6	1
	12.—BEDFORDSHIRE.																				
179	BEDFORD	609	373	97	30	12	6	8	153	17	5	7	16	27	29	19	27	41	26	6	–
180	BIGGLESWADE	478	253	73	16	6	8	7	110	11	4	5	9	13	15	19	21	20	20	6	–
181	AMPTHILL	292	145	54	10	4	5	1	74	2	3	7	2	10	6	2	10	10	16	3	–
182	WOBURN	203	92	26	9	2	1	2	40	2	2	2	1	7	5	6	7	12	6	2	–
183	LEIGHTON BUZZARD	314	152	55	4	5	2	2	68	7	5	4	4	5	5	12	10	12	17	8	–
184	LUTON	595	284	117	22	7	4	2	152	12	7	4	3	8	19	15	19	23	20	2	–
	13.—CAMBRIDGESHIRE.																				
185	CAXTON	189	85	29	–	3	–	2	34	2	4	4	2	5	3	2	5	10	10	3	1
186	CHESTERTON	440	254	62	20	9	7	6	104	6	5	3	9	14	21	15	20	25	23	8	1
187	CAMBRIDGE	366	283	46	17	19	7	3	92	7	7	7	14	26	17	27	32	27	24	3	–
188	LINTON	222	140	22	15	8	6	1	52	13	2	5	7	7	6	5	9	17	14	3	–
189	NEWMARKET	466	288	72	30	12	5	7	126	11	11	4	10	13	8	19	16	36	23	10	1
190	ELY	351	224	66	12	5	4	3	90	10	8	12	3	10	9	15	18	24	18	7	–
191	NORTH WITCHFORD	288	154	35	18	5	5	–	63	5	5	5	2	8	6	3	17	20	13	7	–
192	WHITTLESEY	112	111	30	8	7	–	3	48	7	4	6	4	5	3	7	9	9	7	2	–
193	WISBEACH	537	306	87	15	5	4	10	121	17	12	7	7	16	15	17	23	32	27	11	1

IV.—EASTERN COUNTIES.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	14.—ESSEX.																				
194	WEST HAM	1100	692	168	81	36	39	18	342	43	9	10	21	35	55	52	46	40	32	6	1†
195	EPPING	255	135	28	5	2	1	3	39	5	7	3	2	12	6	12	12	19	12	6	–
196	ONGAR	184	98	27	4	2	1	–	34	2	–	4	4	6	5	7	7	13	15	1	–
197	ROMFORD	464	257	56	12	8	3	7	86	17	5	8	8	14	10	22	17	30	31	9	–
198	ORSETT	216	103	32	7	3	4	1	47	5	3	3	1	3	6	5	9	9	11	1	–
199	BILLERICAY	223	133	27	8	4	3	2	44	6	2	3	8	8	10	14	10	13	10	5	–
200	CHELMSFORD	513	409	73	34	11	17	12	147	34	15	14	10	17	27	23	42	41	29	10	–
201	ROCHFORD	344	172	46	12	4	2	4	68	6	2	3	7	11	10	18	17	16	12	2	–
202	MALDON	398	217	46	14	11	8	7	86	12	4	6	7	16	12	14	13	30	15	2	–
203	TENDRING	407	255	58	15	7	4	1	85	9	2	5	10	15	21	11	21	35	27	12	2‡
204	COLCHESTER	394	225	51	20	10	4	2	87	9	3	10	11	18	20	6	17	25	14	4	1
205	LEXDEN	425	190	53	11	14	3	1	82	9	5	8	2	5	11	8	17	28	17	2	1§
206	WITHAM	265	195	33	15	16	4	9	77	19	6	7	5	10	5	9	14	24	16	3	–
207	HALSTEAD	298	201	48	14	13	8	7	90	12	11	5	9	8	8	6	12	19	16	5	–
208	BRAINTREE	273	194	38	12	7	12	8	77	16	11	2	4	5	8	10	20	20	19	2	–
209	DUNMOW	317	167	44	13	3	2	3	65	6	8	4	8	13	8	9	8	21	16	1	–
210	SAFFRON WALDEN	307	179	49	5	4	4	1	63	8	6	3	4	11	7	9	16	31	15	6	–
	15.—SUFFOLK.																				
211	RISBRIDGE	311	167	46	15	8	4	–	73	9	1	2	1	7	12	6	11	19	22	4	–
212	SUDBURY	518	300	84	15	11	5	1	116	4	6	10	6	18	17	23	21	37	33	9	–
213	COSFORD	283	147	31	10	6	1	4	52	3	10	5	7	13	4	6	12	13	16	6	–
214	THINGOE	283	144	31	5	5	2	3	46	5	5	3	5	9	8	4	13	20	20	6	–
215	BURY ST. EDMUNDS	209	187	36	8	6	4	5	59	15	4	6	5	13	3	16	14	26	20	5	1
216	MILDENHALL	151	93	26	4	4	1	2	37	1	–	3	5	7	3	3	6	8	16	4	–
217	STOW	345	170	41	11	4	1	3	60	9	4	8	8	13	11	8	14	17	12	6	–
218	HARTISMERE	315	158	42	9	11	–	–	62	5	5	2	7	8	5	9	10	18	21	6	–
219	HOXNE	255	126	27	13	3	2	2	47	8	2	2	6	5	6	5	9	16	15	4	1
220	BOSMERE	264	149	33	11	3	4	4	55	4	5	3	8	6	3	11	9	17	22	6	–
221	SAMFORD	231	106	27	4	1	3	2	37	6	3	4	1	8	1	7	6	17	12	4	–
222	IPSWICH	636	350	96	27	10	5	6	144	12	2	7	4	24	35	22	29	35	26	10	–
223	WOODBRIDGE	376	227	57	15	4	6	–	82	7	4	6	8	9	9	15	18	26	34	9	–
224	PLOMESGATE	322	171	42	14	4	1	6	67	6	4	3	8	10	14	10	15	12	21	6	–
225	BLYTHING	430	237	62	6	6	5	2	81	8	4	2	8	11	13	14	17	40	30	9	–
226	WANGFORD	211	107	25	4	1	3	2	35	5	1	4	4	3	1	10	10	10	18	5	1
227	MUTFORD	435	213	56	13	9	6	5	89	9	7	9	5	11	9	15	21	20	13	5	–

(*a*) See Note (*), page 10. * Aged 106. † Aged 105. ‡ One aged 102. § Aged 102.

III.—SOUTH MIDLAND COUNTIES.—DEATHS at different Ages, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	FEMALES. Total Births.	Total Deaths.	Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	9.—OXFORDSHIRE.																				
155	Henley	254	159	24	9	7	3	2	45	5	8	6	4	8	16	11	13	12	24	7	–
156	Thame	230	149	26	13	2	2	1	44	2	3	8	8	15	8	8	6	23	19	5	–
157	Headington	301	185	38	9	5	5	2	59	6	2	5	5	11	11	9	20	34	15	6	2
158	Oxford	308	214	36	17	10	6	4	73	4	8	9	2	9	16	16	21	26	22	8	–
159	Bicester	266	152	29	14	9	5	1	58	5	1	6	8	8	7	11	13	13	21	1	–
160	Woodstock	218	144	32	9	3	1	1	46	2	2	6	5	12	5	8	18	22	13	4	1*
161	Witney	355	208	44	12	3	–	2	61	5	3	5	7	8	19	19	17	21	35	8	–
162	Chipping Norton	297	174	31	9	3	4	1	48	4	6	8	5	15	20	14	10	22	13	7	2
163	Banbury	509	284	74	16	10	3	9	112	13	6	10	6	19	10	16	21	32	29	10	–
	10.—NORTHAMPTONSH.																				
164	Brackley	205	119	17	12	2	1	7	39	2	6	6	5	4	11	7	10	14	13	1	1
165	Towcester	228	136	30	8	4	3	1	46	5	6	4	2	5	9	9	13	16	16	5	–
166	Potterspury	193	122	39	12	2	2	4	59	3	5	4	4	3	5	9	9	13	6	2	–
167	Hardingstone	145	92	8	3	4	3	4	22	4	2	6	7	8	6	5	9	13	9	1	–
168	Northampton (*a*)	738	453	127	28	15	9	6	185	6	11	19	10	34	44	29	29	39	38	9	–
169	Daventry	327	182	35	13	4	3	2	57	5	3	12	6	18	13	13	9	24	17	5	–
170	Brixworth (*a*)	208	145	25	17	8	3	2	55	6	2	3	2	11	10	9	7	17	20	8	–
171	Wellingborough	454	213	49	16	5	3	3	76	7	5	10	16	17	6	15	16	20	18	7	–
172	Kettering	332	148	26	13	3	3	3	48	1	5	6	5	14	9	9	12	19	13	6	1
173	Thrapston	236	113	27	7	2	3	–	39	3	2	5	7	7	8	6	11	13	9	3	–
174	Oundle	260	144	38	5	3	–	1	47	5	6	1	5	10	8	5	11	22	19	5	–
175	Peterborough	562	319	75	20	6	8	3	112	23	11	8	15	21	23	12	15	42	25	11	1
	11.—HUNTINGDONSHIRE.																				
176	Huntingdon	360	209	54	15	7	3	2	81	7	8	10	12	7	12	15	13	18	18	7	1
177	St. Ives	320	203	39	14	10	4	4	71	11	7	10	15	11	8	16	13	16	21	9	–
178	St. Neots	259	178	24	9	5	8	2	48	12	2	11	11	12	8	11	13	30	16	4	–
	12.—BEDFORDSHIRE.																				
179	Bedford	637	380	80	30	15	14	9	148	15	10	16	20	24	16	25	32	32	33	7	2†
180	Biggleswade	450	231	62	11	6	3	1	83	8	4	11	9	17	13	8	18	30	24	6	–
181	Ampthill	298	194	48	16	7	3	2	76	3	4	7	9	12	12	13	17	17	17	6	1
182	Woburn	167	113	15	5	3	–	2	25	11	3	4	5	6	5	11	10	21	10	2	–
183	Leighton Buzzard	309	153	35	6	5	5	1	52	2	4	9	7	13	9	9	12	19	11	6	–
184	Luton	550	281	80	17	10	11	3	121	11	5	10	10	21	24	19	24	14	17	5	–
	13.—CAMBRIDGESHIRE.																				
185	Caxton	202	81	15	3	1	1	–	20	2	4	6	4	2	7	6	7	9	9	4	1
186	Chesterton	436	222	37	16	3	2	6	64	22	6	7	7	10	19	19	15	23	22	8	–
187	Cambridge	353	289	43	15	11	8	6	83	8	3	19	11	22	19	28	23	39	26	7	1
188	Linton	219	138	27	9	3	2	5	46	4	6	6	7	8	15	7	8	10	17	3	1
189	Newmarket	433	297	47	27	10	5	3	92	8	9	16	9	22	13	19	21	43	32	13	–
190	Ely	364	214	58	15	8	3	2	86	5	5	7	5	15	12	8	13	30	19	7	2
191	North Witchford	251	161	36	9	11	2	3	61	10	3	7	5	14	9	11	13	16	10	1	1
192	Whittlesey	112	82	18	5	4	2	1	30	4	4	4	4	3	4	6	3	7	9	4	–
193	Wisbeach	523	320	74	15	11	5	5	110	21	9	11	13	15	14	13	30	33	40	9	2

IV.—EASTERN COUNTIES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	14.—ESSEX.																				
194	West Ham	1033	587	126	63	34	20	19	262	23	23	13	13	45	43	26	31	50	43	14	1
195	Epping	26[illegible]	146	21	7	5	2	4	39	6	5	3	3	9	10	15	15	18	15	8	–
196	Ongar	190	87	16	4	6	5	2	33	3	4	3	4	8	3	5	7	6	9	2	–
197	Romford	493	200	39	10	9	3	3	64	12	4	5	4	8	7	7	26	30	25	8	–
198	Orsett	168	101	22	9	4	2	2	39	6	–	5	4	8	8	5	5	6	10	3	2
199	Billericay	208	133	19	3	4	2	2	30	6	4	6	6	13	14	16	11	13	13	1	–
200	Chelmsford	490	341	41	25	17	9	11	103	35	12	17	14	18	18	12	24	40	34	11	3
201	Rochford	317	153	43	7	7	5	3	65	9	3	5	5	12	13	8	10	13	6	4	–
202	Maldon	343	233	33	21	8	8	4	74	7	9	9	13	18	20	20	10	33	15	5	–
203	Tendring	424	211	51	5	7	1	2	66	7	5	3	11	13	15	15	20	31	19	6	–
204	Colchester	360	228	40	23	9	4	5	81	8	3	4	8	19	18	13	18	32	18	6	–
205	Lexden	369	181	41	10	3	3	5	62	13	8	3	10	5	16	9	15	16	16	8	–
206	Witham	238	182	29	15	10	9	6	69	19	8	4	3	9	7	7	7	23	17	8	1
207	Halstead	311	212	33	15	10	10	5	73	8	7	12	5	11	12	9	19	24	24	7	1*
208	Braintree	284	183	22	12	6	4	10	54	9	7	11	9	13	14	9	10	19	23	5	–
209	Dunmow	344	153	31	7	3	1	1	43	7	3	9	8	12	5	8	6	18	26	8	–
210	Saffron Walden	319	169	36	11	4	4	3	58	5	7	9	9	10	10	7	10	16	25	3	–
	15.—SUFFOLK.																				
211	Risbridge	320	159	31	13	8	3	4	59	5	7	2	13	9	8	6	11	10	23	6	–
212	Sudbury	515	263	55	15	4	3	5	82	10	4	5	16	21	26	9	10	33	34	12	1
213	Cosford	291	161	22	8	4	5	1	40	6	6	5	4	17	11	11	10	19	22	10	–
214	Thingoe	280	157	32	5	2	3	–	42	6	8	7	5	7	7	6	11	27	25	6	–
215	Bury St. Edmunds	199	141	34	8	5	6	1	54	8	3	2	6	5	10	9	12	14	12	5	1
216	Mildenhall	137	90	14	4	1	1	2	22	7	7	3	5	7	5	5	7	8	11	3	–
217	Stow	319	195	39	13	7	2	1	62	8	6	8	8	13	13	7	13	22	25	10	–
218	Hartismere	287	170	36	7	8	1	2	54	6	4	3	6	9	14	10	10	13	28	13	–
219	Hoxne	241	140	25	9	3	2	1	40	17	5	4	6	4	9	5	13	8	22	6	1
220	Bosmere	259	144	27	5	6	4	2	44	7	3	11	13	11	12	6	6	9	17	5	–
221	Samford	206	99	22	7	3	2	1	35	2	3	4	3	8	6	8	6	15	7	2	–
222	Ipswich	632	411	94	28	10	8	7	147	17	10	16	18	30	29	22	33	36	41	11	1
223	Woodbridge	334	229	42	14	9	2	1	68	5	6	6	7	16	10	22	21	30	28	10	–
224	Plomesgate	288	184	22	9	7	3	1	42	11	6	3	12	9	10	20	15	22	23	11	–
225	Blything	459	209	34	14	5	6	4	63	8	7	9	9	18	13	7	7	28	22	18	–
226	Wangford	199	121	22	2	4	5	–	33	4	2	5	8	7	9	7	11	14	18	3	–
227	Mutford	410	210	44	7	9	5	2	67	15	4	6	6	17	12	12	15	25	22	6	3

(*a*) See Note (*), page 10.   * Aged 100.   † One aged 104.

IV.—EASTERN COUNTIES.—DEATHS at different Ages, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	16.—NORFOLK.																				
228	YARMOUTH	534	309	86	11	7	8	1	113	8	5	10	13	16	30	20	32	24	30	8	–
229	FLEGG	147	76	13	6	1	1	1	22	5	1	–	3	2	4	4	5	10	15	5	–
230	TUNSTEAD	256	132	49	7	4	2	–	62	2	2	6	5	7	1	8	11	12	10	6	–
231	ERPINGHAM	341	246	61	15	15	8	6	105	11	14	8	4	12	13	13	16	19	22	8	1
232	AYLSHAM	328	213	57	9	8	4	3	81	6	7	6	12	10	9	13	14	22	27	5	1
233	ST. FAITHS	175	94	23	5	–	2	–	30	4	3	2	4	4	9	4	5	11	13	5	–
234	NORWICH	1348	814	250	49	19	18	5	341	24	12	16	24	43	48	64	71	88	63	20	–
235	FOREHOE	218	113	37	5	1	1	2	46	5	3	2	2	5	7	9	9	15	6	4	–
236	HENSTEAD	171	98	22	4	3	1	–	30	5	–	1	2	7	6	8	8	11	13	6	1
237	BLOFIELD	155	115	20	4	3	2	–	29	7	2	4	3	7	9	12	14	13	10	5	–
238	LODDON	200	123	31	–	3	1	3	38	5	5	9	5	7	5	5	7	18	13	6	–
239	DEPWADE	427	249	62	14	9	5	2	92	19	6	11	14	9	9	17	14	21	23	8	1
240	GUILTCROSS	189	116	27	8	3	1	3	42	5	2	2	5	1	2	7	12	17	15	6	–
241	WAYLAND	201	99	35	8	–	–	2	45	1	3	2	1	2	5	6	8	14	5	6	1
242	MITFORD	434	264	75	12	10	2	2	101	10	7	3	8	14	10	11	23	34	24	19	–
243	WALSINGHAM	358	234	60	10	9	7	5	91	15	6	18	8	8	8	6	22	18	22	12	–
244	DOCKING	305	175	42	6	5	6	3	62	11	8	5	5	9	10	8	11	24	17	5	–
245	FREEBRIDGE LYNN	244	132	36	5	3	2	2	48	8	3	6	1	6	4	6	9	17	22	2	–
246	KINGS LYNN	240	186	35	13	7	5	1	61	4	9	5	7	5	15	10	24	23	17	6	–
247	DOWNHAM	348	192	56	11	4	9	7	87	13	5	7	6	9	8	10	18	15	10	3	1
248	SWAFFHAM	247	118	22	4	4	3	1	34	6	–	6	5	6	5	5	15	16	15	5	–
240	THETFORD	310	186	47	9	2	3	2	63	6	7	7	14	8	9	8	15	21	23	5	–

V.—SOUTH WESTERN COUNTIES.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	17.—WILTSHIRE.																				
250	HIGHWORTH	407	176	50	21	7	1	2	81	6	7	1	4	7	7	14	8	20	14	7	–
251	CRICKLADE	180	118	28	8	3	3	5	47	2	4	2	3	6	7	9	9	13	13	3	–
252	MALMSBURY	216	125	28	4	3	3	2	40	3	7	1	6	4	6	7	9	19	19	3	1
253	CHIPPENHAM	390	172	45	6	7	1	2	61	9	6	2	4	7	12	8	15	17	23	8	–
254	CALNE	139	95	20	7	–	–	1	28	3	2	3	6	7	8	4	9	11	12	2	–
255	MARLBOROUGH	181	85	19	6	–	–	1	26	3	–	6	2	10	2	2	12	18	7	1	1
256	DEVIZES	349	195	39	11	3	3	2	58	7	3	11	4	19	17	13	13	25	21	3	1
257	MELKSHAM	269	191	39	15	11	5	3	73	10	5	3	6	11	12	7	11	25	23	5	–
258	BRADFORD	149	91	17	6	3	1	1	28	3	3	2	3	8	2	4	7	11	16	4	–
259	WESTBURY	187	116	34	2	4	2	1	43	4	4	1	3	6	4	3	13	14	19	2	–
260	WARMINSTER	280	125	27	5	3	1	2	38	–	2	4	4	10	7	3	16	18	20	3	–
261	PEWSEY	250	136	45	13	6	2	–	66	2	3	7	4	5	4	8	7	16	9	5	–
262	AMESBURY	141	77	11	5	2	3	1	22	5	1	1	–	3	3	5	12	10	15	–	–
263	ALDERBURY	227	167	33	9	4	2	1	49	5	–	4	3	12	19	13	14	21	24	3	–
264	SALISBURY	163	133	36	12	8	8	4	68	3	3	–	2	4	7	9	10	17	10	–	–
265	WILTON	173	108	26	8	2	3	–	39	4	1	5	6	6	2	7	4	13	18	3	–
266	TISBURY	161	74	15	2	1	1	–	19	2	2	2	2	4	4	7	7	11	10	4	–
267	MERE	138	77	18	7	2	2	–	29	–	4	1	3	1	3	3	4	16	10	3	–
	18.—DORSETSHIRE.																				
268	SHAFTESBURY	199	111	26	7	2	1	1	37	2	3	5	4	7	12	4	5	12	16	4	–
269	STURMINSTER (*a*)	165	84	28	5	4	1	–	38	–	2	1	3	6	1	6	6	10	10	1	–
270	BLANDFORD (*a*)	236	126	36	12	6	2	–	56	5	1	1	4	8	5	6	8	14	16	2	–
271	WIMBORNE	290	160	37	14	4	2	3	60	8	2	6	4	7	10	9	9	17	18	10	–
272	POOLE	206	126	30	6	4	5	4	49	5	3	–	4	6	6	12	9	15	16	1	–
273	WAREHAM	269	131	28	8	5	1	1	43	4	3	6	5	4	7	6	13	17	19	4	–
274	WEYMOUTH (*b*)	449	210	55	15	9	1	1	81	4	5	4	8	18	14	12	19	20	18	7	–
275	DORCHESTER (*b*)	396	222	48	14	8	3	–	73	7	12	9	8	16	9	17	16	28	22	5	–
276	SHERBORNE	235	104	31	7	6	–	1	45	2	2	2	2	8	1	5	8	13	12	4	–
277	BEAMINSTER	229	130	45	12	1	1	1	60	4	5	1	3	5	2	11	8	11	15	5	–
278	BRIDPORT	259	158	36	18	10	3	7	74	7	3	3	2	6	9	10	14	15	12	3	–
	19.—DEVONSHIRE.																				
279	AXMINSTER	321	181	39	19	5	1	–	64	6	2	8	2	6	9	6	17	30	23	8	–
280	HONITON	376	199	49	14	3	3	1	70	8	2	8	4	16	12	9	18	23	21	7	1*
281	ST. THOMAS	746	400	83	22	7	9	7	128	11	10	7	10	25	34	21	40	54	46	12	2
282	EXETER	532	371	79	26	16	10	3	134	4	8	14	11	23	31	36	40	40	22	8	–
283	NEWTON ABBOT	946	582	124	49	21	13	10	217	17	7	12	17	44	46	41	40	59	65	17	–
284	TOTNES	509	285	55	25	16	6	5	107	10	6	9	8	16	10	16	27	36	27	13	–
285	KINGSBRIDGE	304	173	34	19	9	6	–	68	9	8	4	3	7	6	13	17	14	20	4	–
286	PLYMPTON ST. MARY	326	199	40	11	5	4	3	63	7	5	7	5	8	7	12	20	22	37	6	–
287	PLYMOUTH	1157	729	205	77	34	33	16	365	23	12	13	22	33	51	50	43	63	44	9	1
288	EAST STONEHOUSE	323	193	41	13	6	2	2	64	10	1	11	22	26	19	15	7	9	8	1	–
289	STOKE DAMEREL	852	562	125	42	35	20	21	243	39	9	10	19	40	29	36	30	48	51	8	–
290	TAVISTOCK	621	351	71	36	10	6	6	129	23	7	13	11	19	17	31	39	32	28	2	–
291	OKEHAMPTON	304	156	28	7	4	–	3	42	2	5	5	3	5	9	6	16	32	23	8	–
292	CREDITON	321	183	37	9	8	2	1	57	5	–	5	6	10	8	11	17	35	19	10	–
293	TIVERTON (*c*)	482	300	78	24	8	4	8	122	13	10	5	7	17	13	15	18	38	38	4	–
294	SOUTH MOLTON (*d*)	312	211	43	11	5	5	3	67	12	4	4	8	11	6	12	21	38	24	4	–
295	BARNSTAPLE (*d*)	527	311	63	18	9	3	5	98	7	8	9	10	19	16	22	26	57	34	4	1
296	TORRINGTON	263	135	32	6	6	2	2	48	7	3	1	5	4	11	2	18	17	15	3	1†
297	BIDEFORD	282	160	36	9	5	2	–	52	2	2	7	8	5	5	9	7	32	24	7	–
298	HOLSWORTHY	165	91	18	8	2	2	1	31	1	1	1	1	3	1	4	13	20	10	5	–
	20.—CORNWALL.																				
299	STRATTON	137	81	19	3	2	1	1	26	2	3	–	2	4	3	4	5	12	15	5	–
300	CAMELFORD	139	51	10	2	1	1	1	15	2	–	2	1	5	1	7	3	7	5	3	–
301	LAUNCESTON	286	130	31	9	4	5	3	52	5	1	4	4	9	3	4	9	21	15	3	–
302	ST. GERMANS	303	169	34	12	6	2	2	56	4	3	1	4	13	7	8	22	19	27	5	–
303	LISKEARD	702	326	99	28	16	7	6	156	9	2	10	9	18	15	18	22	33	25	8	1
304	BODMIN	294	190	43	6	4	7	1	61	4	2	3	4	14	15	14	16	20	30	7	–
305	ST. COLUMB	268	122	24	6	6	3	1	40	7	1	5	4	9	5	5	12	17	15	2	–

(*a*) See Note (*), page 14. (*b*) See Note (†), page 14. (*c*) See Note (‡), page 15. (*d*) See Note (§), page 15.

* Aged 100.

IV.—EASTERN COUNTIES.—DEATHS at different Ages, 1862—Districts—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	16.—NORFOLK.																				
228	Yarmouth	494	313	83	11	9	5	5	113	10	5	8	10	14	26	23	30	25	36	13	–
229	Flegg	165	56	20	1	1	–	–	22	2	1	2	4	3	2	2	4	–	8	6	–
230	Tunstead	224	126	27	6	2	–	4	39	4	4	8	5	11	6	5	10	13	16	5	–
231	Erpingham	347	219	53	7	5	6	12	83	18	10	7	5	12	10	11	16	20	17	5	5
232	Aylsham	310	182	34	6	2	4	2	48	10	5	7	6	13	9	9	23	13	25	14	–
233	St. Faiths	161	122	27	3	1	3	–	34	8	6	5	2	10	10	7	8	12	11	9	–
234	Norwich	1211	812	166	54	19	9	12	260	18	21	27	26	59	59	61	63	90	92	35	1
235	Forehoe	216	137	33	4	4	2	1	44	6	3	9	5	12	7	6	6	11	23	3	2*
236	Henstead	172	98	20	6	–	3	2	31	3	4	4	5	10	7	4	10	8	9	2	1†
237	Blofield	170	114	24	2	2	5	1	34	5	3	7	4	5	11	4	7	11	15	8	–
238	Loddon	204	109	17	7	1	2	3	30	4	5	4	3	5	9	8	6	10	19	5	1‡
239	Depwade	408	261	47	19	10	4	8	88	23	18	10	12	21	11	10	9	20	28	11	–
240	Guiltcross	181	120	16	9	5	3	2	35	2	2	7	4	11	5	4	10	17	15	8	–
241	Wayland	157	111	23	5	2	2	–	32	2	2	8	10	6	6	6	14	7	16	6	1
242	Mitford	428	272	50	8	5	5	4	72	19	11	11	9	23	13	12	17	40	27	17	1§
243	Walsingham	320	225	64	7	7	11	5	94	17	4	7	8	13	10	10	15	14	16	16	1
244	Docking	268	192	54	9	5	2	4	74	18	7	13	9	9	6	12	8	12	16	8	–
245	Freebridge Lynn	227	117	27	6	4	2	2	41	3	1	6	2	6	9	4	7	24	10	4	–
246	Kings Lynn	215	187	29	9	6	3	3	50	3	3	4	5	13	17	17	23	24	22	6	–
247	Downham	328	200	33	9	5	10	4	61	14	7	8	3	13	12	14	14	29	18	7	–
248	Swaffham	220	111	30	6	3	–	1	40	5	2	2	5	6	8	5	4	11	16	7	–
249	Thetford	259	180	38	8	4	3	1	54	10	5	12	13	5	9	14	15	19	13	11	–

V.—SOUTH WESTERN COUNTIES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	17.—WILTSHIRE.																				
250	Highworth	354	187	39	15	9	1	1	65	9	5	2	9	15	15	9	17	17	15	9	–
251	Cricklade	214	108	19	6	4	8	4	41	6	2	2	1	3	8	3	6	20	12	4	–
252	Malmsbury	223	107	21	8	–	3	1	33	5	2	7	3	5	11	7	6	14	12	2	–
253	Chippenham	338	185	22	10	5	1	2	40	6	3	7	9	14	14	12	16	27	28	9	–
254	Calne	130	54	11	3	1	–	2	17	1	–	2	4	3	7	3	6	9	2	–	–
255	Marlborough	163	63	13	4	2	1	1	21	–	1	3	3	6	4	2	4	9	7	3	–
256	Devizes	329	192	23	9	3	1	1	37	4	4	9	1	18	15	11	23	29	30	11	–
257	Melksham	271	183	25	14	5	6	6	56	3	7	7	2	12	10	9	20	29	21	7	–
258	Bradford	167	97	16	4	1	3	1	25	3	3	1	2	4	7	5	9	13	21	3	1
259	Westbury	206	127	18	2	3	4	–	27	9	2	5	9	9	7	8	9	21	18	3	–
260	Warminster	262	121	16	3	5	3	3	30	2	2	1	3	13	9	4	16	18	18	5	–
261	Pewsey	221	123	21	9	1	1	2	34	2	2	5	3	9	10	7	9	22	13	7	–
262	Amesbury	133	73	7	4	1	3	–	15	3	3	3	3	10	5	2	6	12	9	2	–
263	Alderbury	242	137	22	6	4	6	2	40	4	1	1	5	12	11	10	15	18	14	6	–
264	Salisbury	144	107	21	8	6	2	3	40	5	1	2	1	5	9	5	6	17	13	3	–
265	Wilton	167	105	24	6	1	–	1	32	3	2	2	8	6	6	8	7	15	14	2	–
266	Tisbury	149	67	10	3	2	–	1	16	5	2	2	3	5	7	4	6	9	7	1	–
267	Mere	132	67	13	5	2	–	–	20	2	4	3	2	5	2	7	6	5	11	–	–
	18.—DORSETSHIRE.																				
268	Shaftesbury	215	106	18	6	3	–	1	28	3	4	5	6	10	9	11	4	10	10	6	–
269	Sturminster (*a*)	136	96	15	5	–	2	2	24	2	4	8	4	11	5	4	4	12	15	3	–
270	Blandford (*a*)	234	129	17	7	6	3	3	36	3	1	–	4	8	12	8	12	15	23	6	1
271	Wimborne	288	162	38	12	9	–	1	60	3	1	2	7	11	11	9	19	15	20	3	1
272	Poole	226	134	23	10	3	3	5	44	5	5	3	4	6	10	4	20	13	15	4	1
273	Wareham	296	144	25	4	6	1	2	38	6	2	6	4	10	12	11	11	16	22	5	1
274	Weymouth (*b*)	441	210	35	23	14	2	6	80	5	5	4	4	15	18	22	12	21	16	8	–
275	Dorchester (*b*)	381	231	39	4	3	5	3	54	6	4	8	7	22	14	21	22	31	33	9	–
276	Sherborne	219	116	26	9	3	3	–	41	5	1	6	4	11	5	5	12	11	10	5	–
277	Beaminster	241	143	21	12	6	4	3	46	5	2	3	7	7	6	14	5	19	22	7	–
278	Bridport	259	187	40	20	10	7	5	82	9	5	10	3	8	12	4	8	22	17	6	1
	19. DEVONSHIRE.																				
279	Axminster	321	185	28	11	2	2	1	44	4	4	3	6	18	11	12	21	23	31	8	–
280	Honiton	313	201	31	15	6	–	2	54	7	2	13	8	10	12	19	16	33	17	9	1
281	St. Thomas	695	444	58	25	10	4	4	101	7	12	16	20	33	32	34	37	64	66	20	2
282	Exeter	523	385	82	24	14	8	5	133	12	15	10	10	21	25	32	36	38	41	11	1
283	Newton Abbot	874	533	81	35	12	6	9	143	15	6	22	21	44	29	36	54	58	76	28	1‖
284	Totnes	484	326	56	28	11	7	5	107	12	8	10	9	18	13	12	27	53	36	19	2
285	Kingsbridge	299	136	34	6	1	4	2	47	9	3	6	4	13	6	8	8	10	16	6	–
286	Plympton St. Mary	332	172	42	10	4	3	5	64	7	2	2	4	11	11	8	12	22	23	5	1
287	Plymouth	1040	739	129	78	36	21	17	281	20	13	29	20	70	53	46	44	84	58	20	1
288	East Stonehouse	274	164	42	16	7	4	3	72	4	4	2	5	10	12	11	16	16	11	1	–
289	Stoke Damerel	834	570	118	51	35	20	19	243	37	14	6	15	44	18	36	38	51	53	12	3
290	Tavistock	599	313	68	18	17	11	5	119	13	10	15	6	12	14	13	27	40	35	9	–
291	Okehampton	268	151	19	3	2	2	1	27	7	7	6	10	4	11	6	17	24	25	6	1
292	Crediton	298	154	26	9	8	–	4	47	4	6	7	3	7	6	6	16	20	24	8	–
293	Tiverton (*c*)	455	305	41	25	12	12	9	99	13	11	10	9	13	15	20	24	46	34	11	–
294	South Molton (*d*)	301	169	17	9	1	9	–	36	4	6	7	4	10	14	5	16	23	34	10	–
295	Barnstaple (*d*)	493	268	38	11	4	3	3	59	9	8	8	12	11	16	21	30	32	37	23	2
296	Torrington	253	141	27	6	5	2	–	40	4	–	6	6	7	10	11	7	24	16	10	–
297	Bideford	268	158	20	14	4	3	1	42	4	3	4	1	13	11	10	15	24	23	7	1
298	Holsworthy	161	84	10	1	4	2	2	19	2	3	3	1	7	3	3	7	17	12	7	–
	20.—CORNWALL.																				
299	Stratton	118	77	14	2	3	1	–	20	1	4	1	2	7	6	5	3	8	14	6	–
300	Camelford	130	66	18	2	2	1	1	24	4	–	2	1	1	2	5	7	10	9	1	–
301	Launceston	266	158	31	9	6	3	2	51	10	7	5	8	7	7	4	20	16	18	8	2
302	St. Germans	293	152	24	11	5	2	7	49	6	5	5	4	11	7	6	14	17	23	4	1
303	Liskeard	606	318	67	32	13	8	1	121	10	7	11	11	11	20	19	20	33	46	9	–
304	Bodmin	301	159	35	7	4	3	3	52	5	2	6	5	2	13	7	12	13	29	13	–
305	St. Columb	252	150	20	12	1	6	–	39	4	2	7	7	10	12	10	12	21	21	5	–

(*a*) See Note (*), page 14. (*b*) See Note (†), page 14. (*c*) See Note (‡), page 15. (*d*) See Note (§), page 15.

* One aged 101. † Aged 100. ‡ Aged 104. § Aged 102. ‖ Aged 101.

V.—SOUTH WESTERN COUNTIES.—DEATHS at different Ages, 1862—Districts—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	20.—CORNWALL—*cont.*																				
306	St. Austell	647	338	87	24	12	6	5	134	14	8	14	14	18	22	18	21	37	32	5	1
307	Truro	688	491	123	51	21	14	7	216	10	14	15	18	22	31	25	43	42	44	10	1*
308	Falmouth	394	243	56	31	14	8	4	113	10	5	6	9	17	16	18	11	21	13	4	–
309	Helston	522	312	76	36	10	5	4	131	12	4	15	14	18	18	19	28	19	24	10	–
310	Redruth	1075	669	218	62	34	19	14	347	39	19	28	17	25	26	44	50	44	25	5	–
311	Penzance	1047	536	160	39	9	7	5	220	14	13	28	25	24	29	35	48	52	39	9	–
312	Scilly Islands	36	20	2	–	1	–	–	3	1	–	–	–	1	–	1	4	1	6	3	–
	21.—SOMERSETSHIRE.																				
313a	Williton	306	138	21	6	6	1	2	36	4	1	4	2	7	11	10	17	16	25	5	–
313b	Dulverton (a)	86	36	5	–	–	–	–	5	–	1	1	1	5	–	1	6	8	4	4	–
314	Wellington	281	175	38	7	8	3	1	57	5	5	6	4	4	11	8	11	28	31	5	–
315	Taunton	518	276	49	11	4	6	2	72	5	5	9	9	19	19	17	28	33	46	13	1†
316	Bridgwater	561	305	59	10	6	9	1	85	12	8	10	7	17	18	22	35	38	41	11	1‡
317	Langport	267	161	24	6	3	6	6	45	4	4	4	8	8	7	13	11	29	24	4	–
318	Chard	420	184	41	4	4	3	2	54	2	1	2	8	16	9	11	24	23	26	8	–
319	Yeovil	521	241	64	13	5	11	2	95	16	3	4	8	13	13	19	19	29	18	4	–
320	Wincanton	337	207	49	10	5	4	1	69	6	1	7	3	16	11	17	23	27	26	1	–
321	Frome	374	222	42	10	9	3	2	66	2	6	3	11	9	18	10	28	39	24	5	1
322	Shepton Mallet	268	146	37	10	3	2	2	54	10	6	3	3	5	7	3	18	9	19	8	1
323	Wells	336	195	36	12	6	8	2	64	2	5	7	5	9	19	15	17	24	22	6	–
324	Axbridge	588	304	77	17	10	6	4	114	6	10	9	6	14	13	21	19	38	42	12	–
325	Clutton	401	195	53	14	7	5	2	81	8	4	6	8	6	16	11	12	20	16	7	–
326	Bath	932	632	142	29	23	10	7	211	16	14	5	18	49	43	60	77	65	58	16	–
327	Keynsham	403	195	53	5	5	3	1	67	4	4	6	3	13	14	10	20	18	28	7	1
328	Bedminster	751	370	95	17	18	5	8	143	12	11	5	13	16	31	31	27	31	41	9	–

VI.—WEST MIDLAND COUNTIES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	22.—GLOUCESTERSH.																				
329	Bristol	1186	840	197	86	35	20	14	352	33	20	21	26	52	78	59	71	74	49	5	–
330	Clifton	1635	916	241	80	40	25	9	395	37	10	22	16	57	65	71	78	83	68	14	–
331	Chipping Sodbury	319	162	42	6	3	7	3	61	9	5	4	7	9	4	6	14	14	23	6	–
332	Thornbury	263	132	29	2	3	–	2	36	4	3	3	4	9	4	8	28	12	16	5	–
333	Dursley	220	128	27	3	2	2	1	35	3	2	2	4	8	3	9	12	22	25	3	–
334	Westbury-on-Severn	325	186	50	17	5	–	2	74	4	3	3	6	8	8	16	21	18	19	6	–
335	Newent	177	104	26	1	2	1	–	30	1	1	2	4	10	3	15	4	15	14	5	–
336	Gloucester	695	371	101	21	7	3	4	136	6	14	14	10	25	33	36	29	38	28	2	–
337	Wheatenhurst	115	69	14	4	3	3	2	26	2	4	3	2	1	6	2	7	8	5	3	–
338	Stroud	610	380	97	29	17	6	1	150	12	6	12	12	21	22	11	44	41	34	14	1
339	Tetbury	85	41	7	2	2	–	–	11	3	1	1	1	6	1	2	2	6	5	1	1
340	Cirencester	360	179	54	9	6	6	2	77	8	1	8	1	4	11	11	19	15	18	6	–
341	Northleach	192	102	26	6	7	3	1	43	2	2	3	2	3	7	4	14	10	11	1	–
342	Stow-on-the-Wold	182	87	16	4	1	2	3	26	6	3	3	4	3	5	8	7	8	11	2	1
343	Winchcomb	185	66	14	2	3	–	–	19	1	1	1	1	2	6	2	5	16	11	1	–
344	Cheltenham	691	424	94	28	12	10	5	149	14	8	7	20	27	28	34	37	49	44	6	1§
345	Tewkesbury	235	137	31	11	3	2	2	49	6	3	2	4	9	7	9	10	14	18	6	–
	23.—HEREFORDSHIRE.																				
346	Ledbury	211	112	38	5	4	1	–	48	3	2	2	2	3	2	8	9	13	18	2	–
347	Ross	245	135	24	9	6	4	1	44	2	5	2	2	3	13	14	12	14	16	8	–
348	Hereford	626	385	79	21	11	4	3	118	12	6	10	5	22	27	31	42	52	51	9	–
349	Weobly	143	88	19	3	6	1	7	36	2	2	1	–	7	2	6	8	11	9	3	1
350	Bromyard	200	111	24	5	3	1	3	36	1	3	2	2	8	11	8	9	13	14	4	–
351	Leominster	229	153	27	6	1	1	4	39	10	5	4	7	7	2	19	13	28	14	5	–
	24.—SHROPSHIRE.																				
352	Ludlow	282	170	41	13	6	3	5	68	8	5	4	5	10	9	12	11	16	20	2	–
353	Clun	225	83	22	5	1	1	–	29	4	2	3	1	6	3	11	3	12	6	3	–
354	Church Stretton	104	58	9	1	1	–	–	11	2	1	4	1	4	5	5	7	8	8	2	–
355	Cleobury Mortimer	117	75	11	2	4	1	–	18	2	2	1	2	4	10	8	4	9	9	6	–
356	Bridgnorth	234	106	25	7	1	1	2	36	2	3	1	5	6	10	8	12	12	8	2	–
357	Shiffnal	202	114	32	2	7	5	2	48	5	2	2	4	8	4	8	7	19	4	3	1
358	Madeley	557	327	102	21	10	5	2	140	13	12	6	8	15	21	23	36	27	21	4	1
359	Atcham	308	140	30	6	1	2	1	40	7	2	2	5	8	9	10	12	19	22	3	1
360	Shrewsbury	404	297	55	12	4	4	3	78	6	6	8	12	21	20	31	36	41	31	7	–
361	Oswestry	395	245	57	10	7	9	6	89	5	7	5	8	15	11	12	26	33	28	5	1
362	Ellesmere	225	121	25	5	1	2	1	34	6	2	1	3	11	9	9	14	11	17	4	–
363a	Wem	171	103	18	6	1	1	1	27	5	3	2	2	4	4	6	11	18	16	5	–
363b	Whitchurch	196	112	31	5	3	1	–	40	4	4	4	4	7	4	5	10	11	16	3	–
364	Market Drayton	254	122	28	9	1	1	–	39	7	3	2	1	4	10	7	11	19	15	4	–
365	Wellington	423	280	65	25	18	10	11	129	19	14	12	14	9	8	6	26	17	24	2	–
366	Newport	252	154	37	8	1	3	2	51	10	4	3	6	10	10	8	11	21	13	7	–
	25.—STAFFORDSHIRE.																				
367	Stafford	397	309	59	18	9	11	11	108	15	5	10	11	24	33	35	27	18	18	5	–
368	Stone	354	222	58	20	4	3	1	86	4	5	5	7	7	14	24	19	29	17	5	–
369	Newcastle-under-Lyme	450	267	70	30	8	11	4	123	5	4	7	9	13	16	16	18	32	21	3	–
370	Wolstanton	1245	747	262	89	30	21	6	408	27	19	15	17	37	42	43	46	37	20	6	–
371	Stoke-upon-Trent	1542	1013	332	106	48	27	11	524	30	22	26	30	65	64	80	75	59	33	5	–
372	Leek	499	252	82	13	11	2	2	110	5	2	7	9	16	12	14	15	29	26	7	–
373	Cheadle	410	246	67	9	16	6	4	102	16	6	8	10	13	20	9	14	27	15	6	–
374	Uttoxeter	231	143	31	7	2	2	1	43	8	7	6	3	6	5	9	14	21	19	6	–
375	Burton-upon-Trent	796	427	119	23	14	11	5	172	7	3	5	14	29	37	31	41	33	45	10	1
376	Tamworth	277	146	36	7	2	1	2	48	4	5	6	4	4	10	6	19	23	15	2	–
377	Lichfield	485	306	78	30	13	9	2	132	6	3	8	6	17	17	22	20	26	35	14	–
378	Penkridge	318	203	57	12	5	7	2	83	4	6	4	6	16	13	10	19	23	16	3	–
379	Wolverhampton	2545	1757	529	208	127	52	47	963	67	35	35	31	82	113	111	130	108	67	15	–
380	Walsall	1286	832	268	116	56	36	13	489	29	14	14	19	42	41	42	46	53	39	4	–
381	West Bromwich	2016	1177	384	159	80	52	32	707	60	21	22	33	51	51	63	59	68	33	9	–
382	Dudley	2901	1760	568	268	126	58	55	1075	96	33	25	40	59	78	87	94	105	55	13	–

(a) See Notes (‡, §), page 15. * Aged 100. † Aged 104. ‡ Aged 102. § Aged 103.

V.—SOUTH WESTERN COUNTIES.—DEATHS at different Ages, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	20.—CORNWALL—*cont.*																				
306	St. Austell	601	335	76	26	12	6	3	123	11	15	18	12	20	13	11	23	36	43	10	–
307	Truro	623	484	105	25	25	10	9	174	22	16	21	19	21	19	29	31	58	53	19	2
308	Falmouth	373	276	65	23	10	7	3	108	9	5	4	10	14	17	16	23	32	31	5	2
309	Helston	523	285	65	21	6	11	2	105	8	8	10	12	21	15	12	17	31	32	13	1
310	Redruth	1057	656	164	68	32	17	11	292	26	11	33	29	34	26	24	40	72	47	20	2
311	Penzance	978	516	135	26	20	5	3	189	14	13	18	26	29	29	22	33	68	58	16	1
312	Scilly Islands	32	28	1	2	–	–	–	3	–	1	1	2	7	2	1	3	3	5	–	–
	21.—SOMERSETSHIRE.																				
313a	Williton	280	159	26	13	6	1	5	51	5	1	7	5	4	12	12	13	19	22	7	1
313b	Dulverton (*a*)	77	35	2	1	1	–	–	4	2	–	1	1	1	8	3	3	5	6	1	–
314	Wellington	306	157	29	7	4	2	–	42	6	4	5	6	9	7	8	9	21	28	12	–
315	Taunton	525	290	44	7	4	5	5	65	5	11	10	6	20	20	23	18	51	49	12	–
316	Bridgwater	550	308	60	14	7	5	5	91	4	11	13	10	23	18	18	26	40	44	10	–
317	Langport	264	152	25	5	5	5	4	44	5	6	4	6	12	8	14	18	17	10	7	1
318	Chard	418	211	46	10	5	2	1	64	6	8	9	11	16	8	16	18	22	29	4	–
319	Yeovil	478	280	55	9	7	11	9	91	14	4	12	11	22	8	13	23	32	35	15	–
320	Wincanton	335	208	49	4	3	3	–	59	4	13	13	4	9	16	13	23	21	23	9	1
321	Frome	387	203	40	10	3	–	2	55	2	3	3	8	9	16	15	21	28	30	13	–
322	Shepton Mallet	237	142	24	10	2	4	1	41	2	4	5	6	10	8	12	7	14	25	8	–
323	Wells	338	203	30	15	3	6	2	56	6	6	7	5	16	9	21	12	24	23	16	2
324	Axbridge	570	277	54	12	6	1	3	76	8	7	14	11	24	14	17	21	32	33	18	2*
325	Clutton	425	188	40	11	2	1	1	55	5	1	6	8	15	11	10	18	25	25	9	–
326	Bath	832	755	108	38	18	18	9	191	20	16	16	25	42	61	60	76	112	105	80	1†
327	Keynsham	343	220	48	11	5	7	3	74	2	8	6	10	19	18	5	17	28	25	8	–
328	Bedminster	743	370	92	27	8	6	6	139	13	9	8	11	28	14	24	33	38	36	15	2

VI.—WEST MIDLAND COUNTIES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	22.—GLOUCESTERSH.																				
329	Bristol	1184	802	138	60	41	20	17	276	30	15	25	25	48	62	60	78	73	77	29	4
330	Clifton	1476	980	168	96	40	24	19	347	24	22	37	36	62	61	72	72	115	98	32	2*
331	Chipping Sodbury	321	169	30	15	5	4	5	59	3	5	3	4	14	6	15	15	21	18	6	–
332	Thornbury	253	121	20	5	5	1	–	31	3	2	3	6	7	9	5	7	20	15	12	1
333	Dursley	186	111	13	4	4	1	–	22	3	6	1	5	7	5	8	12	18	20	4	–
334	Westbury-on-Severn	323	179	39	18	8	7	4	76	7	3	5	1	11	11	10	13	16	20	5	1
335	Newent	168	95	17	9	3	1	–	30	–	1	3	4	5	7	3	10	12	14	5	1
336	Gloucester	610	360	70	13	12	3	3	101	7	9	11	14	24	30	30	36	50	35	12	1
337	Wheatenhurst	132	64	9	1	1	1	2	14	1	3	–	2	4	5	3	7	7	17	1	–
338	Stroud	598	407	71	25	20	10	5	131	4	9	10	12	24	29	18	36	50	60	24	–
339	Tetbury	105	58	7	2	2	1	–	12	1	1	1	2	5	5	6	6	8	8	3	–
340	Cirencester	342	201	43	16	7	3	2	71	5	4	6	5	9	14	10	23	26	21	7	–
341	Northleach	163	84	16	5	3	–	–	24	3	2	–	4	6	3	5	7	13	11	6	–
342	Stow-on-the-Wold	168	102	24	4	4	1	1	34	3	6	3	4	4	5	4	14	9	12	4	–
343	Winchcomb	161	71	15	5	1	–	–	21	1	–	3	3	3	3	5	8	5	13	6	–
344	Cheltenham	748	424	76	19	13	5	5	118	12	12	7	18	27	40	37	43	49	50	9	2
345	Tewkesbury	256	139	24	11	4	5	1	45	6	3	6	5	10	6	8	15	9	18	8	–
	23.—HEREFORDSHIRE.																				
346	Ledbury	228	111	19	8	2	2	–	31	6	2	7	4	4	8	7	6	16	15	5	–
347	Ross	230	157	36	10	5	2	3	56	2	4	1	8	7	12	14	9	15	19	8	2
348	Hereford	604	387	63	15	8	10	4	100	7	7	13	9	23	30	32	35	51	52	26	2*
349	Weobly	118	74	17	1	3	2	–	23	2	1	3	–	1	2	7	7	9	14	5	–
350	Bromyard	169	97	22	2	5	3	–	32	1	1	1	1	8	6	6	9	6	20	6	–
351	Leominster	252	124	18	11	1	1	2	33	4	1	7	2	8	8	12	11	15	15	6	2
	24.—SHROPSHIRE.																				
352	Ludlow	275	143	25	8	8	3	4	48	4	3	5	4	7	9	11	6	14	24	8	–
353	Clun	172	110	27	3	3	2	–	35	3	2	5	4	9	5	3	10	14	14	6	–
354	Church Stretton	93	39	4	–	–	1	2	7	2	2	1	3	1	2	2	4	4	8	3	–
355	Cleobury Mortimer	103	67	10	5	1	–	1	17	2	–	3	5	2	6	2	12	8	7	2	1
356	Bridgnorth	249	140	24	9	2	–	3	38	3	4	4	1	12	19	11	8	17	13	10	–
357	Shiffnal	197	134	27	7	5	8	3	50	7	4	4	3	9	6	6	8	12	20	5	–
358	Madeley	543	322	71	23	10	4	8	116	15	5	4	10	24	22	17	33	34	34	7	1
359	Atcham	267	127	20	5	4	3	–	32	2	5	8	9	11	6	9	4	18	17	6	–
360	Shrewsbury	436	286	59	10	3	3	3	78	4	5	8	14	22	25	25	22	42	29	12	–
361	Oswestry	387	247	49	13	2	5	6	75	12	6	7	4	13	14	18	21	37	31	8	1‡
362	Ellesmere	222	127	22	4	6	3	–	35	6	3	4	1	8	10	6	13	12	22	6	1†
363a	Wem	151	85	14	2	2	3	2	23	6	–	3	3	1	3	6	7	17	12	4	–
363b	Whitchurch	191	115	18	7	2	1	2	30	2	3	2	1	9	6	6	8	20	19	8	1
364	Market Drayton	239	119	22	6	5	–	–	33	3	1	3	5	13	6	10	10	13	13	9	–
365	Wellington	460	294	81	24	9	13	5	132	21	9	10	10	16	7	14	20	18	26	9	2
366	Newport	246	149	30	10	3	2	5	50	12	6	4	3	10	8	14	5	15	18	4	–
	25.—STAFFORDSHIRE.																				
367	Stafford	419	260	53	18	8	5	3	87	15	7	13	11	17	18	11	25	26	23	7	–
368	Stone	336	217	46	10	5	2	4	67	12	2	9	11	11	20	8	14	31	25	7	–
369	Newcastle-under-Lyme	484	266	65	26	6	9	4	110	7	10	7	6	26	22	12	22	21	15	8	–
370	Wolstanton	1152	651	192	84	42	22	8	348	22	15	22	18	34	36	31	34	52	34	5	–
371	Stoke-upon-Trent	1416	905	274	99	53	28	12	466	33	16	25	36	65	57	51	42	63	40	10	1
372	Leek	424	229	46	17	7	3	2	75	5	8	11	10	17	13	16	17	22	25	10	–
373	Cheadle	362	218	39	16	10	6	5	76	7	7	10	9	18	10	15	15	20	26	5	–
374	Uttoxeter	222	135	22	6	1	–	2	31	7	2	2	11	7	10	4	14	17	21	8	1
375	Burton-upon-Trent	770	377	86	26	13	11	3	139	12	11	18	12	40	27	21	27	35	27	8	–
376	Tamworth	290	140	31	8	2	3	3	47	3	6	2	7	12	9	3	11	20	16	4	–
377	Lichfield	422	299	60	26	11	7	2	106	7	6	8	9	26	22	12	22	38	31	12	–
378	Penkridge	302	158	32	15	3	3	1	54	5	1	2	2	11	12	13	14	23	13	8	–
379	Wolverhampton	2392	1468	406	214	117	62	40	839	42	16	28	33	76	81	67	89	94	76	25	2
380	Walsall	1291	706	206	107	58	40	18	429	23	10	12	9	47	24	29	43	41	33	5	1§
381	West Bromwich	1940	1055	271	152	83	55	32	593	50	21	26	20	51	51	56	61	72	40	13	1
382	Dudley	2944	1630	459	231	135	70	38	983	71	29	32	35	69	66	53	73	98	92	26	3

(*a*) See Notes (‡, §), page 15. * One aged 100. † Aged 100. ‡ Aged 104. § Aged 105.

VI.—WEST MIDLAND COUNTIES.—DEATHS at different Ages, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	26.—WORCESTERSHIRE.																				
383	STOURBRIDGE	1511	737	262	72	35	20	13	402	24	17	17	21	34	38	51	39	55	29	9	1
384	KIDDERMINSTER	485	271	68	12	14	12	3	109	10	4	10	6	9	17	18	25	32	23	5	–
385	TENBURY	114	78	21	1	1	–	2	25	–	1	2	2	1	1	3	14	12	12	2	3*
386	MARTLEY	259	135	31	4	1	2	1	39	3	1	3	5	9	6	12	13	20	22	2	–
387	WORCESTER	521	389	93	29	10	11	7	150	10	3	8	8	28	32	42	44	34	24	4	2
388	UPTON-ON-SEVERN	343	201	47	4	4	3	5	63	2	3	7	7	14	17	14	23	26	23	2	–
389	EVESHAM	230	114	20	1	1	2	3	27	6	2	5	5	5	10	10	13	14	12	5	–
390	PERSHORE	222	121	31	7	2	–	–	40	3	2	4	2	8	9	5	14	14	17	3	–
391	DROITWICH	348	181	44	10	7	5	2	68	4	3	1	6	8	4	17	18	24	21	7	–
392	BROMSGROVE	519	261	74	15	4	9	2	104	4	7	4	6	10	12	22	21	27	40	4	–
393	KINGS NORTON	761	412	110	38	33	11	9	201	18	3	8	16	19	23	36	34	28	20	5	1
	27.—WARWICKSHIRE.																				
394	BIRMINGHAM	4424	2978	779	401	191	120	82	1573	123	51	56	70	191	182	220	240	174	85	13	–
395	ASTON	2238	1145	382	158	63	46	28	677	55	22	23	31	39	52	69	66	63	40	8	–
396	MERIDEN	159	97	23	5	4	1	3	36	1	4	3	2	5	6	9	8	9	12	2	–
397	ATHERSTONE	215	101	26	10	1	1	2	40	5	2	4	4	6	6	9	5	8	9	3	–
398	NUNEATON	247	126	37	7	1	5	2	52	–	4	7	3	7	5	11	12	10	9	5	1
399	FOLESHILL	394	194	65	23	10	4	3	105	8	2	3	5	4	12	8	15	12	16	4	–
400	COVENTRY	686	387	107	32	19	4	6	168	10	7	10	12	18	25	32	38	31	29	6	1
401	RUGBY	406	201	50	12	3	2	2	69	10	8	5	4	11	13	2	19	24	27	9	–
402	SOLIHULL	205	113	28	4	3	3	1	39	5	1	–	5	9	6	9	13	15	10	1	–
403	WARWICK	659	445	87	26	14	5	5	137	14	7	16	16	31	38	31	42	61	40	12	–
404	STRATFORD-ON-AVON	313	178	35	14	5	5	1	60	4	3	4	8	10	11	8	20	27	15	8	–
405	ALCESTER	288	138	31	11	2	2	1	47	3	1	5	4	5	5	11	10	23	19	5	–
406	SHIPSTON-ON-STOUR	350	178	48	7	4	4	3	66	5	2	6	2	10	5	9	15	33	21	4	–
407	SOUTHAM	195	92	26	5	4	–	1	36	3	3	3	3	4	3	7	11	8	8	2	1

VII.—NORTH MIDLAND COUNTIES.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	28.—LEICESTERSHIRE.																				
408	LUTTERWORTH	255	111	23	7	2	3	1	36	3	3	2	3	6	6	4	14	17	14	3	–
409	MARKET HARBOROUGH	277	147	40	10	10	2	1	63	4	3	3	6	6	7	5	15	16	15	4	–
410	BILLESDON	111	46	8	3	–	–	–	11	1	–	3	–	1	1	6	6	6	10	1	–
411	BLABY (*a*)	281	145	50	13	7	5	2	77	3	4	3	5	7	7	1	7	18	12	1	–
412	HINCKLEY	294	162	39	15	6	3	3	66	4	1	3	2	10	15	8	12	21	19	1	–
413	MARKET BOSWORTH	213	116	29	7	–	2	1	39	5	1	4	2	6	8	4	11	15	17	4	–
414	ASHBY-DE-LA-ZOUCH (*b*)	577	302	86	31	15	4	4	140	8	10	12	16	8	12	12	21	27	28	8	–
415	LOUGHBOROUGH (*b*)	433	228	63	19	5	7	3	97	6	13	7	6	8	10	20	16	28	10	7	–
416	BARROW-UPON-SOAR	369	203	59	10	5	2	5	81	6	4	7	4	10	6	8	19	26	23	9	–
417	LEICESTER (*a*)	1424	882	319	66	28	18	6	437	22	12	23	21	43	40	61	73	77	56	17	–
418	MELTON MOWBRAY	323	186	59	9	4	2	2	76	5	2	3	3	11	9	12	21	19	22	3	–
	29.—RUTLANDSHIRE.																				
419	OAKHAM	189	97	22	2	1	2	2	29	1	2	5	4	7	2	7	7	11	18	4	–
420	UPPINGHAM	163	95	20	4	3	–	–	27	4	5	3	1	2	5	7	14	15	10	2	–
	30.—LINCOLNSHIRE.																				
421	STAMFORD	294	150	40	11	4	–	1	56	1	3	5	2	9	6	7	10	21	22	8	–
422	BOURN (*c*)	360	175	58	7	5	3	3	71	3	4	5	6	8	9	11	9	28	15	6	–
423	SPALDING (*c*)	341	221	75	20	1	2	6	104	6	2	7	8	6	10	12	21	25	17	3	–
424	HOLBEACH	295	167	47	11	7	2	2	69	7	7	5	4	5	8	12	12	18	18	2	–
425	BOSTON	574	361	91	22	14	9	8	144	21	13	13	5	24	21	25	27	30	31	6	1
426	SLEAFORD	450	237	71	15	5	6	2	99	15	3	6	8	9	14	11	17	27	21	6	1
427	GRANTHAM	517	291	83	19	11	3	5	121	11	3	5	12	18	13	20	15	45	20	8	–
428	LINCOLN	823	475	125	34	11	6	4	180	17	10	11	17	35	38	30	41	46	42	8	–
429	HORNCASTLE	395	210	44	11	6	6	5	72	12	7	6	7	11	10	14	20	26	16	9	–
430	SPILSBY	500	245	62	16	9	6	3	96	10	1	9	10	12	12	15	20	30	21	9	–
431	LOUTH	637	306	76	15	7	5	5	108	17	9	13	6	17	13	11	27	49	28	8	–
432	CAISTOR	631	321	85	19	7	15	6	132	5	6	7	14	16	17	16	33	34	34	7	–
433	GLANFORD BRIGG	605	299	70	11	5	7	6	99	11	8	8	13	22	19	13	15	40	35	15	1
434	GAINSBOROUGH	420	285	60	13	12	10	5	100	23	6	14	6	16	15	12	29	33	22	9	–
	31.—NOTTINGHAMSH.																				
435	EAST RETFORD	379	199	45	9	4	3	4	65	7	6	4	6	11	7	18	8	25	34	7	1
436	WORKSOP	418	215	58	15	3	5	3	84	11	2	5	9	6	10	25	13	23	23	4	–
437	MANSFIELD	603	335	103	24	10	10	5	152	11	5	12	9	13	17	15	21	43	35	2	–
438	BASFORD (*d*)	1470	793	255	61	26	19	11	372	26	17	28	36	31	34	41	57	75	61	14	1
439	RADFORD	562	268	87	20	9	1	3	120	12	5	4	8	18	16	20	15	35	12	3	–
440	NOTTINGHAM (*d*)	1367	872	249	80	49	25	17	420	24	11	22	24	60	58	54	64	66	56	13	–
441	SOUTHWELL	352	193	37	12	5	4	3	61	8	4	5	3	9	7	13	19	30	26	8	–
442	NEWARK	524	312	88	19	13	3	4	127	11	9	11	13	8	15	18	19	41	30	9	1
443	BINGHAM	224	135	29	3	3	5	2	42	2	4	5	6	5	6	8	14	18	17	8	–
	32.—DERBYSHIRE.																				
444	SHARDLOW	499	272	66	11	8	4	3	92	8	6	6	9	14	15	11	28	41	36	6	–
445	DERBY	1053	547	158	45	19	12	10	214	18	7	27	24	33	30	51	49	34	23	7	–
446	BELPER	997	538	147	39	16	13	15	230	24	10	11	9	29	30	35	57	52	48	3	–
447	ASHBORNE	306	183	35	11	4	3	2	55	6	7	7	7	8	15	10	17	23	24	4	–
448	CHESTERFIELD	1322	638	224	46	26	12	7	315	14	9	17	19	35	37	36	46	55	41	14	–
449	BAKEWELL	581	347	74	19	9	6	5	113	10	7	9	8	21	18	27	47	42	37	8	–
450	CHAPEL-EN-LE-FRITH	279	173	42	13	2	6	1	64	9	2	3	6	8	11	15	18	17	16	4	–
451	HAYFIELD	582	364	109	36	10	8	8	171	14	8	8	10	18	19	23	41	25	20	2	–

(*a*) See Note (*), page 18. (*b*) See Note (†), page 18. (*c*) See Note (‡), page 19. (*d*) See Note (‖), page 19.

* One aged 100.

VI.—WEST MIDLAND COUNTIES.—DEATHS at different Ages, 1862—Districts—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	26.—WORCESTERSHIRE.																				
383	Stourbridge	1488	660	208	82	32	19	11	352	20	9	16	16	37	38	34	35	54	34	14	1*
384	Kidderminster	442	259	33	13	6	3	8	63	13	7	7	10	20	19	16	23	36	35	10	–
385	Tenbury	106	49	11	–	–	2	2	15	2	–	–	3	4	–	1	3	2	10	8	1
386	Martley	216	113	20	2	1	4	2	29	–	3	4	4	13	11	2	11	18	14	4	–
387	Worcester	522	333	76	19	10	10	4	119	6	1	6	12	18	25	20	35	37	40	14	–
388	Upton-on-Severn	323	201	29	8	4	4	–	45	4	7	10	12	11	18	11	20	20	33	9	1
389	Evesham	244	126	24	3	4	3	4	38	6	3	1	9	11	5	5	14	11	20	3	–
390	Pershore	219	104	24	7	1	–	–	32	2	7	3	4	12	1	7	7	11	8	8	2
391	Droitwich	332	158	40	9	2	2	2	55	6	2	7	3	10	9	10	13	14	20	9	–
392	Bromsgrove	490	236	45	21	8	3	4	81	11	3	11	14	17	15	11	24	18	21	10	–
393	Kings Norton	787	447	84	40	28	13	12	177	17	9	14	13	21	34	37	32	49	30	9	–
	27.—WARWICKSHIRE.																				
394	Birmingham	4192	2722	659	357	184	127	81	1403	116	52	63	60	164	161	154	198	199	124	22	1
395	Aston	2086	1124	297	142	93	37	28	597	46	24	30	30	65	63	57	72	72	49	18	1†
396	Meriden	170	81	17	4	2	4	–	27	2	–	2	2	2	7	2	7	11	15	3	1
397	Atherstone	200	113	24	14	5	–	2	45	5	2	2	1	5	9	6	8	14	14	2	–
398	Nuneaton	238	140	26	8	8	2	1	45	4	3	3	7	13	8	7	12	22	11	5	–
399	Foleshill	361	213	52	12	12	6	2	84	8	9	14	7	17	7	9	7	25	22	4	–
400	Coventry	694	406	95	26	20	11	9	161	13	10	12	17	30	24	29	28	37	33	12	–
401	Rugby	345	206	46	6	6	2	3	63	4	7	9	5	15	15	7	15	27	33	6	–
402	Solihull	233	126	23	3	3	1	2	32	5	1	2	3	12	3	7	10	23	20	8	–
403	Warwick	648	426	69	24	11	6	4	114	7	6	8	20	38	27	31	37	65	56	14	3‡
404	Stratford-on-Avon	334	179	28	9	6	2	–	45	5	5	11	6	17	8	6	11	30	27	8	–
405	Alcester	278	141	31	6	4	3	1	45	2	5	1	7	12	11	4	8	19	23	4	–
406	Shipston-on-Stour	359	171	17	10	8	2	1	38	7	7	8	9	13	8	12	9	29	25	6	–
407	Southam	194	83	17	5	3	2	1	28	5	1	2	6	8	8	2	6	4	12	1	–

VII.—NORTH MIDLAND COUNTIES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	28.—LEICESTERSHIRE.																				
408	Lutterworth	234	139	27	7	3	–	–	37	4	3	4	3	11	6	13	11	27	18	2	–
409	Market Harborough	273	149	42	5	2	4	3	56	2	1	6	5	8	9	3	13	16	24	6	–
410	Billesdon	86	44	7	7	–	–	–	14	1	2	2	1	3	2	5	2	7	4	1	–
411	Blaby (*a*)	258	137	32	8	4	1	2	47	2	6	4	5	10	6	7	12	14	20	4	–
412	Hinckley	303	148	42	7	2	1	1	53	4	9	5	7	16	7	8	11	15	13	–	–
413	Market Bosworth	224	121	24	6	2	–	1	33	3	3	7	6	13	5	8	12	13	11	6	1
414	Ashby-de-la-Zouch (*b*)	537	281	57	17	8	3	–	85	3	9	11	13	18	23	14	25	34	33	13	–
415	Loughborough (*b*)	359	256	55	15	4	2	2	78	7	7	7	10	21	18	18	24	29	26	10	1
416	Barrow-upon-Soar	333	196	41	9	4	4	1	59	11	2	6	6	19	18	8	21	19	22	5	–
417	Leicester (*a*)	1299	838	210	70	31	17	8	336	23	20	28	28	58	59	56	74	84	64	8	–
418	Melton Mowbray	318	166	28	12	1	2	–	43	6	3	10	5	19	8	10	10	26	19	7	–
	29.—RUTLANDSHIRE.																				
419	Oakham	175	80	15	4	5	–	3	27	3	1	3	2	5	6	3	11	5	11	2	1
420	Uppingham	188	114	19	5	2	2	3	31	2	6	1	5	14	8	12	11	7	14	3	–
	30.—LINCOLNSHIRE.																				
421	Stamford	256	152	30	12	5	3	3	53	7	–	5	8	6	12	10	16	15	13	7	–
422	Bourn (*c*)	324	197	43	12	5	4	1	65	6	2	7	8	13	9	10	12	23	29	13	–
423	Spalding (*c*)	308	190	46	15	5	3	3	72	4	4	8	6	5	16	7	15	24	21	8	–
424	Holbeach	310	170	41	15	3	3	3	65	6	6	13	4	13	14	10	11	9	15	4	–
425	Boston	533	355	57	11	15	15	6	104	22	18	15	9	25	15	19	29	41	43	14	1
426	Sleaford	456	236	54	16	12	4	3	89	11	9	4	5	17	15	15	19	26	19	7	–
427	Grantham	447	241	52	10	9	8	5	84	8	3	11	10	13	9	26	11	26	29	9	2
428	Lincoln	740	489	91	37	14	13	7	162	20	7	20	19	35	30	23	29	42	35	17	–
429	Horncastle	425	210	43	5	6	5	2	61	13	7	7	8	18	18	8	19	21	23	7	–
430	Spilsby	468	217	36	16	4	2	5	63	12	7	7	7	17	12	18	19	28	22	5	–
431	Louth	574	270	66	17	7	4	2	96	12	8	13	15	23	19	13	20	22	23	6	–
432	Caistor	617	321	66	18	11	8	6	109	13	4	10	15	32	16	17	25	36	31	13	–
433	Glanford Brigg	569	272	60	9	8	2	6	85	24	10	9	13	21	15	20	20	25	25	5	–
434	Gainsborough	427	279	59	18	11	4	5	97	21	5	8	15	14	12	11	23	30	35	8	–
	31.—NOTTINGHAMSHIR.																				
435	East Retford	351	179	41	9	5	2	–	57	6	3	6	11	19	9	7	11	23	21	6	–
436	Worksop	374	205	42	11	4	5	2	64	4	3	6	10	15	13	15	16	32	21	6	–
437	Mansfield	567	359	82	24	12	5	3	126	12	10	12	12	25	26	17	23	40	43	13	–
438	Basford (*d*)	1430	766	184	77	23	16	11	311	27	21	33	41	55	44	54	53	53	62	11	1
439	Radford	540	313	84	25	13	5	4	131	8	9	19	14	22	14	28	20	28	17	2	1
440	Nottingham (*d*)	1289	898	205	90	45	22	12	374	20	21	30	45	74	56	57	63	87	59	11	1
441	Southwell	374	242	44	7	3	4	1	59	8	5	11	13	26	9	21	18	28	33	10	1
442	Newark	512	302	65	21	9	4	4	103	11	10	14	11	15	22	17	21	27	37	14	–
443	Bingham	250	130	32	10	–	1	1	44	5	3	6	8	6	7	4	11	17	13	4	2
	32.—DERBYSHIRE.																				
444	Shardlow	456	276	47	13	6	5	4	75	3	6	13	15	16	10	14	29	47	38	10	–
445	Derby	926	465	95	25	16	15	8	159	13	12	27	24	54	32	30	38	40	27	9	–
446	Belper	896	546	123	37	20	8	12	200	13	12	24	21	50	33	42	46	55	38	12	–
447	Ashborne	306	209	29	13	10	2	3	57	8	3	7	8	14	15	14	15	32	26	9	1
448	Chesterfield	1299	557	167	33	18	10	8	236	26	8	19	19	46	35	29	40	44	40	15	–
449	Bakewell	496	318	51	13	16	8	4	92	13	4	14	13	24	23	25	27	47	30	5	1
450	Chapel-en-le-Frith	224	166	28	9	7	6	4	54	5	7	7	11	13	9	13	16	15	14	2	–
451	Hayfield	526	328	78	24	11	8	3	124	8	8	18	10	17	14	33	23	40	28	4	1§

(*a*) See Note (*), page 18. * Aged 101.

(*b*) See Note (†), page 18. † Aged 104.

(*c*) See Note (‡), page 19. ‡ One aged 100.

(*d*) See Note (‖), page 19. § Aged 102.

VIII.—NORTH WESTERN COUNTIES.—DEATHS at different Ages, 1862—DISTRICTS—*continued.*

No.	DISTRICTS.	MALES.																			
		Total Births.	Total Deaths.	Ages at Death.																	
				Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	33.—CHESHIRE.																				
452	Stockport	1746	1263	333	120	78	37	30	598	51	29	28	43	68	78	75	107	119	59	8	–
453	Macclesfield	998	720	197	48	36	14	14	309	25	12	31	24	40	42	55	48	87	37	10	–
454	Altrincham	755	407	112	26	11	9	5	163	22	6	10	12	29	22	25	31	46	31	10	–
455	Runcorn	544	294	71	18	10	8	2	109	15	9	12	9	18	20	22	32	24	20	4	–
456	Northwich	732	438	123	28	16	22	12	201	37	16	7	9	10	22	21	39	39	31	6	–
457	Congleton	631	382	117	30	6	15	6	174	13	12	18	11	20	15	28	27	42	19	3	–
458	Nantwich	830	382	111	27	11	10	6	165	12	8	10	13	16	22	29	36	38	26	7	–
459	Great Boughton (Chester)	989	705	159	57	35	22	16	289	28	11	18	32	39	56	69	42	62	46	13	–
460*a*	Wirral	332	171	37	12	6	6	5	66	7	5	6	6	16	8	10	16	15	13	3	–
460*b*	Birkenhead	1409	727	196	91	37	32	12	368	32	8	14	25	51	62	64	42	39	17	5	–
	34.—LANCASHIRE																				
461	Liverpool	5129	4725	1170	534	277	189	112	2282	246	59	118	152	381	390	440	354	212	76	13	2*
462	West Derby	4638	2901	769	370	189	125	72	1525	171	67	67	73	144	234	229	184	123	69	14	1†
463	Prescot	1608	877	262	78	51	25	14	430	47	14	28	21	58	59	56	68	48	42	6	–
464	Ormskirk	840	475	103	39	18	10	6	176	19	13	16	18	34	39	41	32	47	29	11	–
465	Wigan	2302	1292	445	162	74	43	29	753	50	26	28	33	45	77	58	90	75	50	7	–
466	Warrington	958	505	152	42	14	4	11	223	25	15	14	23	36	34	43	27	33	24	8	–
467	Leigh	802	498	156	41	22	11	6	236	19	13	18	16	21	33	30	36	40	30	6	–
468	Bolton	2863	1706	479	169	72	58	42	820	59	44	50	51	85	92	138	131	131	87	16	2
469	Bury	1975	1293	331	131	87	43	48	640	87	42	37	36	48	63	80	96	93	62	9	–
470	Barton-upon-Irwell	710	397	99	30	18	10	9	166	25	12	11	7	23	22	26	38	39	26	2	–
471	Chorlton	3373	1945	584	230	124	64	39	1041	78	39	39	59	118	128	136	141	95	64	6	1
472	Salford	2196	1337	378	189	72	30	35	704	47	24	32	36	79	90	90	100	86	42	7	–
473	Manchester	4635	3828	974	495	220	127	98	1914	156	51	97	115	233	269	330	307	229	110	17	–
474	Ashton	2637	1791	567	190	89	56	35	937	58	39	65	55	95	89	120	125	117	82	9	–
475	Oldham	2284	1576	466	163	92	58	42	821	97	34	38	43	67	89	84	114	114	69	6	–
476	Rochdale	1701	1044	293	81	26	19	14	433	39	27	31	34	78	68	70	93	99	64	8	–
477	Haslingden	1328	754	212	70	23	15	8	328	30	25	22	39	33	50	55	61	66	42	3	–
478	Burnley	1540	883	269	94	42	25	14	444	38	16	33	31	47	39	43	77	66	41	8	–
479	Clitheroe	344	224	63	19	7	2	5	96	3	4	13	5	16	20	6	15	19	24	8	–
480	Blackburn	2616	1677	559	231	84	50	33	957	70	28	57	42	77	91	96	88	106	52	13	–
481	Chorley	799	498	137	63	22	11	5	238	22	12	26	17	19	24	20	28	48	38	6	–
482	Preston	2163	1507	454	141	64	44	28	731	63	34	51	57	96	83	89	114	109	70	8	2
483	Fylde	455	232	60	20	3	10	2	95	8	10	8	10	11	20	14	7	19	17	11	2
484	Garstang	214	115	22	3	6	3	2	36	7	2	4	6	4	4	7	8	13	18	6	–
485	Lancaster	646	370	84	30	10	7	10	141	9	9	14	9	18	26	38	34	33	30	9	–
486	Ulverstone	660	483	105	40	25	12	15	197	14	13	17	18	29	35	32	39	46	34	9	–

IX.—YORKSHIRE.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	35.—WEST RIDING.																				
487	Sedbergh	61	37	8	5	1	–	–	14	1	3	1	4	4	–	1	3	4	1	1	–
488	Settle	204	115	28	7	2	–	3	40	1	5	3	7	2	2	10	11	15	11	8	–
489	Skipton	545	313	74	16	11	5	4	110	13	6	12	7	24	13	17	24	47	31	9	–
490	Pateley Bridge	186	120	34	6	1	6	1	48	–	2	2	2	7	5	8	12	9	19	6	–
491	Ripon	266	143	28	3	4	1	2	38	6	–	5	5	9	4	9	12	25	23	7	–
492*a*	Great Ouseburn	173	114	22	4	2	–	–	28	4	2	3	3	9	6	8	8	17	18	8	–
492*b*	Knaresborough	276	180	39	9	2	1	2	53	6	5	11	7	11	13	9	19	17	19	10	–
492*c*	Wetherby	106	57	12	2	2	–	–	16	2	–	2	1	6	3	4	5	9	9	–	–
492*d*	Kirkdeighton	17	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
493*a*	Otley	288	193	36	13	7	3	1	60	6	5	3	12	12	15	15	17	24	22	2	–
493*b*	Wharfedale	300	204	47	21	9	4	2	83	11	5	10	10	12	10	9	22	13	15	4	–
494	Keighley	759	499	156	34	13	10	4	217	19	12	16	21	28	29	26	47	58	21	5	–
495	Todmorden	500	341	94	26	4	3	3	130	7	8	14	13	18	20	28	34	46	23	–	–
496	Saddleworth	312	199	61	20	5	–	3	89	8	6	3	5	11	10	13	17	25	12	–	–
497	Huddersfield	2502	1531	417	119	66	37	29	668	66	45	62	44	82	94	93	134	153	77	13	–
498	Halifax	2349	1531	413	161	54	34	17	679	57	42	63	48	78	96	96	131	154	78	9	–
499	Bradford	3927	2574	873	265	84	54	48	1324	97	46	95	69	121	128	173	192	199	112	17	1
500	Hunslet (*a*, *b*)	2232	1250	456	112	55	29	24	676	42	31	31	36	59	61	76	81	89	58	10	–
501	Leeds	2445	1740	462	229	88	56	35	870	77	36	40	53	104	119	154	122	93	65	7	–
502	Dewsbury	2103	1105	382	132	60	24	7	605	36	25	35	27	56	52	59	74	78	46	11	1
503	Wakefield (*a*)	1116	736	190	41	27	8	11	277	29	13	22	30	55	64	61	76	54	48	5	2
504*a*	Pontefract (*a*)	422	288	100	28	14	5	2	149	13	5	7	6	11	13	12	22	27	15	8	–
504*b*	Hemsworth	126	79	12	–	–	1	1	14	5	4	1	5	4	3	6	4	18	12	3	–
504*c*	Castleford (*a*)	278	175	53	21	11	6	5	96	7	6	12	3	8	10	9	10	7	7	–	–
505	Barnsley	1047	519	188	37	17	3	11	256	10	18	14	21	24	26	42	34	49	23	2	–
506	Wortley	835	454	130	34	15	12	7	198	16	13	15	11	29	27	34	32	42	28	9	–
507	Ecclesall Bierlow	1207	709	197	68	43	22	9	339	30	18	15	28	37	43	43	63	52	34	7	–
508	Sheffield	2718	1893	533	190	107	80	49	959	114	41	40	57	104	144	133	143	90	59	9	–
509	Rotherham	915	592	152	41	21	13	11	238	35	31	27	27	33	43	30	47	44	28	9	–
510	Doncaster	709	414	135	32	12	4	2	185	16	5	11	12	32	25	19	37	31	29	12	–
511	Thorne	305	173	45	9	6	2	1	63	9	6	3	4	5	10	12	17	25	17	2	–
512	Goole	267	171	42	11	6	2	4	65	7	6	3	6	11	12	9	18	20	12	2	–
513	Selby	294	152	43	5	4	1	3	56	8	6	4	7	3	17	13	5	13	15	5	–
514	Tadcaster (*a*)	295	159	36	12	4	3	3	58	8	3	5	5	8	2	10	17	26	12	5	–
	36.—EAST RIDING (with York).																				
515	York	1044	661	168	31	22	12	10	243	15	16	17	21	45	46	55	78	56	52	17	–
516	Pocklington	281	127	43	5	2	3	–	53	7	1	4	2	5	6	5	11	12	13	8	–
517	Howden	343	220	68	10	9	4	2	93	13	3	16	14	13	5	10	4	21	22	6	–
518	Beverley	349	236	60	12	8	4	2	86	7	4	4	7	22	12	18	19	29	22	6	–
519	Sculcoates	1065	646	208	50	33	11	6	308	32	9	24	19	43	34	40	44	49	35	6	–
520	Hull	1003	694	169	68	36	19	13	305	31	15	24	35	49	42	51	60	45	28	6	–
521	Patrington	181	89	18	3	3	1	1	26	3	3	5	1	3	4	9	9	10	15	9	–
522	Skirlaugh	164	94	19	4	2	4	2	31	6	2	1	3	3	4	10	6	11	15	1	–
523	Driffield	355	251	66	11	10	6	10	103	13	10	8	6	13	11	16	18	23	25	2	–
524	Bridlington	258	148	40	7	1	5	1	54	4	–	8	6	7	10	7	13	12	19	5	–
	37.—NORTH RIDING.																				
525	Scarborough	560	326	91	21	17	13	7	149	13	9	7	4	18	19	21	25	28	28	5	–
526	Malton	303	238	40	18	11	9	4	82	23	5	3	7	16	13	12	18	24	29	6	–
527	Easingwold	152	108	20	6	1	3	1	31	3	2	6	1	9	7	9	5	15	19	1	–
528	Thirsk	200	114	27	3	2	2	2	36	2	5	4	6	8	6	7	7	15	14	4	–

(*a*) See Note (*), page 20.

* One aged 109.

(*b*) See Note (†), page 21.

† Aged 102.

VIII.—NORTH WESTERN COUNTIES.—DEATHS at different Ages, 1862—DISTRICTS—*continued.*

		FEMALES.																			
				AGES AT DEATH.																	
No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	Under 1 Year	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	33.—CHESHIRE.																				
452	STOCKPORT	1584	1212	225	131	54	43	31	484	46	25	32	52	86	90	82	108	121	75	11	–
453	MACCLESFIELD	984	746	143	61	31	14	9	258	30	22	28	24	66	58	50	68	76	55	11	–
454	ALTRINCHAM	692	378	52	16	4	14	8	94	20	13	12	17	28	29	29	38	52	37	8	1*
455	RUNCORN	484	265	62	17	12	3	8	102	13	7	6	5	16	14	13	28	34	23	4	–
456	NORTHWICH	677	435	101	26	24	18	9	178	32	9	10	13	26	23	25	26	47	36	10	–
457	CONGLETON	644	364	84	30	13	5	5	137	6	7	20	18	32	36	23	29	31	20	5	–
458	NANTWICH	753	326	77	15	14	5	2	113	9	4	7	12	25	21	25	29	37	36	7	1
459	GREAT BOUGHTON (CHESTER)	978	662	137	41	37	15	14	244	24	15	21	22	46	52	33	46	80	57	19	3
460*a*	WIRRAL	343	153	30	9	11	1	2	53	5	4	5	3	8	11	8	7	17	21	9	2
460*b*	BIRKENHEAD	1367	652	138	78	34	20	19	289	34	13	16	20	54	47	49	39	55	29	4	3†
	34.—LANCASHIRE.																				
461	LIVERPOOL	4939	4225	932	547	260	165	106	2010	216	58	70	125	334	341	361	343	232	107	26	2
462	WEST DERBY	4465	2896	602	316	191	118	91	1318	149	60	67	81	215	214	247	216	197	110	20	2‡
463	PRESCOT	1623	807	200	70	55	21	23	369	33	22	15	22	74	57	58	50	59	36	11	1
464	ORMSKIRK	857	479	88	42	17	10	6	163	15	11	14	15	39	46	35	41	44	41	15	–
465	WIGAN	2187	1229	374	166	68	44	20	672	56	21	34	31	61	63	62	70	87	63	9	–
466	WARRINGTON	973	505	113	48	31	15	11	218	17	6	14	17	29	39	31	47	52	29	6	–
467	LEIGH	767	480	109	36	19	16	7	187	16	9	25	18	43	33	35	36	47	24	6	1
468	BOLTON	2720	1550	367	139	69	52	36	663	70	20	56	60	109	96	96	139	119	107	15	–
469	BURY	1806	1192	223	123	73	49	31	499	82	27	37	45	86	83	71	72	95	77	18	–
470	BARTON-UPON-IRWELL	704	458	98	36	19	15	7	175	25	16	13	16	33	29	34	40	42	30	5	–
471	CHORLTON	3306	2047	472	230	143	68	43	956	82	28	51	69	143	152	150	188	147	69	10	2
472	SALFORD	2010	1410	319	185	90	55	29	678	42	19	34	52	90	94	116	108	102	63	12	–
473	MANCHESTER	4493	3620	769	448	224	138	77	1656	124	49	92	131	229	307	299	288	270	143	26	6§
474	ASHTON	2439	1735	411	201	87	48	32	779	85	33	61	80	118	115	118	153	119	64	10	–
475	OLDHAM	2210	1452	369	165	90	51	37	712	78	33	38	50	97	87	89	104	100	54	10	–
476	ROCHDALE	1656	963	181	99	24	23	11	338	30	26	33	54	68	99	69	78	94	59	15	–
477	HASLINGDEN	1325	759	178	89	21	14	13	315	23	11	36	34	61	63	58	58	66	25	8	1
478	BURNLEY	1422	855	198	97	42	28	16	381	28	16	31	35	64	52	57	66	69	51	5	–
479	CLITHEROE	304	203	37	20	6	–	6	69	6	4	8	7	21	14	10	11	27	24	2	–
480	BLACKBURN	2595	1505	396	204	88	39	26	753	60	26	52	58	98	92	79	115	96	60	15	1
481	CHORLEY	776	484	123	42	16	14	5	200	17	9	29	24	36	31	20	43	43	30	2	–
482	PRESTON	2206	1502	329	150	74	46	39	638	38	32	54	49	112	118	113	132	114	83	19	–
483	FYLDE	438	264	51	19	12	7	4	93	10	3	6	11	19	19	24	21	31	23	4	–
484	GARSTANG	217	105	17	7	2	6	3	35	10	5	4	3	7	2	5	14	4	10	6	–
485	LANCASTER	561	378	62	23	12	12	8	117	9	5	16	16	30	26	25	38	86	42	18	–
486	ULVERSTONE	653	379	71	40	21	7	6	145	10	9	15	11	30	23	24	25	38	41	7	1

IX.—YORKSHIRE.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	Under 1 Year	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	35.—WEST RIDING.																				
487	SEDBERGH	56	58	8	2	–	–	–	10	1	1	3	7	4	1	5	4	7	13	2	–
488	SETTLE	190	118	16	9	4	3	5	37	3	2	2	2	10	4	8	7	19	19	5	–
489	SKIPTON	457	313	47	25	7	1	5	85	11	10	13	22	19	16	21	30	42	32	10	2‖
490	PATELEY BRIDGE	157	92	17	1	3	–	–	21	2	–	6	3	5	11	10	11	9	12	2	–
491	RIPON	227	140	11	5	3	3	4	26	3	2	4	8	16	8	10	13	27	15	8	–
492*a*	GREAT OUSEBURN	173	106	22	4	2	1	2	31	–	5	2	2	6	12	6	5	14	19	3	1
492*b*	KNARESBOROUGH	265	162	31	3	3	5	1	43	7	7	6	5	13	14	9	14	28	13	3	–
492*c*	WETHERBY	109	60	14	3	–	–	–	17	1	3	1	2	3	4	5	8	4	11	1	–
492*d*	KIRKDEIGHTON	13	9	1	–	–	–	–	1	–	–	1	2	–	–	1	1	1	1	1	–
493*a*	OTLEY	314	170	34	7	5	5	–	51	–	8	8	11	14	13	12	11	29	13	–	–
493*b*	WHARFEDALE	300	191	39	20	8	2	5	74	7	7	10	7	20	10	11	11	10	20	4	–
494	KEIGHLEY	711	520	114	46	11	9	6	186	14	15	34	28	38	41	34	39	46	33	12	–
495	TODMORDEN	499	313	59	20	7	3	4	93	11	9	8	15	25	19	33	34	39	24	3	–
496	SADDLEWORTH	327	215	46	18	8	3	5	80	6	8	11	17	15	10	15	14	24	13	2	–
497	HUDDERSFIELD	2295	1409	298	104	58	42	36	538	63	37	72	69	95	91	87	107	138	99	13	–
498	HALIFAX	2274	1550	338	162	52	33	19	604	55	55	90	56	134	93	82	132	139	92	17	1
499	BRADFORD	3752	2536	640	254	98	55	31	1078	84	62	113	129	194	191	135	166	217	140	26	1
500	HUNSLET (*a*, *b*)	2092	1144	302	120	59	30	17	528	48	26	85	43	65	80	63	82	107	54	10	3
501	LEEDS	2369	1748	390	201	120	55	40	806	79	45	41	69	130	108	105	139	132	75	17	2
502	DEWSBURY	2102	1078	342	108	50	18	19	537	31	20	40	26	84	65	60	80	70	53	12	–
503	WAKEFIELD (*a*)	1064	647	138	41	20	14	14	227	29	18	19	27	53	54	57	48	56	54	4	1
504*a*	PONTEFRACT (*a*)	425	245	45	18	4	8	4	79	16	7	8	13	14	12	6	26	29	28	6	1
504*b*	HEMSWORTH	112	75	14	4	–	1	1	20	1	3	–	2	9	4	5	6	12	9	4	–
504*c*	CASTLEFORD (*a*)	262	144	40	16	6	2	4	68	9	8	6	6	8	9	4	8	8	7	3	–
505	BARNSLEY	944	484	148	64	18	6	6	242	19	8	15	18	34	33	18	27	40	22	7	1
506	WORTLEY	771	380	100	22	13	13	10	158	19	14	10	9	26	25	21	32	33	32	1	–
507	ECCLESALL BIERLOW	1246	642	154	63	36	19	15	287	32	18	12	29	58	50	24	46	44	33	9	–
508	SHEFFIELD	2673	1810	474	203	148	92	48	965	120	27	32	49	109	102	100	106	117	67	16	–
509	ROTHERHAM	937	580	142	35	31	11	18	237	31	18	26	31	51	42	29	36	37	39	8	–
510	DONCASTER	661	446	100	34	14	8	5	161	13	9	24	19	29	23	25	35	52	45	11	–
511	THORNE	286	166	24	6	5	1	3	39	8	5	7	8	13	10	5	16	21	21	12	1
512	GOOLE	299	130	29	7	4	1	2	43	8	6	7	7	6	7	8	12	13	11	2	–
513	SELBY	274	151	36	10	8	2	2	58	6	6	6	4	11	12	5	8	18	8	8	1
514	TADCASTER (*a*)	261	150	23	2	3	4	1	33	8	4	6	8	13	5	14	20	18	15	5	1
	36.—EAST RIDING (WITH YORK).																				
515	YORK	975	707	128	45	25	15	10	223	25	13	18	21	60	46	63	58	85	72	21	2
516	POCKLINGTON	256	157	42	2	3	1	1	49	8	2	3	7	7	11	11	10	23	17	9	–
517	HOWDEN	310	181	49	6	4	3	6	68	5	6	22	8	12	7	3	9	19	17	5	–
518	BEVERLEY	330	194	54	7	9	6	4	80	9	5	7	11	7	9	10	17	19	15	5	–
519	SCULCOATES	1022	649	159	49	36	19	11	274	26	15	16	17	46	44	40	47	55	57	11	1*
520	HULL	963	623	124	58	31	18	9	240	23	10	13	26	43	56	52	49	54	45	11	1
521	PATRINGTON	152	84	26	3	2	1	1	33	2	–	5	5	4	5	6	6	6	7	3	2¶
522	SKIRLAUGH	155	112	27	8	2	–	4	41	5	6	7	2	14	6	9	2	9	8	2	1
523	DRIFFIELD	341	208	49	9	5	3	8	74	17	9	10	5	14	14	11	11	21	13	7	2
524	BRIDLINGTON	241	143	38	4	2	1	3	48	6	5	5	5	9	11	10	9	11	19	4	1
	37. NORTH RIDING.																				
525	SCARBOROUGH	523	322	73	20	5	5	5	108	18	8	5	10	29	17	16	25	35	38	12	1*
526	MALTON	383	256	43	9	13	8	7	80	17	9	13	17	12	15	15	18	25	26	8	1
527	EASINGWOLD	174	91	18	5	1	2	–	26	2	3	3	5	5	9	5	7	11	13	1	1
528	THIRSK	187	130	24	4	2	1	3	34	9	3	4	2	6	9	7	10	15	21	10	–

(*a*) See Note (*), page 20. (*b*) See Note (†), page 21.

* Aged 102. † One aged 100 and one aged 101. ‡ One aged 108. § Two aged 100 and one aged 106.
‖ One aged 100 and one aged 102. ¶ One aged 101.

IX.—YORKSHIRE.—DEATHS at different Ages, 1862—Districts—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	37.—NORTH RIDING—*cont.*																				
529	Helmsley	228	135	34	3	2	3	1	43	3	2	6	4	7	10	11	12	19	11	7	–
530	Pickering	201	122	20	7	2	8	2	39	14	4	2	3	7	7	10	9	14	10	3	–
531	Whitby	406	311	67	31	20	14	11	143	33	8	10	9	6	9	19	26	26	18	4	–
532	Guisbrough	479	275	89	17	10	5	2	123	13	3	4	15	22	19	14	16	24	15	7	–
533	Stokesley	187	92	24	1	1	1	2	29	2	2	2	5	5	3	8	5	12	16	3	–
534	Northallerton	190	117	26	4	3	1	1	35	3	6	4	7	4	2	3	7	17	21	7	1
535	Bedale	130	89	17	4	3	2	–	26	3	3	1	1	7	7	8	4	16	10	3	–
536	Leyburn	126	89	17	3	1	1	1	23	2	2	4	2	4	3	5	8	13	19	4	–
537	Askrigg	95	56	14	1	1	–	1	17	3	2	–	2	1	6	5	4	8	6	2	–
538	Reeth	107	55	10	1	2	–	–	13	1	2	4	4	2	4	7	8	8	2	–	–
539	Richmond	205	104	24	8	3	1	–	36	4	2	4	3	6	5	3	8	17	10	6	–

X.—NORTHERN COUNTIES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	38.—DURHAM.																				
540	Darlington	545	322	78	12	16	15	4	125	30	3	9	10	18	17	15	25	29	34	7	–
541a	Stockton	1331	708	230	73	34	11	15	363	25	9	15	31	44	49	42	46	42	32	9	1*
541b	Hartlepool	607	341	117	46	13	15	6	197	17	4	6	16	22	19	19	24	11	6	–	–
542	Auckland	1342	650	223	73	39	27	15	377	36	20	16	23	26	40	27	29	29	20	6	1
543	Teesdale	397	202	42	8	6	2	3	61	9	1	4	8	14	10	15	19	27	26	8	–
544	Weardale	331	179	47	11	8	4	3	73	5	3	11	13	13	11	12	17	15	5	1	–
545	Durham	1506	734	209	79	26	23	10	347	30	30	25	29	48	40	51	43	52	31	7	1
546	Easington	663	330	115	34	15	11	8	183	33	12	15	8	11	13	11	24	7	10	3	–
547	Houghton-le-Spring	478	272	88	32	17	11	13	161	18	9	3	4	8	8	8	14	21	17	1	–
548	Chester-le-Street	659	341	102	43	24	11	6	186	12	15	12	12	6	22	16	13	29	18	–	–
549	Sunderland	1919	1016	297	115	52	30	21	515	55	19	25	37	87	75	66	68	64	43	12	–
550	South Shields	978	493	131	53	25	28	12	249	25	17	11	13	26	33	28	38	27	20	5	1
551	Gateshead	1312	765	241	107	47	22	22	439	41	13	16	18	32	32	33	50	46	34	11	–
	39.—NORTHUMBERLAND.																				
552	Newcastle-upon-Tyne	2208	1542	429	134	84	51	37	735	63	31	47	50	112	104	127	118	87	56	12	–
553	Tynemouth	1682	1100	245	115	40	20	19	439	34	51	66	52	136	77	65	64	61	42	13	–
554	Castle Ward	274	149	34	7	4	2	–	47	2	2	7	7	7	7	13	16	18	22	1	–
555	Hexham	552	319	73	26	4	6	5	114	12	7	6	4	20	17	28	34	36	29	11	1†
556	Haltwhistle	99	64	9	3	2	2	2	18	7	1	1	–	4	–	6	10	8	9	–	–
557	Bellingham	93	63	10	8	1	–	1	15	3	2	4	4	2	2	5	7	7	6	6	–
558	Morpeth	536	285	75	23	9	15	4	126	19	9	8	8	10	15	12	21	28	24	5	–
559	Alnwick	341	206	33	13	6	8	2	62	14	5	6	8	9	15	13	16	32	19	7	–
560	Belford	102	73	11	6	2	3	2	24	6	2	3	2	6	2	5	4	8	5	6	–
561	Berwick	339	237	40	16	8	8	4	76	18	3	9	5	18	14	14	21	25	24	7	–
562	Glendale	195	100	17	5	4	2	2	30	3	7	5	5	3	6	8	8	9	13	3	–
563	Rothbury	97	54	10	3	3	2	–	18	3	5	1	–	1	3	1	1	8	9	4	–
	40.—CUMBERLAND.																				
564	Alston	109	72	17	4	3	2	3	29	2	3	3	3	2	2	8	6	10	4	–	–
565	Penrith	377	258	54	16	6	5	4	85	12	3	10	5	13	12	23	20	34	33	7	1
566	Brampton	160	113	18	7	7	3	4	39	12	2	2	6	7	7	7	9	10	7	3	2‡
567	Longtown	171	103	19	8	4	1	1	33	3	3	3	1	6	4	4	10	11	17	7	1
568	Carlisle	799	548	119	35	21	15	10	200	31	20	11	12	35	36	44	56	46	37	19	1
569	Wigton	360	243	48	20	5	5	6	84	9	6	10	7	19	14	14	16	28	28	8	–
570	Cockermouth	744	480	110	30	13	9	5	167	32	15	15	16	35	30	37	42	50	32	8	1
571	Whitehaven	808	471	131	43	25	7	7	213	13	7	10	17	42	22	31	45	35	29	7	–
572	Bootle	76	51	9	1	1	1	1	13	1	2	3	1	4	2	2	7	6	9	1	–
	41.—WESTMORLAND.																				
573	East Ward	220	151	26	3	5	3	2	39	2	2	8	8	9	8	8	14	21	26	6	–
574	West Ward	133	100	16	6	1	3	–	26	3	3	1	3	4	7	13	14	14	9	3	–
575	Kendal	600	393	74	28	16	11	8	137	23	10	9	12	27	23	17	25	53	46	10	1

XI.—MONMOUTHSHIRE AND WALES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	42.—MONMOUTHSHIRE.																				
576	Chepstow	305	143	30	8	3	5	1	47	5	2	4	5	5	8	13	10	22	22	–	–
577	Monmouth	503	322	88	28	7	7	8	138	15	14	6	4	11	19	26	19	29	31	10	–
578a	Abergavenny	375	231	64	16	9	4	3	96	5	5	7	9	14	14	13	20	23	18	6	1
578b	Bedwelty	1005	664	163	92	52	27	14	348	31	28	19	21	85	36	42	44	35	25	5	–
579	Pontypool	547	318	77	28	24	5	8	142	6	10	7	14	12	17	17	31	33	19	10	–
580	Newport	878	515	126	31	16	8	11	192	12	16	21	30	29	39	35	42	54	36	6	3§
	43.—SOUTH WALES.																				
	GLAMORGANSHIRE.																				
581	Cardiff	1500	821	227	75	28	30	18	378	31	25	34	38	66	58	60	44	39	34	13	1‖
582	Merthyr Tydfil	2304	1459	345	176	82	40	21	664	68	55	65	81	116	112	74	103	70	41	10	–
583	Bridgend	423	257	64	13	9	4	5	95	6	7	10	6	16	18	8	17	29	28	14	3¶
584	Neath	1256	646	174	83	40	18	13	328	25	13	26	33	42	43	36	34	30	28	7	1
585a	Swansea	1010	558	115	47	32	11	12	217	28	16	28	25	39	44	38	50	31	29	12	1†
585b	Gower	119	78	13	7	4	3	2	29	4	1	5	2	5	4	2	4	7	12	3	–
	CARMARTHENSHIRE.																				
586	Llanelly	565	266	54	18	9	5	2	88	12	12	14	10	27	19	18	21	21	19	5	–
587	Llandovery	211	151	29	2	4	3	4	42	6	1	10	7	8	7	9	13	13	27	8	–
588	Llandilofawr	271	134	27	3	2	2	–	34	7	3	11	2	10	8	10	9	9	24	6	1
589	Carmarthen	572	345	53	11	12	5	5	86	9	12	17	12	32	24	26	34	50	33	9	1

* Aged 102. † Aged 101. ‡ One aged 104. § One aged 102. ‖ Aged 100. ¶ One aged 100.

IX.—YORKSHIRE.—DEATHS at different Ages, 1862—Districts—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	37.—NORTH RIDING—*cont.*																				
529	Helmsley	189	101	19	2	4	1	3	29	8	4	3	–	7	8	7	10	14	11	5	–
530	Pickering	179	109	18	4	4	–	3	29	8	1	3	3	5	4	8	14	17	16	1	–
531	Whitby	388	309	57	27	12	12	11	119	25	8	6	7	24	12	12	22	31	33	10	–
532	Guisbrough	435	193	60	16	10	4	5	95	7	5	7	5	10	16	6	11	12	16	3	–
533	Stokesley	193	112	32	1	1	–	–	34	2	5	4	4	7	3	6	8	17	14	7	1
534	Northallerton	161	127	16	4	5	1	–	26	10	3	4	3	6	7	9	7	18	26	8	–
535	Bedale	123	91	12	5	3	1	–	21	4	2	2	4	7	8	6	5	9	12	9	2
536	Leyburn	159	83	14	2	3	2	–	21	4	2	2	4	6	6	6	7	6	13	6	–
537	Askrigg	101	57	10	3	2	1	–	16	2	2	3	3	3	1	2	8	8	5	4	–
538	Reeth	93	54	7	2	1	–	1	11	–	2	3	5	2	5	5	3	6	11	1	–
539	Richmond	199	122	22	8	3	–	–	33	6	3	3	5	6	8	4	14	19	14	7	–

X.—NORTHERN COUNTIES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	38. DURHAM.																				
540	Darlington	489	329	65	26	25	10	15	141	30	10	7	13	16	15	13	20	25	31	7	1
541a	Stockton	1238	613	164	58	29	20	11	282	27	13	14	13	36	42	47	36	41	38	23	1
541b	Hartlepool	659	310	83	33	21	10	7	154	19	3	6	10	23	28	10	20	21	13	3	–
542	Auckland	1239	593	191	66	24	23	20	324	31	15	13	22	51	30	25	24	24	26	8	–
543	Teesdale	328	219	37	15	6	1	5	64	4	16	7	10	14	16	18	16	21	26	7	–
544	Weardale	306	180	43	10	7	2	5	67	4	6	11	10	15	12	6	16	16	11	6	–
545	Durham	1459	675	194	53	35	14	6	302	33	18	16	21	47	36	35	44	53	51	18	1
546	Easington	638	314	90	32	9	16	10	157	19	5	6	9	20	15	20	15	27	18	2	1
547	Houghton-le-Spring	467	277	75	26	16	11	7	135	23	6	7	8	16	14	10	16	19	20	3	–
548	Chester-le-Street	625	306	70	41	21	20	11	163	20	7	5	7	29	10	8	21	10	17	7	2
549	Sunderland	1866	1136	269	127	57	45	26	524	43	24	31	27	81	61	72	62	101	80	25	5
550	South Shields	958	489	113	46	29	20	7	215	29	6	12	17	38	28	25	27	44	32	16	–
551	Gateshead	1242	677	172	70	48	20	20	330	31	11	15	13	41	40	42	44	59	41	10	–
	39.—NORTHUMBERLAND.																				
552	Newcastle-upon-Tyne	2233	1423	343	163	67	34	30	637	67	27	35	49	93	85	82	112	117	95	26	1
553	Tynemouth	1643	849	201	89	50	32	14	386	34	17	20	28	56	58	37	58	69	64	21	1
554	Castle Ward	241	109	21	7	8	3	1	40	4	3	–	3	6	5	6	15	14	10	3	–
555	Hexham	518	295	51	13	13	4	5	86	13	10	9	15	25	21	15	21	37	31	11	1
556	Haltwhistle	119	72	8	5	1	8	1	23	4	4	1	3	6	8	6	3	7	5	2	–
557	Bellingham	95	51	4	2	–	–	–	6	4	1	4	1	5	3	3	2	3	13	4	2
558	Morpeth	474	271	50	26	14	6	3	99	15	8	13	9	20	20	21	9	19	29	9	–
559	Alnwick	313	247	26	19	5	8	5	63	15	7	13	10	14	10	11	22	38	34	10	–
560	Belford	86	70	9	4	4	4	1	22	2	2	1	2	2	1	9	2	15	5	6	1
561	Berwick	334	195	21	5	6	5	9	46	9	8	10	6	10	9	13	20	28	27	8	1
562	Glendale	190	118	6	5	5	4	3	23	5	2	1	4	14	6	12	13	14	22	2	–
563	Rothbury	82	55	8	3	1	–	1	13	4	2	4	3	3	6	–	3	6	8	3	–
	40.—CUMBERLAND.																				
564	Alston	114	77	15	1	2	3	1	22	1	4	3	4	10	5	6	8	4	5	4	1
565	Penrith	347	237	43	13	9	9	4	78	11	10	11	9	12	11	12	15	27	35	6	–
566	Brampton	166	112	17	6	3	3	2	31	1	7	5	8	15	8	5	2	10	17	3	–
567	Longtown	155	90	14	4	2	1	1	22	4	3	2	1	10	6	3	11	11	12	5	–
568	Carlisle	785	544	115	38	19	23	10	205	17	13	15	15	36	47	35	37	55	53	14	2
569	Wigton	347	221	37	13	11	3	3	67	6	11	8	11	18	11	13	20	27	21	8	–
570	Cockermouth	725	489	91	38	15	10	9	163	24	14	16	22	27	31	24	40	56	50	22	–
571	Whitehaven	796	485	105	44	29	14	8	200	24	12	10	15	26	31	29	44	42	40	12	–
572	Bootle	88	52	6	1	–	–	1	8	2	4	3	6	2	3	4	5	5	7	3	–
	41.—WESTMORLAND.																				
573	East Ward	215	133	25	3	3	4	1	36	3	3	2	6	10	8	10	12	18	20	4	1
574	West Ward	127	92	18	3	–	4	3	28	1	1	5	2	6	9	5	4	11	17	2	1*
575	Kendal	585	410	74	28	16	7	2	127	15	10	17	17	27	22	25	36	50	49	14	1

XI.—MONMOUTHSHIRE AND WALES.

No.	DISTRICTS.	Total Births.	Total Deaths.	Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	42.—MONMOUTHSHIRE.																				
576	Chepstow	258	154	25	9	4	5	1	44	3	2	4	12	8	8	9	12	24	24	4	–
577	Monmouth	468	321	59	29	9	9	5	111	22	8	8	16	16	15	23	22	28	27	21	4
578a	Abergavenny	349	226	46	19	10	6	2	83	12	5	5	–	16	16	23	20	22	20	3	1
578b	Bedwelty	994	579	147	77	62	30	11	327	22	11	22	18	30	33	28	27	33	20	8	–
579	Pontypool	508	239	49	24	11	11	5	100	11	5	6	11	10	11	18	16	20	23	7	1
580	Newport	850	478	110	40	20	13	7	190	20	17	15	17	34	43	30	35	34	31	10	2
	43.—SOUTH WALES. GLAMORGANSHIRE.																				
581	Cardiff	1390	713	190	81	34	37	13	355	27	23	17	27	63	46	38	32	38	34	12	1
582	Merthyr Tydfil	2187	1174	298	141	79	46	27	591	55	22	42	43	99	69	53	63	60	51	22	1†
583	Bridgend	425	270	67	13	8	6	6	100	8	6	14	11	19	10	11	16	27	38	9	1
584	Neath	1209	558	146	50	40	19	14	269	25	22	16	17	44	39	26	25	35	30	9	1
585a	Swansea	1040	486	94	51	30	20	9	204	17	17	18	17	39	38	21	38	34	32	10	1
585b	Gower	113	52	3	3	2	–	2	10	1	–	2	3	3	6	–	9	6	7	5	–
	CARMARTHENSHIRE.																				
586	Llanelly	556	242	46	19	11	3	2	81	10	4	16	14	21	17	20	13	22	17	6	1
587	Llandovery	244	119	14	4	–	1	–	19	4	7	4	9	8	6	11	15	7	19	7	3‡
588	Llandilofawr	237	142	14	6	3	5	2	30	4	4	14	7	12	12	2	6	12	19	18	2§
589	Carmarthen	548	330	57	9	11	8	3	88	7	10	17	12	28	21	19	15	46	45	18	1‡

* Aged 103. † Aged 100. ‡ One aged 100. § One aged 102.

XI.—MONMOUTHSHIRE AND WALES.—DEATHS at different Ages, 1862—DISTRICTS—*cont.*

No.	DISTRICTS.	Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	43. SOUTH WALES—*cont.*																				
	PEMBROKESHIRE.																				
590	Narberth	308	190	28	10	7	3	2	50	3	5	10	9	11	11	15	16	24	25	9	2
591	Pembroke	451	246	63	11	5	5	–	84	8	7	12	13	17	17	17	19	26	18	8	–
592	Haverfordwest	598	369	63	23	8	8	1	103	10	8	19	9	23	26	21	39	47	45	18	1
	CARDIGANSHIRE.																				
593	Cardigan	235	167	28	5	6	–	1	40	7	7	9	12	13	7	10	13	20	18	10	1
594	Newcastle-in-Emlyn	270	182	27	9	5	2	3	46	10	6	3	10	11	10	12	13	26	23	12	–
595	Lampeter	148	81	20	–	1	–	–	21	5	–	2	3	6	2	9	7	10	10	6	–
596	Aberayron	198	116	16	3	2	4	1	26	6	6	8	11	9	6	7	3	8	19	7	–
597	Aberystwith	471	278	45	18	5	9	9	86	14	8	15	14	17	12	23	26	26	29	8	–
598	Tregaron	164	81	8	7	–	3	3	21	3	3	7	9	3	4	3	8	7	11	1	1
	BRECKNOCKSHIRE.																				
599	Builth	122	82	14	–	1	2	–	17	7	3	1	4	6	7	8	5	5	8	9	2
600	Brecknock	303	171	32	10	4	1	1	48	5	3	3	6	11	10	18	17	21	23	5	1
601	Crickhowell	426	260	83	23	12	6	4	128	6	7	6	12	14	12	15	20	17	15	7	1
602	Hay	146	97	15	8	1	2	1	27	–	2	1	–	5	5	11	11	15	16	4	–
	RADNORSHIRE.																				
603	Presteigne	276	164	41	15	4	6	3	69	6	4	6	5	5	9	9	9	22	19	1	–
604	Knighton	176	100	31	8	3	3	2	47	4	2	–	4	4	7	6	8	11	6	–	1
605	Rhayader	108	69	9	8	5	2	–	24	5	1	3	2	3	2	5	7	7	8	2	–
	44.—NORTH WALES.																				
	MONTGOMERYSHIRE.																				
606	Machynlleth	226	137	25	6	5	3	1	40	8	3	5	3	16	10	11	8	13	12	8	–
607	Newtown	414	226	54	13	4	4	2	77	10	4	8	10	12	17	14	17	36	14	7	–
608	Montgomery	310	187	44	12	3	1	3	63	3	2	6	10	16	9	16	15	25	16	6	–
609	Llanfyllin	355	231	61	13	3	4	4	85	18	6	12	8	12	9	12	15	27	18	9	–
	FLINTSHIRE.																				
610	Holywell	705	422	105	26	12	7	6	156	12	6	16	9	28	36	33	40	50	28	8	–
	DENBIGHSHIRE.																				
611	Wrexham	993	647	183	47	29	14	17	290	40	18	24	26	33	29	55	40	45	33	12	2
612	Ruthin	238	194	34	9	8	3	2	56	14	4	6	11	9	14	15	11	17	31	6	–
613	St. Asaph	410	330	66	20	19	13	7	125	18	7	13	12	19	13	22	26	42	26	6	1
614	Llanrwst	153	148	31	10	7	2	2	52	11	2	6	6	17	7	11	6	9	14	6	1
	MERIONETHSHIRE.																				
615	Corwen	250	165	32	7	4	–	1	44	7	3	10	7	12	10	10	12	23	22	5	–
616	Bala	96	60	4	1	2	1	1	9	2	1	2	5	3	5	2	7	11	12	1	–
617	Dolgelly	138	147	27	3	2	3	1	36	1	4	7	8	9	10	9	8	20	25	10	–
618	Festiniog	307	232	47	20	9	6	6	88	18	6	8	11	25	11	9	15	13	20	8	–
	CARNARVONSHIRE.																				
619	Pwllheli	285	193	40	6	9	4	1	60	15	3	6	9	9	9	20	11	17	30	4	–
620	Carnarvon	508	342	67	24	13	6	4	114	20	13	22	20	20	15	20	28	38	26	6	–
621	Bangor	556	383	83	25	17	19	3	147	21	13	16	15	28	12	23	18	38	42	9	1
622	Conway	217	116	28	5	4	1	1	39	4	2	3	8	10	6	5	4	16	14	5	–
	ANGLESEY.																				
623‡	Anglesey	525	385	74	20	7	9	5	115	18	11	21	31	29	18	23	27	46	32	14	–

‡ See Note (*), page 24.

XI.—MONMOUTHSHIRE AND WALES.—DEATHS at different Ages, 1862—DISTRICTS—*cont.*

No.	DISTRICTS.	FEMALES. Total Births.	Total Deaths.	Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	43. - SOUTH WALES—*cont.*																				
	PEMBROKESHIRE.																				
590	Narberth - - - - - - -	333	213	24	6	6	3	4	43	4	13	9	6	15	11	16	22	31	21	18	4*
591	Pembroke - - - - - - -	516	257	46	11	4	4	–	65	11	3	9	15	35	21	15	19	23	25	14	2†
592	Haverfordwest - - - - -	583	400	59	14	7	5	1	86	14	13	21	19	24	32	17	38	51	51	29	5
	CARDIGANSHIRE.																				
593	Cardigan - - - - - - -	235	208	19	8	5	3	2	37	5	1	11	10	14	17	13	21	26	25	22	6†
594	Newcastle-in-Emlyn - -	256	189	13	3	5	2	5	28	8	10	10	7	19	7	13	23	26	25	13	–
595	Lampeter - - - - - - -	144	89	13	4	1	2	4	24	1	5	1	3	7	7	2	6	13	9	11	–
596	Aberayron - - - - - -	214	122	13	2	2	7	1	25	1	2	8	4	11	6	10	14	15	18	8	–
597	Aberystwith - - - - - -	425	286	31	13	7	6	5	62	22	16	20	7	20	14	14	25	38	37	11	–
598	Tregaron - - - - - - -	167	80	11	3	–	1	1	16	6	1	2	4	10	7	4	7	10	5	8	–
	BRECKNOCKSHIRE.																				
599	Builth - - - - - - - -	110	73	9	7	–	2	–	18	5	2	4	3	3	3	5	4	7	16	3	–
600	Brecknock - - - - - -	274	178	23	6	3	3	1	36	3	6	4	5	16	15	14	16	26	27	5	5
601	Crickhowell - - - - - -	411	228	52	25	10	6	4	97	12	4	5	9	10	23	8	15	24	18	3	–
602	Hay - - - - - - - - -	150	96	19	4	5	3	1	32	2	–	2	8	5	6	7	5	8	12	9	–
	RADNORSHIRE.																				
603	Presteigne - - - - - -	251	192	32	11	11	9	8	71	8	4	6	10	12	13	6	15	24	18	5	–
604	Knighton - - - - - - -	160	98	16	7	4	1	4	32	4	4	1	3	7	4	7	8	10	13	4	1
605	Rhayader - - - - - - -	118	58	10	2	1	4	1	18	3	1	1	3	5	–	1	3	8	11	3	1
	44.—NORTH WALES.																				
	MONTGOMERYSHIRE.																				
606	Machynlleth - - - - - -	200	166	18	9	8	1	1	37	6	6	7	6	21	18	7	9	12	30	7	–
607	Newtown - - - - - - -	402	253	38	8	6	2	2	56	10	11	14	14	15	12	20	17	29	36	15	4†
608	Montgomery - - - - - -	285	188	30	11	3	5	1	50	12	4	10	6	21	23	10	12	17	16	6	1
609	Llanfyllin - - - - - -	289	236	37	14	6	3	2	62	8	7	12	8	18	19	7	25	15	41	13	1
	FLINTSHIRE.																				
610	Holywell - - - - - - -	602	408	66	27	26	11	9	139	20	7	18	17	27	25	27	33	37	40	17	1
	DENBIGHSHIRE.																				
611	Wrexham - - - - - - -	950	634	134	59	38	20	19	270	57	19	13	31	36	35	30	27	60	41	14	1
612	Ruthin - - - - - - - -	208	170	30	15	9	6	7	67	11	6	4	5	7	8	9	13	15	18	7	–
613	St. Asaph - - - - - - -	365	335	57	32	9	9	4	111	14	11	13	9	23	22	15	25	39	39	14	–
614	Llanrwst - - - - - - -	175	132	27	10	6	2	3	48	5	7	3	7	7	10	8	7	8	15	6	1
	MERIONETHSHIRE.																				
615	Corwen - - - - - - - -	224	158	27	10	3	2	2	44	3	–	7	7	9	10	5	15	17	28	12	1
616	Bala - - - - - - - - -	79	49	7	1	1	–	1	10	–	–	1	1	3	3	3	5	6	12	5	–
617	Dolgelly - - - - - - -	170	122	17	5	3	2	1	28	3	2	5	4	10	8	12	9	13	18	10	–
618	Festiniog - - - - - - -	318	225	42	18	6	4	6	76	11	9	6	13	16	18	10	16	17	21	9	3
	CARNARVONSHIRE.																				
619	Pwllheli - - - - - - -	236	198	21	9	8	6	5	49	7	9	4	6	13	17	8	22	30	22	11	–
620	Carnarvon - - - - - -	509	337	45	18	15	16	7	101	7	9	16	17	29	26	14	24	40	37	15	2
621	Bangor - - - - - - - -	571	416	67	52	15	8	20	162	19	16	12	20	38	23	27	21	32	30	16	–
622	Conway - - - - - - - -	217	169	35	8	7	7	3	60	6	5	4	5	8	15	8	15	21	17	5	–
	ANGLESEY.																				
623‡	Anglesey - - - - - - -	474	404	53	20	12	8	8	101	20	7	21	18	32	28	25	39	30	50	29	4†

* One aged 110. † One aged 100. ‡ See Note (*), page 24.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1862—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	ALL CAUSES - - -	222,622	56,96[illegible]	19,492	9611	5976	3990	96,029	9,154	4760	5037	7170	13,078	14,299	15,571	17,939	19,609	15,067	3746	[illegible]
	SPECIFED CAUSES -	218,422	55,184	19,265	9518	5930	3950	93,856	9,019	4697	5957	7108	12,900	14,060	15,28[illegible]	17,496	19,199	14,924	3725	[illegible]
	(CLASSES.)																			
I.	ZYMOTIC DISEASES -	45,809	10606	7369	4731	3470	2336	28512	4721	1430	1181	1091	1620	1703	1603	1586	1371	826	133	2
II.	CONSTITUTIONAL „ -	39,277	3702	2593	1196	640	429	8560	1470	1197	2707	3656	5911	5073	4073	3191	2171	1068	197	3
III.	LOCAL „ -	90,005	24046	6822	2729	1330	862	35789	1972	1188	1291	1545	3885	5863	8210	11001	11947	6467	823	24
IV.	DEVELOPMENTAL „ -	32,337	16093	2107	495	160	80	18935	184	62	37	28	41	73	146	691	3147	6335	2524	134
V.	VIOLENT DEATHS -	10,994	737	374	367	330	252	2060	702	790	741	788	1443	1348	1256	1027	563	228	48	–
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES -	43,081	9104	7289	4700	3453	2326	26372	4695	1445	1162	1052	1418	1403	1375	1446	1276	806	129	2
	2. ENTHETIC „ -	842	467	28	3	–	–	498	1	3	10	23	63	74	55	48	51	12	4	–
	3. DIETIC „ -	1336	563	32	10	7	2	614	9	12	9	16	139	226	173	90	40	8	–	–
	4. PARASITIC „ -	550	472	20	18	10	8	528	16	–	–	–	–	–	–	2	4	–	–	–
II.	1. DIATHETIC „ -	6235	208	112	68	66	53	507	132	77	78	70	216	458	784	1257	1504	957	192	3
	2. TUBERCULAR „ -	33,042	3494	2481	1128	574	376	8053	1338	1120	2629	3586	5695	4615	3289	1934	667	111	5	–
III.	1. DISEASES OF NERVOUS SYSTEM -	29,892	12582	1929	759	428	297	15995	724	331	329	377	941	1409	1845	2492	3182	2005	255	7
	2. „ ORGANS OF CIRCULATION -	9249	64	31	26	23	16	160	132	201	223	256	733	1167	1461	1984	1984	869	79	–
	3. „ RESPIRATORY ORGANS - -	36,028	9882	4547	1756	754	449	17388	654	219	295	453	1135	1822	2831	4019	4360	2481	358	13
	4. „ DIGESTIVE ORGANS - -	9605	1257	229	125	76	67	1754	276	229	233	256	630	986	1439	1689	1491	561	57	1
	5. „ URINARY ORGANS - -	3694	29	30	21	26	16	122	69	63	97	114	325	362	501	676	807	489	66	3
	6. „ ORGANS OF GENERATION -	42	6	1	3	1	–	11	–	–	1	–	2	6	6	8	6	1	1	–
	7. „ ORGANS OF LOCOMOTION -	917	20	18	21	15	12	86	106	126	96	66	94	87	86	80	64	24	2	–
	8. „ INTEGUMENTARY SYSTEM -	578	206	37	18	7	5	273	11	19	17	23	25	24	41	53	53	34	5	–
	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	6995	5940	921	96	9	3	6969	13	9	2	–	1	–	1	–	–	–	–	–
	2. DEV. DISEASES, ADULTS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. „ OLD PEOPLE -	11,277	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2301	6322	2520	134
	4. DISEASES OF NUTRITION	14,065	10153	1186	399	151	77	11966	171	53	35	28	40	73	145	691	846	13	4	–
V.	1. ACCIDENT OR NEGLIGENCE - - - -	9640	645	369	365	328	251	1958	688	775	690	711	1265	1102	1003	780	438	187	43	–
	3. HOMICIDE - - -	277	88	3	2	1	1	95	6	9	13	22	46	39	18	20	5	3	1	–
	4. SUICIDE - - -	960	–	–	–	–	–	–	–	2	34	46	119	187	221	204	112	32	3	–
	5. EXECUTION* - - -	15	–	–	–	–	–	–	–	–	–	3	6	5	1	–	–	–	–	–
	VIOLENT DEATHS, NOT CLASSED - - - -	102	4	2	–	1		7	8	4	4	6	7	15	13	23	8	6	1	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	1653	389	41	14	9	4	457	18	15	26	35	110	150	164	271	273	118	16	–
	CAUSES NOT SPECIFIED -	2547	1387	186	79	67	27	1716	87	48	54	27	68	89	119	172	137	25	5	–

(*continued at page* 122.)

* *See* Note (‡), page 180.

Note.—For the Causes of Death more in detail *see*

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1862—Females.

Class.	CAUSES OF DEATH.	FEMALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ALL CAUSES - - -	213,944	44,413	18,167	9763	5972	4169	82,484	8838	4859	6740	7612	14,914	14,364	13,473	16,593	20,787	17,537	5351	392
	SPECIFIED CAUSES -	210,578	43,002	17,961	9374	5922	4138	80,697	8752	4806	6688	7545	14,757	14,157	13,237	16,275	20,510	17,421	5341	392
	(Classes.)																			
I.	ZYMOTIC DISEASES -	45,730	9090	7394	5061	3584	2593	27722	5090	1868	1407	1264	2010	1565	1152	1278	1371	840	156	7
II.	CONSTITUTIONAL „ -	43,747	2693	1996	1108	592	439	6829	1361	1626	3623	4175	7620	6115	4548	3573	2718	1324	226	9
III.	LOCAL „ -	80,646	17,298	6150	2755	1359	885	28447	1704	1082	1353	1596	3919	5310	7032	10354	12073	6706	1033	37
IV.	DEVELOPMENTAL „ -	36,505	13,258	2125	487	106	58	16094	151	66	152	384	983	948	284	851	4097	8314	3846	335
V.	VIOLENT DEATHS -	3950	663	296	263	220	163	1605	446	164	153	126	225	219	221	219	251	237	80	4
	(Orders.)																			
I.	1. Miasmatic Diseases -	43,800	7778	7298	5016	3563	2575	26230	5062	1858	1391	1223	1913	1471	1090	1230	1334	835	156	7
	2. Enthetic „ -	607	400	36	11	–	1	448	–	–	12	33	59	29	16	5	5	–	–	–
	3. Dietic „ -	813	499	30	11	7	10	557	13	7	4	8	37	65	46	41	30	5	–	–
	4. Parasitic „ -	510	413	30	23	14	7	487	15	3	–	–	1	–	–	2	2	–	–	–
II.	1. Diathetic „ -	10,177	164	102	84	66	43	459	105	79	64	126	486	1155	1845	2193	2208	1228	220	9
	2. Tubercular „ -	33,570	2529	1894	1024	527	396	6370	1256	1547	3559	4049	7134	4960	2703	1380	510	96	6	–
III.	1. Diseases of Nervous System - -	25,800	9052	1668	795	401	264	12180	578	343	391	412	852	1095	1593	2462	3345	2180	360	9
	2. „ Organs of Circulation -	9460	40	26	19	12	23	120	111	194	264	301	755	1107	1416	2054	2155	902	81	–
	3. „ Respiratory Organs - -	31,537	7203	4197	1782	818	486	14486	676	255	321	370	1008	1361	1970	3424	4472	2688	481	25
	4. „ Digestive Organs - -	9816	793	184	108	80	78	1243	208	161	247	311	820	1121	1416	1809	1647	748	82	3
	5. „ Urinary Organs - -	1634	22	18	9	24	13	86	40	43	56	102	220	292	225	271	201	86	12	–
	6. „ Organs of Generation -	1185	3	4	5	1	–	13	2	4	13	38	158	255	295	214	142	42	9	–
	7. „ Organs of Locomotion -	671	21	14	16	13	12	76	78	74	51	46	83	49	79	64	48	22	1	–
	8. „ Integumentary System -	543	164	39	21	10	9	243	11	8	10	16	23	30	38	56	63	38	7	–
IV.	1. Congenital Malformations and Dev. Diseases of Children	5792	4793	863	107	9	3	5775	6	4	5	2	–	–	1	1	–	–	–	–
	2. Dev. Diseases, Adults	2198	–	–	–	–	–	–	–	3	100	350	891	802	52	–	–	–	–	–
	3. „ Old People	15,503	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3026	8302	3840	335
	4. Diseases of Nutrition	13,012	8465	1262	380	157	55	10319	145	59	49	32	92	146	231	850	1071	12	6	–
V.	1. Accident or Negligence - - - -	3415	581	293	260	216	161	1511	438	156	112	88	148	141	139	172	214	214	78	4
	3. Homicide - - -	141	79	3	1	1	1	85	7	3	3	4	15	14	5	–	2	3	–	–
	4. Suicide - - - -	357	–	–	–	–	–	–	–	2	38	31	61	60	74	46	31	13	1	–
	5. Execution* - -	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Violent Deaths not classed - - - -	35	3	–	2	3	1	9	1	3	–	3	1	3	3	1	3	7	1	–
	Sudden Deaths, Cause unascertained - -	1125	357	36	12	6	6	417	19	14	18	29	56	85	108	130	151	91	7	–
	Causes not specified -	2241	1054	170	77	44	25	1370	67	39	34	38	101	122	128	188	126	25	3	–

(*continued at page* 123.)

Supplementary Table of Causes of Death, pp. 126–129.

* *See* Note (‡), page 180.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1862—MALES—*cont.*

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ORDER 1.																			
I.	1 Small-pox	855	189	90	69	65	47	460	76	33	43	78	76	47	26	12	2	2	–	–
	2 Measles	4994	923	1869	1012	554	263	4621	307	34	10	6	9	6	–	1	–	–	–	–
	3 Scarlatina	7571	517	1130	1266	1158	925	4996	1980	359	103	61	40	14	10	5	1	1	1	–
	4 Diphtheria	2227	244	315	270	265	212	1306	500	173	96	40	38	25	20	15	8	5	1	–
	5 Quinsy	181	26	20	11	18	6	81	20	9	12	9	8	14	10	9	5	4	–	–
	6 Croup	3004	446	808	600	493	308	2660	327	15	2	–	–	–	–	–	–	–	–	–
	7 Whooping-cough	5661	2516	1616	774	357	178	5441	206	10	1	–	–	3	–	–	–	–	–	–
	8 Typhus	9370	329	390	423	394	314	1850	1061	655	739	714	986	945	839	797	549	214	21	–
	9 Erysipelas	790	233	22	14	9	2	280	14	19	22	16	35	51	90	97	90	70	6	–
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	149	–	–	–	–	–	–	–	1	1	2	7	13	30	36	32	21	6	–
	12 Influenza	438	129	30	12	10	7	188	5	3	6	6	4	6	18	29	81	75	17	–
	13 Dysentery	584	144	58	18	9	7	236	15	3	5	17	49	37	47	53	65	50	7	–
	14 Diarrhœa	5707	3276	880	196	86	36	4474	79	25	21	29	46	65	119	185	301	295	66	2
	15 Cholera	307	91	22	9	5	5	132	20	7	3	1	10	25	34	40	23	11	1	–
	16 Ague	72	–	6	4	3	2	15	8	3	1	2	9	8	9	7	5	5	–	–
	17 Remittent Fever	123	13	17	17	7	5	59	12	3	6	7	6	10	7	5	6	2	–	–
	18 Rheumatism	984	3	1	–	7	7	18	63	90	91	64	94	134	115	155	108	50	2	–
	19 *Other Zymotic Diseases*	64	25	15	5	8	2	55	2	3	–	–	1	–	1	–	–	1	1	–
	ORDER 2.																			
	1 Syphilis	638	467	28	3	–	–	498	1	2	8	20	49	36	19	3	2	–	–	–
	2 Stricture of Urethra	199	–	–	–	–	–	–	–	–	1	2	13	38	36	44	49	12	4	–
	3 Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	4 Glanders	4	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Privation	37	3	1	–	–	–	4	2	–	1	1	3	7	6	6	7	–	–	–
	2 Want of Breast-milk	535	531	4	–	–	–	535	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	181	29	27	10	7	2	75	7	12	7	4	13	15	20	16	8	4	–	–
	4 Alcoholism { *a* Del. Trem.	421	–	–	–	–	–	–	–	–	–	8	100	160	105	34	12	2	–	–
	4 Alcoholism { *b* Intemp.	162	–	–	–	–	–	–	–	–	1	3	23	44	42	34	13	2	–	–
	ORDER 4.																			
	1 Thrush	478	457	14	2	–	1	474	–	–	–	–	–	–	–	2	2	–	–	–
	2 Worms, &c.	72	15	6	16	10	7	54	16	–	–	–	–	–	–	–	2	–	–	–
II.	ORDER 1.																			
	1 Gout	236	–	–	–	–	–	–	–	–	–	–	4	13	45	67	74	30	3	–
	2 Dropsy	2985	165	87	51	53	35	391	104	61	52	36	118	202	301	464	708	479	69	–
	3 Cancer	2256	1	4	6	1	7	19	12	12	21	28	85	225	407	646	523	239	38	1
	4 Noma	73	14	11	7	10	7	49	13	2	1	–	–	–	1	2	4	1	–	–
	5 Mortification	685	28	10	4	2	4	48	3	2	4	6	9	18	30	78	195	208	82	2
	ORDER 2.																			
	1 Scrofula	1914	268	165	98	70	42	643	187	166	202	165	179	113	109	81	55	14	–	–
	2 Tabes Mesenterica	2730	1110	707	278	114	58	2267	210	104	49	30	22	17	15	8	8	–	–	–
	3 Phthisis	24,210	459	467	255	135	98	1414	606	751	2366	3388	5488	4483	3163	1845	604	97	5	–
	4 Hydrocephalus	4188	1657	1142	497	255	178	3729	335	99	12	3	6	2	2	–	–	–	–	–
III.	ORDER 1.																			
	1 Cephalitis	1985	380	256	143	92	95	966	301	128	72	83	117	97	90	70	44	15	2	–
	2 Apoplexy	4452	112	48	26	23	22	231	54	39	50	89	204	359	636	944	1080	665	97	4
	3 Paralysis	4820	4	8	4	3	3	22	15	14	20	30	198	407	545	876	1487	1062	141	3
	4 Insanity	245	–	–	1	–	–	1	–	–	3	4	22	54	41	42	46	30	2	–
	5 Chorea	11	–	–	–	1	–	1	1	3	–	1	1	–	1	1	1	1	–	–
	6 Epilepsy	1251	43	27	12	14	13	109	42	61	86	105	214	185	176	116	108	43	6	–
	7 Convulsions	14,383	11788	1490	520	243	123	14164	187	22	1	1	–	4	2	1	–	1	–	–
	8 *Brain Disease, &c.*	2745	255	100	53	52	41	501	124	64	97	64	185	303	354	442	416	188	7	–
	ORDER 2.																			
	1 Pericarditis	270	7	5	1	2	1	16	25	27	19	15	40	32	30	33	23	10	–	–
	2 Aneurism	294	–	–	1	–	–	1	–	2	1	11	57	82	72	40	19	6	3	–
	3 *Heart Disease, &c.*	8685	57	26	24	21	15	143	107	172	203	230	636	1053	1359	1911	1942	853	76	–
	ORDER 3.																			
	1 Laryngitis	822	199	177	92	62	60	590	55	9	5	15	25	29	39	33	17	4	1	–
	2 Bronchitis	16,509	3938	1713	618	244	134	6647	169	50	62	91	349	714	1336	2258	2759	1792	271	11
	3 Pleurisy	490	18	12	7	9	1	47	21	17	23	24	50	74	67	79	56	30	2	–
	4 Pneumonia	13,215	5161	2472	963	398	226	9220	341	101	142	226	442	566	701	670	531	237	38	–
	5 Asthma	2294	6	1	1	–	–	8	5	5	12	7	64	165	348	630	740	283	27	–
	6 *Lung Disease, &c.*	2698	560	172	75	41	28	876	63	37	51	90	205	274	340	349	257	135	19	2
	ORDER 4.																			
	1 Gastritis	352	34	16	8	8	5	71	8	2	7	11	21	34	56	48	61	33	–	–
	2 Enteritis	1530	489	110	45	23	27	694	89	81	66	45	73	86	107	135	105	46	3	–
	3 Peritonitis	622	62	9	10	10	6	97	67	56	57	37	56	52	55	74	51	19	1	–
	4 Ascites	275	4	4	–	3	2	13	14	7	9	7	28	38	40	49	52	15	3	–
	5 Ulceration of Intestines	411	29	15	4	2	1	51	9	10	10	19	35	68	58	75	60	14	2	–
	6 Hernia	405	37	6	1	1	–	45	1	1	5	7	17	26	51	76	106	62	8	–
	7 Ileus	556	99	8	5	3	6	116	12	12	14	20	42	35	57	66	117	56	9	–
	8 Intussusception	158	46	4	3	1	–	54	7	7	9	7	9	11	10	15	22	6	1	–
	9 Stricture of Intestines	116	3	1	–	1	1	6	–	–	1	4	3	8	23	36	25	10	–	–
	10 Fistula	72	–	–	–	–	–	–	–	2	–	1	6	6	14	16	26	1	–	–
	11 *Stomach Disease, &c.*	1294	135	30	20	7	5	197	19	17	16	30	69	111	205	245	272	103	10	–
	12 *Pancreas Disease, &c.*	8	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	2	–	–
	13 Hepatitis	630	10	4	4	1	–	19	10	6	13	23	56	96	139	144	90	34	–	–
	14 Jaundice	654	265	9	10	10	9	303	9	2	5	8	22	27	54	71	82	56	14	1
	15 *Liver Disease, &c.*	2460	41	9	13	6	4	73	26	26	21	37	180	384	562	623	417	105	6	–
	16 *Spleen Disease, &c.*	62	3	9	2	–	1	15	5	–	–	–	13	3	5	15	4	2	–	–

(*continued at page* 124.)

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1862—FEMALES—*cont.*

Class.	CAUSES OF DEATH.	FEMALES. All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ORDER 1.																			
I.	1 Small-pox	773	203	89	74	61	44	471	97	38	27	44	52	24	10	10	–	–	–	–
	2 Measles	4806	781	1684	1047	552	296	4360	336	46	18	13	21	10	2	–	–	–	–	–
	3 Scarlatina	7263	386	1028	1188	1110	861	4573	1913	459	129	71	77	28	6	4	1	2	–	–
	4 Diphtheria	2676	168	330	324	295	301	1418	742	259	82	46	53	29	19	14	10	4	–	–
	5 Quinsy	142	16	21	13	7	10	67	23	12	9	6	7	4	2	6	5	1	–	–
	6 Croup	2663	297	640	621	474	302	2334	310	17	2	–	–	–	–	–	–	–	–	–
	7 Whooping-cough	6611	2529	2065	972	522	279	6367	227	9	3	2	1	–	–	–	2	–	–	–
	8 Typhus	9351	260	392	473	421	391	1937	1171	845	937	702	942	816	672	640	477	186	26	–
	9 Erysipelas	733	225	27	22	4	5	283	15	17	21	14	35	62	53	69	92	58	14	–
	10 Metria	940	–	–	–	–	–	–	–	–	51	195	457	227	10	–	–	–	–	–
	11 Carbuncle	57	3	–	1	–	–	4	–	–	1	2	1	4	10	15	7	10	3	–
	12 Influenza	477	83	25	15	5	4	132	10	2	4	3	8	13	19	55	101	104	26	–
	13 Dysentery	460	91	49	15	12	7	174	14	5	5	18	32	32	29	58	54	31	7	1
	14 Diarrhœa	5405	2652	890	213	79	41	3875	72	20	24	38	115	100	112	194	386	386	77	6
	15 Cholera	204	64	20	5	4	4	97	15	4	1	2	6	17	13	19	25	4	1	–
	16 Ague	78	2	6	3	3	4	18	11	3	1	2	7	8	12	8	6	2	–	–
	17 Remittent Fever	161	7	20	24	11	19	81	27	12	3	4	7	3	5	9	8	1	1	–
	18 Rheumatism	959	1	1	2	2	5	11	71	109	73	61	91	94	115	129	158	46	1	–
	19 *Other Zymotic Diseases*	41	10	11	4	1	2	28	8	1	–	–	1	–	1	–	2	–	–	–
	ORDER 2.																			
	1 Syphilis	607	400	36	11	–	1	448	–	–	12	33	59	29	16	5	5	–	–	–
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Privation	36	3	–	–	–	–	3	–	1	–	1	4	8	8	5	5	1	–	–
	2 Want of Breast-milk	471	466	5	–	–	–	471	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	172	30	25	11	7	10	83	13	6	4	3	11	16	15	7	13	1	–	–
	4 Alcoholism *a* Del. Trem.	50	–	–	–	–	–	–	–	–	–	2	13	18	7	5	3	2	–	–
	4 Alcoholism *b* Intemp.	84	–	–	–	–	–	–	–	–	–	2	9	23	16	24	9	1	–	–
	ORDER 4.																			
	1 Thrush	426	403	18	3	–	1	425	–	–	–	–	–	–	–	1	–	–	–	–
	2 Worms, &c.	84	10	12	20	14	6	62	15	3	–	–	1	–	–	1	2	–	–	–
II.	ORDER 1.																			
	1 Gout	48	–	–	–	–	–	–	–	–	–	–	–	3	8	14	18	4	1	–
	2 Dropsy	4262	114	55	44	42	28	283	82	67	49	85	217	366	480	803	1044	674	107	5
	3 Cancer	5140	–	3	6	8	3	20	4	7	14	35	258	767	1337	1312	985	357	44	–
	4 Noma	124	10	32	23	14	11	90	18	1	–	–	3	1	3	3	2	2	1	–
	5 Mortification	603	40	12	11	2	1	66	1	4	1	6	8	18	17	61	159	191	67	4
	ORDER 2.																			
	1 Scrofula	1502	195	135	96	51	52	529	150	117	139	113	129	96	101	68	43	17	–	–
	2 Tabes Mesenterica	2473	953	559	288	101	62	1963	162	89	67	41	74	31	25	15	6	–	–	–
	3 Phthisis	26752	406	433	248	182	137	1406	674	1267	3338	3890	6924	4833	2577	1297	461	79	6	–
	4 Hydrocephalus	2843	975	767	392	193	145	2472	270	74	15	5	7	–	–	–	–	–	–	–
III.	ORDER 1.																			
	1 Cephalitis	1595	265	210	143	102	65	785	215	132	78	65	97	87	68	46	14	8	–	–
	2 Apoplexy	4684	75	32	30	15	23	175	45	40	86	100	228	344	635	987	1203	733	107	1
	3 Paralysis	4913	5	2	6	4	–	17	12	5	20	29	120	246	464	933	1638	1198	223	8
	4 Insanity	290	–	–	1	–	–	1	1	1	4	12	28	38	49	61	61	28	6	–
	5 Chorea	41	–	–	–	–	–	–	7	13	11	3	1	2	1	2	1	–	–	–
	6 Epilepsy	1192	17	12	12	11	6	58	44	54	103	131	239	172	113	116	104	52	6	–
	7 Convulsions	10903	8473	1313	543	231	132	10692	160	34	3	1	–	4	4	1	2	1	1	–
	8 *Brain Disease, &c.*	2182	217	99	60	38	38	452	94	64	86	71	139	202	259	316	322	160	17	–
	ORDER 2.																			
	1 Pericarditis	289	2	3	4	2	4	15	24	31	22	18	30	33	40	40	26	9	1	–
	2 Aneurism	79	–	1	–	–	–	1	–	–	–	2	16	13	19	20	5	3	–	–
	3 *Heart Disease, &c.*	9092	38	22	15	10	19	104	87	163	242	281	709	1061	1357	1994	2124	890	80	–
	ORDER 3.																			
	1 Laryngitis	656	118	121	93	65	53	450	66	4	9	11	30	28	25	10	17	5	1	–
	2 Bronchitis	16017	2927	1582	621	280	148	5558	204	61	68	101	343	653	1163	2221	3158	2060	405	22
	3 Pleurisy	343	11	13	7	3	2	36	15	6	22	15	46	32	41	61	52	15	2	–
	4 Pneumonia	10498	3723	2328	972	429	263	7715	330	126	146	151	357	321	301	366	423	228	31	3
	5 Asthma	1793	3	5	3	2	–	13	1	6	4	17	54	139	238	500	564	232	25	–
	6 *Lung Disease, &c.*	2230	421	148	86	39	20	714	60	52	72	75	178	188	202	266	258	148	17	–
	ORDER 4.																			
	1 Gastritis	413	26	14	14	7	4	65	17	9	16	14	34	35	42	65	73	39	3	1
	2 Enteritis	1381	306	99	37	24	32	498	67	44	54	59	115	112	114	122	138	55	3	–
	3 Peritonitis	866	45	7	9	9	5	75	43	46	59	85	170	143	71	85	55	33	1	–
	4 Ascites	470	3	4	1	5	1	14	10	2	20	18	34	57	85	99	84	43	4	–
	5 Ulceration of Intestines	459	17	3	6	4	3	33	10	15	25	32	69	61	68	76	53	14	3	–
	6 Hernia	422	6	1	2	–	–	9	1	–	1	1	10	42	74	92	106	73	13	–
	7 Ileus	535	53	1	4	5	5	68	11	8	12	16	29	51	65	91	104	70	9	1
	8 Intussusception	122	19	1	–	1	3	24	3	2	2	4	11	10	9	23	21	12	1	–
	9 Stricture of Intestines	141	1	1	–	–	–	2	–	–	–	–	10	14	36	34	26	17	2	–
	10 Fistula	37	–	–	–	–	–	–	–	–	1	1	4	9	9	7	5	1	–	–
	11 *Stomach Disease, &c.*	1436	131	24	11	3	7	176	18	11	23	28	85	154	204	281	289	147	17	–
	12 *Pancreas Disease, &c.*	8	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	1	–	–
	13 Hepatitis	632	6	8	1	1	2	18	4	5	8	8	47	97	129	168	117	28	3	–
	14 Jaundice	638	156	13	11	11	10	201	7	5	5	12	41	36	48	92	101	77	12	1
	15 *Liver Disease, &c.*	2220	22	5	9	10	6	52	16	13	21	32	156	295	455	564	467	138	11	–
	16 *Spleen Disease, &c.*	36	2	3	3	–	–	8	1	1	–	–	5	4	6	5	6	–	–	–

(*continued at page* 125.)

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1862—MALES—*cont.*

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ORDER 5.																			
	1 Nephritis	165	5	4	4	5	6	24	17	2	6	6	19	10	29	22	17	10	3	–
	2 Ischuria	61	2	–	3	–	–	5	1	1	–	2	2	8	4	14	11	12	1	–
	3 Nephria	872	3	10	4	7	7	31	14	26	32	49	130	137	169	151	106	25	2	–
	4 Diabetes	382	–	2	2	–	2	6	5	12	18	11	64	64	63	65	55	19	–	–
	5 Stone	174	–	5	3	5	–	13	5	2	2	6	5	3	22	38	51	24	3	–
	6 Cystitis	278	2	–	–	–	–	2	2	2	1	4	14	9	22	61	100	47	14	–
	7 *Kidney Disease, &c.*	1762	17	9	5	9	1	41	25	18	38	36	91	131	192	325	467	352	43	3
	ORDER 6.																			
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	42	6	1	3	1	–	11	–	–	1	–	2	6	6	8	6	1	1	–
	ORDER 7.																			
	1 Arthritis	46	1	1	1	–	–	3	4	7	5	5	7	3	5	4	3	–	–	–
	2 *Joint Disease, &c.*	871	19	17	20	15	12	83	102	119	91	61	87	84	81	76	61	24	2	–
	ORDER 8.																			
	1 Phlegmon	231	56	13	8	3	3	83	9	17	14	12	19	14	18	2)	16	7	2	–
	2 Ulcer	167	31	8	3	1	2	45	2	–	1	4	6	9	16	29	31	22	2	–
	3 *Skin Disease, &c.*	180	119	16	7	3	–	145	–	2	2	7	–	1	7	4	6	5	1	–
IV.	ORDER 1.																			
	1 Premature Birth	4290	4290	–	–	–	–	4290	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cyanosis	278	232	17	4	3	1	257	10	8	2	–	–	–	1	–	–	–	–	–
	3 Spina Bifida	160	153	5	1	–	1	160	–	–	–	–	–	–	–	–	–	–	–	–
	4 Other Malformations	243	230	4	3	2	–	239	2	1	–	–	1	–	–	–	–	–	–	–
	5 Teething	2024	1035	895	88	4	1	2023	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Old Age	11,277	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2301	6322	2520	134
	ORDER 4.																			
	1 Atrophy and Debility	14,065	10153	1186	399	151	77	11966	171	53	35	28	40	73	145	691	846	13	4	–
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																			
	1 Fractures and Contusions	4575	33	36	43	42	42	196	238	409	317	380	749	656	635	525	270	134	36	–
	2 Gunshot	100	–	–	–	–	–	–	3	18	20	16	22	8	7	5	1	–	–	–
	3 Cut, Stab	44	2	2	1	–	1	6	5	6	5	4	5	2	6	4	1	–	–	–
	4 Burns and Scalds	1330	47	221	237	203	150	858	130	26	51	36	67	66	34	24	19	16	3	–
	5 Poison	147	40	9	8	2	7	66	6	2	4	2	6	16	22	13	10	–	–	–
	6 Drowning	2051	14	69	63	74	47	267	274	232	176	189	253	245	187	121	84	21	2	–
	7 Suffocation	800	381	25	7	1	–	414	8	39	54	51	92	63	38	20	18	3	–	–
	8 Otherwise	593	128	7	6	6	4	151	24	43	33	33	71	46	74	68	35	13	2	–
	ORDER 3. (HOMICIDE.)																			
	1 Murder and Manslaughter	277	88	3	2	1	1	95	6	9	13	22	46	39	18	20	5	3	1	–
	ORDER 4. (SUICIDE.)																			
	1 Gunshot Wounds	53	–	–	–	–	–	–	–	–	4	8	9	13	6	9	3	1	–	–
	2 Cut, Stab	176	–	–	–	–	–	–	–	–	4	6	26	35	44	29	24	7	1	–
	3 Poison	73	–	–	–	–	–	–	–	–	1	9	14	16	15	14	3	1	–	–
	4 Drowning	112	–	–	–	–	–	–	–	–	7	12	15	20	19	27	6	5	1	–
	5 Hanging	482	–	–	–	–	–	–	–	2	18	8	40	90	122	111	72	18	1	–
	6 Otherwise	64	–	–	–	–	–	–	–	–	–	3	15	13	15	14	4	–	–	–
	ORDER 5. (EXECUTION.)																			
	1 Hanging	15	–	–	–	–	–	–	–	–	–	3	6	5	1	–	–	–	–	–
	Other violent Deaths (not classed)	102	4	2	–	1	–	7	8	4	4	6	7	15	13	23	8	6	1	–
	Sudden Deaths (Cause unascertained)	1653	389	41	14	9	4	457	18	15	26	35	110	150	164	271	273	118	16	–
	Causes not specified or ill-defined	2547	1387	186	79	37	27	1716	87	48	54	27	68	89	119	172	137	25	5	–

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1862—FEMALES—*cont.*

CAUSES OF DEATH.	FEMALES.																		
	ALL AGES.	AGES AT DEATH.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
ORDER 5.																			
1 Nephritis	108	2	4	2	5	3	16	8	4	3	4	13	17	12	15	9	6	1	–
2 Ischuria	43	–	–	–	1	1	2	–	2	–	1	6	9	6	7	7	2	1	–
3 Nephria	669	3	6	3	8	4	24	22	19	29	47	104	125	94	118	66	18	3	–
4 Diabetes	192	1	–	–	2	2	5	1	8	10	13	35	43	32	25	14	6	–	–
5 Stone	22	–	–	–	1	–	1	2	–	1	-	1	3	–	6	1	6	1	–
6 Cystitis	64	2	1	1	–	–	4	1	1	–	3	6	10	8	8	13	8	2	–
7 *Kidney Disease, &c.*	536	14	7	3	7	3	34	6	9	13	34	55	85	73	92	91	40	4	–
ORDER 6.																			
1 Ovarian Dropsy	280	–	–	–	–	–	–	–	–	4	11	53	49	74	55	29	4	1	–
2 *Uterus Disease, &c.*	905	3	4	5	1	–	13	2	4	9	27	105	206	221	159	113	38	8	–
ORDER 7.																			
1 Arthritis	24	–	1	–	–	1	2	2	2	–	–	–	3	2	7	3	3	–	–
2 *Joint Disease, &c.*	647	21	13	16	13	11	74	76	72	51	46	83	46	77	57	45	19	1	–
ORDER 8.																			
1 Phlegmon	178	63	12	8	3	4	90	8	4	9	11	10	17	12	7	7	3	–	–
2 Ulcer	220	37	12	6	3	2	60	–	–	–	3	7	9	22	36	48	29	6	–
3 *Skin Disease, &c.*	145	64	15	7	4	3	93	3	4	1	2	6	4	4	13	8	6	1	–
ORDER 1.																			
1 Premature Birth	3416	3414	2	–	–	–	3416	–	–	–	–	–	–	–	–	–	–	–	–
2 Cyanosis	181	152	9	5	1	2	169	4	2	2	2	–	–	1	1	–	–	–	–
3 Spina Bifida	226	213	8	1	1	–	223	2	1	–	–	–	–	–	–	–	–	–	–
4 Other Malformations	181	172	4	2	–	1	179	–	1	1	–	–	–	–	–	–	–	–	–
5 Teething	1788	842	840	99	7	–	1788	–	–	–	–	–	–	–	–	–	–	–	–
ORDER 2.																			
1 Paramenia	61	–	–	–	–	–	–	–	3	14	9	8	14	13	–	–	–	–	–
2 Childbirth (*see* Metria)	2137	–	–	–	–	–	–	–	–	86	341	883	788	39	–	–	–	–	–
ORDER 3.																			
1 Old Age	15,503	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3026	8302	3840	335
ORDER 4.																			
1 Atrophy and Debility	13,012	8165	1262	380	157	55	10319	145	59	49	32	92	146	231	850	1071	12	6	–
ORDER 1. (ACCIDENT OR NEGLIGENCE.)																			
1 Fractures and Contusions	822	30	40	38	28	20	156	56	25	18	17	33	47	53	99	127	142	46	3
2 Gunshot	11	–	1	–	–	–	1	2	1	1	3	1	1	–	–	1	–	–	–
3 Cut, Stab	10	–	–	1	1	–	2	1	–	–	–	3	2	1	–	–	1	–	–
4 Burns and Scalds	1437	70	192	156	152	109	679	312	94	46	31	35	36	35	33	49	57	29	1
5 Poison	115	35	4	7	5	2	53	6	1	3	6	7	10	15	3	6	4	1	–
6 Drowning	412	16	33	43	22	15	129	37	24	38	29	57	32	20	26	15	3	2	–
7 Suffocation	419	339	14	8	7	13	381	19	–	1	–	3	7	5	2	–	1	–	–
8 Otherwise	189	91	9	7	1	2	110	5	11	5	2	9	6	10	9	16	6	–	–
ORDER 3. (HOMICIDE.)																			
1 Murder and Manslaughter	141	79	3	1	1	1	85	7	3	3	4	15	14	5	–	2	3	–	–
ORDER 4. (SUICIDE.)																			
1 Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
2 Cut, Stab	39	–	–	–	–	–	–	–	–	1	1	8	8	11	6	2	2	–	–
3 Poison	55	–	–	–	–	–	–	–	1	9	4	15	10	10	4	2	–	–	–
4 Drowning	92	–	–	–	–	–	–	–	1	23	13	20	7	12	8	5	2	1	–
5 Hanging	129	–	–	–	–	–	–	–	–	4	7	10	26	35	26	16	5	–	–
6 Otherwise	41	–	–	–	–	–	–	–	–	1	6	8	9	5	2	6	4	–	–
ORDER 5. (EXECUTION.)																			
1 Hanging	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Other Violent Deaths (not classed)	35	3	–	2	3	1	9	1	3	–	3	1	3	3	1	3	7	1	–
Sudden Deaths (Cause unascertained)	1125	357	36	12	6	6	417	19	14	18	29	56	85	108	130	151	91	7	–
Causes not specified or ill-defined	2241	1054	170	77	44	25	1370	67	39	34	38	101	122	128	188	126	25	3	–

ENGLAND.—Supplementary Table of the

[The principles upon which the Causes of Death are tabled have been explained in previous Annual Reports. It will be sufficient to state now that all the Diseases, either having a distinct character, or fatal to any considerable number of persons, are classified under 114 heads; some of which, however, include groups of very distinct diseases,—such as are fatal to only a *few persons*, or *diseases* which are often confounded with other diseases. The rule has been to refer the distinct diseases to heads under which the cases were so numerous, that the additional numbers would not interfere with the calculated proportions. Where it is desired,

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	Total	7299	1052	267	111	92	73	1595	229	228	250	255	502	625	769	941	1125	649	125	6
Class I.																					
I.—1	Chicken-pox	25	16	5	2	1	1	25	–	–	–	–	–	–	–	–	–	–	–	–
4	Cynanche Maligna	164	13	22	20	27	21	103	36	9	4	1	1	2	5	1	1	–	1	–
9	Erysipelas after Vaccination	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
11	Boil	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
18	Rheumatism, with Pericarditis, or diseased Heart	349	–	–	–	1	3	4	31	56	49	28	39	42	41	38	16	5	–	–
19	Miliaria	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Mumps	52	17	16	5	7	2	47	2	2	–	–	–	–	1	–	–	–	–	–
	Hospital gangrene	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–
	Erythema	9	7	–	–	–	–	7	–	–	–	–	–	–	–	–	1	–	1	–
III.—2	Inanition of Infancy	276	273	3	–	–	–	276	–	–	–	–	–	–	–	–	–	–	–	–
3	Rickets	40	5	17	8	4	1	35	2	1	1	–	1	–	–	–	–	–	–	–
	Bronchocele	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
IV.—2	Porrigo	12	10	–	1	–	–	11	–	–	–	–	–	–	–	–	1	–	–	–
	Scabies	5	2	1	–	1	–	4	–	–	–	–	–	–	–	–	1	–	–	–
	Tape Worm	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Class II.																					
I.—2	Anæmia	150	69	19	4	2	1	95	6	4	2	–	3	8	8	7	11	5	1	–
	Hydropericardium	75	7	1	–	–	4	12	3	4	3	3	4	8	7	14	11	5	1	–
3	Melanosis	7	–	–	–	–	–	–	1	–	1	–	–	1	–	3	1	–	–	–
	Fungus Hæmatodes	42	–	–	–	–	–	–	2	1	4	2	2	3	3	12	5	7	1	–
	Sweeps Cancer	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Lupus	23	1	1	–	–	–	2	–	1	2	2	1	–	2	4	1	6	2	–
	Polypus	6	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	1	–
5	Gangræna senilis	181	–	–	–	–	–	–	–	–	–	–	–	–	1	13	53	71	41	2
	Bedsore	41	–	–	–	–	–	–	–	1	–	–	1	1	–	3	13	13	9	–
II.—1	Adenitis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Swelling	10	–	–	–	–	–	–	1	2	2	2	1	1	–	1	–	–	–	–
	Psoas abscess	283	3	3	3	–	1	10	20	29	24	47	75	38	22	10	5	3	–	–
2	Tubercular Peritonitis	54	4	2	3	1	–	10	10	10	5	7	4	4	2	2	–	–	–	–
3	Hæmoptysis	446	1	–	3	–	1	5	1	14	42	47	100	86	73	52	22	4	–	–
	Pneumothorax	8	1	–	–	1	–	2	–	–	1	1	3	–	–	–	1	–	–	–
Class III.																					
I.—1	Myelitis	33	–	–	1	2	–	3	–	3	3	2	5	3	6	5	3	–	–	–
3	Shaking Palsy	20	–	–	–	–	–	–	–	–	–	1	1	2	1	–	8	7	–	–
4	Fright	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Grief	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	Melancholy	27	–	–	–	–	–	–	–	–	–	1	3	5	7	7	4	–	–	–
8	Neuralgia	17	–	–	–	–	–	–	–	–	1	–	–	3	4	1	8	–	–	–
	Spinal Marrow Disease	97	3	–	3	5	4	15	11	6	6	4	6	11	11	14	10	3	–	–
	Necrencephalus (Softening of Brain)	566	2	2	2	4	3	13	4	3	3	8	35	78	94	125	145	58	–	–
	Ophthalmia	20	15	1	–	1	1	18	–	–	–	–	–	–	–	1	1	–	–	–
	Otitis	31	3	5	1	2	–	11	3	4	5	1	2	1	1	1	2	–	–	–
	Idiopathic Tetanus	27	5	1	–	–	2	8	7	1	2	1	1	3	3	1	–	–	–	–
II.—1	Carditis	43	2	–	–	–	1	3	2	1	2	2	3	6	6	7	6	5	–	–
	Endocarditis	35	–	–	–	–	–	–	6	2	3	3	7	3	2	7	2	–	–	–
3	Angina Pectoris	143	–	1	1	–	–	2	–	–	–	1	7	12	24	44	38	15	–	–
	Syncope	79	–	1	–	–	–	1	–	1	2	4	3	12	9	17	20	8	2	–
	Hypertrophy	155	–	–	–	–	–	–	4	4	7	12	9	17	31	29	27	13	2	–
	Phlebitis	26	1	1	–	1	1	4	1	1	–	1	5	3	3	2	3	3	–	–

(*continued at page* 128.)

CAUSES of DEATH at different Periods of Life, in the Year 1862.

partial correction, however, can now be made by means of the following Supplementary Tables, containing many of the deaths from distinct diseases, such as mumps, epistaxis, piles, dry gangrene, polypus, rickets, bronchocele, &c. &c., and deaths from other forms of disease, such as softening of the brain (necrencephalus), which are returned in many cases under other heads, as paralysis, &c.

These Tables are an extension of the Tables of Causes of Death in England, pp. 120–125.]

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	TOTAL – – –	6401	702	171	105	72	66	1116	215	178	240	419	888	856	561	684	739	427	76	2
Class I.																				
I.—1	Chicken-pox	24	11	5	3	3	1	23	–	–	–	–	–	1	–	–	–	–	–	–
4	Cynanche Maligna	177	11	21	17	22	16	87	51	16	6	6	5	8	–	1	1	1	–	–
9	Erysipelas after Vaccination	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
11	Boil	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
18	Rheumatism, with Pericarditis or Diseased Heart	355	2	–	–	–	4	6	43	72	44	29	37	31	39	28	17	9	–	–
19	Mumps	30	7	7	2	2	2	20	7	1	–	–	1	–	–	–	1	–	–	–
	Erythema	6	4	2	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–
III.—2	Inanition of Infancy	212	209	3	–	–	–	212	–	–	–	–	–	–	–	–	–	–	–	–
3	Rickets	30	5	10	5	1	3	24	4	2	–	–	–	–	–	–	–	–	–	–
	Bronchocele	13	–	–	–	–	–	–	–	1	–	–	1	2	3	1	4	1	–	–
	Opium eating	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
IV.—2	Porrigo	7	2	–	2	1	–	5	1	–	–	–	–	–	–	1	–	–	–	–
	Scabies	4	2	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	–	–
	Tape Worm	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	1	–	–	–
Class II.																				
I.—2	Anæmia	191	48	8	4	1	3	64	3	6	8	14	23	22	25	13	6	6	1	–
	Hydropericardium	75	1	–	–	2	–	3	5	2	–	3	6	8	10	15	15	8	–	–
3	Melanosis	6	–	–	–	1	–	1	–	–	–	–	–	–	2	–	3	–	–	–
	Fungus Hæmatodes	37	–	–	–	–	–	–	1	–	–	2	2	6	6	6	12	2	–	–
	Lupus	23	–	–	–	–	–	–	–	–	2	2	2	1	3	3	4	6	–	–
	Polypus	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
5	Gangræna senilis	138	–	–	–	–	–	–	–	–	–	–	–	–	–	9	42	67	20	–
	Bedsore	80	–	–	–	–	–	–	–	–	–	–	1	6	1	7	19	29	16	1
II.—1	White Swelling	8	–	–	–	–	–	–	1	2	1	1	1	1	–	1	–	–	–	–
	Psoas abscess	166	1	1	–	1	1	4	9	3	16	24	38	27	29	7	5	3	1	–
2	Tubercular Peritonitis	73	3	1	3	1	3	11	9	10	9	7	14	6	3	3	–	1	–	–
3	Hæmoptysis	249	–	–	–	1	3	4	7	9	20	33	47	43	30	31	22	3	–	–
	Pneumothorax	10	–	1	1	–	–	2	–	–	1	–	4	2	–	1	–	–	–	–
Class III.																				
I.—1	Myelitis	24	2	–	–	–	–	2	–	1	4	3	4	5	2	2	1	–	–	–
3	Shaking Palsy	10	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	3	–	–
4	Fright	4	–	–	1	–	1	2	1	–	–	1	–	–	–	–	–	–	–	–
	Grief	5	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	1	–	–
	Rage	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Melancholy	17	–	–	–	–	–	–	–	–	–	–	2	3	4	4	4	–	–	–
6	Hysteria	18	–	–	–	–	–	–	–	–	2	9	3	–	2	2	–	–	–	–
8	Neuralgia	24	–	–	–	–	–	–	–	–	2	1	3	3	3	5	5	2	–	–
	Spinal Marrow Disease	55	1	–	3	1	2	7	6	7	6	–	5	6	6	6	6	–	–	–
	Necrencephalus	370	1	2	–	–	3	6	4	3	11	5	17	32	66	84	95	41	6	–
	Ophthalmia	10	8	–	–	–	1	9	–	–	–	–	–	–	1	–	–	–	–	–
	Otitis	27	3	5	1	1	3	13	3	–	3	2	2	2	–	1	1	–	–	–
	Idiopathic tetanus	9	2	–	–	–	–	2	1	2	1	1	2	–	–	–	–	–	–	–
	Iritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Catalepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
II.—1	Carditis	38	–	1	–	1	–	2	1	3	1	1	–	6	6	10	5	3	–	–
	Endocarditis	45	–	1	1	–	–	2	3	2	1	3	8	5	10	6	3	1	1	–
3	Angina Pectoris	75	–	–	1	–	–	1	–	1	–	1	4	7	5	21	21	11	3	–
	Syncope	114	–	3	2	–	1	6	3	1	2	6	11	17	16	13	22	16	1	–
	Hypertrophy	143	–	–	1	–	–	1	2	1	5	6	14	16	21	23	34	20	–	–
	Phlebitis	33	2	–	–	–	–	2	1	–	2	2	6	8	1	7	4	–	–	–

(*continued at page* 129.)

ENGLAND.—Supplementary Table of the Causes

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
III.—*cont.*																				
III.—1.	Œdema Glottidis	18	2	2	1	–	–	5	–	–	–	2	–	4	2	4	1	–	–	–
	Laryngismus Stridulus	166	87	60	3	3	2	155	6	–	–	–	–	–	2	–	1	2	–	–
3	Empyema	62	1	2	2	2	–	7	5	4	3	7	9	8	3	7	7	2	–	–
	Diaphragmitis	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
5	Emphysema	173	1	–	1	–	–	2	2	2	7	2	6	21	30	50	36	12	3	–
6	Grinders Asthma	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Epistaxis	19	1	–	1	–	1	3	1	1	2	–	1	2	1	3	2	2	1	–
	Congestion of Lungs	525	143	63	19	14	6	245	16	5	8	10	26	38	41	60	46	18	11	1
	Pulmonary Apoplexy	50	4	1	2	–	–	7	–	–	1	3	3	6	13	5	8	4	–	–
IV.—2	Stomatitis	34	20	7	–	–	–	27	1	1	–	–	–	1	2	–	2	–	–	–
	Glossitis	3	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	Pharyngitis	11	2	1	–	–	–	3	–	2	2	–	1	1	–	1	1	–	–	–
5	Perforation of Intestine	42	1	–	–	–	–	1	–	–	2	3	5	11	4	9	4	3	–	–
6	Congenital Hernia	4	2	1	–	–	–	3	–	–	–	–	–	–	1	–	–	–	–	–
	Femoral Hernia	17	–	–	–	–	–	–	–	–	–	1	–	1	–	3	6	6	–	–
	Inguinal Hernia	56	2	2	–	–	–	4	–	–	1	1	3	6	8	10	14	8	1	–
	Scrotal Hernia	8	1	–	–	–	–	1	–	–	–	1	–	–	–	1	3	2	–	–
	Umbilical Hernia	23	9	–	–	1	–	10	–	–	–	1	–	–	1	3	7	1	–	–
	Operation for Hernia	14	–	–	–	–	–	–	–	–	1	1	2	2	2	3	3	–	–	–
7	Obstruction of Bowels	348	77	1	4	2	5	89	8	4	6	13	22	16	33	40	74	38	5	–
11	Dyspepsia	84	3	2	1	–	–	6	–	–	–	1	6	2	16	13	26	12	2	–
	Pyrosis	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–
	Hæmatemesis	149	3	–	3	–	3	9	4	2	1	2	12	15	30	31	28	14	1	–
	Melœna	48	8	–	–	–	1	9	–	1	–	–	5	6	6	8	8	5	–	–
14	Gallstone	20	–	–	–	–	–	–	–	–	–	1	–	2	5	5	2	5	–	–
15	Cirrhosis	242	–	–	–	–	–	–	1	–	–	2	22	55	71	59	29	3	–	–
V.—5	Gravel	19	–	–	–	1	–	1	–	–	–	–	1	–	–	1	12	4	–	–
	Stone (Operation registered)	41	–	–	3	4	–	7	1	–	–	1	4	1	7	9	10	1	–	–
6	Catarrh of Bladder	67	–	–	–	–	–	–	–	–	–	–	–	1	10	12	27	13	4	–
7	Prostatic Disease	324	–	–	–	–	–	–	–	–	1	1	2	2	11	47	142	99	19	–
	Bladder Disease	497	–	–	2	–	–	2	5	5	2	5	10	25	45	84	158	140	13	3
VI.—2	Orchitis	5	–	1	–	–	–	1	–	–	–	–	–	1	–	3	–	–	–	–
	Pelvic Abscess	5	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–
VII.—1	Ostitis	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Periostitis	5	–	–	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–	–
2	Caries	104	1	3	2	2	2	10	11	17	8	7	12	12	13	6	7	1	–	–
	Necrosis	61	–	–	1	–	–	1	2	5	15	–	4	8	9	4	7	5	1	–
VIII.-1	Whitlow	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Pyœmia	46	3	1	1	–	2	7	2	7	6	2	3	4	6	5	2	2	–	–
3	Eczema	47	33	9	1	–	–	43	–	–	–	–	–	–	–	–	4	–	–	–
	Ecthyma	5	5	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–
	Herpes	3	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
	Pemphigus	19	12	1	2	–	–	15	–	–	–	2	–	–	–	–	1	1	–	–
	Impetigo	12	10	–	1	–	–	11	–	–	1	–	–	–	–	–	–	–	–	–
	Icthyosis	2	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Psoriasis	21	16	–	–	–	–	16	–	1	–	–	–	–	1	3	–	–	–	–
	Leprosy	6	2	1	–	–	–	3	–	–	–	1	–	–	1	–	–	1	–	–
	Elephantiasis	5	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–
Class IV.																				
I.—4	Anus imperforatus	72	71	–	1	–	–	72	–	–	–	–	–	–	–	–	–	–	–	–
	Cleft Palate	25	25	–	–	–	–	25	–	–	–	–	–	–	–	–	–	–	–	–
	Talipes Æquinus (amputation)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Abscess, Tumor	186	42	7	3	1	4	57	9	8	6	2	16	12	19	24	25	7	1	–

of Death at different Periods of Life, in the Year 1862—*continued.*

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
III.—*cont.*																				
III.—1	Œdema Glottidis	14	2	2	–	1	–	5	–	–	1	–	3	–	3	1	–	1	–	–
	Laryngismus Stridulus	77	48	18	6	1	2	75	2	–	–	–	–	–	–	–	–	–	–	–
3	Empyema	23	2	1	–	1	–	4	2	–	2	1	2	2	3	1	5	1	–	–
	Diaphragmitis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
5	Emphysema	126	1	1	–	2	–	4	–	2	–	4	7	17	21	27	31	11	2	–
6	Epistaxis	22	3	1	–	–	–	4	2	1	–	1	1	2	3	4	3	1	–	–
	Congestion of Lungs	482	133	41	31	14	6	225	9	8	8	13	30	16	20	53	56	40	4	–
	Pulmonary Apoplexy	30	1	2	–	–	–	3	1	2	–	1	6	1	2	5	6	2	1	–
IV.—2	Stomatitis	36	17	8	3	–	–	28	1	1	–	–	1	1	3	–	–	1	–	–
	Glossitis	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Pharyngitis	6	1	–	–	1	2	4	–	1	–	–	–	–	–	1	–	–	–	–
	Œsophagitis	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
5	Perforation of Intestine	44	1	–	–	–	–	1	1	1	4	3	7	8	7	7	4	–	1	–
6	Congenital Hernia	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	Femoral Hernia	87	–	–	–	–	–	–	–	–	1	–	1	11	13	23	23	14	1	–
	Inguinal Hernia	19	–	1	–	–	–	1	–	–	–	–	–	2	1	4	8	3	–	–
	Umbilical Hernia	40	4	–	1	–	–	5	–	–	–	–	1	2	9	5	12	5	1	–
	Operation for Hernia	21	–	–	–	–	–	–	–	–	–	–	–	4	4	6	4	2	1	–
7	Obstruction of Bowels	338	34	–	3	4	2	43	5	1	7	7	22	33	36	61	72	43	7	1
11	Dyspepsia	108	5	2	1	–	1	9	1	–	–	–	7	9	14	21	33	13	1	–
	Pyrosis	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	2	–	–
	Hæmatemesis	88	1	–	2	–	2	5	2	–	1	4	4	11	15	24	12	9	1	–
	Melœna	22	4	–	–	–	–	4	–	1	–	–	1	2	2	4	6	2	–	–
	Artificial Anus	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
14	Gallstone	31	–	–	–	–	–	–	–	–	–	–	1	3	8	7	7	4	1	–
15	Cirrhosis	151	–	–	–	–	–	–	1	–	1	2	11	26	39	38	32	1	–	–
V.—5	Gravel	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
6	Catarrh of Bladder	20	–	–	1	–	–	1	–	–	–	1	1	4	4	1	6	2	–	–
7	Bladder Disease	67	–	–	–	–	–	–	–	–	–	3	3	9	7	20	13	10	2	–
VI.—2	Hysteritis	14	–	–	–	–	–	–	–	–	–	–	8	5	–	–	1	–	–	–
	Pelvic Abscess	24	1	–	–	–	–	1	–	1	1	2	6	7	1	3	1	1	–	–
VII.—1	Ostitis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Periostitis	8	–	1	–	–	1	2	1	1	–	–	–	–	–	4	–	–	–	–
2	Exostosis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Fragilitas Ossium	6	–	–	–	–	–	–	2	–	–	–	–	–	3	–	–	1	–	–
	Caries	73	1	1	1	1	–	4	9	8	6	8	10	8	8	5	6	1	–	–
	Necrosis	32	3	–	–	2	1	6	2	–	–	2	5	5	4	4	2	2	–	–
VIII.-1	Pyœmia	23	1	1	–	–	–	2	–	–	4	4	4	3	2	1	1	2	–	–
3	Urticaria	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Eczema	34	16	4	3	1	1	25	2	1	–	–	1	–	1	2	2	–	–	–
	Ecthyma	4	2	1	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	–
	Herpes	5	1	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–	1	–
	Pemphigus	11	4	3	1	1	–	9	–	–	–	–	1	–	–	–	–	1	–	–
	Impetigo	4	–	3	–	–	1	4	–	–	–	–	–	–	–	–	–	–	–	–
	Icthyosis	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Psoriasis	8	5	–	–	–	–	5	–	–	–	–	–	–	1	2	–	–	–	–
	Lepra	9	2	–	–	–	–	2	–	–	1	1	–	1	–	2	–	2	–	–
	Elephantiasis	7	–	–	–	–	–	–	–	–	–	–	1	1	–	4	1	–	–	–
	Rupia	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Class IV.																				
I.—4	Anus imperforatus	32	32	–	–	–	–	32	–	–	–	–	–	–	–	–	–	–	–	–
	Cleft Palate	19	19	–	–	–	–	19	–	–	–	–	–	–	–	–	–	–	–	–
	Nævus	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
II.—1	Chlorosis	14	–	–	–	–	–	–	–	1	5	5	2	1	–	–	–	–	–	–
2	Miscarriage	47	–	–	–	–	–	–	–	–	1	9	26	11	–	–	–	–	–	–
	Abortion	60	–	–	–	–	–	–	–	–	–	4	27	29	–	–	–	–	–	–
	Puerperal Mania	57	–	–	–	–	–	–	–	–	1	18	23	15	–	–	–	–	–	–
	Phlegmasia Dolens	65	–	–	–	–	–	–	–	–	3	10	20	31	1	–	–	–	–	–
	Cæsarian Operation	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Extra-uterine Fœtation	13	–	–	–	–	–	–	–	–	–	2	9	2	–	–	–	–	–	–
	Retention of Placenta	16	–	–	–	–	–	–	–	–	1	2	6	5	2	–	–	–	–	–
	Breast Abscess	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Flooding	399	–	–	–	–	–	–	–	–	11	40	169	173	6	–	–	–	–	–
	Deformed Pelvis	12	–	–	–	–	–	–	–	–	–	–	8	4	–	–	–	–	–	–
	Puerperal Convulsions	279	–	–	–	–	–	–	–	–	30	95	111	41	2	–	–	–	–	–
	Placenta Prævia	95	–	–	–	–	–	–	–	–	1	4	38	45	7	–	–	–	–	–
	Rupture of Uterus	28	–	–	–	–	–	–	–	–	–	2	16	9	1	–	–	–	–	–
	Craniotomy	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Abscess, Tumor	172	28	8	4	3	–	43	4	2	3	7	15	25	11	24	23	12	3	–

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1862—MALES.

Class.	CAUSES OF DEATH.	MALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ALL CAUSES - - -	34,288	7762	3627	1886	1177	720	15,172	1456	553	671	1058	2214	2824	2956	3037	2532	1479	322	14
	SPECIFIED CAUSES -	34,013	7618	3622	1882	1174	719	15,015	1449	551	670	1056	2199	2808	2937	3016	2505	1475	318	14
	(CLASSES.)																			
I.	ZYMOTIC DISEASES -	9138	1971	1586	1047	763	475	5842	816	213	149	193	336	426	425	380	226	113	19	–
II.	CONSTITUTIONAL " -	6672	717	513	230	145	82	1687	229	128	285	538	1010	1082	816	551	242	86	17	1
III.	LOCAL " -	13153	2796	1139	485	205	129	4754	297	145	161	223	655	1116	1492	1874	1624	713	96	3
IV.	DEVELOPMENTAL " -	3524	1883	334	79	17	9	2322	22	4	–	2	6	4	13	80	338	542	181	10
V.	VIOLENT DEATHS -	1526	251	50	41	44	24	410	85	61	75	100	192	180	191	131	75	21	5	–
	(ORDERS.)																			
I.	1. Miasmatic Diseases -	8401	1543	1560	1041	763	474	5381	815	212	144	182	283	347	362	342	206	110	17	–
	2. Enthetic " -	234	130	8	1	–	–	139	–	1	3	6	18	15	20	17	10	3	2	–
	3. Dietic " -	428	230	12	4	–	1	247	1	–	2	5	35	64	43	21	10	–	–	–
	4. Parasitic " -	75	68	6	1	–	–	75	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. Diathetic " -	814	41	20	10	10	7	88	21	9	9	9	39	80	125	188	156	73	16	1
	2. Tubercular " -	5858	676	493	220	135	75	1599	208	119	276	529	971	1002	691	363	86	13	1	–
III.	1. Diseases of Nervous System - -	3626	1097	256	104	62	49	1568	105	30	40	47	148	257	341	430	424	208	27	1
	2. " Organs of Circulation -	1504	7	3	4	2	4	20	20	42	26	54	148	253	274	334	224	96	13	–
	3. " Respiratory Organs - -	5916	1463	848	352	126	68	2857	108	20	41	66	185	350	534	696	706	304	47	2
	4. " Digestive Organs - -	1246	186	23	19	8	4	240	35	27	23	27	84	157	218	234	148	49	4	–
	5. " Urinary Organs - -	654	4	6	–	6	3	19	13	9	17	17	75	82	105	152	111	49	5	–
	6. " Organs of Generation -	9	1	–	1	–	–	2	–	–	1	–	–	2	1	3	–	–	–	–
	7. " Organs of Locomotion -	104	2	1	1	–	1	5	16	16	12	9	7	10	11	12	4	2	–	–
	8. " Integumentary System -	94	36	2	4	1	–	43	–	1	1	3	8	5	8	13	7	5	–	–
IV.	1. Congenital Malformations and Dev. Diseases of Children	1095	877	186	21	2	1	1087	5	2	–	–	1	–	–	–	–	–	–	–
	2. Dev. Diseases, Adults	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. " Old People	1054	–	–	–	–	–	–	–	–	–	–	–	–	–	–	326	538	180	10
	4. Diseases of Nutrition	1375	1006	148	58	15	8	1235	17	2	–	2	5	4	13	80	12	4	1	–
V.	1. Accident or Negligence - - - -	1273	212	49	41	44	24	370	85	61	68	85	156	140	144	88	54	19	3	–
	3. Homicide - - -	65	39	1	–	–	–	40	–	–	2	4	5	6	2	4	1	–	1	–
	4. Suicide - - -	187	–	–	–	–	–	–	–	–	5	11	30	34	45	39	20	2	1	–
	5. Execution - - -	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Violent Deaths not classed - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths, Cause unascertained - -	138	78	1	3	2	–	84	1	1	–	1	10	6	10	8	11	4	2	–
	Causes not specified -	137	66	4	1	1	1	73	6	1	1	1	5	10	9	13	16	–	2	–

(*continued at page* 132.)

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1862—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ALL CAUSES - - -	33,083	6237	3281	1945	1168	822	13,453	1490	561	754	936	2283	2537	2351	2869	3081	2140	580	48
	SPECIFIED CAUSES -	32,810	6095	3267	1939	1166	819	13,286	1487	561	752	930	2274	2528	2331	2847	3060	2126	580	48
	(CLASSES.)																			
I.	ZYMOTIC DISEASES -	8933	1704	1518	1098	756	555	5631	948	271	174	208	436	355	266	290	229	102	23	–
II.	CONSTITUTIONAL „ -	6475	520	403	247	128	85	1383	220	136	357	429	1050	1043	736	559	371	156	27	2
III.	LOCAL „ -	12444	2016	979	496	230	153	3874	264	127	188	227	607	968	1249	1854	1940	977	161	8
IV.	DEVELOPMENTAL „ -	4211	1630	321	64	27	4	2046	15	6	11	35	118	117	31	98	478	857	361	38
V.	VIOLENT DEATHS -	747	225	46	34	25	22	352	40	21	22	31	57	45	49	46	42	34	8	–
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES -	8429	1348	1500	1094	754	553	5249	945	270	170	203	412	318	248	275	216	100	23	–
	2. ENTHETIC „ -	116	81	7	3	–	–	91	–	–	4	5	6	6	2	–	2	–	–	–
	3. DIETIC „ -	319	210	9	1	2	1	223	3	1	–	–	17	31	16	15	11	2	–	–
	4. PARASITIC „ -	69	65	2	–	–	1	68	–	–	–	–	1	–	–	–	–	–	–	–
II.	1. DIATHETIC „ -	1577	32	17	17	14	4	84	19	13	9	16	84	211	314	362	294	142	27	2
	2. TUBERCULAR „ -	4898	488	386	230	114	81	1299	201	123	348	413	972	832	422	197	77	14	–	–
III.	1. DISEASES OF NERVOUS SYSTEM - -	3363	808	231	132	59	50	1280	89	34	50	57	113	209	267	406	522	278	55	3
	2. „ ORGANS OF CIRCULATION -	1550	6	1	4	3	3	17	23	31	55	52	118	221	260	347	298	120	8	–
	3. „ RESPIRATORY ORGANS - -	5303	1067	714	336	150	84	2351	96	27	38	47	139	226	370	686	798	439	81	5
	4. „ DIGESTIVE ORGANS - -	1499	104	21	16	8	9	158	30	19	30	37	137	211	225	293	237	108	14	–
	5. „ URINARY ORGANS - -	336	2	1	1	7	1	12	10	5	9	18	47	49	56	67	42	20	1	–
	6. „ ORGANS OF GENERATION -	212	1	2	2	–	–	5	–	2	1	7	26	43	55	39	28	5	1	–
	7. „ ORGANS OF LOCOMOTION -	82	5	1	–	2	4	12	14	7	4	6	17	4	9	4	3	2	–	–
	8. „ INTEGUMENTARY SYSTEM -	99	23	8	5	1	2	39	2	2	1	3	10	5	7	12	12	5	1	–
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	925	730	168	17	4	1	920	–	1	1	2	–	–	1	–	–	–	–	–
	2. DEV. DISEASES, ADULTS	256	–	–	–	–	–	–	–	1	6	32	108	104	5	–	–	–	–	–
	3. „ OLD PEOPLE	1715	–	–	–	–	–	–	–	–	–	–	–	–	–	–	463	853	361	38
	4. DISEASES OF NUTRITION	1315	900	153	47	23	3	1126	15	4	4	1	10	13	25	98	15	4	–	–
V.	1. ACCIDENT OR NEGLIGENCE - - - -	615	189	45	34	25	21	314	37	20	15	20	33	26	28	41	40	33	8	–
	3. HOMICIDE - - -	54	36	1	–	–	1	38	3	1	–	–	3	5	3	–	–	1	–	–
	4. SUICIDE - - - -	77	–	–	–	–	–	–	–	–	7	11	21	13	18	5	2	–	–	–
	5. EXECUTION - - -	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	VIOLENT DEATHS NOT CLASSED - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	135	82	5	2	–	–	89	1	–	2	2	3	6	11	6	9	6	–	–
	CAUSES NOT SPECIFIED -	138	60	9	4	2	3	78	2	–	–	4	6	3	9	16	12	8	–	–

(continued at page 133.)

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1862—MALES—*continued.*

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
I.	ORDER 1.																			
	1 Small-pox	201	36	26	16	17	8	103	20	12	12	18	20	12	4	-	-	-	-	-
	2 Measles	1216	184	511	256	144	67	1162	47	6	-	-	1	-	-	-	-	-	-	-
	3 Scarlatina	1759	120	274	300	300	227	1221	399	85	21	15	6	3	5	2	-	1	1	-
	4 Diphtheria	340	41	72	54	41	33	244	58	8	2	5	7	5	4	4	2	1	-	-
	5 Quinsy	47	8	8	4	7	2	29	6	1	2	3	2	-	1	2	1	-	-	-
	6 Croup	494	68	147	102	84	42	443	51	-	-	-	-	-	-	-	-	-	-	-
	7 Whooping-cough	991	364	315	166	77	34	956	31	-	1	-	-	3	-	-	-	-	-	-
	8 Typhus	1854	39	49	83	70	51	292	168	75	91	111	198	262	263	226	117	49	2	-
	9 Erysipelas	156	45	6	1	2	-	54	2	3	2	1	9	11	18	24	18	12	2	-
	10 Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11 Carbuncle	29	-	-	-	-	-	-	-	1	-	1	-	2	7	6	7	4	1	-
	12 Influenza	23	8	-	-	1	-	9	-	-	-	1	-	2	-	2	3	5	1	-
	13 Dysentery	63	14	4	2	1	-	21	1	-	1	6	7	5	8	7	5	2	-	-
	14 Diarrhœa	889	573	122	36	10	6	747	11	5	2	2	4	8	14	27	33	27	9	-
	15 Cholera	60	25	5	5	1	2	38	3	1	-	-	1	2	3	8	2	2	-	-
	16 Ague	16	-	4	1	1	-	6	-	1	-	1	2	1	2	2	1	-	-	-
	17 Remittent Fever	49	6	10	13	4	1	34	5	1	-	3	1	1	2	1	1	-	-	-
	18 Rheumatism	196	2	-	-	2	1	5	13	13	10	15	25	30	30	31	16	7	1	-
	19 *Other Zymotic Diseases*	18	7	7	2	1	-	17	-	-	-	-	-	-	1	-	-	-	-	-
	ORDER 2.																			
	1 Syphilis	166	130	8	1	-	-	139	-	1	2	5	10	5	3	1	-	-	-	-
	2 Stricture of Urethra	65	-	-	-	-	-	-	-	-	-	-	7	10	17	16	10	3	2	-
	3 Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4 Glanders	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	ORDER 3.																			
	1 Privation	16	3	1	-	-	-	4	-	-	-	-	2	2	4	2	2	-	-	-
	2 Want of Breast-milk	221	219	2	-	-	-	221	-	-	-	-	-	-	-	-	-	-	-	-
	3 Purpura and Scurvy	44	8	9	4	-	1	22	1	-	1	1	3	6	4	5	1	-	-	-
	4 Alcoholism { *a* Del. Trem.	110	-	-	-	-	-	-	-	-	-	2	23	46	27	8	4	-	-	-
	{ *b* Intemp.	37	-	-	-	-	-	-	-	-	1	2	7	10	8	6	3	-	-	-
	ORDER 4.																			
	1 Thrush	67	63	4	-	-	-	67	-		-	-	-	-	-	-	-	-	-	-
	2 Worms, &c.	8	5	2	1	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-
II.	ORDER 1.																			
	1 Gout	72	-	-	-	-	-	-	-	-	-	-	2	4	17	17	21	10	1	-
	2 Dropsy	279	31	13	7	6	5	62	14	8	4	5	14	20	35	48	43	22	4	-
	3 Cancer	352	-	1	1	1	1	4	3	-	4	2	21	51	70	108	68	16	4	1
	4 Noma	15	3	4	1	1	-	9	3	1	1	-	-	-	-	1	-	-	-	-
	5 Mortification	96	7	2	1	2	1	13	1	-	-	2	2	5	3	14	24	25	7	-
	ORDER 2.																			
	1 Scrofula	294	52	37	27	15	11	142	34	16	23	20	17	15	16	5	4	2	-	-
	2 Tabes Mesenterica	442	199	121	43	20	14	397	23	12	3	4	1	1	-	-	1	-	-	-
	3 Phthisis	4238	92	82	35	30	17	256	93	78	248	504	950	985	673	358	81	11	1	-
	4 Hydrocephalus	884	333	253	115	70	33	804	58	13	2	1	3	1	2	-	-	-	-	-
III.	ORDER 1.																			
	1 Cephalitis	319	67	58	23	16	18	182	40	8	4	7	19	19	18	7	10	4	1	-
	2 Apoplexy	817	57	22	9	9	8	105	11	4	7	14	40	79	129	183	157	77	11	-
	3 Paralysis	565	-	1	-	1	-	2	5	1	3	3	31	44	75	129	169	89	13	1
	4 Insanity	34	-	-	-	-	-	-	-	-	1	1	2	5	13	4	4	4	-	-
	5 Chorea	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	6 Epilepsy	202	6	5	2	4	1	18	3	5	11	13	21	42	37	20	20	10	2	-
	7 Convulsions	1206	930	156	60	29	11	1186	14	1	-	-	-	4	-	-	-	1	-	-
	8 *Brain Disease, &c.*	482	37	14	10	3	11	75	32	10	14	9	35	64	69	87	64	23	-	-
	ORDER 2.																			
	1 Pericarditis	53	-	1	-	-	-	1	4	7	2	3	13	6	5	6	3	3	-	-
	2 Aneurism	92	-	-	1	-	-	1	-	-	-	5	18	23	21	9	9	4	2	-
	3 *Heart Disease, &c.*	1359	7	2	3	2	4	18	16	35	24	46	117	224	248	319	212	89	11	-
	ORDER 3.																			
	1 Laryngitis	227	70	60	26	7	12	175	14	-	1	4	3	7	10	10	3	-	-	-
	2 Bronchitis	2968	633	306	134	47	26	1146	24	7	10	14	66	156	279	451	536	244	34	1
	3 Pleurisy	85	4	1	-	2	-	7	6	2	3	6	12	10	16	15	5	2	1	-
	4 Pneumonia	1984	690	449	182	63	27	1411	50	10	18	29	74	105	112	91	58	20	6	-
	5 Asthma	286	4	1	-	-	-	5	-	-	2	-	10	24	62	80	71	27	5	-
	6 *Lung Disease, &c.*	366	62	31	10	7	3	113	14	1	7	13	20	48	55	49	33	11	1	1
	ORDER 4.																			
	1 Gastritis	32	5	2	-	-	1	8	1	-	-	1	-	2	8	4	8	-	-	-
	2 Enteritis	153	51	9	6	3	-	69	9	7	6	2	8	16	8	16	5	6	1	-
	3 Peritonitis	86	16	1	1	-	1	19	7	6	8	5	7	7	10	7	8	2	-	-
	4 Ascites	64	-	-	-	-	-	-	2	3	1	-	9	11	8	21	8	1	-	-
	5 Ulceration of Intestines	58	3	1	-	1	-	5	1	2	2	2	3	9	13	11	7	3	-	-
	6 Hernia	66	4	1	1	-	-	6	1	-	1	2	4	4	12	18	14	4	-	-
	7 Ileus	62	15	1	-	-	1	17	1	3	-	4	5	3	8	7	10	3	1	-
	8 Intussusception	21	9	-	1	-	-	10	2	-	-	1	1	2	-	-	4	1	-	-
	9 Stricture of Intestines	26	1	-	-	-	-	1	-	-	-	-	-	3	3	11	7	1	-	-
	10 Fistula	18	-	-	-	-	-	-	-	1	-	-	3	3	3	4	4	-	-	-
	11 *Stomach Disease, &c.*	123	26	3	5	1	-	35	2	1	2	3	6	10	22	18	16	8	-	-
	12 *Pancreas Disease, &c.*	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	13 Hepatitis	75	2	-	1	-	-	3	-	1	1	2	3	15	16	22	10	2	-	-
	14 Jaundice	92	46	1	-	1	-	48	-	-	-	2	6	7	8	11	5	5	-	-
	15 *Liver Disease, &c.*	351	7	1	2	2	1	13	7	3	2	3	23	64	96	84	41	13	2	-
	16 *Spleen Disease, &c.*	16	1	3	2	-	-	6	2	-	-	-	6	-	1	-	1	-	-	-

(*continued at page 134.*)

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1862—FEMALES—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.																		
		ALL AGES.	AGES AT DEATH.																	
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
I.	ORDER 1.																			
	1 Small-pox	165	35		19	13	13	99	17	8	4	13	12	6	2	4	–	–	–	–
	2 Measles	1118	174	410	259	140	73	1056	52	7	1	1	1	–	–	–	–	–	–	–
	3 Scarlatina	1733	74	242	294	275	220	1105	465	88	28	18	22	5	2	–	–	–	–	–
	4 Diphtheria	390	31	77	65	40	42	255	82	27	8	6	9	–	2	1	–	–	–	–
	5 Quinsy	42	7	11	3	1	6	28	4	1	1	1	3	–	–	3	1	–	–	–
	6 Croup	463	49	123	113	79	57	421	42	–	–	–	–	–	–	–	–	–	–	–
	7 Whooping-cough	1177	376	366	219	115	51	1127	48	–	–	1	–	–	–	–	1	–	–	–
	8 Typhus	1744	36	59	73	72	64	304	187	109	96	103	200	216	189	181	112	39	8	–
	9 Erysipelas	163	46	7	3	–	3	59	3	1	6	1	12	19	11	17	22	9	3	–
	10 Metria	190	–	–	–	–	–	–	–	–	9	37	107	37	–	–	–	–	–	–
	11 Carbuncle	13	2	–	1	–	–	3	–	–	1	1	–	1	1	5	–	1	–	–
	12 Influenza	25	3	2	–	1	1	7	1	–	1	1	–	1	2	2	2	4	4	–
	13 Dysentery	40	14	3	–	1	–	18	2	1	1	2	3	2	2	2	4	3	–	–
	14 Diarrhœa	847	475	160	32	8	8	683	11	3	1	1	11	9	14	26	44	37	7	–
	15 Cholera	46	21	5	1	1	–	28	–	2	–	1	1	4	2	3	3	2	–	–
	16 Ague	9	1	2	–	1	–	4	–	–	–	2	–	–	3	–	–	–	–	–
	17 Remittent Fever	64	3	11	12	5	10	41	15	1	2	–	2	–	1	1	–	–	1	–
	18 Rheumatism	190	–	–	–	1	3	4	13	22	11	14	29	18	17	30	27	5	–	–
	19 *Other Zymotic Diseases*	10	1	3	–	1	2	7	3	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1 Syphilis	116	81	7	3	–	–	91	–	–	4	5	6	6	2	–	2	–	–	–
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Privation	23	3	–	–	–	–	3	–	–	–	–	4	5	3	3	4	1	–	–
	2 Want of Breast-milk	197	196	1	–	–	–	197	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	42	11	8	1	2	1	23	3	1	–	–	4	5	3	–	3	–	–	–
	4 Alcoholism { *a* Del. Trem.	24	–	–	–	–	–	–	–	–	–	–	5	11	4	1	2	1	–	–
	{ *b* Intemp.	33	–	–	–	–	–	–	–	–	–	–	4	10	6	11	2	–	–	–
	ORDER 4.																			
	1 Thrush	67	65	2	–	–	–	67	–	–	–	–	–	–	–	–	–	–	–	–
	2 Worms, &c.	2	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
II.	ORDER 1.																			
	1 Gout	14	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	3	–	–
	2 Dropsy	439	24	8	7	9	2	50	14	12	3	10	26	42	40	88	86	58	9	1
	3 Cancer	983	–	1	3	2	–	6	–	1	6	5	56	163	268	258	164	48	8	–
	4 Noma	21	1	4	3	3	2	13	5	–	–	–	–	–	–	1	–	2	–	–
	5 Mortification	120	7	4	4	–	–	15	–	–	–	1	2	5	4	13	38	31	10	1
	ORDER 2.																			
	1 Scrofula	241	46	35	18	11	10	120	30	12	16	6	14	13	14	8	7	1	–	–
	2 Tabes Mesenterica	387	158	96	57	18	15	344	15	10	2	3	6	1	4	–	2	–	–	–
	3 Phthisis	3633	76	76	51	36	25	265	101	98	325	403	949	818	404	189	68	13	–	–
	4 Hydrocephalus	637	208	179	104	49	30	570	55	3	5	1	3	–	–	–	–	–	–	–
III.	ORDER 1.																			
	1 Cephalitis	247	44	42	33	18	15	152	28	8	6	6	9	16	11	6	4	1	–	–
	2 Apoplexy	836	41	15	15	5	10	86	11	5	6	10	36	80	102	181	207	96	16	–
	3 Paralysis	669	2	–	1	1	–	4	1	–	1	2	15	46	68	142	222	135	30	3
	4 Insanity	49	–	–	1	–	–	1	1	–	2	2	7	5	11	9	4	4	3	–
	5 Chorea	11	–	–	–	–	–	–	4	2	4	–	–	–	1	–	–	–	–	–
	6 Epilepsy	171	4	5	1	1	3	14	11	8	8	24	21	27	18	15	15	8	2	–
	7 Convulsions	972	685	153	70	26	13	947	17	1	–	–	–	1	2	1	1	1	1	–
	8 *Brain Disease, &c.*	408	32	16	11	8	9	76	16	10	23	13	25	34	54	52	69	33	3	–
	ORDER 2.																			
	1 Pericarditis	58	2	–	2	1	–	5	6	6	5	3	7	5	9	7	4	1	–	–
	2 Aneurism	11	–	–	–	–	–	–	–	–	–	–	1	1	2	3	4	–	–	–
	3 *Heart Disease, &c.*	1481	4	1	2	2	3	12	17	25	50	49	110	215	249	337	290	119	8	–
	ORDER 3.																			
	1 Laryngitis	143	34	28	20	15	12	109	11	–	1	3	2	5	7	3	2	–	–	–
	2 Bronchitis	3026	488	294	129	55	32	998	35	4	9	13	49	116	238	507	611	369	72	5
	3 Pleurisy	58	1	3	–	1	–	5	3	1	4	2	6	6	9	11	8	2	1	–
	4 Pneumonia	1524	491	369	171	71	36	1138	39	15	19	21	50	50	52	51	58	27	4	–
	5 Asthma	272	1	1	–	1	–	3	–	2	–	2	8	24	36	79	89	26	8	–
	6 *Lung Disease, &c.*	280	52	19	16	7	4	98	8	5	5	6	24	25	28	35	30	15	1	–
	ORDER 4.																			
	1 Gastritis	57	3	4	1	2	–	10	–	1	–	1	5	10	2	12	13	3	–	–
	2 Enteritis	139	30	8	3	2	5	48	6	4	5	4	10	11	13	8	20	9	1	–
	3 Peritonitis	140	8	–	1	1	2	12	11	9	11	10	33	19	7	17	5	6	–	–
	4 Ascites	78	1	–	–	1	1	3	–	–	2	–	4	12	17	20	14	6	–	–
	5 Ulceration of Intestines	65	3	–	1	–	–	4	2	2	4	5	9	12	6	8	10	2	1	–
	6 Hernia	96	2	–	–	–	–	2	–	–	–	–	2	13	16	23	20	18	2	–
	7 Ileus	73	8	–	–	–	–	8	4	–	–	–	7	8	10	12	14	9	1	–
	8 Intussusception	17	4	–	–	–	–	4	–	–	1	2	–	–	4	4	2	–	–	–
	9 Stricture of Intestines	20	–	–	–	–	–	–	–	–	–	–	1	3	7	4	–	4	1	–
	10 Fistula	13	–	–	–	–	–	–	–	–	–	–	2	4	5	2	–	–	–	–
	11 *Stomach Disease, &c.*	213	23	6	5	2	–	36	–	–	5	6	10	28	25	41	42	18	2	–
	12 *Pancreas Disease, &c.*	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	13 Hepatitis	94	–	1	–	–	–	1	1	–	–	1	7	20	19	24	17	3	1	–
	14 Jaundice	81	17	–	2	–	–	19	1	–	1	1	6	4	3	21	13	9	3	–
	15 *Liver Disease, &c.*	405	5	1	2	–	1	9	5	3	1	7	39	65	90	97	66	21	2	–
	16 *Spleen Disease, &c.*	7	–	1	1	–	–	2	–	–	–	–	2	1	1	–	1	–	–	–

(*continued at page* 135.)

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1862—MALES—*continued.*

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ORDER 5.																			
	1 Nephritis	20	1	–	–	1	–	2	4	–	3	–	3	2	2	2	2	–	–	–
	2 Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–
	3 Nephria	239	–	3	–	1	3	7	6	7	8	9	36	41	49	46	25	5	–	–
	4 Diabetes	41	–	–	–	–	–	–	–	–	–	2	5	6	10	11	7	–	–	–
	5 Stone	34	–	1	–	2	–	3	–	–	–	–	1	1	4	13	9	3	–	–
	6 Cystitis	44	1	–	–	–	–	1	–	–	–	–	2	–	4	15	12	9	1	–
	7 *Kidney Disease, &c.*	271	2	2	–	2	–	6	3	2	6	6	28	30	36	64	55	31	4	–
	ORDER 6.																			
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	9	1	–	1	–	–	2	–	–	1	–	–	2	1	3	–	–	–	–
	ORDER 7.																			
	1 Arthritis	3	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	2 *Joint Disease, &c.*	101	2	1	1	–	1	5	16	16	11	9	6	10	10	12	4	2	–	–
	ORDER 8.																			
	1 Phlegmon	28	6	–	–	–	–	6	–	1	1	–	7	4	3	5	1	–	–	–
	2 Ulcer	31	5	1	1	–	–	7	–	–	–	–	1	1	5	7	6	4	–	–
	3 *Skin Disease, &c.*	35	25	1	3	1	–	30	–	–	–	3	–	–	–	1	–	1	–	–
IV.	ORDER 1.																			
	1 Premature Birth	533	533	–	–	–	–	533	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cyanosis	65	52	6	1	–	1	60	3	2	–	–	–	–	–	–	–	–	–	–
	3 Spina Bifida	24	24	–	–	–	–	24	–	–	–	–	–	–	–	–	–	–	–	–
	4 Other Malformations	53	49	–	1	–	–	50	2	–	–	–	1	–	–	–	–	–	–	–
	5 Teething	420	219	180	19	2	–	420	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Old Age	1054	–	–	–	–	–	–	–	–	–	–	–	–	–	–	326	538	180	10
	ORDER 4.																			
	1 Atrophy and Debility	1375	1006	148	58	15	8	1235	17	2	–	2	5	4	13	80	12	4	1	–
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																			
	1 Fractures and Contusions	565	16	6	6	14	6	48	38	24	25	37	96	82	93	68	38	14	2	–
	2 Gunshot	5	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–
	3 Cut, Stab	16	1	–	–	–	–	1	1	2	3	2	3	–	2	2	–	–	–	–
	4 Burns and Scalds	148	5	27	32	27	15	106	18	3	2	1	6	2	1	3	3	2	1	–
	5 Poison	35	7	2	1	–	2	12	–	2	1	1	1	7	8	1	2	–	–	–
	6 Drowning	244	5	2	–	2	1	10	25	28	32	34	36	36	27	8	8	–	–	–
	7 Suffocation	194	154	11	1	–	–	166	1	–	4	5	3	5	6	–	2	2	–	–
	8 Otherwise	66	24	1	1	1	–	27	2	2	1	3	10	6	7	6	1	1	–	–
	ORDER 3. (HOMICIDE.)																			
	1 Murder and Manslaughter	65	39	1	–	–	–	40	–	–	2	4	5	6	2	4	1	–	1	–
	ORDER 4. (SUICIDE.)																			
	1 Gunshot Wounds	9	–	–	–	–	–	–	–	–	–	–	3	2	3	1	–	–	–	–
	2 Cut, Stab	37	–	–	–	–	–	–	–	–	1	1	6	8	11	7	3	–	–	–
	3 Poison	27	–	–	–	–	–	–	–	–	1	4	6	5	3	6	2	–	–	–
	4 Drowning	17	–	–	–	–	–	–	–	–	2	3	2	2	2	4	1	–	1	–
	5 Hanging	88	–	–	–	–	–	–	–	–	1	2	9	16	26	19	13	2	–	–
	6 Otherwise	9	–	–	–	–	–	–	–	–	–	1	4	1	–	2	1	–	–	–
	ORDER 5. (EXECUTION.)																			
	1 Hanging	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (Cause unascertained)	138	78	1	3	2	–	84	1	1	–	1	10	6	10	8	11	4	2	–
	Causes not specified or ill-defined	137	66	4	1	1	1	73	6	1	1	1	5	10	9	13	16	–	2	–

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1862—FEMALES—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.																			
		ALL AGES.	AGES AT DEATH.																		
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ORDER 5.																				
	1 Nephritis	21	–	–	1	3	–	4	3	–	–	–	2	3	5	3	1	–	–	–
	2 Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	3 Nephria	172	–	1	–	3	1	5	6	2	9	8	28	24	25	37	19	9	–	–
	4 Diabetes	31	–	–	–	–	–	–	–	1	–	3	5	4	6	8	3	1	–	–
	5 Stone	4	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–
	6 Cystitis	7	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	–
	7 *Kidney Disease, &c.*	98	2	–	–	1	–	3	–	2	–	7	11	16	18	16	17	8	–	–
	ORDER 6.																				
	1 Ovarian Dropsy	47	–	–	–	–	–	–	–	–	–	1	8	5	14	14	4	–	1	–
	2 *Uterus Disease, &c.*	165	1	2	2	–	–	5	–	2	1	6	18	38	41	25	24	5	–	–
	ORDER 7.																				
	1 Arthritis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	2 *Joint Disease, &c.*	80	5	1	–	2	4	12	14	7	4	6	17	3	9	4	3	1	–	–
	ORDER 8.																				
	1 Phlegmon	21	5	1	1	–	1	8	1	–	1	1	4	1	3	1	1	–	–	–
	2 Ulcer	42	7	1	1	–	–	9	–	–	–	1	2	2	3	10	9	5	1	–
	3 *Skin Disease, &c.*	36	11	6	3	1	1	22	1	2	–	1	4	2	1	1	2	–	–	–
IV.	ORDER 1.																				
	1 Premature Birth	456	454	2	–	–	–	456	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cyanosis	44	34	1	3	1	1	40	–	–	1	2	–	–	1	–	–	–	–	–
	3 Spina Bifida	32	30	–	1	1	–	32	–	–	–	–	–	–	–	–	–	–	–	–
	4 Other Malformations	39	36	2	–	–	–	38	–	1	–	–	–	–	–	–	–	–	–	–
	5 Teething	354	176	163	13	2	–	354	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																				
	1 Paramenia	11	–	–	–	–	–	–	–	1	2	2	2	2	2	–	–	–	–	–
	2 Childbirth (*see* Metria)	245	–	–	–	–	–	–	–	–	4	30	106	102	3	–	–	–	–	–
	ORDER 3.																				
	1 Old Age	1715	–	–	–	–	–	–	–	–	–	–	–	–	–	–	463	853	361	38
	ORDER 4.																				
	1 Atrophy and Debility	1315	900	153	47	23	3	1126	15	4	4	1	10	13	25	98	15	4	–	–
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																				
	1 Fractures and Contusions	163	15	10	6	5	4	40	11	2	1	2	8	9	12	21	28	24	5	–
	2 Gunshot	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	3 Cut, Stab	4	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–
	4 Burns and Scalds	192	9	30	23	18	16	96	22	16	7	7	4	7	6	11	7	6	3	–
	5 Poison	23	7	–	2	–	1	10	–	–	–	3	3	2	3	1	1	–	–	–
	6 Drowning	48	4	1	1	–	–	6	1	2	6	7	12	4	3	6	1	–	–	–
	7 Suffocation	147	132	4	2	2	–	140	1	–	1	–	1	2	1	1	–	–	–	–
	8 Otherwise	37	22	–	–	–	–	22	1	–	–	–	4	1	2	1	3	3	–	–
	ORDER 3. (HOMICIDE.)																				
	1 Murder and Manslaughter	54	36	1	–	–	1	38	3	1	–	–	3	5	3	–	–	1	–	–
	ORDER 4. (SUICIDE.)																				
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	6	–	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–
	3 Poison	17	–	–	–	–	–	–	–	–	–	1	7	3	6	–	–	–	–	–
	4 Drowning	19	–	–	–	–	–	–	–	–	5	6	5	1	1	–	1	–	–	–
	5 Hanging	24	–	–	–	–	–	–	–	–	1	2	3	7	5	5	1	–	–	–
	6 Otherwise	11	–	–	–	–	–	–	–	–	1	2	4	2	2	–	–	–	–	–
	ORDER 5. (EXECUTION.)																				
	1 Hanging	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Other Violent Deaths (not classed)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (Cause unascertained)	135	82	5	2	–	–	89	1	–	2	2	3	6	11	6	9	6	–	–
	Causes not specified or ill-defined	138	60	9	4	2	3	78	2	–	–	4	6	3	9	16	12	8	–	–

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	ENGLAND.		I. LONDON.		II. SOUTH EASTERN.		III. SOUTH MIDLAND.		IV. EASTERN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	ALL CAUSES - - -	222622	213944	34288	33083	17524	16428	12469	12140	11158	10847
	SPECIFIED CAUSES -	218422	210578	34013	32810	17277	16242	12225	12234	10781	10583
	(CLASSES.)										
I.	ZYMOTIC DISEASES -	45809	45730	9138	8933	3241	3266	2325	2358	2119	2094
II.	CONSTITUTIONAL „ -	39277	43747	6672	6475	3443	3628	2168	2680	2051	2466
III.	LOCAL „ -	90005	80646	13153	12444	7182	6265	4987	4587	4040	3559
IV.	DEVELOPMENTAL „ -	32337	36505	3524	4211	2615	2810	2222	2401	2136	2292
V.	VIOLENT DEATHS -	10994	3950	1526	747	796	273	523	208	435	172
	(ORDERS.)										
I.	1. MIASMATIC DISEASES -	43081	43800	8401	8429	3040	3097	2190	2254	1947	1964
	2. ENTHETIC „ -	842	607	234	116	74	72	33	30	23	13
	3. DIETIC „ -	1336	813	428	319	87	60	71	29	81	51
	4. PARASITIC „ -	550	510	75	69	40	37	31	45	68	66
II.	1. DIATHETIC „ -	6235	10177	814	1577	596	910	476	689	391	595
	2. TUBERCULAR „ -	33042	33570	5858	4898	2847	2718	1692	1991	1660	1871
III.	1. DISEASES OF NERVOUS SYSTEM - -	29892	25800	3626	3363	2351	2071	1671	1468	1226	1149
	2. „ ORGANS OF CIRCULATION -	9249	9460	1504	1550	941	936	608	636	495	461
	3. „ RESPIRATORY ORGANS - -	36028	31537	5916	5303	2472	1982	1800	1612	1503	1208
	4. „ DIGESTIVE ORGANS - - -	9605	9816	1246	1499	866	815	588	638	497	532
	5. „ URINARY ORGANS - - -	3694	1634	654	336	396	176	226	95	228	67
	6. „ ORGANS OF GENERATION -	42	1185	9	212	3	135	1	78	1	79
	7. „ ORGANS OF LOCOMOTION -	917	671	104	82	96	83	55	32	34	30
	8. „ INTEGUMENTARY SYSTEM -	578	543	94	99	57	67	38	28	56	33
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	6995	5792	1095	925	599	458	431	378	353	289
	2. DEV. DISEASES, ADULTS	-	2198	-	256	-	198	-	123	-	115
	3. „ OLD PEOPLE	11277	15503	1054	1715	1048	1307	810	1028	829	1051
	4. DISEASES OF NUTRITION	14065	13012	1375	1315	968	847	981	872	954	837
V.	1. ACCIDENT OR NEGLIGENCE - - - -	9640	3415	1273	615	644	220	439	183	377	149
	3. HOMICIDE - - -	277	141	65	54	20	10	3	7	7	2
	4. SUICIDE - - - -	960	357	187	77	112	37	69	16	50	20
	5. EXECUTION* - - -	15	2	1	1	2	-	-	-	-	-
	VIOLENT DEATHS NOT CLASSED - - - -	102	35	-	-	18	6	12	2	1	1
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	1653	1125	138	135	92	58	84	67	161	94
	CAUSES NOT SPECIFIED -	2547	2241	137	138	155	128	160	139	216	170

* *See* note ‡, page 180.

ENGLAND, and in each of the ELEVEN DIVISIONS, in the Year 1862.

V. South Western.		VI. West Midland.		VII. North Midland.		VIII. North Western.		IX. Yorkshire.		X. Northern.		XI. Monmouthshire and Wales.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
17255	17177	26865	25352	12847	12477	38422	36675	24160	23197	13528	12818	14106	13450
16879	16878	26282	24935	12607	12261	37757	36148	23758	22881	13282	12613	13561	12998
2773	2735	5209	5159	2115	2144	9098	8925	4609	4834	2837	2854	2345	2428
3157	3734	4142	4668	2085	2735	6223	6970	4058	4660	2403	2583	2875	3148
6902	6301	11235	9939	5557	4683	15781	14229	10832	9469	4893	4542	5443	4628
3175	3814	4142	4622	2244	2468	4852	5347	3232	3560	2132	2423	2063	2557
872	294	1554	547	606	231	1803	677	1027	358	1017	211	835	232
2592	2612	4906	4943	1970	2062	8707	8650	4370	4659	2719	2767	2239	2363
63	45	108	74	53	27	139	124	43	56	41	34	31	16
69	35	129	97	50	23	193	104	117	42	66	31	45	22
49	43	66	45	42	32	59	47	79	77	11	22	30	27
683	1110	747	1205	380	617	818	1311	547	956	374	558	409	649
2474	2624	3395	3463	1705	2118	5405	5659	3511	3704	2029	2025	2466	2499
2146	1955	3448	2960	2157	1691	5022	4235	4208	3445	1591	1448	2446	2015
851	957	1080	1144	571	599	1249	1287	955	958	588	536	407	396
2639	2186	4840	4182	1899	1587	7309	6597	4017	3557	1801	1733	1832	1590
825	849	1209	1178	619	582	1479	1542	1131	1094	633	603	512	484
319	138	465	184	230	83	465	241	347	153	185	91	179	70
6	108	8	146	1	60	4	141	4	114	4	59	1	44
74	64	115	82	57	41	169	108	109	85	66	43	38	21
42	44	70	63	23	31	84	78	61	63	25	29	28	8
515	412	820	642	451	393	1278	1072	828	679	483	394	142	150
–	201	–	222	–	100	–	396	–	257	–	154	–	176
1306	1847	1401	1957	883	1114	1114	1590	1092	1422	669	998	1071	1474
1354	1354	1921	1801	910	861	2460	2289	1312	1202	980	877	850	757
778	261	1397	490	521	197	1624	595	900	311	939	180	748	214
13	6	23	18	8	6	42	24	24	4	17	8	55	2
62	23	109	32	73	27	117	48	100	42	50	19	31	16
1	–	4	1	1	–	3	–	–	–	2	–	1	–
18	4	21	6	3	1	17	10	3	1	9	4	–	–
174	120	215	123	108	85	399	276	82	66	88	48	112	53
202	179	368	294	132	131	266	251	320	250	158	157	433	404

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	ENGLAND. Males.	ENGLAND. Females.	I. LONDON. Males.	I. LONDON. Females.	II. SOUTH EASTERN. Males.	II. SOUTH EASTERN. Females.	III. SOUTH MIDLAND. Males.	III. SOUTH MIDLAND. Females.	IV. EASTERN. Males.	IV. EASTERN. Females
	ORDER 1.										
I.	1 Small-pox	855	773	201	165	31	21	20	22	68	54
	2 Measles	4994	4806	1216	1118	323	277	334	280	87	83
	3 Scarlatina	7571	7263	1759	1733	470	487	286	301	374	324
	4 Diphtheria	2227	2676	340	390	173	257	138	160	224	336
	5 Quinsy	181	142	47	42	22	15	10	10	19	7
	6 Croup	3004	2663	494	463	166	138	121	111	109	93
	7 Whooping-cough	5661	6611	991	1177	457	499	257	313	249	253
	8 Typhus	9370	9351	1854	1744	772	723	517	535	433	430
	9 Erysipelas	790	733	156	163	82	64	66	45	35	39
	10 Metria	–	940	–	190	–	82	–	71	–	40
	11 Carbuncle	149	57	29	13	13	5	10	3	2	2
	12 Influenza	438	477	23	25	42	38	39	32	23	16
	13 Dysentery	584	460	63	40	52	44	25	20	29	16
	14 Diarrhœa	5707	5405	889	847	311	317	288	273	218	208
	15 Cholera	307	204	60	46	16	14	11	12	17	8
	16 Ague	72	78	16	9	4	5	5	7	9	14
	17 Remittent Fever	123	161	49	64	9	16	5	4	13	10
	18 Rheumatism	984	959	196	190	94	91	55	53	36	31
	19 *Other Zymotic Diseases*	64	41	18	10	3	4	3	2	2	–
	ORDER 2.										
	1 Syphilis	638	607	166	116	62	72	28	30	10	13
	2 Stricture of Urethra	199	–	65	–	12	–	4	–	13	–
	3 Hydrophobia	1	–	–	–	–	–	1	–	–	–
	4 Glanders	4	–	3	–	–	–	–	–	–	–
	ORDER 3.										
	1 Privation	37	36	16	23	–	2	1	–	2	–
	2 Want of Breast-milk	535	471	221	197	32	35	30	20	39	[illegible]
	3 Purpura and Scurvy	181	172	44	42	10	12	6	6	10	[illegible]
	4 Alcoholism { *a* Del. Trem.	421	50	110	24	39	3	28	3	26	[illegible]
	{ *b* Intemp.	162	84	37	33	6	8	6	–	4	–
	ORDER 4.										
	1 Thrush	478	426	67	67	38	27	30	41	64	[illegible]
	2 Worms, &c.	72	84	8	2	2	10	1	4	4	[illegible]
	ORDER 1.										
II.	1 Gout	236	48	72	14	36	5	20	8	12	–
	2 Dropsy	2985	4262	279	439	256	355	179	293	192	[illegible]
	3 Cancer	2256	5140	352	983	237	485	190	338	129	[illegible]
	4 Noma	73	124	15	21	7	6	4	2	5	[illegible]
	5 Mortification	685	603	96	120	60	59	83	48	53	[illegible]
	ORDER 2.										
	1 Scrofula	1914	1502	294	241	181	162	121	107	99	[illegible]
	2 Tabes Mesenterica	2730	2473	442	387	198	197	143	147	191	[illegible]
	3 Phthisis	24210	26752	4238	3633	2123	2154	1214	1581	1207	[illegible]
	4 Hydrocephalus	4188	2843	884	637	345	205	214	156	163	[illegible]
	ORDER 1.										
III.	1 Cephalitis	1985	1595	319	247	141	114	89	65	89	[illegible]
	2 Apoplexy	4452	4684	817	836	469	473	293	318	280	[illegible]
	3 Paralysis	4820	4913	565	669	498	450	383	364	272	[illegible]
	4 Insanity	245	290	34	49	37	33	37	37	17	[illegible]
	5 Chorea	11	41	1	11	2	4	2	–	–	
	6 Epilepsy	1251	1192	202	171	127	125	96	101	64	[illegible]
	7 Convulsions	14383	10903	1206	972	811	634	593	411	368	[illegible]
	8 *Brain Disease, &c.*	2745	2182	482	408	266	238	178	172	136	[illegible]
	ORDER 2.										
	1 Pericarditis	270	289	53	58	31	30	12	16	11	
	2 Aneurism	294	79	92	11	38	9	17	5	12	
	3 *Heart Disease, &c.*	8685	9092	1359	1481	872	897	579	615	472	[illegible]
	ORDER 3.										
	1 Laryngitis	822	656	227	143	67	55	38	29	34	[illegible]
	2 Bronchitis	16509	16017	2968	3026	1069	897	727	719	601	[illegible]
	3 Pleurisy	490	343	85	58	41	28	31	16	26	[illegible]
	4 Pneumonia	13215	10498	1984	1524	889	690	727	591	595	[illegible]
	5 Asthma	2294	1793	286	272	118	95	83	85	94	[illegible]
	6 *Lung Disease, &c.*	2698	2230	366	280	288	217	194	172	153	[illegible]
	ORDER 4.										
	1 Gastritis	352	413	32	57	21	20	17	22	19	[illegible]
	2 Enteritis	1530	1381	153	139	106	86	80	87	64	[illegible]
	3 Peritonitis	622	866	86	140	45	66	26	55	42	[illegible]
	4 Ascites	275	470	64	78	23	35	14	44	10	[illegible]
	5 Ulceration of Intestines	411	459	58	65	44	34	24	29	26	[illegible]
	6 Hernia	405	422	66	96	36	35	26	27	20	[illegible]
	7 Ileus	556	535	62	73	59	45	34	39	37	[illegible]
	8 Intussusception	158	122	21	17	16	11	13	11	6	
	9 Stricture of Intestines	116	141	26	20	9	9	2	9	8	[illegible]
	10 Fistula	72	37	18	13	8	2	2	1	9	
	11 *Stomach Disease, &c.*	1294	1436	123	213	109	130	93	88	75	[illegible]
	12 *Pancreas Disease, &c.*	8	8	3	1	1	1	–	–	1	
	13 Hepatitis	630	632	75	94	49	50	41	39	26	[illegible]
	14 Jaundice	654	638	92	81	71	58	53	38	32	[illegible]
	15 *Liver Disease, &c.*	2460	2220	351	405	265	231	159	148	118	[illegible]
	16 *Spleen Disease, &c.*	62	36	16	7	4	2	4	1	4	

ENGLAND, and in each of the ELEVEN DIVISIONS, in the Year 1862—*continued.*

V. South Western.		VI. West Midland.		VII. North Midland.		VIII. North Western.		IX. Yorkshire.		X. Northern.		XI. Monmouthsh. and Wales.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
96	72	24	14	25	24	63	56	211	222	109	117	7	6
299	258	654	656	142	127	1013	1047	355	372	253	256	318	332
403	399	825	774	174	178	1700	1493	697	711	718	669	165	194
88	94	276	302	157	190	305	371	222	249	119	115	185	212
14	10	17	12	6	1	15	15	13	15	10	5	8	10
155	128	367	313	137	124	792	714	280	251	170	147	213	181
348	406	653	797	284	324	1261	1493	464	550	327	386	370	413
628	668	939	935	531	536	1579	1540	1018	1132	436	428	663	680
70	62	79	95	52	41	108	98	75	78	40	27	27	21
–	64	–	108	–	52	–	126	–	96	–	68	–	43
12	7	22	4	11	2	23	8	15	6	6	5	6	2
55	64	49	51	45	61	57	52	55	72	33	45	17	21
40	28	62	48	31	27	135	109	82	76	33	38	32	16
285	265	752	686	297	290	1407	1306	714	681	394	385	152	147
17	7	21	22	11	5	83	48	50	20	13	17	8	5
3	2	4	3	6	5	10	14	4	7	10	9	1	3
3	3	3	1	4	5	7	5	18	30	3	3	9	20
72	70	152	116	55	69	136	149	89	90	44	46	55	54
4	5	7	6	2	1	13	8	8	1	1	1	3	3
49	45	83	74	35	27	118	124	36	56	33	34	18	16
13	–	25	–	18	–	21	–	7	–	8	–	13	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	–	–	–	–	–	–	–	–	–	–	–	–	–
1	–	2	1	2	–	7	1	2	6	3	1	1	2
17	14	62	64	23	14	52	47	32	20	16	12	11	8
11	15	15	22	10	7	28	29	25	10	10	10	12	9
30	3	35	4	9	1	58	6	48	1	26	3	12	1
10	3	15	6	6	1	48	21	10	5	11	5	9	2
42	37	53	33	37	30	54	34	71	68	10	16	12	8
7	6	13	12	5	2	5	13	8	9	1	6	18	19
29	3	35	10	7	3	13	–	3	2	3	2	6	1
364	550	358	511	205	266	461	562	288	422	185	275	218	365
229	481	256	586	128	324	252	664	183	468	155	243	145	257
2	8	14	29	–	3	18	31	4	12	1	4	3	3
59	68	84	69	40	21	74	54	69	52	30	34	37	23
197	155	223	173	95	78	320	227	159	123	114	71	111	60
186	184	285	280	136	131	401	382	291	274	316	244	141	120
1812	2095	2461	2748	1289	1795	3915	4553	2532	2937	1326	1518	2093	2212
279	190	426	262	185	114	769	497	529	370	273	192	121	107
126	111	228	172	100	85	392	311	293	249	97	91	111	84
430	450	494	533	257	242	543	605	503	536	183	233	183	181
442	523	655	579	326	297	664	703	479	431	274	291	262	267
13	27	35	31	6	17	32	28	12	21	10	19	12	11
2	4	–	3	–	1	1	8	–	4	2	2	1	2
124	101	169	159	73	65	158	179	129	125	49	52	60	56
732	560	1562	1217	1244	868	2845	2118	2488	1867	818	634	1716	1340
277	179	305	266	151	116	387	283	304	212	158	126	101	74
22	23	34	37	10	10	43	45	33	31	9	18	12	12
12	9	22	12	7	1	41	13	27	10	21	4	5	2
317	925	1024	1095	554	588	1165	1229	895	917	558	514	390	382
34	34	100	95	36	25	132	111	91	72	30	33	33	25
1060	958	2022	1937	750	697	3927	3845	1929	1865	761	875	695	660
41	31	58	35	21	14	66	54	52	38	37	31	32	26
1062	803	1955	1591	765	603	2409	1898	1362	1146	750	623	717	613
164	119	340	191	139	95	434	386	283	215	131	87	222	173
278	241	365	333	188	153	341	303	300	221	92	84	133	93
31	26	36	57	27	15	67	86	48	59	28	28	26	27
109	106	235	191	79	89	303	278	175	160	141	113	85	70
45	68	91	110	40	46	94	137	82	90	47	43	24	57
9	29	32	60	12	27	49	61	36	65	15	23	11	20
48	44	49	54	24	32	56	75	37	49	22	36	23	23
34	44	60	51	22	17	57	59	41	38	17	19	26	17
46	57	57	63	43	32	71	67	67	54	28	32	52	34
20	11	24	13	3	5	26	24	12	8	9	11	8	7
10	20	10	14	9	10	11	15	19	18	8	6	4	8
8	4	8	5	2	1	7	1	7	6	1	1	2	2
156	173	170	160	96	96	180	188	149	168	79	73	64	75
–	1	–	2	1	–	1	1	1	1	–	–	–	–
42	39	67	66	26	39	138	137	89	81	49	41	28	23
51	49	81	73	54	34	65	94	70	84	48	38	37	38
210	175	282	255	178	136	351	316	291	204	136	139	119	82
6	3	7	4	3	3	3	3	7	9	5	–	3	1

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	ENGLAND. Males.	ENGLAND. Females.	I. LONDON. Males.	I. LONDON. Females.	II. SOUTH EASTERN. Males.	II. SOUTH EASTERN. Females.	III. SOUTH MIDLAND. Males.	III. SOUTH MIDLAND. Females.	IV. EASTERN. Males.	IV. EASTERN. Females.
	ORDER 5.										
	1 Nephritis - - - - -	165	108	20	21	11	11	7	5	5	2
	2 Ischuria - - - - -	61	43	5	3	3	6	5	2	3	4
	3 Nephria - - - - - -	872	669	239	172	93	70	46	26	32	13
	4 Diabetes - - - - -	382	192	41	31	37	19	27	11	35	10
	5 Stone - - - - - -	174	22	34	4	18	–	8	2	12	1
	6 Cystitis - - - - - -	278	64	44	7	27	3	13	5	21	2
	7 *Kidney Disease, &c.* - -	1762	536	271	98	207	67	120	44	120	35
	ORDER 6.										
	1 Ovarian Dropsy - - -	–	280	–	47	–	26	–	13	–	19
	2 *Uterus Disease, &c.* - -	42	905	9	165	3	109	1	65	1	60
	ORDER 7.										
	1 Arthritis - - - - -	46	24	3	2	3	3	2	–	2	1
	2 *Joint Disease, &c.* - -	871	647	101	80	93	80	53	32	32	29
	ORDER 8.										
	1 Phlegmon - - - - -	231	178	28	21	31	28	17	10	27	15
	2 Ulcer - - - - - -	167	220	31	42	16	26	12	13	7	12
	3 *Skin Disease, &c.* - -	180	145	35	36	10	13	9	5	22	6
IV.	ORDER 1.										
	1 Premature Birth - -	4290	3416	533	456	371	267	302	241	246	201
	2 Cyanosis - - - - - -	278	·181	65	44	43	26	17	16	24	7
	3 Spina Bifida - - - -	160	226	24	32	15	18	7	17	10	9
	4 Other Malformations -	243	181	53	39	26	17	20	19	14	15
	5 Teething - - - - -	2024	1788	420	354	144	130	85	85	59	57
	ORDER 2.										
	1 Paramenia - - -	–	61	–	11	–	1	–	–	–	5
	2 Childbirth (*see* Metria) -	–	2137	–	245	–	197	-	123	–	110
	ORDER 3.										
	1 Old Age - - - - -	11277	15503	1054	1715	1048	1307	810	1028	829	1051
	ORDER 4.										
	1 Atrophy and Debility -	14065	13012	1375	1315	968	847	981	872	954	837
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)										
	1 Fractures and Contusions	4575	822	565	163	265	52	204	44	166	36
	2 Gunshot - - - - -	100	11	5	1	14	–	2	2	7	1
	3 Cut, Stab - - - - -	44	10	16	4	4	–	3	–	3	–
	4 Burns and Scalds - -	1330	1437	148	192	57	78	49	69	44	56
	5 Poison - - - - - -	147	115	35	23	15	10	7	10	2	6
	6 Drowning - - - - -	2051	412	244	48	197	32	91	32	87	20
	7 Suffocation - - - - -	800	419	194	147	32	22	26	12	21	8
	8 Otherwise - - - - -	593	189	66	37	60	26	57	14	47	22
	ORDER 3. (HOMICIDE.)										
	1 Murder and Manslaughter	277	141	65	54	·20	10	3	.7	7	2
	ORDER 4. (SUICIDE.)										
	1 Gunshot Wounds - -	53	1	9	–	13	–	8	–	3	–
	2 Cut, Stab - - - - -	176	89	37	6	27	2	19	3	10	2
	3 Poison - - - - - -	73	55	27	17	2	5	3	1	3	–
	4 Drowning - - - - -	112	92	17	19	15	12	9	4	5	5
	5 Hanging - - - - - -	482	129	88	24	49	16	25	6	19	7
	6 Otherwise - - - - -	64	41	9	11	6	2	,5	2	10	6
	ORDER 5. (EXECUTION.)										
	1 Hanging - - - - -	15	2	1	1	2	–	–	–	–	–
	Other Violent Deaths (not classed) - - - - -	102	35	–	–	18	6	12	2	1	1
	Sudden Deaths (Cause unascertained) - - - -	1653	1125	138	135	92	58	84	67	161	94
	Causes not specified or ill-defined - - - - -	2547	2241	137	138	155	128	160	139	216	170

ENGLAND, and in each of the ELEVEN DIVISIONS, in the Year 1862—*continued.*

V. South Western.		VI. West Midland.		VII. North Midland.		VIII. North Western.		IX. Yorkshire.		X. Northern.		XI. Monmouthsh. and Wales.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
11	11	25	12	9	9	36	13	19	11	15	9	7	4
4	4	14	5	6	3	6	7	7	3	5	3	3	3
57	54	106	77	36	28	121	108	59	49	47	42	36	30
26	13	47	26	27	12	57	27	43	30	19	7	23	6
11	–	23	–	14	2	12	2	21	4	8	–	13	7
27	3	22	10	13	4	50	15	31	10	13	3	17	2
183	53	228	54	125	25	183	69	167	46	78	27	80	18
–	22	–	28	–	22	–	32	–	35	–	22	–	14
6	86	8	118	1	47	4	109	4	79	4	37	1	30
2	4	7	1	3	1	7	6	10	2	1	2	6	2
72	60	108	81	54	40	162	102	99	83	65	41	32	19
16	17	31	18	6	8	34	24	23	27	6	9	12	1
13	15	17	28	10	14	24	33	14	20	12	12	11	5
13	12	22	17	7	9	26	21	24	16	7	8	5	2
331	267	531	406	279	250	710	530	619	500	304	234	64	64
17	12	31	18	12	6	37	22	16	18	13	15	3	2
17	8	18	33	7	14	33	48	18	23	6	13	5	11
23	19	26	21	7	4	39	18	19	15	11	8	5	6
127	106	214	164	146	119	459	454	156	128	149	124	65	67
–	4	–	7	–	1	–	14	–	13	–	4	–	1
–	197	–	215	–	99	–	382	–	244	–	150	–	175
1306	1847	1401	1957	883	1114	1114	1590	1092	1422	669	998	1071	1474
1354	1354	1921	1801	910	861	2460	2289	1312	1202	930	877	850	757
396	66	675	81	249	50	741	145	483	85	420	45	411	55
18	3	10	–	8	1	10	2	10	–	9	–	7	1
1	–	3	2	–	–	5	1	5	1	1	1	3	1
83	111	285	260	81	76	254	253	137	134	103	91	89	117
5	6	12	9	20	16	21	11	18	11	6	10	6	3
180	34	237	61	91	25	423	67	161	43	154	18	186	32
49	24	91	59	23	16	105	98	34	23	217	8	8	2
46	17	84	18	49	13	65	18	52	14	29	7	38	3
13	6	23	18	8	6	42	24	24	4	17	8	55	2
3	–	6	–	1	–	1	–	4	–	3	–	2	1
10	1	17	3	11	2	16	7	21	8	7	4	1	1
4	2	9	4	7	9	9	7	1	8	8	2	–	–
6	8	9	7	10	10	13	8	19	14	6	4	3	1
32	9	57	14	42	4	74	22	53	10	24	8	19	9
7	3	11	4	2	2	4	4	2	2	2	1	6	4
1	–	4	1	1	–	3	–	–	–	2	–	1	–
18	4	21	6	3	1	17	10	3	1	9	4	–	–
174	120	215	123	108	85	399	276	82	66	88	48	112	53
202	179	368	294	132	131	266	251	320	250	158	157	433	404

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862.

Class.	CAUSES OF DEATH.	MALES.															
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ALL CAUSES	25069	6885	2334	2428	5156	3448	4536	1956	1924	1626	1403	1551	2241	580	1299	1845
	SPECIFIED CAUSES	24873	6824	2316	2398	5064	3422	4471	1922	1913	1602	1365	1525	2190	560	1269	1801
	(CLASSES.)																
I.	ZYMOTIC DISEASES	6724	1830	584	430	1025	615	883	288	362	332	273	235	411	114	253	345
II.	CONSTITUTIONAL „	4834	1355	483	494	946	766	878	359	324	267	225	287	374	114	231	346
III.	LOCAL „	9705	2632	816	1069	2070	1344	1842	857	916	633	534	658	869	185	513	679
IV.	DEVELOPMENTAL „	2502	676	346	297	765	549	678	326	225	298	279	274	457	106	231	352
V.	VIOLENT DEATHS	1108	331	87	108	258	148	190	92	86	72	54	71	79	41	41	79
	(ORDERS.)																
I.	1. MIASMATIC DISEASES	6190	1673	538	401	962	580	823	274	334	314	262	220	383	105	238	334
	2. ENTHETIC „	165	52	17	6	24	17	24	3	9	2	4	4	6	2	2	4
	3. DIETIC „	317	87	24	14	30	12	25	6	18	11	4	9	11	5	9	4
	4. PARASITIC „	52	18	5	9	9	6	11	5	1	5	3	2	11	2	4	3
II.	1. DIATHETIC „	606	153	55	79	175	123	153	66	61	58	53	74	83	32	46	69
	2. TUBERCULAR „	4228	1202	428	415	771	643	725	293	263	209	172	213	291	82	185	277
III.	1. DISEASES OF NERVOUS SYSTEM	2624	776	226	337	685	449	634	246	388	224	160	191	298	60	172	178
	2. „ ORGANS OF CIRCULATION	1092	302	110	138	282	178	226	117	121	82	52	83	107	20	69	74
	3. „ RESPIRATORY ORGANS	4444	1124	348	372	674	451	642	333	267	224	213	244	309	61	196	286
	4. „ DIGESTIVE ORGANS	906	267	73	133	271	158	207	97	83	67	73	84	105	28	51	97
	5. „ URINARY ORGANS	482	127	45	72	117	79	87	41	41	26	28	36	35	11	18	31
	6. „ ORGANS OF GENERATION	7	2	–	–	1	1	1	–	–	–	–	–	–	–	–	1
	7. „ ORGANS OF LOCOMOTION	84	14	6	11	23	22	27	13	8	4	6	17	8	2	4	6
	8. „ INTEGUMENTARY SYSTEM	66	20	8	6	17	6	18	10	8	6	2	3	7	3	3	6
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	786	239	70	78	188	147	123	63	47	43	49	46	93	37	58	58
	2. DEV. DISEASES, ADULTS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. „ OLD PEOPLE	701	177	176	121	285	218	304	120	86	115	109	114	143	39	74	130
	4. DISEASES OF NUTRITION	1015	260	100	98	292	184	251	143	92	140	121	114	221	30	99	164
V.	1. ACCIDENT OR NEGLIGENCE	914	285	74	87	202	117	155	83	73	57	46	58	63	36	37	69
	3. HOMICIDE	51	11	3	3	7	3	6	1	1	–	1	–	1	–	–	–
	4. SUICIDE	142	35	10	15	42	27	21	7	11	11	7	11	15	5	1	8
	5. EXECUTION	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	VIOLENT DEATHS NOT CLASSED	–	–	–	3	7	1	7	–	1	4	–	2	–	–	3	2
	SUDDEN DEATHS, CAUSE UNASCERTAINED	99	29	10	8	28	14	15	27	4	2	28	20	14	1	5	10
	CAUSES NOT SPECIFIED	97	32	8	22	64	12	50	7	7	22	10	6	37	19	25	34

(*continued at page* 118.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862.

Class.	CAUSES OF DEATH.	FEMALES.															
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ALL CAUSES - - -	24247	6915	1921	2285	4764	3307	4158	1914	1812	1573	1449	1669	2186	595	1352	1804
	SPECIFIED CAUSES -	24052	6854	1904	2261	4695	3285	4116	1885	1801	1561	1420	1640	2148	576	1325	1763
	(CLASSES.)																
I.	ZYMOTIC DISEASES -	6538	1905	490	466	1037	602	823	338	394	318	313	221	406	137	251	318
II.	CONSTITUTIONAL „ -	4721	1371	383	459	993	882	887	407	345	324	297	390	485	141	308	390
III.	LOCAL „ -	9140	2588	716	948	1764	1210	1601	742	755	592	487	681	763	178	480	651
IV.	DEVELOPMENTAL „ -	3063	865	283	353	823	530	740	364	273	302	297	327	457	107	267	371
V.	VIOLENT DEATHS -	590	125	32	35	78	61	65	34	34	25	26	21	37	13	19	33
	(ORDERS.)																
I.	1. MIASMATIC DISEASES -	6190	1785	454	438	994	574	778	313	375	304	298	212	391	128	237	309
	2. ENTHETIC „ -	80	25	11	12	18	16	16	10	8	7	1	4	4	2	1	3
	3. DIETIC „ -	217	84	18	13	16	9	16	6	7	1	3	2	1	5	5	5
	4. PARASITIC „ -	51	11	7	3	9	3	13	9	4	6	11	3	10	2	8	1
II.	1. DIATHETIC „ -	1158	347	72	129	264	198	208	111	91	89	86	103	116	34	77	93
	2. TUBERCULAR „ -	3563	1024	311	330	729	684	679	296	254	235	211	287	369	107	231	297
III.	1. DISEASES OF NERVOUS SYSTEM - -	2378	755	230	290	625	450	495	211	292	196	150	192	252	59	148	179
	2. „ ORGANS OF CIRCULATION -	1185	284	81	143	258	160	242	133	89	86	59	111	105	25	60	101
	3. „ RESPIRATORY ORGANS - -	3943	1077	283	319	547	342	544	230	227	185	175	255	270	58	182	260
	4. „ DIGESTIVE ORGANS - -	1090	326	83	131	218	170	192	104	99	96	67	89	103	26	68	90
	5. „ URINARY ORGANS - -	258	65	13	27	47	32	43	27	21	12	15	14	14	3	7	9
	6. „ ORGANS OF GENERATION -	159	39	14	18	31	25	40	21	11	11	14	11	12	3	9	7
	7. „ ORGANS OF LOCOMOTION -	62	17	3	10	27	15	23	8	8	4	3	6	5	1	3	2
	8. „ INTEGUMENTARY SYSTEM -	65	25	9	10	11	16	22	8	8	2	4	3	2	3	3	3
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	692	187	46	69	134	92	108	55	53	37	36	48	89	18	48	49
	2. DEV. DISEASES, ADULTS	187	51	18	38	58	27	46	29	15	26	13	17	26	2	10	14
	3. „ OLD PEOPLE -	1206	368	141	151	391	270	321	174	123	143	146	138	168	48	98	164
	4. DISEASES OF NUTRITION	978	259	78	95	240	141	265	106	82	96	102	124	174	39	111	144
V.	1. ACCIDENT OR NEGLIGENCE - - - -	486	101	28	29	68	43	53	27	24	23	21	21	33	12	19	30
	3. HOMICIDE - - -	45	7	2	-	-	3	5	2	4	-	2	-	1	-	-	-
	4. SUICIDE - - -	58	17	2	5	8	13	6	5	6	2	2	-	3	1	-	2
	5. EXECUTION - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VIOLENT DEATHS, NOT CLASSED - - -	-	-	-	1	2	2	1	-	-	-	1	-	-	-	-	1
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	96	29	10	3	14	11	13	17	5	2	16	22	8	2	3	9
	CAUSES NOT SPECIFIED -	99	32	7	21	55	11	29	12	6	10	13	7	30	17	24	32

(*continued at page* 149.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	MALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ALL CAUSES - - -	3822	3052	4284	2261	1562	5772	3678	3982	4324	984	2507	9777	2900	6373
	SPECIFIED CAUSES -	3745	2944	4092	2244	1514	5682	3547	3892	4197	922	2414	9606	2820	6323
	(CLASSES.)														
I.	ZYMOTIC DISEASES -	870	461	788	343	223	1071	588	548	677	125	379	2089	486	1453
II.	CONSTITUTIONAL „ -	711	554	786	386	303	1070	710	658	808	138	423	1278	418	1077
III.	LOCAL „ -	1429	1174	1437	1016	621	2322	1224	1719	1890	415	1059	4093	1261	2517
IV.	DEVELOPMENTAL „ -	593	618	925	395	304	918	823	705	620	196	398	1504	483	941
V.	VIOLENT DEATHS -	142	137	156	104	63	271	202	232	202	48	155	642	172	335
	(ORDERS.)														
I.	1. MIASMATIC DISEASES -	810	430	707	319	212	1011	553	497	613	112	356	2007	456	1362
	2. ENTHETIC „ -	9	7	7	9	2	29	3	20	31	5	3	21	11	37
	3. DIETIC „ -	40	17	24	12	4	22	9	22	19	6	13	37	14	40
	4. PARASITIC „ -	11	7	50	3	5	9	23	9	14	2	7	24	5	14
II.	1. DIATHETIC „ -	137	117	137	79	78	236	119	171	149	39	90	202	101	166
	2. TUBERCULAR „ -	574	437	649	307	225	834	591	517	659	99	333	1076	317	911
III.	1. DISEASES OF NERVOUS SYSTEM - -	433	341	452	317	176	721	417	515	552	136	365	1278	385	732
	2. „ ORGANS OF CIRCULATION -	184	148	163	124	69	293	139	226	191	77	119	327	141	225
	3. „ RESPIRATORY ORGANS - -	566	440	497	333	264	886	456	650	797	123	393	1900	494	1128
	4. „ DIGESTIVE ORGANS - -	163	132	202	134	76	256	144	215	214	48	120	391	158	278
	5. „ URINARY ORGANS - -	51	83	94	47	27	118	47	80	98	19	44	141	58	105
	6. „ ORGANS OF GENERATION -	1	-	-	1	1	1	-	3	-	-	3	4	-	1
	7. „ ORGANS OF LOCOMOTION -	15	12	7	6	4	34	15	15	26	5	10	28	19	27
	8. „ INTEGUMENTARY SYSTEM -	16	18	22	4	4	13	6	15	12	2	5	24	6	21
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN.	94	123	136	75	56	156	110	118	97	22	39	369	85	208
	2. DEV. DISEASES, ADULTS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OLD PEOPLE	234	220	375	174	133	427	250	322	251	116	210	390	177	257
	4. DISEASES OF NUTRITION	265	275	414	146	115	365	463	265	272	58	149	745	221	476
V.	1. ACCIDENT OR NEGLIGENCE - - - -	125	115	137	95	55	238	189	201	188	44	142	571	160	292
	3. HOMICIDE - - -	4	3	-	-	3	4	1	5	1	-	4	10	1	7
	4. SUICIDE - - -	12	19	19	7	2	26	7	20	12	4	6	48	10	29
	5. EXECUTION - - -	-	-	-	-	-	-	1	-	-	-	-	1	-	3
	VIOLENT DEATHS NOT CLASSED - - - -	1	-	-	2	3	3	4	6	1	-	3	12	1	4
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	18	47	96	12	11	37	61	53	67	11	32	71	23	11
	CAUSES NOT SPECIFIED -	59	61	96	5	37	53	70	37	60	51	61	100	57	39

(continued at page 150.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ALL CAUSES - - -	3500	3083	4264	2103	1658	5598	3660	4158	4367	950	2504	8714	2686	6131
	SPECIFIED CAUSES -	3453	3027	4103	2080	1640	5524	3542	4092	4273	891	2451	8596	2645	6079
	(CLASSES.)														
I.	ZYMOTIC DISEASES -	774	524	796	305	241	1095	532	562	684	121	396	2050	468	1440
II.	CONSTITUTIONAL „ -	749	779	938	471	377	1231	778	877	892	210	538	1455	530	1043
III.	LOCAL „ -	1262	1015	1282	863	630	2007	1120	1681	1814	326	912	3384	1054	2449
IV.	DEVELOPMENTAL „ -	629	659	1004	405	362	1105	1049	893	815	220	554	1539	533	961
V.	VIOLENT DEATHS -	39	50	83	36	30	86	63	79	68	14	51	168	60	186
	(ORDERS.)														
I.	1. MIASMATIC DISEASES -	744	493	727	294	232	1053	504	529	650	110	378	1984	445	1376
	2. ENTHETIC „ -	8	6	4	3	2	22	6	12	10	1	1	28	6	28
	3. DIETIC „ -	17	13	21	4	5	12	3	11	19	5	10	26	12	25
	4. PARASITIC „ -	10	12	44	4	2	8	19	10	5	5	7	12	5	11
II.	1. DIATHETIC „ -	184	185	226	124	97	386	207	296	257	69	153	317	170	239
	2. TUBERCULAR „ -	565	594	712	347	280	845	571	581	635	141	385	1138	360	804
III.	1. DISEASES OF NERVOUS SYSTEM - -	403	311	435	251	208	628	377	491	512	106	308	1104	311	619
	2. „ ORGANS OF CIRCULATION -	167	133	161	159	98	315	144	241	229	54	87	311	140	323
	3. „ RESPIRATORY ORGANS - -	450	341	417	292	216	687	380	611	753	102	337	1507	405	1078
	4. „ DIGESTIVE ORGANS - -	176	165	191	115	79	258	149	248	209	48	142	330	140	309
	5. „ URINARY ORGANS - -	24	24	19	17	12	48	28	33	47	5	14	51	21	46
	6. „ ORGANS OF GENERATION -	21	20	38	20	7	37	17	27	34	9	12	37	19	35
	7. „ ORGANS OF LOCOMOTION -	9	11	10	6	3	22	15	18	18	1	6	26	9	22
	8. „ INTEGUMENTARY SYSTEM -	12	10	11	8	7	12	10	12	12	1	6	18	9	17
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	78	94	117	47	47	125	98	95	94	22	52	274	62	138
	2. DEV. DISEASES, ADULTS	39	33	43	32	19	46	56	48	41	12	23	77	19	50
	3. „ OLD PEOPLE -	275	302	474	206	173	584	435	449	406	135	321	504	249	342
	4. DISEASES OF NUTRITION	237	230	370	120	123	350	460	301	274	51	158	684	203	431
V.	1. ACCIDENT OR NEGLIGENCE - - - -	34	42	73	34	27	72	58	70	54	11	46	156	55	168
	3. HOMICIDE - - -	1	-	1	-	-	2	1	3	7	1	-	3	1	6
	4. SUICIDE - - - -	4	8	8	2	3	11	3	4	6	2	4	6	3	11
	5. EXECUTION - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	VIOLENT DEATHS, NOT CLASSED - - - -	-	-	1	-	-	1	1	2	1	-	1	2	1	1
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	16	23	55	8	2	21	45	44	44	6	11	43	10	9
	CAUSES NOT SPECIFIED -	31	33	106	15	16	53	73	22	50	53	42	75	81	43

(*continued at page* 151.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	MALES. Division VII. North Midland Counties. 28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	Division VIII. North Western Counties. 33. Cheshire.	34. Lancashire.	Division IX. Yorkshire. 35. West Riding.	36. East Riding (with York).	37. North Riding.	Division X. Northern Counties. 38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	Division XI. Monmouthshire and Wales. 42. Monmouthshire.	43. South Wales.	44. North Wales.
	ALL CAUSES - -	2528	192	3743	3322	3062	5489	32933	18763	3166	2231	6353	4192	2339	644	2193	7368	4545
	SPECIFED CAUSES -	2502	189	3632	3268	3016	5391	32366	18438	3113	2207	6300	4095	2258	629	2156	7022	4383
	(CLASSES.)																	
I.	ZYMOTIC DISEASES -	360	32	719	534	470	1140	7958	3541	610	458	1490	799	453	95	394	1180	771
II.	CONSTITUTIONAL ,, -	389	35	593	559	509	919	5304	3226	509	323	1060	756	450	137	347	1592	936
III.	LOCAL - - ,, -	1137	77	1479	1488	1378	2321	13460	8501	1381	950	2332	1522	795	244	1017	2583	1843
IV.	DEVELOPMENTAL ,, -	507	40	666	552	479	695	4157	2398	467	367	1025	569	418	120	246	1192	625
V.	VIOLENT DEATHS ,, -	111	5	175	135	180	316	1487	772	146	109	393	449	142	33	152	475	208
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES -	339	31	659	499	442	1086	7621	3365	573	432	1440	761	427	91	369	1119	751
	2. ENTHETIC ,, -	6	–	17	15	15	16	123	36	3	4	17	15	8	1	5	22	4
	3. DIETIC ,, -	6	–	26	10	8	26	167	83	23	11	30	21	13	2	15	20	10
	4. PARASITIC ,, -	9	1	17	10	5	12	47	57	11	11	3	2	5	1	5	19	6
II.	1. DIATHETIC ,, -	77	10	128	88	77	130	688	400	87	60	154	110	79	31	55	202	152
	2. TUBERCULAR ,, -	312	25	465	471	432	789	4616	2826	422	263	906	646	371	106	292	1390	784
III.	1. DISEASES OF NERVOUS SYSTEM -	408	31	590	545	583	777	4245	3309	552	347	807	467	241	76	387	1073	986
	2. ,, ORGANS OF CIRCULATION -	118	6	141	167	139	230	1019	700	158	97	259	185	113	31	98	182	127
	3. ,, RESPIRATORY ORGANS - -	419	21	459	532	468	977	6332	3275	428	314	892	546	275	88	413	939	480
	4. ,, DIGESTIVE ORGANS - -	120	15	203	150	131	231	1248	853	148	130	272	213	113	35	85	259	168
	5. ,, URINARY ORGANS - -	55	1	68	67	39	74	391	235	66	46	67	76	32	10	22	100	57
	6. ,, ORGANS OF GENERATION -	–	–	1	–	–	–	4	4	–	–	2	2	–	–	–	–	1
	7. ,, ORGANS OF LOCOMOTION -	10	2	14	16	15	16	153	82	16	11	25	21	17	3	7	18	13
	8. ,, INTEGUMENTARY SYSTEM -	5	1	3	11	3	16	68	43	13	5	8	12	4	1	5	12	11
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	106	3	141	96	105	168	1110	661	103	64	310	121	43	9	32	74	36
	2. DEV. DISEASES, ADULTS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OLD PEOPLE -	187	26	281	212	177	215	899	724	178	190	240	186	174	69	106	577	388
	4. DISEASES OF NUTRITION	214	11	244	244	197	312	2148	1013	186	113	475	262	201	42	108	541	201
V.	1. ACCIDENT OR NEGLIGENCE - - - -	101	4	152	110	154	299	1325	679	127	94	357	432	122	28	148	404	196
	3. HOMICIDE - - -	–	–	1	4	3	4	38	17	4	3	10	3	4	–	1	52	2
	4. SUICIDE - - -	10	1	21	20	21	13	104	73	15	12	21	10	14	5	3	19	9
	5. EXECUTION - - -	–	–	–	–	1	–	3	–	–	–	1	–	1	–	–	–	1
	VIOLENT DEATHS, NOT CLASSED - - - -	–	–	1	1	1	–	17	3	–	–	4	4	1	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	8	1	40	34	25	55	344	63	6	13	21	47	14	6	8	66	38
	CAUSES NOT SPECIFIED -	18	2	71	20	21	43	223	262	47	11	32	50	67	9	29	280	124

(*continued at page* 152.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	FEMALES.	DIVISION VII. NORTH MIDLAND COUNTIES.					DIVISION VIII. NORTH WESTERN COUNTIES.		DIVISION IX. YORKSHIRE.			DIVISION X. NORTHERN COUNTIES.				DIVISION XI. MONMOUTHSHIRE AND WALES.		
	ALL CAUSES - - -	2475	194	3549	3394	2865	5193	31482	17982	3058	2157	6118	3758	2307	635	1997	6853	4600
	SPECIFIED CAUSES -	2450	186	3466	3333	2826	5106	31042	17735	3016	2130	6062	3694	2235	622	1966	6564	4463
	(CLASSES.)																	
I.	ZYMOTIC DISEASES -	365	29	743	555	452	1147	7778	3741	635	458	1470	838	434	112	396	1156	876
II.	CONSTITUTIONAL ,, -	549	48	687	787	664	1005	5965	3695	583	382	1196	754	493	140	386	1672	1090
III.	LOCAL ,, -	930	62	1252	1287	1152	2022	12207	7428	1198	843	2106	1411	796	229	821	2249	1558
IV.	DEVELOPMENTAL ,, -	568	45	704	646	505	844	4503	2605	544	411	1189	631	473	130	316	1364	877
V.	VIOLENT DEATHS -	38	2	80	58	53	88	589	266	56	36	101	60	39	11	47	123	62
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES -	355	28	710	527	442	1097	7553	3607	611	441	1431	806	419	111	381	1118	864
	2. ENTHETIC ,, -	1	–	8	16	2	17	107	44	8	4	14	14	6	–	5	9	2
	3. DIETIC ,, -	5	–	8	5	5	20	84	27	11	4	14	9	8	–	7	11	4
	4. PARASITIC ,, -	4	1	17	7	3	13	34	63	5	9	11	9	1	1	3	18	6
II.	1. DIATHETIC ,, -	125	11	179	176	126	216	1095	693	149	114	253	173	101	31	83	347	219
	2. TUBERCULAR ,, -	424	37	508	611	538	789	4870	3002	434	268	943	581	392	109	303	1325	871
III.	1. DISEASES OF NERVOUS SYSTEM - -	316	24	474	443	434	625	3610	2724	429	292	705	431	235	77	274	925	816
	2. ,, ORGANS OF CIRCULATION -	117	5	148	165	164	231	1056	694	156	108	216	190	106	24	88	195	113
	3. ,, RESPIRATORY ORGANS - -	360	22	373	467	365	845	5752	2877	407	273	809	538	308	78	351	817	422
	4. ,, DIGESTIVE ORGANS - -	93	9	191	151	138	225	1317	827	139	128	278	182	110	33	85	237	162
	5. ,, URINARY ORGANS - - -	18	1	22	26	16	35	206	112	26	15	37	30	17	7	11	39	26
	6. ,, ORGANS OF GENERATION -	11	1	24	16	17	30	111	73	24	17	25	19	9	6	8	20	16
	7. ,, ORGANS OF LOCOMOTION -	12	–	5	14	10	15	93	66	10	9	24	8	8	3	2	10	9
	8. ,, INTEGUMENTARY SYSTEM -	3	–	15	5	8	16	62	55	7	1	12	13	3	1	2	6	–
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	100	9	109	98	77	159	913	543	83	53	253	88	50	8	42	75	33
	2. DEV. DISEASES, ADULTS	22	3	33	18	24	71	325	189	37	31	77	48	26	8	24	87	65
	3. ,, OLD PEOPLE	244	19	336	280	235	348	1242	977	219	226	414	278	236	70	142	753	579
	4. DISEASES OF NUTRITION	202	14	226	250	169	266	2023	896	205	101	445	227	161	44	108	449	200
V.	1. ACCIDENT OR NEGLIGENCE - - -	33	2	69	47	46	77	518	285	46	30	83	55	33	9	45	110	59
	3. HOMICIDE - - -	–	–	1	3	2	3	21	1	2	1	3	2	2	1	–	1	1
	4. SUICIDE - - -	4	–	10	8	5	5	43	29	8	5	13	2	3	1	2	12	2
	5. EXECUTION - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	VIOLENT DEATHS, NOT CLASSED - - - -	1	–	–	–	–	3	7	1	–	–	2	1	1	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	5	–	29	32	19	38	233	42	10	14	18	20	6	4	6	32	15
	CAUSES NOT SPECIFIED -	20	8	54	29	20	49	202	205	32	13	38	44	66	9	25	257	122

(*continued at page* 153.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	MALES.															
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.							
		Middlesex (part of).	*Surrey (part of).*	*Kent (part of).*	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
I.	ORDER 1.																
	1 Small-pox	156	40	5	6	6	9	3	7	3	–	1	–	10	2	–	4
	2 Measles	916	239	61	53	102	38	105	25	43	77	29	21	80	6	16	62
	3 Scarlatina	1212	434	113	78	146	33	182	31	63	65	68	11	32	4	13	30
	4 Diphtheria	238	70	32	22	57	48	23	23	17	17	13	7	7	21	16	40
	5 Quinsy	36	7	4	4	8	2	4	4	2	4	2	–	1	–	1	–
	6 Croup	356	97	41	20	60	24	47	15	27	20	11	15	16	7	12	13
	7 Whooping-cough	748	198	45	51	113	148	103	42	41	30	16	48	33	20	56	10
	8 Typhus	1425	302	127	81	282	139	195	75	64	54	63	59	109	23	48	97
	9 Erysipelas	114	35	7	9	26	12	25	10	16	11	11	5	7	4	5	7
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	20	6	3	3	5	1	4	–	1	3	–	1	1	–	3	1
	12 Influenza	18	3	2	4	13	10	11	4	1	4	8	7	6	1	7	5
	13 Dysentery	37	12	14	14	10	4	22	2	2	1	4	4	5	2	4	8
	14 Diarrhœa	651	176	62	39	94	80	70	28	36	18	29	38	63	11	49	44
	15 Cholera	47	10	3	2	6	2	4	2	3	1	–	–	2	2	1	2
	16 Ague	13	2	1	1	2	1	–	–	–	1	–	–	1	–	1	2
	17 Remittent Fever	35	11	3	1	7	1	–	–	1	–	–	–	–	1	–	3
	18 Rheumatism	153	30	13	12	23	28	25	6	14	6	7	4	7	1	6	10
	19 *Other Zymotic Diseases*	15	1	2	1	2	–	–	–	–	2	–	–	–	–	–	1
	ORDER 2.																
	1 Syphilis	117	38	11	6	20	15	18	3	9	2	4	2	5	1	2	3
	2 Stricture of Urethra	46	13	6	–	4	2	6	–	–	–	–	2	–	1	–	1
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	4 Glanders	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1 Privation	12	2	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	2 Want of Breast-milk	153	56	12	5	12	5	7	3	8	5	1	3	6	3	3	1
	3 Purpura and Scurvy	34	7	3	1	4	3	1	1	–	1	1	3	–	1	–	–
	4 Alcoholism *a* Del. Trem.	87	17	6	6	12	3	16	2	8	4	2	1	5	1	5	2
	4 Alcoholism *b* Intemp.	31	5	1	2	2	1	1	–	1	1	–	2	–	–	1	1
	ORDER 4.																
	1 Thrush	45	17	5	8	9	6	10	5	1	5	3	2	10	2	4	3
	2 Worms, &c.	7	1	–	1	–	–	1	–	–	–	–	–	1	–	–	–
II.	ORDER 1.																
	1 Gout	57	10	5	8	11	5	9	3	8	1	2	5	–	–	2	2
	2 Dropsy	205	48	26	32	72	53	71	28	22	26	28	27	35	3	18	20
	3 Cancer	264	71	17	27	77	50	60	23	26	16	15	26	37	20	15	35
	4 Noma	13	2	–	3	–	2	1	1	1	–	1	–	1	1	–	–
	5 Mortification	67	22	7	9	15	13	12	11	4	15	7	16	10	8	11	12
	ORDER 2.																
	1 Scrofula	226	51	17	27	48	46	46	14	18	7	8	18	20	8	17	25
	2 Tabes Mesenterica	314	104	24	33	64	31	49	21	29	13	15	16	24	3	23	20
	3 Phthisis	3027	884	327	313	561	460	559	230	175	166	126	155	207	61	125	199
	4 Hydrocephalus	661	163	60	42	98	106	71	28	41	23	23	24	40	10	20	33
III.	ORDER 1.																
	1 Cephalitis	217	79	23	20	39	35	30	17	16	7	10	8	18	3	14	13
	2 Apoplexy	650	120	47	88	122	89	124	46	79	44	25	35	53	9	16	31
	3 Paralysis	381	143	41	62	151	83	141	61	107	38	43	49	51	13	41	41
	4 Insanity	18	16	–	–	17	14	5	1	24	3	1	1	3	1	3	1
	5 Chorea	–	1	–	1	1	–	–	–	1	–	–	–	–	–	1	–
	6 Epilepsy	148	46	8	15	37	24	37	14	29	11	9	10	9	3	11	14
	7 Convulsions	842	282	82	110	259	164	229	69	87	93	48	70	143	25	70	57
	8 *Brain Disease, &c.*	368	89	25	41	79	40	68	38	45	28	23	18	21	6	16	21
	ORDER 2.																
	1 Pericarditis	37	15	1	6	12	3	9	1	2	2	1	–	2	–	2	3
	2 Aneurism	65	20	7	3	16	7	10	2	6	1	–	2	1	1	4	2
	3 *Heart Disease, &c.*	990	267	102	129	254	168	207	114	113	79	51	81	104	10	63	69
	ORDER 3.																
	1 Laryngitis	181	35	11	11	20	11	21	4	8	7	2	3	2	2	3	11
	2 Bronchitis	2205	586	177	151	299	188	270	161	128	85	89	122	121	24	86	72
	3 Pleurisy	66	14	5	4	7	11	15	4	7	10	2	–	4	1	3	4
	4 Pneumonia	1490	356	138	134	253	161	239	102	90	83	89	79	137	29	73	147
	5 Asthma	227	52	7	20	30	28	19	21	7	10	5	9	16	3	7	26
	6 *Lung Disease, &c.*	275	81	10	52	65	52	78	41	27	29	26	31	29	2	24	26
	ORDER 4.																
	1 Gastritis	22	9	1	2	6	6	3	4	6	2	3	1	–	–	2	3
	2 Enteritis	119	32	2	14	37	19	25	11	3	15	13	9	16	2	8	14
	3 Peritonitis	59	19	8	6	10	10	11	8	4	1	2	4	6	–	2	7
	4 Ascites	43	16	5	–	11	3	8	1	–	3	1	1	6	2	1	–
	5 Ulceration of Intestines	45	10	3	9	14	13	5	3	2	2	4	6	2	3	2	3
	6 Hernia	51	13	2	7	15	4	8	2	2	4	2	1	4	2	3	8
	7 Ileus	44	14	4	13	21	9	13	8	6	4	5	6	7	–	1	5
	8 Intussusception	16	3	2	1	6	4	4	1	2	1	2	1	1	1	1	4
	9 Stricture of Intestines	19	6	1	1	2	4	2	–	–	–	–	–	1	–	–	1
	10 Fistula	13	4	1	–	2	4	1	1	–	1	–	–	–	1	–	–

(*continued at page* 154.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

FEMALES.

Class.	CAUSES OF DEATH.	Division I. London.			Division II. South Eastern Counties.					Division III. South Midland Counties.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
I.	ORDER 1.																
	1 Small-pox	127	36	2	6	3	10	1	1	2	–	1	1	11	–	–	7
	2 Measles	862	224	32	65	82	31	68	31	50	79	27	16	48	10	13	37
	3 Scarlatina	1195	417	121	73	151	88	186	39	76	45	98	13	21	6	17	25
	4 Diphtheria	274	91	25	34	83	67	42	31	22	11	15	8	17	28	11	48
	5 Quinsy	31	8	3	–	8	1	3	3	2	–	1	1	2	1	2	1
	6 Croup	333	100	30	17	52	18	31	20	21	9	13	21	15	3	17	12
	7 Whooping-cough	863	275	39	68	140	148	104	39	58	35	33	45	49	22	53	18
	8 Typhus	1369	286	89	87	264	136	164	72	61	59	52	52	123	40	61	87
	9 Erysipelas	109	36	18	13	21	8	15	7	10	4	7	1	6	4	7	6
	10 Metria	130	41	19	12	22	10	27	11	13	16	7	6	14	–	7	8
	11 Carbuncle	11	2	–	1	–	2	1	1	–	–	–	1	1	–	–	1
	12 Influenza	17	5	3	4	11	10	12	1	–	6	2	6	6	–	8	4
	13 Dysentery	31	6	3	7	11	9	14	3	4	1	2	1	9	–	1	2
	14 Diarrhœa	609	189	40	34	99	62	83	39	41	31	34	29	60	11	29	38
	15 Cholera	29	15	2	–	7	4	2	1	3	–	1	–	1	1	3	3
	16 Ague	7	2	–	–	3	1	–	1	1	–	–	1	2	–	–	3
	17 Remittent Fever	41	15	8	–	10	–	4	2	–	–	–	–	–	–	1	3
	18 Rheumatism	144	35	11	17	25	19	20	10	11	8	5	10	5	2	7	5
	19 *Other Zymotic Diseases*	8	2	–	–	2	–	1	1	–	–	–	–	1	–	–	1
	ORDER 2.																
	1 Syphilis	80	25	11	12	18	16	16	10	8	7	1	4	4	2	1	3
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1 Privation	19	4	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	2 Want of Breast-milk	125	64	8	9	12	2	9	3	7	1	2	–	–	2	3	5
	3 Purpura and Scurvy	27	8	7	1	2	3	3	3	–	–	–	2	–	3	1	–
	4 Alcoholism { *a* Del. Trem.	20	2	2	2	–	1	–	–	–	–	1	–	1	–	1	–
	4 Alcoholism { *b* Intemp.	26	6	1	1	2	2	3	–	–	–	–	–	–	–	–	–
	ORDER 4.																
	1 Thrush	50	10	7	3	6	2	9	7	3	4	11	3	9	2	8	1
	2 Worms, &c.	1	1	–	–	3	1	4	2	1	2	–	–	1	–	–	–
II.	ORDER 1.																
	1 Gout	8	3	3	2	–	–	2	1	2	2	2	1	–	–	–	1
	2 Dropsy	325	90	24	36	101	77	95	46	25	39	47	54	59	6	31	32
	3 Cancer	721	222	40	79	143	105	98	60	58	39	32	40	53	24	38	54
	4 Noma	19	1	1	1	2	–	3	–	–	–	–	1	–	–	1	–
	5 Mortification	85	31	4	11	18	16	10	4	6	9	5	7	4	4	7	6
	ORDER 2.																
	1 Scrofula	167	59	15	16	42	44	43	17	13	6	13	15	21	5	14	20
	2 Tabes Mesenterica	276	88	23	15	79	43	39	16	17	18	27	18	24	6	22	15
	3 Phthisis	2643	752	238	270	571	545	539	259	187	197	151	227	299	94	184	242
	4 Hydrocephalus	477	125	35	29	47	47	58	24	37	14	20	27	25	2	11	20
III.	ORDER 1.																
	1 Cephalitis	177	51	19	22	34	33	13	12	15	9	10	5	13	2	5	6
	2 Apoplexy	642	151	43	66	127	115	111	54	62	44	33	42	52	13	25	47
	3 Paralysis	454	179	36	66	139	75	111	59	55	53	33	55	69	11	46	42
	4 Insanity	31	15	3	1	13	15	2	2	24	3	2	1	2	–	2	3
	5 Chorea	7	3	1	–	2	2	–	–	–	–	–	–	–	–	–	–
	6 Epilepsy	118	46	7	18	45	24	30	8	28	6	11	10	17	5	13	11
	7 Convulsions	659	219	94	82	200	141	158	53	62	62	39	58	78	23	44	45
	8 *Brain Disease, &c.*	290	91	27	35	65	45	70	23	46	19	22	21	21	5	13	25
	ORDER 2.																
	1 Pericarditis	47	8	3	6	11	5	8	–	3	2	2	4	2	1	–	2
	2 Aneurism	11	–	–	2	3	2	2	–	1	1	–	2	–	–	–	1
	3 *Heart Disease, &c.*	1127	276	78	135	244	153	232	133	85	83	57	105	103	24	60	98
	ORDER 3.																
	1 Laryngitis	101	38	4	13	9	4	22	7	6	3	1	3	5	–	5	6
	2 Bronchitis	2232	639	155	152	253	154	231	107	112	72	84	137	101	33	78	102
	3 Pleurisy	40	15	3	3	9	10	3	3	3	2	2	2	4	–	1	2
	4 Pneumonia	1142	283	99	106	198	127	190	69	63	75	65	68	123	18	77	102
	5 Asthma	204	58	10	11	24	17	32	11	7	10	8	10	21	1	2	26
	6 *Lung Disease, &c.*	224	44	12	34	54	30	66	33	36	23	15	35	16	6	19	22
	ORDER 4.																
	1 Gastritis	39	11	7	5	6	2	6	1	7	1	1	6	2	1	–	4
	2 Enteritis	93	38	8	10	17	21	24	14	14	17	10	12	14	4	8	8
	3 Peritonitis	103	30	7	10	20	13	13	10	7	8	5	11	4	2	9	9
	4 Ascites	50	23	5	7	8	5	6	9	4	5	2	3	11	2	7	10
	5 Ulceration of Intestines	54	8	3	7	6	10	6	5	3	2	1	7	6	2	3	5
	6 Hernia	77	16	3	7	10	7	9	2	8	6	3	2	1	2	1	4
	7 Ileus	58	11	4	3	20	9	9	4	6	7	4	3	6	2	4	7
	8 Intussusception	12	5	–	1	5	3	1	1	3	1	–	–	2	2	2	1
	9 Stricture of Intestines	16	3	1	3	2	2	1	1	2	2	2	1	–	–	1	1
	10 Fistula	8	4	1	–	2	–	–	–	–	–	–	–	1	–	–	–

(*continued at page* 155.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	MALES. Division IV. Eastern Counties.			Division V. South Western Counties.					Division VI. West Midland Counties.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
I.	ORDER 1.														
	1 Small-pox	3	16	49	–	4	8	83	1	14	–	1	4	4	1
	2 Measles	67	4	16	31	33	152	53	30	30	17	14	415	32	146
	3 Scarlatina	220	56	98	63	19	171	86	64	54	8	119	414	43	187
	4 Diphtheria	72	48	104	13	11	27	17	20	48	11	29	71	29	88
	5 Quinsy	5	6	8	1	–	5	4	4	5	–	1	3	2	6
	6 Croup	41	28	40	16	20	48	46	25	36	5	10	97	52	167
	7 Whooping-cough	97	69	83	45	36	185	41	41	112	17	23	230	54	217
	8 Typhus	179	105	149	81	43	213	132	159	153	20	80	372	115	199
	9 Erysipelas	13	8	14	8	7	31	6	18	6	4	9	22	11	27
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	–	1	1	2	1	4	–	5	6	1	2	5	5	3
	12 Influenza	3	9	11	8	8	11	15	13	18	5	7	10	2	7
	13 Dysentery	11	4	14	6	5	14	7	8	10	1	6	16	7	22
	14 Diarrhœa	68	55	95	26	12	108	54	85	91	10	37	292	79	243
	15 Cholera	12	3	2	3	1	5	4	4	–	1	3	11	2	4
	16 Ague	3	1	5	–	1	1	–	1	1	–	–	–	–	3
	17 Remittent Fever	6	3	4	–	–	1	–	2	2	–	–	1	–	–
	18 Rheumatism	10	12	14	16	10	26	5	15	25	12	15	41	19	40
	19 *Other Zymotic Diseases*	–	2	–	–	1	1	–	2	2	–	–	3	–	2
	ORDER 2.														
	1 Syphilis	5	1	4	7	2	22	3	15	26	3	1	20	6	27
	2 Stricture of Urethra	4	6	3	2	–	7	–	4	5	2	2	1	5	10
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 3.														
	1 Privation	–	2	–	1	–	–	–	–	–	–	–	1	1	–
	2 Want of Breast-milk	21	5	13	1	1	3	2	10	7	1	5	18	8	23
	3 Purpura and Scurvy	3	4	3	2	–	3	5	1	4	3	1	3	1	3
	4 Alcoholism *a* Del. Trem.	14	6	6	6	3	12	1	8	6	1	6	9	3	10
	4 Alcoholism *b* Intemp.	2	–	2	2	–	4	1	3	2	1	1	6	1	4
	ORDER 4.														
	1 Thrush	10	6	48	1	4	7	22	8	11	–	5	20	5	12
	2 Worms, &c.	1	1	2	2	1	2	1	1	3	2	2	4	–	2
II.	ORDER 1.														
	1 Gout	7	1	4	5	2	13	2	7	18	5	1	1	2	8
	2 Dropsy	66	63	63	42	45	117	69	91	60	23	35	110	49	81
	3 Cancer	49	33	47	21	26	90	41	51	51	6	40	68	36	55
	4 Noma	2	–	3	–	–	1	–	1	3	1	–	6	–	4
	5 Mortification	13	20	20	11	5	15	7	21	17	4	14	17	14	18
	ORDER 2.														
	1 Scrofula	25	36	38	24	23	60	46	44	46	7	21	66	21	62
	2 Tabes Mesenterica	57	50	84	40	19	51	35	41	53	9	23	104	26	70
	3 Phthisis	423	292	492	213	153	622	444	380	484	79	249	752	232	665
	4 Hydrocephalus	69	59	35	30	30	101	66	52	76	4	40	154	38	114
III.	ORDER 1.														
	1 Cephalitis	25	28	36	14	5	38	27	42	28	6	10	96	26	62
	2 Apoplexy	115	78	87	70	33	171	60	96	94	29	53	115	87	116
	3 Paralysis	78	76	118	81	27	119	94	121	148	34	67	178	87	141
	4 Insanity	7	6	4	2	3	4	2	2	3	–	10	6	5	11
	5 Chorea	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	6 Epilepsy	23	21	20	21	11	34	29	29	31	6	13	52	14	53
	7 Convulsions	137	87	144	90	71	262	150	159	182	49	180	738	136	277
	8 *Brain Disease, &c.*	48	45	43	39	26	93	53	66	66	12	32	93	30	72
	ORDER 2.														
	1 Pericarditis	3	4	4	5	–	8	4	5	8	3	2	10	2	9
	2 Aneurism	4	3	5	1	2	6	–	3	3	1	3	8	3	4
	3 *Heart Disease, &c.*	177	141	154	118	67	279	135	218	180	73	114	309	136	212
	ORDER 3.														
	1 Laryngitis	12	14	8	6	4	11	7	6	10	4	5	28	5	48
	2 Bronchitis	237	168	196	174	94	364	133	295	339	55	139	733	180	576
	3 Pleurisy	8	10	8	5	2	16	8	10	5	2	6	26	7	12
	4 Pneumonia	219	163	213	147	105	352	236	222	329	45	172	836	215	358
	5 Asthma	29	26	39	18	14	64	28	40	41	12	41	153	40	53
	6 *Lung Disease, &c.*	61	59	33	33	45	79	44	77	73	10	30	124	47	81
	ORDER 4.														
	1 Gastritis	8	5	6	7	2	11	6	5	6	–	3	9	6	12
	2 Enteritis	19	22	23	16	10	32	25	26	32	14	22	88	31	48
	3 Peritonitis	17	9	16	7	6	15	8	9	10	3	11	30	14	23
	4 Ascites	4	2	4	1	2	1	2	3	8	2	1	8	5	8
	5 Ulceration of Intestines	12	5	9	7	4	22	9	6	10	1	7	22	2	7
	6 Hernia	5	6	9	5	–	15	6	8	11	3	3	13	6	24
	7 Ileus	15	7	15	7	3	15	8	13	11	–	9	22	7	8
	8 Intussusception	–	3	3	6	1	7	1	5	6	–	3	10	1	4
	9 Stricture of Intestines	2	3	3	4	1	3	–	2	2	–	4	2	1	1
	10 Fistula	2	2	5	1	1	3	1	2	5	–	–	1	1	1

(*continued at page* 156.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	FEMALES. Division IV. Eastern Counties. 14. Essex.	15. Suffolk.	16. Norfolk.	Division V. South Western Counties. 17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	Division VI. West Midland Counties. 22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
I.	ORDER 1.														
	1 Small-pox	4	11	39	–	3	6	61	2	7	–	–	2	1	4
	2 Measles	62	5	16	24	36	134	42	22	19	14	18	414	38	153
	3 Scarlatina	168	52	104	53	23	182	79	62	57	4	115	393	38	167
	4 Diphtheria	104	77	155	10	12	38	18	16	37	11	28	64	34	128
	5 Quinsy	2	5	–	–	–	7	1	2	2	1	–	6	1	2
	6 Croup	39	28	26	20	22	31	30	25	46	5	12	78	38	134
	7 Whooping-cough	98	82	73	44	43	202	48	69	139	27	26	276	62	267
	8 Typhus	147	125	158	77	62	229	125	175	181	30	91	319	124	190
	9 Erysipelas	20	8	11	8	2	22	11	19	10	1	7	31	6	40
	10 Metria	10	10	20	6	4	25	12	17	12	2	15	50	18	16
	11 Carbuncle	–	1	1	–	–	2	3	2	1	–	–	2	–	1
	12 Influenza	6	2	8	12	3	17	11	21	16	1	4	13	8	9
	13 Dysentery	7	2	7	4	1	17	1	5	5	1	1	19	4	18
	14 Diarrhœa	51	65	92	24	6	119	46	70	88	7	39	272	68	212
	15 Cholera	2	3	3	–	–	3	1	3	2	–	5	11	3	1
	16 Ague	8	2	4	–	–	–	–	2	1	–	1	1	–	–
	17 Remittent Fever	7	3	–	2	1	–	–	–	–	–	–	–	–	1
	18 Rheumatism	9	12	10	10	13	16	15	16	26	6	15	32	7	30
	19 *Other Zymotic Diseases*	–	–	–	–	1	3	–	1	1	–	1	1	–	3
	ORDER 2.														
	1 Syphilis	3	6	4	3	2	22	6	12	10	1	1	28	6	28
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1 Privation	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	2 Want of Breast-milk	15	8	17	1	–	5	1	7	15	4	6	15	7	17
	3 Purpura and Scurvy	2	4	4	3	4	5	1	2	4	1	2	5	4	6
	4 Alcoholism { a Del. Trem.	–	1	–	–	1	–	–	2	–	–	1	2	–	1
	4 Alcoholism { b Intemp.	–	–	–	–	–	2	1	–	–	–	1	3	1	1
	ORDER 4.														
	1 Thrush	10	11	44	2	1	7	19	8	5	3	2	7	5	11
	2 Worms, &c.	–	1	–	2	1	1	–	2	–	2	5	5	–	–
II.	ORDER 1.														
	1 Gout	–	–	–	–	–	1	–	2	2	1	2	3	1	1
	2 Dropsy	76	69	79	52	49	186	124	139	92	34	66	157	67	95
	3 Cancer	87	97	127	60	42	178	72	129	141	31	76	128	88	122
	4 Noma	2	–	3	2	2	3	1	–	5	1	1	11	4	7
	5 Mortification	19	19	17	10	4	18	10	26	17	2	8	18	10	14
	ORDER 2.														
	1 Scrofula	44	31	30	20	25	41	22	47	37	5	18	43	27	43
	2 Tabes Mesenterica	27	40	60	31	14	48	40	51	45	7	31	122	22	53
	3 Phthisis	450	487	589	271	223	685	473	443	511	118	319	881	281	638
	4 Hydrocephalus	44	36	33	25	18	71	36	40	42	11	17	92	30	70
III.	ORDER 1.														
	1 Cephalitis	28	18	20	10	7	32	24	38	27	6	12	71	20	36
	2 Apoplexy	106	83	88	55	52	159	76	108	104	25	49	159	67	129
	3 Paralysis	100	90	149	86	50	163	105	119	147	29	56	130	74	143
	4 Insanity	1	10	6	4	5	8	9	1	5	–	5	9	5	7
	5 Chorea	1	1	–	–	2	2	–	–	–	–	2	1	–	–
	6 Epilepsy	20	16	22	11	15	40	12	23	27	5	13	59	17	38
	7 Convulsions	103	66	113	67	60	176	111	146	143	34	151	592	95	202
	8 *Brain Disease, &c.*	44	27	37	18	17	48	40	56	59	7	20	83	33	64
	ORDER 2.														
	1 Pericarditis	8	3	3	1	2	6	5	9	3	–	2	9	3	20
	2 Aneurism	–	2	1	1	2	3	3	–	3	–	–	3	1	5
	3 *Heart Disease, &c.*	164	128	157	157	94	306	136	232	223	54	85	299	136	298
	ORDER 3.														
	1 Laryngitis	14	8	12	4	2	10	12	6	14	2	6	16	6	51
	2 Bronchitis	192	169	177	144	81	309	108	316	376	52	131	651	169	558
	3 Pleurisy	5	2	5	1	1	15	6	8	5	2	3	13	3	9
	4 Pneumonia	159	104	153	101	76	254	195	177	249	28	128	651	179	356
	5 Asthma	22	19	34	14	12	44	22	27	43	6	27	69	18	28
	6 *Lung Disease, &c.*	58	39	36	28	44	55	37	77	65	12	42	107	30	76
	ORDER 4.														
	1 Gastritis	2	8	6	2	1	9	6	8	9	2	5	18	7	16
	2 Enteritis	22	18	22	14	13	23	27	29	23	6	17	80	21	44
	3 Peritonitis	18	19	17	10	10	17	11	20	22	1	15	25	17	30
	4 Ascites	8	7	13	1	3	7	6	12	12	2	12	20	3	11
	5 Ulceration of Intestines	4	8	6	12	2	9	12	9	7	1	5	15	8	18
	6 Hernia	8	4	7	5	1	13	5	20	11	2	7	15	5	11
	7 Ileus	17	13	9	7	4	18	10	18	9	4	10	18	11	11
	8 Intussusception	2	1	1	–	1	5	–	5	3	1	1	4	3	1
	9 Stricture of Intestines	2	6	4	2	1	12	4	1	3	–	1	4	–	6
	10 Fistula	–	1	–	–	1	1	1	1	–	–	–	1	2	2

(*continued at page* 157.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	MALES.																
		DIVISION VII. NORTH MIDLAND COUNTIES.					DIVISION VIII. NORTH WESTERN COUNTIES.		DIVISION IX. YORKSHIRE.			DIVISION X. NORTHERN COUNTIES.				DIVISION XI. MONMOUTHSHIRE AND WALES.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
I.	ORDER 1.																	
	1 Small-pox - - -	–	–	20	2	3	1	62	167	31	13	94	11	4	–	1	5	1
	2 Measles - - - -	11	3	24	62	42	158	855	297	49	9	130	72	40	11	99	157	62
	3 Scarlatina - - -	15	2	94	41	22	220	1480	472	93	127	446	179	65	28	12	50	103
	4 Diphtheria - - -	16	5	93	20	23	61	244	129	41	52	44	42	28	5	13	83	89
	5 Quinsy - - - -	1	–	4	–	1	2	13	10	–	3	6	2	2	–	3	3	2
	6 Croup - - - -	28	–	33	39	37	74	718	235	17	28	83	45	30	12	27	119	67
	7 Whooping-cough - -	50	5	82	80	67	112	1149	362	65	37	158	106	53	10	61	141	168
	8 Typhus - - - -	102	10	165	126	128	217	1362	796	134	88	222	124	81	9	101	384	178
	9 Erysipelas - - -	13	–	17	8	14	9	99	57	11	7	21	12	7	–	3	15	9
	10 Metria - - - -	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle - - -	–	1	3	2	5	2	21	14	1	–	4	1	–	1	1	4	1
	12 Influenza - - -	3	–	15	15	12	14	43	38	9	8	12	10	9	2	3	5	9
	13 Dysentery - - -	6	1	8	13	3	18	117	67	14	1	17	11	4	1	6	16	10
	14 Diarrhœa - - -	84	3	74	71	65	159	1248	581	90	43	178	119	90	7	27	93	32
	15 Cholera - - - -	1	–	4	4	2	7	76	39	5	6	3	7	2	1	1	5	2
	16 Ague - - - -	–	–	2	4	–	–	10	3	–	1	3	5	2	–	–	1	–
	17 Remittent Fever - -	–	–	2	1	1	3	4	17	–	1	1	1	1	–	1	8	–
	18 Rheumatism - - -	9	1	18	11	16	27	109	73	8	8	18	13	9	4	9	28	18
	19 *Other Zymotic Diseases* -	–	–	1	–	1	2	11	8	–	–	–	1	–	–	1	2	–
	ORDER 2.																	
	1 Syphilis - - - -	6	–	11	8	10	13	105	32	2	2	15	11	7	–	3	12	8
	2 Stricture of Urethra -	–	–	6	7	5	3	18	4	1	2	2	4	1	1	2	10	1
	3 Hydrophobia - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																	
	1 Privation - - -	1	–	1	–	–	1	6	1	1	–	1	2	–	–	–	–	1
	2 Want of Breast-milk -	2	–	14	5	2	11	41	19	10	3	8	2	4	2	6	4	1
	3 Purpura and Scurvy -	3	–	2	2	3	1	27	19	4	2	5	3	2	–	2	6	4
	4 Alcoholism { *a* Del.Trem.	–	–	6	2	1	9	49	36	6	6	12	9	5	–	5	5	2
	4 Alcoholism { *b* Intemp.	–	–	3	1	2	4	44	8	2	–	4	5	2	–	2	5	2
	ORDER 4.																	
	1 Thrush - - - -	7	1	17	7	5	10	44	51	9	11	3	2	5	–	4	8	–
	2 Worms, &c. - - -	2	–	–	3	–	2	3	6	2	–	–	–	–	1	1	11	6
II.	ORDER 1.																	
	1 Gout - - - -	1	–	3	1	2	4	9	1	2	–	2	–	1	–	2	3	1
	2 Dropsy - - - -	37	6	67	46	49	62	399	228	37	23	69	57	42	17	27	110	81
	3 Cancer - - - -	29	3	43	31	22	52	200	122	35	26	69	46	29	11	17	76	52
	4 Noma - - - -	–	–	–	–	–	1	17	3	–	1	–	1	–	–	–	1	2
	5 Mortification - - -	10	1	15	10	4	11	63	46	13	10	14	6	7	3	9	12	16
	ORDER 2.																	
	1 Scrofula - - - -	11	–	33	30	21	59	261	116	20	23	62	29	17	6	18	67	26
	2 Tabes Mesenterica -	32	–	36	32	36	72	329	230	37	24	177	108	23	8	38	83	20
	3 Phthisis - - - -	235	25	351	348	330	536	3359	2036	317	179	523	440	282	81	211	1181	701
	4 Hydrocephalus - -	34	–	45	61	45	102	667	444	48	37	144	69	49	11	25	59	37
III.	ORDER 1.																	
	1 Cephalitis - - -	26	–	25	25	24	51	341	261	14	18	47	35	14	1	31	51	29
	2 Apoplexy - - -	47	9	94	50	57	94	449	364	83	56	80	63	33	7	41	74	68
	3 Paralysis - - -	46	4	110	88	78	130	534	354	88	37	109	97	54	14	43	114	105
	4 Insanity - - - -	2	–	3	1	–	8	24	10	2	–	5	–	5	–	1	3	8
	5 Chorea - - - -	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–
	6 Epilepsy - - -	14	1	22	19	17	21	137	87	28	14	16	15	11	7	9	32	19
	7 Convulsions - - -	241	17	300	320	366	402	2443	1998	299	191	487	211	84	36	244	740	732
	8 *Brain Disease, &c.* - -	32	–	36	42	41	71	316	235	38	31	62	45	40	11	18	58	25
	ORDER 2.																	
	1 Pericarditis - - -	4	–	2	4	–	9	34	25	7	1	6	2	1	–	1	5	6
	2 Aneurism - - -	2	–	2	2	1	5	36	18	9	–	10	10	1	–	–	4	1
	3 *Heart Disease, &c.* - -	112	6	137	161	138	216	949	657	142	96	243	173	111	31	97	173	120
	ORDER 3.																	
	1 Laryngitis - - -	12	–	7	14	3	23	109	73	15	3	12	16	1	1	9	19	5
	2 Bronchitis - - -	144	8	211	226	161	451	3476	1616	169	144	329	252	143	37	183	337	175
	3 Pleurisy - - - -	4	–	7	4	6	11	55	42	6	4	18	11	6	2	3	21	8
	4 Pneumonia - - -	183	9	169	226	178	366	2043	1100	162	100	419	189	103	39	156	408	153
	5 Asthma - - - -	38	1	25	25	50	75	359	238	26	19	76	37	14	4	38	102	82
	6 *Lung Disease, &c.* - -	38	3	40	37	70	51	290	206	50	44	38	41	8	5	24	52	57
	ORDER 4.																	
	1 Gastritis - - -	7	–	8	6	6	12	55	43	2	3	12	11	4	1	6	13	7
	2 Enteritis - - -	14	2	22	25	16	32	271	142	20	13	63	50	26	2	16	40	29
	3 Peritonitis - - -	9	–	14	9	8	17	77	60	12	10	19	20	6	2	8	12	4
	4 Ascites - - - -	1	–	4	4	3	2	47	32	2	2	5	6	4	–	1	4	6
	5 Ulceration of Intestines -	11	–	8	2	3	11	45	24	7	6	5	10	7	–	6	7	10
	6 Hernia - - - -	2	2	12	2	4	8	49	30	9	2	9	3	4	1	3	14	9
	7 Ileus - - - -	7	–	14	11	11	10	61	48	9	10	8	11	9	–	5	31	16
	8 Intussusception - -	1	–	2	–	–	1	25	8	2	2	3	4	2	–	3	4	1
	9 Stricture of Intestines -	2	–	2	3	2	2	9	12	5	2	3	2	–	3	1	2	1
	10 Fistula - - - -	1	–	–	–	1	–	7	7	–	–	–	–	–	1	–	1	1

(*continued at page* 158.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	FEMALES. Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
I.	ORDER 1.																	
	1 Small-pox	-	1	19	1	3	3	53	180	37	5	96	13	8	-	2	4	-
	2 Measles	8	2	37	52	28	155	892	309	56	7	138	76	26	16	98	144	90
	3 Scarlatina	18	6	99	27	28	180	1318	491	106	114	415	177	51	26	9	77	108
	4 Diphtheria	19	-	113	30	28	69	302	159	47	43	37	43	29	6	11	104	97
	5 Quinsy	1	-	-	-	-	2	13	12	1	2	2	1	1	1	1	6	3
	6 Croup	17	2	35	38	32	70	644	226	14	11	66	46	29	6	23	106	52
	7 Whooping-cough	54	3	81	107	79	129	1364	421	77	52	173	118	74	21	65	133	215
	8 Typhus	109	8	157	140	122	217	1323	905	138	89	225	123	67	13	108	386	186
	9 Erysipelas	15	-	12	10	4	8	90	66	1	11	16	3	5	3	8	7	6
	10 Metria	10	1	16	17	8	22	104	78	8	10	32	25	10	1	7	15	21
	11 Carbuncle	1	-	1	-	-	2	6	3	2	1	1	4	-	-	-	2	-
	12 Influenza	11	2	20	8	20	12	40	41	14	17	14	13	11	7	4	5	12
	13 Dysentery	10	-	7	4	6	26	81	59	9	8	15	19	3	1	1	7	8
	14 Diarrhœa	66	1	83	73	67	169	1137	542	89	50	166	121	94	4	30	86	31
	15 Cholera	-	-	2	2	1	5	43	17	-	3	10	5	2	-	1	2	2
	16 Ague	-	-	3	2	-	3	11	5	2	-	7	1	-	1	1	2	-
	17 Remittent Fever	-	-	3	1	1	3	2	26	3	1	-	1	1	1	1	11	8
	18 Rheumatism	16	2	22	14	15	20	129	67	7	16	17	17	8	4	10	20	24
	19 *Other Zymotic Diseases*	-	-	-	1	-	2	6	-	-	1	1	-	-	-	1	1	1
	ORDER 2.																	
	1 Syphilis	1	-	8	16	2	17	107	44	8	4	14	14	6	-	5	9	2
	2 Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3 Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																	
	1 Privation	-	-	-	-	-	-	1	4	2	-	-	1	-	-	1	-	1
	2 Want of Breast-milk	4	-	7	2	1	11	36	12	7	1	5	3	4	-	6	2	-
	3 Purpura and Scurvy	1	-	1	2	3	6	23	7	1	2	6	3	1	-	-	7	2
	4 Alcoholism { *a* Del. Trem.	-	-	-	1	-	-	6	1	-	-	2	1	-	-	-	1	-
	{ *b* Intemp.	-	-	-	-	1	3	18	3	1	1	1	1	3	-	-	1	1
	ORDER 4.																	
	1 Thrush	4	1	16	6	3	8	26	57	4	7	9	6	-	1	1	6	1
	2 Worms, &c.	-	-	1	1	-	5	8	6	1	2	2	3	1	-	2	12	5
II.	ORDER 1.																	
	1 Gout	-	-	3	-	-	-	-	1	-	1	-	1	1	-	-	-	1
	2 Dropsy	66	6	66	69	59	88	474	320	54	48	122	77	60	16	40	195	180
	3 Cancer	56	5	101	99	63	116	548	327	85	56	114	81	35	13	40	132	85
	4 Noma	-	-	-	3	-	2	29	11	1	-	-	4	-	-	-	3	-
	5 Mortification	3	-	9	5	4	10	44	34	9	9	17	10	5	2	3	17	3
	ORDER 2.																	
	1 Scrofula	17	1	21	23	16	34	193	97	12	14	34	22	12	3	9	85	16
	2 Tabes Mesenterica	28	2	30	38	33	53	329	209	44	21	142	73	19	10	40	63	17
	3 Phthisis	354	33	428	528	452	638	3915	2380	350	207	665	443	324	86	234	1183	795
	4 Hydrocephalus	25	1	29	22	37	64	433	316	28	26	102	43	37	10	20	44	43
III.	ORDER 1.																	
	1 Cephalitis	22	1	23	20	19	44	267	232	5	12	36	33	21	1	29	36	19
	2 Apoplexy	58	5	92	52	35	94	511	434	55	47	88	84	51	10	22	81	78
	3 Paralysis	49	5	82	78	83	124	579	311	77	43	109	108	55	19	37	123	107
	4 Insanity	4	-	5	4	4	7	21	17	2	2	8	4	6	1	5	3	3
	5 Chorea	-	-	1	-	-	-	8	3	1	-	1	-	-	1	-	-	2
	6 Epilepsy	11	2	20	14	18	37	142	92	22	11	24	17	9	2	12	19	25
	7 Convulsions	145	9	222	243	249	273	1845	1481	234	152	393	138	70	33	155	624	561
	8 *Brain Disease, &c.*	27	2	29	32	26	46	237	154	33	25	46	47	23	10	14	39	21
	ORDER 2.																	
	1 Pericarditis	2	-	4	3	1	10	35	21	6	4	6	10	2	-	3	6	3
	2 Aneurism	-	-	-	-	1	1	12	5	5	-	2	1	1	-	-	1	1
	3 *Heart Disease, &c.*	115	5	144	162	162	220	1009	668	145	104	208	179	103	24	85	188	109
	ORDER 3.																	
	1 Laryngitis	5	1	3	13	3	17	94	62	6	4	13	12	8	-	9	11	5
	2 Bronchitis	161	5	170	216	145	455	3390	1514	201	150	387	259	183	46	174	313	173
	3 Pleurisy	4	-	4	5	1	8	46	32	4	2	11	13	5	2	9	13	4
	4 Pneumonia	132	10	136	189	136	262	1636	947	124	75	325	190	87	21	125	356	132
	5 Asthma	27	3	20	19	26	60	326	167	37	11	46	26	12	3	17	91	65
	6 *Lung Disease, &c.*	31	3	40	25	54	43	260	155	35	31	27	38	13	6	17	33	43
	ORDER 4.																	
	1 Gastritis	3	-	7	2	3	9	77	53	2	4	8	8	8	4	4	13	10
	2 Enteritis	13	1	24	28	23	34	244	128	19	13	50	43	18	2	19	30	21
	3 Peritonitis	4	1	11	20	10	19	118	74	8	8	20	13	6	4	8	31	18
	4 Ascites	2	2	7	8	8	11	50	53	6	6	12	5	6	-	2	9	9
	5 Ulceration of Intestines	6	-	8	11	7	9	66	31	11	7	13	8	12	3	3	10	10
	6 Hernia	2	-	6	2	7	7	52	29	3	6	8	6	4	1	2	11	4
	7 Ileus	5	-	14	7	6	8	59	36	11	7	15	6	8	3	8	16	10
	8 Intussusception	-	-	3	2	-	2	22	5	3	-	4	5	1	1	1	5	1
	9 Stricture of Intestines	1	-	3	6	-	1	14	13	2	3	2	2	2	-	1	5	2
	10 Fistula	-	-	1	-	-	-	1	5	-	1	1	-	-	-	-	-	2

(continued at page 159.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	MALES.															
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ORDER 4.—*continued.*																
	11 *Stomach Disease, &c.*	96	21	6	16	33	20	31	9	13	9	10	16	11	2	12	20
	12 *Pancreas Disease, &c.*	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	13 Hepatitis	48	21	6	6	18	6	11	8	9	1	3	4	12	3	3	6
	14 Jaundice	69	16	7	13	23	9	19	7	5	4	7	6	14	5	3	9
	15 *Liver Disease, &c.*	247	79	25	45	71	46	64	39	31	20	21	27	23	7	13	17
	16 *Spleen Disease, &c.*	12	4	–	–	1	1	2	–	–	–	–	2	2	–	–	–
	ORDER 5.																
	1 Nephritis	17	2	1	1	2	3	5	–	1	3	1	–	–	1	–	1
	2 Ischuria	5	–	–	–	1	–	2	–	1	–	–	–	1	–	3	–
	3 Nephria	174	45	20	18	31	17	22	5	18	6	8	–	5	3	1	5
	4 Diabetes	22	15	4	5	11	7	7	7	1	5	2	4	5	1	5	4
	5 Stone	23	10	1	2	8	4	3	1	1	–	1	–	2	–	–	4
	6 Cystitis	29	13	2	6	9	5	4	3	1	2	1	2	3	–	3	1
	7 *Kidney Disease, &c.*	212	42	17	40	55	43	44	25	18	10	15	30	19	6	6	16
	ORDER 6.																
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	7	2	–	–	1	1	1	–	–	–	–	–	–	–	–	1
	ORDER 7.																
	1 Arthritis	3	–	–	–	1	1	1	–	–	1	–	–	1	–	–	–
	2 *Joint Disease, &c.*	81	14	6	11	22	21	26	13	8	3	6	17	7	2	4	6
	ORDER 8.																
	1 Phlegmon	13	8	7	2	8	5	9	7	2	1	1	2	4	3	1	3
	2 Ulcer	26	5	–	1	4	1	7	3	2	5	1	–	2	–	1	1
	3 *Skin Disease, &c.*	27	7	1	3	5	–	2	–	4	–	–	1	1	–	1	2
IV.	ORDER 1.																
	1 Premature Birth	377	120	36	48	124	95	68	36	27	26	31	27	71	31	49	40
	2 Cyanosis	47	13	5	9	13	7	9	5	2	3	1	2	4	1	2	2
	3 Spina Bifida	19	5	–	–	4	2	5	4	1	1	2	3	–	–	–	–
	4 Other Malformations	30	20	3	2	3	11	8	2	4	2	3	2	2	1	3	3
	5 Teething	313	81	26	19	44	32	33	16	13	11	12	12	16	4	4	13
	ORDER 2.																
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1 Old Age	701	177	176	121	285	218	304	120	86	115	109	114	143	39	74	130
	ORDER 4.																
	1 Atrophy and Debility	1015	260	100	98	292	184	251	143	92	140	121	114	221	30	99	164
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																
	1 Fractures and Contusions	409	128	28	41	75	53	63	33	29	34	17	24	31	17	16	36
	2 Gunshot	4	–	1	5	3	2	2	2	–	–	1	–	1	–	–	–
	3 Cut, Stab	8	8	–	1	–	3	–	–	1	–	–	–	1	–	–	1
	4 Burns and Scalds	104	40	4	11	10	12	15	9	10	6	7	8	4	1	5	8
	5 Poison	25	7	3	3	5	2	4	1	1	–	2	–	3	1	–	–
	6 Drowning	158	56	30	17	66	34	53	27	17	5	12	16	14	9	4	14
	7 Suffocation	153	38	3	2	9	6	8	7	7	3	2	2	4	1	3	4
	8 Otherwise	53	8	5	7	34	5	10	4	8	9	5	8	5	7	9	6
	ORDER 3. (HOMICIDE.)																
	1 Murder and Manslaughter	51	11	3	3	7	3	6	1	1	–	1	–	1	–	–	–
	ORDER 4. (SUICIDE.)																
	1 Gunshot Wounds	6	2	1	3	4	3	2	1	1	1	–	3	1	–	1	1
	2 Cut, Stab	29	7	1	5	11	5	3	3	1	5	–	4	6	2	–	1
	3 Poison	24	1	2	–	1	1	–	–	–	–	–	–	1	–	–	2
	4 Drowning	8	8	1	3	6	2	2	2	5	–	1	1	1	1	–	–
	5 Hanging	69	14	5	4	16	15	13	1	2	5	4	2	6	2	–	4
	6 Otherwise	6	3	–	–	4	1	1	–	2	–	2	1	–	–	–	–
	ORDER 5. (EXECUTION.)																
	1 Hanging	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Other violent Deaths (not classed)	–	–	–	3	7	1	7	–	1	4	–	2	–	–	3	2
	Sudden Deaths Cause (unascertained)	99	29	10	8	28	14	15	27	4	2	28	20	14	1	5	10
	Causes not specified or ill-defined	97	32	8	22	64	12	50	7	7	22	10	6	37	19	25	34

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.															
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ORDER 4.—*continued.*																
	11 *Stomach Disease, &c.*	158	43	12	19	32	27	43	9	12	15	8	12	9	4	10	18
	12 *Pancreas Disease, &c.*	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	13 Hepatitis	66	23	5	10	13	9	8	10	5	1	8	4	9	1	5	6
	14 Jaundice	59	20	2	8	18	11	12	9	6	4	6	6	11	–	2	3
	15 *Liver Disease, &c.*	290	90	25	41	57	51	53	29	22	27	17	22	27	4	16	13
	16 *Spleen Disease, &c.*	6	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1
	ORDER 5.																
	1 Nephritis	16	5	–	–	5	1	3	2	–	–	2	1	–	–	2	–
	2 Ischuria	2	1	–	1	2	1	1	1	1	–	–	–	1	–	–	–
	3 Nephria	132	35	5	12	17	16	20	5	7	4	3	4	5	1	–	2
	4 Diabetes	24	6	1	3	2	7	2	5	–	3	2	1	1	1	1	2
	5 Stone	3	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–
	6 Cystitis	4	1	2	–	–	1	1	1	2	2	–	–	–	–	1	–
	7 *Kidney Disease, &c.*	77	17	4	11	21	6	16	13	11	2	8	8	6	1	3	5
	ORDER 6.																
	1 Ovarian Dropsy	38	6	3	3	5	9	5	4	4	–	3	–	3	1	–	2
	2 *Uterus Disease, &c.*	121	33	11	15	26	16	35	17	7	11	11	11	9	2	9	5
	ORDER 7.																
	1 Arthritis	2	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	2 *Joint Disease, &c.*	60	17	3	10	26	14	22	8	8	4	3	6	5	1	3	2
	ORDER 8.																
	1 Phlegmon	17	2	2	6	4	4	10	4	1	–	2	2	1	2	1	1
	2 Ulcer	28	11	3	4	4	8	8	2	6	1	1	1	1	–	1	2
	3 *Skin Disease, &c.*	20	12	4	–	3	4	4	2	1	1	1	–	–	1	1	–
IV.	ORDER 1.																
	1 Premature Birth	335	102	19	41	86	52	49	39	26	28	19	31	62	14	40	21
	2 Cyanosis	37	7	–	7	6	5	5	3	2	–	3	4	1	–	1	5
	3 Spina Bifida	22	5	5	–	4	5	9	–	4	–	–	3	2	2	3	3
	4 Other Malformations	29	9	1	3	3	3	7	1	3	2	2	4	4	1	1	2
	5 Teething	269	64	21	18	35	27	38	12	18	7	12	6	20	1	3	18
	ORDER 2.																
	1 Paramenia	9	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2 Childbirth (*see* Metria)	178	50	17	38	58	27	45	29	15	26	13	17	26	2	10	14
	ORDER 3.																
	1 Old Age	1206	368	141	151	391	270	321	174	123	143	146	138	168	48	98	164
	ORDER 4.																
	1 Atrophy and Debility	978	259	78	95	240	141	265	106	82	96	102	124	174	39	111	144
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																
	1 Fractures and Contusions	127	31	5	8	14	11	10	9	7	4	2	4	6	6	8	7
	2 Gunshot	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	3 Cut, Stab	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Burns and Scalds	144	40	8	7	26	15	19	11	4	11	9	11	14	1	5	14
	5 Poison	22	–	1	–	4	2	3	1	1	1	2	1	1	2	–	2
	6 Drowning	37	6	5	6	10	6	7	3	6	5	5	3	6	2	2	3
	7 Suffocation	119	20	8	5	5	6	6	–	3	1	1	2	1	–	2	2
	8 Otherwise	32	4	1	3	9	3	8	3	2	1	1	–	5	1	2	2
	ORDER 3. (HOMICIDE.)																
	1 Murder and Manslaughter	45	7	2	–	–	3	5	2	4	–	2	–	1	–	–	–
	ORDER 4. (SUICIDE.)																
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	4	1	1	–	–	1	1	–	1	–	–	–	2	–	–	–
	3 Poison	10	7	–	1	2	1	1	–	1	–	–	–	–	–	–	–
	4 Drowning	13	6	–	3	3	2	1	3	1	–	1	–	1	–	–	1
	5 Hanging	21	2	1	1	3	8	2	2	2	2	–	–	–	1	–	1
	6 Otherwise	10	1	–	–	–	1	1	–	1	–	1	–	–	–	–	–
	ORDER 5. (EXECUTION.)																
	1 Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	–	–	–	1	2	2	1	–	–	–	1	–	–	–	–	1
	Sudden Deaths (Cause unascertained)	96	29	10	3	14	11	13	17	5	2	16	22	8	2	3	9
	Causes not specified or ill-defined	99	32	7	21	55	11	29	12	6	10	13	7	30	17	24	32

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued*.

Class.	CAUSES OF DEATH.	MALES. Division IV. Eastern Counties. 14. Essex.	15. Suffolk.	16. Norfolk.	Division V. South Western Counties. 17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	Division VI. West Midland Counties. 22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ORDER 4.—*continued.*														
	11 *Stomach Disease, &c.*	24	16	35	15	11	51	35	44	39	7	16	50	26	32
	12 *Pancreas Disease, &c.*	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	13 Hepatitis	6	6	14	12	5	6	7	12	7	4	2	29	10	15
	14 Jaundice	7	14	11	10	5	18	6	12	14	2	8	26	12	19
	15 *Liver Disease, &c.*	41	32	45	35	24	56	29	66	50	12	30	80	36	74
	16 *Spleen Disease, &c.*	1	–	3	1	1	1	1	2	3	–	1	1	–	2
	ORDER 5.														
	1 Nephritis	–	4	1	–	1	3	5	2	1	–	4	16	1	3
	2 Ischuria	1	–	2	–	–	2	1	1	1	1	1	5	2	4
	3 Nephria	9	10	13	9	6	23	8	11	19	4	3	32	16	32
	4 Diabetes	12	3	20	6	1	8	5	6	12	2	3	13	8	9
	5 Stone	1	3	8	2	1	5	2	1	8	–	1	8	3	3
	6 Cystitis	2	15	4	4	3	9	4	7	6	–	2	6	5	3
	7 *Kidney Disease, &c.*	26	48	46	26	15	68	22	52	51	12	30	61	23	51
	ORDER 6.														
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	1	–	–	1	1	1	–	3	–	–	3	4	–	1
	ORDER 7.														
	1 Arthritis	1	1	–	–	–	1	1	–	–	–	1	2	1	3
	2 *Joint Disease, &c.*	14	11	7	6	4	33	14	15	26	5	9	26	18	24
	ORDER 8.														
	1 Phlegmon	8	9	10	1	2	5	2	6	5	1	3	8	3	11
	2 Ulcer	3	3	1	2	1	5	3	2	3	–	1	6	1	6
	3 *Skin Disease, &c.*	5	6	11	1	1	3	1	7	4	1	1	10	2	4
IV.	ORDER 1.														
	1 Premature Birth	67	84	95	39	33	101	74	84	65	14	29	234	59	130
	2 Cyanosis	5	10	9	2	4	4	2	5	3	1	1	6	4	16
	3 Spina Bifida	6	3	1	8	2	3	1	3	4	–	2	5	4	3
	4 Other Malformations	2	9	3	7	2	6	1	7	5	1	2	10	3	5
	5 Teething	14	17	28	19	15	42	32	19	20	6	5	114	15	54
	ORDER 2.														
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1 Old Age	234	220	375	174	133	427	250	322	251	116	210	390	177	257
	ORDER 4.														
	1 Atrophy and Debility	265	275	414	146	115	365	463	265	272	58	149	745	221	476
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)														
	1 Fractures and Contusions	65	42	59	51	32	111	105	97	76	16	71	305	78	129
	2 Gunshot	2	1	4	3	1	6	4	4	2	–	–	2	2	4
	3 Cut, Stab	1	–	2	1	–	–	–	–	1	–	–	1	1	–
	4 Burns and Scalds	18	12	14	6	8	33	14	27	32	10	30	132	28	58
	5 Poison	–	2	–	–	1	2	–	2	1	1	1	4	1	4
	6 Drowning	22	30	35	14	11	61	50	44	47	10	20	83	37	40
	7 Suffocation	10	7	4	15	1	10	7	16	7	1	2	21	6	54
	8 Otherwise	7	21	19	5	6	15	9	11	22	6	18	23	7	8
	ORDER 3. (HOMICIDE.)														
	1 Murder and Manslaughter	4	3	–	–	3	4	1	5	1	–	4	10	1	7
	ORDER 4. (SUICIDE.)														
	1 Gunshot Wounds	1	2	–	–	1	–	–	2	–	–	2	2	–	2
	2 Cut, Stab	1	7	2	2	1	1	1	5	1	1	1	10	–	4
	3 Poison	–	–	3	–	–	3	1	–	1	–	–	1	–	7
	4 Drowning	1	1	3	1	–	4	–	1	1	–	–	4	2	2
	5 Hanging	5	5	9	4	–	16	4	8	8	2	3	28	5	11
	6 Otherwise	4	4	2	–	–	2	1	4	1	1	–	3	3	3
	ORDER 5. (EXECUTION.)														
	1 Hanging	–	–	–	–	–	–	1	–	–	–	–	1	–	3
	Other violent Deaths (not classed)	1	–	–	2	3	3	4	6	1	–	3	12	1	4
	Sudden Deaths (Cause unascertained)	18	47	96	12	11	37	61	53	67	11	32	71	23	11
	Causes not specified or ill-defined	59	61	96	5	37	53	70	37	60	51	61	100	57	39

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ORDER 4.—*continued.*														
	11 *Stomach Disease, &c.*	27	20	25	11	17	57	37	51	43	12	24	32	18	36
	12 *Pancreas Disease, &c.*	1	–	–	–	–	–	–	1	–	–	1	–	–	1
	13 Hepatitis	11	5	7	8	2	12	5	12	8	–	9	20	8	21
	14 Jaundice	6	14	31	13	3	12	5	16	11	3	7	20	9	23
	15 *Liver Disease, &c.*	47	40	42	30	20	62	20	43	48	14	28	55	33	77
	16 *Spleen Disease, &c.*	1	1	1	–	–	1	–	2	–	–	–	3	–	1
	ORDER 5.														
	1 Nephritis	1	1	–	1	2	3	4	1	3	–	1	1	3	4
	2 Ischuria	2	2	–	–	1	–	1	2	2	1	–	2	–	–
	3 Nephria	5	5	3	10	3	23	9	9	15	3	6	21	9	23
	4 Diabetes	3	3	4	1	2	1	5	4	8	–	2	7	2	7
	5 Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6 Cystitis	1	1	–	–	1	1	–	1	1	–	2	3	2	2
	7 *Kidney Disease, &c.*	11	12	12	5	3	20	9	16	18	1	3	17	5	10
	ORDER 6.														
	1 Ovarian Dropsy	7	2	10	4	1	8	4	5	5	3	2	8	6	4
	2 *Uterus Disease, &c.*	14	18	28	16	6	29	13	22	29	6	10	29	18	31
	ORDER 7.														
	1 Arthritis	–	1	–	–	–	3	–	1	–	–	–	1	–	–
	2 *Joint Disease, &c.*	9	10	10	6	8	19	15	17	18	1	6	25	9	22
	ORDER 8.														
	1 Phlegmon	4	5	6	1	3	5	4	4	3	–	–	8	1	6
	2 Ulcer	4	4	4	1	2	5	3	4	8	–	2	4	5	9
	3 *Skin Disease, &c.*	4	1	1	1	2	2	3	4	1	1	4	6	3	2
IV.	ORDER 1.														
	1 Premature Birth	54	65	82	24	31	78	72	62	62	13	32	170	45	84
	2 Cyanosis	4	1	2	4	1	4	–	3	3	1	3	6	2	3
	3 Spina Bifida	4	2	3	1	–	4	2	1	3	3	9	10	3	5
	4 Other Malformations	8	5	2	2	2	7	3	5	5	1	2	4	1	8
	5 Teething	8	21	28	16	13	32	21	24	21	4	6	84	11	38
	ORDER 2.														
	1 Paramenia	1	2	2	–	–	2	–	2	–	2	–	4	–	1
	2 Childbirth (*see* Metria)	38	31	41	32	19	44	56	46	41	10	23	73	19	49
	ORDER 3.														
	1 Old Age	275	302	474	206	173	584	435	449	406	135	321	504	249	342
	ORDER 4.														
	1 Atrophy and Debility	237	230	370	120	123	350	460	301	274	51	158	684	203	431
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)														
	1 Fractures and Contusions	8	9	19	7	8	18	12	21	12	1	4	25	9	30
	2 Gunshot	–	1	–	–	–	2	–	1	–	–	–	–	–	–
	3 Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	1	–	1
	4 Burns and Scalds	14	18	24	14	12	26	32	27	24	8	32	91	23	82
	5 Poison	2	–	4	–	–	4	1	1	2	–	–	3	3	1
	6 Drowning	5	6	9	6	4	9	7	8	10	2	5	24	11	9
	7 Suffocation	2	3	3	6	2	8	1	7	2	–	2	5	7	43
	8 Otherwise	3	5	14	1	1	5	5	5	4	–	3	7	2	2
	ORDER 3. (HOMICIDE.)														
	1 Murder and Manslaughter	1	–	1	–	–	2	1	3	7	1	–	3	1	6
	ORDER 4. (SUICIDE.)														
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	–	–	2	–	–	–	1	–	1	–	–	1	1	–
	3 Poison	–	–	–	1	–	1	–	–	–	1	–	–	–	3
	4 Drowning	2	3	–	–	1	3	1	3	1	1	–	1	–	4
	5 Hanging	2	3	2	–	2	5	1	1	3	–	4	2	2	3
	6 Otherwise	–	2	4	1	–	2	–	–	1	–	–	2	–	1
	ORDER 5. (EXECUTION.)														
	1 Hanging	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Other Violent Deaths (not classed)	–	–	1	–	–	1	1	2	1	–	1	2	1	1
	Sudden Deaths (Cause unascertained)	16	23	55	8	2	21	45	44	44	6	11	43	10	9
	Causes not specified or ill-defined	31	33	106	15	16	53	73	22	50	53	42	75	31	48

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	MALES. Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	ORDER 4.—*continued.*																	
	11 *Stomach Disease, &c.*	23	4	36	15	18	33	147	97	21	31	29	30	12	8	9	25	36
	12 *Pancreas Disease, &c.*	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	13 Hepatitis	2	–	10	9	5	20	118	76	7	6	32	12	4	1	3	17	8
	14 Jaundice	14	1	18	8	13	8	57	54	8	8	28	10	8	2	7	22	8
	15 *Liver Disease, &c.*	25	6	50	56	41	74	277	217	41	33	53	42	27	14	17	64	38
	16 *Spleen Disease, &c.*	1	–	2	–	–	–	3	3	2	2	3	2	–	–	–	3	–
	ORDER 5.																	
	1 Nephritis	2	–	2	3	2	3	33	18	–	1	6	4	3	2	1	3	3
	2 Ischuria	2	–	–	4	–	2	4	5	–	2	1	2	1	1	–	–	3
	3 Nephria	15	–	8	7	6	14	107	43	10	6	14	22	10	1	6	22	8
	4 Diabetes	3	–	6	8	10	12	45	30	10	3	7	6	4	2	3	11	9
	5 Stone	6	–	5	2	1	1	11	13	7	1	3	2	3	–	–	9	4
	6 Cystitis	2	1	4	3	3	8	42	22	6	3	8	3	1	1	2	9	6
	7 *Kidney Disease, &c.*	25	–	43	40	17	34	149	104	33	30	28	37	10	3	10	46	24
	ORDER 6.																	
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	–	–	1	–	–	–	4	4	–	–	2	2	–	–	–	–	1
	ORDER 7.																	
	1 Arthritis	–	1	–	–	2	1	6	9	–	1	–	1	–	–	1	2	3
	2 *Joint Disease, &c.*	10	1	14	16	13	15	147	73	16	10	25	20	17	3	6	16	10
	ORDER 8.																	
	1 Phlegmon	2	1	–	1	2	7	27	14	7	2	4	2	–	–	4	3	5
	2 Ulcer	2	–	3	4	1	5	19	11	1	2	3	6	2	1	–	6	5
	3 *Skin Disease, &c.*	1	–	–	6	–	4	22	18	5	1	1	4	2	–	1	3	1
IV.	ORDER 1.																	
	1 Premature Birth	75	3	79	61	61	99	611	503	69	47	187	82	28	7	16	29	19
	2 Cyanosis	5	–	5	1	1	3	34	10	2	4	7	4	2	–	1	–	2
	3 Spina Bifida	2	–	3	1	1	7	26	14	3	1	4	1	1	–	2	2	1
	4 Other Malformations	–	–	2	4	1	8	31	13	4	2	10	1	–	–	3	2	–
	5 Teething	24	–	52	29	41	51	408	121	25	10	102	33	12	2	10	41	14
	ORDER 2.																	
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																	
	1 Old Age	187	26	281	212	177	215	899	724	178	190	240	186	174	69	106	577	388
	ORDER 4.																	
	1 Atrophy and Debility	214	11	244	244	197	312	2148	1013	186	113	475	262	201	42	108	541	201
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1 Fractures and Contusions	57	4	55	46	87	116	625	369	53	61	222	126	62	10	96	221	94
	2 Gunshot	1	–	4	3	–	1	9	7	3	–	4	2	2	1	1	6	–
	3 Cut, Stab	–	–	–	–	–	–	5	2	2	1	–	–	1	–	–	3	–
	4 Burns and Scalds	15	–	21	23	22	38	216	119	9	9	42	42	16	3	13	50	26
	5 Poison	5	–	4	5	6	4	17	15	2	1	2	1	2	1	–	4	2
	6 Drowning	10	–	39	18	24	105	318	110	41	10	65	47	35	7	29	95	62
	7 Suffocation	7	–	6	4	6	18	87	25	6	3	12	201	1	3	2	2	4
	8 Otherwise	6	–	23	11	9	17	48	32	11	9	10	13	8	3	7	23	8
	ORDER 3. (HOMICIDE.)																	
	1 Murder and Manslaughter	–	–	1	4	3	4	38	17	4	3	10	3	4	–	1	52	2
	ORDER 4. (SUICIDE.)																	
	1 Gunshot Wounds	–	–	–	–	1	–	1	–	2	2	1	1	1	–	–	2	–
	2 Cut, Stab	1	1	3	3	3	1	15	15	3	3	1	3	2	1	–	1	–
	3 Poison	1	–	1	3	2	1	8	1	–	–	6	1	1	–	–	–	–
	4 Drowning	2	–	4	2	2	1	12	16	1	2	2	2	2	–	–	–	3
	5 Hanging	6	–	13	11	12	9	65	40	8	5	11	2	7	4	1	13	5
	6 Otherwise	–	–	–	1	1	1	3	1	1	–	–	1	1	–	2	3	1
	ORDER 5. (EXECUTION.)																	
	1 Hanging	–	–	–	–	1	–	3	–	–	–	1	–	1	–	–	–	1
	Other Violent Deaths (not classed)	–	–	1	1	1	–	17	3	–	–	4	4	1	–	–	–	–
	Sudden Deaths (Cause unascertained)	8	1	40	34	25	55	344	63	6	13	21	47	14	6	8	66	38
	Causes not specified or ill-defined	18	2	71	20	21	43	223	262	47	11	32	50	67	9	29	280	121

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1862—*continued.*

Class.	CAUSES OF DEATH.	FEMALES. Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	ORDER 4.—*continued.*																	
	11 *Stomach Disease, &c.*	18	–	38	20	20	31	157	108	32	28	38	18	13	4	12	32	31
	12 *Pancreas Disease, &c.*	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	13 Hepatitis	4	3	9	9	14	24	113	67	6	8	17	18	5	1	4	14	5
	14 Jaundice	9	1	13	8	3	16	78	60	13	11	18	13	4	3	8	18	12
	15 *Liver Disease, &c.*	25	1	47	27	36	54	262	160	19	25	72	37	23	7	13	42	27
	16 *Spleen Disease, &c.*	1	–	–	1	1	–	3	5	3	1	–	–	–	–	–	1	–
	ORDER 5.																	
	1 Nephritis	1	–	1	5	2	1	12	9	2	–	6	–	2	1	–	2	2
	2 Ischuria	–	–	1	1	1	1	6	2	1	–	1	2	–	–	–	3	–
	3 Nephria	4	–	10	9	5	17	91	41	5	8	19	16	5	2	5	20	5
	4 Diabetes	5	–	4	2	1	4	23	20	6	4	2	3	1	1	1	4	1
	5 Stone	1	–	–	1	–	–	2	4	–	–	–	–	–	–	1	–	6
	6 Cystitis	1	–	1	1	1	1	14	7	1	2	–	–	3	–	–	2	–
	7 *Kidney Disease, &c.*	6	1	5	7	6	11	58	29	11	6	9	9	6	3	4	8	6
	ORDER 6.																	
	1 Ovarian Dropsy	6	1	6	6	3	4	28	19	8	8	11	7	3	1	5	4	5
	2 *Uterus Disease, &c.*	5	–	18	10	14	26	83	54	16	9	14	12	6	5	3	16	11
	ORDER 7.																	
	1 Arthritis	1	–	–	–	–	2	4	2	–	–	1	–	1	–	–	1	1
	2 *Joint Disease, &c.*	11	–	5	14	10	13	89	64	10	9	23	8	7	3	2	9	8
	ORDER 8.																	
	1 Phlegmon	1	–	4	1	2	5	19	24	2	1	5	3	–	1	1	–	–
	2 Ulcer	1	–	8	1	4	5	28	16	4	–	6	4	2	–	–	5	–
	3 *Skin Disease, &c.*	1	–	3	3	2	6	15	15	1	–	1	6	1	–	1	1	–
IV.	ORDER 1.																	
	1 Premature Birth	66	5	71	63	45	90	440	404	54	42	153	44	30	7	22	26	16
	2 Cyanosis	4	–	–	2	–	2	20	9	3	1	7	4	3	1	2	–	–
	3 Spina Bifida	2	1	3	3	5	12	36	18	3	2	5	4	4	–	3	6	2
	4 Other Malformations	1	–	1	2	–	3	15	13	–	2	6	2	–	–	5	1	–
	5 Teething	27	3	34	28	27	52	402	99	23	6	82	29	13	–	10	42	15
	ORDER 2.																	
	1 Paramenia	–	–	–	–	1	3	11	12	1	–	1	3	–	–	–	1	–
	2 Childbirth (*see* Metria)	22	3	33	18	23	68	314	177	36	31	76	40	26	8	24	86	65
	ORDER 3.																	
	1 Old Age	244	19	336	280	235	348	1242	977	219	226	414	278	236	70	142	753	579
	ORDER 4.																	
	1 Atrophy and Debility	202	14	226	250	169	266	2023	896	205	101	445	227	161	44	108	449	200
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1 Fractures and Contusions	8	1	18	16	7	13	132	65	10	10	25	8	9	3	17	29	9
	2 Gunshot	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	1
	3 Cut, Stab	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	1	–
	4 Burns and Scalds	12	–	30	12	22	38	215	104	21	9	41	30	17	3	23	59	35
	5 Poison	5	1	4	5	1	3	8	7	4	–	4	4	1	1	–	–	3
	6 Drowning	2	–	9	6	8	17	50	35	5	3	5	9	2	2	5	16	11
	7 Suffocation	3	–	2	4	7	3	95	12	4	7	5	–	3	–	–	2	–
	8 Otherwise	3	–	5	4	1	2	16	11	2	1	3	3	1	–	–	3	–
	ORDER 3. (HOMICIDE.)																	
	1 Murder and Manslaughter	–	–	1	3	2	3	21	1	2	1	3	2	2	1	–	1	1
	ORDER 4. (SUICIDE.)																	
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	2 Cut, Stab	–	–	–	–	2	1	6	7	–	1	3	1	–	–	–	1	–
	3 Poison	–	–	6	2	1	–	7	4	2	2	2	–	–	–	–	–	–
	4 Drowning	3	–	3	3	1	–	8	11	3	–	2	1	1	–	1	–	–
	5 Hanging	1	–	1	1	1	2	20	5	3	2	6	–	1	1	–	8	1
	6 Otherwise	–	–	–	2	–	2	2	2	–	–	–	–	1	–	1	2	1
	ORDER 5. (EXECUTION.)																	
	1 Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	1	–	–	–	–	3	7	1	–	–	2	1	1	–	–	–	–
	Sudden Deaths (Cause unascertained)	5	–	29	32	19	38	238	42	10	14	18	20	6	4	6	32	15
	Causes not specified or ill-defined	20	8	54	29	20	49	202	205	32	13	38	41	66	9	25	257	122

POPULATION 1861, AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES in the Ten Years 1851-60, and DEATHS from SEVERAL CAUSES in the Year 1862, in the DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND.

No.	DIVISIONS AND REGISTRATION COUNTIES.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES to 1,000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1862. (*See Note.*) Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	ENGLAND:	20,066,224	22	1628	9800	14834	4903	12,272	18,721	1523	940	2137	915	1044	11,112	511	50,932	67,565	14,944
No.	DIVISIONS.																		
I.	LONDON	2,803,989	24	366	2334	3492	730	2168	3598	319	190	245	48	103	1736	106	7871	11219	2273
II.	SOUTH EASTERN	1,847,661	20	52	600	957	430	956	1495	146	82	197	80	96	628	30	4277	4454	1069
III.	SOUTH MIDLAND	1,295,497	20	42	614	587	298	570	1052	111	71	123	71	45	561	23	2795	3412	781
IV.	EASTERN	1,142,580	21	122	170	693	560	502	863	74	40	110	39	45	426	25	2733	2711	607
V.	SOUTH WESTERN	1,835,714	20	168	557	802	182	754	1296	132	64	197	119	68	550	24	3907	4825	1166
VI.	WEST MIDLAND	2,436,568	22	38	1310	1599	578	1450	1874	174	108	215	100	110	1438	43	5209	9022	2101
VII.	NORTH MIDLAND	1,288,928	21	49	269	352	347	608	1067	93	52	99	106	58	587	16	3084	3486	837
VIII.	NORTH WESTERN	2,935,540	26	119	2060	3193	676	2754	3119	206	126	382	109	212	2713	131	8468	13906	2480
IX.	YORK	2,015,541	23	433	727	1408	471	1014	2150	153	96	244	127	158	1395	70	5469	7574	1385
X.	NORTHERN	1,151,372	22	226	509	1387	234	713	864	67	68	150	78	71	779	30	2844	3534	1228
XI.	WELSH	1,312,834	21	13	650	359	397	783	1343	48	43	175	38	48	299	13	4305	3422	1067
	I.—LONDON.																		
	MIDDLESEX (*part of*)	2,030,814	23	283	1778	2407	512	1611	2794	223	130	178	35	68	1260	76	5370	8387	1698
	SURREY (*part of*)	579,748	25	76	463	851	161	473	588	71	41	50	8	18	365	25	1636	2201	456
	KENT (*part of*)	193,427	22	7	93	234	57	84	216	25	19	17	5	17	111	5	565	631	119
	II.—SOUTH EASTERN.																		
1	**SURREY** (*extra-metrop.*)	273,264	18	12	118	151	56	119	168	22	12	38	8	21	73	2	583	691	143
2	**KENT** (*extra-metropolitan*)	545,272	20	9	184	297	140	253	546	47	22	58	24	21	193	13	1122	1221	336
3	**SUSSEX**	366,836	19	19	69	71	115	296	275	20	10	27	20	13	142	6	1005	793	209
4	**HAMPSHIRE**	456,654	20	4	173	368	65	207	359	40	27	45	23	36	153	6	1098	1186	255
5	**BERKSHIRE**	205,635	20	8	56	70	54	81	147	17	11	29	5	5	67	3	409	563	126
	III.—SOUTH MIDLAND.																		
6	**MIDDLESEX** (*extra-met.*)	187,325	20	5	93	139	39	99	125	26	13	15	1	6	77	6	362	494	120
7	**HERTFORDSHIRE**	177,452	19	-	156	110	28	65	113	15	16	26	10	2	49	1	363	409	97
8	**BUCKINGHAMSHIRE**	147,207	21	2	56	166	28	49	115	18	7	13	10	6	63	1	277	388	80
9	**OXFORDSHIRE**	171,233	21	1	37	24	15	93	111	6	6	17	13	5	67	-	382	499	92
10	**NORTHAMPTONSH.**	231,079	21	21	128	53	24	85	232	13	14	26	12	14	123	3	506	579	116
11	**HUNTINGDONSHIRE**	59,137	20	2	16	10	49	42	63	8	-	2	1	2	22	3	155	119	54
12	**BEDFORDSHIRE**	140,479	21	-	29	30	27	109	169	12	7	10	15	5	78	4	309	378	60
13	**CAMBRIDGESHIRE**	181,585	21	11	99	55	88	28	184	13	8	14	9	5	82	5	441	546	112
	IV.—EASTERN.																		
14	**ESSEX**	379,705	20	7	129	388	176	195	326	33	10	38	9	18	119	14	873	1016	181
15	**SUFFOLK**	335,409	20	27	9	108	125	151	230	16	10	31	11	6	120	6	779	781	187
16	**NORFOLK**	427,466	21	88	32	202	259	156	307	25	20	41	19	21	187	5	1081	914	239

NOTE.—The Total Deaths from ALL CAUSES in each Division, County, and District, of which the numbers here given form a part, will be found at pp. 28-38. For Tables showing the number of deaths of Males and Females under *each* cause in the Divisions and Counties of England, see pp. 136-159.

[POPU]LATION 1861, AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES in the Ten Years 1851–60, and DEATHS from SEVERAL CAUSES in the Year 1862, in the DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND—*continued.*

[N]o.	DIVISIONS AND [RE]GISTRATION COUNTIES.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES to 1,000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1862. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	V.—SOUTH WESTERN.																		
7	WILTSHIRE - - -	236,027	21	–	55	116	23	89	158	16	6	32	20	10	50	3	484	675	140
8	DORSETSHIRE - -	182,193	19	7	69	42	23	79	105	9	4	19	11	6	18	1	376	480	93
9	DEVONSHIRE - - -	589,278	20	14	286	353	65	387	442	53	25	44	28	31	227	8	1307	1573	357
0	CORNWALL - - -	354,848	20	144	95	165	35	89	257	17	12	56	26	8	100	5	917	836	265
1	SOMERSETSHIRE -	463,368	20	3	52	126	36	110	334	37	17	46	34	13	155	7	823	1261	311
	VI.—WEST MIDLAND.																		
2	GLOUCESTERSHIRE	443,535	21	21	49	111	85	251	334	16	12	41	34	15	179	2	995	1550	270
3	HEREFORDSHIRE -	106,796	20	–	31	12	22	44	50	5	2	10	6	2	17	1	197	230	62
4	SHROPSHIRE - - -	260,409	20	1	32	234	57	49	171	16	15	23	11	7	76	8	568	730	206
25	STAFFORDSHIRE -	769,541	25	6	829	807	135	506	691	53	50	73	23	35	564	22	1633	3407	810
26	WORCESTERSHIRE -	294,953	20	5	70	81	63	116	239	17	13	19	10	11	147	5	513	899	232
27	WARWICKSHIRE -	561,334	23	5	299	354	216	484	389	67	16	49	16	40	455	5	1303	2206	521
	VII.—NORTH MIDLAND.																		
28	LEICESTERSHIRE -	243,648	22	–	19	33	35	104	211	28	10	22	14	16	150	1	589	779	149
29	RUTLANDSHIRE - -	23,479	18	1	5	8	5	8	18	–	1	3	2	1	4	–	58	43	7
30	LINCOLNSHIRE - -	404,143	19	39	61	193	206	163	322	29	16	33	35	15	157	6	779	832	255
31	NOTTINGHAMSHIRE	323,784	22	3	114	68	50	167	266	18	17	18	23	17	144	6	876	999	193
32	DERBYSHIRE - - -	293,874	22	6	70	50	51	146	250	18	8	23	32	9	132	3	782	833	233
	VIII.—NORTH WESTERN.																		
33	CHESHIRE - - -	470,174	22	4	313	400	130	241	434	17	22	68	26	44	328	12	1194	1822	404
34	LANCASHIRE - - -	2,465,366	26	115	1747	2793	546	2513	2685	189	104	314	83	198	2385	119	7274	12084	2076
	IX.—YORK.																		
35	WEST RIDING - -	1,530,007	24	347	606	963	288	783	1701	123	78	177	79	126	1123	56	4416	6152	1038
36	EAST RIDING (*with York*)	274,425	22	68	105	204	88	142	272	12	8	36	23	23	179	5	667	835	202
37	NORTH RIDING - -	211,109	19	18	16	241	95	89	177	18	10	31	25	9	93	9	336	587	145
	X.—NORTHERN.																		
38	DURHAM - - - -	542,125	23	190	268	861	81	331	447	37	32	76	26	32	344	13	1188	1701	494
39	NORTHUMBERLAND	343,025	22	24	148	356	85	224	247	15	25	40	23	30	210	12	883	1084	509
40	CUMBERLAND - -	205,276	21	12	66	116	57	127	148	12	10	26	20	7	184	4	606	583	181
41	WESTMORLAND - -	60,946	18	–	27	54	11	31	22	3	1	8	9	2	11	1	167	166	44
	XI.—WELSH.																		
42	MONMOUTHSHIRE -	196,977	23	3	197	21	24	126	209	11	7	24	7	7	57	2	445	764	199
43	SOUTH WALES - -	699,722	22	9	301	127	187	274	770	22	15	86	10	23	179	7	2364	1756	598
44	NORTH WALES - -	416,135	20	1	152	211	186	383	364	15	21	65	21	18	63	4	1496	902	270

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1862, in the DISTRICTS of England.

I.—LONDON.

No.	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1862. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	MIDDLESEX (*part of*).																		
1	KENSINGTON	185,950	19	3	89	252	73	120	139	25	10	22	6	7	102	6	516	673	140
2	CHELSEA	63,439	26	4	16	90	16	54	57	11	5	4	2	3	50	3	211	263	26
3	ST. GEORGE HANOVER SQUARE	87,771	18	1	30	74	25	79	67	6	5	10	2	5	32	2	219	303	131
4	WESTMINSTER	68,213	26	6	18	51	10	56	78	4	8	8	4	2	66	6	232	314	61
5	ST. MARTIN-IN-THE-FIELDS	22,689	24	1	6	37	2	16	26	2	2	2	–	1	14	–	67	83	33
6	ST. JAMES WESTMINSTER	35,326	23	–	8	66	7	36	16	1	–	2	–	–	11	–	119	103	12
7	MARYLEBONE	161,680	24	3	84	124	41	120	138	14	6	14	1	6	103	3	408	752	105
8	HAMPSTEAD	19,106	17	–	21	10	6	14	5	–	1	1	1	–	7	–	35	37	12
9	PANCRAS	198,788	23	20	134	256	70	156	166	18	11	13	3	4	96	6	602	779	159
10	ISLINGTON	155,341	21	66	129	230	34	103	468	15	16	16	5	5	94	8	323	455	64
11	HACKNEY	83,295	21	1	29	85	23	47	83	10	5	5	–	6	36	4	201	236	46
12	ST. GILES	54,076	28	4	42	69	7	40	85	5	4	4	2	2	32	–	210	332	26
13	STRAND	42,979	22	6	10	50	9	11	48	4	5	3	–	4	20	–	119	192	42
14	HOLBORN	44,862	25	–	31	75	17	30	64	2	3	3	–	1	23	1	137	236	35
15	CLERKENWELL	65,681	23	1	81	113	18	52	68	5	3	5	1	–	43	5	194	276	31
16	ST. LUKE	57,073	24	5	62	76	12	66	76	5	9	–	1	2	36	–	113	256	38
17	EAST LONDON	40,687	25	2	51	55	10	52	55	6	1	3	1	–	36	–	120	165	23
18	WEST LONDON	27,145	25	–	22	34	8	13	81	9	7	7	–	2	12	–	152	210	117
19	LONDON CITY	45,555	19	1	29	36	7	36	30	2	1	6	1	1	12	–	88	149	29
20	SHOREDITCH	129,364	26	9	215	164	25	151	209	25	6	13	3	4	85	10	381	624	73
21	BETHNAL GREEN	105,101	24	19	169	173	19	93	152	16	8	6	1	3	68	4	278	437	52
22	WHITECHAPEL	78,970	28	36	156	83	14	62	246	13	2	4	–	–	68	5	238	410	173
23	ST. GEORGE-IN-THE-EAST	48,891	29	33	62	37	14	23	79	7	1	5	–	3	32	–	137	231	43
24a	STEPNEY	56,572	27	26	81	43	17	33	102	5	1	6	–	1	44	5	154	216	71
24b	MILE END OLD TOWN	73,064	24	8	110	74	17	67	131	7	10	8	1	5	63	5	207	350	48
25	POPLAR	79,196	26	28	93	48	11	76	125	6	–	8	–	1	75	3	209	305	108
	SURREY (*part of*).																		
26	ST. SAVIOUR SOUTHWARK	36,170	29	2	38	34	9	48	44	4	3	5	1	–	28	3	106	166	36
27	ST. OLAVE SOUTHWARK	19,056	25	2	21	18	2	12	59	6	4	3	–	2	6	–	140	132	148
28	BERMONDSEY	58,355	26	26	76	56	28	35	56	3	5	3	–	2	44	2	167	234	29
29	ST. GEORGE SOUTHWARK	55,510	27	18	45	72	11	47	108	7	2	6	–	1	81	2	196	226	29
30	NEWINGTON	82,220	24	15	56	94	14	54	56	15	5	2	–	–	36	–	233	309	37
31	LAMBETH	162,044	23	8	117	366	28	176	145	24	12	14	3	5	119	12	408	657	67
32	WANDSWORTH	70,403	22	3	53	40	21	57	38	7	–	6	2	2	43	2	168	184	36
33	CAMBERWELL	71,488	23	–	31	106	44	51	66	4	9	10	2	6	49	1	162	204	41
34	ROTHERHITHE	24,502	25	2	26	65	4	13	16	1	1	1	–	–	9	3	56	89	33
	KENT (*part of*).																		
35	GREENWICH	127,670	25	7	67	164	37	58	176	17	13	14	3	15	75	5	417	466	88
36	LEWISHAM	65,757	18	–	26	70	20	26	40	8	6	3	2	2	36	–	148	165	31

II.—SOUTH EASTERN COUNTIES.

No.	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY, 1851-60.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	1.—SURREY (*Extra-metrop.*)																		
37	EPSOM	22,409	16	–	6	26	12	6	7	–	–	5	2	14	5	1	45	54	15
38	CHERTSEY	18,642	18	2	1	–	–	–	11	–	–	2	–	–	6	1	32	45	12
39	GUILDFORD	29,330	19	6	3	4	5	15	18	3	–	5	1	–	4	–	81	94	5
40	FARNHAM	30,707	17	2	13	18	3	23	19	–	3	5	–	2	9	–	79	93	15
41	FARNBOROUGH	14,318	14	–	–	4	4	9	8	5	–	–	–	–	2	–	31	17	7
42	HAMBLEDON	13,907	17	–	3	3	6	2	2	1	2	3	–	–	–	–	23	28	3
43	DORKING	12,445	17	–	–	7	4	3	5	–	–	–	1	–	2	–	27	17	7
44	REIGATE	20,109	17	–	20	21	3	9	14	–	–	2	1	2	4	–	58	35	5
45	GODSTONE	9,642	17	–	4	2	1	3	5	–	–	1	–	–	3	–	11	19	7
46	CROYDON	46,474	19	1	22	42	4	26	36	6	4	6	3	1	20	–	81	133	29
47	KINGSTON	36,479	18	1	31	19	8	11	32	6	3	8	–	1	9	–	78	103	27
48	RICHMOND	18,802	20	–	15	5	6	12	11	1	–	1	–	1	9	–	37	53	11
	2.—KENT (*Extra-metropol.*)																		
49	BROMLEY	20,368	16	1	1	6	17	1	17	2	–	3	1	3	5	–	40	43	12
50	DARTFORD	32,316	18	1	4	17	4	9	39	3	2	3	–	–	13	8	55	70	31
51	GRAVESEND	18,782	23	–	4	70	6	5	24	1	1	1	1	2	13	–	48	80	8
52	NORTH AYLESFORD	19,121	20	–	18	22	11	7	26	1	2	1	–	3	6	3	45	34	25
53	HOO	2,861	25	–	–	–	–	–	8	–	–	–	1	–	2	–	4	11	4
54	MEDWAY	51,805	23	–	19	64	4	27	55	3	4	6	5	4	27	1	132	147	29
55	MALLING	21,447	19	–	18	2	16	4	7	3	1	2	3	–	8	1	31	33	20
56	SEVENOAKS	22,039	18	–	–	3	13	5	13	2	–	5	–	–	2	–	59	29	7
57	TUNBRIDGE	34,271	20	1	22	10	6	14	40	3	1	3	–	2	12	1	66	90	20
58	MAIDSTONE	38,670	23	–	14	7	5	26	35	5	2	4	–	–	18	1	113	103	24

NOTE.—In calculating the average annual rate of mortality from all causes in London, a correction has been made by distributing the deaths in hospitals proportionally over every district.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1862, in the DISTRICTS of England—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1862. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	2.—KENT (*Extra-metrop.*)—*continued.*																		
59	HOLLINGBOURN	13,584	19	1	–	3	3	3	7	–	–	–	–	1	6	–	17	19	8
60	CRANBROOK	13,412	17	–	10	2	3	7	9	2	–	1	–	–	4	–	22	35	6
61	TENTERDEN	10,947	19	–	1	–	4	6	4	1	–	–	1	–	5	–	32	12	7
62	WEST ASHFORD	15,137	20	–	11	4	2	7	22	2	–	1	–	–	3	1	38	26	8
63	EAST ASHFORD	12,286	18	–	3	3	1	–	17	7	–	2	–	–	2	–	27	16	3
64	BRIDGE	11,316	18	–	1	1	5	4	7	–	–	1	3	–	1	–	19	26	1
65	CANTERBURY	16,643	23	–	13	1	9	5	36	2	–	3	2	–	12	–	85	44	7
66	BLEAN	16,161	18	–	4	3	3	3	21	–	2	–	3	–	7	1	32	31	4
67	FAVERSHAM	18,867	20	–	1	15	7	6	19	1	1	3	1	1	1	–	36	36	13
68	MILTON	14,775	21	–	9	9	1	6	26	1	2	3	–	–	12	–	19	30	12
69	SHEPPEY	18,494	19	–	3	5	3	6	15	–	–	1	–	2	4	–	26	28	15
70	THANET	31,862	21	5	20	3	2	33	16	2	–	2	–	–	11	1	82	62	23
71	EASTRY	25,900	19	–	2	8	1	34	22	–	2	4	1	2	7	–	43	66	15
72	DOVER	31,575	20	–	10	5	9	20	38	3	2	6	1	1	7	–	51	84	21
73	ELHAM	26,925	18	–	1	34	1	13	16	3	–	1	1	–	4	–	41	44	9
74	ROMNEY MARSH	5,708	21	–	–	–	4	2	7	–	–	2	–	–	1	–	9	22	4
	3.—SUSSEX.																		
75	RYE	11,927	20	1	1	2	4	7	5	–	1	1	–	1	3	–	32	15	5
76	HASTINGS	26,631	18	–	26	7	3	16	16	3	–	2	–	3	13	2	87	64	14
77	BATTLE	12,680	17	–	3	2	3	9	7	–	–	1	–	–	6	–	22	22	4
78	EASTBOURNE	10,721	17	–	–	–	3	15	9	–	–	–	1	–	2	–	17	23	7
79	HAILSHAM	12,668	17	–	2	–	18	4	10	–	–	2	–	1	2	–	31	17	8
80	TICEHURST	14,626	19	–	–	1	11	7	16	–	1	2	–	–	3	–	40	33	8
81	UCKFIELD	17,260	19	–	–	1	2	4	8	1	3	1	–	–	4	1	47	29	10
82	EAST GRINSTEAD	14,097	17	–	6	1	13	10	17	–	1	2	–	2	7	–	36	42	5
83	CUCKFIELD	17,163	18	–	2	10	3	15	18	2	1	–	4	–	4	1	40	41	13
84	LEWES	26,995	19	–	1	8	4	29	30	–	–	5	3	2	15	2	80	54	13
85	BRIGHTON	77,693	22	5	7	23	9	109	51	2	1	8	2	–	57	–	246	209	48
86	STEYNING	24,053	16	–	–	–	6	20	17	1	–	1	–	1	11	–	51	46	11
87	HORSHAM	15,313	18	–	6	2	3	4	21	3	–	–	1	–	2	–	48	43	9
88	PETWORTH	9,397	19	–	5	–	5	7	1	–	–	–	–	–	3	–	17	19	5
89	THAKEHAM	7,567	18	–	5	6	6	9	1	–	–	1	1	–	2	–	19	7	4
90	WORTHING	18,921	18	11	5	4	4	9	16	1	1	–	–	2	–	–	56	34	15
91	WESTHAMPNETT	14,811	18	2	–	1	7	6	6	2	1	–	1	–	2	–	30	19	10
92	CHICHESTER	14,775	21	–	–	2	3	5	16	1	–	–	1	–	4	–	59	39	11
93	MIDHURST	12,581	18	–	–	1	4	7	7	3	–	–	4	1	2	–	28	30	4
94	WESTBOURNE	6,957	17	–	–	–	4	4	3	1	–	1	2	–	–	–	19	7	5
	4.—HAMPSHIRE.																		
95	HAVANT	7,212	19	–	–	2	1	4	4	–	–	–	–	–	3	–	23	36	3
96	PORTSEA ISLAND	94,828	23	–	42	22	20	36	128	5	8	5	–	19	71	3	230	320	54
97	ALVERSTOKE	22,653	26	–	11	20	5	13	33	1	–	2	–	3	14	–	87	73	20
98	FAREHAM	14,864	21	–	3	1	2	4	15	4	4	3	–	4	2	–	42	46	8
99	ISLE OF WIGHT	55,362	17	–	–	3	6	15	45	4	1	7	4	–	14	–	108	107	31
100	LYMINGTON	12,094	18	–	8	–	–	2	6	4	1	3	1	–	1	–	27	18	3
101	CHRISTCHURCH	10,438	18	–	2	2	2	–	7	2	–	3	–	1	2	–	34	27	4
102	RINGWOOD	5,357	18	–	8	–	–	–	3	–	–	–	–	–	–	–	11	16	3
103	FORDINGBRIDGE	6,377	20	–	13	33	–	5	–	–	1	2	1	–	6	1	12	14	4
104	NEW FOREST	13,509	17	–	2	1	6	3	3	1	1	–	–	1	–	–	24	26	7
105	SOUTHAMPTON	43,414	24	2	46	7	1	27	31	6	3	1	–	2	9	1	129	139	30
106	SOUTH STONEHAM	25,542	17	–	5	3	1	17	9	–	1	3	2	1	5	–	45	43	14
107	ROMSEY	10,771	19	–	1	4	–	11	1	–	2	–	2	1	4	–	22	29	7
108	STOCKBRIDGE	7,286	19	–	–	–	–	–	3	1	–	2	–	–	1	–	15	10	3
109	WINCHESTER	26,607	20	1	19	31	5	4	13	3	2	1	2	2	2	1	59	74	13
110	DROXFORD	10,665	18	–	1	1	–	9	5	–	1	–	–	–	–	–	25	20	5
111	CATHERINGTON	2,497	19	–	1	–	–	–	1	–	–	1	–	–	–	–	2	5	4
112	PETERSFIELD	7,853	19	–	–	2	2	14	4	2	–	2	1	–	1	–	15	10	5
113	ALRESFORD	7,182	16	–	–	–	–	8	1	1	–	–	–	–	–	–	21	12	1
114	ALTON	12,063	18	–	–	13	1	11	4	–	–	2	1	1	6	–	26	31	4
115	HARTLEY WINTNEY	11,480	19	–	–	7	4	1	7	1	–	2	3	1	5	–	28	17	6
116	BASINGSTOKE	17,429	19	–	–	5	5	17	13	1	2	1	2	–	1	–	41	51	10
117	WHITCHURCH	5,522	22	1	–	–	–	1	5	–	–	1	–	–	2	–	6	7	3
118	ANDOVER	17,132	18	–	10	6	1	1	10	3	–	3	4	–	1	–	43	28	8
119	KINGSCLERE	8,517	19	–	1	1	3	4	8	1	–	1	–	–	3	–	23	27	5
	5.—BERKSHIRE.																		
120	NEWBURY	19,999	21	–	10	1	7	1	23	1	4	4	3	–	6	–	57	62	9
121	HUNGERFORD	19,882	20	3	6	2	8	–	11	–	–	6	–	–	7	–	35	49	11
122	FARINGDON	15,688	21	3	1	2	2	10	8	1	–	2	–	–	4	–	48	58	9
123	ABINGDON	20,861	23	1	2	4	–	8	17	5	1	3	–	–	10	1	65	82	12
124	WANTAGE	17,308	20	–	–	1	1	1	11	1	2	4	–	–	6	–	40	27	15
125	WALLINGFORD	14,017	20	–	18	1	–	16	6	2	–	1	2	–	2	–	40	27	9
126	BRADFIELD	15,771	19	–	2	5	4	4	9	–	–	3	–	–	4	–	23	41	4
127	READING	25,876	22	1	2	32	4	15	17	2	4	2	–	3	11	1	54	73	25
128	WOKINGHAM	14,465	18	–	5	2	12	9	14	–	–	2	–	–	1	–	13	29	12
129	COOKHAM	13,031	18	–	–	4	3	6	9	1	–	–	–	–	6	–	26	24	8
130	EASTHAMPSTEAD	7,436	16	–	5	3	5	2	2	1	–	–	–	–	5	–	17	17	3
131	WINDSOR	21,301	20	–	5	13	8	9	20	3	–	2	–	2	5	1	51	74	9

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1862, in the DISTRICTS of England—*continued.*

III. SOUTH MIDLAND COUNTIES.

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1862.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	6. MIDDLESEX (*Extra-met.*)																		
132	STAINES	15,976	19	–	2	8	4	6	8	4	–	4	–	–	8	–	26	25	6
133	UXBRIDGE	23,155	22	–	–	1	3	4	25	4	1	3	–	2	9	1	49	58	21
134	BRENTFORD (*a*)	50,534	22	–	28	26	5	30	28	7	4	3	–	2	37	4	102	157	36
135	HENDON (*a*)	19,220	18	–	8	23	6	10	14	2	1	2	1	1	7	–	37	58	17
136	BARNET	19,128	25	3	18	13	2	–	9	3	3	1	–	–	2	–	49	53	12
137	EDMONTON	59,312	18	2	37	68	19	49	41	6	4	2	–	1	14	1	99	143	28
	7.—HERTFORDSHIRE.																		
138	WARE	16,515	18	–	25	16	–	6	11	2	1	4	–	–	3	–	47	37	12
139	BISHOP STORTFORD	20,212	18	–	20	60	6	5	10	2	2	6	3	2	6	1	41	53	14
140	ROYSTON	25,014	19	–	18	4	3	11	13	3	2	3	1	–	2	–	62	54	4
141	HITCHIN	25,603	19	–	26	–	2	12	11	3	5	3	4	–	7	–	46	61	14
142	HERTFORD	15,301	17	–	27	4	3	20	10	1	–	3	–	–	8	–	18	36	10
143	HATFIELD	8,400	18	–	10	–	–	1	9	–	–	–	–	–	3	–	18	31	7
144	ST. ALBANS	18,925	19	–	25	10	1	3	16	2	1	4	–	–	8	–	43	45	9
145	WATFORD	20,355	20	–	5	4	11	5	19	1	2	1	1	–	5	–	44	30	11
146	HEMEL HEMPSTEAD	13,922	21	–	–	5	1	–	11	1	–	1	–	–	5	–	22	31	9
147	BERKHAMPSTEAD	13,204	21	–	–	7	1	2	3	–	3	1	1	–	2	–	22	31	7
	8.—BUCKINGHAMSH.																		
148	AMERSHAM	18,240	22	–	3	8	4	1	8	3	1	3	1	3	4	–	28	48	6
149	ETON	22,353	18	1	11	6	1	15	12	3	–	2	–	1	11	–	44	55	28
150	WYCOMBE	35,138	21	1	25	34	10	5	35	5	1	5	–	1	14	–	52	89	13
151	AYLESBURY	23,600	22	–	–	70	9	9	26	2	2	2	2	–	15	–	51	75	6
152	WINSLOW	9,265	22	–	10	21	2	1	7	4	–	–	4	–	1	–	30	11	2
153	NEWPORT PAGNELL	24,855	21	–	7	3	1	8	21	–	2	1	3	1	11	1	45	71	14
154	BUCKINGHAM	13,756	22	–	–	24	1	10	6	1	1	–	–	–	7	–	27	39	11
	9.—OXFORDSHIRE.																		
155	HENLEY	18,200	19	–	17	3	2	15	10	2	1	3	5	1	8	–	37	53	14
156	THAME	15,305	21	–	1	7	2	6	8	1	–	1	2	–	2	–	43	44	10
157	HEADINGTON	17,185	23	–	1	1	2	6	15	–	–	2	–	–	10	–	52	68	16
158	OXFORD	20,037	21	1	–	–	1	11	10	–	1	–	–	–	6	–	65	64	11
159	BICESTER	15,555	21	–	–	4	1	18	15	1	–	2	–	–	9	–	31	41	9
160	WOODSTOCK	14,236	20	–	–	3	2	7	10	–	2	1	1	–	6	–	27	37	5
161	WITNEY	23,238	20	–	–	1	1	14	13	–	–	2	2	2	8	–	42	69	9
162	CHIPPING NORTON	17,306	19	–	6	3	–	–	9	1	2	5	–	1	3	–	39	41	5
163	BANBURY	30,171	21	–	12	2	4	16	21	1	–	1	3	1	15	–	46	82	13
	10.—NORTHAMPTONSH.																		
164	BRACKLEY	13,471	21	–	25	–	–	–	15	1	–	1	–	1	–	1	25	33	4
165	TOWCESTER	13,004	23	1	1	3	2	1	8	–	–	3	–	–	3	–	23	37	7
166	POTTERSPURY	11,632	20	–	23	3	–	10	13	2	1	1	–	–	3	–	27	28	8
167	HARDINGSTONE	9,928	20	–	2	–	–	1	6	–	1	2	–	–	4	–	32	17	4
168	NORTHAMPTON (*b*)	41,152	25	17	22	7	3	10	30	3	3	6	3	3	53	–	132	112	23
169	DAVENTRY	20,600	20	–	10	–	2	7	19	3	1	3	–	3	5	–	42	64	19
170	BRIXWORTH (*b*)	15,367	20	–	27	–	4	9	27	–	3	–	–	–	9	1	21	46	9
171	WELLINGBOROUGH	24,224	22	–	8	–	–	11	30	–	2	2	1	1	13	–	55	85	9
172	KETTERING	18,995	20	3	1	3	2	2	14	–	–	1	1	–	3	–	43	48	6
173	THRAPSTON	14,065	20	–	–	1	–	9	16	–	1	4	1	–	14	–	18	26	4
174	OUNDLE	15,463	19	–	–	2	1	3	17	–	–	1	2	2	–	–	25	33	6
175	PETERBOROUGH	33,178	20	–	9	34	10	22	37	4	2	2	4	4	16	1	63	50	17
	11.—HUNTINGDONSH.																		
176	HUNTINGDON	20,518	20	2	5	3	13	23	29	–	–	–	–	–	10	–	47	43	28
177	ST. IVES	19,654	20	–	7	3	18	9	24	5	–	1	1	2	6	1	56	46	15
178	ST. NEOTS	18,965	19	–	4	4	13	10	10	3	–	1	–	–	6	2	52	30	11
	12.—BEDFORDSHIRE.																		
179	BEDFORD	38,072	20	–	20	12	7	28	32	5	2	4	2	1	17	–	86	122	24
180	BIGGLESWADE	25,393	21	–	4	4	10	3	20	2	1	–	1	–	27	4	53	62	13
181	AMPTHILL	16,970	21	–	1	2	2	28	7	–	–	1	–	2	5	–	50	45	4
182	WOBURN	11,684	22	–	1	3	3	9	8	1	1	1	–	2	5	–	21	16	2
183	LEIGHTON BUZZARD	17,648	22	–	2	3	5	1	26	–	2	–	5	–	9	–	30	34	7
184	LUTON	30,712	20	–	1	6	–	40	16	4	1	4	7	–	15	–	69	99	10
	13.—CAMBRIDGESH.																		
185	CAXTON	10,966	19	–	3	1	2	–	12	–	–	1	–	1	4	–	28	22	4
186	CHESTERTON	25,083	20	1	8	1	45	–	11	2	2	3	2	1	15	–	71	55	11
187	CAMBRIDGE	26,361	20	1	29	4	9	2	23	2	–	2	–	–	15	–	94	82	21
188	LINTON	13,510	19	–	5	2	2	4	20	1	2	1	3	–	5	1	51	44	6
189	NEWMARKET	28,675	20	–	41	3	6	–	15	–	–	3	2	1	17	1	70	97	15
190	ELY	21,910	21	–	1	–	4	–	23	3	1	1	–	–	11	–	34	63	15
191	NORTH WITCHFORD	14,791	21	–	4	19	6	5	22	–	–	–	–	1	6	2	31	51	14
192	WHITTLESEY	6,966	23	9	1	17	–	11	12	1	–	–	1	–	2	–	19	25	5
193	WISBEACH	33,323	22	–	7	8	14	6	46	4	3	3	1	1	7	1	43	107	21

(*a*) See Note (*), page 8. (*b*) See Note (*), page 10.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1862, in the Districts of England—*continued.*

IV.—EASTERN COUNTIES.

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851–60.	DEATHS FROM SEVERAL CAUSES IN 1862.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	14.—ESSEX.																		
194	West Ham	59,319	20	4	52	54	13	28	90	5	1	7	–	6	29	4	135	225	29
195	Epping	16,549	18	–	3	14	4	3	11	1	–	–	–	–	5	–	31	40	6
196	Ongar	11,317	18	–	1	1	10	5	8	1	–	–	–	–	4	–	15	31	5
197	Romford	26,965	20	–	2	6	20	11	19	1	–	3	–	2	9	2	38	64	14
198	Orsett	11,595	21	–	9	3	3	2	11	–	1	4	1	1	10	3	24	31	10
199	Billericay	15,031	21	–	–	11	3	14	9	2	–	4	2	–	3	1	32	29	6
200	Chelmsford	32,765	19	1	2	85	54	14	40	3	3	7	–	–	7	3	93	81	17
201	Rochford	18,282	21	–	1	2	13	15	18	3	1	1	–	2	4	–	32	38	8
202	Maldon	22,556	21	–	21	8	12	1	22	5	1	2	1	–	1	1	74	69	9
203	Tendring	27,105	20	2	3	–	5	13	12	1	–	1	–	1	11	–	67	69	9
204	Colchester	23,815	22	–	1	7	7	27	12	1	–	2	–	1	6	–	70	76	10
205	Lexden	22,950	19	–	–	19	6	27	13	1	–	2	–	–	7	–	37	42	12
206	Witham	16,324	21	–	17	59	13	14	10	2	–	–	–	1	1	–	40	38	11
207	Halstead	18,482	22	–	9	47	2	13	22	2	–	–	–	1	4	–	47	48	8
208	Braintree	17,170	21	–	–	57	3	6	12	3	2	–	–	–	9	–	50	45	7
209	Dunmow	19,759	20	–	2	9	6	1	7	1	–	3	–	1	6	–	43	49	8
210	Saffron Walden	19,721	19	–	6	6	2	1	10	1	1	2	5	2	3	–	45	41	12
	15.—SUFFOLK																		
211	Risbridge	17,432	20	–	–	3	2	23	23	1	–	1	–	–	7	1	32	37	4
212	Sudbury	31,415	20	–	–	2	4	14	9	–	2	4	–	–	18	1	80	78	12
213	Cosford	17,376	20	–	1	3	4	7	13	–	–	–	1	–	2	–	46	48	8
214	Thingoe	18,224	19	1	–	9	10	7	7	–	–	3	–	–	2	–	36	32	5
215	Bury St. Edmunds	13,318	23	–	1	84	1	12	10	2	–	1	–	–	7	–	34	45	10
216	Mildenhall	9,595	20	1	2	2	4	2	12	–	–	–	–	1	–	–	29	14	7
217	Stow	20,908	19	1	2	4	8	11	26	–	–	4	–	–	8	–	39	30	13
218	Hartismere	17,665	20	–	–	4	12	7	14	2	–	–	–	–	6	–	50	30	13
219	Hoxne	14,694	20	–	–	1	22	–	9	2	1	1	2	1	5	–	34	35	11
220	Bosmere	16,174	19	1	–	7	3	5	16	–	2	2	1	–	6	–	43	38	5
221	Samford	12,736	20	1	1	1	9	5	6	1	–	1	–	1	2	1	22	23	5
222	Ipswich	37,881	22	2	–	1	15	16	22	1	1	5	–	–	16	–	96	123	21
223	Woodbridge	22,754	20	–	–	4	2	15	24	2	1	2	3	–	10	–	52	65	17
224	Plomesgate	20,720	20	–	–	9	3	6	6	1	–	1	–	–	10	–	59	56	13
225	Blything	26,848	20	2	–	4	9	15	7	2	–	3	4	1	5	2	61	58	14
226	Wangford	13,619	21	–	–	6	7	1	9	1	–	3	–	–	4	–	22	24	7
227	Mutford	24,050	20	18	2	14	10	5	17	1	3	–	–	2	12	1	44	35	22
	16.—NORFOLK.																		
228	Yarmouth	30,338	25	2	–	11	2	5	27	2	–	3	–	1	21	–	69	56	26
229	Flegg	8,631	20	–	–	1	2	2	6	–	–	–	–	1	2	1	15	23	7
230	Tunstead	14,516	21	2	3	2	1	7	12	3	–	–	1	–	6	–	43	23	11
231	Erpingham	20,874	21	8	1	56	10	8	18	–	1	2	–	2	5	–	66	57	3
232	Aylsham	19,052	21	6	7	4	5	13	10	2	–	3	2	3	10	–	51	49	12
233	St. Faiths	11,749	18	3	–	2	10	7	8	1	1	1	–	2	3	–	33	24	2
234	Norwich	74,440	25	47	4	7	12	22	51	5	5	7	–	8	58	1	204	213	47
235	Forehoe	12,818	20	–	–	7	4	6	12	1	1	1	–	–	7	–	28	23	11
236	Henstead	11,290	19	1	–	8	1	1	12	–	2	2	–	2	3	–	23	24	6
237	Blofield	11,521	20	2	2	–	15	–	8	–	–	2	1	–	4	–	24	25	4
238	Loddon	14,242	19	1	–	8	15	–	13	–	–	–	–	–	2	–	21	23	5
239	Depwade	25,248	20	7	–	3	56	6	12	–	3	3	3	1	9	2	74	50	10
240	Guiltcross	11,541	22	–	2	3	12	9	6	–	1	1	–	–	1	1	28	19	6
241	Wayland	11,562	20	–	–	2	3	3	9	–	1	1	–	–	1	–	27	23	3
242	Mitford	28,020	20	2	5	6	26	8	15	3	1	2	1	–	3	–	73	57	14
243	Walsingham	21,118	20	1	–	19	27	4	14	–	–	1	4	1	5	–	60	30	10
244	Docking	17,596	21	–	1	14	28	14	16	–	–	7	–	–	6	–	38	22	6
245	Freebridge Lynn	13,486	18	3	1	1	2	5	9	4	–	–	3	–	9	–	42	23	10
246	Kings Lynn	16,701	22	3	–	4	5	19	13	2	2	1	1	–	11	–	38	42	19
247	Downham	20,264	21	–	5	34	15	4	17	2	1	1	–	–	10	–	46	43	12
248	Swaffham	13,747	19	–	1	4	2	2	10	–	1	1	–	–	8	–	22	25	6
249	Thetford	18,712	20	–	–	6	6	11	9	–	–	2	3	–	3	–	56	40	9

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.																		
250	Highworth	19,237	21	–	3	13	1	3	22	–	–	6	1	1	5	1	38	71	13
251	Cricklade	11,470	20	–	–	–	3	3	14	–	1	1	7	–	–	–	19	41	9
252	Malmsbury	14,556	19	–	–	3	–	9	11	1	2	1	1	–	6	1	23	21	12
253	Chippenham	22,029	21	–	9	3	4	2	20	3	1	–	1	1	5	–	40	49	10
254	Calne	8,885	20	–	–	–	–	–	3	4	–	3	–	–	3	–	17	19	5
255	Marlborough	9,774	19	–	–	–	2	–	3	–	–	–	–	–	1	–	19	24	4
256	Devizes	21,680	21	–	1	–	3	6	11	1	–	3	1	3	–	1	59	66	13
257	Melksham	17,233	22	–	2	29	1	20	7	1	1	2	1	2	4	–	41	74	13
258	Bradford	10,475	22	–	2	1	2	11	7	–	–	1	1	–	3	–	22	24	6

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1862, in the Districts of England—*continued.*

V. SOUTH WESTERN COUNTIES—*continued.*

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851–60.	DEATHS FROM SEVERAL CAUSES IN 1862. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	17.—WILTSHIRE—*cont.*																		
259	Westbury	11,751	22	–	2	18	–	3	4	–	–	4	1	1	2	–	20	34	5
260	Warminster	15,912	20	–	–	–	–	–	6	1	1	3	–	–	2	–	28	47	11
261	Pewsey	12,466	19	–	6	–	–	–	8	2	–	–	1	1	11	–	26	54	16
262	Amesbury	8,127	20	–	1	18	1	1	4	–	–	1	1	–	–	–	22	16	3
263	Alderbury	14,770	23	–	9	13	3	6	6	3	–	2	–	–	2	–	35	23	6
264	Salisbury	9,039	24	–	16	12	2	11	–	–	–	1	–	–	2	–	19	48	2
265	Wilton	10,674	21	–	2	3	–	2	8	–	–	3	1	1	1	–	26	22	7
266	Tisbury	9,862	19	–	–	3	–	4	7	–	–	1	2	–	1	–	15	21	3
267	Mere	8,057	21	–	2	–	1	8	17	–	–	–	1	–	2	–	15	21	2
	18.—DORSETSHIRE.																		
268	Shaftesbury	12,986	20	–	–	–	–	7	22	1	–	1	1	2	1	–	33	37	2
269	Sturminster (*a*)	10,340	20	–	–	–	3	–	2	1	1	–	–	–	–	–	28	23	5
270	Blandford (*a*)	14,821	17	–	2	1	–	9	12	–	–	2	–	–	3	1	29	29	6
271	Wimborne	17,253	18	–	4	5	3	16	7	1	1	2	8	–	2	–	42	38	8
272	Poole	13,742	20	–	9	2	8	2	15	1	–	–	–	–	1	–	24	52	7
273	Wareham	17,072	19	1	–	1	1	5	10	2	–	–	–	2	–	–	33	33	9
274	Weymouth (*b*)	27,291	18	–	4	12	1	21	8	2	1	1	–	–	7	–	48	66	15
275	Dorchester (*b*)	24,810	21	4	1	4	1	3	7	–	–	4	–	1	2	–	54	60	16
276	Sherborne	13,463	20	–	4	–	3	4	9	–	–	4	2	1	–	–	30	29	8
277	Beaminster	13,587	20	1	7	2	–	1	7	–	–	2	–	–	1	–	28	49	8
278	Bridport	16,828	21	1	38	15	3	11	6	1	1	3	–	–	1	–	27	64	9
	19.—DEVONSHIRE.																		
279	Axminster	19,758	20	–	2	–	1	12	8	1	–	1	2	1	2	–	29	51	9
280	Honiton	22,729	19	1	2	2	1	12	18	1	–	2	–	–	5	–	42	53	15
281	St. Thomas	48,405	19	3	8	10	9	13	32	2	6	4	–	2	18	–	101	110	33
282	Exeter	33,742	24	1	18	5	4	13	34	3	1	1	–	4	15	–	93	117	38
283	Newton Abbot	59,063	18	–	20	10	7	43	37	2	–	4	2	1	28	–	159	163	30
284	Totnes	32,942	19	–	41	10	4	21	29	2	–	1	6	2	7	–	65	87	16
285	Kingsbridge	19,394	18	–	16	11	–	10	8	–	1	1	2	–	2	–	37	47	9
286	Plympton St. Mary	20,502	19	–	9	13	1	15	17	2	–	1	2	–	3	–	35	54	20
287	Plymouth	62,599	24	1	95	30	3	83	51	5	2	10	2	7	50	4	183	212	44
288	East Stonehouse	14,343	27	–	4	8	3	14	18	1	–	2	–	3	12	–	58	45	9
289	Stoke Damerel	50,440	23	–	9	172	4	41	41	7	2	4	1	3	32	–	94	156	26
290	Tavistock	35,265	20	2	10	14	3	53	42	4	3	–	1	–	19	1	75	95	22
291	Okehampton	18,580	18	–	1	2	6	3	12	4	–	3	2	1	1	–	44	37	10
292	Crediton	20,274	18	–	8	4	3	12	9	2	–	–	1	–	3	1	33	45	8
293	Tiverton (*c*)	30,875	21	6	32	26	1	10	35	3	1	1	–	5	9	–	65	60	16
294	South Molton (*d*)	19,532	18	–	6	14	2	9	11	2	1	–	2	1	4	1	40	61	9
295	Barnstaple (*d*)	36,293	18	–	2	7	8	15	14	5	6	4	2	–	10	–	70	81	22
296	Torrington	16,876	17	–	3	4	–	1	10	1	–	3	3	–	4	–	38	33	7
297	Bideford	17,790	19	–	–	9	3	6	13	4	1	1	–	1	3	1	29	40	9
298	Holsworthy	9,876	18	–	–	2	2	1	3	2	1	1	–	–	–	–	14	26	5
	20.—CORNWALL.																		
299	Stratton	8,028	20	–	–	–	2	3	4	–	–	3	–	–	1	–	15	24	8
300	Camelford	7,784	19	–	–	1	2	–	3	–	–	–	–	–	2	–	17	16	4
301	Launceston	17,005	19	1	6	2	5	9	13	1	1	2	2	1	–	1	30	42	15
302	St. Germans	17,631	21	–	9	7	1	6	19	–	–	1	–	–	5	–	46	44	13
303	Liskeard	33,562	20	2	13	3	4	29	27	–	1	5	7	1	11	–	84	81	24
304	Bodmin	19,691	20	7	–	4	2	4	7	–	–	2	6	1	2	1	30	32	10
305	St. Columb	16,754	18	–	–	1	3	2	3	–	1	2	2	–	3	–	33	30	10
306	St. Austell	33,797	20	1	5	5	3	5	43	–	1	6	2	1	15	–	95	96	16
307	Truro	43,070	20	36	26	28	3	3	40	6	1	6	2	1	10	–	106	111	28
308	Falmouth	23,332	20	7	26	7	1	6	16	2	1	5	–	2	6	1	55	68	26
309	Helston	30,036	20	13	3	27	6	1	9	2	2	6	1	–	9	1	90	44	30
310	Redruth	57,173	21	77	3	75	2	17	32	1	3	10	1	–	12	1	157	129	41
311	Penzance	54,554	21	–	4	5	1	1	41	5	–	8	3	1	22	–	150	112	38
312	Scilly Islands	2,431	18	–	–	–	–	3	–	–	1	–	–	–	2	–	9	7	2
	21.—SOMERSETSHIRE.																		
313*a*	Williton	19,918	18	1	2	–	1	1	14	1	–	2	–	2	3	–	28	49	9
313*b*	Dulverton (*c*, *d*)	6,158	16	–	–	1	–	–	4	–	–	2	–	–	1	–	10	8	1
314	Wellington	20,480	18	–	3	–	2	3	3	–	–	–	–	–	7	–	38	40	13
315	Taunton	35,601	20	–	–	2	2	2	15	4	1	2	2	1	13	–	58	81	25
316	Bridgwater	34,420	19	–	5	7	4	5	38	4	4	1	–	–	3	–	70	86	34
317	Langport	18,077	19	–	1	18	1	3	13	1	–	3	4	–	3	–	27	43	12
318	Chard	25,591	20	1	1	1	2		14	1	–	1	–	2	3	–	44	68	18
319	Yeovil	28,189	21	–	3	57	1	14	18	4	2	5	2	–	5	–	63	59	14
320	Wincanton	21,500	20	–	2	4	1	2	29	1	1	1	11	1	3	–	42	44	11
321	Frome	23,704	22	–	–	–	–	1	9	–	–	3	4	1	12	3	34	67	16
322	Shepton Mallet	16,619	20	–	12	1	1	3	4	2	–	1	1	–	5	–	30	30	7
323	Wells	21,889	21	–	11	–	–	2	25	2	–	–	3	1	5	–	38	57	13
324	Axbridge	36,106	17	–	4	3	3	1	27	3	1	5	1	1	11	1	74	92	22
325	Clutton	23,721	19	1	–	1	3	6	24	2	–	3	–	–	4	–	45	71	23
326	Bath	68,336	22	–	1	7	9	37	44	4	4	10	2	4	46	2	136	256	56
327	Keynsham	21,802	19	–	4	4	–	9	20	3	3	2	2	–	13	1	42	62	15
328	Bedminster	41,257	20	–	3	20	6	21	33	5	1	5	2	–	18		64	150	22

(*a*) See Note (*), page 14. (*b*) See Note (†), page 14. (*c*) See Note (‡), page 15. (*d*) See Note (§), page 15.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1862, in the DISTRICTS of England—*continued.*

VI.—WEST MIDLAND COUNTIES.

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851–60.	DEATHS FROM SEVERAL CAUSES IN 1862. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	22.—GLOUCESTERSH.																		
329	BRISTOL	66,027	27	2	2	29	20	62	76	5	2	5	7	5	48	1	196	317	94
330	CLIFTON	94,687	21	5	10	23	17	62	75	3	2	13	4	4	45	–	228	426	20
331	CHIPPING SODBURY	18,763	19	–	3	14	1	4	15	2	–	1	1	–	5	–	31	61	8
332	THORNBURY	16,499	17	–	–	1	3	–	10	1	–	2	4	–	3	1	32	43	10
333	DURSLEY	13,331	21	–	1	1	–	2	5	–	–	1	–	–	2	–	17	47	8
334	WESTBURY-ON-SEVERN	20,189	18	–	15	8	7	8	13	–	3	3	–	–	5	–	22	63	14
335	NEWENT	12,420	19	–	–	–	1	3	2	1	–	1	–	–	2	–	30	27	4
336	GLOUCESTER	34,950	22	1	3	1	7	7	32	1	2	2	8	–	24	–	94	100	25
337	WHEATENHURST	7,813	19	–	–	4	–	4	7	1	2	–	–	–	5	–	15	12	10
338	STROUD	36,448	22	–	15	22	–	35	23	1	–	4	1	2	11	–	70	137	19
339	TETBURY	6,110	18	–	–	–	–	2	6	–	–	1	–	–	–	–	13	21	3
340	CIRENCESTER	20,934	20	–	–	1	6	18	13	–	–	3	4	1	5	–	42	66	12
341	NORTHLEACH	10,895	19	1	–	–	2	10	4	–	–	1	1	–	–	–	20	21	4
342	STOW-ON-THE-WOLD	9,687	18	1	–	–	14	9	12	–	–	1	–	–	2	–	21	26	6
343	WINCHCOMB	10,082	18	–	–	1	1	–	6	–	–	–	2	1	1	–	14	11	5
344	CHELTENHAM	49,792	19	11	–	6	3	11	28	1	1	3	1	–	15	–	109	136	14
345	TEWKESBURY	14,908	21	1	–	–	3	14	7	–	–	–	1	2	6	–	41	36	14
	23.—HEREFORDSHIRE.																		
346	LEDBURY	14,880	18	–	1	–	3	9	6	–	–	3	2	–	1	–	20	24	3
347	ROSS	16,306	20	–	7	1	2	11	19	–	–	–	1	–	3	–	21	31	10
348	HEREFORD	39,287	21	–	13	1	9	16	15	3	–	2	–	–	8	1	109	100	24
349	WEOBLY	9,018	20	–	3	9	–	1	5	1	1	1	–	–	1	–	10	14	8
350	BROMYARD	11,811	20	–	2	–	–	5	1	1	–	1	–	–	–	–	7	21	9
351	LEOMINSTER	15,494	21	–	5	1	8	2	4	–	1	3	3	2	4	–	30	40	8
	24.—SHROPSHIRE.																		
352	LUDLOW	17,721	19	–	3	15	3	3	14	–	–	–	–	1	9	1	23	47	13
353	CLUN	10,615	18	–	1	4	–	4	6	3	1	2	–	–	1	–	28	30	1
354	CHURCH STRETTON	6,289	18	–	–	1	1	–	3	–	1	–	1	–	–	–	13	8	4
355	CLEOBURY MORTIMER	8,304	18	–	–	9	–	4	7	–	–	1	–	–	3	–	23	21	3
356	BRIDGNORTH	15,920	19	–	2	2	3	–	12	1	4	2	–	2	5	–	32	40	10
357	SHIFFNAL	11,994	18	–	4	13	4	2	4	1	2	3	–	–	5	1	31	48	13
358	MADELEY	30,403	21	–	7	22	4	5	17	2	–	3	1	2	3	2	100	86	34
359	ATCHAM	19,455	18	1	2	3	1	2	4	–	1	2	–	–	2	–	34	29	12
360	SHREWSBURY	25,784	25	–	1	3	4	2	21	2	–	7	–	–	16	–	66	69	32
361	OSWESTRY	23,817	19	–	6	13	20	5	16	–	1	–	2	–	3	1	53	56	21
362	ELLESMERE	14,611	19	–	1	8	3	4	12	1	–	1	1	–	–	–	32	41	9
363*a*	WEM	10,644	20	–	–	6	2	5	3	1	–	–	–	–	2	1	15	29	7
363*b*	WHITCHURCH	11,272	20*	–	–	3	5	7	11	1	–	–	2	–	7	–	24	24	6
364	MARKET DRAYTON	14,260	20	–	1	8	2	1	4	1	2	–	3	1	2	–	27	62	8
365	WELLINGTON	23,873	22	–	2	97	1	4	30	2	1	1	1	1	11	2	38	87	20
366	NEWPORT	15,447	20	–	2	32	4	1	7	1	2	1	–	–	7	–	29	53	13
	25.—STAFFORDSHIRE.																		
367	STAFFORD	24,474	22	1	2	41	7	7	20	3	1	3	–	1	11	1	55	72	17
368	STONE	21,926	20	–	3	7	1	4	12	6	2	3	–	1	11	1	73	70	11
369	NEWCASTLE-UNDER-LYME	24,567	23	–	24	6	1	2	19	3	1	1	1	1	6	–	68	100	12
370	WOLSTANTON	54,356	26	–	86	7	2	49	45	5	4	11	–	1	38	–	113	292	49
371	STOKE-UPON-TRENT	71,308	26	–	39	84	5	58	52	5	5	3	5	6	53	6	258	368	63
372	LEEK	24,806	24	–	8	6	–	6	15	1	2	2	–	2	11	–	68	56	13
373	CHEADLE	20,988	21	–	1	36	10	20	18	2	–	3	4	4	15	2	55	65	18
374	UTTOXETER	14,787	20	–	–	5	1	4	9	1	1	5	2	–	3	1	23	46	6
375	BURTON-UPON-TRENT	41,065	21	–	17	2	12	17	35	1	1	3	–	1	10	1	103	116	34
376	TAMWORTH	15,504	20	–	5	1	5	2	13	1	1	–	1	–	5	–	30	42	17
377	LICHFIELD	27,541	20	3	33	3	2	17	21	1	2	2	1	–	8	–	79	104	25
378	PENKRIDGE	18,662	20		5	7	8	2	8	1	–	–	–	–	8	–	34	52	23
379	WOLVERHAMPTON	126,902	28	–	198	106	35	116	113	9	7	11	4	5	80	2	240	711	176
380	WALSALL	59,908	26	–	106	22	9	64	85	4	2	6	3	4	66	–	108	286	62
381	WEST BROMWICH	92,480	24	2	56	267	14	44	95	4	9	8	–	4	63	7	161	382	88
382	DUDLEY	130,267	26	–	246	207	23	94	131	6	12	12	2	5	173	1	182	645	196
	26.—WORCESTERSH.																		
383	STOURBRIDGE	68,726	23	–	35	21	5	27	60	2	4	5	2	3	61	2	[illegible]	273	91
384	KIDDERMINSTER	30,307	21	–	14	4	5	–	27	–	1	2	–	7	9	–	57	94	18
385	TENBURY	7,366	17	1	–	1	2	2	1	–	–	–	–	–	–	1	8	17	7
386	MARTLEY	15,098	18	–	–	2	3	4	19	–	–	1	2	–	3	–	2	28	3
387	WORCESTER	30,969	23	4	12	3	6	20	32	1	2	2	–	–	25	2	53	120	24
388	UPTON-ON-SEVERN	21,010	20	–	2	1	5	5	8	1	1	1	4	–	4	–	41	43	19
389	EVESHAM	14,767	19	–	–	1	1	4	7	2	1	–	–	–	9	–	3	34	7
390	PERSHORE	13,865	17	–	–	–	1	4	7	–	–	–	1	–	2	–	24	29	10
391	DROITWICH	19,289	18	–	2	1	5	6	23	2	1	2	1	–	3	–	25	41	11
392	BROMSGROVE	26,207	20	–	2		5	19	27	3	–	1	–		10	–	5	68	7
393	KINGS NORTON	47,349	17		3	47	25	25	28	6	3	5	–	1	21	–	80	152	35

* The mortality for Whitchurch is the average annual rate in 7¾ years.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1862, in the DISTRICTS of England—*continued.*

VI.—WEST MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851-60.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	27.—WARWICKSHIRE.																		
394	BIRMINGHAM	212,621	27	2	152	213	107	240	176	31	7	9	3	16	255	2	588	1093	309
395	ASTON	100,522	21	2	53	115	72	111	78	14	4	13	1	11	76	1	214	443	63
396	MERIDEN	11,290	18	–	–	–	3	4	1	–	–	–	–	–	7	–	11	32	12
397	ATHERSTONE	12,118	20	–	16	1	–	5	5	1	–	3	–	2	11	–	17	35	10
398	NUNEATON	13,054	23	–	6	–	2	5	13	–	–	1	–	–	5	–	42	39	9
399	FOLESHILL	19,997	25	–	28	–	2	6	21	1	–	7	–	1	9	–	47	48	11
400	COVENTRY	41,647	25	1	28	7	4	37	28	3	–	4	–	6	27	1	81	125	19
401	RUGBY	24,436	19	–	1	–	4	4	26	3	–	3	1	1	4	–	37	73	13
402	SOLIHULL	13,231	18	–	–	2	8	16	4	1	–	–	–	1	2	1	16	43	8
403	WARWICK	44,047	21	–	6	8	8	15	17	5	3	4	6	1	24	–	114	115	33
404	STRATFORD-ON-AVON	21,249	19	–	1	–	3	5	4	3	1	2	–	–	5	–	43	43	7
405	ALCESTER	16,878	21	–	3	2	–	16	4	2	–	2	4	–	11	–	24	51	4
406	SHIPSTON-ON-STOUR	19,852	20	–	2	2	1	20	8	–	1	1	1	–	15	–	48	37	14
407	SOUTHAM	10,392	19	–	3	4	2	–	4	3	–	–	–	1	4	–	21	29	9

VII.—NORTH MIDLAND COUNTIES.

No.	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851-60.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	28.—LEICESTERSHIRE.																		
408	LUTTERWORTH	15,515	19	–	3	1	6	8	7	3	–	1	–	3	5	–	25	31	6
409	MARKET HARBOROUGH	16,059	20	–	6	2	5	9	7	–	1	1	1	–	1	–	28	35	12
410	BILLESDON	7,272	16	–	–	–	2	3	2	–	–	1	–	1	1	–	8	6	5
411	BLABY (*a*)	14,305	21	–	2	1	–	4	11	–	–	1	1	1	9	–	27	48	6
412	HINCKLEY	16,374	23	–	–	–	1	7	17	4	1	2	1	1	8	–	36	44	11
413	MARKET BOSWORTH	13,428	19	–	2	8	1	4	13	–	2	1	1	–	2	–	31	32	8
414	ASHBY-DE-LA-ZOUCH (*b*)	28,543	21	–	–	1	2	6	44	1	2	2	2	1	8	–	60	89	22
415	LOUGHBOROUGH (*b*)	24,147	23	–	–	4	7	2	23	2	1	3	2	2	5	–	72	66	14
416	BARROW ON SOAR	19,778	22	–	–	2	1	4	16	3	1	1	–	–	13	–	47	71	14
417	LEICESTER (*a*)	68,056	25	–	6	14	5	50	63	15	2	7	5	7	91	1	209	298	40
418	MELTON MOWBRAY	20,171	19	–	–	–	5	7	8	–	–	2	1	–	7	–	46	59	11
	29.—RUTLANDSHIRE.																		
419	OAKHAM	11,112	19	1	1	8	3	4	7	–	–	1	–	1	3	–	30	21	5
420	UPPINGHAM	12,367	18	–	4	–	2	4	11	–	1	2	2	–	1	–	28	22	2
	30.—LINCOLNSHIRE.																		
421	STAMFORD	18,213	20	8	17	3	1	3	6	2	–	1	5	1	5	1	28	34	11
422	BOURN (*c*)	20,113	19	1	3	–	2	10	25	–	1	–	–	2	12	–	30	40	13
423	SPALDING (*c*)	22,129	20	1	–	5	1	51	18	1	–	3	1	–	11	–	36	53	16
424	HOLBEACH	18,402	21	–	3	–	16	7	31	5	1	1	–	–	12	–	38	52	11
425	BOSTON	37,969	19	1	16	50	26	24	27	2	3	1	3	2	15	1	78	71	19
426	SLEAFORD	24,919	19	–	2	32	6	9	12	2	1	3	1	–	11	–	49	67	21
427	GRANTHAM	28,886	19	–	9	3	4	13	26	2	–	2	9	4	11	–	63	84	18
428	LINCOLN	47,063	20	11	2	23	40	15	43	4	2	6	2	–	11	–	91	111	26
429	HORNCASTLE	24,718	19	8	–	3	22	14	12	–	1	2	1	–	7	2	47	42	15
430	SPILSBY	28,799	19	–	3	1	19	8	24	–	–	2	4	–	8	–	64	35	20
431	LOUTH	34,711	20	5	–	–	9	3	18	–	–	3	3	–	9	1	76	41	20
432	CAISTOR	37,517	19	4	1	13	21	4	28	5	6	4	5	–	15	1	66	64	20
433	GLANDFORD BRIGG	34,731	19	–	3	8	18	2	22	5	–	3	1	4	11	–	63	68	27
434	GAINSBOROUGH	25,973	20	–	2	52	21	–	30	1	1	2	–	2	19	–	50	70	18
	31.—NOTTINGHAMSH.																		
435	EAST RETFORD	22,677	19	–	3	7	3	11	19	–	–	1	6	1	3	–	43	58	13
436	WORKSOP	20,704	20	–	2	1	4	5	19	4	2	2	4	2	4	–	47	48	14
437	MANSFIELD	30,593	21	2	5	12	3	11	24	4	2	3	2	4	5	–	74	89	16
438	BASFORD (*d*)	74,257	23	1	49	28	11	33	73	5	2	6	6	5	38	5	207	236	62
439	RADFORD	30,479	25	–	3	–	4	21	15	1	2	1	–	–	26	1	91	95	7
440	NOTTINGHAM (*d*)	74,693	27	–	35	11	5	73	64	2	6	3	1	3	54		252	285	37
441	SOUTHWELL	24,425	19	–	–		9	12	8	–	–	–	2	–	1	–	63	41	15
442	NEWARK	30,·86	20	–	17	8	11	19	35	1	1	1	2	1	10	–	64	82	23
443	BINGHAM	15,670	19	–	–	1	–	2	9	1	2	1	–	1	3	–	35	65	6
	32.—DERBYSHIRE.																		
444	SHARDLOW	31,113	20	–	4	2	1	8	14	2	–	2	–	1	9	–	77	70	21
445	DERBY	51,049	24	1	3	2	16	14	44	3	1	5	3	2	31	1	191	141	38
446	BELPER	51,711	21	–	16	10	10	29	66	1	2	6	7	1	35	1	140	151	49
447	ASHBORNE	20,648	20	–	1	7	4	6	16	–	–	1	8	–	2	–	53	38	15
448	CHESTERFIELD	61,779	22	1	21	11	8	22	56	4	1	3	5	3	28	–	146	178	57
449	BAKEWELL	31,378	20	–	3	12	4	12	21	2	1	3	8	1	9		76	71	21
450	CHAPEL-EN-LE-FRITH	14,020	20	1	11	3	7	7	3	2	1	1	1	–	3	1	37	53	12
451	HAYFIELD	32,176	23	3	11	3	1	48	30	4	2	2	–	1	15		62	131	20

(*a*) See Note (*), page 18. (*b*) See Note (†), page 18. (*c*) See Note (‡), page 19. (*d*) See Note (‖), page 19.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1862, in the DISTRICTS of England—*continued.*

VIII.—NORTH WESTERN COUNTIES.

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1862. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	33.—CHESHIRE.																		
452	STOCKPORT	94,360	26	1	126	96	6	74	101	2	5	9	1	19	101	2	268	554	83
453	MACCLESFIELD	61,543	25	–	70	18	15	34	69	1	2	12	4	2	41	–	198	274	40
454	ALTRINCHAM	40,517	20	–	11	20	28	16	23	1	1	10	2	5	14	–	91	138	27
455	RUNCORN	26,792	21	–	7	23	8	7	23	–	2	2	3	6	13	–	69	81	27
456	NORTHWICH	33,338	22	–	4	110	6	19	36	3	3	6	8	2	18	1	51	140	37
457	CONGLETON	34,328	23	–	14	10	1	23	37	1	3	3	3	2	15	1	125	109	23
458	NANTWICH	40,955	20	–	5	7	8	5	23	2	3	3	1	2	21	1	84	93	20
459	GREAT BOUGHTON (CHESTER)	58,501	22	–	32	60	27	18	47	1	1	9	1	3	31	3	138	182	53
460*a*	WIRRAL	18,420	} 19 {	–	9	9	2	3	18	–	–	1	–	–	7	–	28	30	17
460*b*	BIRKENHEAD	61,420		3	35	47	29	42	57	6	2	13	3	3	67	4	142	226	77
	34.—LANCASHIRE.																		
461	LIVERPOOL	269,742	33	25	273	615	59	215	488	32	13	23	5	30	388	22	953	1782	418
462	WEST DERBY	225,845	23	9	205	474	75	158	361	29	10	33	7	30	206	21	667	839	185
463	PRESCOT	73,127	24	–	14	59	15	34	68	9	5	13	1	9	55	4	159	383	72
464	ORMSKIRK	46,252	19	1	14	15	9	23	27	3	–	8	2	2	20	4	119	149	49
465	WIGAN	94,561	27	–	14	98	4	125	166	6	2	15	1	12	105	1	172	566	117
466	WARRINGTON	43,875	24	–	10	9	14	21	22	4	–	4	–	11	51	1	86	193	53
467	LEIGH	37,700	25	2	6	27	1	27	39	4	3	9	1	4	23	3	132	208	45
468	BOLTON	130,269	27	–	40	165	15	126	107	11	4	19	2	7	114	11	389	717	89
469	BURY	101,135	23	–	35	281	8	53	73	6	4	15	2	7	89	1	317	345	58
470	BARTON-UPON-IRWELL	39,038	22	–	18	25	7	28	39	4	–	5	–	3	26	–	109	122	33
471	CHORLTON	169,579	24	2	98	74	63	165	142	10	6	22	3	14	177	5	455	814	70
472	SALFORD	105,335	26	5	112	20	30	235	98	7	3	13	1	14	142	5	264	584	51
473	MANCHESTER	243,988	31	20	236	215	90	414	264	15	8	26	6	23	310	8	862	1553	267
474	ASHTON	134,753	27	1	120	191	12	177	105	9	2	17	2	4	108	9	422	642	93
475	OLDHAM	111,276	25	3	73	286	44	70	100	6	15	16	6	10	108	1	302	503	71
476	ROCHDALE	91,754	24	19	19	29	5	45	79	9	6	8	–	5	59	3	259	363	55
477	HASLINGDEN	69,781	22	2	36	23	9	60	88	5	5	10	1	2	45	4	163	269	38
478	BURNLEY	75,595	24	20	3	35	10	91	79	4	4	11	–	–	49	3	221	301	41
479	CLITHEROE	20,476	21	–	17	–	1	31	14	–	3	1	–	–	8	–	52	43	3
480	BLACKBURN	119,942	26	1	164	65	7	206	100	5	2	9	3	8	103	6	329	673	75
481	CHORLEY	41,678	22	–	69	18	2	30	35	2	2	7	2	1	18	2	119	154	37
482	PRESTON	110,523	27	–	91	60	35	91	136	1	3	20	1	–	143	2	423	571	72
483	FYLDE	25,682	19	–	4	1	6	14	20	2	–	3	–	1	8	1	54	66	21
484	GARSTANG	12,425	18	–	7	3	11	4	6	–	–	–	8	–	7	1	31	33	3
485	LANCASTER	35,297	23	4	18	4	8	18	9	1	2	3	23	–	9	–	94	107	29
486	ULVERSTONE	35,738	20	1	51	1	6	52	20	5	2	4	6	1	14	1	121	109	36

IX.—YORKSHIRE.

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY, 1851-60.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	35.—WEST RIDING.																		
487	SEDBERGH	4,391	19	–	2	–	–	4	6	–	–	–	4	1	1	–	19	8	–
488	SETTLE	12,528	20	1	2	1	3	4	5	–	–	–	2	–	2	–	33	24	2
489	SKIPTON	31,343	21	11	1	5	7	14	16	1	–	4	5	–	6	2	101	70	19
490	PATELEY BRIDGE	9,534	21	1	–	1	–	–	4	1	1	1	2	–	2	–	32	24	2
491	RIPON	15,742	20	–	1	4	4	4	8	2	1	2	3	–	6	–	33	24	16
492*a*	GREAT OUSEBURN	11,534	18*	4	1	–	–	5	3	2	1	1	5	–	7	–	29	31	3
492*b*	KNARESBOROUGH	17,176	21	–	–	–	1	6	18	2	1	1	–	4	8	–	46	44	12
492*c*	WETHERBY	6,668	18*	2	–	2	–	1	4	–	–	–	2	1	3	–	13	19	3
492*d*	KIRKDEIGHTON	987	22	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–
493*a*	OTLEY	18,669	22	–	10	1	1	6	12	1	–	–	3	3	2	1	62	57	9
493*b*	WHARFEDALE	15,453	23	–	–	8	5	4	34	2	–	2	1	–	14	–	56	50	9
494	KEIGHLEY	43,122	20	30	5	1	1	49	46	2	2	9	7	2	17	2	196	120	19
495	TODMORDEN	31,113	20	4	7	7	–	2	22	2	5	1	–	5	16	2	67	113	20
496	SADDLEWORTH	18,631	24	–	4	5	2	9	19	1	2	3	–	2	7	3	62	75	9
497	HUDDERSFIELD	131,336	22	89	18	128	23	47	148	9	7	13	–	11	76	7	424	376	89
498	HALIFAX	128,673	24	32	44	28	8	50	118	8	3	8	4	5	53	3	444	515	74
499	BRADFORD	196,475	26	101	132	72	13	139	207	13	14	27	8	16	154	5	614	882	115
500	HUNSLET (*a*, *b*)	102,418	24	–	53	51	16	60	91	8	3	16	1	18	78	4	260	456	57
501	LEEDS	117,566	28	4	97	146	16	69	150	15	7	18	2	9	141	5	352	886	92
502	DEWSBURY	92,883	25	13	22	10	13	66	77	11	6	16	1	4	66	3	238	369	55
503	WAKEFIELD (*a*)	54,899	24	18	4	35	27	35	54	10	3	5	–	1	31	–	171	196	50
504*a*	PONTEFRACT (*a*)	14,635	22 †	–	–	33	4	9	29	–	1	4	1	1	23	–	49	61	16
504*b*	HEMSWORTH	7,793	16	1	1	1	4	5	5	2	–	1	2	1	6	–	21	23	2
504*c*	CASTLEFORD (*a*)	19,954	†	–	7	19	2	21	16	1	1	1	–	1	11	1	35	45	8
505	BARNSLEY	45,797	24	8	19	5	6	30	39	3	2	5	2	1	26	5	98	146	43
506	WORTLEY	38,511	21	2	9	9	22	15	29	4	1	5	1	2	11	3	97	143	35
507	ECCLESALL BIERLOW	63,618	23	1	24	76	29	20	57	4	4	4	–	1	52	–	193	240	23
508	SHEFFIELD	128,951	28	16	112	243	44	77	211	5	4	15	–	20	185	8	346	737	108
509	ROTHERHAM	44,350	22	2	23	29	10	16	170	4	3	6	9	5	51	–	113	169	51
510	DONCASTER	39,388	22	3	4	14	12	8	50	5	3	–	4	5	44	–	70	113	26
511	THORNE	16,011	21	–	2	12	7	1	18	3	–	1	6	1	7	–	35	32	15
512	GOOLE	15,153	21	1	1	9	2	1	12	..	2	2	1	3	7	–	34	41	28
513	SELBY	16,001	21	–	1	6	3	5	13	1	–	1	1	2	6	–	33	19	18
514	TADCASTER (*a*)	18,704	19	3	–	2	3	1	10	1	1	–	2	1	4	2	37	43	10

(*a*) See Note (*), page 20. (*b*) See Note (†), page 21.

* The mortality for Great Ouseburn and Wetherby is the average annual rate in 6½ years.
† The mortality for Castleford is returned with Pontefract.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1862, in the DISTRICTS of England—*continued.*

IX.—YORKSHIRE—*continued.*

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1862. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	36.—EAST RIDING (WITH YORK).																		
515	YORK	59,909	24	61	–	14	11	17	48	5	–	5	6	6	32	–	173	182	32
516	POCKLINGTON	16,710	19	1	–	3	6	12	6	2	–	1	–	–	8	–	23	40	4
517	HOWDEN	15,001	23	–	4	7	33	8	19	–	–	5	–	2	17	–	35	71	9
518	BEVERLEY	21,029	19	1	3	22	3	7	18	2	2	3	–	2	3	–	43	60	17
519	SCULCOATES	51,956	22	2	48	50	5	32	58	–	2	9	2	7	54	2	142	179	39
520	HULL	56,888	25	1	45	32	7	43	84	1	2	7	2	3	44	2	140	207	52
521	PATRINGTON	9,681	20	1	1	1	4	8	6	1	–	–	–	–	1	–	18	12	4
522	SKIRLAUGH	9,654	19	1	2	7	9	4	7	–	–	1	1	2	6	–	23	15	15
523	DRIFFIELD	19,226	20	–	1	62	7	6	23	–	–	2	12	–	6	1	33	33	16
524	BRIDLINGTON	14,371	20	–	1	6	3	5	3	1	2	3	–	1	8	–	37	36	14
	37.—NORTH RIDING.																		
525	SCARBOROUGH	30,425	21	2	–	48	8	16	17	7	1	4	1	2	17	2	58	84	20
526	MALTON	23,483	19	1	1	52	22	3	35	1	2	–	5	–	13	1	37	42	17
527	EASINGWOLD	10,148	18	–	–	2	5	8	6	–	2	–	3	–	6	–	28	17	6
528	THIRSK	12,299	18	1	–	2	5	9	3	1	1	2	5	1	2	–	18	33	7
529	HELMSLEY	11,832	19	2	–	–	5	2	12	2	–	4	2		6	1	28	40	2
530	PICKERING	10,549	19	–	–	–	32	–	15	–	–	2	–	1	5	2	13	35	10
531	WHITBY	23,633	20	8	7	94	2	27	29	–	1	6	1	–	9	–	53	73	22
532	GUISBROUGH	22,128	20	1	1	26	1	12	14	1	2	2	1	–	14	2	32	74	30
533	STOKESLEY	10,381	20	1	–	1	–	4	10	–	1	–	2	4	5	–	20	16	2
534	NORTHALLERTON	12,174	19	–	–	7	1	4	17	1	–	2	–	–	3	–	22	37	9
535	BEDALE	8,650	18	–	–	1	9	2	9	1	–	3	2	–	3	1	10	26	4
536	LEYBURN	10,105	17	–	–	4		1	3	2	–	1	–	–	2	–	19	30	3
537	ASKRIGG	5,649	20	–	2	2	2	1	3	–	–	1	–	–	–	–	8	16	2
538	REETH	6,196	20	–		–		–	2	–	–	3	1	–	1	–	18	22	3
539	RICHMOND	13,457	19	2	5	2	3	–	2	2	–	1	2	1	7	–	22	42	8

X.—NORTHERN COUNTIES.

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851-60.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	38.—DURHAM.																		
540	DARLINGTON	26,122	20	4	11	115	11	8	20	1	–	3	–	–	10	2	68	72	14
541a	STOCKTON	57,099	22 (Stockton and Hartlepool)	7	17	45	2	37	55	6	1	14	8	3	47	–	135	218	57
541b	HARTLEPOOL	29,153		44	30	18	1	24	36	3	1	3	1	–	30	–	65	111	27
542	AUCKLAND	50,491	23	18	7	112	23	65	37	2	2	12	–	–	19	–	117	127	47
543	TEESDALE	20,880	19	1	12	18	2	–	8	2	–	–	1	3	8	–	56	62	13
544	WEARDALE	16,418	21	1	3	16	2	4	14	–	2	3	3	1	7	–	60	66	7
545	DURHAM	70,274	23	–	7	77	3	32	82	2	1	8	3	3	30	1	141	168	54
546	EASINGTON	27,293	20	17	6	68	3	24	21	1	5	5	1	1	12	2	45	72	50
547	HOUGHTON-LE-SPRING	21,773	21	6	17	66	2	22	13	3	1	5	–	–	18	1	39	66	26
548	CHESTER-LE-STREET	27,660	21	3	21	55	6	11	15	2	3	2	–	2	14	1	55	91	34
549	SUNDERLAND	90,704	25	87	58	99	12	37	63	7	10	9	7	8	63	3	194	293	81
550	SOUTH SHIELDS	44,849	24	–	22	90	10	13	37	4	5	3	1	3	49	1	88	133	49
551	GATESHEAD	59,409	26	2	57	82	4	54	46	4	1	9	1	8	37	2	125	222	35
	39.—NORTHUMBERLD.																		
552	NEWCASTLE-UPON-TYNE	110,968	27	16	66	102	5	117	78	3	6	20	10	14	109	4	316	494	115
553	TYNEMOUTH	77,955	23	7	24	79	7	58	67	3	7	9	4	5	63	2	217	234	297
554	CASTLE WARD	14,943	19	1	5	9	2	2	5	–	1	–	–	–	5	–	24	47	8
555	HEXHAM	31,850	19	–	3	20	18	15	16	5	3	1	1	2	15	1	86	86	18
556	HALTWHISTLE	6,693	17	–	–	16	7	–	2	–	–	–	2	–	1	–	19	11	8
557	BELLINGHAM	7,080	14	–	–	2	1	4	–	1	–	–	–	–	–	–	17	10	3
558	MORPETH	24,0[illegible]3	19	–	27	16	27	4	36	1	2	3	3	1	29	2	56	62	17
559	ALNWICK	21,053	19	–	8	45	2	13	12	1	1	1	–	3	6	–	49	66	25
560	BELFORD	6,260	16	–	–	1	11	6	5	–	–	–	–	1	1	–	20	15	1
561	BERWICK	21,862	19	–	7	43	–	2	16	1	2	2	–	2	8	3	45	35	13
562	GLENDALE	13,211	15	–	7	15	2	1	7	–	3	3	1	2	3	–	22	18	7
563	ROTHBURY	7,147	15	–	1	8	3	2	3	–	–	1	2	–	–	–	12	6	2
	40.—CUMBERLAND.																		
564	ALSTON	6,404	20	–	–	7	4	4	1	–	–	1	–	–	2	–	16	33	3
565	PENRITH	22,322	19	–	12	8	19	5	10	–	1	4	4	2	6	1	54	39	25
566	BRAMPTON	10,856	17	–	4	26	6	–	6	–	1	3	–	–	3	1	39	16	8
567	LONGTOWN	10,469	17	–	4	1	1	2	5	–	1	3	2	–	5	–	28	16	3
568	CARLISLE	44,820	23	12	18	40	3	34	33	3	5	4	1	–	49	–	127	155	35
569	WIGTON	23,273	19	–	–	12	8	13	18	2	–	2	1	–	7	–	88	36	8
570	COCKERMOUTH	41,292	22	–	9	18	4	30	36	1	1	2	4	4	64	–	132	104	39
571	WHITEHAVEN	39,950	23	–	19	3	9	36	37	5	1	7	1	1	46	2	103	178	57
572	BOOTLE	5,880	16	–	–	1	3	3	2	1	–	–	7	–	2	–	19	6	3
	41.—WESTMORLAND.																		
573	EAST WARD	15,411	18	–	11	–	6	9	4	1	1	–	–	1	2	–	34	40	18
574	WEST WARD	8,072	18	–	4	1	5	3	–	–	–	3	–	–	3	–	29	29	9
575	KENDAL	37,463	19	–	12	53	–	19	18	2	–	5	9	1	6	1	104	97	17

[P]opulation 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1862, in the DISTRICTS of England—*continued.*

XI.—MONMOUTHSHIRE AND WALES.

	DISTRICTS.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1862.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	42.—MONMOUTHSHIRE.																		
76	CHEPSTOW	17,941	20	–	1	4	1	4	11	1	–	2	3	1	2	1	30	39	17
77	MONMOUTH	30,244	19	1	19	3	10	8	22	2	–	4	3	1	11	1	70	141	22
78a	ABERGAVENNY	19,527	25		16	–	4	14	27	4	2	2	–	1	3	–	42	84	11
78b	BEDWELTY	47,565		1	127	10	4	54	67	1	2	8	–	2	14	–	141	232	60
79	PONTYPOOL	30,288	23	–	28	–	2	18	24	1	–	1	–	–	3	–	46	97	26
80	NEWPORT	51,412	22	1	6	4	3	28	58	2	3	7	1	2	24	–	116	171	63
	43.—SOUTH WALES.																		
	GLAMORGANSHIRE.																		
81	CARDIFF	74,575	23	3	30	11	17	45	69	4	3	9	1	3	32	–	228	241	81
82	MERTHYR TYDFIL	107,105	29	1	95	9	5	52	137	4	4	11	–	4	47	–	451	431	187
83	BRIDGEND	26,465	20	–	6	2	3	10	34	–	–	1	1	3	4	–	58	82	21
84	NEATH	58,583	22	1	85	5	6	59	93	2	2	14	–	1	25	1	149	165	51
85a	SWANSEA	51,260	20	–	46	11	15	9	64	2	2	5	–	2	28	2	157	185	39
85b	GOWER	8,316		–	1	1	5	5	2	1	–	–	–	–	2	–	25	7	7
	CARMARTHENSHIRE.																		
86	LLANELLY	27,979	20	–	2	2	1	1	38	1	–	3	–	–	5	–	107	52	27
87	LLANDOVERY	14,775	18	–	–	1	1	–	15	–	–	1	–	1	1	–	56	22	4
88	LLANDILOFAWR	17,222	19	–	5	–	–	–	12	–	–	2	–	–	–	–	67	13	6
89	CARMARTHEN	36,675	21	–	4	2	1	2	58	–	2	4	–	3	4	1	139	83	13
	PEMBROKESHIRE.																		
90	NARBERTH	21,344	19	1	1	5	5	15	31	–	–	2	–	–	–	–	92	18	12
91	PEMBROKE	29,003	19	1	–	7	2	8	18	1	–	6	1	1	5	2	82	23	46
92	HAVERFORDWEST	37,343	21	1	1	2	2	6	67	1	–	2	4	–	6	–	137	63	19
	CARDIGANSHIRE.																		
93	CARDIGAN	18,585	19	–	–	3	15	2	19	–	–	2	1	–	–	–	69	17	8
94	NEWCASTLE-IN-EMLYN	19,081	18	–	–	6	33	1	15	–	1	1	–	–	2	–	85	20	6
95	LAMPETER	9,994	18	–	1	1	1	–	3	–	–	1	–	–	–	–	34	9	4
96	ABERAYRON	13,540	20	–	–	1	10	–	10	–	–	4	–	–	–	–	52	12	8
97	ABERYSTWITH	25,461	19	–	–	23	33	6	19	–	–	2	–	–	–	–	77	42	9
98	TREGARON	10,737	18	1	1	–	5	1	6	–	–	3	–	2	3	–	37	15	4
	BRECKNOCKSHIRE.																		
99	BUILTH	8,305	18	–	1	2	–	1	7	1	–	1	–	–	–	–	28	14	8
00	BRECKNOCK	17,279	21	–	–	–	1	1	10	1	1	5	–	1	2	–	46	49	7
01	CRICKHOWELL	22,457	25	–	8	–	4	7	22	2	–	3	–	–	4	–	77	100	17
02	HAY	10,819	22	–	2	3	–	4	2	–	–	1	1	–	5	–	30	23	6
	RADNORSHIRE.																		
03	PRESTEIGNE	15,671	19	–	11	26	19	12	9	2	–	2	–	1	1	–	40	32	5
04	KNIGHTON	10,379	16	–	–	3	–	20	8	–	–	–	1	1	1	–	28	20	9
05	RHAYADER	6,816	18	–	–	1	3	7	2	–	–	1	–	–	2	1	13	18	4
	44.—NORTH WALES.																		
	MONTGOMERYSHIRE.																		
06	MACHYNLLETH	12,395	21	–	–	8	–	1	24	2	1	3	3	1	1	–	74	19	11
07	NEWTOWN	23,732	21	–	1	4	1	5	15	–	–	3	–	5	5	–	97	63	16
08	MONTGOMERY	19,097	19	–	3	4	10	9	7	2	–	7	–	1	1	–	65	48	16
09	LLANFYLLIN	21,699	19	–	2	13	17	3	16	2	–	3	1	2	1	–	92	22	9
	FLINTSHIRE.																		
10	HOLYWELL	39,941	21	–	27	5	28	59	23	2	4	3	1	–	8	–	100	75	39
	DENBIGHSHIRE.																		
11	WREXHAM	47,975	22	1	1	114	50	57	76	3	4	16	–	1	15	1	130	158	42
12	RUTHIN	16,083	19	–	8	2	24	16	13	–	–	2	–	–	1	–	52	20	8
13	ST. ASAPH	27,518	21	–	33	12	7	50	16	1	1	6	2	2	4	–	74	103	20
14	LLANRWST	12,770	19	–	20	2	4	3	12	–	2	1	2	–	2	–	43	24	7
	MERIONETHSHIRE.																		
15	CORWEN	16,107	18	–	1	4	–	6	14	–	–	5	1	–	–	–	52	23	8
16	BALA	6,352	18	–	–	–	3	–	5	–	–	–	–	1	5	–	15	11	5
17	DOLGELLY	12,482	18	–	–	1	4	6	15	–	–	3	5	–	1	–	55	10	4
18	FESTINIOG	18,289	19	–	4	2	22	36	24	1	6	1	1	–	5	–	66	55	24
	CARNARVONSHIRE.																		
19	PWLLHELI	20,908	18	–	3	1	7	36	9	–	–	–	–	–	3	–	70	18	7
20	CARNARVON	32,425	22	–	3	6	7	12	24	1	–	5	–	1	7	–	138	103	18
21	BANGOR	36,309	21	–	28	13	1	53	37	–	3	4	–	4	4	3	125	82	17
22	CONWAY	13,896	18	–	18	–	–	3	5	–	–	–	–	–	3	–	56	19	2
	ANGLESEY.																		
23*	ANGLESEY	38,157	19	–	–	20	1	28	29	1	–	3	5	–	2	–	192	49	17

* See Note (*), page 24.

Changes in the Constitution of Districts during the Year 1862.

[The Name of the District is in Small Capitals, that of the Subdistrict in *Italics*.]

Superintendent Registrar's District and Registrar's *Subdistrict* from which a Transference was made.	Date of Change.	Places and Population (1861) transferred from the Districts in Column 1 to the Districts in Column 4.	Superintendent Registrar's District and Registrar's *Subdistrict* to which an addition was made.
Hendon (135) : *Willesden*	28th January	Twyford Abbey - - - 18	Brentford (134) : *Brentford.*
Northampton (168) : *St. Giles* -	24th March -	Moulton Park - - 8	Brixworth (170) : *Moulton.*
Blandford (270) : *Blandford* -	21st May -	Hanford - - - 6	Sturminster (269) : *Sturminster.*
Weymouth (274) : *Upway* -	17th March -	Watercombe - - - 37	Dorchester (275) : *Puddletown.*
Tiverton (293) : *Bampton* -	24th January	Morebath - - - 430	Dulverton (313 *b*) :
Barnstaple (295) : *Paracombe*	26th February	Exmoor (part of) - -	Southmolton (294) : *Southmolton.*
Dulverton (313 *b*) : *Dulverton*	„ -	Exmoor (part of) - - 323	Southmolton (294) : *Southmolton.*
Loughborough (415) : *Loughborough.*	2d April -	Bardon - - - 63	Ashby-de-la-Zouch (414) : *Whitwick.*
Leicester (417) : *West* - -	30th January	Freak's Ground, New-found Pool and New Parks - 134	Blaby (411) : *Enderby.*
Bourn (422) : *Deeping* - -	27th May -	Deeping St. Nicholas - 1180	Spalding (423) to form the new Subdistrict of *Deeping St. Nicholas.*
Nottingham (440) : *Park* -	8th April -	Standard Hill and limits of the Castle of Nottingham 1072	Basford (438) : *Basford.*
Hunslet (500) : *Whitkirk* -	26th March -	Austhorpe - - - 231	Tadcaster (514) : *Aberford.*
Hunslet (500) : *Holbeck* - -	16th October	Holbeck - - - 15,824	Holbeck (504 *c*) a new District.
Hunslet (500) : *Hunslet* - -	6th November	Hunslet - - - 25,763	Hunslet (504 *b*).
Hunslet (500) : - -	8th November	The name of Kirkstall (500 *a*) was at this date given by the Registrar General to the Superintendent Registrar's temporary District comprising the Townships and Places remaining in the Hunslet Superintendent Registrar's temporary District after the formation of the Holbeck and Hunslet Unions.	
Kirkstall (500 *a*) : *Holbeck* -	1st December	Beeston and Churwell - 4111	Kirkstall (500 *a*) : *Wortley.*
Wakefield (503) : *Sandal* -	8th April -	Snydale - - - - 150	Pontefract (504 *a*) : *Pontefract.*
Pontefract (504 *a*) : *Kippax* -	26th March -	Newthorpe - - - 88	Tadcaster (514 *a*) : *Aberford.*
„ *Knottingley*	„ -	Huddleston and Lumby - 267	„ „
„ „	8th April -	Kellington - - - - 300	Pontefract (504 *a*) : *Whitley.*
„ *Pontefract*	„ -	Stapleton - - - 130	„ „
„ „	30th May -	Ackton, Carleton, Castleford, Darrington, Featherstone, Glass Houghton, Pontefract Park, Purston Jaglin, and Whitwood - 7650	Castleford (504 *c*) : *Castleford.*
„ *Knottingley*	„ -	Beaghall, Brotherton, Burton Salmon, Ferry Frystone, South Milford, and Sutton - - - - 3846	„ „
„ *Kippax*	„ -	Allerton Bywater, Fairburn, Garforth, Great and Little Preston, Kippax, Ledsham, Ledstone, Methley, and Micklefield - - 8458	„ *Kippax*
Tadcaster (514 *a*) : *Tadcaster* -	26th March -	Lead Hall - - - 46	Tadcaster (514 *a*) : *Aberford.*
„ *Appleton Roebuck*	„ -	Colton - - - 129	„ *Tadcaster.*
„ „	28th May -	Acaster Selby, Appleton Roebuck, Bolton Percy, and Steeton - - - 1143	Bramham (514 *b*) : *Appleton-Roebuck.*
„ *Aberford*	„ -	Barkston Ash, Kirk Fenton, Saxton with Scarthingwell, and Sherburn 2613	„ „
„ „	„ -	Barwick in Elmet - - 1804	„ *Bramham.*
„ *Tadcaster*	„ -	Newton Kyme with Toulston - - - - 162	„ „
„ „	„ -	East Tadcaster and Ulleskelf - - - - 1435	„ *Appleton-Roebuck.*
„ „	„ -	Bilborough and Catterton 259	„ *Bilton.*
„ *Bramham*	„ -	Bramham, Clifford, Collingham, Thorner, and Thorparch - - - 4990	„ *Bramham.*
„ *Bilton*	„ -	Bilton, Long Marston, Tockwith, Walton, and Wilstrop - - - 1493	„ *Bilton.*

Note.—In the various Tables of Abstracts given in this Report, the Area and Population are stated for the above Districts and Subdistricts according to the alterations here indicated.

APPENDIX.

CONTENTS.

	Page
LETTER to the REGISTRAR GENERAL on the CAUSES of DEATH in ENGLAND in 1862, by WILLIAM FARR, Esq., M.D., F.R.S., D.C.L.	175–192

LETTER to the REGISTRAR GENERAL on the CAUSES of DEATH in ENGLAND, by WILLIAM FARR, Esq., M.D., F.R.S.

YEAR 1862.

SIR,

I HAVE the honor to submit to you a brief commentary on the Tables of the Causes of Death in England and Wales.

In your Report it is shown that the mortality in the year was below the average; and upon referring to the disease tables we find that the deaths have increased under some heads, decreased under others, while the reduction arises from the balance turning upon the whole in favor of the year.

Scarlatina (scarlet fever), whooping-cough, and typhus, or typhia, in their various forms, are the prevailing epidemics of the year, and impress on it their zymotic character.

Of the 436,566 deaths the causes were specified in 429,000 instances; and of the 7,566 deaths left, the causes of 4788 were not specified at all, or were ill-defined, while 2778 were returned in vague terms, but were sudden, and gave generally occasion to inquests. The proportional number of the cases under these heads has decreased considerably within the ten years. 3187 were infants under one year of age; and 977 were old men and women of the age of 65 years and upwards, in whom also the symptoms of disease are often obscure. They demand on that account the strictest attention of the coroners.

CLASS I. ZYMOTIC DISEASES.

Fevers have hitherto been confounded together*; but many of the practitioners of the country can now distinguish the three forms, typhus, typhia, and typhinia, which Dr. Jenner and other writers have designated by the name of typhus, and of the descriptive, but not unobjectionable, names of typhoid fever and relapsing fever. All the continued fevers killed 18,721 people in England and Wales; they were, therefore, more fatal in 1862 than they had been in 1861 by 3281 deaths. Never disappearing they have killed 17,076 persons a year since the year 1850; and the annual mortality has ranged from 10·41 in 1852 to 6·63 deaths by fever in 10,000 inhabitants during the year 1860; since when these diseases have been growing more prevalent, and last year were fatal to 9·3 in 10,000.

Fevers strike down young men and women in the prime of life, and are, therefore, like consumption, the more deplorable in their results.

TABLE I.—**Ages** of the **Persons** who **Died** from **Fever** (**Typhus, Typhia,** and **Typhinia**) in the **Year 1862.**

—	ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Persons	18,721	3787	2232	1500	1676	1416	1928	1761	1511	1437	1026	400	47
Males	9,370	1850	1061	655	739	714	986	945	839	797	549	214	21
Females	9,351	1937	1171	845	937	702	942	816	672	640	477	180	26

* Dr. Murchison's treatise on continued fevers is the ablest monograph on any disease that has recently appeared in Europe; combining as it does masterly powers of exposition, learning reminding us of Haller, accurate observation, and great powers of analysis. If it were in the hands of every practitioner, all the forms of fever could not fail to be distinguished in the registers; and the great problem of fevers might be solved by the combined observations of all the best English observers.

Typhus and typhoid fever (*typhia*) belong to that class of zymotic diseases which attack men once as a general rule, so that those who survive enjoy afterwards a certain immunity; hence it follows that the attacks are much more numerous at the age (15—25) than at the age (25—35), because the susceptible population is proportionally greater at the first age than it is at the second.

The deaths at the ages 15—25 and 25—35 were 3092 and 1928. But it does not follow that the number of cases was in that proportion, as the mortality in these fevers varies at different ages.

Our statistics are at present imperfect, as they give no return of the total number of cases of fever of the various forms; but an approximation to the numbers can be obtained, and will serve to show, to some extent, the ravages of this devastating malady.

I annex a table of the mortality of all forms of fever at the London Fever Hospital at different ages; in which it will be seen that the mortality is at the rate of 9·67 deaths to 100 cases of persons of the age of 15—25, and 15·41 deaths to 100 cases of persons of the age 25—35. But in all England 3189 deaths by fever were returned of the first age, and 1898 of the second age; consequently if the mortality of cases of fever in the country at large is truly represented by that of the London Fever

TABLE II.—**Deaths** in **England** from **Typhus** in the Fifteen **Years 1848–62,** and **Annual Rate** of **Mortality** to 10,000 Persons living.

AGES.	DEATHS in the 15 Years 1848-62.		ANNUAL RATE of MORTALITY to 10,000 Persons living at each Age.	
	Males.	Females.	Males.	Females.
ALL AGES - - -	128,679	133,690	9·31	9·27
Under 5 Years - - -	26,092	26,399	13·97	14·23
5– - - -	15,489	17,727	9·39	10·77
10– - - -	10,339	12,963	6·86	8·77
15– - - -	22,781	25,033	8·76	9·27
25– - - -	14,164	14,306	6·93	6·44
35– - - -	11,192	10,726	7·03	6·26
45– - - -	9,867	8,675	8·33	6·97
55– - - -	8,735	8,026	11·19	9·63
65– - - -	7,031	6,636	16·75	13·08
75– - - -	2,690	2,814	17·78	14·51
85– - - -	292	376	15·31	12·97
95 and upwards -	7	9	9·21	6·01

TABLE III.—LONDON FEVER HOSPITAL. **Admissions, Deaths,** and **Rate of Mortality per Cent.** at different Periods of Life of all Cases of "**Continued Fevers**" admitted during the Ten **Years 1848–57.**

(*The facts of this Table were supplied by Dr. Murchison.*)

AGES.	ADMISSIONS.	DEATHS.	MORTALITY PER CENT.
ALL AGES - - -	6,628	1,059	15·98
Under 5 Years - - -	33	3	9·09
5– - - -	401	29	7·23
10– - -	809	51	6·30
15– - - -	2,481	240	9·67
25– - - -	1,207	186	15·41
35– - - -	816	201	24·63
45– - - -	445	170	38·20
55– - - -	231	110	47·62
65– - - -	77	46	59·74
75 and upwards -	10	7	70·00
Age not stated - -	118	16	13·56

Note.—Under "Continued Fevers" are included Typhus, Enteric Fevers, Relapsing Fever, and Febricula; but all cases of "Fever" dependent on local disease are excluded.

Dr. Murchison shows the mortality of the three forms.

Hospital, the 3189 died out of 32,952 attacked, of ages 15—25, and 1898 died out of 12,317 persons attacked by fever of the ages 25—35. The same calculation is applicable to the deaths at other ages, and hence it may be inferred that at least 152,653 persons were attacked every year, and 17,491 died of these fevers.

In this great annual battle 17,491 Englishmen were killed, and 135,162 were severely wounded, but ultimately recovered.

The mortality of the severe fever hospital cases is probably twice as great as the mortality of cases out of hospital, so it is possible that as many as 150,000 slighter cases might be left out of this reckoning ; which will more than counterbalance the cases of fever dependent on local disease, improperly returned as fevers, and classed under that head in our tables.

The fever itself subsides earlier; but the sickness which follows its complications protracts the duration of cases, which, on an average of the 152,653 cases, imply about a month's sickness in each ; so the average fever

TABLE IV.—**Annual Number** of **Cases** (estimated) and of **Deaths** by **Fever** in **England** and **Wales** in the Fifteen **Years 1848-62.**

AGES.	AVERAGE ANNUAL CASES. (Estimated.)	AVERAGE ANNUAL DEATHS. (Returned.)	To 10,000 Persons living at each Age the Average Annual Number of	
			CASES.	DEATHS.
ALL AGES - - -	152,653	17,491	58·14	9·29
Under 5 Years - - -	38,492	3,499	155·08	14·10
5— - - -	30,620	2,214	139·36	10·08
10— - - -	24,642	1,553	123·84	7·81
15— - - -	32,952	3,189	93·20	9·02
25— - - -	12,317	1,898	43·30	6·67
35— - - -	5,932	1,461	26·93	6·63
45— - - -	3,236	1,236	19·98	7·63
55— - - -	2,347	1,117	21·81	10·39
65— - - -	1,525	911	24·63	14·74
75 and upwards -	590	413	22·35	15·64

TABLE V.—ENGLAND. **Deaths** from **Fever—Typhus, Typhia,** and **Typhinia**— to 10,000 Persons living, and Proportional Number to 1000 Deaths, in each of the Thirteen **Years 1850-62.**

YEARS.	Number of Deaths registered.	Deaths to 10,000 Persons living.	Proportional Number to 1000 Deaths.
1850	15,374	8·66	43
1851	17,930	10·15	46
1852	18,641	10·41	47
1853	18,554	10·25	45
1854	18,893	10·28	44
1855	16,470	8·89	39
1856	16,182	8·60	42
1857	19,016	9·97	46
1858	17,883	9·28	40
1859	15,877	8·14	36
1860	13,012	6·63	31
1861	15,440	7·76	36
1862	18,721	9·30	43
Mean - -	17,076	9·10	41

population during these years was 12.721. They would fill 127 hospitals, each containing a hundred beds, and require more than 4,643,000 days' subsistence.

About 56,784 cases and 8901 deaths occurred among men and women of the age of 15 and under 65; and in their illness 1,703,520 days of suffering were experienced, and 1,460,160 working days were lost.

Children and aged people are not often treated in fever hospitals, so that Dr. Murchison supplies no facts respecting infants, and few facts respecting children of 5—15, or old people of the age of 65 and upwards; but it is evident that the mortality is lowest at the age of 10—15, and rapidly increases as age advances; observing a very regular law of increase, from which the mortality at one age, between 15 and 55, being given, the mortality at any other age within that limit can be calculated.*

It appears to be established that patients are not liable to a second attack, either of typhus or of typhia, but that relapsing fever (typhinia) often recurs; and typhus follows typhia, as typhia follows typhus; both being as independent of each other as small-pox and measles. This being so, it is evident that as age advances the proportion of people susceptible declines, and we find that the calculated average liability of people living to attack decreases, until at the age, 45—55, the minimum liability is attained; and then only 20 in 10,000, or 2 in 1000; one annually in 500 experiences attack. At the age 35—45 the proportional number of attacks among 10,000 persons is 26·93, at 25—35 it is 43·30, at 15—25 it is 93·20. The facts do not justify us in proceeding further towards infancy, but they seem to imply that in childhood the liability to invasion, from greater susceptibility rather than from greater exposure to it, causes a maximum proportion of attacks.

We have then greater liability to attack in early manhood, conjoined with greater power of resisting the disease; so that the final result is an equal rate of mortality among the population at the ages extending from 25 to 45; for 6·67 died out of 10,000 living of the age 25—35; and 6·63 died out of the same number living in the next age, 35—45.

TABLE VI.—**Deaths** in **England** from **Scarlatina, Cynanche Maligna,** and **Diphtheria,** for each of the **Years 1855** to **1862.**

YEARS.	TOTAL.	SCARLATINA	CYNANCHE MALIGNA, and DIPHTHERIA.	CYNANCHE MALIGNA.	DIPHTHERIA.
1855 - -	17,314	16,929	385	199	186
1856 - -	14,160	13,557	603	374	229
1857 - -	14,229	12,646	1,583	1,273	310
1858 - -	30,317	23,711	6,606	1,770	4,846
1859 - -	29,494	19,310	10,184	597	9.587
1860 - -	14,893	9,305	5,583	376	5,212
1861 - -	13,897	9,077	4,820	303	4,517
1862 - -	20,078	14,834	5,244	341	4,903
Total - -	154,382	119,369	35,013	5,233	29,780

* The calculated and observed rates of mortality in fever cases are shown below :—

Age.	Observed.	Calculated.
15—25	9·67	9·77
25—35	15·41	15·44
35—45	24·63	24·40
45—55	38·20	38·57

The mean annual increase of the death-rate is 4·7 per cent. for each year of age $\therefore m_{x+n} = m_x r^n = m_x (1{\cdot}047)^n$.

The higher rate of mortality, 9·02, at the ages 15—25, is probably connected in some way with the migration from the country to the towns, where the new comers are exposed to stronger forms of the zymotic exciter. "As far as the figures [of Louis, Chomel, and Murchison] go," says Dr. Murchison, "they show that recent residence in an infected locality increases the fatality of pythogenic fever."*

The expressive name, derived from πύθομαι putresco, and γεννάω, Dr. Murchison gives to typhia in his classical treatise; thus pointing to the constant fountain of impurity from which this bitter water springs to poison the kingdom. This is the form of fever which is so common in France; and which was characterized by Bretonneau of Tours in 1820 under the name of *dothinenterite*, and was analytically studied by Louis in Paris, and described by him in his great philosophical work, Sur la *Fièvre Typhoide*, in 1829.† The putrid state of the air of the *cabinets* in all the hotels and houses of Paris at that time is an argument in favor of Dr. Murchison's doctrine,—that the fever is "often generated spontaneously by fæcal fermentation," and is occasionally communicated by the sick to the healthy directly through this medium, or through the air of cesspools and drains. The impurities and the seeds of the disease can only be eventually got rid of by a vigilant sanitary police; and by the effectual destruction of *typhine*, its exciting leaven.

TABLE VII.—**Deaths** in **England** from **Diphtheria** and **Cynanche Maligna**, at different AGES, in each of the Eight **Years 1855–62.**

YEARS.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Under 5 Years.	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
1855 -	885	56	52	47	45	33	233	84	17	20	8	7	8	7	1	-	-	-
1856 -	603	44	62	81	54	57	298	175	65	33	8	11	6	4	3	-	-	-
1857 -	1583	109	138	137	152	160	696	512	224	86	31	19	8	6	-	1	-	-
1858 -	6606	552	741	692	695	635	3315	1897	686	361	134	80	56	42	26	7	2	-
1859 -	10184	878	1122	1103	1116	1081	5300	2751	1091	53	213	122	69	50	37	11	4	-
1860 -	5588	494	607	538	652	578	2869	1512	578	343	87	77	48	42	18	14	-	-
1861 -	4820	381	550	534	539	503	2507	1299	445	28[illegible]	104	65	45	42	16	13	1	-
1862 -	5244	436	688	631	609	550	2914	1329	457	281	97	59	44	31	20	10	2	-
Total -	35,013	2,950	3,960	3,763	3,862	3,597	18,132	9,559	3563	194[illegible]	[illegible]82	440	284	224	121	56	9	-

TABLE VIII.—**Deaths** in **England** from **Scarlatina**, at different AGES, in each of the Eight **Years 1855–62.**

YEARS.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Under 5 Years.	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
1855 -	16929	1131	2306	2700	2537	1957	10631	4523	1078	438	128	71	35	15	8	1	-	-
1856 -	13557	985	1930	2161	2085	1669	8830	3419	806	332	88	55	20	10	3	[illegible]	-	-
1857 -	12646	855	1790	2032	1988	1462	8127	3252	766	321	104	40	23	7	3	3	-	-
1858 -	23711	1444	3468	3980	3638	2860	15390	6160	1325	557	159	69	33	10	6	2	-	-
1859 -	19310	1294	2824	3062	2992	2379	12551	4937	1050	469	174	80	26	12	7	4	-	-
1860 -	9305	636	1378	1499	1409	1146	6068	2329	477	287	77	37	19	7	4	[illegible]	-	-
1861 -	9077	572	1288	1490	1423	1119	5892	2317	447	264	91	31	21	10	-	4	-	-
1862 -	14834	903	2158	2454	2268	1786	9569	3893	818	364	117	42	16	9	2	3	1	-
Total -	119,369	7,820	17,142	19,378	18,340	14,378	77,058	30,830	6761	3032	938	425	194	80	33	17	1	-

* Murchison on Continued Fevers, p. 533.

† English and American students, and I among the number, had then an opportunity of studying this disease clinically under Louis at La Pitié, and thus carried away clear ideas of a disease which could no longer be confounded with typhus.

Typhus and famine fever (typhinia), like the pythogenic fever (typhia), are lit up by a specific zymotic matter, which is generated whenever human beings are badly fed, and are crowded together dirty in an in-

Table IX.—**Causes** of **Death** registered in **England** in each of the Ten **Years** **1853—1862.**

Class.	CAUSES OF DEATH.	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862
	ALL CAUSES - - -	421,097	437,905	425,703	390,506	419,815	449,656	440,781	422,721	435,114	436,566
	SPECIFIED CAUSES -	408,805	426,919	414,228	380,667	410,217	440,922	432,476	414,060	427,360	429,000
	(Classes.)										
I.	ZYMOTIC DISEASES -	89,448	117,018	88,152	81,121	93,518	110,971	106,645	75,849	87,986	91,539
II.	CONSTITUTIONAL „ -	88,216	83,993	84,645	79,500	81,969	82,416	81,788	82,088	84,987	83,024
III.	LOCAL „ -	148,307	144,872	158,176	143,966	152,249	163,489	159,686	171,037	167,454	170,651
IV.	DEVELOPMENTAL „ -	69,105	66,996	69,190	62,178	68,629	69,895	69,708	70,311	71,948	68,842
V.	VIOLENT DEATHS -	13,729	14,040	14,065	13,902	13,852	14,151	14,649	14,775	14,985	14,944
	(Orders.)										
I.	1. Miasmatic Diseases -	85,515	112,612	83,737	77,278	89,299	106,278	101,699	71,304	83,324	86,881
	2. Enthetic „ -	874	1,236	1,179	1,061	1,144	1,195	1,273	1,252	1,355	1,449
	3. Dietic „ -	1,857	1,980	2,087	1,688	1,905	2,112	2,301	2,206	2,095	2,149
	4. Parasitic „ -	1,202	1,190	1,149	1,094	1,170	1,386	1,372	1,087	1,212	1,060
II.	1. Diathetic „ -	17,601	16,848	17,125	15,668	16,207	16,790	16,433	16,404	16,233	16,412
	2. Tubercular „ -	70,615	67,145	67,520	63,832	65,762	65,626	65,355	65,684	68,754	66,612
III.	1. Diseases of Nervous System - -	51,509	51,485	52,365	50,084	51,619	53,961	54,531	55,577	55,625	55,692
	2. „ Organs of Circulation -	13,740	13,488	14,552	13,672	14,784	16,426	17,133	18,758	18,076	18,709
	3. „ Respiratory Organs - -	56,436	52,484	63,742	52,908	58,320	65,516	59,853	68,408	64,310	67,565
	4. „ Digestive Organs - -	18,865	19,002	18,746	18,617	19,153	19,246	19,842	19,718	20,327	19,421
	5. „ Urinary Organs - -	3,652	3,770	3,978	4,150	4,129	4,683	4,736	4,990	5,222	5,328
	6. „ Organs of Generation -	960	1,014	1,042	1,039	1,069	1,148	1,199	1,118	1,129	1,227
	7. „ Organs of Locomotion -	1,227	1,500	1,428	1,329	1,306	1,164	1,285	1,466	1,624	1,588
	8. „ Integumentary System -	1,918	2,129	2,323	2,167	1,869	1,345	1,107	1,002	1,141	1,121
IV.	Developmental Diseases 1. „ of Children	24,509	23,993	22,791	22,657	24,171	12,412	12,300	12,706	13,116	12,787
	2. „ Adults -	2,383	2,125	1,961	1,878	2,003	2,114	2,314	2,233	2,168	2,198
	3. „ Old People	29,130	26,466	29,714	23,931	26,847	28,509	27,104	28,442	27,373	26,780
	4. Diseases of Nutrition	13,083	14,412	14,724	13,712	15,608	26,860	27,990	26,930	29,291	27,077
V.	1. Accident or Negligence - - - -	*	*	*	*	*	12,523	13,056	12,991	13,187	13,055
	2. Battle - - - -	*	*	*	*	*	†	†	†	†	†
	3. Homicide - - -	*	*	*	*	*	344	338	377	320	413
	4. Suicide - - - -	*	*	*	*	*	1,275	1,248	1,365	1,347	1,317
	5. Execution‡ - - -	*	*	*	*	*	9	7	10	11	17
	Violent Deaths not classed - - - -	13,729	14,040	14.065	13,902	13,852	*	*	32	120	137
	Sudden Deaths, Cause unascertained - -	4,018	3,993	4,139	3,474	3,403	3,096	2,821	2,894	2,697	2,778
	Causes not specified -	8,274	6,993	7,336	6,365	6,195	5,638	5,484	5,767	5,057	4,788
I.	Order 1.										
	1 Small-pox - - -	3,151	2,808	2,525	2,277	3,936	6,460	3,848	2,749	1,320	1,628
	2 Measles - - - -	4,895	9,277	7,354	7,124	5,969	9,271	9,548	9,557	9,055	9,800
	3 Scarlatina - - -	15,699	18,528	17,314	14,160	14,229	30,317	19,907	9,681	9,077	14,834
	4 Diphtheria - - -	§	§	§	§	§	§	9,587	5,212	4,517	4,903
	5 Quinsy - - - -	421	345	374	416	485	623	426	319	342	323
	6 Croup - - - - -	3,660	3,998	4,419	5.207	5,279	6,220	5,636	4,380	4,397	5,667
	7 Whooping-cough - -	11,200	9,770	10,185	9.225	10,138	11,648	8,976	8,555	12,309	12,272
	8 Typhus - - - -	18,554	18,893	16,470	16,182	19,016	17,883	15,877	13,012	15,440	18,721

† Order 2, comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.

‡ The number of persons executed in the several years will not necessarily correspond with those in the same years of the "Criminal Returns," inasmuch as the executions recorded in each year in the latter are derived from the dates of conviction, while the numbers in this Table are classed under the years in which the deaths are registered.

§ The cases of angina membranacea which would now be put to diphtheria were formerly classed under the same head as scarlatina, but were distinguished in the notes.

adequate supply of fresh air. These two forms of fever fluctuate in intensity as the operation of their causes does, and give rise to the great spreading epidemics, which follow war and famine, and afflict the world.

Scarlatina, a disease of childhood, but also persecuting life through youth and manhood, had declined in 1861, and was then fatal to 9077 persons; in the next year the deaths by this disease were 14,834, which is nearly the

TABLE IX.—**Causes** of **Death** registered in **England** in each of the Ten **Years** **1853—1862**—*continued.*

Class.	CAUSES OF DEATH.	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862
	9 Erysipelas	1,813	1,937	2,256	2,133	1,576	2,026	1,954	1,665	1,542	1,523
	10 Metria	792	954	1,079	1,067	836	1,068	1,238	987	886	940
	11 Carbuncle	252	300	255	253	252	246	236	247	193	206
	12 Influenza	1,789	1,061	3,568	1,029	1,393	1,794	1,112	1,130	746	915
	13 Dysentery	1,891	1,943	1,437	1,335	1,698	1,473	1,379	1,156	1,416	1,044
	14 Diarrhœa	14,192	20,052	12,770	13,815	21,189	13,853	18,331	9,702	18,746	11,112
	15 Cholera	4,419	20,097	837	762	1,150	673	887	327	837	511
	16 Ague	183	192	149	124	195	207	233	203	149	150
	17 Remittent Fever	709	646	575	162	270	569	400	314	254	284
	18 Rheumatism	1,895	1,811	2,170	2,007	1,688	1,942	2,124	1,998	1,982	1,943
	19 Other Zymotic Diseases	..	..	..	..	..	..	..	110	116	105
	ORDER 2.										
	1 Syphilis	622	964	947	879	957	1,006	1,089	1,067	1,177	1245
	2 Stricture of Urethra	241	256	218	177	184	186	177	178	168	199
	3 Hydrophobia	11	16	14	5	3	2	4	3	4	1
	4 Glanders	Heretofore classed with *Erysipelas.*					1	3	4	6	4
	ORDER 3.										
	1 Privation	78	87	91	69	52	62	52	68	63	73
	2 Want of Breast-milk	632	742	850	704	829	997	1,017	1,002	970	1006
	3 Purpura and Scurvy	266	282	324	227	246	341	342	361	405	353
	4 Alcoholism { *a* Del. Trem.	508	551	536	451	484	424	545	457	415	471
	4 Alcoholism { *b* Intemp.	373	318	286	237	294	288	345	318	242	246
	ORDER 4.										
	1 Thrush	1,202	1,190	1,149	1,094	1,170	1,236	1,217	920	1,055	904
	2 Worms, &c.	Heretofore classed with *Dis. of Stomach.*					150	155	167	157	156
II.	ORDER 1.										
	1 Gout	217	246	287	260	223	245	238	268	247	284
	2 Dropsy	10,302	9,396	9,352	8,213	8,452	8,758	8,119	7,823	7,301	7,247
	3 Cancer	5,663	5,826	6,016	5,859	6,201	6,433	6,676	6,827	7,276	7,396
	4 Noma	100	136	178	164	198	161	159	122	174	197
	5 Mortification	1,319	1,244	1,282	1,172	1,133	1,193	1,241	1,364	1,235	1,288
	ORDER 2.										
	1 Scrofula	2,727	2,613	2,985	2,831	2,781	3,004	2,995	2,860	3,457	3,416
	2 Tabes Mesenterica	4,965	5,638	4,762	4,752	5,380	5,017	4,982	4,680	5,692	5,203
	3 Phthisis	54,918	51,284	52,290	48,950	50,106	50,442	50,149	51,024	51,931	50,962
	4 Hydrocephalus	8,005	7,610	7,483	7,299	7,495	7,163	7,229	7,120	7,674	7,031
III.	ORDER 1.										
	1 Cephalitis	3,618	3,752	3,466	3,414	3,392	3,463	3,451	3,518	3,426	3,580
	2 Apoplexy	8,496	8,366	8,645	8,278	8,378	8,629	8,631	9,181	8,795	9,136
	3 Paralysis	8,378	8,353	8,905	8,197	8,714	8,980	9,189	9,752	9,812	9,733
	4 Insanity	472	541	494	370	403	535	446	536	529	535
	5 Chorea	67	48	69	59	44	53	55	66	71	52
	6 Epilepsy	2,120	2,052	2,136	2,096	2,193	2,359	2,219	2,454	2,464	2,443
	7 Convulsions	24,798	24,579	24,917	23,946	24,532	25,488	25,954	25,205	25,423	25,286
	8 *Brain Disease, &c.*	3,560	3,794	3,733	3,424	3,963	4,454	4,586	4,865	5,105	4,927
	ORDER 2.										
	1 Pericarditis	561	594	588	531	573	586	616	575	541	559
	2 Aneurism	315	308	312	338	326	350	371	368	387	373
	3 *Heart Disease, &c.*	12,864	12,586	13,652	12,803	13,885	15,490	16,146	17,815	17,148	17,777
	ORDER 3.										
	1 Laryngitis	1,097	1,145	1,155	1,294	1,359	1,439	1,319	1,166	1,253	1,478
	2 Bronchitis	22,391	20,062	27,182	21,528	25,588	29,093	25,998	32,347	30,986	32,526
	3 Pleurisy	855	955	1,153	886	870	846	916	882	781	833
	4 Pneumonia	24,098	23,523	26,052	22,653	23,457	26,486	24,514	25,264	22,914	23,713
	5 Asthma	5,143	4,271	5,454	4,103	4,339	4,513	4,224	4,325	3,892	4,087
	6 *Lung Disease, &c.*	2,852	2,528	2,746	2,444	2,707	3,139	2,882	4,424	4,484	4,928
	ORDER 4.										
	1 Gastritis	676	755	810	816	816	789	827	704	809	765
	2 Enteritis	3,659	3,614	3,225	3,234	3,412	3,309	3,416	3,154	3,333	2,911
	3 Peritonitis	1,269	1,432	1,388	1,310	1,411	1,466	1,555	1,551	1,563	1,488
	4 Ascites	753	748	836	760	750	665	766	750	728	745
	5 Ulceration of Intestines	1,022	911	876	946	893	860	776	847	856	870
	6 Hernia	779	828	874	848	814	766	762	817	852	827
	7 Ileus	1,147	1,224	1,188	1,190	1,133	1,107	1,139	1,170	1,199	1,091
	8 Intussusception	244	258	243	280	254	239	271	245	276	280
	9 Stricture of Intestines	241	257	233	212	278	264	289	301	272	257
	10 Fistula	104	117	86	73	98	116	99	115	115	109
	11 *Stomach Disease, &c.*	2,000	2,018	2,362	2,357	2,438	2,750	2,698	2,866	2,786	2,730
	12 *Pancreas Disease, &c.*	9	13	5	12	15	11	22	12	18	16
	13 Hepatitis	1,520	1,500	1,446	1,437	1,444	1,353	1,488	1,329	1,386	1,262
	14 Jaundice	1,239	1,234	1,300	1,446	1,443	1,203	1,255	1,262	1,344	1,292
	15 *Liver Disease, &c.*	4,139	3,992	3,820	3,615	3,381	4,285	4,417	4,531	4,704	4,680
	16 *Spleen Disease, &c.*	64	71	54	51	73	63	62	64	86	98

average number of deaths by scarlatina (14,921) in the eight years ending in 1862. Putrid sore throat (cynanche maligna) is allied to scarlatina in some respects, as it attacks the throat ; and for the same reason diphtheria, which was not at first recognized as a novel form of disease in England,

TABLE IX.—**Causes** of **Death** registered in **England** in each of the Ten **Years 1853—1862**—*continued.*

Class.	CAUSES OF DEATH.	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862
	ORDER 5.										
	1 Nephritis	237	205	244	269	268	265	284	245	306	273
	2 Ischuria	109	118	120	83	97	118	103	96	102	104
	3 Nephria	641	776	793	954	983	1,105	1,258	1,390	1,448	1,541
	4 Diabetes	412	436	448	433	482	514	480	536	537	574
	5 Stone	224	183	234	233	182	199	191	179	168	196
	6 Cystitis	236	276	278	270	258	256	276	299	343	342
	7 *Kidney Disease, &c.*	1,793	1,776	1,861	1,908	1,859	2,226	2,144	2,245	2,318	2,298
	ORDER 6.										
	1 Ovarian Dropsy	217	220	208	211	237	239	277	244	235	230
	2 *Uterus, &c. Disease*	743	794	834	828	832	909	922	874	894	947
	ORDER 7.										
	1 Arthritis	81	101	80	71	62	77	81	68	79	70
	2 *Joint Disease, &c.*	1,146	1,399	1,348	1,258	1,244	1,087	1,204	1,398	1,545	1,518
	ORDER 8.										
	1 Phlegmon	1,362	1,513	1,780	1,585	1,239	711	466	413	454	409
	2 Ulcer	351	358	278	289	300	332	364	332	401	387
	3 *Skin Disease, &c.*	205	258	265	298	330	302	277	257	286	325
IV.	ORDER 1.										
	1 Premature Birth	18,968	18,680	17,818	17,997	19,144	7,307	7,432	7,642	7,610	7,706
	2 Cyanosis	295	294	300	341	350	386	403	398	420	459
	3 Spina Bifida	279	243	247	299	325	313	356	350	394	386
	4 Other Malformations	291	407	369	360	360	385	379	420	441	424
	5 Teething	4,676	4,369	4,057	3,660	3,992	4,021	3,730	3,896	4,251	3,812
	ORDER 2.										
	1 Paramenia	115	70	61	57	52	51	56	47	59	61
	2 Childbirth (*see* Metria)	2,268	2,055	1,900	1,821	1,951	2,063	2,258	2,186	2,109	2,137
	ORDER 3.										
	1 Old Age	29,130	26,466	29,714	23,931	26,847	28,509	27,104	28,442	27,373	26,780
	ORDER 4.										
	1 Atrophy and Debility †	13,083	14,412	14,724	13,712	15,608	26,860	27,990	26,930	29,291	27,077
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)										
	1 Fractures and Contusions	*	*	*	*	*	5,159	5,482	5,417	5,589	5,397
	2 Gunshot	*	*	*	*	*	136	104	103	120	111
	3 Cut, Stab	*	*	*	*	*	80	75	81	41	54
	4 Burns and Scalds	*	*	*	*	*	3,125	2,978	3,166	3,053	2,767
	5 Poison	*	*	*	*	*	282	279	240	258	262
	6 Drowning	*	*	*	*	*	2,124	2,494	2,261	2,351	2.463
	7 Suffocation	*	*	*	*	*	903	952	1,061	1,014	1,219
	8 Otherwise	*	*	*	*	*	714	692	659	761	782
	ORDER 3. (HOMICIDE)										
	1 Murder and Manslaughter						344	338	377	320	418
	ORDER 4. (SUICIDE.)										
	1 Gunshot Wounds	*	*	*	*	*	60	54	59	59	54
	2 Cut, Stab	*	*	*	*	*	243	270	276	257	215
	3 Poison	*	*	*	*	*	119	112	156	122	128
	4 Drowning	*	*	*	*	*	197	208	219	225	204
	5 Hanging	*	*	*	*	*	570	540	569	592	611
	6 Otherwise	*	*	*	*	*	86	64	86	92	105
	ORDER 5. (EXECUTION.)										
	1 Hanging	*	*	*	*	*	9	7	10	11	17
	Violent Deaths (not classed)	13,729	14,040	14,065	13,902	13,852	..	..	32	120	137
	Sudden Deaths (Cause unascertained)	4,018	3,993	4,139	3,474	3,403	3,096	2,821	2,891	2,697	2,778
	Cause not specified or ill-defined	8,274	6,993	7,236	6,365	6,195	5,638	5,484	5,767	5,057	4,788

* In this part of the Table, which comprises Deaths in 1853-57, the Violent Deaths are not distinguished according to ORDERS, &c., but are placed indiscriminately in the next line following.

† Up to the year 1857 cases of so called "debility" and "premature birth" were classed together, when the new classification was introduced "premature birth" was kept apart, and "debility" and "atrophy" were thrown into one line. This accounts for the changes in the table numbers.

was confounded with sore throat. Hence the deaths by diphtheria were 185, 229, and 310 in the years 1855–57, and sprung up suddenly to 4836 in 1858, and to 9587 in 1859, which was the centre of the epidemic; the

TABLE X.—**Causes of Death in England in 1862.** Proportional Numbers dying from each Class of Causes, and from each Cause.

Class.	CAUSES OF DEATH.	1862 Deaths to 1,000,000 *Persons living.*	1862 Proportional Number in 1,000,000 Deaths.
	ALL CAUSES - -	21,467	1,000,000
	(CLASSES)		
I.	ZYMOTIC DISEASES	4,551	212,005
II.	CONSTITUTIONAL „	4,128	192,284
III.	LOCAL - - „	8,484	395,229
IV.	DEVELOPMENTAL „	3,423	159,438
V.	VIOLENT DEATHS „	743	34,610
	SUDDEN DEATHS, CAUSE UNASCERTAINED -	138	6,434
	(ORDERS.)		
I.	1. MIASMATIC DISEASES	4,319	201,217
	2. ENTHETIC „ -	72	3,356
	3. DIETIC „ -	107	4,977
	4. PARASITIC „ -	53	2,455
II.	1. DIATHETIC „ -	816	38,011
	2. TUBERCULAR „ -	3,312	154,273
III.	DISEASES OF—		
	1. NERVOUS SYSTEM -	2,769	128,983
	2. ORGANS OF CIRCULATION - -	930	43,330
	3. RESPIRATORY ORGANS - - -	3,358	156,481
	4. DIGESTIVE ORGANS	966	44,979
	5. URINARY ORGANS -	265	12,340
	6. ORGANS OF GENERATION - -	61	2,842
	7. ORGANS OF LOCOMOTION - -	79	3,678
	8. INTEGUMENTARY SYSTEM - -	56	2,596
IV.	1. DEV. DISEASES OF CHILDREN -	636	29,615
	2. „ ADULTS -	109	5,091
	3. „ OLD PEOPLE	1,331	62,023
	4. DIS. OF NUTRITION -	1,347	62,709
V.	1. ACCIDENT OR NEGLIGENCE - -	649	30,236
	2. BATTLE - - -	*	*
	3. HOMICIDE - -	21	968
	4. SUICIDE - - -	65	3,050
	5. EXECUTION - -	1	39
	OTHER VIOLENT DEATHS NOT CLASSED - -	7	317
I.	ORDER 1.		
	1 Small-pox - - -	81	3,770
	2 Measles - - -	487	22,697
	3 Scarlatina - - -	738	34,357
	4 Diphtheria - - -	244	11,355
	5 Quinsy - - - -	16	748
	6 Croup - - - -	282	13,125
	7 Whooping-cough -	610	28,422
	8 Typhus (and Infertile Fever) - - -	931	43,359
	9 Erysipelas - - -	76	3,527
	10 Metria - - - -	47	2,177
	11 Carbuncle - - -	10	477
	12 Influenza - - -	45	2,119
	13 Dysentery - - -	52	2,418
	14 Diarrhœa - - -	552	25,735
	15 Cholera - - - -	25	1,183
	16 Ague - - - -	7	347
	17 Remittent Fever -	14	658
	18 Rheumatism - -	97	4,500
	19 Other Zymotic Dis. -	5	243
	ORDER 2.		
	1 Syphilis - - -	62	2,884
	2 Stricture of Urethra	10	461
	3 Hydrophobia - -	·05	2
	4 Glanders - - -	·2	9
	ORDER 3.		
	1 Privation - - -	4	169
	2 Want of Breast-milk	50	2,330
	3 Purpura and Scurvy	18	817
	4 Alcohol. { *a* Del. Trem.	23	1,091
	{ *b* Intem. -	12	570
	ORDER 4.		
	1 Thrush - - - -	45	2,094
	2 Worms, &c. - -	8	361
II.	ORDER 1.		
	1 Gout - - - -	14	658
	2 Dropsy - - - -	360	16,784
	3 Cancer - - - -	368	17,130
	4 Noma - - - -	10	456
	5 Mortification - -	64	2,983
	ORDER 2.		
	1 Scrofula - - -	170	7,911
	2 Tabes Mesenterica -	259	12,050
	3 Phthisis - - -	2,533	118,028
	4 Hydrocephalus - -	350	16,284
III.	ORDER 1.		
	1 Cephalitis - - -	178	8,291
	2 Apoplexy - - -	454	21,159
	3 Paralysis - - -	484	22,542
	4 Insanity - - -	27	1,239
	5 Chorea - - -	3	120
	6 Epilepsy - - -	121	5,658
	7 Convulsions - -	1,257	58,563
	8 *Brain Disease, &c.* -	245	11,411
	ORDER 2.		
	1 Pericarditis - -	28	1,295
	2 Aneurism - - -	19	864
	3 *Heart Disease, &c.* -	883	41,171
	ORDER 3.		
	1 Laryngitis - - -	73	3,423
	2 Bronchitis - - -	1,617	75,331
	3 Pleurisy - - -	41	1,929
	4 Pneumonia - - -	1,179	54,919
	5 Asthma - - -	203	9,466
	6 *Lung Disease, &c.* -	245	11,413
	ORDER 4.		
	1 Gastritis - - -	38	1,772
	2 Enteritis - - -	145	6,743
	3 Peritonitis - - -	74	3,446
	4 Ascites - - - -	37	1,725
	5 Ulceration of Intest.	43	2,015
	6 Hernia - - - -	41	1,915
	7 Ileus - - - -	54	2,527
	8 Intussusception - -	14	648
	9 Stricture of Intest. -	13	595
	10 Fistula - - -	5	252
	11 *Stomach Disease, &c.*	136	6,323
	12 *Pancreas Disease, &c.*	1	37
	13 Hepatitis - - -	63	2,923
	14 Jaundice - - -	64	2,992
	15 *Liver Disease, &c.* -	233	10,839
	16 *Spleen Disease, &c.* -	5	227
	ORDER 5.		
	1 Nephritis - - -	14	632
	2 Ischuria - - -	5	241
	3 Nephria - - -	77	3,569
	4 Diabetes - - -	29	1,329
	5 Stone - - - -	10	454
	6 Cystitis - - -	17	792
	7 *Kidney Disease, &c.* -	113	5,323
	ORDER 6.		
	1 Ovarian Dropsy -	14	648
	2 *Uterus, &c. Disease* -	47	2,194
	ORDER 7.		
	1 Arthritis - - -	3	162
	2 *Joint Disease, &c.* -	76	3,516
	ORDER 8.		
	1 Phlegmon - - -	21	947
	2 Ulcer - - - -	19	896
	3 *Skin Disease, &c.* -	16	753
IV.	ORDER 1.		
	1 Premature Birth -	383	17,847
	2 Cyanosis - - -	23	1,063
	3 Spina Bifida - -	19	894
	4 Other Malformations	21	982
	5 Teething - - -	190	8,829
	ORDER 2.		
	1 Paramenia - - -	3	141
	2 Childbirth (*see* Metria)	106	4,950
	ORDER 3.		
	1 Old Age - - -	1,331	62,023
	ORDER 4.		
	1 Atrophy and Debility	1,347	62,709
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)		
	1 Fractures and Contusions - - -	267	12,500
	2 Gunshot - - -	6	257
	3 Cut, Stab - - -	3	125
	4 Burns and Scalds -	138	6,409
	5 Poison - - - -	13	607
	6 Drowning - - -	122	5,704
	7 Suffocation - - -	61	2,823
	8 Otherwise - - -	39	1,811
	ORDER 3. (HOMICIDE.)		
	1 Murder and Manslaughter - - -	21	968
	ORDER 4. (SUICIDE.)		
	1 Gunshot Wounds -	3	125
	2 Cut, Stab - - -	11	498
	3 Poison - - - -	6	296
	4 Drowning - - -	10	472
	5 Hanging - - -	30	1,416
	6 Otherwise - - -	5	243
	ORDER 5. (EXECUTION.)		
	1 Hanging - - -	1	39
	Other Violent Deaths (not classed) - -	7	317
	Sudden Deaths (Cause unascertained) - -	138	6,434

* Order 2, comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.

deaths afterwards declining to 5212 in the next year, and amounting to 4903 in 1862, when only 341 deaths were ascribed to cynanche maligna. Diphtheria is most fatal in childhood*; but it occurs more frequently in later years of age than scarlatina, which happens only once in life, and leaves adults armed for the future. The question of the possible recurrence of diphtheria, and its relations in this respect to scarlatina, demand further careful study. Together these diseases destroyed 19,298 lives annually in the last eight years. See Tables VI., VII., VIII.

The deaths from small pox were 6460 in 1858, and fell progressively to 1628 in 1862; measles remained nearly stationary during that period;

TABLE XI.—**Causes of Death in England in the Year 1862,** arranged in the order of Mortality.

CAUSES OF DEATH.	Number of Deaths registered in the Year 1862.	*Proportional Number* from each Cause to 1,000,000 Deaths from All Causes.
Phthisis	50,962	118,028
Bronchitis	32,526	75,331
Atrophy and Debility	27,077	62,709
Old Age	26,780	62,023
Convulsions	25,286	58,563
Pneumonia	23,713	54,919
Typhus	18,721	43,359
Heart Disease	17,777	41,171
Scarlatina	14,834	34,357
Whooping-cough	12,272	28,422
Diarrhœa	11,112	25,735
Measles	9,800	22,697
Paralysis	9,733	22,542
Apoplexy	9,136	21,159
Premature Birth	7,706	17,847
Cancer	7,396	17,130
Dropsy	7,247	16,784
Hydrocephalus	7,031	16,284
Croup	5,667	13,125
Fractures and Contusions (Accident)	5,397	12,500
Tabes Mesenterica	5,203	12,050
Lung Disease	4,928	11,413
Brain Disease	4,927	11,411
Diphtheria	4,903	11,355
Liver Disease	4,680	10,839
Asthma	4,087	9,466
Teething	3,812	8,829
Cephalitis	3,580	8,291
Scrofula	3,416	7,911
Childbirth and Metria	3,077	7,127
Enteritis	2,911	6,743
Sudden Deaths (Cause unascertained)	2,778	6,434
Burns and Scalds (Accident)	2,767	6,409
Stomach Disease, &c.	2,730	6,323
Drowning (Accident)	2,463	5,704
Epilepsy	2,443	5,658
Kidney Disease, &c.	2,298	5,323
Rheumatism	1,943	4,500
Small-pox	1,628	3,770
Nephria	1,541	3,569
Erysipelas	1,523	3,527
Joint Disease, &c.	1,518	3,516
Peritonitis	1,488	3,446
Laryngitis	1,478	3,423
Jaundice	1,292	2,992
Mortification	1,288	2,983
Hepatitis	1,262	2,923
Syphilis	1,245	2,884
Suffocation (Accident)	1,219	2,823
Ileus	1,091	2,527
Dysentery	1,044	2,418
Want of Breast Milk	1,006	2,330
Uterus Disease, &c.	947	2,194
Influenza	915	2,119
Thrush	904	2,094
Ulceration of Intestines	870	2,015
Pleurisy	833	1,929
Hernia	827	1,915
Otherwise (Accident)	782	1,811
Gastritis	765	1,772
Ascites	745	1,725
Hanging (Suicide)	611	1,416
Diabetes	574	1,329
Pericarditis	559	1,295
Insanity	535	1,239
Cholera	511	1,183
Delirium Tremens	471	1,091
Cyanosis	459	1,063
Other Malformations	424	982
Murder and Manslaughter	418	968
Phlegmon	409	947
Ulcer	887	896
Spina Bifida	386	894
Aneurism	373	864
Purpura and Scurvy	353	817
Cystitis	342	792
Skin Disease, &c.	325	753
Quinsy	323	748
Remittent Fever	284	658
Gout	284	658
Intussusception	280	648
Ovarian Dropsy	280	648
Nephritis	273	632
Poison (Accident)	262	607
Stricture of Intestines	257	595
Intemperance	246	570
Cut, Stab (Suicide)	215	498
Carbuncle	206	477
Drowning (Suicide)	204	472
Stricture of Urethra	199	461
Noma	197	456
Stone	196	454
Worms	156	361
Ague	150	347
Other Violent Deaths	137	317
Poison (Suicide)	128	296
Gunshot (Accident)	111	257
Fistula	109	252
Other Zymotic Diseases	105	243
Unclassified forms of Suicide	105	243
Ischuria	104	241
Spleen Disease, &c.	98	227
Privation	73	169
Arthritis	70	162
Paramenia	61	141
Cut, Stab (Accident)	54	125
Gunshot Wounds (Suicide)	54	125
Chorea	52	120
Hanging (Execution)	17	39
Pancreas Disease, &c.	16	37
Glanders	4	9
Hydrophobia	1	2

* For a good digest of our knowledge of diphtheria, see the second edition of Dr. Aitken's valuable work, "The Science and Practice of Medicine," pp. 565–573, vol. 1.

croup declined to some extent; whooping-cough stands now next in fatality among children's diseases to scarlatina, and its mortality is never in any year low. In the present year 12,272 persons died of whooping-cough. Of erysipelas 1523 persons died; of metria, supervening on childbirth, 940. Influenza has subsided; but it is undoubtedly often confounded with bronchitis or pneumonia, which are its frequent sequels or complications.

Of dysentery 1044 persons died; of cholera 511; while 11,112 died of diarrhœa, which is often the result of a zymotic poison allied to those of cholera and dysentery. Our deaths from ague and remittent fever are few, thanks to the progress of cultivation and drainage. These diseases still decimate the fairest lands of the world, and raged in London down to the seventeenth century, when they gradually subsided, and in the year 1862 the mortality in England, by ague and remittent fever together, was at the rate of only 21 deaths in 1,000,000 inhabitants. Rheumatism is allied to these affections, and remains after they have disappeared, proving fatal generally by fixing on the heart membranes, or the membranes of important organs.

Syphilis is the most fatal of the enthetic diseases; which, with stricture of the urethra, was the reported cause of 1444 deaths; while only one person died of hydrophobia and 4 of glanders. The deaths from hydrophobia were 11, 16, 14 in the years 1853–4–5; and 3, 4, 1 in the years 1860–1–2. The diminution of the deaths from this painful disease are justly referable to police regulations, and show to what an extent enthetic diseases and zymotic diseases generally may be brought under control by good sanitary regulations. Zymotic poisons, as dangerous as mad dogs, are still allowed to be kept in close rooms, in cesspools, and in sewers, from which they prowl, in the light of day and in the darkness of the night, with impunity, to destroy mankind.

Among the *dictic diseases* we have starvation, of which 73 people died; the privation of the mother's breast-milk, fatal to 1006 infants; scurvy and purpura causing 353 deaths; delirium tremens 471; intemperance in other forms 246.

Parasitic diseases diminish with the progress of cleanliness; worms enter the body through water generally, and sometimes through diseased meat: 156, chiefly children, died of worms. Should arrangements be made to dispose of the sewerage of towns, and to supply houses with pure water, we may hope to see the deaths by worms diminish.

The total deaths from zymotic diseases were 91,539; and the mortality from them was at the rate of 4·551 per 1000.

II. Constitutional Diseases.

Gout killed 284 persons; and mortification 1288, noma 197; but the deaths are principally from dropsy, 7247, and cancer,—under which soft and hard, and epithelial cancer are included. Taking the increase of population into account, the proportion of deaths by cancer in the returns has steadily increased from 280 to 368 per million of the population; while dropsy has fallen from 562 to 360; and mortification from 80 to 64. This is partly due to improvements in diagnosis; for if it is true that all our knowledge of things consists of the ideas to which they give rise in mens' minds, this is especially the case of the causes of death; which, in the returns, represent the judgment of the medical practitioners of the day, wielding the medical art of the day, and every year improving with the advance of all the sciences. The deaths from dropsy, which in former years would have been returned under that head, are now traced to organic changes of the heart and kidneys. Some will be found under nephria; some under heart disease. A common sequence is, rheumatic fever; heart membranes injured; circulation obstructed; dropsy.

The total deaths by the diathetic diseases was 16,412.

The tubercular order includes scrofula, tabes mesenterica, hydrocephalus, and consumption (phthisis), and 66,612 deaths in the aggregate, of which 50,962 were due to phthisis. The mortality by phthisis was 2·533 in 1000; and in every 1000 deaths 118 were by this fatal malady. There is some evidence of reduction in the mortality, which in 1850–4 and 1858–62 was at the rate of 2·811 and 2·586 per 1000; thus showing a diminution of ·225 in the annual death-rate. Unhappily, the deaths by bronchitis, with which in the chronic state phthisis is liable to be confounded, increased more than the deaths by phthisis fell. Tubercular deposits, which in adults take place in the lungs, affect the brain and mesenteric glands of children, and give rise to water in the head and abdominal disease. Hydrocephalus, like phthisis, has somewhat fallen off.

III. Local Diseases.

170,651 deaths fall under this class, which comprises four-tenths of the total deaths in the country, arising chiefly from affections of the vital organs, of the head, chest, and abdomen.

25,286 of the 55,692 deaths by diseases of the nervous system (brain, spinal marrow, nerves) are from the convulsions of infancy, in which, as all the functions are then imperfectly developed, the symptoms of disease are also obscure. The convulsions of a child impress the observer; but they may frequently be traced by careful analysis to a variety of antecedent causes, of whose operations they are the manifestations. Cephalitis includes under it all the inflammations of the brain and its membranes; of which 3580 persons died. About apoplexy and paralysis there is less perplexity; but the paralysis is often the sequel of the apoplexy, and the two maladies taken together account for 18,869 deaths; insanity for 535, chorea for 52, and epilepsy for 2443. 6 deaths were ascribed to fright, 7 to grief, one to rage, and 44 to melancholy; which are returned, with other mental affections, under insanity. 36 deaths are returned from idiopathic tetanus, 30 from ophthalmia, and 58 from otitis. 18,709 deaths were referred to diseases of the heart and large blood vessels, including 373 by aneurism, 218 by angina pectoris, and 193 by syncope.

The importance of the breathing organs is revealed by the 67,565 deaths which are the result of their diseases. The larynx was the seat of 1478 fatal diseases; it is often affected in phthisis, and is closed, and thus causes suffocation in croup, diphtheria, and scarlatina. Of bronchitis 32,526 persons died; of pneumonia 23,713; of pleurisy 833.

It is remarkable that the mortality from bronchitis was at the rate of 8·22 and 16·17 per 10,000 living in the years 1850 and 1862; while the mortality from pneumonia in the two years was 11·43 and 11·79. Thus

Table XII.—**Average Annual Rate of Mortality to 10,000 living by Phthisis and Lung Diseases in England,** for the Three Periods **1850-54, 1855-57,** and **1858-62.**

Years.	Lung Diseases.	Phthisis.	Phthisis and Lung Diseases. Total.	Phthisis and Lung Diseases. Increase in the Periods.
(5 Years.) 1850–54	27·69	28·11	55·80	—
(3 Years.) 1855–57	31·03	26·83	57·86	2·06
(5 Years.) 1858–62	33·09	25·86	58·95	1·09

the mortality by the latter affection remained stationary; by the former doubled. This is the result of taking terms of years:

	Mean Annual Mortality to 10,000 living.		
	Pneumonia.	Bronchitis.	Bronchitis and Pneumonia.
1850-54 (5 Years) - -	12·39	10·16	22·55
1858-62 (5 Years) - -	12·50	15·33	27·83
Excess in the later Years	·11	5·17	5·28

It was shown by Professor W. T. Gairdner that cases of lobular pneumonia, as it was once called, are condensations of the air cells from bronchitis, when mucous plugs, like valves, allow the air egress, but forbid its ingress. The transfer of cases from pneumonia cannot account for the change, inasmuch as the mortality from both affections increased.

The bronchitis from dust, called grinder's asthma, rot, and other names, as well as the miner's disease, is easily confounded with tubercular phthisis; and it is possible that there may have been some change of nomenclature.

Upon classing together all the respiratory diseases, except phthisis, assuming the living to be 10,000, we find that the annual mortality increased through three periods from 27·69 to 33·09 in 10,000, or 5·40 in the aggregate, nearly the whole of which (5·17) is ascribable to the

---

TABLE XIII.—**Average Annual Number of Deaths of Males and Females by Phthisis and by Bronchitis in England and Wales, 1848-62.**

AGES.	In the 7 Years 1848-54.		In the 3 Years 1855-57.		In the 5 Years 1858-62.	
	Phthisis.	**Bronchitis.**	**Phthisis.**	**Bronchitis.**	**Phthisis.**	**Bronchitis.**
	MALES.					
All Ages -	23,820	8,869	23,657	12,541	23,910	15,301
0–5 - -	2000	3128	1706	4436	1410	5900
5–10 - -	689	124	561	161	552	180
10–15 - -	840	40	762	54	712	46
15–25 - -	5489	132	5458	158	5647	163
25–35 - -	5347	229	5389	293	5485	313
35–45 - -	4016	429	4236	583	4463	680
45–55 - -	2870	783	3007	1071	3117	1277
55–65 - -	1733	1248	1742	1763	1809	2117
65–75 - -	720	1578	687	2260	620	2643
75–85 - -	108	993	103	1489	89	1692
85–95 - -	8	176	6	267	6	280
95 and upwds.	·1	6	—	6	·2	10
	FEMALES.					
All Ages -	26,829	8,378	26,791	12,225	26,992	14,889
0–5 - -	1896	2660	1658	3766	1397	4984
5–10 - -	768	127	666	183	641	202
10–15 - -	1369	46	1232	53	1260	52
15–25 - -	6996	151	7144	164	7384	176
25–35 - -	6638	221	6755	326	6957	328
35–45 - -	4487	369	4751	527	4817	601
45–55 - -	2512	661	2582	938	2626	1111
55–65 - -	1434	1151	1355	1772	1313	2111
65–75 - -	604	1633	544	2411	487	2933
75–85 - -	115	1119	95	1728	74	1971
85–95 - -	10	226	9	312	6	399
95 and upwds.	·4	14	·3	15	·4	21

increase of deaths from bronchitis. By uniting phthisis to the lung diseases we get rid of any ambiguities of nomenclature; and the mortality from the two groups of chest disease is still found increasing from 55·80 to 58·95, or 3·15 in 10,000. The diminution of the phthisis-rate is 2·25, and this brings down the increase from 5·40 to 3·15.

Of these diseases 5·895 in 1000 of the people died annually during the last five years, when the mortality from all causes was 21·467 in 1000. The question is therefore one of great magnitude, and it requires ample discussion, — What has led to the recent increase of mortality from inflammation of the air passages and air cells of the lungs?

This subject is full of interest; and Table XIII. shows clearly that the mortality from bronchitis increased chiefly in childhood and at advanced ages, the increase being perceptible at the ages after 35 years. The increase is not due to confusion of nomenclature; and when the deaths from phthisis and bronchitis are thrown into one table, the results are of the same character. The low temperatures of the winters of 1853, of 1855, and of 1860 are elements of which the influence will be demonstrated in a subsequent report.

The mortality by diseases of the digestive organs was at the rate of 9·66 in 10,000 living; 19,421 persons died of these diseases. Since 1850 enteritis, ileus, and ulceration of the bowels have been less fatal than they were; peritonitis, ascites, and intussusception, stricture of intestinal tube and hernia, have varied little; and there is little change in the liver diseases, taken collectively, and including jaundice.

TABLE XIV. — **Average Annual Rate** of **Mortality** per **1000** of **Males** and **Females** by **Phthisis** and by **Bronchitis** in **England** and **Wales, 1848–62.**

AGES.	In the 7 Years 1848–54.		In the 3 Years 1855–57.		In the 5 Years 1858–62.	
	Phthisis.	**Bronchitis.**	**Phthisis.**	**Bronchitis.**	**Phthisis.**	**Bronchitis.**
	MALES.					
All Ages -	2·70	1·01	2·54	1·35	2·46	1·58
0–5 - -	1·69	2·65	1·35	3·51	1·05	4·41
5–10 - -	·65	·12	·50	·14	·47	·15
10–15 - -	·87	·04	·75	·05	·68	·04
15–25 - -	3·28	·08	3·12	·09	3·12	·09
25–35 - -	4·04	·17	3·93	·21	3·94	·22
35–45 - -	3·95	·42	3·96	·55	4·05	·62
45–55 - -	3·91	1·07	3·74	1·33	3·60	1·47
55–65 - -	3·59	2·59	3·29	3·33	3·17	3·71
65–75 - -	2·69	5·89	2·44	8·01	2·15	9·16
75–85 - -	1·11	10·27	1·01	14·63	·84	16·05
85–95 - -	·60	13·80	·45	21·05	·49	22·20
95 and upwds.	·26	10·47	—	12·63	·43	21·54
	FEMALES.					
All Ages -	2·92	·91	2·75	1·26	2·65	1·46
0–5 - -	1·61	2·26	1·32	3·00	1·05	3·75
5–10 - -	·73	·12	·60	·16	·55	·17
10–15 - -	1·44	·05	1·24	·05	1·22	·05
15–25 - -	4·00	·09	3·93	·09	3·93	·09
25–35 - -	4·68	·16	4·51	·22	4·43	·21
35–45 - -	4·18	·34	4·10	·45	3·94	·49
45–55 - -	3·21	·85	3·07	1·12	2·97	1·26
55–65 - -	2·71	2·18	2·41	3·16	2·27	3·65
65–75 - -	1·94	5·25	1·57	6·97	1·29	7·75
75–85 - -	·93	9·06	·73	13·25	·55	14·71
85–95 - -	·53	11·87	·46	17·65	·31	20·35
95 and upwds.	·42	13·51	·33	15·08	·41	21·06

The diseases of the urinary organs led to 5328 deaths; so the mortality from diseases of this part of the system is 2·65 in 10,000. The aggregate mortality from these diseases is less than the *increase* in the fatality since 1850 of bronchitis. Some of these diseases, nephritis and nephria (Bright's disease), increased largely; perhaps only in appearance, arising from a change due to the diffusion of pathological knowledge. Fatal stone cases decreased; and this may fairly be attributed to the discovery of the operation by which the necessity of cutting is obviated in many cases. Upon the other hand, cystitis and nephritis, the inflammation or irritation of the mucous membranes, have grown more fatal. These are the evils to be obviated in using crushing instruments.

The diseases of the organs of generation killed 1227 persons; those of the organs of locomotion 1588; and those of the skin and integuments 1121. These diseases, which are so common and troublesome, or even painful, are not often fatal.

I may refer to one disease, ovarian dropsy, which in its ordinary decisive form is almost always fatal. The deaths from this disease, affecting the ovaries of women, were 280. Recently a bold operation has been practised by Mr. Spencer Wells and others, who cut through the covering of the abdomen, and take out the ovaries containing the cysts.

Mr. Spencer Wells informs me that he has operated in 100 cases; 66 women recovered, 34 died; and in his opinion 185 of the women who died in the year might have been saved by surgery. The diagnosis is sometimes fallacious.

The mortality is greater by this disease than it was formerly; thus, 12 of 1,000,000 died in 1850, and 14 out of the same number in 1862.

IV. Developmental Diseases.

This class includes the maladies specially incidental to the procreation, development, nutrition, and decay of man. Under it 68,842 deaths are

Table XV.—**Average Annual Rate of Mortality by Phthisis and Bronchitis in England and Wales, 1848–62.**

Ages.	Average Annual Rate of Mortality to 1000 living.					
	In the 7 Years 1848–54.	In the 3 Years 1855–57.	In the 5 Years 1858–62.	In the 7 Years 1848–54.	In the 3 Years 1855–57.	In the 5 Years 1858–62.
	Males.			Females.		
All Ages - -	3·71	3·89	4·04	3·83	4·01	4·11
0–5 - - - -	4·34	4·86	5·46	3·87	4·32	4·80
5–10 - - - -	·77	·64	·62	·85	·76	·72
10–15 - - - -	·91	·80	·72	1·49	1·29	1·27
15–25 - - - -	3·36	3·21	3·21	4·09	4·02	4·02
25–35 - - - -	4·21	4·14	4·16	4·84	4·73	4·64
35–45 - - - -	4·37	4·51	4·67	4·52	4·55	4·43
45–55 - - - -	4·98	5·07	5·07	4·06	4·19	4·23
55–65 - - - -	6·18	6·62	6·88	4·89	5·57	5·92
65–75 - - - -	8·58	10·45	11·31	7·19	8·54	9·04
75–85 - - - -	11·38	15·64	16·89	9·99	13·98	15·26
85–95 - - - -	14·40	21·50	22·69	12·40	18·11	20·63
95 and upwards - -	10·73	12·63	21·97	13·93	15·41	21·47

——	1848-54.	1855-57.	1858-62.
Mean Temperature - -	49·4	49·0	49·2
Lowest Temperature - -	47·7 (1853)	47·1 (1855)	47·0 (1860)

placed, including those from premature birth, malformations, and teething, old age, and atrophy or debility; besides 2137 from childbirth. Including the deaths from metria, the deaths of child-bearing mothers were 3077.

Upon comparing the deaths in childbirth with the registered children born alive, a large decrease in these most distressing deaths is observable; for beginning with 60 deaths to 10,000 children born alive the series ends with 43. About a thousand mothers survived in 1862 who would have perished had the mortality remained the same as it was in 1847. The improved registration of births accounts for only a portion of the apparent rate of decrease.

V. Violent Deaths.

14,944 violent deaths were recorded in the year, and the mortality by them was at the rate of 7·43 deaths by violence in every 10,000 inhabitants; that is 6·49 by accident or negligence, 0·65 by suicide, 0·21 by homicide, 0·01 by execution; leaving 0·07 unspecified. Thus about one death in 29 is by violence.

Table XVI.—**Deaths** of **Women in Childbirth** in the Sixteen **Years 1847–62.**

Years.	Number of Deaths from: Metria and Childbirth.	Metria.	Accidents of Childbirth.	Deaths of Mothers to 10,000 Children born alive.
1847 - -	3226	784	2442	60
1848 - -	3445	1365	2080	61
1849 - -	3339	1165	2174	58
1850 - -	3252	1113	2139	55
1851 - -	3290	1009	2281	53
1852 - -	3247	972	2275	52
1853 - -	3063	795	2268	50
1854 - -	3009	954	2055	47
1855 - -	2979	1079	1900	47
1856 - -	2888	1067	1821	44
1857 - -	2787	836	1951	42
1858 - -	3131	1068	2063	48
1859 - -	3496	1238	2258	51
1860 - -	3173	987	2186	46
1861 - -	2995	886	2109	43
1862 - -	3077	940	2137	43
16 years 1847–62 -	50,397	16,258	34,139	50

Table XVII.—**Average Annual Mortality** among Females in **England** and **Wales** at different Ages from **Ovarian Dropsy** in the Thirteen **Years 1850–62.**

Ages.	Mean Female Population, 1851 61.	Deaths in 13 Years, 1850-62.	Average Annual Deaths.	Deaths to 100,000 Females living.
All Ages - - -	9,718,175	2961	228	2·35
15–25 - - - - -	1,849,550	171	13	·70
25–35 - - - - -	1,494,666	497	38	2·54
35–45 - - - - -	1,133,809	708	54	4·76
45–55 - - - - -	830,350	740	58	6·99
55–65 - - - - -	565,587	506	39	6·90
65–75 - - - - -	332,631	278	21	6·31
75 and upwards - - -	149,024	61	5	3·36

Of the 13,055 deaths by accident or by negligence, 5397 were the result of fractures or contusions; penalties inflicted generally by the law of gravitation, and often incurred very carelessly.

I have formerly called attention to the great number of people burnt and scalded to death in England and Wales. The number of such deaths was 3166, 3053, and 2767 in the three last years; so, allowing for increase of population, the mortality was 161, 154, and 138 annual deaths by burns and scalds to every million inhabitants. The deaths by burns and scalds fluctuate; the proportion in previous years was highest (171) in 1855, lowest (142) in 1857; and never before so low as it was last year (138). By due precautions and constant assiduous care the number of these fearful deaths might be still further reduced.

The accidental deaths by poison per million living varied from 21 to 26 in the years 1850–7; and fell to 15, 14, 12, 13, and 13 in the five years 1858–62. This is fairly referable to the increased care of the chemists and druggists, and to judicious legislation. No precautions against these deaths are too great; they diminish the fatality of accidents, and make suicide and murder difficult, by poisons. The ratio of deaths by drowning has also fallen. This is exclusive of the deaths by drowning at sea.

The violent and sudden deaths are generally inquired into by the coroners, who held 20,591 inquests in the year.* The juries in 2429 instances returned verdicts of "found dead," in 7118 instances "natural death," as the result of their investigations. Dr. Lankester, one of the coroners for Middlesex, in a first report, has given a statistical account of the inquests of the year, and has appended to his tables practical commentaries which tend to enhance the utility of his office.† The coroners' court has recently been put on a better footing than it was formerly, but it admits of still further improvement. The machinery for supplying the coroners with information is imperfect, as Dr. Lankester points out, and the causes of death are left undiscovered in many instances, because the court cannot command all the resources of medical science.

TABLE XVIII.—ENGLAND. **Deaths** and **Mortality** by **Burns** and **Scalds** in the Fifteen **Years 1848-62.**

AGES.	DEATHS by BURNS and SCALDS, in the 15 Years 1848-62.		AVERAGE ANNUAL DEATHS by BURNS and SCALDS, in the 15 Years 1848-62.		AVERAGE ANNUAL RATE of MORTALITY by BURNS and SCALDS, in the 15 Years 1848-62 to 100,000 Living.	
	Males.	Females.	Males.	Females.	Males.	Females.
ALL AGES	21,066	21,628	1,404	1,442	15·2	15·0
Under 5 Years	11,658	9,675	778	645	62·4	52·2
5–	3,088	5,294	206	353	18·7	32·2
10–	818	1,367	55	91	5·4	9·2
15–	1,595	987	106	66	6·1	3·7
25–	1,307	509	87	34	6·4	2·3
35–	905	455	60	30	5·7	2·7
45–	614	525	41	35	5·2	4·2
55–	425	558	28	37	5·4	6·7
65–	301	845	20	56	7·2	16·6
75–	287	1,029	19	69	18·9	53·1
85–	64	358	4	24	35·8	123·7
95 and upwards	4	25	—	2	—	170·4

Of the 11,658 males dying of burns under 5 years of age, 730 were less than 1 year of age, 2755 were 1 year and under 2, 3030 were 2 years and under 3, 2823 were 3 years and under 4, 2320 were 4 years and under 5. Of the 9675 females dying under 5 years of age, 731 were less than 1 year of age, 2158 were 1 year and under 2, 2265 were 2 years and under 3, 2407 were 3 years and under 4, 2114 were 4 years and under 5.

* Judicial statistics, 1863.

† The Social Science Review, edited by B. W. Richardson, M.A., M.D., No. VI., p. 506.

I refrain from discussing the influence of age and of locality on health, as I hope to have an opportunity of investigating these topics in the supplementary volume, which will give the results of the registration of the ten years lying between the two last censuses.

I have the honour to be,
Sir,
Your obedient servant,
W. FARR.

To
The Registrar-General.

TABLE XIX.—**Deaths by Lightning** in each of the Four **Years 1859–62.**

Division.	District.	Date.	Sex.	Occupation.	All Ages.	Ages. 0–	5–	10–	15–	20–	25–	35–	45–	55–	65 and upwds
		1859.													
1	Wandsworth	26 June	Male	Domestic Servant	1	–	–	–	–	–	1	–	–	–	–
3	Ely	30 May	Male	Labourer	1	–	–	–	–	–	–	–	–	1	–
4	Thingoe	30 May	Male	Agricultural Labourer	1	–	–	–	–	–	–	–	–	–	1
8	Rochdale	7 June	Male	Labourer	1	–	–	–	–	–	–	–	–	1	–
8	West Derby	18 July	Female	Daughter of Farmer	1	–	–	–	–	–	1	–	–	–	–
8	Haslingden	18 July	Female	Wife of Weaver	1	–	–	–	–	–	–	1	–	–	–
9	Wortley	20 July	Male	Quarryman	1	–	–	–	–	–	1	–	–	–	–
9	Easingwold	19 July	Male	Agricultural Labourer	1	–	–	–	–	–	–	–	–	–	1
9	Todmorden	8 Mar.	Male	Carter	1	–	–	–	–	–	1	–	–	–	–
9	Todmorden	5 June	Male	Warehouseman	1	–	–	–	1	–	–	–	–	–	–
9	Bradford (York)	6 June	Female	Daughter of Comber	1	1	–	–	–	–	–	–	–	–	–
9	Bradford ,,	6 June	Female	Wife of Comber	1	–	–	–	–	–	1	–	–	–	–
10	Alnwick	1 Dec.	Male	Collier	1	–	–	–	–	1	–	–	–	–	–
11	Holywell	30 May	Male	Baptist Minister	1	–	–	–	–	–	–	–	1	–	–
11	Chepstow	23 July	Male	Labourer	1	–	–	–	–	–	1	–	–	–	–
11	Chepstow	23 July	Male	Son of a Labourer	1	–	–	1	–	–	–	–	–	–	–
11	Merthyr Tydfil	23 July	Male	Collier	1	–	–	–	–	–	–	–	–	–	1
		1860.													
3	Thame	29 June	Male	Labourer	1	–	–	1	–	–	–	–	–	–	–
3	Kettering	16 June	Male	Labourer	1	–	–	–	1	–	–	–	–	–	–
3	Hitchin	19 July	Male	Agricultural Labourer	1	–	–	–	–	–	–	1	–	–	–
3	Eton	28 July	Male	Labourer	1	–	–	–	–	–	1	–	–	–	–
4	Aylsham	20 June	Male	Agricultural Labourer	1	–	–	–	–	–	1	–	–	–	–
5	Truro	19 Dec.	Female	Wife of Labourer	1	–	–	–	–	–	–	–	1	–	–
6	Cheadle	20 June	Male	Farmer	1	–	–	–	–	–	–	1	–	–	–
6	Coventry	21 June	Male	Watchmaker	1	–	–	–	–	1	–	–	–	–	–
7	Holbeach	21 June	Male	Labourer	1	–	–	–	–	–	–	–	1	–	–
8	Warrington	20 June	Female	Wife of Labourer	1	–	–	–	–	–	–	–	1	–	–
9	Hunslet	19 July	Male	Engine Feeder	1	–	–	–	–	–	1	–	–	–	–
9	Beverley	19 July	Female	....	1	–	–	1	–	–	–	–	–	–	–
		1861.													
2	Kingston	23 May	Female	Wife of Gamekeeper	1	–	–	–	–	–	–	1	–	–	–
2	Croydon	7 Aug.	Male	Labourer	1	–	–	–	–	–	–	1	–	–	–
4	Rochford	8 July	Male	Son of Agrl. Labourer	1	–	1	–	–	–	–	–	–	–	–
4	Depwade	20 July	Male	Son of a Tradesman	1	–	–	1	–	–	–	–	–	–	–
5	Bradford	5 June	Male	Agricultural Labourer	1	–	–	–	–	1	–	–	–	–	–
5	Yeovil	15 June	Male	Labourer	1	–	–	–	–	1	–	–	–	–	–
5	Wareham	16 June	Male	Brickmaker	1	–	–	–	–	–	–	–	–	–	1
6	Hereford	6 June	Male	Farmer	1	–	–	–	–	–	1	–	–	–	–
6	Penkridge	22 June	Male	Miner	1	–	–	–	–	1	–	–	–	–	–
6	Stone	8 July	Female	Dressmaker	1	–	–	–	–	1	–	–	–	–	–
7	Barrow-on-Soar	22 June	Male	Labourer	1	–	–	–	–	–	–	–	–	1	–
7	Bourn	23 May	Male	Labourer	1	–	–	–	–	–	–	–	–	1	–
7	Lincoln	8 July	Male	Labourer	1	–	–	–	–	–	–	–	1	–	–
7	Grantham	22 Oct.	Male	Letter-carrier	1	–	–	–	–	–	–	1	–	–	–
8	Altrincham	26 June	Male	Labourer	1	–	–	–	–	1	–	–	–	–	–
8	Ashton un. Lyne	23 June	Female	Daughter of Farmer	1	–	–	–	1	–	–	–	–	–	–
8	Wirrall	25 Sept.	Female	Wife of Bricklayer	1	–	–	–	–	–	–	–	–	–	1
9	Pontefract	20 June	Male	Nailmaker	1	–	–	–	–	–	–	–	1	–	–
9	Doncaster	27 July	Male	Bricklayer	1	–	–	–	–	–	–	1	–	–	–
9	Beverley	27 July	Male	Labourer	1	–	–	–	–	–	–	1	–	–	–
9	Beverley	27 July	Male	– – – – –	1	–	1	–	–	–	–	–	–	–	–
9	Beverley	27 July	Female	– – – – –	1	–	–	1	–	–	–	–	–	–	–
10	Stockton	23 June	Female	Wife of Farmer	1	–	–	–	–	–	–	–	–	–	1
10	Stockton	23 June	Female	Daughter of Collier	1	–	–	1	–	–	–	–	–	–	–
11	Narberth	15 June	Female	Widow	1	–	–	–	–	–	–	–	–	–	1
11	Bangor	13 July	Male	Labourer	1	–	–	–	1	–	–	–	–	–	–
		1862.													
2	Faversham	9 June	Male	Labourer	1	–	–	–	–	–	–	1	–	–	–
3	Peterborough	16 July	Female	Wife of Farmer	1	–	–	–	–	–	1	–	–	–	–
6	Ross	9 May	Female	Wife of Labourer	1	–	–	–	–	–	–	1	–	–	–
6	Whitchurch	9 June	Male	Son of a Sawyer	1	–	–	1	–	–	–	–	–	–	–
6	Tamworth	10 July	Male	Labourer	1	–	–	–	–	–	–	–	–	1	–
6	Penkridge	15 Oct.	Male	– – – – –	1	–	–	1	–	–	–	–	–	–	–
7	Barrow-on-Soar	7 May	Male	Labourer	1	–	–	–	–	–	–	–	–	–	1
8	Preston	1 June	Male	Watchman	1	–	–	–	–	–	–	–	1	–	–
8	Ulverston	7 May	Male	Waller	1	–	–	–	–	–	1	–	–	–	–
8	Ulverston	1 May	Female	Wife of Farmer	1	–	–	–	–	–	–	–	–	1	–
8	Macclesfield	2 Sept.	Male	Mill Piecer	1	–	–	–	–	–	–	1	–	–	–
9	Howden	15 July	Male	Labourer	1	–	–	–	–	–	1	–	–	–	–
				TOTAL	67	1	2	8	4	7	13	11	7	6	8

INDEX OF DISTRICTS.

[The following Index furnishes a reference to the *Number* of each District in the topographical arrangement adopted in the Tables of Abstracts contained in the Report, the numbers running consecutively from 1 to 623.* In forming the alphabetical arrangement the principle is adopted of placing compound names in the order in which they are pronounced: thus, East Ashford will be found under the letter E, and *not* under A, as Ashford, East.]

For names of Towns, such as Chester, Leamington, Torquay, &c., which are not found in this "Index of Districts," see the "Index of Sub-districts" (page 197) *and "Index of certain Towns"* (page 207).

A

Aberayron, 596.
Abergavenny, 578 *a*.
Aberystwith, 597.
Abingdon, 123.
Alcester, 405.
Alderbury, 263.
Alnwick, 559.
Alresford, 113.
Alston, 564.
Alton, 114.
Altrincham, 454.
Alverstoke, 97.
Amersham, 148.
Amesbury, 262.
Ampthill, 181.
Andover, 118.
Anglesey, 623.
Ashborne, 447.
Ashby-de-la-Zouch, 414.
Ashton-under-Lyne, 474.
Askrigg, 537.
Aston, 395.
Atcham, 359.
Atherstone, 397.
Auckland, 542.
Axbridge, 324.
Axminster, 279.
Aylesbury, 151.
Aylsham, 232.

B

Bakewell, 449.
Bala, 616.
Banbury, 163.
Bangor, 621.
Barnet, 136.
Barnsley, 505.
Barnstaple, 295.
Barrow-on-Soar, 416.
Barton-upon-Irwell, 470.
Basford, 438.
Basingstoke, 116.
Bath, 326.
Battle, 77.
Beaminster, 277.
Bedale, 535.
Bedford, 179.
Bedminster, 328.
Bedwelty, 578 *b*.
Belford, 560.
Bellingham, 557.
Belper, 446.
Berkhampstead, 147.
Bermondsey, 28.
Berwick, 561.
Bethnal Green, 21.
Beverley, 518.
Bicester, 159.
Bideford, 297.
Biggleswade, 180.
Billericay, 199.
Billesdon, 410.
Bingham, 443.
Birkenhead, 460 *b*.
Birmingham, 394.
Bishop Stortford, 139.
Blaby, 411.
Blackburn, 480.
Blandford, 270.
Blean, 66.
Blofield, 237.
Blything, 225.
Bodmin, 304.
Bolton, 468.
Bootle, 572.
Bosmere, 220.
Boston, 425.
Bourn, 422.
Brackley, 164.
Bradfield, 126.
Bradford-on-Avon, 258.
Bradford (Yorkshire), 499.
Braintree, 208.
Bramham, 514 *b*.
Brampton, 566.
Brecknock, 600.
Brentford, 134.
Bridge, 64.
Bridgend, 583.
Bridgnorth, 356.
Bridgwater, 316.
Bridlington, 524.
Bridport, 278.
Brighton, 85.
Bristol, 329.
Brixworth, 170.
Bromley, 49.
Bromsgrove, 392.
Bromyard, 350.
Buckingham, 154.
Builth, 599.
Burnley, 478.
Burton-upon-Trent, 375.
Bury, 469.
Bury St. Edmunds, 215.

C

Caistor, 432.
Calne, 254.
Camberwell, 33.
Cambridge, 187.
Camelford, 300.
Canterbury, 65.
Cardiff, 581.
Cardigan, 593.
Carlisle, 568.
Carmarthen, 589.
Carnarvon, 620.
Castleford, 504 *c*.
Castle Ward, 554.
Catherington, 111.
Caxton, 185.
Chapel-en-le-Frith, 450.
Chard, 318.
Cheadle, 373.
Chelmsford, 200.
Chelsea, 2.
Cheltenham, 344.
Chepstow, 576.
Chertsey, 38.
Chesterfield, 448.
Chester-le-Street, 548.
Chesterton, 186.
Chichester, 92.
Chippenham, 253.
Chipping Norton, 162.
Chipping Sodbury, 331.
Chorley, 481.
Chorlton, 471.
Christchurch, 101.
Church Stretton, 354.
Cirencester, 340.
Cleobury Mortimer, 355.
Clerkenwell, 15.
Clifton, 330.

---

* Thus, the number of Marriages in the Aberayron District may at once be ascertained by referring, in the "*Abstract of Marriages,*" to the District numbered 596 (see page 24); and in like manner the number of Births and Deaths, of Deaths at different Ages, &c. will be found by referring to the same district number in the appropriate Tables.

Clitheroe, 479.
Clun, 353.
Clutton, 325.
Cockermouth, 570.
Colchester, 204.
Congleton, 457.
Conway, 622.
Cookham, 129.
Corwen, 615.
Cosford, 213.
Coventry, 400.
Cranbrook, 60.
Crediton, 292.
Crickhowell, 601.
Cricklade, 251.
Croydon, 46.
Cuckfield, 83.

D

Darlington, 540.
Dartford, 50.
Daventry, 169.
Depwade, 239.
Derby, 445.
Devizes, 256.
Dewsbury, 502.
Docking, 244.
Dolgelly, 617.
Doncaster, 510.
Dorchester, 275.
Dorking, 43.
Dover, 72.
Downham, 247.
Driffield, 523.
Droitwich, 391.
Droxford, 110.
Dudley, 382.
Dulverton, 313 *b*.
Dunmow, 209.
Durham, 545.
Dursley, 333.

E

Easington, 546.
Easingwold, 527.
East Ashford, 63.
Eastbourne, 78.
East Grinstead, 82.
Easthampstead, 130.
East London, 17.
East Retford, 435.
Eastry, 71.
East Stonehouse, 288.
East Ward, 573.
Ecclesall Bierlow, 507.
Edmonton, 137.
Elham, 73.
Ellesmere, 362.
Ely, 190.
Epping, 195.
Epsom, 37.
Erpingham, 231.
Eton, 149.
Evesham, 389.
Exeter, 282.

F

Falmouth, 308.
Fareham, 98.
Faringdon, 122.
Farnborough, 41.
Farnham, 40.
Faversham, 67.
Festiniog, 618.
Flegg, 229.
Foleshill, 399.
Fordingbridge, 103.
Forehoe, 235.
Freebridge Lynn, 245.
Frome, 321.
Fylde, 483.

G

Gainsborough, 434.
Garstang, 484.
Gateshead, 551.
Glanford Brigg, 433.
Glendale, 562.
Gloucester, 336.
Godstone, 45.
Goole, 512.
Gower, 585 *b*.
Grantham, 427.
Gravesend, 51.
Great Boughton (Chester), 459.
Great Ouseburn, 492 *a*.
Greenwich, 35.
Guildford, 39.
Guiltcross, 240.
Guisbrough, 532.

H

Hackney, 11.
Hailsham, 79.
Halifax, 498.
Halstead, 207.
Haltwhistle, 556.
Hambledon, 42.
Hampstead, 8.
Hardingstone, 167.
Hartismere, 218.
Hartlepool, 541 *b*.
Hartley Wintney, 115.
Haslingden, 477.
Hastings, 76.
Hatfield, 143.
Havant, 95.
Haverfordwest, 592.
Hay, 602.
Hayfield, 451.
Headington, 157.
Helmsley, 529.
Helston, 309.
Hemel Hempstead, 146.
Hemsworth, 504 *b*.
Hendon, 135.
Henley, 155.
Henstead, 236.
Hereford, 348.
Hertford, 142.
Hexham, 555.
Highworth, 250.
Hinckley, 412.
Hitchin, 141.
Holbeach, 424.
Holbeck, 500 *c*.
Holborn, 14.
Hollingbourn, 59.
Holsworthy, 298.
Holywell, 610.
Honiton, 280.
Hoo, 53.
Horncastle, 429.
Horsham, 87.
Houghton-le-Spring, 547
Howden, 517.
Hoxne, 219.
Huddersfield, 497.
Hull, 520.
Hungerford, 121.
Hunslet, 500 *b*.
Huntingdon, 176.

I

Ipswich, 222.
Isle of Wight, 99.
Islington, 10.

K

Keighley, 494.
Kendal, 575.
Kensington, 1.
Kettering, 172.
Keynsham, 327.
Kidderminster, 384.
Kingsbridge, 285.
Kingsclere, 119.
Kings Lynn, 246.
Kings Norton, 393.
Kingston, 47.
Kirkdeighton, 492 *d*.
Kirkstall, 500 *a*.
Knaresborough, 492 *b*.
Knighton, 604.

L

Lambeth, 31.
Lampeter, 595.
Lancaster, 485.
Langport, 317.
Launceston, 301.
Ledbury, 346.
Leeds, 501.
Leek, 372.
Leicester, 417.
Leigh, 467.
Leighton Buzzard, 183.
Leominster, 351.
Lewes, 84.
Lewisham, 36.
Lexden, 205.
Leyburn, 536.

Lichfield, 377.
Lincoln, 428.
Linton, 188.
Liskeard, 303.
Liverpool, 461.
Llandilofawr, 588.
Llandovery, 587.
Llanelly, 586.
Llanfyllin, 609.
Llanrwst, 614.
Loddon, 238.
London City, 19.
Longtown, 567.
Loughborough, 415.
Louth, 431.
Ludlow, 352.
Luton, 184.
Lutterworth, 408.
Lymington, 100.

M

Macclesfield, 453.
Machynlleth, 606.
Madeley, 358.
Maidstone, 58.
Maldon, 202.
Malling, 55.
Malmsbury, 252.
Malton, 526.
Manchester, 473.
Mansfield, 437.
Market Bosworth, 413.
Market Drayton, 364.
Market Harborough, 409.
Marlborough, 255.
Martley, 386.
Marylebone, 7.
Medway, 54.
Melksham, 257.
Melton Mowbray, 418.
Mere, 267.
Meriden, 396.
Merthyr Tydfil, 582.
Midhurst, 93.
Mildenhall, 216.
Mile End Old Town, 24 *b*.
Milton, 68.
Mitford, 242.
Monmouth, 577.
Montgomery, 608.
Morpeth, 558.
Mutford, 227.

N

Nantwich, 458.
Narberth, 590.
Neath, 584.
Newark, 442.
Newbury, 120.
Newcastle-in-Emlyn, 594.
Newcastle-under-Lyme, 369.
Newcastle-upon-Tyne, 552.
Newent, 335.
New Forest, 104.
Newington, 30.
Newmarket, 189.
Newport (Monmouth), 580.
Newport (Salop), 366.
Newport Pagnell, 153.
Newton Abbot, 283.
Newtown, 607.
Northallerton, 534.
Northampton, 168.
North Aylesford, 52.
Northleach, 341.
Northwich, 456.
North Witchford, 191.
Norwich, 234.
Nottingham, 440.
Nuneaton, 398.

O

Oakham, 419.
Okehampton, 291.
Oldham, 475.
Ongar, 196.
Ormskirk, 464.
Orsett, 198.
Oswestry, 361.
Otley, 493 *a*.
Oundle, 174.
Oxford, 158.

P

Pancras, 9.
Pateley Bridge, 490.
Patrington, 521.
Pembroke, 591.
Penkridge, 378.
Penrith, 565.
Penzance, 311.
Pershore, 390.
Peterborough, 175.
Petersfield, 112.
Petworth, 88.
Pewsey, 261.
Pickering, 530.
Plomesgate, 224.
Plymouth, 287.
Plympton St. Mary, 286.
Pocklington, 516.
Pontefract, 504 *a*.
Pontypool, 579.
Poole, 272.
Poplar, 25.
Portsea Island, 96.
Potterspury, 166.
Prescot, 463.
Presteigne, 603.
Preston, 482.
Pwllheli, 619.

R

Radford, 439.
Reading, 127.
Redruth, 310.
Reeth, 538.
Reigate, 44.
Rhayader, 605.
Richmond (Surrey), 48.
Richmond (Yorkshire), 539.
Ringwood, 102.
Ripon, 491.
Risbridge, 211.
Rochdale, 476.
Rochford, 201.
Romford, 197.
Romney Marsh, 74.
Romsey, 107.
Ross, 347.
Rothbury, 563.
Rotherham, 509.
Rotherhithe, 34.
Royston, 140.
Rugby, 401.
Runcorn, 455.
Ruthin, 612.
Rye, 75.

S

Saddleworth, 496.
Saffron Walden, 210.
St. Albans, 144.
St. Asaph, 613.
St. Austell, 306.
St. Columb, 305.
St. Faiths, 233.
St. George Hanover Sq., 3.
St. George in-the-East, 23.
St. George Southwark, 29.
St. Germans, 302.
St. Giles, 12.
St. Ives, 177.
St. James Westminster, 6.
St. Luke, 16.
St. Martin-in-the-Fields, 5.
St. Neots, 178.
St. Olave, 27.
St. Saviour, 26.
St. Thomas, 281.
Salford, 472.
Salisbury, 264.
Samford, 221.
Scarborough, 525.
Scilly Islands, 312.
Sculcoates, 519.
Sedbergh, 487.
Selby, 513.
Settle, 488.
Sevenoaks, 56.
Shaftesbury, 268.
Shardlow, 444.
Sheffield, 508.
Sheppey, 69.
Shepton Mallet, 322.
Sherborne, 276.
Shiffnal, 357.
Shipston-on-Stour, 406.
Shoreditch, 20.
Shrewsbury, 360.
Skipton, 489.
Skirlaugh, 522.
Sleaford, 426.
Solihull, 402.
Southam, 407.
Southampton, 105.
South Molton, 294.

South Shields, 550.
South Stoneham, 106.
Southwell, 441.
Spalding, 423.
Spilsby, 430.
Stafford, 367.
Staines, 132.
Stamford, 421.
Stepney, 24 *a.*
Steyning, 86.
Stockbridge, 108.
Stockport, 452.
Stockton, 541 *a.*
Stoke Damerel, 289.
Stokesley, 533.
Stoke-upon-Trent, 371.
Stone, 368.
Stourbridge, 383.
Stow, 217.
Stow-on-the-Wold, 342.
Strand, 13.
Stratford-on-Avon, 404.
Stratton, 299.
Stroud, 338.
Sturminster, 269.
Sudbury, 212.
Sunderland, 549.
Swaffham, 248.
Swansea, 585 *a.*

T

Tadcaster, 514 *a.*
Tamworth, 376.
Taunton, 315.
Tavistock, 290.
Teesdale, 543.
Tenbury, 385.
Tendring, 203.
Tenterden, 61.
Tetbury, 339.
Tewkesbury, 345.
Thakeham, 89.
Thame, 156.
Thanet, 70.
Thetford, 249.
Thingoe, 214.
Thirsk, 528.
Thornbury, 332.
Thorne, 511.
Thrapston, 173.
Ticehurst, 80.
Tisbury, 266.
Tiverton, 293.
Todmorden, 495.
Torrington, 296.
Totnes, 284.
Towcester, 165.
Tregaron, 598.
Truro, 307.
Tunbridge, 57.
Tunstead, 230.
Tynemouth, 553.

U

Uckfield, 81.
Ulverston, 486.
Uppingham, 420.
Upton-on-Severn, 388.
Uttoxeter, 374.
Uxbridge, 133.

W

Wakefield, 503.
Wallingford, 125.
Walsall, 380.
Walsingham, 243.
Wandsworth, 32.
Wangford, 226.
Wantage, 124.
Ware, 138.
Wareham, 273.
Warminster, 260.
Warrington, 466.
Warwick, 403.
Watford, 145.
Wayland, 241.
Weardale, 544.
Wellingborough, 171.
Wellington (Salop), 365.
Wellington (Somerset), 314.
Wells, 323.
Wem, 363 *a.*
Weobly, 349.
West Ashford, 62.
Westbourne, 94.
West Bromwich, 381.
Westbury, 259.
Westbury-on-Severn, 334.
West Derby, 462.
West Ham, 194.
Westhampnett, 91.
West London, 18.
Westminster, 4.
West Ward, 574.
Wetherby, 492 *c.*
Weymouth, 274.
Wharfedale, 493 *b.*
Wheatenhurst, 337.
Whitby, 531.
Whitchurch (Hants), 117.
Whitchurch (Salop), 363 *b.*
Whitechapel, 22.
Whitehaven, 571.
Whittlesey, 192.
Wigan, 465.
Wigton, 569.
Williton, 313 *a.*
Wilton, 265.
Wimborne, 271.
Wincanton, 320.
Winchcomb, 343.
Winchester, 109.
Windsor, 131.
Winslow, 152.
Wirral, 460 *a.*
Wisbech, 193.
Witham, 206.
Witney, 161.
Woburn, 182.
Wokingham, 128.
Wolstanton, 370.
Wolverhampton, 379.
Woodbridge, 223.
Woodstock, 160.
Worcester, 387.
Worksop, 436.
Worthing, 90.
Wortley, 506.
Wrexham, 611.
Wycombe, 150.

Y

Yarmouth, 228.
Yeovil, 319.
York, 515.

INDEX OF SUB-DISTRICTS.

[In this alphabetical arrangement the principle is adopted of placing the Sub-Districts (or Registrars' Districts) having *compound names* in the order indicated by the usual pronunciation of those names; thus, East Grinstead will be found under the letter E, and not under G as "Grinstead, East;" St. James under the letter S, and not as "James, St." The number against each Sub-District, in the third column, refers to the order in which it appears in the arrangement of the Districts in the Tables of Abstracts; thus, Abbey Holme (569; 2) is the 2d Sub-District of the Wigton District, No. 569.]

SUB-DISTRICT.	DISTRICT.	No.
A		
Abbey	Bath	326; 3
Abbey Holme	Wigton	569; 2
Abbots Bromley	Uttoxeter	374; 2
Abbotsbury	Weymouth	274; 4
Abbots Langley	Watford	145; 4
Aberdare	Merthyr Tydfil	582; 4
Aberdaron	Pwllheli	619; 3
Aberford	Tadcaster	514*a*; 1
Abergavenny	Abergavenny	578*a*; 3
Abergele	St. Asaph	613; 2
Abergwessin	Builth	599; 1
Aberystruth	Bedwelty	578*b*; 1
Aberystwith	Aberystwith	597; 2
Abingdon	Abingdon	123; 2
Abthorpe	Towcester	165; 1
Accrington	Haslingden	477; 5
Acton	Brentford	134; 5
Addingham	Skipton	489; 6
Alberbury	Atcham	359; 4
Albrighton	Shiffnal	357; 1
Albury	Guildford	39; 3
Alcester	Alcester	405; 2
Aldborough	Richmond (Yrks.)	539; 4
Aldbrough	Skirlaugh	522; 3
Aldeburgh	Plomesgate	224; 5
Aldeby	Loddon	238; 1
Alderbury	Alderbury	263; 1
Alderley	Macclesfield	453; 8
Aldgate	Whitechapel	22; 7
Aldington	East Ashford	63; 1
Aldridge	Walsall	380; 4
Alford	Spilsby	430; 5
Alfreton	Belper	446; 5
Allendale	Hexham	555; 3
Allerston	Pickering	530; 4
All Saints	Birmingham	394; 9
All Saints	Hastings	76; 2
All Saints	Maldon	202; 3
All Saints	Newcastle-on-Tyne.	552; 4
All Saints	Northampton	168; 2
All Souls	Marylebone	7; 1
Almondbury	Huddersfield	497; 7
Almondsbury	Thornbury	332; 1
Alnwick	Alnwick	559; 2
Alphington	St. Thomas	281; 8
Alresford	Alresford	113; 2
Alston	Alston	564; 1
Alston	Preston	482; 4
Alternon	Launceston	301; 1
Alton	Alton	114; 1
Alton	Cheadle	373; 1
Altrincham	Altrincham	454; 2
Alverstoke	Alverstoke	97; 1
Alverthorpe	Wakefield	503; 6
Ambleside	Kendal	575; 1
Amersham	Amersham	148; 3
Amesbury	Amesbury	262; 2
Amlwch	Anglesey	623; 4
Ampthill	Ampthill	181; 2
Amroth	Narberth	590; 3
Amwell	Clerkenwell	15; 2
Ancoats	Manchester	473; 1
Andover	Andover	118; 3
Anston	Worksop	436; 3
Antony	St. Germans	302; 1
Appleby	East Ward	573; 1
Appleton Roebuck	Bramham	514*b*; 1
Appleton-upon-Wisk.	Northallerton	534; 1
Ardleigh	Tendring	203; 5
Ardsley	Wakefield	503; 7
Ardwick	Chorlton	471; 2
Arkholme	Lancaster	485; 7
Arncliffe	Settle	488; 5
Arnold	Basford	438; 5
Artillery	Whitechapel	22; 1
Arundel	Worthing	90; 3
Ashborne	Ashborne	447; 3
Ashburton	Newton Abbot	283; 4
Ashby-de-la-Zouch.	Ashby-de-la-Zouch.	414; 3
Ashford	West Ashford	62; 2
Ashley	Clifton	330; 2
Ashover	Chesterfield	448; 1
Ashton-in-Makerfield	Wigan	465; 7
Ashton Town	Ashton-under-Lyne.	474; 2
Askrigg	Askrigg	537; 1
Aslackby	Bourn	422; 2
Aspull	Wigan	465; 2
Aston Clinton	Aylesbury	151; 3
Aswarby	Sleaford	426; 5
Atcham	Atcham	359; 7
Atherstone	Atherstone	397; 1
Atherton	Leigh	467; 4
Attercliffe	Sheffield	508; 6
Attleborough	Wayland	241; 1
Audenshaw	Ashton-under-Lyne.	474; 3
Audley	Newcastle-under-Lyme.	369; 3
Aughton	Ormskirk	464; 2
Axbridge	Axbridge	324; 4
Axminster	Axminster	279; 2
Aycliffe	Darlington	540; 2
Aylesbury	Aylesbury	151; 2
Aylesford	Malling	55; 1
B		
Bacton	Tunstead	230; 4
Bainton	Driffield	523; 3
Bakewell	Bakewell	449; 1
Bala	Bala	616; 1
Baldock	Hitchin	141; 1
Balsham	Linton	188; 3
Bampton	Tiverton	293; 6
Bampton	Witney	161; 2
Banbury	Banbury	163; 4
Bangor	Bangor	621; 2
Banham	Guiltcross	240; 1
Banwell	Axbridge	324; 3
Barford	Bedford	179; 7
Barham	Bridge	64; 2
Barking Town	Romford	197; 3
Barmbrough	Doncaster	510; 2
Barmouth	Dolgelly	617; 2
Barnack	Stamford	421; 2
Barnard Castle	Teesdale	543; 2
Barnet	Barnet	136; 2
Barnoldswick	Skipton	489; 3
Barnsley	Barnsley	505; 2
Barnstaple	Barnstaple	295; 1
Barrow	Barrow-upon-Soar.	416; 1
Barrowden	Uppingham	420; 3
Barton	Barton-upon-Irwell.	470; 2
Barton	Glanford Brigg	433; 3
Baschurch	Ellesmere	362; 4
Basford	Basford	438; 3
Basingstoke	Basingstoke	116; 1
Bassingham	Newark	442; 2
Batheaston	Bath	326; 7
Bathwick	Bath	326; 2
Batley	Dewsbury	502; 2
Battersea	Wandsworth	32; 2
Battle	Battle	77; 3
Battlefield	Atcham	359; 6
Bawdeswell	Mitford	242; 3
Bawtry	Doncaster	510; 5
Beaconsfield	Amersham	148; 5
Beaminster	Beaminster	277; 4
Beaumaris	Bangor	621; 1
Beccles	Wangford	226; 2
Beckley	Rye	75; 2
Bedale	Bedale	535; 1
Bedford and Cardington.	Bedford	179; 6
Bedford and Kempston.	Bedford	179; 5
Bedlington	Morpeth	558; 2
Bedminster	Bedminster	328; 1
Begelly	Narberth	590; 6
Beighton	Rotherham	509; 1
Belbroughton	Bromsgrove	392; 2
Belford	Belford	560; 1
Belgrave	St. George Hanover-sq.	3; 3
Bellingham	Bellingham	557; 1
Belper	Belper	446; 3
Bennington	Boston	425; 2
Bennington	Newark	442; 4
Bentham	Settle	488; 1
Bere Regis	Wareham	273; 4
Berkeley	Thornbury	332; 3
Berkhampstead	Berkhampstead	147; 1
Berwick	Berwick	561; 2
Berwick Street	St. James Westminster.	6; 1
Bettwsycoed	Llanrwst	614; 2
Beverley	Beverley	518; 2
Bewdley	Kidderminster	384; 5
Bexhill	Battle	77; 1
Bexley	Dartford	50; 1
Bibury	Northleach	341; 1
Bicester	Bicester	159; 2
Bickerstaffe	Ormskirk	464; 1
Bideford	Bideford	297; 1
Bidford	Alcester	405; 4
Biggleswade	Biggleswade	180; 2
Billesdon	Billesdon	410; 1
Billinghay	Sleaford	426; 1
Billingshurst	Petworth	88; 1
Billington	Blackburn	480; 1
Bilston	Wolverhampton	379; 7
Bilton	Bramham	514*b*; 3
Binbrook	Louth	431; 3
Bingham	Bingham	443; 1
Bingley	Keighley	494; 1
Binstead	Alton	114; 2
Birkenhead	Birkenhead	460*b*; 1
Birtle	Bury	469; 4
Bishop Auckland	Auckland	542; 1
Bishops Cannings	Devizes	256; 1
Bishops Castle	Clun	353; 2
Bishops Frome	Bromyard	350; 2
Bishops Lydeard	Taunton	315; 5
Bishops Tawton	Barnstaple	295; 6
Bishopstone	Wilton	265; 2
Bishop Stortford	Bishop Stortford	139; 3
Bishops Waltham	Droxford	110; 1
Bisley	Stroud	338; 3
Bitton	Keynsham	327; 1
Blackawton	Kingsbridge	285; 1

Sub-District.	District.	No.
Blackburn	Blackburn	480; 4
Blackley	Manchester	473; 9
Black Torrington	Holsworthy	298; 3
Blackwell	Mansfield	437; 3
Blaenavon	Abergavenny	578a; 4
Blagdon	Axbridge	324; 5
Blandford	Blandford	270; 2
Blatchinworth	Rochdale	476; 9
Bletchington	Bicester	159; 1
Blidworth	Mansfield	437; 6
Blofield	Blofield	237; 1
Bloxham	Banbury	163; 1
Bloxwich	Walsall	380; 2
Blyth	Tynemouth	553; 6
Bobbingworth	Ongar	196; 1
Bocking	Braintree	208; 2
Bockleton	Tenbury	385; 2
Bodenham	Leominster	351; 2
Bodmin	Bodmin	304; 3
Bollington	Macclesfield	453; 2
Bolsover	Chesterfield	448; 3
Bolton Eastern	Bolton	468; 11
Bolton Western	Bolton	468; 12
Bootham	York	515; 2
Bootle	Bootle	572; 2
Boroughbridge	Gt. Ouseburn	492a; 1
Borough Road	St. George Southwark.	29; 2
Boscastle	Camelford	300; 1
Boston	Boston	425; 4
Botesdale	Hartismere	218; 2
Bottisham	Newmarket	189; 3
Boughton	Faversham	67; 1
Bourn	Bourn	422; 3
Bourton-on-the-Water.	Stow-on-the-Wold.	342; 1
Bow	Crediton	292; 2
Bow	Poplar	25; 1
Bowling	Bradford (Yrks.)	499; 4
Boxgrove	Westhampnett	91; 4
Brabourne	East Ashford	63; 2
Brackley	Brackley	164; 1
Bracknell	Easthampstead	130; 1
Bradfield	Wortley	506; 6
Bradford Abbas	Sherborne	276; 3
Bradford East-End.	Bradford (Yrks.)	499; 5
Bradford North Western.	Bradford-on-Avon.	258; 2
Bradford South Eastern.	Bradford-on-Avon.	258; 1
Bradford West-End.	Bradford (Yrks.)	499; 6
Bradley	Westbury	259; 1
Bradwell	Maldon	202; 2
Bradworthy	Bideford	297; 5
Brafield	Hardingstone	167; 1
Brailsford	Ashborne	447; 1
Braintree	Braintree	208; 3
Bramham	Bramham	514b; 2
Bramley	Basingstoke	116; 2
Brampton	Brampton	566; 2
Brandesburton	Skirlaugh	522; 5
Brassington	Ashborne	447; 6
Bratton Clovelly	Okehampton	291; 1
Braughing	BishopStortford	139; 4
Braunton	Barnstaple	295; 5
Bray	Cookham	129; 1
Breage	Helston	309; 4
Brecknock	Brecknock	600; 3
Brenchley	Tunbridge	57; 3
Brentford	Brentford	134; 3
Brentwood	Billericay	199; 1
Bretton	Wakefield	503; 1
Brewood	Penkridge	378; 2
Bridgend	Bridgend	583; 3
Bridlington	Bridlington	524; 2
Bridgnorth	Bridgnorth	356; 2
Bridgwater	Bridgwater	316; 4
Bridport	Bridport	278; 2
Brigg	Glanford Brigg	433; 1
Brighouse	Halifax	498; 2
Brightside	Sheffield	508; 5
Brill	Thame	156; 3
Brilley	Presteigne	603; 1
Brindle	Chorley	481; 1
Britford	Alderbury	263; 3
Brixham	Totnes	284; 2
Brixton	Lambeth	31; 7

Sub-District.	District.	No.
Brixworth	Brixworth	170; 3
Broad-Clist	St. Thomas	281; 4
Broadwater	Worthing	90; 1
Broadway	Evesham	389; 2
Broadwood-widger.	Holsworthy	298; 4
Brockhampton	Bromyard	350; 3
Bromham	Devizes	256; 3
Bromley	Bromley	49; 1
Bromsgrove	Bromsgrove	392; 1
Brompton	Kensington	1; 4
Bromyard	Bromyard	350; 1
Broseley	Madeley	358; 3
Broughton	Preston	482; 5
Broughton	Salford	472; 2
Broughton	Stockbridge	108; 1
Bruton	Wincanton	320; 4
Bryngwran	Anglesey	623; 2
Bubwith	Howden	517; 2
Buckfastleigh	Totnes	284; 5
Buckingham	Buckingham	154; 2
Buckland	Faringdon	122; 3
Buckland Monachorum.	Tavistock	290; 1
Bucklebury	Bradfield	126; 1
Budbrooke	Warwick	403; 1
Budworth	Runcorn	455; 1
Bugbrooke	Northampton	168; 3
Builth	Builth	599; 3
Bulmer	Malton	526; 5
Bulmer	Sudbury	212; 1
Bulwell	Basford	438; 4
Bunbury	Nantwich	458; 3
Bungay	Wangford	226; 1
Buntingford	Royston	140; 1
Burbage	Hinchley	412; 1
Bures	Sudbury	212; 2
Burford	Witney	161; 4
Burgh	Carlisle	568; 5
Burghill	Hereford	348; 3
Burgh-le-Marsh	Spilsby	430; 4
Burnham	Axbridge	324; 2
Burnham	Docking	244; 1
Burnham	Eton	149; 3
Burnley	Burnley	478; 1
Burslem	Wolstanton	370; 3
Burton Bradstock	Bridport	278; 1
Burton-upon-Trent.	Burton-upon-Trent.	375; 4
Bury St. Edmunds.	Bury St. Edmunds.	215; 1
Bushey	Watford	145; 1
Butterworth Freeholdside.	Rochdale	476; 1
Butterworth Lordshipside.	Rochdale	476; 2
Buxton	Aylsham	232; 2
Buxton	Chapel-en-le-Frith.	450; 1
Byker	Newcastle-upon-Tyne.	552; 5
Byron	Nottingham	440; 4
Bywell	Hexham	555; 1

C

Sub-District.	District.	No.
Cadoxton	Neath	584; 5
Caerleon	Newport(Monm.)	580; 1
Caerphilly	Cardiff	581; 1
Cainham	Ludlow	352; 3
Caistor	Caistor	432; 2
Calbourne	Isle of Wight	99; 5
Caldbeck	Wigton	569; 3
Calehill	West Ashford	62; 1
Callington	Liskeard	303; 1
Calne	Calne	254; 1
Calton	Ashborne	447; 4
Calverley	Bradford(Yorks.)	499; 1
Camberwell	Camberwell	33; 2
Camborne	Redruth	310; 4
Camden Town	Pancras	9; 5
Camelford	Camelford	300; 2
Campden	Shipston-on-Stour.	406; 1
Campsall	Doncaster	510; [illegible]
Canford	Poole	272; [illegible]
Cannock	Penkridge	378; [illegible]
Canterbury	Canterbury	65; [illegible]
Capel	Dorking	43; [illegible]
Capel St. Mary	Samford	221; [illegible]
Carburton	Worksop	436; [illegible]
Cardiff	Cardiff	581; [illegible]
Cardigan	Cardigan	593; [illegible]
Carlford	Woodbridge	223; [illegible]
Carlton	Basford	438; 6
Carlton	Selby	513; 1
Carlton	Worksop	436; [illegible]
Carmarthen	Carmarthen	589; [illegible]
Carnarvon	Carnarvon	620; [illegible]
Carshalton	Epsom	37; 1
Cartmel	Ulverston	486; 1
Castle	Nottingham	440; 6
Castle Cary	Wincanton	320; 1
Castle Church	Stafford	367; 2
Castle Combe	Chippenham	253; 1
Castle Donington	Shardlow	444; 1
Castleford	Castleford	504c; [illegible]
Castle Precincts	Bristol	329; 2
Castle Rising	Freebridge Lynn.	245; 4
Castleton Within	Rochdale	476; 4
Castleton Without	Rochdale	476; 3
Caton	Lancaster	485; 4
Catterick	Richmond(Yrks.)	539; 2
Cave	Beverley	518; 1
Cavendish-sq.	Marylebone	7; 2
Cawthorne	Wortley	506; 1
Caxton	Caxton	185; 1
Cerne	Dorchester	275; 4
Chadderton	Oldham	475; 3
Chaddesley Corbett.	Kidderminster	384; 1
Chagford	Okehampton	291; 4
Chailey	Lewes	84; 2
Chalfont	Amersham	148; 4
Chapel-en-le-Frith.	Chapel-en-le-Frith.	450; 2
Chapeltown	Kirkstall	500a; 3
Chard	Chard	318; 3
Chardstock	Axminster	279; 3
Charing Cross	St. Martin-in-the Fields.	5; 1
Charlbury	Chipping Norton.	162; 1
Charles-the-Martyr.	Plymouth	287; 1
Charlton Kings	Cheltenham	344; 1
Chartham	Bridge	64; 1
Chatteris	North Witchford.	191; 1
Cheadle	Cheadle	373; 4
Cheadle	Stockport	452; 6
Chedworth	Northleach	341; 2
Cheetham	Manchester	473; 7
Chelmsford	Chelmsford	200; 2
Chelsea North East.	Chelsea	2; 3
Chelsea North West.	Chelsea	2; 2
Chelsea South	Chelsea	2; 1
Cheltenham	Cheltenham	344; 2
Chepstow	Chepstow	576; 2
Cheriton Fitz-paine.	Crediton	292; 4
Chertsey	Chertsey	38; 2
Chesham	Amersham	148; 2
Cheshunt	Edmonton	137; 6
Chesterfield	Chesterfield	448; 2
Chester Castle	Gt. Boughton	459; 2
Chester Cathedral.	Gt. Boughton	459; 3
Chester-le-Street	Chester-le-Street	548; 1
Chetton	Bridgnorth	356; 1
Cheveley	Newmarket	189; 1
Chew Magna	Clutton	325; 2
Chichester	Chichester	92; 2
Chigwell	Epping	195; 1
Chippenham	Chippenham	253; 3
Chipping	Clitheroe	479; 3
Chipping Norton	Chipping Norton	162; 2
Chipping Ongar	Ongar	196; 2
Chipping Sodbury	Chipping Sodbury	331; 1
Chirbury	Montgomery	608; 2
Chislehurst	Bromley	49; 2
Chiswick	Brentford	134; 4
Chobham	Chertsey	38; 3

SUB-DISTRICT.	DISTRICT.	No.
Chollerton	Hexham	555; 4
Cholsey	Wallingford	125; 1
Chorley	Chorley	481; 4
Chorlton-upon-Medlock.	Chorlton	471; 3
Christchurch	Christchurch	101; 1
Christchurch	Marylebone	7; 5
Christchurch	St. Saviour Southwark.	26; 1
Christian Malford	Chippenham	253; 4
Christow	St. Thomas	281; 9
Chudleigh	Newton Abbot	283; 2
Chulmleigh	South Molton	294; 2
Church	Bethnal Green	21; 3
Church Hulme	Congleton	457; 1
Church Stretton	Church Stretton	354; 1
Cilycwm	Llandovery	587; 8
Cirencester	Cirencester	340; 2
City Road	St. Luke	16; 2
Claines	Droitwich	391; 1
Clapham	Wandsworth	32; 1
Clarborough	East Retford	435; 2
Clare	Risbridge	211; 3
Clawson	Melton Mowbray	418; 3
Clawton	Holsworthy	298; 5
Claypole	Newark	442; 5
Cleckheaton	Bradford(Yrk.)	499; 1
Cleeve	Winchcomb	343; 2
Cleobury Mortimer.	Cleobury Mortimer.	355; 1
Clifton	Clifton	330; 1
Clitheroe	Clitheroe	479; 4
Clodock	Hereford	348; 7
Clowance	Stoke Damerel	289; 2
Clun	Clun	353; 1
Clutton	Clutton	325; 3
Clyro	Hay	602; 2
Cockermouth	Cockermouth	570; 2
Coddenham	Bosmere	220; 1
Coggeshall	Witham	206; 3
Coker	Yeovil	319; 1
Colchester 1st Ward	Colchester	204; 1
Colchester 2nd Ward.	Colchester	204; 2
Colchester 3rd Ward.	Colchester	204; 3
Coleford	Monmouth	577; 1
Coleshill	Meriden	396; 1
Colne	Burnley	478; 3
Colneis	Woodbridge	223; 2
Colsterworth	Grantham	427; 1
Colton	Ulverston	486; 2
Colwich	Stafford	367; 3
Colwyn	Builth	599; 2
Colyton	Axminster	279; 4
Combe St. Nicholas.	Chard	318; 2
Combmartin	Barnstaple	295; 3
Condover	Atcham	359; 1
Congleton	Congleton	457; 2
Conisford	Norwich	234; 3
Constantine	Falmouth	308; 4
Conway	Conway	622; 1
Conwil	Carmarthen	589; 4
Conwil-Cayo	Llandovery	587; 9
Cookham	Cookham	129; 2
Corby	Bourn	422; 1
Corby	Kettering	172; 3
Corfe Castle	Wareham	273; 2
Corsham	Chippenham	253; 2
Corwen	Corwen	615; 2
Coslany	Norwich	234; 1
Costessey	Forehoe	235; 1
Cotswold	Cirencester	340; 1
Cottingham	Sculcoates	519; 2
Cowbridge	Bridgend	583; 2
Cowes	Isle of Wight	99; 1
Coxwold	Easingwold	527; 3
Cranborne	Wimborne	271; 1
Cranbrook	Cranbrook	60; 1
Cranfield	Ampthill	181; 3
Cranley	Hambledon	42; 2
Crediton	Crediton	292; 3
Creuddyn	Conway	622; 2
Crewkerne	Chard	318; 4
Criccieth	Pwllheli	619; 1
Crick	Rugby	401; 2
Crickhowell	Crickhowell	601; 5

SUB-DISTRICT.	DISTRICT.	No.
Cricklade	Cricklade	251; 2
Cripplegate	East London	17; 2
Cromer	Erpingham	231; 2
Crompton	Oldham	475; 6
Cropredy	Banbury	163; 3
Crosby	West Derby	462; 4
Croston	Chorley	481; 5
Crowan	Helston	309; 5
Crowland	Peterborough	175; 3
Crowle	Thorne	511; 3
Croydon	Croydon	46; 1
Cuckfield	Cuckfield	83; 2
Culcheth	Leigh	467; 2
Cullompton	Tiverton	293; 2
Culmstock	Wellington(Som.)	314; 4
Cumnor	Abingdon	123; 3
Curry Rivell	Langport	317; 3
Cwmdû	Crickhowell	601; 1
D		
Dacre Banks	Pateley Bridge	490; 4
Dale Street	Liverpool	461; 3
Dalston	Carlisle	568; 6
Dalton	Ulverston	486; 4
Danby	Guisbrough	532; 5
Daresbury	Runcorn	455; 2
Darfield	Barnsley	505; 3
Darlaston	Walsall	380; 1
Darlington	Darlington	540; 1
Darowen	Machynlleth	606; 3
Dartford	Dartford	50; 2
Dartmouth	Totnes	284; 3
Darton	Barnsley	505; 1
Darwen	Blackburn	480; 6
Daventry	Daventry	169; 2
Dawley	Madeley	358; 1
Deal	Eastry	71; 4
Deansgate	Manchester	473; 2
Deddington	Woodstock	160; 1
Dedham	Lexden	205; 5
Deeping	Bourn	422; 4
Deeping Saint Nicholas.	Spalding	423; 6
Deerhurst	Tewkesbury	345; 1
Delph	Saddleworth	496; 1
Denbigh	St. Asaph	613; 3
Dennington	Hoxne	219; 2
Dent	Sedbergh	487; 3
Denton	Grantham	427; 2
Denton	Ashton-under-Lyne.	474; 4
Deritend	Aston	395; 1
Devizes	Devizes	256; 4
Devynnock	Brecknock	600; 2
Dewchurch	Hereford	348; 1
Dewsbury	Dewsbury	502; 6
Diddlebury	Ludlow	352; 5
Didmarton	Tetbury	339; 1
Didsbury	Chorlton	471; 1
Dilhorne	Cheadle	373; 3
Dilwyn	Weobly	349; 2
Dingestow	Monmouth	577; 2
Dishforth	Ripon	491; 4
Diss	Depwade	239; 2
Ditchling	Lewes	84; 1
Docking	Docking	244; 3
Dolton	Torrington	296; 3
Doncaster	Doncaster	510; 3
Donhead	Tisbury	266; 1
Donington	Spalding	423; 2
Dorchester	Dorchester	275; 1
Dorking	Dorking	43; 2
Downham	Downham	247; 2
Downton	Alderbury	263; 2
Driffield	Driffield	523; 2
Drighlington	Bradford (Yrksh.)	499; 2
Droitwich	Droitwich	391; 3
Dronfield	Chesterfield	448; 5
Drypool	Sculcoates	519; 6
Dudley	Dudley	382; 4
Duddeston	Aston	395; 2
Duffield	Belper	446; 1
Dukinfield	Ashton-under-Lyne.	474; 6
Dulverton	Dulverton	313b; 1

SUB-DISTRICT.	DISTRICT.	No.
Dulwich	Camberwell	33; 1
Dummer	Basingstoke	116; 3
Dunchurch	Rugby	401; 3
Dunmow	Dunmow	209; 2
Dunnington	York	515; 6
Dunstable	Luton	184; 1
Dunster	Williton	313a; 2
Dursley	Dursley	333; 3
Duxford	Linton	188; 1
E		
Earls Barton	Wellingborough	171; 1
Earl Shilton	Hinckley	412; 3
Earl Soham	Plomesgate	224; 1
Earsdon	Tynemouth	553; 5
Easington	Easington	546; 1
Easingwold	Easingwold	527; 2
Eastbourne	Eastbourne	78; 2
East Budleigh	St. Thomas	281; 1
Eastchurch	Sheppey	69; 2
East Dereham	Mitford	242; 4
East Flegg	Flegg	229; 1
East Grinstead	East Grinstead	82; 2
Eastham	Wirral	460a; 2
East Leicester	Leicester	417; 1
East Macclesfield	Macclesfield	453; 4
East Maidstone	Maidstone	58; 5
Eastmeon	Petersfield	112; 2
East Peckham	Malling	55; 2
East Retford	East Retford	435; 3
East Sculcoates	Sculcoates	519; 7
East Stamford Bridge.	Pocklington	516; 1
East Stonehouse	East Stonehouse	288; 1
East Sunderland	Sunderland	549; 3
East Wymer	Norwich	234; 2
Eckington	Chesterfield	448; 4
Eckington	Pershore	390; 1
Ecclesfield	Wortley	506; 5
Ecclesall Bierlow	Ecclesall Bierlow	507; 4
Eccleshall	Stone	368; 2
Edenfield	Haslingden	477; 3
Edgbaston	Kings Norton	393; 2
Edgware	Hendon	135; 2
Edgworth	Bolton	468; 8
Edington	Westbury	259; 2
Edlesborough	Leighton Buzzard	183; 4
Edmonton	Edmonton	137; 3
Egham	Windsor	131; 1
Egloshayle	Bodmin	304; 4
Egremont	Whitehaven	571; 4
Egton	Whitby	531; 1
Elham	Elham	73; 2
Eling	New Forest	104; 3
Elland	Halifax	498; 5
Ellel	Lancaster	485; 1
Ellesmere	Ellesmere	362; 3
Elsdon	Rothbury	563; 2
Eltham	Lewisham	36; 2
Elton	Bury	469; 8
Ely	Ely	190; 3
Embleton	Alnwick	559; 3
Enderby	Blaby	411; 2
Enfield	Edmonton	137; 4
Ensham	Witney	161; 1
Epping	Epping	195; 2
Epsom	Epsom	37; 2
Epworth	Thorne	511; 1
Ercall Magna	Wellington(Salop)	365; 1
Erdington	Aston	395; 3
Escrick	York	515; 5
Esher	Kingston	47; 3
Eton	Eton	149; 2
Evercreech	Shepton Mallet	322; 2
Evershot	Beaminster	277; 1
Everton	West Derby	462; 2
Evesham	Evesham	389; 1
Ewhurst	Battle	77; 2
Exchange	Nottingham	440; 5
Exmouth	St. Thomas	281; 2
Eye	Hartismere	218; 3
Eynsford	Aylsham	232; 1
Eythorn	Eastry	71; 3

Sub-District.	District.	No.
F		
Failsworth . .	Manchester .	473 ; 8
Fairford . . .	Cirencester .	340 ; 3
Fakenham . .	Walsingham .	243 ; 1
Falmouth . .	Falmouth . .	308 ; 2
Fareham . .	Fareham . .	98 ; 1
Faringdon . .	Faringdon . .	122 ; 2
Farnborough .	Farnborough .	41 ; 1
Farnham . .	Farnham . .	40 ; 2
Farningham .	Dartford . .	50 ; 3
Farnworth . .	Bolton . . .	468 ; 1
Farnworth . .	Prescot . . .	463 ; 4
Faversham . .	Faversham . .	67 ; 2
Fawley . . .	New Forest .	104 ; 2
Fazeley . . .	Tamworth . .	376 ; 2
Feckenham . .	Alcester . .	405 ; 3
Fenny Stratford	Newport Pagnell	153 ; 1
Fenton . . .	Stoke-upon-Trent	371 ; 4
Fernhurst . .	Midhurst . .	93 ; 2
Ferriby . . .	Sculcoates . .	519 ; 3
Festiniog . .	Festiniog . .	618 ; 2
Fewston . . .	Wharfedale .	493b ; 3
Filey	Scarborough .	525 ; 1
Fincham . .	Downham . .	247 ; 3
Finchingfield .	Braintree . .	208 ; 1
Finchley . .	Barnet . . .	136 ; 3
Finsbury . .	St. Luke . .	16 ; 4
Fishguard . .	Haverfordwest	592 ; 4
Flamstead . .	Hemel Hempstead	146 ; 3
Flaxton . . .	York . . .	515 ; 7
Flint	Holywell . .	610 ; 3
Foleshill . .	Foleshill . .	399 ; 1
Folkestone . .	Elham . . .	73 ; 1
Fontmell . .	Shaftesbury .	268 ; 2
Ford	Glendale . .	562 ; 1
Fordham . .	Lexden . . .	205 ; 4
Fordingbridge .	Fordingbridge .	103 ; 1
Formby . . .	Ormskirk . .	464 ; 4
Forncett . .	Depwade . .	239 ; 4
Fornham . .	Thingoe . .	214 ; 2
Foston . . .	Driffield . .	523 ; 1
Fotheringhay .	Oundle . . .	174 ; 3
Fowey . . .	St. Austell . .	306 ; 1
Fownhope . .	Hereford . .	348 ; 2
Framfield . .	Uckfield . .	81 ; 2
Framlingham .	Plomesgate .	24 ; 2
Frampton . .	Wheatenhurst .	337 ; 1
Frant . . .	Ticehurst . .	80 ; 5
Frimley . . .	Farnham . .	40 ; 1
Frodsham . .	Runcorn . .	455 ; 4
Frome . . .	Frome . . .	321 ; 2
Fulbourn . .	Chesterton .	186 ; 2
Fulham . . .	Kensington .	1 ; 7
Funtington . .	Westbourne .	94 ; 1
Fyfield . . .	Abingdon . .	123 ; 1
G		
Gainsborough .	Gainsborough .	434 ; 4
Gargrave . .	Skipton . . .	489 ; 2
Garsdale . .	Sedbergh . .	487 ; 2
Garstang . .	Garstang . .	484 ; 3
Gateshead . .	Gateshead . .	551 ; 2
Gawsworth . .	Macclesfield .	453 ; 7
Gayton . . .	Freebridge Lynn	245 ; 2
Gazeley . . .	Newmarket .	189 ; 4
Gedney Hill .	Holbeach . .	424 ; 1
Gelligaer . .	Merthyr Tydfil	582 ; 1
Geneurglynn .	Aberystwith .	597 ; 3
Gillingham . .	Medway . .	54 ; 2
Gillingham . .	Shaftesbury .	268 ; 3
Gisburn . . .	Clitheroe . .	479 ; 1
Glastonbury .	Wells . . .	323 ; 2
Glossop . . .	Hayfield . .	451 ; 1
Gnosall . . .	Newport (Salop) .	366 ; 2
Godalming . .	Guildford . .	39 ; 5
Godshill . . .	Isle of Wight .	99 ; 4
Godstone . .	Godstone . .	45 ; 1
Golcar . . .	Huddersfield .	497 ; 11
Golden Square .	St. James Westminster.	6 ; 3
Gomersal . .	Dewsbury . .	502 ; 3
Goodman's-fields .	Whitechapel .	22 ; 6

Sub-District.	District.	No.
Goole . . .	Goole . . .	512 ; 2
Gorleston . .	Mutford . .	227 ; 3
Gosberton . .	Spalding . .	423 ; 3
Goswell Street .	Clerkenwell .	15 ; 4
Gower Eastern	Gower . . .	585b ; 1
Gower Western	Gower . . .	585b ; 2
Grampound .	St. Austell . .	306 ; 4
Grantham . .	Grantham . .	427 ; 3
Grassington .	Skipton . . .	489 ; 7
Gravesend . .	Gravesend . .	51 ; 1
Grayrigg . .	Kendal . . .	575 ; 2
Grays . . .	Orsett . . .	198 ; 1
Gray's Inn-lane	Pancras . . .	9 ; 3
Greasley . . .	Basford . . .	438 ; 1
Great Baddow .	Chelmsford .	200 ; 5
Great Burstead	Billericay . .	199 ; 2
Great Easton .	Uppingham .	420 ; 2
Great Grimsby .	Caistor . . .	432 ; 1
Great Marlow .	Wycombe . .	150 ; 2
Great Torrington .	Torrington . .	296 ; 5
Great Wakering	Rochford . .	201 ; 4
Great Waltham	Chelmsford. .	200 ; 4
Green. . . .	Bethnal Green	21 ; 2
Greengate . .	Salford . . .	472 ; 3
Greenwich East	Greenwich . .	35 ; 4
Greenwich West	Greenwich . .	35 ; 3
Gresley . . .	Burton-upon-Trent.	375 ; 3
Greystoke . .	Penrith . . .	565 ; 2
Gringley . . .	East Retford .	435 ; 1
Guildford . .	Guildford . .	39 ; 4
Guisbrough . .	Gisbrough . .	532 ; 4
Guiting . . .	Winchcomb .	343 ; 1
Gwennap . .	Redruth . .	310 ; 1
Gwnnws . . .	Tregaron . .	598 ; 1
Gwddelwern .	Corwen . . .	615 ; 1
Gyffylliog . .	Ruthin . . .	612 ; 4
H		
Hackney . . .	Hackney . .	11 ; 4
Hackney Road .	Bethnal Green .	21 ; 1
Haddenham .	Aylesbury . .	151 ; 1
Haddenham .	Ely	190 ; 1
Hadleigh . .	Cosford . . .	213 ; 2
Haggerstone East	Shoreditch . .	20 ; 6
Haggerstone West	Shoreditch . .	20 ; 5
Hailsham . .	Hailsham . .	79 ; 1
Hale	Prescot . . .	463 ; 1
Halesowen . .	Stourbridge .	383 ; 1
Halesworth . .	Blything . .	225 ; 2
Halford . . .	Shipston-on-Stour.	406 ; 4
Halifax . . .	Halifax . . .	498 ; 2
Halliwell . .	Bolton . . .	468 ; 4
Halsall . . .	Ormskirk . .	464 ; 3
Halstead . .	Halstead . .	207 ; 1
Haltwistle . .	Haltwistle . .	556 ; 1
Hambledon . .	Droxford . .	110 ; 3
Hampstead . .	Hampstead . .	8 ; 1
Hampton . .	Kingston . .	47 ; 4
Hamsterley . .	Auckland . .	542 ; 2
Handsworth .	Sheffield . .	508 ; 7
Handsworth .	West Bromwich .	381 ; 1
Hanley . . .	Stoke-upon-Trent	371 ; 1
Hanley Castle .	Upton-on-Severn	388 ; 1
Hanmer . . .	Ellesmere . .	362 ; 2
Hanover Square	St. George Hanover-sq.	3 ; 1
Harberton . .	Totnes . . .	284 ; 7
Harborne . .	Kings Norton .	393 ; 3
Hardingstone .	Hardingstone .	167 ; 2
Haresfield . .	Wheatenhurst	337 ; 1
Harewood . .	Otley . . .	493a ; 1
Harleston . .	Depwade . .	239 ; 1
Harlow . . .	Epping . . .	195 ; 3
Harpenden . .	St. Albans . .	144 ; 1
Harptree . .	Clutton . . .	325 ; 1
Harraton . .	Chester-le-Street	548 ; 2
Harrington . .	Whitehaven .	571 ; 1
Harrogate . .	Knaresborough	492b ; 2
Harrold . . .	Bedford . . .	179 ; 3
Harrow . . .	Hendon . . .	135 ; 1
Hartest . . .	Sudbury . .	212 ; 5
Harting . . .	Midhurst . .	93 ; 3
Hartington . .	Ashborne . .	447 ; 5

Sub-District.	District.	Nc
Hartland . .	Bideford . .	297 ;
Hartlepool . .	Hartlepool . .	541b ;
Hartley Wintney.	Hartley Wintney	115 ;
Hartshead . .	Ashton-under-Lyne.	474 ;
Hartshorn . .	Ashby-de-la-Zouch.	414 ;
Harwich . .	Tendring . .	203 ;
Harwood . .	Blackburn . .	480 ;
Haslingden . .	Haslingden .	477 ;
Hatfield . . .	Dunmow . .	209 ;
Hatfield . . .	Hatfield . .	143 ;
Hatherleigh .	Okehampton .	291 ;
Havant . . .	Havant . . .	95 ;
Haverfordwest .	Haverfordwest	592 ;
Haverhill . .	Risbridge . .	211 ;
Hawarden . .	GreatBoughton	459 ;
Hawes . . .	Askrigg . . .	537 ;
Hawkesbury .	Chipping Sodbury	331 ;
Hawkhurst . .	Cranbrook . .	60 ;
Hawkshead . .	Ulverston . .	486 ;
Haworth . .	Keighley . .	494 ;
Hay	Hay	602 ;
Hayes . . .	Uxbridge . .	133 ;
Hayfield . . .	Hayfield . .	451 ;
Hayton . . .	Brampton . .	566 ;
Hazelgrove . .	Stockport . .	452 ; 7
Headcorn . .	Hollingbourn .	59 ;
Headley . . .	Farnborough .	41 ;
Heaton . . .	Lancaster . .	485 ;
Heaton Norris .	Stockport . .	452 ;
Heavitree . .	St. Thomas. .	281 ; 6
Hebden Bridge	Todmorden .	495 ; 1
Heckington .	Sleaford . .	426 ; 4
Hedingham . .	Halstead . .	207 ; 2
Hedon . . .	Sculcoates . .	519 ; 5
Hellingley . .	Hailsham . .	79 ; 2
Helmsley . .	Helmsley . .	529 ; 1
Helston . . .	Helston . . .	309 ; 2
Hemel Hempstead.	Hemel Hempstead.	146 ; 2
Hemsworth .	Hemsworth .	504b ; 1
Hendon . . .	Hendon . .	135 ; 4
Hendred . .	Wantage . .	124 ; 3
Henley . . .	Henley . . .	155 ; 1
Henstead . .	Henstead . .	236 ; 2
Hereford City .	Hereford . .	348 ; 4
Herne . . .	Blean . . .	66 ; 2
Hertford . .	Hertford . .	142 ; 2
Hessle . . .	Sculcoates . .	519 ; 4
Hetton-le-Hole	Houghton-le-Spring.	547 ; 2
Heworth . .	Gateshead . .	551 ; 1
Hexham . . .	Hexham . .	555 ; 2
Heytesbury .	Warminster .	260 ; 3
Heywood . .	Bury . . .	469 ; 5
Higham Ferrers	Wellingborough	171 ; 2
HighBickington	Torrington . .	296 ; 1
Highclere . .	Kingsclere . .	119 ; 1
High Hoyland .	Wortley . .	506 ; 2
High Longtown	Longtown . .	567 ; 1
Highworth . .	Highworth . .	250 ; 1
High Wycombe	Wycombe . .	150 ; 1
Hillingdon . .	Uxbridge . .	133 ; 1
Hillington . .	Freebridge Lynn	245 ; 1
Hinckley . .	Hinckley . .	412 ; 2
Hindley . . .	Wigan . . .	465 ; 4
Hindon . . .	Tisbury . . .	266 ; 3
Hitchin . . .	Hitchin . . .	141 ; 2
Hoddesdon . .	Ware . . .	138 ; 1
Hodnet . . .	MarketDrayton	364 ;
Holbeach . .	Holbeach . .	424 ;
Holbeck . . .	Holbeck . .	500c ;
Holbrook . .	Samford. . .	221 ; 2
Holcombe . .	Bury	469 ; 1
Hollingbourn .	Hollingbourn .	59 ; 1
Holme . . .	Howden. . .	517 ; 1
Holmfirth . .	Huddersfield .	497 ; 4
Holsworthy .	Holsworthy .	298 ; 2
Holt	Erpingham .	231 ;
Holt	Martley . . .	386 ;
Holt	Wrexham . .	611 ; 2
Holyhead . .	Anglesey . .	623 ;
Holy Trinity .	Coventry . .	400 ;
Holywell. . .	Holywell . .	610 ;
Holywell. . .	Shoreditch . .	20 ;
Honiton . . .	Honiton . .	280 ;
Honley . . .	Huddersfield .	497 ;
Hoo	Hoo	53 ;

Sub-District.	District.	No.
Hope	Wrexham	611 ; 1
Horbury	Wakefield	503 ; 5
Horley	Reigate	44 ; 2
Horncastle	Horncastle	429 ; 2
Hornchurch	Romford	197 ; 4
Horndean	Catherington	111 ; 1
Hornsea	Skirlaugh	522 ; 4
Hornsey	Edmonton	137 ; 1
Horsforth	Wharfedale	493*b* ; 2
Horsley	Belper	446 ; 2
Horsley	Stroud	338 ; 7
Horton	Bradford (Yrks.)	499 ; 7
Horwich	Bolton	468 ; 5
Hougham	Dover	72 ; 3
Houghton-le-Spring.	Houghton-le-Spring.	547 ; 1
Hovingham	Malton	526 ; 4
Howard Street	Liverpool	461 ; 2
Howden	Howden	517 ; 3
Hoxton New Town.	Shoreditch	20 ; 3
Hoxton Old Town.	Shoreditch	20 ; 4
Huddersfield	Huddersfield	497 ; 9
Hulme	Chorlton	471 ; 4
Hulton	Bolton	468 ; 2
Humber	Hull	520 ; 1
Humbleton	Skirlaugh	522 ; 1
Humbleyard	Henstead	236 ; 1
Hungerford	Hungerford	121 ; 2
Hummanby	Bridlington	524 ; 3
Hunslet	Hunslet	500*b* ; 1
Huntingdon	Huntingdon	176 ; 4
Huntley	Westbury-on-Severn.	331 ; 2
Huntspill	Bridgwater	316 ; 5
Hursley	Winchester	109 ; 5
Hurstborne Tarrant.	Andover	118 ; 4
Hurstpierpoint	Cuckfield	83 ; 3
Hutton	Stokesley	533 ; 2
Hutton Bushell	Scarborough	525 ; 3
Huyton	Prescot	463 ; 3
Hyde	Stockport	452 ; 2
Hyson Green	Radford	439 ; 3
Hythe	Elham	73 ; 3
I		
Ibstock	Market Bosworth.	413 ; 2
Idle	Bradford (Yrks.)	499 ; 11
Ilchester	Yeovil	319 ; 5
Ilford	Romford	197 ; 2
Ilfracombe	Barnstaple	295 ; 4
Ilkeston	Basford	438 ; 2
Illogan	Redruth	310 ; 3
Ilminster	Chard	318 ; 1
Ilsley	Wantage	124 ; 2
Ingatestone	Chelmsford	200 ; 1
Ipstones	Cheadle	373 ; 2
Iron Acton	Chipping Sodbury	331 ; 4
Isfield	Uckfield	81 ; 3
Islandshire	Berwick	561 ; 1
Isleworth	Brentford	134 ; 1
Islington	Liverpool	461 ; 7
Islington East	Islington	10 ; 2
Islington West	Islington	10 ; 1
Iver	Eton	149 ; 1
Ivinghoe	Leighton Buzzard	183 ; 3
Ixworth	Thingoe	214 ; 3
K		
Kea	Truro	307 ; 6
Keighley	Keighley	494 ; 2
Kelvedon	Witham	206 ; 1
Kempsey	Upton-on-Severn	388 ; 3
Kemptown	Brighton	85 ; 1
Kenarth	Newcastle-in-Emlyn.	594 ; 1
Kendal	Kendal	575 ; 4
Kenilworth	Warwick	403 ; 3

Sub-District.	District.	No.
Kenninghall	Guiltcross	240 ; 2
Kennington First.	Lambeth	31 ; 5
Kennington Second.	Lambeth	31 ; 6
Kensington Town	Kensington	1 ; 3
Kentchurch	Hereford	348 ; 6
Kentish Town	Pancras	9 ; 6
Kenton	St. Thomas	281 ; 10
Kent Road	St. George Southwark.	29 ; 1
Kenwyn	Truro	307 ; 5
Kerry	Newtown	607 ; 4
Kessingland	Mutford	227 ; 1
Keswick	Cockermouth	570 ; 1
Kettering	Kettering	172 ; 1
Kettlewell	Skipton	489 ; 1
Keynsham	Keynsham	327 ; 4
Kidderminster	Kidderminster	384 ; 3
Kildwick	Skipton	489 ; 4
Kilkhampton	Stratton	299 ; 1
Kilmersdon	Frome	321 ; 4
Kimberworth	Rotherham	509 ; 3
Kimbolton	St. Neots	178 ; 2
Kineton	Stratford-on-Avon.	404 ; 1
Kinfare	Wolverhampton	379 ; 2
Kingsbridge	Kingsbridge	285 ; 4
Kingsclere	Kingsclere	119 ; 2
Kingsholm	Gloucester	336 ; 1
Kingsland	Leominster	351 ; 3
Kings Langley	Hemel Hempstead	146 ; 1
Kings Lynn Middle.	Kings Lynn	246 ; 2
Kings Lynn North.	Kings Lynn	246 ; 1
Kings Lynn South.	Kings Lynn	246 ; 3
Kings Norton	Kings Norton	393 ; 1
Kingston	Kingston	47 ; 2
Kingston	Portsea Island	96 ; 1
Kingswinford	Stourbridge	383 ; 3
Kington	Presteigne	603 ; 3
Kintbury	Hungerford	121 ; 1
Kippax	Castleford	504*c* ; 2
Kirkburton	Huddersfield	497 ; 6
Kirkby Lonsdale	Kendal	575 ; 3
Kirkby Malham	Settle	488 ; 4
Kirkby Malzeard	Ripon	491 ; 2
Kirkby Moorside	Helmsley	529 ; 3
Kirkby Stephen	East Ward	573 ; 2
Kirkdeighton	Kirkdeighton	492*d* ; 1
Kirkham	Fylde	483 ; 1
Kirkheaton	Huddersfield	497 ; 8
Kirkleatham	Guisbrough	532 ; 3
Kirkoswald	Penrith	565 ; 3
Kirkstall	Kirkstall	500*a* ; 2
Kirkwhelpington	Bellingham	557 ; 2
Kirton-in-Holland.	Boston	425 ; 1
Knaresborough	Knaresborough	492*b* ; 1
Knayton	Thirsk	528 ; 5
Kneesall	Southwell	441 ; 2
Knighton	Knighton	604 ; 1
Knockin	Oswestry	361 ; 1
Knottingley	Pontefract	504*a* ; 1
Knott-lanes	Ashton-under-Lyne.	474 ; 1
Knowle	Solihull	402 ; 2
Knutsford	Altrincham	454 ; 4
L		
Lady Wood	Birmingham	394 ; 1
Lakenheath	Mildenhall	216 ; 2
Lambeth Church 1st.	Lambeth	31 ; 3
Lambeth Church 2d.	Lambeth	31 ; 4
Lambourn	Hungerford	121 ; 3
Lampeter	Lampeter	595 ; 3
Lancaster	Lancaster	485 ; 3
Lanchester	Durham	545 ; 2
Landport	Portsea Island	66 ; 4
Langport	Langport	317 ; 2
Langtoft	Driffield	523 ; 4

Sub-District.	District.	No.
Lanlivery	Bodmin	304 ; 1
Lansdown	Bath	326 ; 6
Lastingham	Pickering	530 ; 1
Latchford	Warrington	466 ; 5
Latham	Ormskirk	464 ; 9
Launceston	Launceston	301 ; 4
Lavenham	Cosford	213 ; 1
Lavington	Devizes	256 ; 2
Leadenham	Sleaford	426 ; 3
Leake	Loughborough	415 ; 2
Leamington	Warwick	403 ; 2
Leatherhead	Epsom	37 ; 3
Leather Market	Bermondsey	23 ; 3
Leckhampstead	Buckingham	154 ; 1
Ledbury	Ledbury	346 ; 1
Lee	Lewisham	36 ; 3
Leek	Leek	372 ; 2
Leek-Frith	Leek	372 ; 3
Leigh	Martley	386 ; 4
Leighton Buzzard	Leighton Buzzard	153 ; 1
Leintwardine	Ludlow	352 ; 1
Lenham	Hollingbourn	59 ; 2
Lenton	Radford	439 ; 1
Leominster	Leominster	351 ; 1
Lerrin	Liskeard	303 ; 4
Levin	Beverley	518 ; 4
Lever	Bolton	468 ; 13
Leverington	Wisbech	193 ; 1
Lewes	Lewes	84 ; 3
Lewisham Village	Lewisham	36 ; 4
Lewknor	Thame	156 ; 1
Leyburn	Leyburn	536 ; 2
Leyland	Chorley	481 ; 2
Leyton	West Ham	194 ; 3
Lichfield	Lichfield	377 ; 1
Lidney	Chepstow	576 ; 3
Lifton	Tavistock	290 ; 4
Limehouse	Stepney	24*a* ; 3
Lincoln Home	Lincoln	428 ; 2
Lincoln North-east.	Lincoln	428 ; 3
Lincoln South-west.	Lincoln	428 ; 1
Lindfield	Cuckfield	83 ; 1
Linton	Linton	188 ; 2
Liskeard	Liskeard	303 ; 2
Litcham	Mitford	242 ; 5
Litherland	West Derby	462 ; 5
Little Bolton	Bolton	468 ; 10
Littlehampton	Worthing	90 ; 2
Littleport	Ely	190 ; 4
Liversedge	Dewsbury	502 ; 4
Llanarmon	Ruthin	612 ; 1
Llanarth	Abergavenny	578*a* ; 1
Llanbister	Knighton	604 ; 2
Llanboidy	Narberth	590 ; 1
Llanddausaint	Anglesey	623 ; 5
Llanddausaint	Llandovery	587 ; 1
Llandebie	Llandilofawr	588 ; 5
Llandilo	Llandilofawr	588 ; 4
Llandilo-taly-bont	Swansea	585*a* ; 1
Llandingat	Llandovery	587 ; 5
Llandisilio	Aberayron	596 ; 1
Llandissilio	Narberth	590 ; 2
Llandwrog	Carnarvon	620 ; 1
Llandyfrydog	Anglesey	623 ; 3
Llandygwidd	Cardigan	593 ; 3
Llandyrnog	Ruthin	612 ; 6
Llandyssil	Newcastle-in-Emlyn.	594 ; 3
Llanelidan	Ruthin	612 ; 3
Llanelly	Crickhowell	601 ; 4
Llanelly	Llanelly	586 ; 2
Llanfair	Llanfyllin	609 ; 1
Llanfairarybryn	Llandovery	587 ; 6
Llanfihangel-ytraethau.	Festiniog	618 ; 1
Llanfynydd	Llandilofawr	588 ; 2
Llangadock	Llandovery	587 ; 2
Llangafelach	Swansea	585*a* ; 2
Llangathen	Llandilofawr	588 ; 3
Llangattock	Crickhowell	601 ; 3
Llangefni	Anglesey	623 ; 1
Llangeitho	Tregaron	598 ; 2
Llangendeirne	Carmarthen	589 ; 1
Llangibby	Pontypool	579 ; 2
Llangorse	Brecknock	600 ; 5
Llangunider	Crickhowell	601 ; 2
Llanidan	Carnarvon	620 ; 4

Sub-District.	District.	No.
Llanllechid	Bangor	621; 3
Llannon	Llanelly	586; 4
Llanrhaiadr	Llanfyllin	609; 3
Llanrhaiadr	Ruthin	612; 5
Llanrhystyd	Aberystwith	597; 1
Llanrug	Carnarvon	620; 2
Llanrwst	Llanrwst	614; 1
Llansadwrn	Llandovery	587; 3
Llansaintffraid	Aberayron	596; 2
Llansaintffraid	Llanfyllin	609; 2
Llansamlet	Neath	584; 6
Llansilin	Oswestry	361; 2
Llantrisaint	Cardiff	581; 4
Llanvihangel	Abergavenny	578a; 2
Llanwenog	Lampeter	595; 4
Llanwnog	Newtown	607; 3
Llanwrtyd	Llandovery	587; 7
Lnlanybyther	Lampeter	595; 1
Llechwedd-Isaf	Conway	622; 3
Lockington	Beverley	518; 3
Lockton	Pickering	530; 5
Lockwood	Huddersfield	497; 10
Loddon	Loddon	238; 2
Lofthouse	Guisbrough	532; 1
London City North-east.	London City	19; 5
London City North-west.	London City	19; 2
London City South.	London City	19; 3
London City South-east.	London City	19; 4
London City South-west.	London City	19; 1
London Road	St. George Southwark.	29; 3
London Road	Manchester	473; 3
Long Acre	St. Martin-in-the-fields.	5; 2
Long Ashton	Bedminster	328; 2
Longbenton	Tynemouth	553; 4
Longbridge Deverill.	Warminster	260; 2
Long Buckby	Daventry	169; 3
Longnor	Leek	372; 4
Longparish	Andover	118; 1
Long Preston	Settle	488; 3
Long Sutton	Holbeach	424; 2
Longton	Preston	482; 1
Longton	Stoke-upon-Trent	371; 5
Looe	Liskeard	303; 3
Loose	Maidstone	58; 3
Loughborough	Loughborough	415; 1
Loughor	Llanelly	586; 1
Louth	Louth	431; 2
Lower Llanidloes	Newtown	607; 2
Lower Merthyr Tydfil.	Merthyr Tydfil	582; 2
Lower Mitton	Kidderminster	384; 4
Lowestoft	Mutford	227; 2
Low Longtown	Longtown	567; 2
Lowther	West Ward	574; 2
Lowton	Leigh	467; 1
Luddenden	Halifax	498; 8
Ludgershall	Andover	118; 2
Ludham	Tunstead	230; 1
Ludlow	Ludlow	352; 2
Luton	Luton	184; 2
Lutterworth	Lutterworth	408; 1
Lydbury	Clun	353; 4
Lydd	Romney Marsh	74; 2
Lydney	Chepstow	576; 3
Lyme	Axminster	279; 1
Lymington	Lymington	100; 1
Lymm	Altrincham	454; 3
Lyncombe	Bath	326; 4
Lyndhurst	New Forest	104; 1
Lytchett	Poole	272; 3
Lytham	Fylde	483; 2
Lythe	Whitby	531; 3

M

Sub-District.	District.	No.
Machynlleth	Machynlleth	606; 1
Madeley	Madeley	358; 2
Madley	Hereford	348; 5
Maesteg	Bridgend	583; 1
Maiden Newton	Dorchester	275; 3
Malmsbury Eastern.	Malmsbury	252; 1
Malmsbury Western.	Malmsbury	252; 2
Malpas	Whitchurch (Salop).	363b; 2
Maltby	Rotherham	509; 5
Malton	Malton	526; 3
Mancroft	Norwich	234; 4
Manhood	Westhampnett	91; 1
Manningtree	Tendring	203; 4
Mansfield	Mansfield	437; 5
Marazion	Penzance	311; 3
March	North Witchford	191; 2
Marden	Maidstone	58; 2
Maresfield	Uckfield	81; 4
Margam	Neath	584; 1
Margate	Thanet	70; 2
Market Bosworth	Market Bosworth	413; 1
Market Drayton	Market Drayton	364; 2
Market Harborough.	Market Harborough.	409; 1
Market Rasen	Caistor	432; 3
Market Street	Manchester	473; 4
Market Weighton	Pocklington	516; 3
Marlborough	Marlborough	255; 1
Marple	Stockport	452; 1
Marshfield	Chipping Sodbury	331; 2
Marske	Guisbrough	532; 2
Martley	Martley	386; 1
Martock	Yeovil	319; 3
Marton	Gainsborough	434; 6
Maryport	Cockermouth	570; 4
Masham	Bedale	535; 5
Matlock	Bakewell	449; 2
Mattishall	Mitford	242; 2
Mayfair	St. George Hanover-sq.	3; 2
Mayfield	Ashborne	447; 2
Measham	Ashby-de-la-Zouch.	414; 1
Melbourne	Royston	140; 3
Melbourne	Shardlow	444; 2
Melford	Sudbury	212; 4
Melksham	Melksham	257; 1
Mellor	Blackburn	480; 3
Meltham	Huddersfield	497; 2
Melton Mowbray	Melton Mowbray	418; 2
Mendlesham	Hartismere	218; 1
Mere	Mere	267; 1
Meriden	Meriden	396; 2
Merthyr-Cynog	Brecknock	600; 1
Methwold	Thetford	249; 1
Mevagissey	St. Austell	306; 3
Michelmersh	Romsey	107; 2
Micklegate	York	515; 3
Middleham	Leyburn	536; 1
Middleton	FreebridgeLynn	245; 3
Middleton	Oldham	475; 4
Middleton	Teesdale	543; 3
Middlewich	Northwich	456; 4
Middlezoy	Bridgwater	316; 3
Midhurst	Midhurst	93; 1
Midsomer Norton	Clutton	325; 4
Milborne Port	Wincanton	320; 2
Milbrook	SouthStoneham	106; 3
Mile-end New Town.	Whitechapel	22; 3
Mile-end Old Town Eastern	Mile End Old Town.	24b; 2
Mile-end Old Town Western	Mile End Old Town.	24b; 1
Milford	Haverfordwest	592; 1
Milford	Lymington	100; 2
Milnthorpe	Kendal	575; 5
Milton	Hardingstone	167; 3
Milton	Milton	68; 1
Milton Abbas	Blandford	270; 1
Milton Abbot	Tavistock	290; 3
Milton Damerel	Holsworthy	298; 1
Milverton	Wellington (Somerset).	314; 2
Minchinhampton	Stroud	338; 6
Minehead	Williton	313a 1
Minster	Sheppey	69; 1
Minster	Thanet	70; 1
Mirfield	Dewsbury	502; 5
Missenden	Amersham	148; 1
Misterton	Beaminster	277; 2
Misterton	Gainsborough	434; 3
Mitcham	Croydon	46; 2
Mitcheldever	Winchester	109; 1
Modbury	Kingsbridge	285; 5
Mold	Holywell	610; 5
Monk Wearmouth	Sunderland	549; 5
Monmouth	Monmouth	577; 3
Montford	Atcham	359; 5
Montgomery	Montgomery	608; 1
Morchard Bishop	Crediton	292; 1
Moreton	Shipston-on-Stour	406; 2
Moreton Hampstead.	Newton Abbot	283; 3
Moreton Say	Market Drayton	364; 1
Morice	Stoke Damerel	289; 3
Morland	West Ward	574; 1
Morley	Dewsbury	502; 1
Morpeth	Morpeth	558; 1
Mortimer	Bradfield	126; 2
Mortlake	Richmond (Surr.)	48; 2
Mottram	Ashton-under-Lyne.	474; 8
Moulton	Brixworth	170; 2
Moulton	Spalding	423; 5
Mount Pleasant	Liverpool	461; 6
Much Wenlock	Madeley	358; 4
Much Woolton	Prescot	463; 2
Muker	Reeth	538; 1
Muncaster	Bootle	572; 1
Munslow	Ludlow	352; 4
Myddfai	Llandovery	587; 4
Mylor	Falmouth	308; 1
Mynyddyslwyn	Newport (Monm.)	580; 4
Myton	Hull	520; 3

N

Sub-District.	District.	No.
Nantmel	Rhayader	605; 2
Nantwich	Nantwich	458; 2
Narberth	Narberth	590; 4
Neath	Neath	584; 2
Needham-Market	Bosmere	220; 2
Neston	Wirral	460a; 1
Netheravon	Pewsey	261; 1
Netherbury	Beaminster	277; 3
Nether Hallam	Ecclesall Bierlow	507; 1
Nevin	Pwllheli	619; 4
Newark	Newark	442; 3
Newbury	Newbury	120; 2
Newcastle-under-Lyme.	Newcastle-under-Lyme.	369; 2
Newchurch	Haslingden	477; 1
Newent	Newent	335; 1
Newhaven	Lewes	84; 5
Newlyn	St. Columb	305; 3
Newmarket	Newmarket	189; 2
Newmill	Huddersfield	497; 5
Newnham	Westbury-on-Severn.	334; 1
Newport	Cardigan	593; 1
Newport	Howden	517; 4
Newport	Newport (Monm.)	580; 2
Newport	Newport (Salop)	366; 1
Newport	Saffron Walden	210; 1
Newport	Isle of Wight	99; 2
Newport Pagnell	Newport Pagnell	153; 2
New Romney	Romney Marsh	74; 1
Newsham	Richmond (Yrks.)	539; 3
Newton	Keynsham	327; 3
Newton	Manchester	473; 6
Newton	Warrington	466; 1
Newton Abbot	Newton Abbot	283; 5
Newton	Ashton-under-Lyne.	474; 5
Newtown	Newtown	607; 5
Norbury	Clun	353; 3
Norhamshire	Berwick	561; 3
Northallerton	Northallerton	534; 2
Northam	Bideford	297; 2
North Bierley	Bradford (Yrks.)	499; 3
North Bishop-Wearmouth.	Sunderland	549; 1
North Bury	Bury	469; 7

Sub-District.	District.	No.
North Collingham	Newark	442; 1
North Curry	Taunton	315; 2
North Elmham	Mitford	212; 6
Northfleet	North Aylesford	52; 1
Northill	Launceston	301; 5
North Horsham	Horsham	87; 2
North Leeds	Leeds	501; 2
North Meols	Ormskirk	464; 5
Northowram	Halifax	498; 10
North Petherton	Bridgwater	316; 2
North Petherwin	Launceston	301; 2
North Sheffield	Sheffield	508; 2
North Shields	Tynemouth	553; 2
North Tawton	Okehampton	291; 5
North Walsham	Erpingham	231; 1
Northwich	Northwich	456; 2
North Worcester	Worcester	387; 2
Norton	Ecclesall Bierlow	507; 3
Norton	Leek	372; 1
Norwood	Lambeth	31; 8
Nuneaton	Nuneaton	398; 1
Nuneham Courtney	Abingdon	123; 4
Nunney	Frome	321; 1

O

Sub-District.	District.	No.
Oakham	Oakham	419; 1
Odiham	Hartley Wintney	115; 1
Okehampton	Okehampton	291; 3
Oldbury	West Bromwich	381; 2
Oldham above Town	Oldham	475; 2
Oldham below Town	Oldham	475; 1
Oldland	Keynsham	327; 2
Old Street	St. Luke	16; 1
Old Stratford	Stratford-on-Avon	404; 4
Olney	Newport Pagnell	153; 3
Ombersley	Droitwich	391; 2
Orcheston	Amesbury	262; 1
Ore	Hastings	76; 1
Orford	Plomesgate	224; 4
Ormskirk	Ormskirk	464; 8
Orsett	Orsett	198; 2
Orton	East Ward	573; 3
Ossett	Dewsbury	502; 8
Oswaldkirk	Helmsley	529; 2
Oswaldtwisle	Blackburn	480; 5
Oswestry	Oswestry	361; 3
Otley	Otley	493a; 2
Ottery St. Mary	Honiton	280; 2
Oulton	Wakefield	503; 8
Oundle	Oundle	174; 1
Ovenden	Halifax	498; 9
Over	Northwich	456; 3
Overbury	Tewkesbury	345; 2
Overton	Ellesmere	362; 1
Owston	Gainsborough	434; 1
Oxford	Oxford	158; 1

P

Sub-District.	District.	No.
Padiham	Burnley	478; 2
Padstow	St. Columb	305; 1
Paignton	Totnes	284; 1
Painswick	Stroud	338; 2
Palace	Brighton	85; 3
Park	Nottingham	440; 7
Parkham	Bideford	297; 3
Parracombe	Barnstaple	295; 2
Pateley Bridge	Pateley Bridge	490; 2
Patrington	Patrington	521; 1
Peckham	Camberwell	33; 3
Peldon	Lexden	205; 2
Pemberton	Wigan	465; 5
Pembrey	Llanelly	586; 3
Pembroke	Pembroke	591; 2
Penbryn	Newcastle-in-Emlyn	594; 2
Pencarreg	Lampeter	595; 2
Pendle	Burnley	478; 4
Pendleton	Salford	472; 1
Penkelly	Brecknock	600; 4
Penistone	Wortley	506; 3
Penkridge	Penkridge	378; 1
Pennal	Machynlleth	606; 2
Penrith	Penrith	565; 1
Penryn	Falmouth	308; 3
Penshurst	Sevenoaks	56; 3
Pentonville	Clerkenwell	15; 3
Penzance	Penzance	311; 4
Pershore	Pershore	390; 2
Peterborough	Peterborough	175; 2
Petersfield	Petersfield	112; 1
Petworth	Petworth	88; 2
Pewsey	Pewsey	261; 2
Phillack	Redruth	310; 5
Pickering	Pickering	530; 2
Pickhill	Thirsk	528; 2
Pilkington	Bury	469; 10
Pinchbeck	Spalding	423; 1
Pitminster	Taunton	315; 1
Pleasley	Mansfield	437; 2
Plumstead	Lewisham	36; 1
Plympton	Plympton St. Mary	286; 2
Pocklington	Pocklington	516; 2
Polden Hill	Bridgwater	316; 6
Pontefract	Pontefract	504a; 3
Ponteland	Castle Ward	554; 1
Pontesbury	Atcham	359; 2
Pontypool	Pontypool	579; 1
Pool	Montgomery	608; 3
Poole	Poole	272; 2
Poplar	Poplar	25; 2
Poppleton	Great Ouseburn	492a; 3
Portland	Weymouth	274; 3
Portsea Town	Portsea Island	96; 2
Portsmouth Town	Portsea Island	96; 3
Potterspury	Potterspury	166; 1
Potton	Biggleswade	180; 1
Poulton-le-Fylde	Fylde	483; 3
Prees	Wem	363a; 2
Prescot	Prescot	463; 5
Prestbury	Macclesfield	453; 1
Presteigne	Presteigne	603; 4
Preston	Preston	482; 2
Prestwich	Manchester	473; 10
Princes Risborough	Wycombe	150; 5
Prittlewell	Rochford	201; 2
Probus	Truro	307; 1
Puddletown	Dorchester	275; 2
Pudsey	Bradford (Yrks.)	499; 13
Pulborough	Thakeham	89; 1
Putney	Wandsworth	32; 4
Pwllheli	Pwllheli	619; 2

Q

Sub-District.	District.	No.
Quorndon	Barrow-upon-Soar	416; 2

R

Sub-District.	District.	No.
Radcliffe	Bury	469; 9
Radford	Radford	439; 2
Radford	Warwick	403; 5
Radnor	Presteigne	603; 2
Radwinter	Saffron Walden	310; 3
Rainford	Prescot	463; 7
Rainow	Macclesfield	453; 3
Ramsgate	Thanet	70; 3
Ramsey	Huntingdon	176; 1
Ramsgill	Pateley Bridge	490; 1
Rastrick	Halifax	498; 1
Ratcliff	Stepney	24a; 2
Ratcliffe-on-Trent	Bingham	443; 2
Rattlesden	Stow	217; 2
Raunds	Thrapston	173; 2
Rayleigh	Rochford	201; 1
Rectory	Marylebone	7; 3
Redmarley	Newent	335; 2
Redruth	Redruth	310; 2
Reeth	Reeth	538; 2
Regent Road	Salford	472; 4
Regent's Park	Pancras	9; 1
Reigate	Reigate	44; 1
Repton	Burton-upon-Trent	375; 2
Rhayader	Rhayader	605; 1
Rheidol	Aberystwith	597; 4
Riccall	Selby	513; 3
Richmond	Richmond (Surr.)	48; 1
Richmond	Richmond (Yrks.)	539; 1
Rickmansworth	Watford	145; 3
Rillington	Malton	526; 1
Ringwood	Ringwood	102; 1
Ripley	Belper	446; 4
Ripley	Guildford	39; 2
Ripon	Ripon	491; 1
Ripponden	Halifax	498; 6
Riseley	Bedford	179; 1
Rivington	Chorley	481; 3
Rixton	Warrington	466; 6
Road	Frome	321; 3
Rochester	Medway	54; 1
Rochford	Rochford	201; 3
Rock Bedwelty	Bedwelty	578b; 3
Rodborough	Stroud	338; 5
Rolvenden	Tenterden	61; 1
Romford	Romford	197; 1
Romsey	Romsey	107; 1
Roose	Pembroke	591; 3
Ropley	Alresford	113; 1
Ross	Ross	347; 2
Rossendale	Haslingden	477; 2
Rothbury	Rothbury	563; 1
Rotherfield	Uckfield	81; 1
Rotherham	Rotherham	509; 2
Rotherhithe	Rotherhithe	34; 1
Rothley	Barrow-upon-Soar	416; 3
Rothwell	Kettering	172; 2
Rothwell	Kirkstall	500a; 5
Rottingdean	Lewes	84; 6
Rougham	Thingoe	214; 1
Rowley Regis	Dudley	382; 1
Royston	Royston	140; 2
Royton	Oldham	475; 5
Ruabon	Wrexham	611; 3
Rugby	Rugby	401; 1
Rugeley	Lichfield	377; 3
Runcorn	Runcorn	455; 3
Ruthin	Ruthin	612; 2
Ryde	Isle of Wight	99; 3
Rye	Rye	75; 1

S

Sub-District.	District.	No.
Saffron Hill	Holborn	14; 3
Saffron Walden	Saffron Walden	210; 2
Saham Toney	Swaffham	248; 2
St. Agnes	Truro	307; 3
St. Albans	St. Albans	144; 2
St. Alkmund	Derby	445; 1
St. Andrew	Newcastle-upon-Tyne	552; 2
St. Andrew	Plymouth	287; 2
St. Andrew Eastern	Holborn	14; 2
St. Andrew the Great	Cambridge	187; 3
St. Andrew the Less	Cambridge	187; 1
St. Ann	Nottingham	440; 3
St. Anne Soho	Strand	13; 1
St. Asaph	St. Asaph	613; 1
St. Aubyn	Stoke Damerel	289; 1
St. Augustine	Bristol	329; 5
St. Austell	St. Austell	306; 2
St. Bees	Whitehaven	571; 3
St. Botolph	East London	17; 1
St. Buryan	Penzance	311; 6
St. Chad	Shrewsbury	360; 2
St. Clears	Carmarthen	589; 2
St. Clement	Headington	157; 2
St. Clement	Ipswich	222; 2
St. Clement	Truro	307; 4

Sub-District.	District.	No.
St. Clement Danes	Strand . . .	13; 3
St. Columb . .	St. Columb . .	305; 2
St. Cuthbert .	Carlisle . .	568; 2
St. David . .	Exeter . . .	282; 2
St. Davids . .	Haverfordwest	592; 3
St. Faiths . .	St. Faiths . .	233; 1
St. George . .	Bedminster .	328; 4
St. George . .	Birmingham .	394; 8
St. George . .	Camberwell .	33; 4
St. George . .	Clifton . . .	330; 3
St. George . .	Liverpool . .	461; 4
St. George . .	Manchester .	473; 5
St. George Bloomsbury.	St. Giles. . .	12; 1
St. George the Martyr.	Holborn . .	14; 1
St. Germans .	St. Germans .	302; 2
St. Giles . . .	Cambridge . .	187; 4
St. Giles . . .	Northampton .	168; 1
St. Giles . . .	Reading. . .	127; 3
St. Giles North.	St. Giles . .	12; 3
St. Giles South.	St. Giles . .	12; 2
St. Helens . .	Prescot . . .	463; 6
St. Ives . . .	Penzance . .	311; 2
St. Ives . . .	St. Ives . .	177; 4
St. James . .	Bermondsey .	28; 1
St. James . .	Bristol . . .	329; 4
St. James . .	Clerkenwell .	15; 1
St. James . .	Dover . . .	72; 1
St. James's-square	St. James Westminster.	6; 2
St. John . . .	Coventry . .	400; 1
St. John . . .	St. George-in-the-East.	23; 3
St. John . . .	Marylebone .	7; 6
St. John . . .	Weardale . .	544; 1
St. John . . .	Westminster .	4; 1
St. John the Baptist.	Gloucester . .	336; 3
St. John Horsleydown.	St. Olave Southwark.	27; 2
St. John Paddington.	Kensington .	1; 2
St. Just-in-Penwith.	Penzance . .	311; 5
St. Just-in-Roseland.	Truro . . .	307; 2
St. Keverne . .	Helston . . .	309; 3
St. Lawrence .	Reading. . .	127; 2
St. Leonard . .	Shoreditch . .	20; 2
St. Mabyn . .	Bodmin . . .	304; 2
St. Margaret .	Ipswich . . .	222; 3
St. Margaret .	Westminster .	4; 2
St. Martin . .	Birmingham .	394; 3
St. Martin . .	Liverpool . .	461; 1
St. Martin . .	Oswestry . .	361; 4
St. Mary . . .	Birmingham .	394; 7
St. Mary . . .	Carlisle . . .	568; 3
St. Mary . . .	Dover . . .	72; 2
St. Mary . . .	St. George-in-the-East.	23; 1
St. Mary . . .	Hull . . .	520; 2
St. Mary . . .	Marylebone .	7; 4
St. Mary . . .	Newington . .	30; 3
St. Mary . . .	Nottingham .	440; 2
St. Mary . . .	Reading. . .	127; 1
St. Mary . . .	Shrewsbury .	360; 1
St. Mary Extra.	South Stoneham .	106; 1
St. Mary-in-the-Castle.	Hastings . .	76; 3
St. Mary-le-Strand	Strand . . .	13; 2
St. Mary Magdalen.	Bermondsey .	28; 2
St. Mary the Great	Cambridge . .	187; 2
St. Mary Paddington.	Kensington .	1; 1
St. Mary Redcliffe	Bristol . . .	329; 1
St. Matthew .	Ipswich . . .	222; 1
St. Michael . .	Garstang . .	484; 2
St. Neots . .	St. Neots . .	178; 1
St. Nicholas. .	Cardiff . . .	581; 3
St. Nicholas. .	Durham . .	545; 4
St. Nicholas. .	Gloucester . .	336; 2
St. Nicholas. .	Newcastle-upon-Tyne.	552; 3
St. Nicholas Deptford.	Greenwich . .	35; 2
St. Olave . .	St. Olave Southwark.	27; 1

Sub-District.	District.	No.
St. Oswald . .	Durham . .	545; 3
St. Osyth . .	Tendring . .	203; 1
St. Paul . . .	Birmingham .	394; 6
St. Paul . . .	Bristol . . .	329; 3
St. Paul . . .	St. George-in-the-East.	23; 2
St. Paul Deptford.	Greenwich . .	35; 1
St. Paul Hammersmith.	Kensington .	1; 6
St. Peter . . .	Birmingham .	394; 4
St. Peter . . .	Brighton . .	85; 2
St. Peter . . .	Derby . . .	445; 2
St. Peter . . .	Maldon . . .	202; 4
St. Peter Hammersmith.	Kensington .	1; 5
St. Peter Walworth.	Newington . .	30; 2
St. Philip . .	Birmingham .	394; 5
St. Philip and Jacob.	Clifton . . .	330; 4
St. Saviour . .	St. Saviour Southwark.	26; 2
St. Sidwell . .	Exeter . . .	282; 1
St. Stephen . .	Launceston .	301; 3
St. Thomas . .	Birmingham .	394; 2
St. Thomas . .	Liverpool . .	461; 5
St. Thomas . .	St. Thomas . .	281; 7
St. Weonards .	Ross	347; 3
St. Woollos . .	Newport (Monm.)	580; 3
Salehurst . .	Ticehurst . .	80; 2
Salisbury . .	Salisbury . .	264; 1
Saltash . . .	St. Germans .	302; 3
Saltfleet . . .	Louth . . .	431; 4
Sandal . . .	Wakefield . .	503; 2
Sandbach . .	Congleton . .	457; 3
Sandhurst . .	Easthampstead	130; 2
Sandwich . .	Eastry . . .	71; 1
Sankey . . .	Warrington .	466; 3
Sawbridgeworth .	Bishop Stortford .	139; 1
Sawtry . . .	Huntingdon .	176; 2
Saxmundham .	Plomesgate .	224; 6
Scarborough .	Scarborough .	525; 2
Scarisbrick . .	Ormskirk . .	464; 7
Scilly Islands .	Scilly Islands .	312; 1
Scotter . . .	Gainsborough .	434; 2
Sedbergh . .	Sedbergh . .	487; 1
Sedgefield . .	Stockton . .	541a; 3
Sedgley . . .	Dudley . . .	382; 3
Selby	Selby . . .	513; 2
Settle . . .	Settle . . .	488; 2
Sevenoaks . .	Sevenoaks . .	56; 2
Shadwell . .	Stepney . . .	24a; 1
Shaftesbury. .	Shaftesbury .	268; 1
Shardlow . .	Shardlow . .	444; 3
Sharnbrook . .	Bedford . . .	179; 2
Sharples . . .	Bolton . . .	468; 9
Shebbear . .	Torrington . .	296; 4
Sheffield Park .	Sheffield . .	508; 4
Shelford . . .	Chesterton . .	186; 3
Shelton . . .	Stoke-upon-Trent	371; 2
Shepton Mallet	Shepton Mallet	322; 3
Sherborne . .	Sherborne . .	276; 2
Sherburn . .	Scarborough .	525; 4
Sherwood . .	Nottingham .	440; 1
Shiffnal . . .	Shiffnal . . .	357; 2
Shillington . .	Ampthill . .	181; 2
Shipdham . .	Mitford . . .	242; 1
Shipley . . .	Bradford (Yrks.)	499; 10
Shipston-on-Stour	Shipston-on-Stour	406; 3
Shire-Newton .	Chepstow . .	576; 1
Shoreham . .	Sevenoaks . .	56; 1
Shoreham . .	Steyning . .	86; 1
Shrivenham . .	Faringdon . .	122; 1
Sibsey . . .	Boston . . .	425; 3
Silverton . .	Tiverton . .	293; 1
Singleton . .	Westhampnett	91; 5
Sinnington . .	Pickering . .	530; 3
Skelton . . .	York . . .	515; 1
Skipsea . . .	Bridlington .	524; 1
Skipton . . .	Skipton . . .	489; 5
Skirlaugh . .	Skirlaugh . .	522; 2
Slaidburn . .	Clitheroe . .	479; 2
Slaithwaite . .	Huddersfield .	497; 1
Sleaford . . .	Sleaford . .	426; 2
Slebech . . .	Narberth . .	590; 5
Smallburgh . .	Tunstead . .	230; 2
Snaith . . .	Goole . . .	512; 3
Sneinton . . .	Radford. . .	439; 4

Sub-district.	District.	No.
Snettisham . .	Docking. . .	244; 2
Soham . . .	Newmarket .	189; 5
Solihull . . .	Solihull . . .	402; 1
Sollershope . .	Ross	347; 1
Somerby . . .	Melton Mowbray	418; 1
Somersham . .	St. Ives . . .	177; 2
Somers Town .	Pancras . . .	9; 4
Somerton . .	Langport . .	317; 1
Soothill . . .	Dewsbury . .	502; 7
Southam . . .	Southam . .	407; 1
Southampton .	Southampton .	105; 1
South Bersted .	Chichester . .	92; 3
South Bishop-Wearmouth.	Sunderland .	549; 2
South Bury . .	Bury . . .	469; 6
South-East Leeds	Leeds . . .	501; 1
South Hackney	Hackney . .	11; 5
South Hamlet .	Gloucester . .	336; 4
South Horsham	Horsham . .	87; 1
South Mimms .	Barnet . . .	136; 1
Southminster .	Maldon . . .	202; 1
South Molton .	South Molton .	294; 3
Southowram .	Halifax . . .	498; 3
South Petherton	Yeovil . . .	319; 2
South Sheffield.	Sheffield . .	508; 3
South Shields .	South Shields .	550; 2
South Stoneham	South Stoneham	106; 2
South Walsham	Blofield . . .	237; 2
Southwell . .	Southwell . .	441; 1
South Worcester	Worcester . .	387; 3
Sowe	Foleshill . .	399; 2
Sowerby . . .	Halifax . . .	498; 7
Spalding . .	Spalding . .	423; 4
Spaldwick . .	Huntingdon .	176; 3
Speen . . .	Newbury . .	120; 3
Spilsby . . .	Spilsby . . .	430; 3
Spitalfields . .	Whitechapel .	22; 2
Spondon . . .	Shardlow . .	444; 5
Spotland Farther Side.	Rochdale . .	476; 6
Spotland Nearer Side.	Rochdale . .	476; 5
Spratton . .	Brixworth . .	170; 1
Sprowston . .	St. Faiths . .	233; 2
Stafford . . .	Stafford . . .	367; 1
Staindrop . .	Teesdale . .	543; 1
Staines . . .	Staines . . .	132; 2
Stalbridge . .	Sturminster .	269; 1
Stalham . . .	Tunstead . .	230; 3
Stalmine . . .	Garstang . .	484; 1
Stamford . .	Stamford . .	421; 1
Stamfordham .	Castle Ward .	554; 2
Stamford Hill .	Hackney . .	11; 2
Standish . . .	Wigan . . .	465; 1
Standon . . .	Ware . . .	138; 4
Stanhope . .	Weardale . .	544; 2
Stanley . . .	Wakefield . .	503; 3
Stansted . . .	BishopStortford	139; 2
Stanstead . .	Ware . . .	138; 2
Stanway . . .	Lexden . . .	205; 3
Stanwix . . .	Carlisle . . .	568; 4
Stapleford . .	Shardlow . .	444; 4
Stapleton . .	Clifton . . .	330; 6
Stayley . . .	Ashton-under-Lyne.	474; 9
Stebbing . .	Dunmow . .	209; 1
Steyning . . .	Steyning . .	86; 2
Stickney . . .	Spilsby . . .	430; 1
Stillington . .	Easingwold .	527; 1
Stilton . . .	Peterborough .	175; 1
Stockbridge .	Stockbridge .	108; 2
Stockport First	Stockport . .	452; 4
Stockport Second .	Stockport . .	452; 5
Stockton. . .	Stockton . .	541a; 2
Stogumber . .	Williton. . .	313a; 5
Stogursey . .	Williton. . .	313a; 4
Stoke	Stoke Damerel	289; 4
Stoke Lane . .	Shepton Mallet	322; 1
Stoke Newington .	Hackney . .	11; 1
Stokenham . .	Kingsbridge .	285; 2
Stokesley . .	Stokesley . .	533; 1
Stoke-upon-Trent	Stoke-upon-Trent	371; 3
Stone	Stone . . .	368; 1
Stonehouse . .	Stroud . . .	338; 1
Stottesden . .	Cleobury Mortimer.	355; 2
Stourbridge .	Stourbridge .	383; 2
Stowey . . .	Bridgwater .	316; 1
Stowmarket. .	Stow . . .	217; 8

Sub-District.	District.	No.
Stow-on the-Wold	Stow-on-the-Wold	342; 2
Stradbroke	Hoxne	219; 1
Stratford	West Ham	194; 1
Stratford-on-Avon	Stratford-on-Avon	404; 3
Stratton	Depwade	239; 3
Stratton	Stratton	299; 2
Streatham	Wandsworth	32; 5
Stretford	Barton-upon-Irwell	470; 3
Strood	North Aylesford	52; 2
Stroud	Stroud	338; 4
Studley	Alcester	405; 1
Sturminster	Sturminster	269; 2
Sturry	Blean	66; 1
Sudbury	Sudbury	212; 3
Sudbury	Uttoxeter	374; 3
Sulgrave	Brackley	164; 2
Sunbury	Staines	132; 1
Sutton	Chichester	92; 1
Sutton	Ely	190; 2
Sutton	Macclesfield	453; 6
Sutton	Sculcoates	519; 1
Sutton	Thirsk	528; 4
Sutton Coldfield	Aston	395; 4
Sutton Courtney	Abingdon	123; 5
Sutton-in-Ashfield	Mansfield	437; 4
Swaffham	Swaffham	248; 1
Swalcliffe	Banbury	163; 2
Swanage	Wareham	273; 1
Swansea	Swansea	585a; 3
Swavesey	St. Ives	177; 3
Swindon	Highworth	250; 2
Swinefleet	Goole	512; 1
Swineshead	Boston	425; 5
Sydenham	Lewisham	36; 5
Syston	Barrow-upon-Soar	416; 4
T		
Tadcaster	Tadcaster	514a; 2
Talgarth	Hay	602; 1
Talley	Llandilofawr	588; 1
Talyllyn	Dolgelly	617; 1
Tamar	Stoke Damerel	289; 5
Tamworth	Tamworth	376; 1
Tanfield	Durham	545; 1
Tanworth	Solihull	402; 3
Tardebigg	Bromsgrove	392; 3
Tarleton	Ormskirk	464; 6
Tattenhall	Great Boughton	459; 1
Tattershall	Horncastle	429; 4
Taunton St. James	Taunton	315; 4
Taunton St. Mary Magdalen	Taunton	315; 3
Tavistock	Tavistock	290; 2
Teignmouth	Newton Abbot	283; 1
Tenbury	Tenbury	385; 1
Tenby	Pembroke	591; 1
Tenterden	Tenterden	61; 2
Terrington St. Clement	Wisbech	193; 4
Tetbury	Tetbury	339; 2
Tetford	Horncastle	429; 3
Tetney	Louth	431; 5
Tettenhall	Wolverhampton	379; 1
Tewkesbury	Tewkesbury	345; 3
Teynham	Faversham	67; 3
Thame	Thame	156; 2
Thatcham	Newbury	120; 1
Thaxted	Dunmow	209; 4
Thetford	Thetford	249; 2
Thirsk	Thirsk	528; 3
Thornbury	Thornbury	332; 2
Thorne	Thorne	511; 2
Thorney	Peterborough	175; 4
Thornhill	Dewsbury	502; 9
Thornthwaite	Pateley Bridge	490; 3
Thornton	Bradford (Yrks.)	499; 8
Thorpe	Tendring	203; 3
Thrapston	Thrapston	173; 5
Ticehurst	Ticehurst	80; 8
Tickhill	Doncaster	510; 2
Tideswell	Bakewell	449; 1
Tilehurst	Bradfield	126; 6
Tingewick	Buckingham	154; 1

Sub-District.	District.	No.
Tipton	Dudley	382; 3
Tisbury	Tisbury	266; 3
Titchfield	Fareham	98; 2
Tiverton	Tiverton	293; 2
Toddington	Woburn	182; 2
Todmorden	Todmorden	495; 4
Tollesbury	Maldon	202; 2
Tonge-with-Haulgh	Bolton	468; 2
Topcliffe	Thirsk	528; 1
Topsham	St. Thomas	281; 5
Torquay	Newton Abbot	283; 6
Totnes	Totnes	284; 4
Tottenham	Edmonton	137; 2
Tottenham Court	Pancras	9; 2
Tottington Lower End	Bury	469; 2
Towcester	Towcester	165; 2
Town	Bethnal Green	21; 4
Toxteth Park	West Derby	462; 1
Tranmere	Birkenhead	460b; 2
Tredegar	Bedwelty	578b; 2
Tregaron	Tregaron	598; 3
Tregynon	Newtown	607; 6
Trelleck	Monmouth	577; 4
Tremadoc	Festiniog	618; 3
Trentham	Stone	368; 3
Tring	Berkhampstead	147; 2
Trinity Newington	Newington	30; 1
Trowbridge	Melksham	257; 2
Tunbridge	Tunbridge	57; 2
Tunbridge Wells	Tunbridge	57; 1
Tunstal	Lancaster	485; 6
Tunstall	Wolstanton	370; 2
Turton	Bolton	468; 7
Turvey	Bedford	179; 4
Tutbury	Burton-upon-Trent	375; 1
Tuxford	East Retford	435; 4
Twerton	Bath	326; 1
Twickenham	Brentford	134; 2
Twyford	Winchester	109; 4
Tynemouth	Tynemouth	553; 3
U		
Uffculme	Tiverton	293; 3
Ugborough	Totnes	284; 6
Uley	Dursley	333; 2
Ulverston	Ulverston	486; 3
Uny-Lelant	Penzance	311; 1
Upholland	Wigan	465; 6
Upper Hallam	Ecclesall Bierlow	507; 2
Upper Llanidloes	Newtown	607; 1
Upper Merthyr Tydfil	Merthyr Tydfil	582; 3
Upper Mill	Saddleworth	496; 2
Uppingham	Uppingham	420; 1
Upton-on-Severn	Upton-on-Severn	388; 2
Upton Snodsbury	Pershore	390; 3
Upway	Weymouth	274; 1
Upwell	Wisbech	193; 6
Usk	Pontypool	579; 3
Uttoxeter	Uttoxeter	374; 1
Uxbridge	Uxbridge	133; 2
W		
Waddesdon	Aylesbury	151; 4
Wadhurst	Ticehurst	80; 3
Wainfleet	Spilsby	430; 2
Wakefield	Wakefield	503; 4
Walcot	Bath	326; 5
Wall	Church Stretton	354; 2
Wallasey	Birkenhead	460b; 3
Wallingford	Wallingford	125; 2
Wallsend	Tynemouth	553; 1
Walmersley	Bury	469; 3
Walmgate	York	515; 4
Walpole St. Peter	Wisbech	193; 3

Sub-District.	District.	No.
Walsall	Walsall	380; 3
Walsham-le-Willows	Stow	217; 1
Walsingham	Walsingham	243; 2
Walsoken	Wisbech	193; 5
Waltham	Melton Mowbray	418; 4
Waltham Abbey	Edmonton	137; 5
Walthamstow	West Ham	194; 4
Walton	Brampton	566; 3
Walton	Chertsey	38; 1
Walton	West Derby	462; 3
Walton-le-Dale	Preston	482; 3
Wandsworth	Wandsworth	32; 3
Wantage	Wantage	124; 1
Warboys	St. Ives	177; 1
Wardleworth	Rochdale	476; 7
Ware	Ware	138; 3
Wareham	Wareham	273; 3
Wargrave	Wokingham	128; 2
Warkworth	Alnwick	559; 1
Warminster	Warminster	260; 1
Warrington	Warrington	466; 4
Warsop	Mansfield	437; 1
Warton	Lancaster	485; 8
Warwick	Warwick	403; 4
Washfield	Tiverton	293; 5
Washington	Thakeham	89; 2
Waterloo-road 1st	Lambeth	31; 1
Waterloo-road 2d	Lambeth	31; 1
Watford	Watford	145; 2
Wath	Ripon	491; 3
Wath	Rotherham	509; 4
Watlington	Henley	155; 2
Watton	Hereford	142; 1
Watton	Wayland	241; 2
Wavertree	West Derby	462; 7
Weaverham	Northwich	456; 1
Wedmore	Axbridge	324; 1
Wednesbury	West Bromwich	381; 5
Weedon	Daventry	169; 1
Week St. Mary	Stratton	299; 3
Weldon	Oundle	174; 2
Wellesbourne	Stratford-on-Avon	404; 2
Wellingborough	Wellingborough	171; 3
Wellington	Wellington (Salop).	365; 2
Wellington	Wellington (Somerset).	314; 3
Wells	Walsingham	243; 3
Wells	Wells	323; 1
Welwyn	Hatfield	143; 2
Wem	Wem	363a; 1
Wendover	Wycombe	150; 4
Wendron	Helston	309; 1
Wenhaston	Blything	225; 3
Weobly	Weobly	349; 1
West Alvington	Kingsbridge	285; 3
Westbourne	Westbourne	94; 2
West Bromwich North-east	West Bromwich	381; 4
West Bromwich South-west	West Bromwich	381; 3
West Broughton	Ulverston	486; 5
Westbury	Atcham	359; 3
Westbury	Westbury	259; 3
Westbury	Clifton	330; 5
West Derby	West Derby	462; 6
Westfirle	Lewes	84; 4
West Flegg	Flegg	229; 2
Westgate	Newcastle-upon-Tyne	552; 1
West Hackney	Hackney	11; 3
West Ham	West Ham	194; 2
Westham	Eastbourne	78; 1
Westhoughton	Bolton	468; 3
West Leeds	Leeds	501; 3
West Leicester	Leicester	417; 2
West Leigh	Leigh	467; 3
Westleton	Blything	225; 1
West London North	West London	18; 1
West London South	West London	18; 2
West Macclesfield	Macclesfield	453; 5
West Maidstone	Maidstone	58; 4
Westmeon	Droxford	110; 2
Westoe	South Shields	550; 1
Westow	Malton	526; 2
West Sculcoates	Sculcoates	519; 8

SUB-DISTRICT.	DISTRICT.	No.
West Sheffield	Sheffield	508; 1
West Sunderland	Sunderland	549; 4
West Worcester	Worcester	387; 1
West Wycombe	Wycombe	150; 3
West Wymer	Norwich	234; 5
Wetheral	Carlisle	568; 1
Wetherby	Wetherby	492c; 1
Weymouth	Weymouth	274; 2
Whalley	Clitheroe	479; 5
Wheatley	Headington	157; 1
Whickham	Gateshead	551; 3
Whitby	Whitby	531; 2
Whitchurch	Whitchurch (Salop).	363b; 1
Whitchurch	Whitchurch (Hants).	117; 1
Whitchurch Canonicorum.	Bridport	278; 3
Whitechapel Church.	Whitechapel	22; 5
Whitechapel North	Whitechapel	22; 4
Whitecross Street	St. Luke	16; 3
Whitehaven	Whitehaven	571; 2
Whitford	Holywell	610; 1
Whitkirk	Kirkstall	500a; 4
Whitley	Pontefract	504a; 2
Whitmore	Newcastle-under-Lyme.	369; 1
Whitstable	Blean	66; 3
Whittlesey	Whittlesey	192; 1
Whitwick	Ashby-de-la Zouch.	414; 4
Whitworth	Rochdale	476; 10
Whixley	Great Ouseburn	492a; 2
Wickford	Billericay	199; 3
Wickhambrook	Risbridge	211; 2
Wickham Market	Plomesgate	224; 3
Wigan	Wigan	465; 3
Wiggenhall	Downham	247; 1
Wigston	Blaby	411; 1
Wigton	Wigton	569; 1
Wilford	Basford	438; 7
Willenhall	Wolverhampton	379; 6
Willesden	Hendon	135; 3
Willingham	Chesterton	186; 1
Willingham	Gainsborough	434; 5
Williton	Williton	313a; 3
Wilmslow	Altrincham	454; 1
Wilsden	Bradford (Yrks.)	499; 9
Wilton	Wilton	265; 1
Wimbledon	Kingston	47; 1
Wimborne	Wimborne	271; 3
Wincanton	Wincanton	320; 3
Winchester	Winchester	109; 3
Windsor	Windsor	131; 2
Wing	Leighton Buzzard	183; 2
Wingham	Eastry	71; 2
Winkleigh	Torrington	296; 2
Winlaton	Gateshead	551; 4
Winslow	Winslow	152; 1
Winterbourne	Amesbury	262; 3
Winterton	Glanford Brigg	433; 2
Winwick	Warrington	466; 2
Wirksworth	Belper	446; 6
Wisbech	Wisbech	193; 2
Witchampton	Wimborne	271; 2
Witham	Witham	206; 2
Witheridge	South Molton	294; 1
Withern	Louth	431; 1
Withyham	East Grinstead	82; 1
Witley	Hambledon	42; 1
Witley	Martley	386; 2
Witney	Witney	161; 3
Witton	Blackburn	480; 7
Wiveliscombe	Wellington (Somers.)	314; 1
Wivenhoe	Lexden	205; 1
Woburn	Woburn	182; 1
Woking	Guildford	39; 1
Wokingham	Wokingham	128; 1
Wolsingham	Weardale	544; 3
Wolstanton	Wolstanton	370; 1
Wolverhampton Eastern.	Wolverhampton.	379; 5
Wolverhampton Western.	Wolverhampton.	379; 4
Wolverley	Kidderminster	384; 2
Wombourn	Wolverhampton	379; 2
Wombridge	Wellington (Salop).	365; 3
Woodbridge and Wilford.	Woodbridge	223; 3
Woodbridge Out	Woodbridge	223; 4
Woodbury	St. Thomas	281; 3
Woodchurch	Wirral	460a; 3
Woodstock	Woodstock	160; 2
Woodton	Loddon	238; 3
Wooler	Glendale	562; 2
Woolwich Arsenal	Greenwich	35; 6
Woolwich Dockyard.	Greenwich	35; 5
Wootton Basset	Cricklade	251; 1
Wootton Wawen	Stratford-on-Avon	404; 5
Worfield	Bridgnorth	356; 3
Workington	Cockermouth	570; 3
Worksop	Worksop	436; 1
Worlington	Mildenhall	216; 1
Worsbrough	Barnsley	505; 4
Worsley	Barton-upon-Irwell.	470; 1
Worth	East Grinstead	82; 3
Worthys	Winchester	109; 2
Wortley	Kirkstall	500a; 1
Wortley	Wortley	506; 4
Wotton-under-Edge.	Dursley	333; 1
Wragby	Horncastle	429; 1
Wray	Lancaster	485; 5
Wrenbury	Nantwich	458; 4
Wrexham	Wrexham	611; 4
Writtle	Chelmsford	200; 3
Wrotham	Malling	55; 3
Wuerdle	Rochdale	476; 8
Wybunbury	Nantwich	458; 1
Wye	East Ashford	63; 3
Wyke	Westhampnett	91; 2
Wymondham	Forehoe	235; 2

Y

SUB-DISTRICT.	DISTRICT.	No.
Yalding	Maidstone	58; 1
Yapton	Westhampnett	91; 3
Yarkhill	Ledbury	346; 2
Yarm	Stockton	541a; 1
Yarmouth Northern.	Yarmouth	228; 2
Yarmouth Southern.	Yarmouth	228; 1
Yatton	Bedminster	328; 3
Yeadon	Wharfedale	493b; 1
Yealmpton	Plympton St. Mary	286; 1
Yeovil	Yeovil	319; 4
Yetminster	Sherborne	276; 1
Yoxall	Lichfield	377; 2
Yspytty	Llanrwst	614; 3
Ystradgunlais	Neath	584; 4
Ystradvelltey	Neath	584; 3

INDEX OF CERTAIN TOWNS.

TOWNS whose Names differ from that of the District and Sub-district in which they are respectively situated.

NAME OF TOWN.	SUPERINTENDENT REGISTRAR'S DISTRICT.	SUB-DISTRICT.	Number of District and Sub-district.
Aberavon	Neath	Margam	584; 1
Bacup	Haslingden	Newchurch	477; 1
	Rochdale	Whitworth	476; 10
Bedworth	Foleshill	Foleshill	399; 1
Blackpool	Fylde	Poulton-le-Fylde	483; 3
Bognor	Chichester	South Bersted	92; 3
Brandon	Thetford	Methwold	249; 1
Chatham	Medway	Rochester and Gillingham	54; 1, 2
Church (*Lanc.*)	Blackburn	Oswaldtwisle	480; 5
Claycross	Chesterfield	Ashover	448; 1
Crewe	Nantwich	Wybunbury	458; 1
Dawlish	Newton Abbot	Teignmouth	283; 1
Dereham	Mitford	East Dereham	242; 4
Devonport	East Stonehouse	Comprises the whole of the Sub-districts	288; 1
	Stoke Damerel		289; 1–5
Droylesden	Ashton-under-Lyne	Audenshaw	474; 3
Fleetwood	Fylde	Poulton-le-Fylde	483; 3
Godmanchester	Huntingdon	Huntingdon	176; 4
Gosport	Alverstoke	Alverstoke	97; 1
Guiseley	Wharfedale	Yeadon	493 *b*; 1
Heckmondwike	Dewsbury	Liversedge	502; 4
Hounslow	Brentford	Isleworth	134; 1
Ironbridge	Madeley	Madeley	358; 2
Llanidloes	Newtown	Llanidloes, Upper and Lower	607; 1, 2
Maidenhead	Cookham	Bray and Cookham	129; 1, 2
Malvern, Great	Upton-on-Severn	Hanley Castle	388; 1
Melcombe Regis	Weymouth	Upway and Weymouth	274; 1, 2
Middlesborough	Stockton	Yarm	541 *a*; 1
	Guisbrough	Kirkleatham	532; 3
New Brighton	Birkenhead	Wallassey	460 *b*; 3
Redditch	Bromsgrove	Tardebigg	392; 3
	Alcester	Studley	405; 1
Seaham Harbor	Easington	Easington	546; 1
Sheerness	Sheppey	Minster	69; 1
Sidmouth	Honiton	Ottery St. Mary	280; 2
Slough	Eton	Eton and Burnham	149; 2, 3
Southport	Ormskirk	North Meols	464; 5
Southwold	Blything	Wenhaston	225; 3
Staleybridge	Ashton-under-Lyne	Dukinfield and Hartshead	474; 6, 7
Staveley	Chesterfield	Eckington	448; 4
Tyldesley	Leigh	Atherton	467; 4
Ventnor	Isle of Wight	Godshill	99; 4
Welchpool	Montgomery	Montgomery and Pool	608; 1, 3
	Llanfyllin	Llansaintffraid	609; 2
Weston-super-Mare	Axbridge	Banwell	324; 3
Widnes	Prescot	Farnworth	463; 4

LONDON:
Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

NINTH

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1864.

[*Price One Halfpenny.*]

CONTENTS.

	Page
Abstract of Births Registered in Scotland, pursuant to the Act 17° and 18° Vict., c. 80, during each Month of the Year 1863, - - - - - -	5
Abstract of Deaths Registered in Scotland, during each Month of the Year 1863, -	6
Abstract of Marriages Registered in Scotland, during each Month of the Year 1863, -	7
Table shewing the Estimated Population in 1863, also the number of Births, Deaths, and Marriages in Scotland, and in its Town and Country Districts in 1863, and the proportion of each of these events to the Population. Also the number of Illegitimate Births and their proportion to the Total Births, - - - -	8

REPORT.

TO THE

RIGHT HON^BLE. SIR GEORGE GREY, BART., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 12*th February* 1864.

SIR,

In conformity with the Seventh Section of the Scottish Registration Act, 17° & 18° VICT. c. 80, I have the honour to submit to you a General Abstract of the Births, Deaths, and Marriages Registered in Scotland during the year 1863, in order that the same may be laid before Parliament.

As in last Report, a Table is appended shewing the Number of the Births, Deaths, and Marriages, in the Town and Rural Districts of Scotland, and the proportion of these events to the estimated population.

I have the honour to be,

SIR,

Your faithful Servant,

W. P. DUNDAS,

Registrar-General.

1863. ABSTRACT OF BIRTHS Registered in Scotland, during each Month of the Year 1863.

		Population.	Births.															
		1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Births.	Males	Fem.	Total Illegit. Births.
	SCOTLAND, -	3,062,294	8862	8535	9332	9601	10094	9956	9098	8784	8480	9115	8392	9076	109325	56305	53020	10859
	DIVISIONS.																	
1	NORTHERN,	130,422	263	251	250	258	285	282	288	303	308	307	308	282	3385	1792	1593	188
2	NORTH-WESTERN,	167,329	363	376	400	363	317	400	404	365	352	402	336	401	4479	2247	2232	262
3	NORTH-EASTERN,	366,783	1030	1006	1072	1041	1060	1186	1036	1041	984	1099	962	1043	12560	6459	6101	1986
4	EAST-MIDLAND,	523,822	1450	1285	1418	1514	1673	1601	1476	1445	1346	1477	1351	1469	17505	8981	8524	1910
5	WEST-MIDLAND,	242,507	701	607	695	707	731	708	727	639	612	634	591	669	8021	4158	3863	649
6	SOUTH-WESTERN,	1,008,253	3327	3327	3610	3837	4033	3819	3406	3156	3167	3417	3168	3362	41629	21526	20103	3510
7	SOUTH-EASTERN,	408,962	1179	1155	1285	1266	1368	1373	1230	1247	1221	1254	1133	1284	14995	7656	7339	1383
8	SOUTHERN,	214,216	549	528	602	615	627	587	531	588	490	525	543	566	6751	3486	3265	971
	COUNTIES.																	
	I. NORTHERN.																	
1	Shetland,	31,670	55	57	46	59	56	75	76	89	82	86	81	80	842	452	390	30
2	Orkney,	32,395	60	67	69	77	77	66	60	71	71	74	83	64	839	435	404	34
3	Caithness,	42,200	104	93	93	87	101	101	94	103	102	105	92	96	1171	630	541	96
4	Sutherland,	24,157	44	34	42	35	51	40	58	40	53	42	52	42	533	275	258	28
	II. NORTH-WESTERN.																	
5	Ross and Cromarty,	82,427	186	187	190	183	141	206	204	165	168	213	180	175	2198	1107	1091	74
6	Inverness,	84,902	177	189	210	180	176	194	200	200	184	189	156	226	2281	1140	1141	188
	III. NORTH-EASTERN.																	
7	Nairn,	8,347	18	14	20	23	13	16	21	18	28	21	23	25	240	111	129	20
8	Elgin (or Moray),	44,218	132	101	130	138	114	149	137	129	111	156	123	127	1547	790	757	222
9	Banff,	56,020	147	148	185	155	171	192	146	185	140	179	149	160	1957	959	998	323
10	Aberdeen,	223,344	648	652	642	635	684	724	642	601	609	647	584	627	7695	4005	3690	1249
11	Kincardine,	34,854	85	91	95	90	78	105	90	108	96	96	83	104	1121	594	527	172
	IV. EAST-MIDLAND.																	
12	Forfar,	206,750	634	565	607	653	689	667	630	627	593	659	583	655	7562	3907	3655	933
13	Perth,	133,198	330	278	341	320	365	342	294	331	284	323	308	333	3849	1957	1892	442
14	Fife,	155,021	420	366	383	465	506	508	448	405	387	424	403	411	5126	2612	2514	430
15	Kinross,	8,731	17	25	19	23	28	22	21	23	24	21	11	16	250	121	129	34
16	Clackmannan,	20,122	49	51	68	53	85	62	83	59	58	50	46	54	718	384	334	71
	V. WEST-MIDLAND.																	
17	Stirling,	88,138	306	260	304	296	310	304	292	263	226	269	233	295	3358	1752	1606	309
18	Dumbarton,	54,179	194	143	170	188	182	172	195	157	156	167	154	158	2036	1071	965	156
19	Argyll,	83,859	171	171	177	186	204	198	200	182	188	175	169	183	2204	1130	1074	153
20	Bute,	16,331	30	33	44	37	35	34	40	37	42	23	35	33	423	205	218	31
	VI. SOUTH-WESTERN.																	
21	Renfrew,	168,746	516	559	572	658	653	630	561	546	484	531	510	563	6783	3466	3317	549
22	Ayr,	199,063	628	600	644	669	743	671	586	541	557	625	557	643	7464	3848	3616	636
23	Lanark,	640,444	2183	2168	2394	2510	2637	2518	2259	2069	2126	2261	2101	2156	27382	14212	13170	2325
	VII. SOUTH-EASTERN.																	
24	Linlithgow,	39,045	156	154	155	144	170	159	154	153	144	133	119	127	1768	885	883	141
25	Edinburgh,	274,093	802	741	857	845	884	917	797	828	789	860	777	894	9991	5103	4888	915
26	Haddington,	37,626	76	113	115	102	113	120	110	113	107	100	110	110	1289	656	633	109
27	Berwick,	36,488	84	98	104	95	122	114	101	91	113	104	75	98	1199	607	592	130
28	Peebles,	11,300	33	28	36	43	43	32	41	31	35	29	26	29	406	223	183	42
29	Selkirk,	10,410	28	21	18	37	36	31	27	31	33	28	26	26	342	182	160	46
	VIII. SOUTHERN.																	
30	Roxburgh,	53,722	136	131	141	134	190	163	143	147	142	139	141	164	1771	905	866	212
31	Dumfries,	75,904	206	202	211	241	203	209	185	214	163	181	215	202	2432	1297	1135	349
32	Kirkcudbright,	42,495	112	99	129	114	135	110	97	117	93	94	92	103	1295	640	655	198
33	Wigtown,	42,095	95	96	121	126	99	105	106	110	92	111	95	97	1253	644	609	212

NOTE.—The population of most of the Registration Counties differs slightly from that of the Counties proper, in consequence of Parishes extending to more than one County being held, for the purposes of the Registration Act, to be within the County in which the *Parish Church* happens to be situated.

1863. ABSTRACT OF DEATHS Registered in Scotland, during each Month of the Year 1863.

No.		Population. 1861	Deaths. Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Deaths.	Males	Fem.
	SCOTLAND, - -	3,062,294	6377	6161	6689	6069	5941	5937	5629	5506	5114	5583	5996	6419	71421	35651	35770
	DIVISIONS.																
1	NORTHERN, . . .	130,422	198	172	171	195	188	165	134	135	141	143	153	172	1967	932	1035
2	NORTH-WESTERN, . .	167,329	330	284	284	272	257	279	226	198	206	266	216	246	3064	1481	1583
3	NORTH-EASTERN, . .	366,783	649	673	683	564	547	510	516	463	508	502	544	604	6763	3324	3439
4	EAST-MIDLAND, . .	523,822	1031	1001	1060	935	945	988	906	916	771	917	944	1004	11418	5560	5858
5	WEST-MIDLAND, . .	242,507	460	465	531	432	413	425	441	402	394	386	425	493	5267	2669	2598
6	SOUTH-WESTERN, . .	1,008,253	2380	2347	2664	2350	2367	2345	2329	2242	2129	2285	2612	2802	28852	14644	14208
7	SOUTH-EASTERN, . .	408,962	902	847	848	864	817	817	714	799	644	753	780	798	9583	4842	4741
8	SOUTHERN, . . .	214,216	427	372	448	457	407	408	363	351	321	331	322	300	4507	2199	2308
	COUNTIES.																
	I. NORTHERN.																
1	Shetland, . . .	31,670	50	52	38	40	54	34	29	32	32	24	35	26	446	201	245
2	Orkney, ...	32,395	47	42	37	54	36	44	31	22	34	37	35	40	459	214	245
3	Caithness, . . .	42,200	69	43	52	58	62	57	41	53	56	50	65	69	675	333	342
4	Sutherland, . . .	24,157	32	35	44	43	36	30	33	28	19	32	18	37	387	184	203
	II. NORTH-WESTERN.																
5	Ross and Cromarty, . .	82,427	178	171	139	129	126	136	109	108	113	139	116	111	1575	780	795
6	Inverness, . . .	84,902	152	113	145	143	131	143	117	90	93	127	100	135	1489	701	788
	III. NORTH-EASTERN.																
7	Nairn, ...	8,347	28	17	16	14	7	18	14	13	14	16	14	10	181	86	95
8	Elgin (or Moray), . .	44,218	67	69	80	76	65	66	72	72	52	72	80	82	853	410	443
9	Banff, ...	56,020	80	87	99	91	106	77	82	70	58	69	70	87	976	469	507
10	Aberdeen, . . .	223,344	410	449	425	325	327	293	305	253	328	303	334	361	4113	2031	2082
11	Kincardine, . . .	34,854	64	51	63	58	42	56	43	55	56	42	46	64	640	328	312
	IV. EAST-MIDLAND.																
12	Forfar, ...	206,750	475	428	451	378	397	421	407	421	347	454	489	500	5168	2529	2639
13	Perth, ...	133,198	253	229	255	227	203	217	211	196	184	206	181	205	2567	1258	1309
14	Fife, ...	155,021	246	298	302	287	288	291	228	222	187	195	233	240	3017	1431	1586
15	Kinross, ...	8,731	16	11	10	11	14	14	7	12	5	13	6	11	130	57	73
16	Clackmannan, . . .	20,122	41	35	42	32	43	45	53	65	48	49	35	48	536	285	251
	V. WEST-MIDLAND.																
17	Stirling, ...	88,138	178	174	217	173	154	168	167	149	150	150	179	187	2046	1017	1029
18	Dumbarton, . . .	54,179	103	101	107	92	92	104	106	102	97	93	126	149	1272	666	606
19	Argyll, ...	83,859	148	164	169	143	129	131	144	115	114	116	104	123	1600	815	785
20	Bute, . . .	16,331	31	26	38	24	38	22	24	36	33	27	16	34	349	171	178
	VI. SOUTH-WESTERN.																
21	Renfrew, ...	168,746	426	363	468	419	423	411	433	413	364	364	401	410	4895	2410	2485
22	Ayr, ...	199,063	377	378	413	402	384	391	353	319	334	329	364	380	4424	2274	2150
23	Lanark, ...	640,444	1577	1606	1783	1529	1560	1543	1543	1510	1431	1592	1847	2012	19533	9960	9573
	VII. SOUTH-EASTERN.																
24	Linlithgow, . . .	39,045	101	70	94	84	121	80	72	102	55	54	62	49	944	498	446
25	Edinburgh, . .	274,093	641	601	593	651	553	608	491	546	462	559	579	607	6891	3512	3379
26	Haddington, . . .	37,626	61	82	74	45	47	51	62	64	45	41	49	56	677	326	351
27	Berwick, ...	36,488	59	53	52	43	53	38	46	47	41	51	64	58	605	301	304
28	Peebles, . . .	11,300	21	23	18	28	19	25	21	27	23	25	16	17	263	120	143
29	Selkirk, . .	10,410	19	18	17	13	24	15	22	13	18	23	10	11	203	85	118
	VIII. SOUTHERN.																
30	Roxburgh, . . .	53,722	103	90	112	129	106	100	85	90	74	62	77	71	1099	531	568
31	Dumfries, . . .	75,904	156	142	163	171	172	166	147	146	142	143	141	122	1811	900	911
32	Kirkcudbright, . . .	42,495	84	72	72	76	63	73	72	61	57	67	61	56	814	381	433
33	Wigtown, . . .	42,095	84	68	101	81	66	69	59	54	48	59	43	51	783	387	396

1863. ABSTRACT OF MARRIAGES Registered in Scotland, during each Month of the Year 1863.

		Population.		Marriages.												
		1851	1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
	SCOTLAND,	2,888,742	3,062,294	2503	1336	1251	1264	1101	3192	2158	1517	1188	1426	2360	2791	22087
	DIVISIONS.															
1	NORTHERN,	127,035	130,422	97	67	52	29	31	44	33	25	41	19	68	144	650
2	NORTH-WESTERN,	175,735	167,329	116	111	64	37	50	74	39	33	29	47	62	131	793
3	NORTH-EASTERN,	348,366	366,783	207	138	116	93	133	430	197	161	120	153	264	418	2430
4	EAST-MIDLAND,	515,966	523,822	464	174	212	194	204	509	283	273	161	182	420	520	3596
5	WEST-MIDLAND,	241,447	242,507	155	97	92	85	67	229	143	101	85	96	154	182	1486
6	SOUTH-WESTERN,	881,092	1,008,253	1041	492	498	534	368	1153	1023	586	503	622	881	820	8521
7	SOUTH-EASTERN,	383,217	408,962	324	184	166	218	184	540	323	260	195	216	373	373	3356
8	SOUTHERN,	215,884	214,216	99	73	51	74	64	213	117	78	54	91	138	203	1255
	COUNTIES.															
	I. NORTHERN.															
1	Shetland,	31,078	31,670	39	19	11	3	4	2	1	9	7	1	19	53	168
2	Orkney,	31,455	32,395	26	19	19	13	14	10	11	8	10	9	23	37	199
3	Caithness,	39,782	42,200	23	14	12	11	5	25	15	7	18	7	18	41	196
4	Sutherland,	24,720	24,157	9	15	10	2	8	7	6	1	6	2	8	13	87
	II. NORTH-WESTERN.															
5	Ross and Cromarty,	83,781	82,427	57	54	32	17	26	30	18	16	16	31	26	63	386
6	Inverness,	91,954	84,902	59	57	32	20	24	44	21	17	13	16	36	68	407
	III. NORTH-EASTERN.															
7	Nairn,	8,076	8,347	2	5	4	0	2	15	3	4	3	5	2	8	53
8	Elgin (or Moray),	40,532	44,218	27	9	7	11	13	38	16	19	7	18	20	57	242
9	Banff,	51,353	56,020	24	28	20	11	19	61	28	12	12	35	45	52	347
10	Aberdeen,	213,461	223,344	146	77	76	63	87	274	135	114	85	76	166	251	1550
11	Kincardine,	34,944	34,854	8	19	9	8	12	42	15	12	13	19	31	50	238
	IV. EAST-MIDLAND.															
12	Forfar,	193,627	206,750	199	79	87	84	99	254	140	135	69	72	156	220	1594
13	Perth,	137,369	133,198	108	53	48	48	39	114	61	48	38	43	94	157	851
14	Fife,	153,789	155,021	133	34	62	53	60	110	71	74	49	60	142	127	975
15	Kinross,	9,626	8,731	7	4	7	3	2	12	2	3	0	2	6	3	51
16	Clackmannan,	21,555	20,122	17	4	8	6	4	19	9	13	5	5	22	13	125
	V. WEST-MIDLAND.															
17	Stirling,	83,802	88,138	78	51	44	45	30	133	69	52	36	42	71	89	740
18	Dumbarton,	46,995	54,179	34	14	21	20	14	45	47	23	21	27	41	26	333
19	Argyll,	94,042	83,859	37	28	19	13	18	37	23	24	20	22	34	54	329
20	Bute,	16,608	16,331	6	4	8	7	5	14	4	2	8	5	8	13	84
	VI. SOUTH-WESTERN.															
21	Renfrew,	157,950	168,746	191	90	85	115	61	181	171	129	89	122	150	147	1531
22	Ayr,	189,973	199,063	140	60	101	84	65	224	123	127	91	90	141	165	1411
23	Lanark,	533,169	640,444	710	342	312	335	242	748	729	330	323	410	590	508	5579
	VII. SOUTH-EASTERN.															
24	Linlithgow,	30,590	39,045	31	20	10	19	14	42	19	16	15	15	31	37	269
25	Edinburgh,	259,493	274,093	244	138	129	156	134	401	271	212	158	166	283	270	2562
26	Haddington,	36,363	37,626	16	7	11	9	16	41	16	14	12	10	25	26	203
27	Berwick,	36,165	36,488	22	12	7	26	11	35	6	9	6	16	22	20	192
28	Peebles,	10,804	11,300	7	2	4	4	5	9	6	4	2	5	8	8	64
29	Selkirk,	9,802	10,410	4	5	5	4	4	12	5	5	2	4	4	12	66
	VIII. SOUTHERN.															
30	Roxburgh,	51,225	53,722	26	13	16	22	20	60	30	16	19	18	32	62	334
31	Dumfries,	78,149	75,904	37	36	18	26	24	76	43	37	17	29	49	68	460
32	Kirkcudbright,	43,121	42,495	18	15	7	9	10	46	18	9	9	16	31	47	235
33	Wigtown,	43,389	42,095	18	9	10	17	10	31	26	16	9	28	26	26	226

1863. Table showing the Estimated Population, and the Number of Births, Deaths, and Marriages in Scotland, and in its Town and Country Districts in 1863, and the proportion of each of these events to the Population. Also the number of Illegitimate Births, and their proportion to the Total Births.

1863.	Estimated Population 1863.	BIRTHS.		Illegitimate Births.		DEATHS.		MARRIAGES.	
		Number.	Per cent. to Population.	Number.	Per cent. to Births.	Number.	Per cent. to Population.	Number.	Per cent. to Population.
126 TOWN DISTRICTS	1,636,031	62,803	3·83	6,116	9·73	44,629	2·72	13,790	0·84
883 COUNTRY DISTRICTS.	1,460,975	46,522	3·18	4,743	10·19	26,792	1·83	8,297	0·56
SCOTLAND	3,097,006	109,325	3·53	10,859	9·93	71,421	2·30	22,087	0·71

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

FIFTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1863.

[3251]

REPORT.

TO THE

RIGHT HON^BLE. SIR GEORGE GREY, BART., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *November* 27, 1863.

SIR,

I HAVE the honour to submit to you my Detailed Annual Report for the year 1859.

From causes over which I had no control, but which have already been explained in former letters, it was only in May 1861 that I was enabled to issue my First Detailed Report, viz., that for 1855. Since that period, however, I have been making strenuous efforts to bring up the arrears, and this is the fourth volume which I have had the honour to submit to you since that date, being the *Fifth* of the series.

I am happy to be able to state that the Registration Act has worked admirably in Scotland, and has amply fulfilled the ends for which it was established. I think I am justified in saying that very few Births, and scarcely any Deaths or Marriages which take place in Scotland, escape being entered on the public Registers.

While these Registers have thus fulfilled their primary end, advantage has been taken of them, in these Reports, to elucidate many interesting social, sanitary, medical, meteorological, and other questions, on which the facts collected in the Registers throw light. The different classes of the Community can do much to aid correct conclusions being drawn from the facts entered on these Registers, by filling in accurately and fully the several particulars required for registration; and if the medical information is not as complete in all respects as could be desired, the medical profession have it in their own power to apply the remedy, by giving more correct medical certificates of the Causes of Death.

Now that a five years' detail of the Deaths at the different ages have been published, it enables us to ascertain the important fact that at all ages the mortality is lower than in England. It would,

therefore, be of great importance that Life Tables, founded on such a large basis of facts, should be drawn up for Scotland, similar to those prepared for England.

The Tables printed in the Report correspond with those given for former years, in order that each year's results may be strictly comparable with one another. A few additional Tables have, however, been added in order to throw light on some interesting social points connected with Marriage, and the proportion of children to each Marriage in Scotland and other Countries.

As the subject of Illegitimacy necessarily attracts much attention, with the view of discovering its cause, and suggesting a remedy, it has been deemed proper to take a review of all the facts noticed in former Reports, which have been ascertained, and also to note some further facts regarding it.

The year 1859 had recovered from the Commercial distresses of 1857-8; and the Marriages, which are the best index of the people's belief in the general prosperity of Trade, and means of gaining a livelihood, rose to their usual average. The Births were above the mean, as often happens after a year of great mortality; while the Deaths fell below their usual number.

As the people become accustomed to Registration, so the number of Deaths for which no cause is assigned diminishes year by year. During 1855, the first year of Registration in Scotland, upwards of ten per cent. had no Cause of Death assigned; but during 1859, the proportion was 5½ per cent. only.

The state of elementary education, as exhibited in the proportion of men and of women able to sign their names in the Marriage Register, continues satisfactory, as 89·1 per cent. of the men, and 77·8 per cent. of the women who married in Scotland during 1859 were able to sign their names.

As in former Reports, full Tables are appended showing the influence of weather, of the supply and price of food, of the state of trade and commerce, etc., on the Deaths and Marriages. Also a Table of the Monthly Meteorological conditions of the atmosphere as deduced from observations made at 51 Stations of the Meteorological Society of Scotland.

I have the honour to be,

Sir,

Your faithful Servant,

W. P. DUNDAS,
Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland in each year, 1855 to 1859 inclusive, with their proportion to the Population; showing also the excess of Births over Deaths,	ix
Table showing the Proportion of Births, Deaths, and Marriages in the Insular, the Mainland-Rural, and Town Districts of Scotland, during each of the years 1855 to 1859 inclusive,	x
Table of the Population of Scotland and its Three Great Groups of Districts in 1851 and 1861, also the estimated Population in 1859, distinguishing the Sexes,	xi
Births in 1859.	
Number in 1859, and their Proportion to the Population,	ix
Number of Legitimate Children born to each Marriage,	x
Proportion of Legitimate Children born annually to the married females at the child-bearing ages	xi
Different Proportion of Births in Town and Country Districts,	xi
Number and Proportion of Illegitimate Children in Scotland,	xii
Proportion of Illegitimate Children in other Countries of Europe,	xii
Estimated number of unmarried women who annually put themselves in the way of becoming mothers,	xiii
Facts ascertained relating to Illegitimacy,	xiv
Illegitimacy not increased by the excess of Females in the Population,	xvii
Proportion of the sexes at Birth,	xix
Population does not increase in the proportion of excess of Births over Deaths,	xix
Marriages in 1859.	
Number of Marriages, and their Proportion to the Population,	xx
Proportion of Marriages in other Countries of Europe,	xx
Fruitfulness of Marriage in Scotland and other Countries of Europe,	xxi
Vitality of the Population in Scotland,	xxii
Number and Proportion of Marriages according to the Rites of the several Religious Denominations,	xxiv
Number and Proportion of Men and Women who Marry under 21, and 25 years of age,	xxiv
Number of Marriages between Bachelors and Spinsters; Bachelors and Widows; Widowers and Widows in the Divisions and Counties of Scotland, also the Number and Proportion of Men and Women who re-marry	xxv
Number and Proportion of Men and of Women in Scotland and in its several Counties who signed the Marriage Register by Mark,	xxix
Deaths in 1859.	
Number, and their Proportion to the Population,	xxx
Death-rate in the Insular, the Mainland-Rural, and Town Districts,	xxx
Death-rate in each of the Eight Principal Towns,	xxxi

Influence of Sex and Age on Mortality, ... xxxiii
Infantile Mortality, ... xxxiv
Tables showing the Mortality at every five yearly periods of Life, but at every year under 5 years, in all Scotland, in the Insular, the Mainland-Rural, and Town Districts, xxxi–xxxiv
Tables showing the same facts for each of the Eight Principal Towns, . . xxxv-xliii

CAUSES OF DEATHS.

Difference between a Statistical and a Scientific Classification of the Causes of Death, . xxxv
Table showing the Proportion of Deaths from different Diseases in every hundred thousand persons of the general Population, and also the Proportion in each Sex in Scotland, and in its Three Great Divisions, the Insular, the Mainland-Rural, and Town Districts, . xliv
Table showing the Proportion of Deaths from different Diseases in every ten thousand Specified Causes in Scotland and its Three Divisions, distinguishing the Sexes, . xlv
Table showing the Proportion of Deaths from the more common Diseases to the Population, in each of the Eight Principal Towns of Scotland, ... xlvi
Table showing the Annual Mortality in each of the Eight Principal Towns of Scotland during each of the Five years, 1855–1859, ... xxxv
Deaths from the Zymotic Class of Diseases, and from the individual Diseases under that Class—Small-pox, Measles, Scarlatina, Hooping-cough, Typhus, &c., . xxxviii–xlvi
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, &c., ... xlvi
Deaths from the Tubercular Class of Diseases—Scrofula, Tabes Mesenterica, Phthisis or Consumption, and Hydrocephalus, ... xlvi
Deaths from Diseases of the Brain and Nervous System, Apoplexy, Paralysis, Convulsions, &c., ... xlviii
Deaths from Diseases of the Heart and Organs of Circulation, ... xlviii
Deaths from Diseases of the Respiratory Organs, ... xlviii
Deaths from Child-Birth xlix
Violent Deaths and Suicides, ... l
Table showing the 15 most fatal Diseases in Scotland in 1859, . . . li
Table showing the 15 most fatal Diseases in England in 1859, ... li

Influence of External Agencies.

Table showing the influence of Season on the Births l
Table showing the influence of the Civil Terms on the Marriages, ... li
Influence of External Agencies on the Deaths, ... lii
Table showing the quantities of Grain, &c., imported into Great Britain in 1858, 1859, and 1860; the average price of the several Grains, &c.; the price of the 4 lb. Loaf; the Deposits in Savings Banks; Number of Paupers, and of Emigrants, &c., . lii
Table showing the Influence of Mean Monthly Temperature on the Mortality in Scotland, and in its Three Divisions, the Insular, the Mainland-Rural, and Town Districts, in 1859, ... liv
Table of the Mean Meteorology of Scotland during each of the months of the year 1859, . lv

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1859, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages, also of the Illegitimate Births, in every Registration District during the year 1859, . 2–23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1859, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . 23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1859; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations,

Page

the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

Table of the Civil Condition of the Parties who married in 1859; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25

Table of the Ages of all Males who married in Scotland and its Counties in 1859, . . 26

Table of the Ages of all Females who married in Scotland and its Counties in 1859, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1859, together with the Population of these Counties and Towns in 1851 and 1861, ... 30

Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1859, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32

Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1859, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34

Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1859, ... 36–39

Do. Males, ... 40–43

Do. Females, ... 44–47

Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1859, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51

Do. Males, ... 52–55

Do. Females, ... 56–59

Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63

Do. Males, ... 64–67

Do. Females, ... 68–71

Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75

Do. Males, ... 76–79

Do. Females, ... 80–83

Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87

Do. Males, ... 88–91

Do. Females, ... 92–95

Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99

Do. Males, ... 100–103

Do. Females, ... 104–107

Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111

Do. Males, ... 112–115

Do. Females, ... 116–119

Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–123

Do. Males, ... 124–127

Do. Females, ... 128–131

Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135

Do. Males, ... 136–139

Do. Females, ... 140–143

Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147

Do. Males, ... 148–151

Do. Females, ... 152–155

Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–153

Do. Males, ... 160–169

Do. Females, ... 164–167

	Page
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life,	168–171
Do. Males,	172–175
Do. Females,	176–179
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life,	180–183
Do. Males,	184–187
Do. Females,	188–191
Table of the Causes of Death in both Sexes in Leith at different Periods of Life,	192–195
Do. Males,	196–199
Do. Females,	200–203
Table of the Causes of Death in both Sexes in Perth at different Periods of Life,	204–207
Do. Males,	208–211
Do. Females,	212–215
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1859, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County in 1859,	216

REPORT TO THE REGISTRAR-GENERAL.

SIR,

THE year 1859 was one of average commercial prosperity. The depression in trade caused by the extensive failures at the close of 1857, and felt so severely by all classes of the community during 1858, had been got over. Trade and commerce had revived. Provisions were abundant, and within the reach of all, in consequence of the demand for labour being steady. Even the atmospheric influences were apparently not prejudicial to life; so that the general mortality fell below the average of former years. The number of Births was, at the same time, above the mean; while the Marriages, which are the true index of the general commercial prosperity, rose to their usual standard.

The Census of 1861 enables us to estimate with an approach to accuracy the population of the year 1859. By that estimate it appears that the population of Scotland in 1859 would amount to 3,027,582 persons, of whom 1,434,975 were males, and 1,592,607 females. These persons distributed among the Three Great Groups into which we divide the population of Scotland, would furnish 161,883 persons for the Insular Districts; 1,752,797 persons for the Mainland-Rural Districts; and 1,112,902 persons for the Town Districts.

BIRTHS.

106,543 Births were registered in Scotland during the year 1859, giving the high proportion of 351 Births in every ten thousand persons of the estimated population. This is the highest Birth-rate which has been

TABLE I.—Estimated Population; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each year, 1855 to 1859; and their proportion to the Population.

YEAR.	Estimated Population.	Births.	Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
						Births.	Deaths.	Marriages.
1855	2,958,162	93,349	62,004	19,680	31,345	3·156	2·096	0·665
1856	2,975,517	101,821	58,529	20,740	43,291	3·422	1·967	0·697
1857	2,999,872	103,415	61,906	21,369	41,509	3·456	2·068	0·714
1858	3,010,227	104,018	63,539	19,655	40,479	3·455	2·110	0·652
1859	3,027,582	106,543	61,714	21,201	44,829	3·519	2·038	0·700

noticed in Scotland since the Registration Act came into operation; and it is a remarkable fact, that in England the Birth-rate during the same year was the highest which had been attained in that country for a period of at least twenty years, the proportion for England for 1859 having amounted to 350 Births in every ten thousand persons of the estimated population.

It thus appears that the average Scottish Birth-rate is higher than that of England; the average of the four years, 1856 to 1859 inclusive, being 344 Births in every ten thousand persons in England, while the proportion for the same years was 348 Births in every ten thousand persons in Scotland. The difference in the proportion of Births among the populations of two countries so similarly circumstanced, may be attributed to two causes. *First*, that in Scotland, from the more perfect system of registration, few or no Births escape registration; while in England, the Registrar-General acknowledges that above 3 per cent. of the Births, or, speaking in a rough way, at least 20,000 Births, annually escape registration in England.* *Secondly*, from the more prolific nature of the women in Scotland; a fact which has been more than once alluded to, but which the recent Census enables us to establish.

In England the Births which escape registration are supposed to be almost entirely confined to those which are illegitimate; and as the common mode of estimating the comparative fecundity of the married females in different countries is to compare the number of legitimate children born during the year with the number of Marriages which were contracted, no unfair advantage is taken by comparing Scotland and England in this respect.

In England, in 1859, only 3·84 legitimate children were born for every Marriage which occurred, while in Scotland, during the same year, 4·56 legitimate children were born for every Marriage. This, then, according to the usual mode of reckoning, would indicate that the females of Scotland are more prolific than those of England.

The recent Census enables us to verify this conclusion in a most remarkable manner; and thus gives us confidence that the usual and easy mode of estimating the comparative fecundity of the married women in different countries is sufficiently accurate for all practical purposes. Thus,

TABLE II.—Proportion of Births, Deaths, and Marriages in every 100 Persons living in the Insular, Mainland-Rural, and Town Districts of Scotland during the years 1855, 1856, 1857, 1858, and 1859.

Years.	Insular Districts.			Mainland Districts.			Town Districts.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	2·292	1·644	0·441	3·067	1·784	0·580	3·421	2·682	0·839
1856	2·642	1·324	0·514	3·260	1·659	0·599	3·804	2·568	0·883
1857	2·737	1·414	0·585	3·305	1·744	0·629	3·805	2·685	0·869
1858	2·758	1·463	0·544	3·296	1·806	0·576	3·801	2·690	0·789
1859	2·858	1·626	0·562	3·386	1·766	0·617	3·823	2·526	0·850

* Report from the Select Committee (of the House of Commons) on the Births, Deaths, and Marriages (Ireland) Bills. July 1861. P. 14.

assuming that in 1859 the married women bore the same relative proportions as in 1861, the following interesting results are arrived at:—

In England, in 1859, the number of married women between the ages of 15 and 45 (the child-bearing ages) was 2,259,646; and as the number of legitimate children born during that year amounted to 645,130, this gives the proportion of one legitimate Birth for every 3·50 married women at the child-bearing ages. In other words, it shows that 350 married women of the above ages only gave birth to 100 children in the course of one year.

In Scotland, on the other hand, in 1859, the number of married women between the ages of 15 and 45 was 298,802; and as the number of legitimate children born during that year was 96,828, this indicates the proportion of one legitimate Birth for every 3·08 married women at the child-bearing ages. In other words, it shows that in Scotland 308 married women of the above ages gave birth to 100 children in the course of one year.

The conclusion from this is irresistible, and it is this,—that in Scotland every 308 married women at the child-bearing ages give birth annually to as many (viz., 100) children as every 350 married women of the same ages do in England; in other words, that the fecundity of the marriage, or of the woman, is so much lower in England than in Scotland, that, to produce 100 children annually, it requires 42 more married couples in England than in Scotland.

In Scotland, during 1859, as in former years, the Births occurred in very different proportions in the three great Groups of Districts into which Scotland has been divided. Thus, in the Insular Districts the Births were in the low proportion of 285 to every ten thousand persons; in the Mainland-Rural Districts 338 Births occurred for every ten thousand persons; while in the Town Districts they were in the high proportion of 382 Births to every ten thousand persons.

These facts, then, establish the conclusion arrived at in former Reports, that the only cause which seems materially to influence the Birth-rate is the Death-rate; that wherever the Death-rate is high, there also will it be found that the Birth-rate is high; as if, by a law of Nature, compensation were made for the high Death-rate by increasing the number of Births, in order to keep up the number of the population. Thus, in the Town Districts the Birth and Death rates were equally high, and fully a third higher than in the Insular Districts; while in the Mainland-Rural Districts both Birth and Death rates maintained a more uniform mean. These facts may be seen in Tables II. and IV.

TABLE III.—POPULATION of SCOTLAND and its Three Great Groups of Districts in 1851 and 1861; and the Estimated Population for 1859, distinguishing the Sexes.

Districts.	Census 1851.			Census 1861.			Estimated 1859.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	74,079	87,804	161,883
Mainland-Rural . .	829,259	883,293	1,712,552	849,381	913,996	1,763,377	845,165	907,632	1,752,797
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	515,731	597,171	1,112,902
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,434,975	1,592,607	3,027,582

Of the 106,543 children born during the year, 96,828 were legitimate, and 9715 illegitimate, being in the proportion of one illegitimate in every 10·9 Births, or 9·1 per cent. of the Births illegitimate. It would thus appear that the proportion of illegitimate Births is on the increase in Scotland; and it is very difficult to assign a satisfactory reason for such a fact. Thus, in the years 1855 and 1856 respectively, only 8·5 per cent. of the Births were illegitimate; but in 1858 the proportion was 8·9 per cent., while in 1859 it rose to 9·1 per cent.

When attention was first directed to the subject of the high proportion of illegitimate Births in Scotland, the official statistics of England, and of a few foreign countries, were quoted by way of showing how Scotland in this matter stood with regard to other countries. Since then, however, it appears that some of the official documents then quoted are not quite trustworthy for such a purpose, inasmuch as they only give account of the entries of such events on the public registers, but neglect to warn the statist that these are not the whole number of such events which occur among the population. Even the otherwise well collected vital statistics of England contain a disturbing element from this cause, which prevents a strict comparison being instituted between the proportion of illegitimate Births in the two countries. It appears by the evidence of the Registrar-General of England, above referred to, before a Committee of the House of Commons on the Irish Registration Bills (printed 11th July 1861), that about 20,000 Births (or about 3·3 per cent.) annually escape being entered on the registers in England, and that these are chiefly, if not altogether, illegitimate Births. Were these Births, or a considerable number of them, which escape registration, reckoned as illegitimate, the proportion of such Births in England and in Scotland would be found to be very nearly the same.

The statistics of several of the foreign countries must be corrected in the same manner. Even in Massachusetts, where much attention has been devoted to official statistical inquiries for upwards of twenty years, it is acknowledged that "about one-sixth (16·4 per cent.), that is, one Death in every seven which actually occurred, escaped registration" (18th Report, p. 4), while the registers of Births and of Marriages were acknowledged to be still more imperfect. The vital statistics of Holland are imperfect from the same cause; and it is suspected that those of Norway and of Prussia are

Table IV.—Number of Births, Deaths, and Marriages registered in Scotland, and in its Three Great Groups of Districts, in 1859, and their proportion to the Estimated Population. Also the Number of the Illegitimate Births, and their proportion to the Total Births.

1859. Districts.	Births.		Illegitimate Births.		Deaths.						Marriages.	
	No.	Per cent. to Pop.	No.	Per cent. to Total Births	No. of Deaths.			Per Cent. to Pop.			No.	Per cent. to Pop.
					Males.	Fem.	Total.	Males.	Fem.	Total.		
Insular	4,627	2·858	269	5·81	1,252	1,381	2,633	1·690	1·572	1·626	910	0·562
Mainland-Rural	59,366	3·386	5,874	9·89	15,317	15,642	30,959	1·812	1·723	1·766	10,825	0·617
Town	42,550	3·823	3,572	8·39	14,019	14,103	28,122	2·718	2·361	2·526	9,466	0·850
Scotland	106,543	3·519	9,715	9·11	30,588	31,126	61,714	2·131	1·954	2·038	21,201	0·700

not to be altogether depended on, from not including all the events which actually occurred.

On the other hand, we are assured that the vital statistics of a few States may be trusted as containing, in so far as can be ascertained, the registry of all the events which actually occurred. Sweden, Denmark, Austria, and Bavaria are in this state; and it is also believed that the registers of Hanover, Saxony, and Wurtemburg are equally trustworthy.

As we consider that scarcely any Birth, Death, or Marriage, escapes registration in Scotland, any comparison as to the proportion of these events, or as to the proportion of illegitimate to the total Births, ought to be confined to those countries as to which we have the assurance that, in so far as known, every event which actually occurred was entered on the registers.

Let us see, then, what is the proportion of illegitimate to the total Births in those countries which, so far as we have been able to ascertain, publish trustworthy vital statistics. The statistics of the countries quoted are either three or five years' averages, between the years 1851 and 1859—always the latest we could procure.

In Sweden it appears that 9·3 per cent. of the Births are illegitimate: in Denmark, 9·3 per cent.; in Hanover, 10·1 per cent.; in Austria, 11·2 per cent.; in Saxony, 14·8 per cent.; in Wurtemburg, 16·0 per cent.; while in Bavaria 21·9 per cent. of the Births are illegitimate.

As Scotland, in 1859, only exhibited 9·1 per cent. of the Births as illegitimate, it will be apparent, that when the statistics of illegitimacy are compared with the trustworthy statistics of other countries, she is not so bad comparatively as was anticipated. At the same time, however, she is very much worse than her high social, political, and religious privileges would lead us to expect.

But it is interesting to endeavour to ascertain what proportion of the unmarried females, at the child-bearing ages, gives birth to illegitimate children during the year; and the Census of 1861 puts it in our power to ascertain this point with some approach to accuracy.

Thus, in Scotland during the year 1859, there were 460,763 unmarried women between the ages of 15 and 45 years. As the number of illegitimate children born and registered during that year amounted to 9715, it would indicate that one in every 41 (1 in every 41·2) unmarried women between the ages of 15 and 45 had become a mother during that year.

TABLE V.—BIRTHS, 1859. Total Births; also the Number of the Legitimate and Illegitimate Births in Scotland and in its Three Great Groups of Districts in 1859; together with the Number of Cases of Twins and Triplets at a Birth.

1859. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Cases of Twins.	Cases of Triplets.	Cases of 4 & upwards.
	Males.	Fem.	Total.	Males.	Fem.	Total.	Males.	Fem.	Total.			
Insular . . .	2,349	2,278	4,627	2,204	2,154	4,358	145	124	269	66	1	–
Mainland-Rural . .	30,478	28,888	59,366	27,412	26,080	53,492	3,066	2,808	5,874	757	6	–
Town. . . .	21,801	20,749	42,550	19,923	19,055	38,978	1,878	1,694	3,572	512	4	–
SCOTLAND . .	54,628	51,915	106,543	49,539	47,289	96,828	5,089	4,626	9,715	1,335	11	–

This fact enables us to calculate the extent to which the vice which leads to illegitimacy is carried.

It has already been proved that in Scotland 308 married women between the ages of 15 and 45 years are annually required to produce 100 children. It is perfectly legitimate to conclude that the prolificness of the unmarried female will be in the very same ratio as that of the married female. To find the number of unmarried females, therefore, who annually put themselves in the way of becoming mothers, we must multiply the number of unmarried females who did become mothers by 3·08, the proportion in which the married females bear one child annually. This calculation reveals to us the humbling fact, that during each year 29,842 unmarried females between the ages of 15 and 45, or about one in every 13 (1 in every 13·4), put themselves in the way of becoming mothers.

No inquiry is surrounded with more obscurity, or requires more careful handling, than that conducted with the view of discovering the cause of the high proportion of illegitimate Births. In these Reports it has been endeavoured, in each succeeding year, to investigate some of the assumed causes of the evil, and it is well shortly to review the conclusions already arrived at.

It was pointed out in our First Report that the illegitimate Births were almost entirely confined to the lower classes; and that the mothers of such children consisted chiefly of those employed about farms or in agricultural labour, of factory girls, of domestic servants, or of those engaged in needlework. It was stated, however, that in numerous instances the parents of these illegitimate children were true to each other, though not living under the same roof, and that in numerous instances the woman had born several children to the same man.

Another ascertained fact, which every subsequent Report has confirmed, was, that the extent of the vice of illegitimacy bore no relation to the ignorance of the people, or rather no relation to the deficiency of the grounds of elementary education; inasmuch as the Counties where fewest of the men and women who married could sign their names, were those where the proportion of illegitimate Births was lowest; while the Counties where almost every male, and a very high proportion of the females, could sign their

TABLE VI.—BIRTHS, 1859. Per Centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportions of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; together with the Per Centage of the Twin and Triplet Births to the Total Births in Scotland, and in its Three Great Groups of Districts, in 1859.

1859. Districts.	Per Centage of Births to Population.	Per Centage of Illegitim. to Total Births.	Proportion of Males to 100 Females in the Total Births.	Proportion of Males to 100 Females in the Legitimate Births.	Proportion of Males to 100 Females in the Illegitim. Births.	Per Centage of Twin Births to the Total Births.	Per Centage of Triplet to Total Births.
Insular	2·858	5·81	103·1	102·3	116·9	1·426	0·021
Mainland-Rural	3·386	9·89	105·5	105·1	109·1	1·275	0·010
Town	3·823	8·39	105·0	104·5	110·8	1·203	0·009
SCOTLAND . . .	3·519	9·11	105·2	104·7	110·0	1·253	0·010

names, were also those in which the proportion of illegitimate Births was highest.

One other positive fact was also pointed out, and every successive year's

---

TABLE VII.—BIRTHS, 1859. Number and Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; and also the proportion of Illegitimate to Total Births in Scotland, its Divisions and Counties, in 1859.

1859.	TOTAL BIRTHS.			LEGITIMATE BIRTHS.			ILLEGITIMATE BIRTHS.			No. of Total & Illegit. Births, and Per Cent. of Illegit. to Total Births.		
	Males.	Females.	Proportion of Males to 100 Females.	Males.	Females.	Proportion of Males to 100 Females.	Males.	Females.	Proportion of Males to 100 Females.	Total Births.	Illegit. Births.	Per cent. of Illegit.
SCOTLAND . . .	54628	51915	105·2	49539	47289	104·7	5089	4626	110·0	106543	9715	9·11
NORTHERN DIVISION	1801	1672	107·7	1692	1582	106·9	109	90	121·1	3473	199	5·7
NORTH-WESTERN Do.	2417	2380	101·5	2272	2235	101·6	145	145	100·0	4797	290	6·0
NORTH-EASTERN Do.	6255	5836	107·1	5285	4964	106·4	970	872	101·1	12091	1842	15·2
EAST MIDLAND Do. .	8801	8381	105·0	7913	7543	104·9	888	838	105·9	17182	1726	10·0
WEST MIDLAND Do. .	4132	3853	107·2	3809	3580	106·3	323	273	118·3	7985	596	7·4
SOUTH-WESTERN Do.	20735	19732	105·0	19186	18348	104·5	1549	1384	111·9	40467	2933	7·2
SOUTH-EASTERN Do.	7013	6726	104·2	6358	6178	102·9	655	548	119·5	13739	1203	8·7
SOUTHERN Do. . .	3474	3335	104·1	3024	2859	105·7	450	476	94·5	6809	926	13·6
I. NORTHERN.												
Shetland	443	419	105·7	420	399	105·2	23	20	115·0	862	43	4·9
Orkney	405	380	106·5	389	367	105·9	16	13	123·0	785	29	3·7
Caithness	633	614	103·0	573	571	100·3	60	43	139·5	1247	103	8·2
Sutherland	320	259	123·6	310	245	126·5	10	14	71·4	579	24	4·1
II. NORTH-WESTERN.												
Ross and Cromarty .	1193	1226	97·3	1141	1179	96·7	52	47	110·6	2419	99	4·0
Inverness	1221	1154	105·9	1131	1056	107·1	93	98	94·4	2378	191	8·0
III. NORTH-EASTERN.												
Nairn	114	126	90·4	99	116	85·3	15	10	150·0	240	25	10·4
Elgin	752	713	105·4	658	626	105·1	94	87	108·0	1465	181	12·3
Banff	977	945	103·4	812	793	102·4	165	152	108·5	1922	317	16·4
Aberdeen	3865	3554	108·7	3230	3000	107·6	635	554	114·6	7419	1189	16·0
Kincardine	547	498	109·8	486	429	113·2	61	69	88·5	1045	130	12·4
IV. EAST MIDLAND.												
Forfar	3701	3559	103·9	3285	3177	103·4	416	382	108·9	7260	798	10·9
Perth	1960	1816	107·9	1752	1617	108·3	208	199	104·0	3776	407	10·7
Fife	2634	2521	104·4	2438	2313	105·4	196	208	94·4	5155	404	7·8
Kinross	132	137	96·3	109	122	89·3	23	15	153·3	269	38	14·1
Clackmannan . . .	374	348	107·4	329	314	104·7	45	34	132·3	722	79	10·9
V. WEST MIDLAND.												
Stirling	1696	1561	108·6	1570	1447	108·5	126	114	110·5	3257	240	7·3
Dumbarton	1001	948	105·6	914	880	103·8	87	68	127·9	1949	155	7·9
Argyll	1218	1127	108·0	1126	1053	106·9	92	74	124·3	2345	166	7·0
Bute	217	217	100·0	199	200	99·5	18	17	105·8	434	35	8·0
VI. SOUTH-WESTERN.												
Renfrew	3434	3096	110·9	3193	2889	110·5	241	207	116·4	6530	448	6·8
Ayr	4085	3886	105·1	3725	3575	104·2	360	311	115·7	7971	671	8·4
Lanark	13216	12750	103·6	12268	11884	103·2	948	866	109·4	25966	1814	6·9
VII. SOUTH-EASTERN.												
Linlithgow	802	796	100·7	729	737	98·9	73	59	123·7	1598	132	8·2
Edinburgh	4633	4384	105·6	4219	4042	104·3	414	342	121·0	9017	756	8·4
Haddington	634	634	100·0	571	570	100·1	63	64	98·4	1268	127	10·0
Berwick	577	540	106·8	518	497	104·2	59	43	137·2	1117	102	9·1
Peebles	178	188	94·6	157	170	92·3	21	18	116·6	366	39	10·6
Selkirk	189	184	102·6	164	162	101·1	25	22	113·6	373	47	12·6
VIII. SOUTHERN.												
Roxburgh	887	767	115·6	792	679	116·6	95	88	107·9	1654	183	11·0
Dumfries	1244	1210	102·8	1082	1031	104·9	162	179	105·0	2454	341	13·8
Kirkcudbright . . .	713	704	101·2	606	615	98·5	107	89	120·2	1417	196	13·8
Wigtown	630	654	96·3	544	534	101·8	86	120	71·6	1284	206	16·0

registration confirms its truth, and that is, that illegitimacy in Scotland differs as widely as possible from illegitimacy on the Continent, in the striking fact, that in Scotland the proportion of illegitimate Births is higher in the Rural Districts than it is in the Towns; whereas over the whole Continent of Europe the Towns yield from three to six times a greater proportion of illegitimate Births than the Rural Districts.

A few important negative facts were, however, also ascertained, and attention was directed to them in former Reports. Lodging the farm-servants in bothies was popularly assigned as the cause of the greater prevalence of illegitimacy in the rural parts of Scotland. If that assumed cause had much influence, it ought to have been found that those Counties which contained the highest average of large farms (where bothies are alone used) should also be the Counties in which the highest proportion of illegitimate Births occurred. This, however, was far from being the case; seeing that, generally speaking, it was proved that those Counties which yielded the highest proportion of illegitimate Births were those where the average size of the farms was much below those in which the proportion of illegitimate Births was below the average, and that many Counties in which the average size of the farms was much greater, furnished a lower proportion of illegitimate Births.

Had this fact been found to be applicable to all the Counties, it might have led to the belief that the fact was capable of an easy explanation, viz., on the supposition that small farms discouraged the married state, inasmuch as they were chiefly laboured with the assistance of unmarried persons, who were lodged under the same roof, and fed at the same table, as the small farmer's own family. Where such is the practice, as soon as a man marries, he loses his situation, and is reduced to the rank and to the precarious subsistence of a common labourer. In many such Counties, therefore, it is a known fact that the number of Marriages in proportion to the population is below the average; and if we contrasted the Counties of Renfrew, Lanark, and Edinburgh, where the proportion of illegitimate Births is low, with the Counties of Aberdeen, Dumfries, and Wigtown, where the proportion of illegitimate Births is very high, we might be apt, on these insufficient data, to conclude, that wherever the proportion of Marriages was low, there it would be found that the proportion of illegitimacy would be high. Table VIII. would seem at first sight to support that idea; for it shows, that while in Renfrew and in Lanark only 6·8 and 6·9 per cent. respectively of the Births

TABLE VIII.—Showing the Proportion of Marriages to the Population of a few Counties of Scotland in 1859, and also the Proportion of Illegitimate to the Total Births.

COUNTIES.	Population. 1859.	Number of Marriages.	Per Centage of Marriages to Population.	Per Centage of Illegitimate to the Total Births.
Edinburgh . . .	271,173	2169	0·79	8·4
Lanark . . .	618,990	4805	0·77	6·9
Renfrew . . .	166,588	1283	0·77	6·8
Aberdeen . . .	221,368	1439	0·65	16·0
Dumfries . . .	76,352	475	0·62	13·8
Wigtown . . .	42,358	220	0·51	16·0

were illegitimate, 77 Marriages occurred in every ten thousand persons of the population; while in Aberdeen and Wigtown, where no fewer than 16 per cent. of the Births were illegitimate, Marriages were in the low proportion of 51 and 65 respectively in every ten thousand persons.

It is much to be feared, however, that though to a small extent the low proportion of Marriages in these Counties may somewhat contribute to increase the proportion of illegitimate Births, still it cannot be even one of the leading causes. In England, where it has been already shown that the probably true proportion of illegitimate Births equals that of Scotland, the Marriage-rate is habitually very much higher than in Scotland; for, during the five years 1855 to 1859 inclusive, 82 Marriages occurred annually in England for every ten thousand persons in the population; while the Scottish rate during the same period was only 68 Marriages in a like population. Then in Scotland itself, the whole Northern and North-Eastern Divisions have a much lower proportion of Marriages than the North-Eastern Division, and yet have only about a third of the proportion of illegitimate Births which that Division has. From these facts, then, it is apparent that the influence of a low rate of Marriages is quite inappreciable in increasing the number of the illegitimate Births.

In last Report it was endeavoured to be shown whether insufficient house accommodation could be traced as a cause in increasing the proportion of the illegitimate Births. It had been confidently assumed that it tended powerfully in that direction, seeing that when a whole family lived in one room, it was assumed that the common decencies of life could not be observed, and that it destroyed that modesty and innate delicacy which are the female's best safeguard in after-life. On investigating the facts, however, which were ascertained at the Census of 1861, relative to House Accommodation, and comparing them with the ascertained statistics of illegitimacy, it was convincingly proved that in Scotland, at least, the supposition did not square with the facts, for "the supposed effect of deficient house accommodation in increasing the proportion of illegitimate Births had no existence in reality;" and a Table was given, by which it was seen that the North-Eastern Division of Scotland, which year after year furnishes the highest proportion of illegitimate Births, was the very Division where a far smaller per centage of families lived in houses of one room than any other Division of Scotland.

A plausible cause for the assumed greater prevalence of illegitimacy in Scotland has, however, been lately brought prominently before the public, which it will be necessary shortly to examine, in order to discover whether it, any more than its predecessors, will serve to account for the facts as they exist. This cause is stated to be, "That the excess of female life is mainly at the root of that evil—illegitimacy." Every known fact contradicts such a theory; and the statistics of Scotland itself prove that such a theory has no support from them. Thus:

In the Northern Division of Scotland, which includes the Counties of Shetland, Orkney, Caithness, and Sutherland, females were in such great excess in 1861, that there were 121·5 females for every 100 males. In these Counties, then, if the theory propounded was correct, illegitimacy should be more rampant than in any other Division of Scotland. The very opposite, however, is the fact; for while the average of all Scotland shows that 9·1 per cent. of the Births are illegitimate, in that Northern Division only 5·7 per cent. of the Births were illegitimate in 1859, and only 5·1 per cent. on a four year's average.

But the North-Western Division of Scotland also contains a large excess of females, viz., 114·5 females to every 100 males, yet it only yielded 6 per cent. of its Births as illegitimate.

The two Divisions, however, which contain the average Scottish proportion of females, are also the Divisions which contain by far the highest proportion of illegitimate Births. Thus, in the North-Eastern Division, which includes the counties of Nairn, Elgin, Banff, Aberdeen, and Kincardine, there were only 111·5 females to every 100 males, and there 15·2 per cent. of the Births were illegitimate; and in the Southern Division, consisting of the Counties of Roxburgh, Dumfries, Kirkcudbright, and Wigtown, and containing within a fraction the same proportion of the sexes as the North-Eastern Division, the illegitimates constituted 13·6 per cent. of the Births.

These facts, then, limited to the same mixed race, living under the same civil and social conditions, do not sustain the theory which ascribes illegitimacy to the excess of female life.

But that theory is more forcibly condemned by the statistics of such foreign countries as publish facts on which reliance can be put that they furnish us with all the facts. Thus, Denmark, which has no excess of females worth speaking about, viz., only 100·8 females to every 100 males, yields 9·3 per cent. of her Births as illegitimate; that is to say, that a whole kingdom, much the same in race as the Northern Division of Scotland, and with a perfect equality in the number of males and of females, yields a higher per centage of illegitimate Births than Scotland, which has 111·1 females to every 100 males; or than the Northern Division of Scotland, which has the enormous excess of 121·5 females to every 100 males.

Hanover has no excess of females, the number of males and of females being nearly equal, viz., 100·3 females to every 100 males; yet 10·1 per cent. of her Births are illegitimate.

Austria has only what may be considered as the normal excess of females, viz., 102·9 females to every 100 males; yet her illegitimates constitute 11·2 per cent. of the total Births.

Bavaria has also a normal proportion of females, viz., 103·1 females for every 100 males; yet 21·9 per cent. of the Births are illegitimate.

Saxony has only 104·5 females to every 100 males; yet 14·8 per cent. of her Births are illegitimate.

Lastly, Sweden, which in its excess of females makes a nearer approach to England and Scotland, seeing she has 106·3 females for every 100 males, has only 9·3 per cent. of her Births illegitimate.

Every reliable fact, then, disproves the theory which ascribes the prevalence of illegitimacy to the "excess of female life." Every one knows that the female is far more virtuous and continent than the male; and that, in fact, the converse of the theory would be much nearer the truth.

We are, however, far more inclined to attribute the prevalence of illegitimacy to moral causes, or rather to the want of proper moral training, aggravated and encouraged as that is by those faulty habits of the lower classes, so ably pointed out by Dr Strachan of Dollar, and brought too prominently before the notice of the public in the late Jury trial for seduction. Other causes may aid the moral cause; but, without the removal of it, it appears to us that the removal of all other causes would not prove of the slightest avail in diminishing the evil.

As in former years, so in 1859, it appeared that the proportion of illegitimate Births was highest in the Mainland-Rural Districts, lower in the

Town Districts, and lowest in the Insular Districts. Thus, in the Mainland-Rural Districts 9·8 per cent. of the Births were illegitimate; 8·3 per cent. in the Town Districts; and only 5·8 in the Insular Districts.

The same Divisions of Scotland which showed the highest proportion of illegitimate Births in former years, showed the same facts for 1859. Thus, the proportion of illegitimate Births was highest, viz., 15·2 per cent. of the Births, in the North-Eastern Division, which includes the Counties of Nairn, Elgin, Banff, Aberdeen, and Kincardine; and were next highest, viz., 13·6 per cent. of the Births, in the Southern Division, which includes the Counties of Roxburgh, Dumfries, Kirkcudbright, and Wigtown: while the proportion was lowest, viz., 5·7 per cent., in the Northern Division, which includes the Counties of Shetland, Orkney, Caithness, and Sutherland; and next lowest, viz., 6 per cent. of the Births, in the North-Western Division, which includes the Counties of Ross and Cromarty and Inverness.

Of the 106,543 children born during the year, 54,628 were males, and 51,915 females; being in the proportion of 105·2 males to every 100 females. In the legitimate Births the proportions were only 104·7 males to every 100 females, while in the illegitimate Births there were 110 males to every 100 females. Taking the five years, 1855 to 1859 inclusive, it would appear that the total and also the legitimate Births yield 105·3 males to every 100 females, while the illegitimate Births furnished 107 males to every 100 females. This is a result totally opposed to the Continental statistics of Births, which go to prove that the male Births among the illegitimate are in a much lower ratio than among the legitimate. Should further observation establish that in Scotland the illegitimate Births yield a higher proportion of males than the legitimate Births, it would go far to confirm the conclusion already arrived at, that illegitimacy in Scotland is not quite the same thing as that on the Continent; but that it is rather the result of the incontinence of youth (under no proper moral restraint), which, not finding its legitimate channel in marriage, results in illegitimacy.

During the year 1859 there occurred 1335 cases of Twin-Births, and 11 cases of Triplets at a Birth; which gives the proportion of one case of Twins in every 79 Births, and one case of Triplets in every 9685 Births.

In former Reports it was pointed out, that in consequence of the immense emigration from Scotland to England, America, and the Colonies, and also from the large proportion of men who seek employment in the Mercantile Marine Service and in the Army, the usual mode of estimating the increase of the population, viz., by the excess of Births over Deaths, was inapplicable to Scotland. Thus, between 1858 and 1859, the Census enables us to ascertain that the increase of the population could only have amounted to somewhere about 17,356 persons. The excess of Births over Deaths, however, during the same period amounted to 44,829 persons; and had there been no emigration, the population ought to have been increased by that amount.

During 1859, however, it was ascertained by the Emigration Commissioners, that 10,182 persons of Scottish origin left the ports of the United Kingdom; and if to these 1597 be added as the proportion of those whose nativity was not ascertained, the total number of Scottish emigrants would amount to 11,779 persons. Even that number deducted from the excess of Births over Deaths would leave 33,050 persons as the number by which the population of Scotland ought to have been augmented during the year; and its great excess over the actual increase gives some insight into the large emigration which must go on to England, and the numbers who must seek

employment in the Army, the Royal and Mercantile Navy, the Continent of Europe, and India.

This fact shows in a strong light the impossibility of estimating the annual increase of the population from the excess of Births over Deaths in a small country so peculiarly situated as Scotland; and also proves that a much more correct estimate may be arrived at, by taking the yearly increase between the two last Censuses of the population.

MARRIAGES.

21,201 Marriages were registered in Scotland during the year 1859; being in the proportion of 700 Marriages in every 100,000 persons of the population. This was above the mean of the five previous years, when they only occurred in the proportion of 685 Marriages in every 100,000 persons.

It adds greatly to the interest of vital statistics, and enables us better to appreciate the vital energies of the country, if we compare the statistics of Scotland with those of England and some kingdoms of Europe.

As compared with England the Scottish Marriage-rate is very low. A ten years' average (1850–59) shows that Marriages occur in England in the proportion of 846 Marriages in every 100,000 of the population; but the Marriage-rate of England for 1859, like that of Scotland for the same year, was above the mean, being in the proportion of 852 Marriages for every 100,000 persons in the population.

In so far as the official statistics of the chief kingdoms of Europe are concerned, it would appear that Spain is almost the only country which exhibits as low a Marriage-rate as that of Scotland; for it appears that in the year 1858, the last year for which we possess returns, the proportion was 695 Marriages for every 100,000 persons in the population. We have no assurance, however, that the returns are correct, so that much reliance cannot be placed on them.

All the other countries, whose statistics on this point are given in Table IX., exhibit a much higher Marriage-rate than Scotland; while the

TABLE IX.—MARRIAGES and LEGITIMATE BIRTHS. Population, Number of Marriages and of Legitimate Births, per Annum, in several Kingdoms of Europe; the Proportion of Marriages to the Population, and the Proportiou of Legitimate Births to each Marriage.

Kingdoms.	Years (inclusive.)	Population (Mean.)	Marriages.		Legitimate Births.	
			Number Annually.	Per cent. to Population.	Number Annually.	Number to each Marriage.
Austria . . .	1856–58	39,019,058	304,862	0·870	1,287,957	4·22
Prussia . . .	1853–58	17,202,831	148,774	0·864	614,380	4·13
Denmark . .	1850–55	2,400,558	20,648	0·860	?	?
England . . .	1859	19,686,895	167,723	0·852	645,130	3·84
Do. . . .	1850–59	18,726,512	158,431	0·846	596,124	3·12
France . . .	1853–57	35,974,930	282,950	0·786	866,645	3·06
Norway . . .	1846–55	1,409,259	10,900	0·773	39,632	3·63
Sweden . . .	1855	3,639,332	27,253	0·748	104,269	3·82
Belgium . . .	1853–59	4,529,560	33,619	0·742	126,062	3·75
Scotland . . .	1859	3,027,582	21,201	0·700	96,828	4·56
Do. . . .	1855–59	2,992,872	20,529	0·685	*94,791	4·57
Spain . . .	1858	16,301,851	113,443	0·695	516,118	4·55

* For 4 years only, as the return of Births for 1855 was incomplete—average annual Marriages during these 4 years, 20,741.

Marriage-rate in Austria, Prussia, and Denmark even exceeds the high Marriage-rate of England; being 860 Marriages in Denmark, 864 Marriages in Prussia, and 870 Marriages in Austria, for every 100,000 persons in the population of each of these kingdoms.

When commenting on the Births, it was shown that the fruitfulness of the Marriage was pretty correctly ascertained by dividing the Births by the Marriages. This has been done for the kingdoms of Europe in the last column of Table IX.; and the results are interesting, though apt to lead to a false conclusion when taken by themselves By that Table it will be seen that the countries which furnish the lowest proportion of Marriages to the population, are the very countries where the Marriage seems to be most fruitful in children; for while Spain and Scotland yield 455 and 457 children respectively for every 100 Marriages, England, whose proportion of Marriages annually is much higher, on the average yields only 312 children to every 100 Marriages, and France only 306 children to every 100 Marriages.

This bare fact, then, does not of itself enable us to ascertain the relative

---

TABLE X.—MARRIAGES, 1859. Number of Marriages contracted in 1859, according to the Rites of the various Religious Denominations, and their several Proportions to the Total Marriages.

Religious Denominations.	Number of Marriages.	Per Centage to the Total Marriages.
Established Church	9,769	46·08
Free Church	4,861	22·93
United Presbyterian Church . .	2,936	13·85
Roman Catholic Church . . .	1,822	8·59
Episcopalian Church	378	1·78
Other Denominations . . .	1,175	5·54
Denomination not stated . . .	260	1·23

TABLE XI.—MARRIAGES, 1859. Ages of Parties at Marriage in Scotland, and in its Three Great Groups of Districts, in 1859.

AGE.	ALL SCOTLAND.		INSULAR DISTRICTS.		MAINLAND DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years.	–	4	–	–	–	2	–	2
15—16	–	7	–	–	–	5	–	2
16—17	3	75	–	1	2	43	1	31
17—18	17	292	1	8	7	164	9	120
18—19	127	853	5	17	64	451	58	385
19—20	436	1471	3	30	220	732	213	709
20—21	988	1863	15	50	513	912	460	901
21—25	7155	7860	223	330	3616	4058	3316	3472
25—30	6077	5021	300	281	3133	2606	2644	2134
30—35	2691	1865	167	112	1407	934	1117	819
35—40	1457	970	95	47	761	489	601	434
40—45	861	465	30	22	424	197	407	246
45—50	618	253	31	2	289	127	298	124
50—55	331	89	12	5	162	47	157	37
55—60	220	32	18	–	103	16	99	16
60—65	104	7	6	–	53	4	45	3
65—70	53	2	2	–	37	1	14	1
70—75	22	–	–	–	11	–	11	–
75—80	8	–	1	–	5	–	2	–
80—85	1	–	–	–	1	–	–	–
Not stated	32	72	1	5	17	37	14	30
All Ages	21,201	21,201	910	910	10,825	10,825	9466	9466

vitality of each population; the number of Deaths and the proportion of Marriages must also be taken into account before we can arrive at an approximation to the truth. Taken in connection with these, however, it enables us to see the pre-eminent vitality of the population in Scotland, and also in England. It also makes it manifest that agencies are at work in France which are sapping the vitals of her population; for while her Marriage-rate is below that of England, her Birth-rate, compared with her Marriages and with her population, is low, and her mortality proportionally high.

Were we to look at Scotland alone, and take a review of the proportion of legitimate Births to the Marriages which occur in the Mainland-Rural and Town Districts, the very curious result would seem to follow, viz., that the more numerous the Marriages were in a population, the greater was the number which proved unfruitful.

It is a well-known fact that a Town life destroys, or at least weakens, the vital energies; and if the number of children born annually to every Marriage which occurs be taken as a fair test of the comparative fruitfulness of a Marriage, and of course of the vitality of the people in Town

---

TABLE XII.—MARRIAGES, 1859. Number and Proportion of Men and of Women, under 21 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, Mainland, and Town Districts of Scotland, in 1859.

	Number Married in 1859, whose Ages were ascertained.		Number under 21 years.		Per centage under 21 years.	
	Men.	Women.	Men.	Women.	Men.	Women.
ENGLAND . .	102,549	102,549	8,778	24,680	8·559	24·066
SCOTLAND . .	21,169	21,129	1,571	4,565	7·421	21·605
Insular Districts .	909	905	24	106	2·640	11·713
Mainland-Rural Districts . .	10,808	10,788	806	2,309	7·457	21·403
Town Districts .	9,452	9,436	741	2,150	7·839	22·785

TABLE XIII.—MARRIAGES, 1859. Number and Proportion of Men and of Women, under and above 25 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, Mainland, and Town Districts of Scotland, in 1859.

	Number who Married.				Per centage who Married.			
	Under 25 years.		Above 25 years.		Under 25 years.		Above 25 years.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
ENGLAND . . .	50,807	64,228	51,742	38,321	49·544	62·632	50·456	37·368
SCOTLAND . . .	8,726	12,425	12,443	8,704	41·221	58·805	58·779	41·195
Insular Districts . .	247	436	662	469	27·173	48·177	72·827	51·823
Mainland-Rural Dists.	4,422	6,367	6,386	4,421	40·914	59·019	59·086	40·981
Town Districts . . .	4,057	5,622	5,395	3,814	42·922	59·580	57·078	40·420

and in Country, we shall have that comparative fruitfulness, or that comparative vitality, of the two classes of the population pretty accurately expressed in figures.

Thus, in Scotland, in 1859, though the Rural Districts furnished a much lower Marriage-rate in proportion to their population than the Towns, as will be seen by Table II., yet the vitality of their population was so much greater than that of the persons living in the Towns, that 494 children were born in the Mainland-Rural Districts for every 100 Marriages; while in the Town Districts every 100 Marriages only had 411 children. The inhabitants of Towns, then, in order to keep up their number, and to make up for the much greater mortality which prevails at all ages, but especially during the early years of life, require to marry in a much higher ratio than the inhabitants of the Country. And this is what is actually done, as will be seen by Table II. For while in 1859 only 560 Marriages in every 100,000 persons occurred in the Insular Districts of Scotland, and 617 Marriages, in a like population, in the Mainland-Rural Districts, no fewer than 850 Marriages occurred in the Town Districts in a like population.

All this is very intelligible with regard to Town and Rural populations, because from other circumstances it can be proved that the vitality of the populations residing in Towns is deteriorated as compared with those residing in the Rural Districts. It is much more difficult to account for the observed difference in the vitality of the populations living in England and in Scotland; the difference between them, as a whole, being nearly as great as between the vitality of the populations in the Town and in the Rural Districts of Scotland. Thus England annually has 846 Marriages in every 100,000 of her population, but only 312 legitimate children for every 100 Marriages (thus closely resembling the Towns of Scotland, which have also a high proportion of Marriages, but a low proportion of children to each Marriage); while Scotland generally has a low proportion of Marriages, viz., only 685 Marriages in every 100,000 persons of the population, but 457 children for every 100 Marriages.

Within certain limits, then, an increased number of Marriages makes

Table XIV.—MARRIAGES, 1859. Number and Proportion of Men and of Women, under and above 25 years of Age, who contracted Marriage in Scotland, and in its Eight Divisions, in 1859.

DIVISIONS.	Number of Persons Married whose Ages were ascertained.		Number of Persons Married.				Proportion per Cent. to the total Men or Women Married.			
			Under 25.		Above 25.		Under 25.		Above 25.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Wom.
1. Northern	677	675	219	331	458	344	32·318	49·037	67·652	50·963
2. North-Western	925	922	195	466	730	456	21·081	50·542	78·919	49·458
3. North-Eastern	2,331	2,331	822	1,281	1,509	1,050	35·263	54·955	64·737	45·045
4. East-Midland	3,342	3,331	1,460	1,904	1,882	1,427	43·686	57·160	56·314	42·840
5. West-Midland	1,540	1,539	586	909	954	630	38·052	59·063	61·948	40·936
6. South-Western	7,947	7,932	3,648	5,025	4,299	2,907	45·904	63·351	54·096	36·649
7. South-Eastern	3,072	3,067	1,253	1,726	1,819	1,341	40·787	56·276	59·213	43·724
8. Southern	1,335	1,332	543	783	792	549	40·674	58·784	59·326	41·216
SCOTLAND	21,169	21,129	8,726	12,425	12,443	8,704	41·221	58·805	58·779	41·195

up for a diminished vitality of the population; when that diminished vitality is shown in a lessened proportion of Births to the number of Marriages contracted. Such, at least, appears to be the legitimate conclusion deducible from the known facts relative to England and to Scotland as a whole; corroborated as it is so strongly by the consideration of the now proved facts relative to the Town and Rural Districts of Scotland.

During 1859, it appears that of the 21,201 Marriages, 9769 were contracted according to the rites of the Established Church; 4861 according to those of the Free Church; 2936 according to those of the United Presbyterian Church; 1822 according to those of the Roman Catholic Church; 378 according to those of the Episcopalian Church; 1175 according to the rites of the smaller religious denominations; while in 243 cases the form of the ceremony was not stated, and in 17 the Marriage was irregular. These numbers show, in a rough way it is true, yet in as correct a manner as is now attainable, the proportions of the population attached to each religious denomination; and as they closely correspond with the results of the four previous years, they cannot be far from the truth. Judged in this manner, it would appear that 46 per cent. of the population of Scotland were attached to the Established Church; 23 per cent. to the Free Church; nearly 14 per cent. to the United Presbyterian Church; 8½ per cent. to the Roman Catholic Church; little more than 1½ per cent. to the Episcopal Church; and 5½ per cent. to all other denominations. These facts are shown in Table X.

Of the 21,201 men who married in 1859, the ages of 21,169 were ascertained; and of that number, 1571 were under 21 years of age. Of the 21,201 women who married, the ages of 21,129 were ascertained; and of these, 4565 were under 21 years of age. It thus appears that 7·42 per cent. of the men, and 21·60 per cent. of the women, who married during the year were minors, or were under the legal age of 21 years.

Our close relationships with England make it an object of importance

TABLE XV.—MARRIAGES, 1859. Number of Persons who Married, and their Proportion to the estimated Population in Scotland and its Eight Divisions, in 1859; also the number of Males under and above 25 years of Age who married in each of these Eight Divisions in 1859, and their Proportion to the estimated Male Population of these Divisions.

DIVISIONS.	Estimated Population. 1859.	Persons who Married.		Estimated Male Population. 1859.	Number of Men who Married.		Per Cent. to Male Population of Men who Married.	
		Number.	Per cent. to the Population.		Under 25.	Above 25.	Under 25.	Above 25.
1. Northern . .	129,740	1,354	1·042	58,653	219	458	0·373	0·780
2. North-Western	169,015	1,854	1·096	78,815	195	730	0·247	0·926
3. North-Eastern	363,098	4,666	1·284	171,718	822	1,509	0·478	0·878
4. East Midland .	522,249	6,692	1·280	243,184	1,460	1,882	0·600	0·773
5. West Midland	242,295	3,088	1·274	118,088	586	954	0·496	0·807
6. South-Western	982,820	15,908	1·618	472,872	3,648	4,299	0·771	0·909
7. South-Eastern	403,809	6,166	1·526	189,917	1,253	1,819	0·659	0·957
8. Southern . .	214,556	2,674	1·246	101,728	543	792	0·533	0·778
SCOTLAND .	3,027,582	42,402	1·400	1,434,975	8,726	12,443	0·608	0·867

to ascertain whether a larger or a smaller proportion of her population contracts Marriage during their minority. In 1859, of 167,723 Marriages entered on the registers, the exact ages of 102,549 parties were alone ascertained; and assuming that these afford an approximation to the truth, it

TABLE XVI.—MARRIAGES, 1859. Number of Marriages in which the Condition of Life was specified; also, the Number of Marriages between Bachelors and Spinsters, Bachelors and Widows, Widowers and Spinsters, Widowers and Widows, in Scotland, and its several Divisions and Counties, in 1859; together with the Number and Proportion of Men and Women who re-married during that year.

	Divisions and Counties.	Total Marriages, condition specified.	Marriages of Bachelors and Spinsters.	Marriages of Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	RE-MARRIAGES. Number of Widowers.	Number of Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
	SCOTLAND . . .	20,570	17,536	567	1864	603	2467	1170	11·99	5·68
	Insular Districts . .	879	773	9	85	12	97	21	11·03	2·38
	Mainland-Rural Dists.	10495	9209	209	863	214	1077	423	10·27	6·91
	Town Districts . . .	9196	7554	349	916	377	1293	726	14·06	7·89
I.	NORTHERN DIVISION	673	600	7	61	5	66	12	9·80	1·08
II.	NORTH-WESTERN Do.	864	764	11	76	13	89	24	10·30	2·77
III.	NORTH-EASTERN Do.	2278	2000	50	189	39	228	89	10·00	3·92
IV.	EAST MIDLAND Do. .	3277	2820	69	301	87	388	156	11·84	4·76
V.	WEST MIDLAND Do. .	1512	1327	39	119	27	146	66	9·65	4·36
VI.	SOUTH-WESTERN Do.	7647	6308	279	735	325	1060	604	13·86	7·89
VII.	SOUTH-EASTERN Do.	2996	2546	91	279	80	359	171	11·98	5·70
VIII.	SOUTHERN Do. . . .	1323	1171	21	104	27	131	48	9·90	3·92
1	Shetland	166	150	3	13	0	13	3	7·83	1·80
2	Orkney	189	164	2	21	2	23	4	12·16	2·11
3	Caithness	218	203	0	12	3	15	3	6·88	1·32
4	Sutherland	100	83	2	15	0	15	2	15·00	2·00
5	Ross and Cromarty .	409	361	4	40	4	44	8	10·75	1·98
6	Inverness	455	403	7	36	9	45	16	9·89	3·51
7	Nairn	70	64	1	5	0	5	1	7·14	1·42
8	Elgin	242	219	4	17	2	19	6	7·85	2·48
9	Banff	301	271	4	24	2	26	6	8·63	1·99
10	Aberdeen	1439	1248	35	124	32	156	67	8·67	4·65
11	Kincardine	226	198	6	19	3	22	9	9·73	3·98
12	Forfar	1446	1218	32	146	50	196	82	13·55	5·67
13	Perth	787	675	24	73	15	88	39	11·18	4·95
14	Fife	890	787	11	73	19	92	30	10·33	3·37
15	Kinross	41	35	1	4	1	5	2	12·19	4·87
16	Clackmannan . . .	113	105	1	5	2	7	3	6·19	2·65
17	Stirling	636	562	20	41	13	54	33	8·50	5·18
18	Dumbarton	355	316	8	26	5	31	13	8·73	3·66
19	Argyll	430	369	11	44	6	50	17	11·62	3·95
20	Bute	91	80	0	8	3	11	3	12·08	3·29
21	Renfrew	1283	1057	43	130	53	183	96	14·26	7·48
22	Ayr	1559	1319	48	135	57	192	105	12·31	6·73
23	Lanark	4805	3932	188	470	215	685	403	14·25	8·38
24	Linlithgow	296	265	5	18	8	26	13	8·78	4·39
25	Edinburgh	2169	1808	78	214	69	283	147	13·04	6·77
26	Haddington	242	216	4	22	0	22	4	9·09	1·65
27	Berwick	171	154	2	14	1	15	3	8·77	1·75
28	Peebles	61	53	1	6	1	7	2	11·47	3·27
29	Selkirk	57	50	1	5	1	6	2	10·52	3·50
30	Roxburgh	366	339	4	18	5	23	9	6·29	2·45
31	Dumfries	475	422	6	36	11	47	17	9·89	3·58
32	Kirkcudbright . . .	262	225	6	28	3	31	9	12·06	3·43
33	Wigtown	220	185	5	22	8	30	13	13·63	5·68

appears that of 102,549 men who married in 1859 in England, 8778 were minors, or were under 21 years of age, while of 102,549 women who married that year, 24,680 were under 21 years. From this it appears that 8·55 per cent. of the men, and 24·06 per cent. of the women, who married during the year were minors, or were under 21 years of age. (See Table XII.)

From this comparison it appears that a larger proportion both of men and of women who are minors contracts marriage in England than in Scotland.

A somewhat different conclusion would be drawn from the proportions published in the official Reports, which state that in 1859 only 6·20 per cent. of the men, and 19·10 per cent. of the women who married in England during the year were minors. On referring, however, to the official Report which accompanies the Census of 1851, we find that the fact of a higher proportion in England of married persons under 25 years of age was prominently brought before the public; and as the numbers married under 21 years bear a constant relation to those under 25, it is quite safe to assume that the two countries would exhibit a somewhat similar proportion had means been furnished for ascertaining the ages of the married persons under 21 years. In that Report the Census Commissioners say, "Of 100 men of the age 20–25, *twenty* were married in England and Wales, *sixteen* in Scotland." And again,—"Of 100 young women of the age 20–25, *thirty-one* are married in England, *twenty-five* in Scotland."—P. xxxi.

The Census of 1861 exhibits the same facts; for of every 100 men of the ages 20–25, *twenty-two* were married in England, but only *sixteen* in Scotland; while of every 100 women at the same ages, *thirty-three* were married in England, but only *twenty-five* in Scotland.

As might be anticipated, the Marriages of minors are much lower in proportion in the Insular Districts, where there is no demand for labour, than in the Mainland-Rural or Town Districts. Thus, in 1859, of the men who married, only 2·6 per cent. were under 21 years of age in the Insular Districts, 7·4 per cent. in the Mainland and Rural Districts; but 7·8 per cent. in the Town Districts. The Marriages of women who were minors, or under 21 years of age, bore a like relation in the three groups of Districts; for while only 11·7 per cent. of the women who married were under 21 years of age in the Insular Districts, the proportion was 21·4 per cent. in the Mainland-Rural, and 22·7 per cent. in the Town Districts.

The number and proportion of Marriages under 25 years always bears a close relation to the number and proportion under 21 years. In one

Table XVII.—MARRIAGES, 1859. Proportion of Marriages between Persons in different conditions of life, in every 100 Marriages.

1859.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
Insular Districts	87·94	1·03	9·67	1·36
Mainland-Rural Districts . . .	87·75	1·99	8·22	2·04
Town Districts	82·14	3·80	9·96	4·10
SCOTLAND	85·25	2·76	9·06	2·93

sense, however, it affords a more correct estimate of the social condition of the people, and of the comparative means of procuring a livelihood in different countries, or in different counties of the same country; inasmuch as it may be safely assumed that the country or county which exhibits the greatest number of Marriages among persons under 25 years of age, will also be found to be that in which there is the greatest demand for labour, and of course the greater means of procuring an honest livelihood. Tables XIII., XIV., and XV. are therefore drawn up with the view of showing the facts regarding Marriages under and above 25 years of age.

From these Tables it will be seen that 41·2 per cent. of the men who married, and 58·8 per cent. of women who married, in Scotland in 1859, were under 25 years of age; while the corrected Statistics of England show that 49·5 per cent. of the men, and 62·6 per cent. of the women, who married during that year were under 25 years of age. About 8 per cent. more men, and 4 per cent. more women, marry under 25 years of age in England than in Scotland; which fact of itself shows, what all else corroborates, that there are more openings for young men, and a greater proportional general demand for labour of one kind or another in England than in Scotland.

If the Eight Great Divisions of Scotland are looked at in the same light, the very same fact is strikingly illustrated. Thus, in the North-Western Division, where there is no demand for labour, no commercial enterprise, and where the Marriages do little more than supply the places of those who have died, only 21 per cent. of the men, and 50·5 per cent. of the women, who married during 1859 were under 25 years of age. Contrast these proportions with the busy commercial, mining, and manufacturing South-Western Division. In it 45·9 per cent. of the men, and 63·3 per cent. of the women, who married during the year were under 25 years of age; so that this, as well as the general proportion of Marriages to the whole population, in each Division of Scotland, or in each Kingdom, leads to the same conclusion. It is extremely interesting, for instance, to compare Table XIV. with XV. By that latter Table it is seen that in the North-Western Division of Scotland only 1·096 per cent. of the population, or 1096 in every 100,000 of the population, contracted Marriage during the

Table XVIII.—MARRIAGES, 1859. Number of Marriages between Bachelors and Spinsters, Bachelors and Widows, Widowers and Spinsters, Widowers and Widows, in 1859, in Edinburgh and Glasgow; also, the Number and Proportion of the Re-marriages.

1859.	Total Marriages, condition specified.	Marriages of Bachelors with Spinsters.	Marriages of Bachelors with Widows.	Marriages of Widowers with Spinsters.	Marriages of Widowers with Widows.	Re-marriages. Number of Widowers.	Re-marriages. Number of Widows.	Re-marriages. Per cent. of Widowers to 100 Men who married.	Re-marriages. Per cent. of Widows to 100 Women who married.
EDINBURGH	1459	1202	57	154	46	200	103	13·70	7·05
GLASGOW	3352	2715	133	342	162	504	295	15·03	8·80
Proportion in every 100 Marriages in Edinburgh	100·00	82·39	3·91	10·55	3·15				
Proportion in every 100 Marriages in Glasgow	100·00	81·00	3·97	10·20	4·83				

year; whereas in the South-Western Division, 1·618 per cent., or 1618 persons in every 100,000, contracted Marriage during the same period.

Of the 21,201 Marriages contracted during the year, 20,570 had the condition of life of the parties stated. Of these 20,570 Marriages, it appears by Table XVI. that 17,536 were between bachelors and spinsters; 1864 between widowers and spinsters; 603 between widowers and widows; and 567 between bachelors and widows. These numbers indicate that in every 100 Marriages 85·25 were between bachelors and spinsters, 9·06 between widowers and spinsters, 2·93 between widowers and widows, and 2·76 between bachelors and widows.

Table XVII. shows the proportions in which these different classes married in Scotland, and in the Insular, the Mainland-Rural, and Town Districts; while Table XVIII. shows the like facts for the two chief Towns of Scotland, in 1859. The results closely correspond with those of former years, showing that in Towns a much larger proportion of the widowed re-enter the married life than in the Mainland-Rural or Insular Districts; while a much higher proportion re-marries in Glasgow than in Edinburgh.

Of the persons who re-married during the year, 2467 were widowers, and 1170 widows; giving the proportion of 11·99 widowers in every 100 men, and 5·68 widows in every 100 women, who married during the year.

The proportion of widowed persons who re-married during the same year was much higher in England, seeing that of every 100 men who married, 14·1 were widowers, and of every 100 women who married, 9 were widows.

The Marriage Registers enable us to estimate the comparative state of elementary education among the population, by ascertaining what proportion of the men and of the women could sign their names in the Marriage Registers.

During the year 1859, of the 21,201 men who married, 18,992 signed their names in the Marriage Registers, while 2209 affixed their mark. Of the 21,201 women who married, 16,494 signed their names, and 4707 affixed their mark. From these numbers it appears that 89·11 per cent. of the men were able to sign their names, but 10·89 per cent. had to affix their mark; while of every 100 women who married, 77·8 were able to sign their names, and 22·2 were forced to affix their mark. Table XX. shows the like facts for the several Divisions and Counties of Scotland.

When compared with England, these numbers show favourably, inasmuch as in England, during the same year, only 73·3 per cent. of the men signed their names (or fewer than the proportion of females in Scot-

TABLE XIX.—MARRIAGES, 1859. Number and Proportion of Men and Women who signed their names by Mark, in Edinburgh and Glasgow, in 1859.

1859.	Men.				Women.			
	Number of Men who Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.	Number of Women who Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.
EDINBURGH	1494	50	3·34	96·66	1494	107	7·16	92·84
GLASGOW	3472	439	12·64	87·36	3472	992	28·57	71·43

land), while 26·7 per cent. affixed their mark; whereas, of the women in England, only 62·4 per cent. were able to sign their names, while 37·6 per cent. affixed their mark.

When the inhabitants of Glasgow and Edinburgh are compared in the same manner, it is seen that the state of elementary education is very much

TABLE XX.—MARRIAGES, 1859. Number of Men and Women who married in Scotland, and in its several Divisions and Counties, in 1859; together with the number and proportion of those who signed their names by Mark, and the proportion who signed their names in full.

	DIVISIONS AND COUNTIES.	MEN.				WOMEN.			
		Number of Males Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.	Number of Females Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.
	SCOTLAND . . .	21,201	2309	10·89	89·11	21,201	4707	22·20	77·80
	Insular Districts . . .	910	226	24·83	75·17	910	383	42·08	57·92
	Mainland-Rural Districts	10825	938	8·63	91·37	10825	1989	10·98	89·02
	Town Districts . . .	9466	1045	11·03	88·97	9466	2335	24·66	75·34
I.	NORTHERN DIVISION .	677	33	4·87	95·13	677	130	19·20	80·80
II.	NORTH-WESTERN Do. .	927	314	33·79	66·21	927	516	55·68	44·32
III.	NORTH-EASTERN Do. .	2333	60	2·57	97·43	2333	228	9·77	90·23
IV.	EAST MIDLAND Do. . .	3346	236	7·05	92·95	3346	578	17·28	82·72
V.	WEST MIDLAND Do. .	1544	237	15·34	84·66	1544	420	27·20	72·80
VI.	SOUTH-WESTERN Do. .	7954	1081	13·59	86·41	7954	2373	29·70	70·30
VII.	SOUTH-EASTERN Do. .	3083	170	5·51	94·49	3083	339	10·99	89·00
VIII.	SOUTHERN Do. . . .	1337	78	5·68	94·32	1337	123	9·19	90·81
1	Shetland	168	14	8·33	91·67	168	67	39·88	60·12
2	Orkney	191	5	2·61	97·39	191	14	7·32	92·68
3	Caithness	218	5	2·29	97·71	218	25	11·46	88·54
4	Sutherland	100	9	9·00	91·00	100	24	24·00	76·00
5	Ross and Cromarty . .	425	161	37·90	62·10	425	240	56·47	43·53
6	Inverness	502	153	30·47	69·53	502	276	54·98	45·02
7	Nairn	70	8	11·42	88·58	70	22	31·42	68·58
8	Elgin	249	16	6·42	93·58	249	39	15·66	84·34
9	Banff	321	7	2·11	97·89	321	31	9·65	90·35
10	Aberdeen	1460	26	1·77	98·23	1460	117	8·01	91·99
11	Kincardine	233	3	1·28	98·72	233	19	8·15	91·85
12	Forfar.	1452	151	10·39	89·61	1452	363	25·00	75·00
13	Perth	821	37	4·45	95·55	821	88	10·71	89·29
14	Fife	909	41	4·51	95·49	909	101	11·11	88·89
15	Kinross	44	–	0·00	100·00	44	3	6·81	93·19
16	Clackmannan	120	7	5·83	94·17	120	23	19·16	80·84
17	Stirling	646	89	13·77	86·23	646	151	23·37	76·63
18	Dumbarton	362	76	20·99	79·01	362	118	32·59	67·41
19	Argyll.	445	68	15·28	84·72	445	136	30·56	69·44
20	Bute	91	4	4·39	95·61	91	15	16·48	83·52
21	Renfrew	1317	204	15·48	84·52	1317	457	34·70	65·30
22	Ayr	1569	227	14·46	85·54	1569	460	29·31	70·69
23	Lanark	5068	650	12·82	87·18	5068	1456	28·72	71·28
24	Linlithgow	301	50	16·61	83·39	301	73	24·25	75·75
25	Edinburgh	2246	94	4·18	95·82	2246	214	9·52	90·48
26	Haddington	245	21	8·57	91·43	245	39	15·91	84·09
27	Berwick	172	4	2·32	97·68	172	9	5·23	94·77
28	Peebles	62	–	0·00	100·00	62	1	1·61	98·39
29	Selkirk	57	1	1·75	98·25	57	3	5·26	94·74
30	Roxburgh	367	16	4·35	95·65	367	37	10·08	89·92
31	Dumfries	480	16	3·33	96·67	480	36	7·50	92·50
32	Kirkcudbright	269	15	5·57	94·43	269	20	7·43	92·57
33	Wigtown	221	31	14·02	85·98	221	30	13·57	86·43

higher in Edinburgh than in Glasgow, as may be seen in Table XIX.; for while in Edinburgh 96·66 per cent. of the men were able to sign their names in the register, only 87·36 per cent. of the men were able to sign their names in Glasgow; and while in Edinburgh 92·84 per cent. of the women were able to sign their names, only 71·43 per cent. were able to write in Glasgow.

During the year 1859 an extremely rare occurrence took place—a man of 24 years of age married a girl of 11 years in the St Andrew's District of Edinburgh.

DEATHS.

61,714 Deaths were registered in Scotland during the year 1859, being in the proportion of 203 Deaths in every ten thousand persons of the population. The mean Death-rate for the four previous years was 206 Deaths in every ten thousand persons, so that the mortality of 1859 was rather under the average.

In England, during the same year, the population was cut off at the rate of 223 Deaths in every ten thousand persons; so that the Scottish Death-rate was much below the English. So far as our records go, it would appear that the Death-rate of the inhabitants of Scotland is constantly below that of the natives of England. Thus, a five years' average, 1855 to 1859 inclusive, shows that in Scotland the inhabitants died at the rate of 205 annually in every ten thousand persons; while in England, during the same period, the population was cut off at the rate of 220 annually in a like number of persons.

In former Reports it was pointed out that this higher Death-rate in England was mainly caused by the far greater number and proportion of Deaths caused by Convulsions during childhood. There would appear to be nothing to prevent the mortality from Convulsions in England to be brought down to the Scottish standard, when about 20,000 lives would be annually saved. The very object of these Reports is to point out tangible facts like this, in order that a remedy may be applied; and the National Association for the Promotion of Social Science, by issuing instructions for the guidance of mothers in nursing, feeding, and clothing their infants, would here find an immediate reward for their labours.

The same striking difference between the Death-rates which prevailed in former years among the inhabitants of the Insular, the Mainland-Rural, and Town Districts, was observed during 1859. Thus, in the Insular Districts the inhabitants were cut off at the rate of 162 in every ten thousand persons; in the Mainland-Rural, at the rate of 176 in every ten thousand persons; but in the Town Districts, at the very high rate of 252 in every ten thousand inhabitants.

During the five years, 1855 to 1859 inclusive, the mean annual Death-rates in these groups of Districts were, 149 Deaths in the Insular, 175 Deaths in the Mainland-Rural, and 263 Deaths in the Town Districts, in every ten thousand persons living in each District. This striking fact, then, shows the frightful waste of life which a Town residence entails; and as the relative proportions are much the same from year to year, the mean of the five years may be held, for all practical purposes, to be the expression of the relative mortality in each group of Districts. These general facts are exhibited in Tables II. and IV.

As it is interesting to know the relative Death-rate which prevails in the Eight Principal Towns of Scotland, Table XXV. is appended for the purpose of showing the Death-rate which prevailed each year since the Registration Act came into operation, and also the mean annual Death-rate in each of these Towns during the five years 1855 to 1859 inclusive. A five years' average gives a very fair idea of the relative mortality which prevails in each Town, more especially when it is seen that there is such a close correspondence in the Death-rate year by year. The numbers, therefore, which are given in the last column of that Table may be held to express in figures the relative sanitary condition of each Town, and in this respect are worthy the attention of the social economist.

One exception alone must be made to this statement. Leith, from its proximity to Edinburgh, sends a considerable number of patients to the Royal Infirmary in Edinburgh, who, dying there, and being entered on the Edinburgh registers, swell the mortality of that Town beyond its due bounds, while they far more than proportionally diminish the apparent mortality in Leith. Were due correction made for this, it would reduce the mean annual Edinburgh mortality to 2·30 Deaths in every 100 living, but increase that of Leith to about 2·40 Deaths annually in every 100 living.

Taking the numbers, however, as they stand in that Table, it would appear that Leith, Aberdeen, Edinburgh, and Perth have a mean Death-rate below the mean of the Town Districts of Scotland; that Dundee and Paisley have a mean Death-rate very closely approximating to that mean; while Glasgow and Greenock have a mean Death-rate very much higher than the mean of the Town Districts. Thus, the mean mortality of the five years proves, that of every ten thousand persons living in each Town, 215

TABLE XXI.—DEATHS, 1859. Population of Scotland at Different Ages in 1859, the Number of Deaths at the same Age, and the Proportion of Deaths to the Population at each Age.

AGES.	SCOTLAND, 1859.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	45,557	43,837	6,461	5,062	14·182	11·547
— 2	41,664	40,272	2,843	2,714	6·823	6·739
— 3	42,005	40,614	1,508	1,503	3·590	3·685
— 4	40,616	39,610	976	1,005	2·403	2·537
— 5	39,969	38,403	700	723	1·751	1·882
Total under 5 Years	209,811	202,736	12,488	11,007	5·952	5·429
5—10	182,486	176,741	1,770	1,723	0·969	0·974
10—15	163,499	155,752	750	780	0·450	0·500
15—20	148,894	155,029	1,078	969	0·725	0·625
20—30	226,932	280,754	2,145	2,246	0·945	0·799
30—40	167,868	204,482	1,747	2,049	1·040	1·002
40—50	135,204	159,662	1,866	1,754	1·381	1·092
50—60	98,710	117,794	2,006	2,032	2·032	1·725
60—70	64,821	85,315	2,413	2,685	3·736	3·147
70—80	28,380	40,595	2,531	3,261	8·953	8·035
80—90	7,738	12,511	1,466	2,135	18·945	17·065
90—100	602	1,179	231	408	38 375	34·605
100 and above	30	57	13	26	43·333	45·614
Not stated	–	–	84	51	–	–
ALL AGES	1,434,975	1,592,607	30,588	31,126	2·1316	1·9544
BOTH SEXES	3,027,582		61,714		2·0383	

(or corrected, 240) died annually in Leith, 227 annually in Aberdeen, 240 (or corrected, 230) in Edinburgh, 248 in Perth, 262 in Dundee, 265 in Paisley, 296 in Glasgow, and 308 in Greenock.

No one can look at these numbers without becoming convinced that the site of each Town has a very great deal to do with its mortality. Of the above Eight Towns, Perth is perhaps the cleanest and least crowded Town, and has within it fewer of those elements which are commonly blamed as rendering a Town unhealthy; yet these statistics, in which every faith may be put, prove it to be more unhealthy than the low-lying and far from cleanly Town of Leith, with its population living in high lands of buildings, and in narrow streets and lanes, and which every sanitary inquirer would *a priori* declare must be an unhealthy Town. Even Edinburgh itself is more healthy than Perth, although its numerous low population is crowded into high piles of building which line narrow streets, and still more narrow lanes and closes which, from the habits of the people, are almost constantly more or less wet with filth, and exhale the most nauseous of odours.

There cannot be the slightest doubt that it is the site which renders Greenock pre-eminently the most unhealthy Town of Scotland.

In former Reports it was shown that males die in a much higher proportion than females. The same fact was strikingly manifested in 1859. Thus, while females only died at the rate of 195 during the year out of every ten thousand females living, 213 males died out of every ten thousand males in the population.

As has been clearly pointed out in former Reports, this higher male mortality is not caused, as is usually averred, by the more unhealthy occupations

TABLE XXII.—DEATHS, 1859. Population of the Insular Districts of Scotland at Different Ages in 1859; the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	INSULAR DISTRICTS, 1859.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,012	1,892	259	180	12·872	9·513
— 2	1,942	1,878	66	67	3·398	3·541
— 3	2,049	2,015	41	27	2·001	1·339
— 4	2,003	1,910	19	14	0·948	0·732
— 5	2,088	1,952	16	18	0·766	0·922
Total under 5 Years	10,094	9,647	401	306	3·972	3·171
5—10	9,570	9,254	40	45	0·417	0·486
10—15	8,777	8,458	21	33	0·239	0·390
15—20	7,598	8,330	45	38	0·592	0·456
20—30	10,330	14,509	115	101	1·113	0·696
30—40	7,710	11,017	64	91	0·830	0·825
40—50	6,460	8,803	69	77	1·067	0·874
50—60	5,627	7,056	71	105	1·261	1·522
60—70	4,681	6,089	113	138	2·414	2·266
70—80	2,331	3,155	151	208	6·477	6·592
80—90	811	1,310	111	188	13·687	14·351
90—100	85	157	30	38	35·294	24·204
100 and above	5	19	5	9	100·000	47·368
Not stated	–	–	16	4	–	–
ALL AGES	74,079	87,804	1,252	1,381	1·6901	1·5728
BOTH SEXES	161,883		2,633		1·6264	

of a great portion of the males, nor to their greater use and abuse of alcoholic drinks, of tobacco, etc., but is apparently an impressed law of nature, whereby the male is more liable to death than the female at all periods of life. This, as in former years, is strikingly exemplified in Table XXI., in which it will be seen that at all ages, from birth to extreme old age, the male is cut off in a higher proportion than the female; nay, that the difference is most striking while he is still a babe at the breast, and is treated in all respects as the female infant. Thus, in Scotland, in 1859, while only 1154 female infants under one year of age died out of every ten thousand female children of that age, 1418 males under one year died out of every ten thousand male infants of that age.

This lower female Death-rate was noticed in all the three great groups of Districts into which Scotland has been divided. Thus, in the Insular Districts, while females died in the proportion of 157 in every ten thousand females in the population, the proportion was 169 Deaths in every ten thousand males. In the Mainland-Rural Districts, only 173 in every ten thousand females died, but the proportion was 181 Deaths in every ten thousand males. In the Town Districts, only 236 females died during the year out of every ten thousand females, but the proportion amounted to 271 Deaths in every ten thousand males.

This lower Death-rate in the female at all ages has been remarked in Scotland ever since the Registration Act gave us the means of ascertaining the fact. It may therefore be considered as an established fact in so far as regards the Scottish people. The Scottish results, therefore, generally agree with the Swedish Tables of Mortality and probabilities of life, drawn up independently by Dr Price and by Mr Milne, with the Chester Tables, and

Table XXIII.—Deaths, 1859. Population at Different Ages of the Mainland-Rural Districts of Scotland in 1859; the number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	MAINLAND-RURAL DISTRICTS, 1859.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	25,905	24,969	3,004	2,285	11·596	9·151
— 2	24,510	23,621	1,148	1,114	4·683	4·716
— 3	24,780	23,939	591	642	2·384	2·681
— 4	24,307	23,433	442	471	1·818	2·010
— 5	24,006	23,011	293	286	1·220	1·242
Total under 5 Years	123,508	118,973	5,478	4,798	4·435	4·025
5—10	110,737	106,235	891	885	0·804	0·833
10—15	100,056	94,119	427	450	0·426	0·478
15—20	88,428	86,808	573	506	0·647	0·582
20—30	124,357	147,230	1,074	1,109	0·863	0·753
30—40	93,340	110,271	785	926	0·841	0·839
40—50	77,890	88,938	862	815	1·106	0·916
50—60	59,922	68,042	992	979	1·655	1·434
60—70	41,496	51,442	1,364	1,453	3·287	2·824
70—80	19,442	26,234	1,606	1,983	8·260	7·558
80—90	5,540	8,521	1,038	1,425	18·736	13·284
90—100	426	787	171	268	40·140	34·053
100 and above	23	32	7	13	30·435	40·625
Not stated	–	–	49	32	–	–
All Ages	845,165	907,632	15,317	15,642	1·8123	1·7234
Both Sexes	1,752,797		30,959		1·7662	

with those drawn up by Mr Finlaison for the British Government, founded on the results of the mortality among the Government Life Annuitants and Tontines.

On the other hand, these Scottish Tables are opposed in this respect to the elaborate series of Tables drawn up by the Registrar-General of England, and commonly known as "The English Life Table," founded on the results of the Registration of Deaths in England from 1838 to 1844, and the Census of 1841. These English Tables, on the other hand, seem to show that the female in England dies at a higher rate than the male at all ages, from the end of the first year to the thirty-ninth year of life; and the whole of the elaborate calculations as to the value of annuities for the different sexes at the different ages of life, the premiums for insurance on life, etc., are founded on that supposition. It would be well to see whether the same facts are exhibited at the present day, when the entries on the registers are more to be trusted, and the value of giving accurate returns of the ages at the taking of the Census is better recognised. One would expect that the proportional Death-rate of male and female at the respective ages would be alike in both countries.

The baneful influence of a Town residence on human life is, however, shown most pointedly by looking at the extreme difference between the mortality of infants under one year of age in the Town and in the Mainland-Rural Districts. (Tables XXIII. and XXIV.)

In the Town Districts male infants under one year of age died during the year at the rate of 18·1 out of every 100 living at the same age; but in the Mainland-Rural Districts only 11·5 male infants died in every 100 living. The same was the case with the females. In the Town Districts

Table XXIV.—DEATHS, 1859. Population at Different Ages of the Town Districts of Scotland in 1859, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	TOWN DISTRICTS, 1859.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	17,640	16,976	3,198	2,597	18·120	15·298
— 2	15,212	14,773	1,629	1,533	10·710	10·379
— 3	15,176	14,660	876	834	5·772	5·689
— 4	14,306	14,267	515	520	3·599	3·644
— 5	13,875	13,440	391	419	2·818	3·117
Total under 5 Years	76,209	74,116	6,609	5,903	8·672	7·964
5—10	62,179	61,252	839	793	1·349	1·294
10—15	54,666	53,175	302	297	0·552	0·558
15—20	52,868	59,891	460	425	0·870	0·709
20—30	92,245	119,015	956	1,036	1·036	0·870
30—40	66,818	83,194	898	1,032	1·343	1·240
40—50	50,853	61,921	935	862	1·842	1·360
50—60	33,161	42,696	943	948	2·843	2·220
60—70	18,644	27,784	936	1,094	5·020	3·937
70—80	6,607	11,206	774	1,070	11·714	9·548
80—90	1,387	2,680	317	522	22·855	19·477
90—100	91	235	30	102	32·967	43·404
100 and above	3	6	1	4	33·333	–
Not stated	–	–	19	15	–	–
All Ages	515,731	597,171	14,019	14,103	2·7189	2·3616
Both Sexes	1,112,902		28,122		2·5269	

15·2 female infants under one year of age died out of every 100 living at the same age; while in the Mainland-Rural Districts only 9·1 female infants died out of every 100 under one year of age.

No fact could more strikingly illustrate the advantage which would result to the public and to each family concerned, were every one, who had it in his power, to rear his children in the Country instead of in the Town.

But the other facts brought out in these Tables, XXIII. and XXIV., prove that at all periods of life the Country is more healthy than the Town, and that the chances of life are much greater in the Country than in the Town. Thus, take the active period of life, 20–30, it appears that in 1859 the male inhabitants of the Town were cut off at the rate of 103 in every ten thousand males, whereas in the Mainland-Rural Districts only 86 males died out of a like population. Between 30 and 40 years of life, 134 males died in the Town Districts in every ten thousand males; but in the Mainland-Rural Districts only 84 males died out of a like number living.

This, again, illustrates the advantage to health and life which would result from every adult, who could afford it, living in the Country, even though he carried on business in the Town; and the rapidity of locomotion by the railways puts it in the power of many to avail themselves of this longer lease of life, which a rural residence is now clearly proved to confer.

Tables XXVI. to XXXIII. show the mortality of the sexes at different ages in the Eight Principal Towns of Scotland; and, with the Tables given at pp. xxxiv to xli of last Report, complete a five years' summary of the facts relative to the mortality of the population of each of these Towns at different ages. These Tables merit the careful study of those philanthropists who devote time and attention to the amelioration of the evils which attend our social life.

Causes of Death.

As some misapprehension seems to exist regarding the difference between a *Statistical* and a *Scientific* Nosology (or Classification of Diseases), most people imagining them to be the same, a word of explanation seems requisite.

A *Scientific* Nosology being a purely theoretical Classification of Diseases, takes it for granted that every Disease is accurately known, and

Table XXV.—TOWN DEATHS, 1855–1859. Per Centage of Deaths to the Corrected Population of each of the Eight Principal Towns of Scotland, and the Mean Annual Mortality during Five Years.

	Per Centage of Deaths to Population.					
	1855.	1856.	1857.	1858.	1859.	Mean Annual Mortality.
Glasgow	2·99	2·84	3·08	3·05	2·83	2·96
Edinburgh	2·57	2·49	2·26	2·49	2·19	2·40
Dundee	2·53	2·84	2·57	2·64	2·53	2·62
Aberdeen	2·28	2·26	2·34	2·20	2·28	2·27
Paisley	2·76	2·30	3·02	2·67	2·49	2·65
Greenock	3·38	3·03	3·06	2·59	3·34	3·08
Leith	1·96	2·39	2·17	2·26	1·98	2·15
Perth	2·19	2·19	3·10	2·67	2·24	2·48

can be referred to its exact Species. Hence, in such a classification, every Disease is arranged under the primary affection, and not under the secondary complications which may arise in the course of the Disease. No vague terms, therefore, are used in a *Scientific* Nosology, as it assumes that every Disease can be referred to its proper Class and Species.

A *Statistical* Nosology, on the other hand, must be a practical one, and it must be so drawn up as to give *an accurate abstract of all the Causes of Death entered on the Register Books.* It, therefore, takes as its basis the most intelligent Scientific Nosology on which its framers can lay their hands, and adopts as its leading principle the rule, that every Disease causing Death must be tabulated under the *primary* Disease, and not under its secondary complications. That is to say, a case of Consumption proving fatal by an attack of Pneumonia supervening a week or two before the Death, is tabulated as Consumption, and not as Pneumonia. In like manner, a case of Measles, terminating fatally by an attack of Bronchitis, or Convulsions, is tabulated as Measles, and not as Bronchitis or Convulsions. *In so far*, then, there is no difference between a *Scientific* and a *Statistical* Classification of Diseases.

But as a Statistical Nosology has to deal with *facts* and not with theories, and as the Statistical Tables must exhibit the whole Deaths on the Registers, arranged so far as possible under their proper heads, *it requires to make additions to almost every Class of Diseases, in order that all those whose definitions are too imperfectly given in the Registers, to enable them to be referred to their exact Species,* may be tabulated under their proper Class. Hence, for instance, after exhausting all the known specific Diseases of the Brain, as Cephalitis, Apoplexy, Epilepsy, etc., the Statistical Nosology requires to add the vague term "Diseases of the Brain," meaning thereby all the Diseases of the Brain and Nervous System, so indefinitely returned in the Register Books that they could not be referred to any of the particular

TABLE XXVI.—GLASGOW, 1859. Population and Deaths at Different Ages in 1859, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION, 1859.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	6,492	6,149	1,360	1,088	20·94	17·69
— 2	5,300	5,210	776	726	14·64	13·93
— 3	5,115	5,072	416	356	8·13	7·02
— 4	4,787	4,849	231	232	4·82	4·78
— 5	4,621	4,475	168	191	3·63	4·27
Total under 5 Years	26,315	25,756	2,951	2,593	11·21	10·06
5—10	20,396	20,180	342	324	1·67	1·60
10—15	18,180	17,877	118	108	0·64	0·60
15—20	19,148	21,400	167	166	0·87	0·78
20—30	35,515	43,888	373	413	1·05	0·94
30—40	24,679	29,226	322	387	1·30	1·32
40—50	17,789	20,501	339	333	1·90	1·62
50—60	10,379	13,005	312	333	3·00	2·56
60—70	5,233	7,700	276	346	5·27	4·49
70—80	1,492	2,662	154	260	10·32	9·76
80—90	282	538	70	109	24·82	20·26
90—100	18	55	9	18	50·00	32·72
100 and above	–	3	0	2	–	66·66
Not stated	–	–	3	4	–	–
ALL AGES	179,426	202,791	5,436	5,396	3·02	2·66
BOTH SEXES	382,217		10,832		2·83	

species. The same happens with Lung Disease, Stomach Disease, Kidney Disease, etc. etc.

But there are other Diseases which prove fatal where the primary cause has not been ascertained, either from there being no medical attendant present, or from the medical attendant being himself at a loss as to the primary affection. Dropsy is of this nature. In a Statistical Nosology, therefore, such a Disease must have a place. But the Deaths tabulated under that term are those only in which the organ primarily affected was not distinguished; otherwise, had it been designated "Dropsy from Diseased Heart," or from "Diseased Kidney," it would have been tabulated under Heart Disease, or Kidney Disease, and not under Dropsy.

The same principle applies to all other Diseases and Classes of Disease. For most practical purposes it is only important to know the total number of Deaths in a population caused by certain Classes of Disease—say, for instance, Diseases of the Respiratory Organs. Were a purely *Scientific* Classification followed, a great mass of Lung Diseases, whose names were not accurately defined in the Register Books, would be thrown out and put under "causes not ascertained, or too ill defined to be referred to their class." In such a faulty Classification, the population would seem to be much more free from affections of the Respiratory Organs than they were in reality; but by converting the *Scientific* into a *Statistical* Nosology, and adding these vague terms at the end of every Class, all the Deaths from *each Class of Diseases*, at all events, are accurately ascertained, and true conclusions as to the relative freedom from, or susceptibility to, certain Classes of Disease arrived at.

Both in England and in Scotland, therefore, their Statistical Nosologies contain the same vague terms. In no other manner could the Tables of Diseases be *correct abstracts of the causes of death entered on the Register Books.*

The medical practitioners, however, could do much to diminish the

TABLE XXVII.—EDINBURGH, 1859. Population and Deaths at Different Ages in 1859, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION, 1859.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,190	2,307	377	325	17·21	14·08
— 2	1,967	1,981	136	143	6·90	7·21
— 3	1,940	1,890	72	69	3·71	3·64
— 4	1,817	1,879	42	46	2·31	2·44
— 5	1,900	1,741	23	24	1·21	1·37
Total under 5 Years	9,814	9,798	650	607	6·62	6·19
5—10	8,549	8,452	55	70	0·64	0·82
10—15	7,929	7,772	33	33	0·41	0·42
15—20	7,932	9,647	58	48	0·73	0·49
20—30	14,460	19,420	168	151	1·16	0·78
30—40	9,784	13,341	168	173	1·71	1·29
40—50	7,358	10,207	173	133	2·36	1·30
50—60	5,022	7,408	158	159	3·14	2·14
60—70	2,981	4,903	168	188	5·63	3·81
70—80	1,165	2,015	147	190	12·61	9·42
80—90	215	457	56	89	26·04	19·47
90—100	10	40	2	24	20·00	60·00
100 and above	–	1	–	–	–	–
Not stated	–	–	–	2	–	–
ALL AGES	75,219	93,461	1,836	1,867	2·44	1·99
BOTH SEXES	168,680		3,703		2·19	

numbers which at present require to be tabulated under the above vague terms, by specifying in every case the primary Disease, as well as the secondary complications.

Of the 61,714 Deaths registered in Scotland during the year 1859, the Cause of Death was assigned in 58,208 cases, leaving only a fraction more than 5½ per cent. of the cases in which no Cause of Death was mentioned. Nearly an exact half of these were children under one year of age, who had not had the benefit of medical attendance.

Class I. *Zymotic Diseases.*

The Zymotic (or Epidemic and Contagious) Class of Diseases cut off 14,640 persons in Scotland during the year 1859, thus constituting 25·15 per cent. of the specified Causes of Death. Allowing for the proportion in which the Causes of Death were not specified, this would indicate that, in every hundred thousand of the population, 512 had died from the Zymotic Class of Diseases during the year 1859. This is a proportion considerably higher than the mean of the four previous years, when only 499 died annually from the Zymotic Class of Diseases in every hundred thousand persons.

It is the common belief—founded, too, on general observation—that the years when Epidemics prevail, are those when the mean mortality rises above the average. The ascertained facts relative to Scotland in 1859, however, prove that Epidemics may be more than usually prevalent, and that, notwithstanding this, the mortality may be considerably below its average; for in 1859 the mean annual mortality was lower than that of the four previous years, but yet the Epidemic mortality, which embraced a fourth of the total Deaths, was greatly above its average. This fact, then, proves that the mere fact of Epidemics prevailing does not of itself prove a year to be necessarily unhealthy, seeing that the atmospheric agencies,

Table XXVIII.—DUNDEE, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,432	1,312	239	245	16·69	18·67
— 2	1,115	1,119	124	152	11·12	13·58
— 3	1,256	1,109	62	61	4·93	5·50
— 4	1,089	1,068	42	49	3·85	4·58
— 5	1,054	1,070	36	39	3·41	3·64
Total under 5 Years	5,946	5,678	503	546	8·46	9·61
5—10	4,995	4,912	63	59	1·26	1·20
10—15	4,445	4,397	19	24	0·42	0·54
15—20	4,030	5,393	41	50	1·01	0·92
20—30	6,746	10,885	71	83	1·05	0·76
30—40	4,939	7,013	56	71	1·13	1·01
40—50	3,842	5,128	66	76	1·71	1·48
50—60	2,752	3,481	76	83	2·75	2·38
60—70	1,354	2,032	92	86	6·79	4·23
70—80	448	734	55	66	12·27	8·99
80—90	79	175	24	37	30·36	21·14
90—100	11	14	3	9	27·27	64·35
100 and above	1	1	–	1	–	100·00
Not stated	–	–	6	3	–	–
All Ages	39,588	49,743	1,075	1,194	2·71	2·40
Both Sexes	89,331		2,269		2·53	

though favouring the development of certain Epidemics, may yet be so favourable to the general health, that the saving of life and lessened mortality from all the ordinary Diseases may more than counterbalance the extra Deaths from the Epidemic maladies.

During the year 1859 the mortality from the Zymotic Diseases in England considerably exceeded that of Scotland, amounting to 537 Deaths in every hundred thousand persons of the population—making the English Tables corresponding with the Scottish as to the Diseases classed under the heading Zymotic.

Density of population always favours the spread of Epidemic Diseases; and this may account for the fact, that in years when Epidemics prevail the mortality thereof is higher in England than in Scotland. In Scotland itself this element is conspicuously seen in the very different mortality caused by these Diseases in the Town and in the Rural Districts. Thus, in the Insular Districts, where the population is excessively scattered, only 296 Deaths from the Zymotic Class of Diseases occurred in every hundred thousand inhabitants; in the Mainland-Rural Districts, where the population is much more dense, and is here and there collected into villages and small towns, the Deaths from the Zymotic Class amounted to 418 in every hundred thousand persons; whereas in the Town Districts, where the inhabitants are crowded together, the Zymotic Class of Diseases proved fatal to 689 persons in every hundred thousand inhabitants. The crowding, however, is merely one, but a very important, element of the unhealthiness of the Towns.

Of the Eight Principal Towns, Greenock suffered most severely from these Epidemic Diseases during 1859, losing 130 in every ten thousand inhabitants. Glasgow lost 80, Dundee 74, Paisley 60, Aberdeen 52, Perth 42, Edinburgh 40, and Leith 32, out of every ten thousand of the respective populations.

Table XXIX.—ABERDEEN, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,029	990	167	113	16·23	11·41
— 2	925	875	73	51	7·88	5·82
— 3	945	927	42	49	4·44	5·28
— 4	901	890	20	29	2·21	3·25
— 5	879	833	22	23	2·52	2·76
Total under 5 Years	4,679	4,515	324	265	6·92	5·86
5—10	4,198	4,014	59	37	1·38	0·92
10—15	3,814	3,873	23	19	0·60	0·49
15—20	3,338	3,817	30	26	0·86	0·67
20—30	4,950	7,440	37	60	0·74	0·80
30—40	3,703	5,602	47	64	1·26	1·14
40—50	3,162	4,446	46	49	1·46	1·10
50—60	2,353	3,433	74	63	3·14	1·83
60—70	1,406	2,431	63	83	4·48	3·41
70—80	619	1,173	82	128	13·24	10·91
80—90	153	340	23	57	15·03	16·76
90—100	11	31	2	10	18·18	32·25
100 and above	–	1	–	–	–	–
Not stated	–	–	4	1	–	–
All Ages	32,386	41,116	814	862	2·51	2·09
Both Sexes	73,502		1,676		2·28	

Of the 14,640 Deaths by the Zymotic Class of Diseases, 7038 were males and 7602 females; being in the proportion of 522 male Deaths, and 504 female Deaths from these Diseases in every hundred thousand of the respective sexes. In former Reports it was pointed out that the proportion of males cut off by the Zymotic Diseases, though higher than that of the females, was in reality relatively lower than the respective Deaths of the sexes from all causes. Thus the sexes in the general population were cut off at the rate of 2131 males for every 1954 females in every hundred thousand persons of each sex. Had the Zymotic Diseases cut off the respective sexes in the same proportion, then 549 males ought to have died for every 504 females; whereas the males were only cut off at the rate of 522, or in a lower relative proportion than from all other Diseases.

Of the individual Zymotic Diseases, Small-pox caused 682 Deaths; being in the low proportion of 24 Deaths in every hundred thousand inhabitants during the year,—a proportion below the average of the four preceding years, which gave 34 Deaths from Small-pox annually in a like population.

Measles caused 972 Deaths, being in the proportion of 33 Deaths in every hundred thousand persons; also a proportion below that of the four previous years, when Measles caused 42 Deaths annually in a like population.

Scarlatina was the most fatal Epidemic during the year, and cut off 3614 persons; being in the proportion of 126 Deaths in every hundred thousand persons. During the four previous years the average annual number of Deaths from Scarlatina, in a like population, amounted to 89 only; so that the year 1859 was one when this Disease was especially prevalent and fatal. England, during the same year, exhibited a like high mortality from Scarlatina,—being in the proportion of 102 persons from that Disease in every hundred thousand persons; so that Scarlatina may be said to have been the leading Epidemic both in England and Scotland during the year 1859.

This, like almost every other Disease, was most fatal in the Town Dis-

Table XXX.—PAISLEY, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	772	766	104	109	13·41	14·22
— 2	669	648	69	51	10·31	7·87
— 3	712	631	35	36	4·91	5·70
— 4	643	632	19	23	2·95	3·63
— 5	611	571	22	27	3·60	4·72
Total under 5 Years	3,407	3,248	249	246	7·30	7·57
5—10	2,781	2,842	43	30	1·54	1·05
10—15	2,498	2,440	18	13	0·72	0·53
15—20	2,171	2,645	21	22	0·96	0·83
20—30	3,563	4,739	39	36	1·09	0·76
30—40	2,665	3,283	39	40	1·46	1·21
40—50	2,139	2,554	38	38	1·78	1·48
50—60	1,461	1,834	47	45	3·21	2·45
60—70	909	1,235	39	50	4·29	4·04
70—80	368	550	41	51	11·14	9·27
80—90	82	124	14	23	17·07	18·54
90—100	12	9	2	1	16·66	11·11
100 and above	–	–	–	–	–	–
Not stated	–	–	–	–	–	–
All Ages	22,056	25,503	590	595	2·67	2·33
Both Sexes	47,559		1,185		2·49	

tricts. Thus, in every hundred thousand persons living respectively in the Insular, the Mainland-Rural, and the Town Districts, there died from Scarlatina during the year, 26 in the Insular, 106 in the Mainland-Rural, and 170 in the Town Districts.

Diphtheria caused 415 Deaths in Scotland during the year, being at the rate of 14 Deaths in every hundred thousand persons. As remarked in last Report, this Disease first showed itself in Scotland in 1857, as it did also in England, and increased and spread along with an Epidemic of Scarlatina. It is very important to note this fact, inasmuch as these two Diseases seem to be most intimately related, if not varieties of one another, and so far as yet traced, seem to be under the same yet unknown atmospheric agencies. Thus, in Scotland at least—for the Disease was not distinguished in the English Tables till 1859—when the Epidemic of Scarlatina was not widely extended nor very fatal, the cases of Diphtheria were few, but in proportion as the Epidemic of Scarlatina increased in prevalence and fatality, so did Diphtheria. Thus, in 1857, the Deaths from Scarlatina amounted to 2235, those from Diphtheria to 76. In 1858 the Scarlatina Deaths numbered 2671, and those from Diphtheria rose to 294. In 1859 the Deaths from Scarlatina increased to 3614, while the Deaths from Diphtheria rose to 415. From a supplemental Table published by the Registrar-General of England in 1863, it appears that Diphtheria in England manifested a like rise during these years, inasmuch as only 310 Deaths therefrom were recorded in 1857, while 4836 Deaths occurred in 1858, and 9587 Deaths from Diphtheria in 1859. From these facts, then, it seems reasonable to conclude that the same unknown atmospheric agencies which favour the development and spread of Scarlatina, also favour the development and spread of Diphtheria; and the same cannot be said of any two of the other Epidemics, so far as yet observed, if we except Diarrhœa and Cholera, which differ in degree rather than in kind.

TABLE XXXI.—GREENOCK, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	747	670	190	123	25·43	18·35
— 2	578	575	82	99	14·18	17·21
— 3	627	582	54	56	8·61	9·62
— 4	597	590	52	40	8·71	6·78
— 5	547	555	28	33	5·11	5·94
Total under 5 Years	3,096	2,972	406	351	13·11	11·81
5—10	2,482	2,412	51	72	2·05	2·98
10—15	2,095	1,986	16	10	0·76	0·50
15—20	2,045	1,997	22	15	1·07	0·75
20—30	4,006	4,181	39	35	0·97	0·83
30—40	2,924	3,198	44	41	1·50	1·28
40—50	2,085	2,247	35	30	1·67	1·33
50—60	1,201	1,408	39	38	3·24	2·69
60—70	638	929	30	44	4·70	4·52
70—80	220	335	23	43	10·45	12·23
80—90	36	89	8	25	22·22	28·09
90—100	4	8	1	5	25·00	62·50
100 and above	1	1	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	20,833	21,763	714	709	3·42	3·25
BOTH SEXES	42,596		1,423		3·34	

The close analogy between Scarlatina and Diphtheria is still further manifested by the fact, that though both by preference attack children under 10 years of age, the fatal forms of Scarlatina (viz., Scarlatina Anginosa, and Scarlatina or Cynanche Maligna) and of Diphtheria appear more frequently among the elder children of a family, while the younger branches often experience a less deadly form of these maladies.

Hooping-cough, which is always one of the fatal Diseases of childhood, caused 2660 Deaths in Scotland during the year; being in the proportion of 93 Deaths in every hundred thousand persons. Hooping-cough is almost the only Epidemic Disease which proves more fatal to the female than to the male. Thus, while in 1859 males were only cut off in the proportion of 90 in every hundred thousand males, 95 females died out of an equal female population. This remarkable peculiarity in Hooping-cough is constant. Thus, from the five years' Registrations, 1855 to 1859 inclusive, it appears that only 63 males died annually from Hooping-cough out of every hundred thousand males, but 78 females in a like female population.

Like most Epidemics, the mortality from Hooping-cough was greatest in the Town Districts. Thus, in every hundred thousand persons in each of the respective Districts, 30 died from Hooping-cough in the Insular, 53 in the Mainland-Rural, but 162 in the Town Districts. In some of the Principal Towns, however, where Hooping-cough raged with severity, this proportion was greatly exceeded; Glasgow losing in the proportion of 242, and Greenock 272 by that Epidemic, in a like population.

Croup cut off 921 persons in Scotland during the year, or very nearly the same number as Measles; being in the proportion of 32 Deaths in every hundred thousand persons. Croup agrees with the other Epidemics, in that it is more fatal to the males than to the females; in an equal number of either sex, 35 males dying by that Disease for every 29 females.

The comparative mortality of the Bowel Complaints, Diarrhœa, Dysen-

TABLE XXXII.—LEITH, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	563	520	74	69	13·14	13·26
— 2	541	565	36	33	6·65	5·84
— 3	477	479	21	19	4·40	3·96
— 4	478	472	6	4	1·25	0·84
— 5	467	433	6	2	1·28	0·46
Total under 5 Years	2,526	2,369	143	127	5·66	5·36
5—10	2,000	1,988	12	18	0·60	0·90
10—15	1,800	1,638	7	8	0·38	0·48
15—20	1,585	1,660	11	3	0·69	0·18
20—30	3,619	3,228	27	25	0·74	0·77
30—40	2,483	2,534	24	37	0·96	1·46
40—50	1,659	1,909	27	27	1·62	1·41
50—60	972	1,254	29	25	2·98	1·99
60—70	536	843	29	33	5·41	3·91
70—80	194	344	18	39	9·27	11·33
80—90	35	80	8	18	22·85	22·50
90—100	1	2	–	2	–	100·00
100 and above	–	–	–	–	–	–
Not stated	–	–	1	1	–	–
ALL AGES	17,410	17,849	336	363	1·93	2·03
BOTH SEXES	35,259		699		1·98	

tery, and Cholera, are year by year so closely regulated by the height to which the temperature rises during the summer and autumn months, that they might almost be reckoned a kind of meter or gauge by which the mean highest temperature of the year might be estimated. When the mean monthly temperature progressively increases through June, July, and August, and attains a maximum mean temperature in August of, or near, 60° Fahr., then these Bowel Complaints become frequent, and the mortality therefrom rises high. This was notably the case in Scotland in 1857. When, however, the maximum mean monthly temperature is attained in June or July, and the mean temperature of August is 2° or 3° below 60° Fahr., Bowel Complaints are much less prevalent and fatal. This was the case in 1859. The highest mean monthly temperature was attained in July, viz., 59°; while the mean temperature of June had only been 56°·6, and that of August 57°·8. The consequence was, that in 1859 only 1273 Deaths occurred from Diarrhœa, 469 from Dysentery, and 146 from Cholera; or in the respective proportions of 44, 16, and 5 Deaths in every hundred thousand persons of the population. In 1857, when the mean temperature went on increasing, and attained its maximum of 60° in August, the respective proportion of Deaths from each of these Diseases was 73, 33, and 6, in a like population.

The fact of the summer and autumnal Bowel Complaints being thus proved to be mainly dependent on the amount of temperature, naturally explains how it happens that by far the most speedy and successful treatment of such complaints is effected by the very simple means of freely using, as a diet drink, water pleasantly acidulated with sulphuric acid, which gratefully cools, while it restores tone to the system, and rapidly arrests the Disease.

Typhus, in its varied forms, was the third most fatal of the Zymotic

Table XXXIII.—PERTH, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	341	327	54	50	15·83	15·29
— 2	314	311	23	22	7·32	7·07
— 3	307	292	4	4	1·30	1·37
— 4	329	301	6	5	1·82	1·66
— 5	277	280	3	1	1·08	0·35
Total under 5 Years	1,568	1,511	90	82	5·74	5·42
5—10	1,302	1,344	7	15	0·53	1·11
10—15	1,239	1,219	3	8	0·24	0·65
15—20	1,208	1,270	9	7	0·74	0·55
20—30	1,936	2,400	19	26	0·98	1·08
30—40	1,486	1,857	19	22	1·27	1·19
40—50	1,137	1,445	23	15	2·02	1·03
50—60	815	1,110	23	21	2·82	1·89
60—70	519	857	28	33	5·31	3·85
70—80	231	377	36	34	15·58	9·02
80—90	62	94	13	24	20·96	25·53
90—100	3	5	1	1	33·33	20·00
100 and above	–	–	–	–	–	–
Not stated	–	–	1	–	–	–
All Ages	11,506	13,489	272	288	2·36	2·14
Both Sexes	24,995		560		2·24	

Diseases in Scotland during 1859; causing 2436 Deaths, or in the proportion of 85 Deaths in every hundred thousand persons in the population. This was a proportion considerably lower than the average of the four pre-

TABLE XXXIV.—DEATHS, 1859. Proportion of Deaths from different Diseases in every hundred thousand persons of the Population, and of either Sex, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and the Town Districts, during 1859; allowance being made for the Causes of Death not specified.

1859.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
DISEASES.	Proportion of Deaths in every 100,000 living.			Proportion of Deaths in every 100,000 living.			Proportion of Deaths in every 100,000 living.			Proportion of Deaths in every 100,000 living.		
	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.
ALL CAUSES . . .	2038	2131	1954	1626	1690	1572	1766	1812	1723	2526	2718	2361
1. Zymotic Class . . .	512	522	504	296	328	273	418	412	421	689	722	658
2. Uncertain Seat . .	85	70	98	85	85	86	81	67	94	91	73	105
3. Tubercular Class .	348	367	331	238	238	238	279	286	272	471	516	428
4. Nervous System . .	167	190	145	83	101	69	141	156	127	218	258	183
5. Organs of Circulation	81	86	77	29	28	29	72	79	66	100	106	96
6. Respiratory Organs	226	246	206	147	152	144	123	192	169	312	347	282
7. Organs of Digestion	160	178	145	100	118	86	144	159	130	195	217	175
8. Urinary Organs . .	24	37	13	16	28	6	23	35	12	28	42	16
9. Generative Organs .	17	–	33	21	–	38	15	–	29	21	–	39
10. Locomotive Organs .	9	10	8	14	9	18	9	9	9	8	12	5
11. Skin, etc.	2	2	2	1	2	–	1	2	1	2	3	2
12. Malformation . . .	5	6	4	4	4	4	3	4	3	6	8	5
13. Premature Debility .	97	114	82	47	52	42	77	91	65	134	160	110
14. Atrophy	16	16	16	7	8	6	13	13	13	22	21	22
15. Age	207	166	243	442	386	487	232	192	270	141	102	174
16. Sudden Deaths . .	3	3	2	7	8	6	2	2	1	3	4	3
17. Violent Deaths . .	71	109	38	76	134	29	67	104	33	78	116	46
Small-pox	24	25	22	5	5	4	10	11	9	46	50	42
Measles	33	37	31	46	49	43	27	30	24	43	47	39
Scarlatina	126	133	120	26	36	17	106	110	103	170	181	160
Diphtheria	14	12	16	1	1	2	17	14	21	11	11	10
Hooping-cough . .	93	90	95	30	25	34	53	52	55	162	161	162
Croup	32	35	29	34	36	31	30	32	27	34	40	31
DIARRHŒA . .	44	48	41	26	25	25	36	38	34	60	68	52
Dysentery	16	15	16	5	4	6	14	13	15	20	25	19
Cholera	5	5	4	2	5	–	4	5	4	5	7	4
Influenza	10	9	10	55	62	47	10	10	11	3	2	4
Infantile Fever . .	2	2	2	1	–	2	2	2	1	2	2	3
TYPHUS	85	84	85	43	51	37	81	77	86	96	101	93
Metria	6	–	11	4	–	7	5	–	10	7	–	13
Erysipelas	8	9	9	4	4	3	7	6	7	11	14	9
Dropsy	35	32	39	52	48	55	34	30	37	36	33	39
Cancer	35	23	46	26	29	23	34	23	45	36	21	50
Scrofula	15	19	12	11	14	7	14	16	11	18	23	14
Tabes Mesenterica .	21	23	19	8	8	7	11	17	17	29	34	25
PHTHISIS . . .	251	254	248	194	195	205	303	199	207	332	350	316
Hydrocephalus . .	76	70	50	23	20	17	44	51	37	90	109	75
Apoplexy	39	44	35	13	16	10	35	37	32	50	59	43
Paralysis	49	49	49	29	35	25	49	49	53	52	52	51
Epilepsy	6	7	5	3	1	4	5	6	4	8	9	7
Convulsions . . .	26	32	20	8	12	4	15	19	15	44	56	35
BRONCHITIS . .	113	114	111	63	66	62	84	83	87	160	171	152
Pneumonia . . .	66	80	53	14	17	11	52	63	42	94	117	75
Teething	34	38	31	4	4	3	22	24	20	58	66	51
Enteritis	29	34	25	16	22	10	25	30	21	36	41	33
All Liver Diseases .	29	33	24	22	25	18	28	30	24	31	37	26
CHILDBIRTH . .	11	–	22	17	–	31	9	–	17	14	–	27
Burns and Scalds .	10	10	10	11	8	12	9	8	10	12	13	11
Drowning	14	26	4	42	82	9	15	25	5	10	19	3
Fracture & Contusion	25	43	8	11	22	2	24	42	7	28	48	10

vious years, which indicated a mean proportion of 995 Deaths annually in every hundred thousand persons.

Of the other Zymotic Diseases, Influenza caused 294 Deaths; Erysipelas, 247; Metria, 175; Syphilis, 90, of which 70 were congenital;

TABLE XXXV.—DEATHS, 1859. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and the Town Districts, in 1859; distinguishing the proportional mortality in both Sexes, and in the Males and Females.

1859.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
DISEASES.	Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.		
	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.
1. Zymotic Class . . .	2515	2450	2578	1824	1932	1736	2362	2281	2447	2728	2666	2789
2. Uncertain Seat . .	417	331	503	530	502	553	464	375	550	360	272	447
3. Tubercular Class . .	1709	1725	1694	1466	1412	1515	1580	1581	1580	1865	1900	1830
4. Nervous System . .	819	893	747	516	601	442	800	860	742	863	950	778
5. Organs of Circulation	397	405	389	178	167	186	412	437	388	399	390	408
6. Respiratory Organs .	1117	1184	1078	909	897	919	1020	1061	982	1236	1277	1195
7. Organs of Digestion	789	837	742	621	700	553	817	882	755	772	800	744
8. Urinary Organs . .	123	178	70	100	167	42	135	198	74	112	158	68
9. Generative Organs .	86	–	170	132	–	246	85	–	168	84	–	166
10. Locomotive Organs .	46	50	42	91	59	119	53	52	54	35	48	22
11. Skin, etc.	11	11	10	9	19	–	10	11	10	11	11	11
12. Malformation . . .	24	28	21	31	29	34	22	25	19	26	31	21
13. Premature Debility .	475	539	416	291	315	272	440	505	377	529	591	469
14. Atrophy	80	75	84	45	49	42	74	73	76	88	79	97
15. Age	1015	782	1242	2727	2288	3106	1318	1062	1567	559	377	738
16. Sudden Deaths . .	15	17	13	45	49	42	13	16	11	14	15	13
17. Violent Deaths . .	352	515	194	475	808	186	383	513	194	311	428	195
Small-pox	117	121	112	36	39	34	61	66	56	182	185	179
Measles	166	174	159	287	295	280	154	166	143	170	173	166
Scarlatina	620	624	617	159	217	110	605	611	598	674	667	681
Diphtheria	71	59	82	13	9	17	101	78	122	44	43	45
Hooping-cough . .	456	423	489	192	157	221	301	277	323	646	595	689
Croup	158	167	149	200	217	204	171	181	161	140	147	133
DIARRHŒA . . .	218	228	210	159	157	161	203	207	199	239	253	225
Dysentery	80	74	86	36	29	42	84	76	92	79	76	83
Cholera	25	27	22	18	39	–	28	28	28	22	26	18
Influenza	30	46	54	338	374	306	61	56	66	15	11	20
Infantile Fever . .	12	12	12	9	–	17	13	15	11	11	9	13
TYPHUS	418	398	439	269	305	238	463	428	497	382	371	394
Metria	30	–	59	27	–	51	32	–	63	28	–	56
Erysipelas	42	44	40	27	29	25	39	35	43	46	53	38
Dropsy	176	151	200	325	286	357	195	169	220	144	122	166
Cancer	172	107	235	164	177	153	197	129	264	146	79	212
Scrofula	76	89	64	68	88	51	79	93	66	74	86	62
Tabes Mesenterica .	104	111	99	50	49	51	96	98	94	117	127	107
PHTHISIS . . .	1232	1192	1271	1233	1153	130	1152	1102	1201	1315	1288	1342
Hydrocephalus . .	295	333	260	114	118	110	251	286	291	357	397	317
Apoplexy	195	207	182	82	98	68	109	206	189	200	217	184
Paralysis	243	234	252	182	207	161	282	271	292	206	195	217
Epilepsy	32	35	29	22	9	34	30	35	25	34	36	32
Convulsions	129	152	106	54	78	34	89	105	73	177	207	148
BRONCHITIS . .	554	539	569	398	394	400	486	461	510	639	631	646
Pneumonia	326	380	274	91	108	76	297	349	246	375	432	320
Teething	171	182	159	27	29	25	124	133	116	231	246	217
Enteritis	145	160	131	100	138	68	146	169	125	148	154	142
All Liver Diseases .	139	158	127	137	157	119	159	176	143	125	139	111
CHILDBIRTH . .	57	–	112	109	–	204	52	–	103	58	–	115
Burns and Scalds .	52	47	56	68	49	85	54	46	61	48	48	48
Drowning	72	121	24	261	493	51	85	142	30	43	72	15
Fracture & Contusion	124	205	44	73	138	17	140	236	45	111	177	45

Infantile Fever, 72; Purpura, 31; Worms, 30; Noma, 12; and Ague, the result of the Disease caught abroad, 1 Death.

Class II. *Diseases of Uncertain Seat.*

The Diseases of Uncertain Seat cut off 2433 persons in Scotland during the year, or in the proportion of 85 Deaths in every hundred thousand persons. Of the Diseases under this class, Dropsy and Cancer are the chief; and during the year 1027 died from Dropsy, and 1004 from Cancer, being in the proportion of 35 Deaths by each of these Diseases in every hundred thousand persons of the population. Cancer is one of those Diseases to which females are more liable than males; 310 males, but 694 females, having fallen victims to that painful malady during the year. Taking the five years' annual mortality from that Disease, it would appear that two females die from Cancer for every one male; inasmuch as 22 males, but 44 females, died annually in Scotland from that Disease in every hundred thousand of each sex, during the years 1855 to 1859 inclusive.

Of the other Diseases belonging to this class, Mortification cut off 148; Abscess, 113; Ulcer, 26; Fistula, 12; Gout, 12; and Hæmorrhage, the seat being undefined, 91.

Class III. *Tubercular Diseases.*

The Tubercular Class of Diseases, as a Class, form the second of the most fatal Classes of Diseases to which the inhabitants of Scotland are liable. During the year 1859, that Class of Diseases proved fatal to 9951

Table XXXVI.—TOWN DEATHS, 1859. Per Centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1859.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	2·833	2·195	2·539	2·280	2·491	3·340	1·982	2·240
Zymotic Class	0·808	0·401	0·743	0·525	0·603	1·305	0·325	0·429
Tubercular Class	0·531	0·413	0·460	0·463	0·487	0·518	0·289	0·412
Brain, etc., Diseases	0·197	0·229	0·242	0·224	0·227	0·213	0·190	0·236
Heart, etc., Diseases	0·077	0·141	0·099	0·110	0·054	0·115	0·121	0·141
Respiratory Organs	0·388	0·298	0·244	0·262	0·220	0·352	0·170	0·176
Digestive Organs	0·229	0·171	0·169	0·161	0·231	0·166	0·138	0·164
Urinary Organs	0·022	0·038	0·030	0·046	0·029	0·035	0·008	0·036
Small-pox	0·052	0·099	0·002	0·023	0·004	0·072	0·124	0·004
Measles	0·040	0·007	0·120	0·012	0·052	0·016	0·005	0·000
Scarlatina	0·201	0·023	0·117	0·053	0·170	0·624	0·031	0·040
Diphtheria	0·006	0·005	0·012	0·054	0·006	0·004	0·022	0·000
Hooping-cough	0·242	0·079	0·155	0·149	0·159	0·272	0·022	0·164
Croup	0·031	0·016	0·066	0·046	0·035	0·056	0·028	0·032
Diarrhœa, Dysentery, Cholera	0·094	0·051	0·096	0·073	0·065	0·096	0·031	0·088
Typhus and Infantile Fever	0·103	0·075	0·137	0·074	0·096	0·122	0·039	0·060
Dropsy	0·037	0·017	0·047	0·032	0·069	0·028	0·022	0·032
Cancer	0·028	0·051	0·030	0·065	0·018	0·039	0·034	0·044
Phthisis	0·381	0·285	0·324	0·280	0·365	0·368	0·170	0·304
Apoplexy	0·042	0·043	0·054	0·044	0·065	0·046	0·051	0·092
Paralysis	0·033	0·060	0·051	0·061	0·075	0·056	0·059	0·076
Convulsions	0·054	0·036	0·083	0·055	0·014	0·037	0·028	0·032
Bronchitis	0·203	0·156	0·087	0·159	0·115	0·192	0·087	0·092
Pneumonia	0·129	0·068	0·092	0·050	0·069	0·105	0·065	0·056
Teething	0·074	0·029	0·077	0·039	0·063	0·082	0·028	0·056

persons, being in the proportion of 348 Deaths in every 100,000 persons of the general population. Of these 9951 persons, 4956 were males, and 4995 females; being in the proportion of 367 male Deaths, and 331 female Deaths, in every 100,000 of each sex respectively.

It would thus appear that the proportion of males cut off by the Tubercular Class of Diseases is somewhat higher in proportion to the female Deaths from the same Class, than occurs in the general population from all causes. Thus, taking the mean annual average of Deaths from the Tubercular Class of Diseases for the five years, 1855 to 1859 inclusive, it is found that 375 males died for every 336 females in every 100,000 of the respective sexes; whereas, had the sexes been cut off in the same proportion as from all causes, only 367 males ought to have died for the 336 females.

Were our inquiries to stop here, the above proportion would mislead us, and induce the false conclusion that it was the more unhealthy occupation of many of the males (as masons, miners, grinders, etc.) which led to the greater development and fatality from that Class of Diseases among the males. But this conclusion would be entirely erroneous; for the excess of male Deaths, even in this Class, was caused by the far greater fatality of Hydrocephalus to the male,—a disease essentially of childhood.

The Tubercular Class, being essentially diseases of debility, is pre-eminently that which exhibits a disproportionately high mortality in the Town Districts. Thus, of every hundred thousand persons living in each of the respective Districts, only 238 died from the Tubercular Class of Diseases in the Insular, and 279 in the Mainland-Rural; while in the Town Districts the proportion rose to 471 Deaths. In the Principal Towns this high proportion was exceeded by that occurring in Paisley, Greenock, and Glasgow, seeing that 487 died in Paisley, 518 in Greenock, and 531 in Glasgow, in proportion to every hundred thousand persons in each of these Towns.—(See Table XXXVI.)

Phthisis, or Consumption, is the most fatal of the maladies belonging to the Tubercular Class. During the year 1859, the Deaths from Consumption numbered 7172, of which 3424 occurred among males, and 3748 among females. This gives the proportion of 251 Deaths in every hundred thousand persons of both sexes, or of 254 male and 248 female Deaths in every hundred thousand of the respective sexes. In England, during the same year, the population died from Consumption at the rate of 257 in every hundred thousand persons, so that the mortality from that Disease was higher in England than in Scotland.

The influence of a Town residence on the fatality of Consumption was strikingly manifested in the different rates at which the people died from that Disease in the different Districts of Scotland. Thus in every hundred thousand persons in each of the different Districts, only 194 died from Consumption in the Insular, 303 in the Mainland-Rural, but 332 in the Town Districts.

It has just been noticed, that in 1859 the males were cut off by Consumption in the proportion of 254 for every 248 females in every hundred thousand of the respective sexes. This is a proportion very much below the ordinary proportion of males to females who die from all causes. This fact is most satisfactorily established by taking the average annual Deaths of the sexes from Consumption for the five years 1855 to 1859 inclusive. By this it appears, that in these five years there died annually in the proportion of 254 males for every 241 females. But had the sexes been cut off by Consumption in the same proportion as they die from all causes, then

only 228 females ought to have died for the 254 males; so that females were cut off by Consumption at a much higher rate than by all causes.

Attention was specially directed to this fact in last Report, as well as to the very different mortality from this Disease in Town and in Country Districts, for the purpose of cautioning sanitary inquirers respecting the conclusions which they drew from isolated facts, when a high mortality from Consumption, which they ascribed as due to a particular trade, ought perhaps more justly to be ascribed to peculiarity of sex or to a Town residence.

Of the Eight Principal Towns, the mortality from Consumption was highest in Glasgow, and lowest in Leith. Thus, taking the proportion in every hundred thousand persons in each Town, it would appear that in 1859 only 170 persons died from Consumption in Leith, 280 in Aberdeen, 285 in Edinburgh, 304 in Perth, 324 in Dundee, 365 in Paisley, 368 in Greenock, but 381 in Glasgow.

Of the other Tubercular Class of Diseases, Scrofula cut off 447, Tabes Mesenterica 610, and Hydrocephalus 1722 persons in Scotland during the year; being in the respective proportions of 15, 21, and 76 Deaths in every hundred thousand persons of the population. In Hydrocephalus, the relative proportion of male Deaths so greatly preponderated, that 70 male occurred for every 50 female Deaths in every hundred thousand of each sex.

Class IV. *Diseases of the Brain and Nervous System.*

Diseases of the Brain and Nervous System proved fatal to 4770 persons in Scotland during 1859, of whom 2567 were males, and 2203 females. This gives the proportion of 167 Deaths from that Class of Diseases in every hundred thousand persons of the population, or 190 male and 145 female Deaths in every hundred thousand of the respective sexes.

This Class of Diseases, like most of the others, proves most fatal in the Town Districts. Thus, of every hundred thousand persons in each District, 83 were cut off by this Class of Diseases in the Insular, 141 in the Mainland-Rural, and 218 in the Town Districts. Of the Eight Principal Towns of Scotland, Leith, and after it Glasgow, exhibited the lowest mortality from Affections of the Brain; Dundee, and after it Perth, the highest.

Of the individual Diseases belonging to this Class, Paralysis cut off 1415 persons, Apoplexy 1135, undefined Brain Disease 794, Convulsions 753, Cephalitis 321, Epilepsy 187, Tetanus 60, Delirium Tremens 50, and Chorea 3. Most of the persons labouring under Insanity die from the effects of other Diseases, as Phthisis, etc., and are tabulated under them; but in 52 cases Insanity was mentioned as the sole cause of Death.

Class V. *Diseases of the Heart and Organs of the Circulation.*

2314 persons died from Diseases of the Heart and Organs of the Circulation during the year, of whom 1166 were males, and 1148 females; being in the proportion of 81 Deaths in every hundred thousand persons of both sexes, or 86 male and 77 female Deaths in a like number of the respective sexes.

Of the individual Diseases under this Class, Heart Disease cut off 2162, Pericarditis 77, and Aneurism 75 persons.

Class VI. *Diseases of the Respiratory Organs.*

Diseases of the Respiratory Organs cut off 6505 persons in Scotland

during 1859, of whom 3324 were males, and 3181 females; being in the proportion of 227 Deaths in every hundred thousand persons of both sexes, or 246 male and 206 female Deaths in a like population of each sex.

This Class of Diseases closely resembles the Zymotic and Tubercular Classes of Diseases in this, that the population of the Town Districts is cut off by them in twice the proportion of the inhabitants of the Rural Districts. Thus, in every hundred thousand persons in each of the several Districts, the inflammatory Diseases of the Respiratory Organs cut off 147 in the Insular, 123 in the Mainland-Rural, but 312 in the Town Districts.

These inflammatory affections of the Respiratory Organs were much more fatal to the inhabitants of England during 1859 than they were to those of Scotland, seeing that the English were cut off by them at the rate of 306 Deaths in every hundred thousand persons during the year.

Of the individual Diseases belonging to this Class, Bronchitis is by far the most fatal in Scotland, and caused 3228 Deaths during the year; being in the proportion of 113 Deaths in every hundred thousand persons of the population. In England, during the same year, Bronchitis cut off in the proportion of 132 persons in every hundred thousand persons, so that it was much more fatal than in Scotland.

Pneumonia proved fatal to 1900 persons in Scotland, causing death in the proportion of 66 persons in every hundred thousand during the year. In England, however, during the same year, 125 died from that Disease in a like population.

Of the other Diseases belonging to this Class, Asthma cut off 566, Lung Disease, not otherwise specified, 353, Pleurisy 302, and Laryngitis 156 persons.

The remaining classes of Disease do not seem to require special notice in this Report, as the results so very closely correspond with those of former years. A few remarks may be offered on the Deaths from Childbearing and the Violent Deaths.

A five years' average appears to prove that in Scotland 483 women die annually in Childbirth, either immediately, as a consequence of Floodings, Convulsions, Exhaustion, etc.; or shortly after, from Metria (Childbed Fever), or other incidental causes. Taking the annual number of Births, and correcting them by abstracting the cases where twins and triplets were born by the same mother, we procure the exact number of women who bore living children during the year; and, making this correction, it appears that in Scotland one of every 313 women who bear children dies annually from that natural operation of nature.

The total number of Births is not procured for England. It would be unfair, therefore, to compare its mortality in this respect, as deduced from the official Tables of Births, with that of Scotland. But if the proper correction be made for the number of Births which escape being registered, and allowance be made for twin and triplet Births, then it would appear that the mortality of women in Childbirth was lower than in Scotland, inasmuch as such corrected statistics would show that in England only one woman died annually in Childbirth in every 220 women. The very much smaller proportion of the population of Scotland who have the benefit of medical assistance seems quite sufficient to account for this difference: the care of the woman in childbed being entrusted, in a large proportion of cases, to ignorant old women, who may do well enough when all goes on naturally, but through whose unskilfulness the woman must perish should anything unusual occur.

That this is the true explanation, is rendered apparent from the fact that the Insular Districts of Scotland, which are almost destitute of medical practitioners, furnish as high a proportion of Deaths in Childbed as the Town Districts themselves; whereas the Mainland-Rural Districts, where medical aid is for the most part procurable, yield a mortality one-third lower than that which occurs in the Town or Insular Districts.

Class XVII. *Violent Deaths.*

2054 Violent Deaths occurred during the year 1859 in Scotland, or in the proportion of 71 Deaths in every hundred thousand persons of the general population. It is perfectly surprising with what regularity these Deaths occur year after year. Yet these are a class of Deaths which we should *a priori* infer should be capable of being completely arrested by proper care. They include Deaths from falls, from various accidents, from the clothes catching fire, from the accidental explosion of fire-arms, from the overturn of boats, etc. Yet year after year the proportion of such Deaths is steadier than that of any other class of the ordinary Diseases which cause death. Thus, the mean average proportion of the five years, 1855 to 1859 inclusive, was 71 Violent Deaths annually in every hundred thousand persons, and during three years of that period the annual proportion of Deaths was 71, very slightly varying the other two years.

As might be expected, men are cut off by these accidents in a much higher proportion than females; for of the 2054 Deaths, 1480 occurred among males, but only 574 among females. To this, one exception alone occurred, the female being more liable than the male to suffer from the clothes catching fire; so that, while only 137 males suffered from Burns and Scalds during the year, 166 females died from like injuries.

722 persons, of whom 590 were males, and 132 females, died during the year from Fractures and Contusions; 421 from Drowning, of whom 350 were males, and 71 females; 303 from Burns and Scalds, of whom 137 were males, and 166 females; 101 from Intemperance, of whom 65 were males, and 36 females; 100 from Wounds, of whom 79 were males, and 21 females; 88 from Suffocation; 58 from Hanging; 52 from Poison, etc.

Of the above 2054 Violent Deaths, 153 were suicidal. Of these suicides, 59 occurred by Hanging, 31 by Cut-throat, 25 by Drowning, 22 by Poison of different kinds, 8 by Gunshot Wounds, 1 by Precipitation before a railway train. In one case the nature of the wound was not stated;

Table XXXVII.—Showing the Influence of SEASON on the Number of BIRTHS in 1859. The Months equalized; and the Births corrected to 30 days in each Month.

MONTHS.	Number of Births.	MONTHS.	Number of Births.
JANUARY	8190	JULY	8489
FEBRUARY	8775	AUGUST	8584
MARCH	9077	SEPTEMBER	8361
APRIL	9377	OCTOBER	8470
MAY	9436	NOVEMBER	8559
JUNE	9431	DECEMBER	8541

and in six cases it was only noticed that the person had committed suicide, but the necessary particulars were not given.

The accompanying Tables show the 15 Diseases which proved most fatal in Scotland and in England during the year 1859, arranged in the order of their respective fatality, with the proportion in which they proved fatal in every hundred thousand persons of the respective populations. These Tables are interesting as showing the peculiarities with regard to the Diseases which prove most fatal in each country.

The Fifteen most fatal Diseases in SCOTLAND in 1859.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	251
Old Age	207
Scarlatina	126
Bronchitis	113
Hooping-cough	93
Typhus and Infantile Fever	87
Heart, etc., Disease	81
Hydrocephalus	76
Pneumonia	66
Diarrhœa, Dysentery, & Cholera	65
Paralysis	49
Apoplexy	39
Dropsy	35
Cancer	35
Teething	34

The Fifteen most fatal Diseases in ENGLAND in 1859.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	257
Old Age	139
Convulsions	133
Bronchitis	133
Pneumonia	125
Diarrhœa, Dysentery, & Cholera	105
Scarlatina	102
Heart, etc., Disease	87
Typhus & Infantile Fever	81
Measles	49
Diphtheria	49
Paralysis	47
Hooping-cough	46
Apoplexy	44
Dropsy	41

INFLUENCE OF EXTERNAL AGENCIES.

The influence of external agencies on the Births and Marriages was so fully commented on in last Report, that it seems to be unnecessary to do more than repeat the corresponding Tables for 1859, and state that all the remarks made with regard to the influence of these agencies on the Births and Marriages of former years apply with equal force to those of 1859. The Tables, however, drawn up on the same principle as those of former years, put it in every one's power to satisfy himself of the accuracy of the conclusions, by comparing the facts which are published year by year.

Table XXXVIII.—Showing the Influence of the Civil Terms of Whitsunday and Martinmas, also of the Idle Winter Months, on the Number of Marriages in 1859. The Months equalized; and the Marriages corrected to 30 days in each Month.

MONTHS.	Number of Marriages.	MONTHS.	Number of Marriages.
JANUARY	2269	JULY	1933
FEBRUARY	1409	AUGUST	1387
MARCH	1174	SEPTEMBER	1178
APRIL	1151	OCTOBER	1411
MAY	1037	NOVEMBER	2106
JUNE	2909	DECEMBER	2857

In our four previous Reports, as well as in the Quarterly Reports issued on the completion of each Quarter's Registrations, and in the Supplements which are published at the close of each year, the subject of the influence of external agencies on the Deaths has been prominently noticed. In these it has been proved, by a reference to facts, that the mean temperature is that external agent which exerts the most potent influence on the mortality for good and for evil. In these Reports it has been demonstrated that, independent of Epidemics, supply of food, or all other circumstances, the mortality increases in severity with the fall of temperature below 45°, and bears almost a constant ratio to the descent of temperature, the coldest weather, if continued for any length of time, being almost invariably that in which the greatest number of Deaths occurs.

Grand mistakes, however, may be made in reading, or rather in interpreting, Statistical Tables, if they be not read in sequence, or if the fact be forgotten, that the influence of neither cold nor heat is *immediate*, but that the Diseases induced by the heat or by the cold must have time to run their course, and the Deaths arising therefrom be registered. It consequently often happens, that if intensely cold weather occurs within twelve or fourteen days of the end of a month, and continues till its close, most of the

TABLE XXXIX.—Showing the Revenue, Exports and Imports, the Quantity of Grains, Tea, Sugar, etc., imported into the United Kingdom; the average Price of the Chief Articles of Food in England; the Price of the 4lb. Loaf in Scotland, etc., during the years 1858, 1859, and 1860.

		1858.	1859.	1860.
Nett Revenue of United Kingdom, . .	£	63,522,525	60,961,315	66,651,121
Expenditure, ...	£	66,019,870	60,147,914	65,063,741
Real Value of Total Imports, . . .	£	164,583,832	179,182,355	210,648,643
Real Value of Total Exports, . . .	£	139,782,779	155,692,975	165,670,653
Wheat imported, ...	Qrs.	4,241,719	4,000,922	5,880,958
All other Grains imported, ...	Qrs.	5,946,546	5,317,761	7,125,662
Wheat Flour imported, ...	Cwts.	3,856,127	3,328,324	5,086,220
All other kinds of Flour imported, . .	Cwts.	9,869	3,835	71,344
Eggs imported, ...	No.	134,685,000	148,631,000	167,695,200
Butter imported, ...	Cwts.	387,566	425,663	840,112
Cheese imported, ...	Cwts.	364,087	406,547	583,283
Potatoes imported, ...	Cwts.	1,721,953	588,910	560,762
Rice imported, ...	Cwts.	3,692,023	1,450,090	1,535,575
Tea imported, ...	lbs.	75,432,535	75,077,451	88,946,532
Coffee imported, ...	lbs.	60,697,265	65,353,030	82,767,746
Cocoa imported, ...	lbs.	10,338,404	6,006,759	9,009,839
Raw Sugar imported, ...	Cwts.	9,010,796	9,098,544	8,817,277
Tobacco imported (total), ...	lbs.	62,217,705	50,671,265	51,663,625
Wine imported, ...	Galls.	5,791,636	8,195,513	12,475,001
Wool imported, ...	lbs.	126,738,723	133,284,634	148,396,577
Cotton (Raw) imported, ...	lbs.	1,034,342,176	1,225,989,072	1,390,938,752
Hemp, etc., imported, ...	Cwts.	886,631	1,059,119	792,388
Jute imported, ...	Cwts.	738,085	1,061,288	816,787
Quantity of Coal raised in Scotland, .	Tons	8,926,249	10,300,000	?
——— Iron Ore raised in do., . .	Tons	2,312,000	2,225,000	?
——— Pig Iron made in do., . .	Tons	925,500	960,550	?
Cod and Ling taken on Coasts of do., .	Cwts.	151,754	171,553	167,918
Herrings taken on do., ...	Barrels	675,105	528,355	721,190
Average Price of Wheat in England, .	per Qr.	44s. 2d.	43s. 10d.	53s. 3d.
——— Barley, ...	per Qr.	34s. 8d.	33s. 6d.	36s. 7d.
——— Oats, ...	per Qr.	24s. 6d.	23s. 3d.	24s. 5d.
——— Rye, ...	per Qr.	32s. 3d.	32s. 5d.	36s. 4d.
——— Beans, ...	per Qr.	41s. 11d.	42s. 3d.	44s. 8d.
——— Pease, ...	per Qr.	42s. 11d.	39s. 9d.	40s. 6d.
Savings' Banks, Scotland—Number of Accounts,		123,315	132,597	139,114
Savings' Banks, do.—Amount of Deposits,	£	1,960,902	2,210,710	2,414,073
Number of Paupers in Scotland, ...		124,227	122,013	120,906
Number of Ascertained Scottish Emigrants, .		11,815	10,182	8,733

Deaths actually induced by that cold only occur after the month has closed, and are consequently registered the following month. Bearing this in remembrance, see how 1859 stands with regard to the general law of mean temperature.

The month of December 1858 had the low mean temperature of 39°·9; that of November 1858 having been half a degree lower, or 39°·4. The two closing months of the previous year had therefore a mean temperature very closely approaching that of January 1859, which was 39°·6. See, then, the effect of continued and steady low temperature for three months: In November 1858 the corrected Deaths were 9226 in every hundred thousand Deaths at all seasons. In December the slight rise of half a degree of mean temperature coming early in the winter, allowed the Deaths to decrease to 9218. But the continued cold began to exert its usually baneful influence, and in January 1859, though the mean temperature was only 3-10ths of a degree lower, the Deaths rose to 9466; and even the rise of 9-10ths of a degree of mean temperature in February was not sufficient to counteract the continued weakening effect of the cold, for during that month the Deaths rose to 9659. During March, however, the mean temperature started up 2½ degrees, and the sun's cheering rays again returning, caused the Deaths to fall to 9003. April, however, proved a more wintry and colder month: the mean temperature, notwithstanding the sun's greater power, was more than a degree below that of March, and this lower mean temperature was indicated by an increase of the Deaths to 9127. After this the mean temperature rose; and as no unusual long-continued high temperature occurred, whereby the beneficial effect of warmth might be counteracted, the Deaths steadily declined month by month till they reached their lowest point in October, when they numbered 6917, with the mean temperature of 45°·8.

From this point the increase of Deaths and the fall of temperature bore the closest relation to each other. The mean temperature of November was 39°·4, and the Deaths increased to 8558; and the mean temperature of December being 34° only, the Deaths rose to 9679.

It is from not attending to the sequence of the months, and the varying influences which a rise or fall of mean temperature has on the months which follow, that many of those who presume to write on the influence of atmospheric agencies on the mortality, fail to arrive at just conclusions. For instance, in Table XL., where the above facts are exhibited, they would confuse the mortality of February with that of December, just as if the mortality of the one month, though almost similar in amount, were at all under the same relative conditions as that of the other. The mortality of February, though almost identical in number of Deaths, occurred under a mean temperature 6½ degrees higher than that of December; but it occurred in a population previously weakened by three months' continuance of a mean temperature of 39°·5, so that the effect of a descent of mean temperature at once from 39°·4 to 34° was as fatal to the population as a simple continuance of less severe cold for three months' duration.

From this it will be apparent that very false results may be arrived at from taking the mean average of mortality of months in different years, and comparing that with the mean temperature. Rough guesses may be arrived at by such means, but we fail to eliminate the exact influence of each element of the weather.

In former Reports it was pointed out that in Scotland, when the mean temperature begins to rise above 55° and approach 60°, Bowel Complaints, as Diarrhœa, Dysentery, and Cholera, begin to prevail, and prove fatal in

greater numbers than at other seasons. It is not often, however, that the mean temperature in Scotland rises so high as to permit the Deaths from these Diseases seriously to affect the general mortality. It is almost alone when the summer mean temperature rises above 55° in June, and continues increasing through July and August, so that the mean temperature of these months is 60°, or nearly so, that the increasing number of Deaths from these diseases has a marked effect on the general mortality.

As the whole Deaths in Scotland are not abstracted in such a form as to show the fatality of the individual Diseases in different months, it must suffice to show the influence of rise of temperature on the mortality from these Bowel Complaints in the Eight Principal Towns of Scotland during 1859; and attention is especially called to the fact already adverted to, that, from the heat not *immediately* causing Death by these Diseases, but only inducing Disease which takes some time to prove fatal, the mortality caused by the heat is thrown into a month when the cause no longer exists. Thus the mean temperature of the Eight Towns during the warmer months of the year 1859 was 52°·4 in May, 58°·4 in June, 59°·9 in July, 58°·4 in August, and 53°·6 in September. The Deaths from the Bowel Complaints, which averaged 40 monthly during the colder months, rose to 49 in June, to 101 in July, to 122 in August, and only fell to 101 in September. Nay, the persons affected with these complaints during the warm weather continued to drop off even during October, so that 57 Deaths from these Diseases occurred in the Eight Towns during that month.

Though mean temperature, then, be the most important of the external agencies which affect the general mortality, it must not be forgotten that there are other agencies whose influences for good or evil are very powerful in affecting the number of Deaths, and which, if present, cause the influence of low temperature on the Deaths to be more deadly than ever. Thus, if the labouring classes, from depression in trade, are thrown in large numbers out of work, and are consequently unable to feed and clothe themselves, so as to enable them to resist the atmospheric vicissitudes, they die in

TABLE XL.—Showing the Influence of Temperature on the Deaths in Scotland during 1859. Each Month is equalized to 30 days, and the Deaths corrected to correspond. The numbers given show the Corrected Deaths each month for Scotland and its Three Great Groups of Districts, and Proportion of Monthly Deaths.

MONTHS.	Mean Monthly Temperature.	Number of DEATHS Corrected to 30 Days in each Month.				Per Centage of Corrected Deaths during each Month, to the Yearly Deaths.			
		SCOTLAND.	Insular Districts	Mainland Districts	Town Districts	SCOTLAND.	Insular Districts	Mainland Districts	Town Districts
JANUARY	39°·6	5,768	246	2,888	2,634	9·466	9·451	9·446	9·489
FEBRUARY	40°·5	5,886	234	3,010	2,642	9·659	8·990	9·846	9·517
MARCH	43°·0	5,486	256	2,728	2,502	9·003	9·835	8·923	9·013
APRIL	41°·9	5,562	305	2,852	2,405	9·127	11·717	9·329	8·663
MAY	51°·9	5,092	245	2,682	2,165	8·360	9·412	8·773	7·799
JUNE	56°·6	4,734	220	2,424	2,090	7·769	8·451	7·929	7·529
JULY	59°·0	4,393	190	2,197	2,006	7·209	7·299	7·186	7·226
AUGUST	57°·8	4,364	176	2,210	1,978	7·161	6·762	7·229	7·125
SEPTEMBER	52°·3	4,322	192	2,189	1,941	7·092	7·377	7·160	6·992
OCTOBER	45°·8	4,215	146	2,061	2,008	6·917	5·609	6·742	7·333
NOVEMBER	39°·4	5,215	192	2,474	2,549	8·558	7·376	8·092	9·183
DECEMBER	34°·0	5,898	201	2,857	2,840	9·679	7·722	9·345	10·231
YEAR	46°·8	60,935	2,603	30,572	27,760	100·000	100·000	100·000	100·000

much larger numbers than they would do, were they able to nourish and clothe their bodies better, and thus enable them to resist the adverse atmospheric agencies. It is exactly the same with high price of provisions from bad harvests. But in both cases it is the mean temperature, or rather the cold, which is the influence most potent for evil, and which over-rides all the other causes.

But there are other atmospheric agencies which modify or assist the agency of mean temperature. Thus, the cold, arid, blighting easterly winds, which are the regular lower or terrestrial currents over Scotland from the beginning of March onwards till June, if they do not materially

TABLE XLI.—METEOROLOGY OF SCOTLAND for 1859, deduced from Observations made at 51 Stations of the Meteorological Society of Scotland, the particulars for each of these Stations having been published in the Quarterly Reports of the Registrar-General for 1859.

1859.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Absolute Highest Temperature in shade	58·0	57·0	65·0	79·0	82·0	89·0	87·0	82·0	75·0	73·0	59·0	55·0	89·0
Absolute Lowest Temperature do.	17·1	11·0	17·0	18·0	22·8	32·0	33·3	34·8	29·0	10·5	17·0	0·0	0·0
Mean of Highest Daily Temperatures	44·4	45·4	48·5	48·7	61·7	64·7	66·2	65·2	59·2	51·8	44·5	38·3	53·2
Mean of Lowest Daily Temperatures	34·8	35·5	37·6	35·2	42·1	48·6	51·9	50·4	45 5	39·8	34·2	29·7	40·4
Mean Daily Range of Temperature	9·6	9·8	10·9	13·5	19·7	16·1	14·3	14·7	13·6	12·0	10·4	8·7	12·8
Mean Temperature	39·6	40·5	43·0	41·9	51·9	56·6	59·0	57·8	52·3	45·8	39·4	34·0	46·8
Mean of Black Bulb in Sun	54·6	59·3	65·1	71·0	91·8	95·3	92·0	91·1	83·4	70·1	56·1	46·4	73·0
Mean of Black Bulb at Night	30·8	30·8	32·9	28·8	34·1	42·7	45·9	44·7	38·4	35·0	27·8	24·3	34·6
Mean Temperature of Evaporation	38·1	38·7	40·5	39·3	47·9	51·8	55·4	54·4	49·7	43·7	37·5	32·9	44·1
Mean Dew-point Temperature	36·0	36·8	38·1	36·0	43·7	48·5	52·4	51·4	47·0	42·0	35·6	30·8	41·5
Humidity of the Air	87	88	85	80	73	78	81	80	82	89	89	88	83
Elastic Force of Vapour . . (inches)	·212	·219	·230	·212	·286	·343	·396	·381	·323	·267	·210	·173	·271
Number of Days on which Rain fell	17	17	11	15	4	11	14	14	17	14	14	15	163
Amount of Rain, Sleet, and Snow (inches)	4·21	3·38	4·18	3·20	0·29	2·04	2·76	2·27	3·21	4·60	3·37	3·66	37·17
Mean Amount of Cloud	6·4	6·6	6·3	6·2	4·0	5·8	6·2	5·8	6·0	6·6	6·5	6·7	6·1
Hours of Sunshine	66	75	119	166	301	239	222	210	164	108	86	61	1817
Mean Barometer, corrected . (inches)	29·864	29·709	29·707	29·751	30·046	29·934	30·050	29·850	29·722	29·667	29·855	29 651	29·819
Easterly Winds—number of Days	1	3	3	10	14	12	8	2	6	11	6	7	83
Westerly Winds—number of Days	25	19	23	12	7	12	17	21	18	12	15	14	195

increase the Deaths from other Diseases, certainly have a powerful influence for evil on persons labouring under that most fatal of all Diseases, Consumption or Phthisis. Thus, in the Eight Principal Towns of Scotland, that Disease, though so far following the usual law of increase of Deaths with descent of temperature, in that the Deaths numbered 197 in October, 241 in November, and 283 in December 1859, also follow another law of amenability to the East Winds. Thus, the Deaths from Phthisis, which numbered 239 in January, and 242 in February, rose to 282 in March, to 291 in April, and to 285 in May; thus clearly proving that these dry arid winds exert a baneful influence on persons labouring under that Disease.

Even long-continued excess of moisture in the atmosphere appears to affect injuriously the natives of Scotland, apparently by relaxing the system, and rendering it both more liable to the attacks of Disease, and less able to throw it off when once it has made its invasion. This particular cause will be referred to more pointedly in after Reports, as it was only in years subsequent to 1859 that its effects were clearly traceable in the mortality of Scotland.

The weather during the year presented some of those strange anomalies for which the Scottish climate is so remarkable; for the year was remarkable for its contrasts, as being at one time one of the driest, at another one of the rainiest, and at a third period one of the coldest which has occurred for a great many years.

The fall of rain during the first four months of the year largely exceeded the average, and the humidity of the atmosphere was greater than usual. The following four months proved nearly the driest on record; the drought in many places of Scotland having been more intense than had been witnessed for a period of nearly thirty years. That period was again succeeded by weeks of heavy rain, with high tempestuous winds, followed up in the middle of October with intense frost of a week's continuance, and with heavy falls of snow, which latter, with longer or shorter interruptions of mild rainy weather and high winds, continued till the close of the year. The early frost in October was remarkable for its intensity while it lasted. The cold in December was remarkable for its continuance and severity, and for the lowness to which the temperature descended; and the damage which the intense cold did to all trees and shrubs over the kingdom, will never be forgotten.

With this explanation, the accompanying Table XLI., giving a complete review of the meteorology of the year, will convey all the information necessary for understanding the meteorological phenomena of Scotland month by month. It contains the abstract of the observations made at 51 stations over Scotland; and the particulars of each station may be found in the Quarterly Returns for the year 1859.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES STARK.

General Registry Office of Births, etc.,
Edinburgh, 7*th August* 1863.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1859.

	1859.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
		1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Totl	Males.	Fem.	Total.			
	SCOTLAND - -	2,888,742	3,062,294	54628	51915	106543	5089	4626	9715	30588	31126	61714	21201	44829	19,639,377
	DIVISIONS.														
1	NORTHERN, . . .	127,035	130,422	1801	1672	3473	109	90	199	847	983	1830	677	1643	2,261,662
2	NORTH-WESTERN, .	175,735	167,329	2417	2380	4797	145	145	290	1298	1378	2676	927	2121	4,739,876
3	NORTH-EASTERN, .	348,366	366,783	6255	5836	12091	970	872	1842	3030	3237	6267	2333	5824	2,429,594
4	EAST-MIDLAND, .	515,966	523,822	8801	8381	17182	888	838	1726	5063	5373	10436	3346	6746	2,790,492
5	WEST-MIDLAND, .	241,447	242,507	4132	3853	7985	323	273	596	2448	2287	4735	1544	3250	2,693,176
6	SOUTH-WESTERN, .	881,092	1,008,253	20735	19732	40467	1549	1384	2933	12062	11911	23973	7954	16494	1,462,397
7	SOUTH-EASTERN, .	383,217	408,962	7013	6726	13739	655	548	1203	3848	3885	7733	3083	6006	1,192,524
8	SOUTHERN, . . .	215,884	214,216	3474	3335	6809	450	476	926	1992	2072	4064	1337	2745	2,069,696
	COUNTIES.														
	I. NORTHERN.														
1	Shetland, . . .	31,078	31,670	443	419	862	23	20	43	212	254	466	168	396	598,726
2	Orkney, . . .	31,455	32,395	405	380	785	16	13	29	213	270	483	191	302	
3	Caithness, . . .	39,782	42,200	633	614	1247	60	43	103	272	287	559	218	688	455,708
4	Sutherland, . . .	24,720	24,157	320	259	579	10	14	24	150	172	322	100	257	1,207,188
	II. NORTH-WESTERN.														
5	Ross and Cromarty, .	83,781	82,427	1193	1226	2419	52	47	99	636	663	1299	425	1120	2,016,375
6	Inverness, . . .	91,954	84,902	1224	1154	2378	93	98	191	662	715	1377	502	1001	2,723,501
	III. NORTH-EASTERN.														
7	Nairn, ...	8,076	8,347	114	126	240	15	10	25	65	78	143	70	97	137,500
8	Elgin (or Moray), . .	40,532	44,218	752	713	1465	94	87	181	330	368	698	249	767	340,000
9	Banff, ...	51,353	56,020	977	945	1922	165	152	317	479	485	964	321	958	439,219
10	Aberdeen, . . .	213,461	223,344	3865	3554	7419	635	554	1189	1884	1982	3866	1460	3553	1,260,625
11	Kincardine, . . .	34,944	34,854	547	498	1045	61	69	130	272	324	596	253	449	252,250
	IV. EAST-MIDLAND.														
12	Forfar, ...	193,627	206,750	3701	3559	7260	416	382	798	2321	2523	4844	1452	2416	568,750
13	Perth, ...	137,369	133,198	1960	1816	3776	208	199	407	1176	1232	2408	821	1368	1,814,063
14	Fife,*	153,789	155,021	2634	2521	5155	196	208	404	1317	1377	2694	909	2461	328,427
15	Kinross,* . . .	9,626	8,731	132	137	269	23	15	38	66	72	138	44	131	49,812
16	Clackmannan, . .	21,555	20,122	374	348	722	45	34	79	183	169	352	120	370	29,440
	V. WEST-MIDLAND.														
17	Stirling, . . .	83,802	88,138	1696	1561	3257	126	114	240	957	875	1832	646	1425	295,875
18	Dumbarton, . . .	46,995	54,179	1001	948	1949	87	68	155	559	519	1078	362	871	204,800
19	Argyll, ...	94,042	83,859	1218	1127	2345	92	74	166	784	701	1485	445	860	2,083,126
20	Bute, ...	16,608	16,331	217	217	434	18	17	35	148	192	340	91	94	109,375
	VI. SOUTH-WESTERN.														
21	Renfrew,* . . .	157,950	168,746	3434	3096	6530	241	207	448	2134	2099	4233	1317	2297	158,268
22	Ayr,*	189,973	199,063	4085	3886	7971	360	311	671	1951	1957	3908	1569	4063	735,262
23	Lanark,*	533,169	640,444	13216	12750	25966	948	866	1814	7977	7855	15832	5068	10134	568,867
	VII. SOUTH-EASTERN.														
24	Linlithgow,* . . .	30,590	39,045	802	796	1598	73	59	132	373	351	724	301	874	81,113
25	Edinburgh,* . . .	259,493	274,093	4633	4384	9017	414	342	756	2736	2759	5495	2246	3522	234,925
26	Haddington,* . . .	36,363	37,626	634	634	1268	63	64	127	268	298	566	245	702	179,142
27	Berwick,* . . .	36,165	36,488	577	540	1117	59	43	102	290	317	607	172	510	302,951
28	Peebles,* . . .	10,804	11,300	178	188	366	21	18	39	90	92	182	62	184	227,869
29	Selkirk,* . . .	9,802	10,410	189	184	373	25	22	47	91	68	159	57	214	166,524
	VIII. SOUTHERN.														
30	Roxburgh,* . . .	51,225	53,722	887	767	1654	95	88	183	425	424	849	367	805	428,494
31	Dumfries,* . . .	78,149	75,904	1244	1201	2454	162	179	341	718	726	1444	480	1010	702,953
32	Kirkcudbright,* . .	43,121	42,495	713	704	1417	107	89	196	414	447	861	269	556	610,343
33	Wigtown,* . . .	43,389	42,095	630	654	1284	86	120	206	435	475	910	221	374	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, are taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	14	13	27	1	1	2	6	4	10	3
	(2) Burra and Quarff,	906	890	13	12	25	–	–	–	4	5	9	2
2	Delting, . . .	2124	1975	28	23	51	1	2	3	17	21	38	9
3	Dunrossness, etc.—												
	(1) Dunrossness, .	*c.* 2005	2113	32	33	65	–	–	–	14	10	24	15
	(2) Sandwick and Cunningsburgh, . .	*c.* 2220	2337	33	34	67	1	2	3	19	18	37	11
	(3) Fair Isle, . .	280	380	9	11	20	–	–	–	–	1	1	5
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	7	10	17	–	–	–	9	6	15	2
	(2) North Yell, . .	998	932	7	14	21	–	1	1	14	12	26	3
5	Lerwick, . . .	3390	3631	42	36	78	5	1	6	25	40	65	30
6	Mid and South Yell, .	1741	1784	34	17	51	2	2	4	10	16	26	7
7	Nesting, etc.—												
	(1) Nesting, . .	*c.* 806	855	11	12	23	1	1	2	5	6	11	9
	(2) Lunnasting, . .	*c.* 830	880	13	9	22	2	–	2	4	7	11	7
	(3) Whalsay and Skerries	784	848	15	14	29	2	–	2	3	7	10	6
8	Northmavine, . .	2534	2585	33	28	61	2	3	5	17	20	37	11
9	Sandsting and Aithsting,	2603	2670	36	41	77	1	1	2	17	9	26	16
10	Tingwall, etc.—												
	(1) Tingwall, . .	*c.* 1654	1554	22	21	43	–	1	1	12	20	32	10
	(2) Whiteness & Weesdale	*c.* 1220	1143	19	15	34	–	5	5	9	10	19	1
11	Unst, ...	2977	3060	34	36	70	2	–	2	14	27	41	13
12	Walls, etc.—(1) Walls, .	*c.* 1280	1365	21	24	45	1	–	1	5	8	13	5
	(2) Sandness, .	*c.* 563	606	13	8	21	2	–	2	5	5	10	2
	(3) Papa-Stour, .	359	366	3	5	8	–	–	–	2	1	3	–
	(4) Foula, . .	240	233	4	3	7	–	–	–	1	1	2	1
	Total,	31078	31670	443	419	862	23	20	43	212	254	466	168
	2. Orkney.												
13	Birsay, ...	1749	1774	25	16	41	–	1	1	9	9	18	15
14	Deerness, . . .	786	813	11	8	19	1	–	1	2	8	10	5
15	Eday and Pharay, . .	1016	979	17	13	30	–	1	1	5	9	14	4
16	Evie and Rendall, . .	1446	1408	22	11	33	–	1	1	9	8	17	10
17	Firth and Stennes, . .	1327	1493	20	17	37	1	–	1	10	7	17	7
18	Harray, . . .	750	819	11	2	13	–	–	–	1	10	11	2
19	Holm and Paplay, .	749	834	10	6	16	1	1	2	2	5	7	1
20	Hoy and Græmsay, .	615	556	4	6	10	–	1	1	2	3	5	3
21	KIRKWALL & ST OLA (incl. Burgh), . . .	3990	4422	54	62	116	2	5	7	52	55	107	36
22	North Ronaldshay, .	526	532	9	8	17	1	–	1	2	3	5	5
23	Orphir, . . .	1157	1133	21	18	39	–	–	–	3	11	14	4
24	Rousay and Egilsay, .	1215	1152	17	12	29	–	–	–	6	8	14	8
25	St Andrews, . .	926	868	8	5	13	1	–	1	2	9	11	3
26	Sanday, . . .	2004	2145	20	24	44	–	–	–	20	15	35	8
27	Sandwick, . . .	1107	1225	16	11	27	1	–	1	6	6	12	2
28	Shapinshay, . . .	899	973	16	17	33	–	–	–	6	11	17	8
29	South Ronaldshay and Burray, . . .	3086	3282	42	41	83	5	1	6	19	22	41	23
30	Stromness, . . .	2770	2540	24	27	51	2	1	3	15	20	35	12
31	Stronsay, . . .	1211	1228	13	21	34	–	–	–	6	8	14	9
32	Walls, etc.—(1) Walls, .	1278	1254	8	14	22	–	–	–	7	10	17	4
	(2) Flotta, .	389	420	6	4	10	–	–	–	2	4	6	1
33	Westray & Papa-Westray,	2459	2545	31	37	68	1	1	2	27	29	56	21
	Total,	31455	32395	405	380	785	16	13	29	213	270	483	191

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
	3. Caithness.												
34	Bower, ...	1658	1746	26	24	50	1	1	2	10	9	19	10
35	Canisbay, . . .	2437	2730	32	54	86	2	4	6	10	12	22	12
36	Dunnet, . . .	1868	1861	21	24	45	1	1	2	11	9	20	20
37	Halkirk, . . .	2918	2864	33	34	67	6	4	10	14	20	34	13
38	Latheron, . . .	8224	8571	131	118	249	7	6	13	44	53	97	41
39	Olrig, ...	1873	2059	28	19	47	2	4	6	7	19	26	6
40	Reay, ...	2506	2476	29	20	49	1	–	1	9	16	25	6
41	Thurso, . . .	5096	5561	77	73	150	8	7	15	55	38	93	29
42	Watten, . . .	1351	1491	20	22	42	–	2	2	4	10	14	5
43	WICK—												
	(1) Burgh of Wick, .	6796	7505	148	149	297	16	10	26	77	72	149	65
	(2) Landward, . .	5055	5336	88	77	165	16	4	20	31	29	60	11
	Total,	39782	42200	633	614	1247	60	43	103	272	287	559	218
	4. Sutherland.												
44	Assynt—(1) Kirkton, .	c. 510	553	10	8	18	1	–	1	2	6	8	–
	(2) Stoer, .	c. 2479	2625	28	30	58	–	2	2	20	20	40	11
45	Clyne, ...	1933	1886	20	14	34	–	–	–	11	8	19	10
46	Criech—(1) Bonar, .	c. 2134	1982	23	20	43	2	–	2	9	24	33	8
	(2) Rosehall, .	c. 580	539	6	5	11	–	1	1	3	6	9	2
47	DORNOCH (incl. Burgh).	2981	2885	42	33	75	1	2	3	19	13	32	16
48	Durness, . . .	1152	1109	17	17	34	1	–	1	7	8	15	4
49	Eddrachillis—(1) Scourie.	c. 700	727	9	6	15	–	–	–	5	3	8	2
	(2) Kinlochbervie,	c. 876	914	18	6	24	–	–	–	11	2	13	3
50	Farr—(1) Kirkton, .	c. 1313	1251	13	14	27	1	2	3	9	14	23	3
	(2) Strathy, .	c. 890	852	10	9	19	–	–	–	6	4	10	2
51	Golspie, . . .	1529	1615	24	20	44	–	1	1	3	3	6	10
52	Kildonan, . . .	2288	2132	32	27	59	–	2	2	16	18	34	14
53	Lairg, ...	1162	961	7	6	13	1	–	1	7	4	11	3
54	Loth, ...	640	610	6	5	11	–	–	–	2	5	7	1
55	Rogart, ...	1535	1439	16	10	26	1	1	2	8	18	26	7
56	Tongue, ...	2018	2077	39	29	68	2	3	5	12	16	28	4
	Total,	24720	24157	320	259	579	10	14	24	150	172	322	100
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness, . . .	1240	1178	16	13	29	1	1	2	16	5	21	7
58	Applecross—												
	(1) Applecross, . .	c. 1130	1064	17	11	28	1	–	1	6	1	7	3
	(2) Shieldaig, . .	c. 1579	1480	33	13	46	2	1	3	14	6	20	5
59	Avoch, ...	2029	1788	28	19	47	1	–	1	14	11	25	5
60	Contin, . . .	1562	1509	15	25	40	–	2	2	16	10	26	10
61	CROMARTY (incl. Burgh)	2727	2300	33	33	66	1	2	3	31	28	59	12
62	DINGWALL (incl. Burgh)	2364	2412	28	37	65	1	2	3	15	17	32	11
63	Edderton, . . .	890	836	7	13	20	3	1	4	8	2	10	4
64	Fearn, ...	2122	2083	39	33	72	1	–	1	19	13	32	11
65	Fodderty, . . .	2342	2247	28	29	57	5	3	8	14	24	38	16
66	Gairloch—												
	(1) Northern District, .	c. 1822	1927	36	30	66	–	–	–	11	17	28	7
	(2) Southern District, .	c. 3340	3522	32	47	79	1	–	1	19	23	42	17
67	Glenshiel, . . .	573	485	6	7	13	1	1	2	2	5	7	1
68	Killearnan, . . .	1794	1494	14	38	52	–	3	3	8	13	21	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
69	Kilmuir-Easter, . .	1437	1295	15	22	37	–	2	2	10	10	20	8
70	Kiltearn, . . .	1538	1634	24	17	41	1	3	4	9	15	24	3
71	Kincardine, . . .	1896	1746	20	21	41	1	1	2	8	9	17	10
72	Kintail, ...	1009	890	11	9	20	3	–	3	4	6	10	8
73	Knockbain, . . .	3005	2485	31	33	64	1	1	2	20	23	43	9
74	Lochalsh, . . .	2299	2413	27	27	54	1	2	3	19	15	34	13
75	Lochbroom—												
	(1) Lochbroom, . .	c. 3540	3577	55	54	109	3	2	5	27	41	68	27
	(2) Coigach, . .	c. 1273	1285	25	10	35	–	1	1	14	6	20	1
76	Lochcarron, . . .	1612	1592	18	24	42	–	1	1	12	20	32	13
77	Logie-Easter, . . .	965	932	17	13	30	2	1	3	9	9	18	5
78	Nigg, ...	1457	1253	11	16	27	–	1	1	5	12	17	9
79	Resolis, ...	1551	1568	22	24	46	3	–	3	12	14	26	6
80	Rosemarkie (incl. Burgh of FORTROSE), .	1776	1545	22	26	48	–	2	2	14	21	35	11
81	Rosskeen, . . .	3699	3766	57	41	98	3	–	3	30	30	60	15
82	TAIN (incl. Burgh), .	3574	3294	42	41	83	4	4	8	24	30	54	17
83	Tarbat, ...	2151	2269	29	37	66	–	3	3	24	33	57	11
84	Urquhart & Logie-Wester,	3153	3147	37	42	79	4	–	4	11	26	37	6
85	Urray, ...	2621	2355	32	26	58	–	–	–	11	14	25	16
	Insular.												
a86	Barvas, ...	4189	4609	85	94	179	–	1	1	46	33	79	29
b86	Carloway . . .			37	53	90	1	1	2	19	26	45	16
87	Lochs, ...	4256	4901	56	82	138	2	2	4	22	22	44	16
88	Stornoway, . . .	8057	8668	156	130	286	4	3	7	77	57	134	37
89	Uig, ...	3209	2878	32	36	68	1	–	1	16	16	32	15
	Total,	83781	82427	1193	1226	2419	52	47	99	636	663	1299	425
	6. Inverness. *Mainland.*												
90	Alvie, ...	914	833	6	6	12	–	1	1	6	7	13	5
91	Ardersier (incl. Fort-George), . . .	1337	1239	17	13	30	1	2	3	20	18	38	29
92	Boleskine & Abertarff—												
	(1) Boleskine, . .	c. 936	813	12	11	23	2	3	5	6	5	11	8
	(2) Fort-Augustus or Abertarff, . . .	c. 1070	930	10	11	21	2	–	2	4	7	11	4
93	Cromdale and Inverallan,	3990	3943	66	57	123	12	8	20	21	28	49	22
94	Croy and Dalcross, .	1777	1873	19	28	47	1	1	2	9	12	21	9
95	Daviot and Dunlichty, .	1857	1741	15	16	31	–	–	–	8	12	20	11
96	Dores, ...	1650	1506	18	24	42	–	1	1	4	5	9	2
97	Glenelg—												
	(1) Glenelg, . . .	c. 1070	800	10	6	16	1	–	1	3	9	12	3
	(2) Knoydart, . .	c. 770	574	7	9	16	2	1	3	7	3	10	1
	(3) North Morar, . .	c. 630	469	9	4	13	–	–	–	3	3	6	11
98	INVERNESS (including Burgh), . . .	16496	16162	251	207	458	16	17	33	176	171	347	101
99	Kilmonivaig—												
	(1) Glengarry, . .	c. 710	625	3	8	11	–	1	1	2	4	6	2
	(2) Lochaber, . .	c. 1873	1651	18	13	31	1	–	1	10	11	21	7
100	Kilmorack, . . .	3007	2852	30	25	55	2	2	4	23	18	41	12
101	Kiltarlity, . . .	2965	2839	35	32	67	4	2	6	20	21	41	11
102	Kingussie and Insh, .	2201	2033	27	34	61	4	11	15	13	15	28	5
103	Kirkhill, ...	1730	1757	18	17	35	1	2	3	9	9	18	9
104	Laggan, ...	1223	986	7	12	19	–	3	3	8	7	15	3
105	Moy and Dalarossie, .	1018	1026	10	20	30	–	–	–	8	5	13	1
106	Petty, ...	1784	1671	19	25	44	2	3	5	17	9	26	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
107	Urquhart, etc.—												
	(1) Urquhart,	c. 2585	2294	36	26	62	3	–	3	14	21	35	11
	(2) Glenmoriston,	c. 695	617	7	6	13	1	1	2	1	9	10	3
	Insular.												
108	Barra,	1873	1853	38	25	63	1	–	1	14	11	25	12
109	Bracadale,	1597	1335	17	16	33	1	2	3	4	5	9	7
110	Duirinish,	5330	4775	79	67	146	3	5	8	31	45	76	23
111	Harris—(1) Harris,	3663	3769	72	63	135	3	5	8	33	33	66	31
	(2) Bernera,	477	336	3	6	9	–	1	1	4	3	7	2
	(3) St Kilda,	110	78	1	2	3	–	–	–	2	1	3	–
112	Kilmuir—(1) Kilmuir,	c. 1743	1561	24	25	49	2	1	3	18	17	35	20
	(2) Stenscholl,	c. 1464	1311	22	22	44	2	–	2	18	8	26	10
113	North Uist,	3918	3959	60	63	123	4	7	11	28	33	61	20
114	Portree—(1) Portree,	2805	2579	38	44	82	3	6	9	16	21	37	12
	(2) Rasay,	752	580	5	15	20	–	–	–	3	7	10	6
115	Sleat,	2531	2330	41	37	78	2	2	4	18	18	36	13
116	Small Isles,	916	567	12	4	16	–	–	..	4	7	11	3
117	Snizort,	c. 3071	2613	37	42	79	5	3	8	17	22	39	10
118	South Uist—												
	(1) Benbecula,	1762	1544	27	26	53	1	2	3	16	20	36	10
	(2) Howmore,	c. 2040	1763	25	19	44	2	1	3	11	12	23	17
	(3) Boisdale,	c. 2371	2051	30	29	59	4	1	5	8	22	30	10
119	Strath,	3243	2664	43	39	82	5	3	8	25	21	46	19
	Total,	91954	84902	1224	1154	2378	93	98	191	662	715	1377	502
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1278	1330	18	16	34	2	1	3	5	7	12	10
121	Auldearn,	1480	1328	16	22	38	4	2	6	10	9	19	9
122	Cawdor,	1202	1203	11	15	26	1	–	1	9	8	17	5
123	NAIRN (incl. Burgh),	4116	4486	69	73	142	8	7	15	41	54	95	46
	Total,	8076	8347	114	126	240	15	10	25	65	78	143	70
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	23	23	46	4	3	7	9	16	25	7
125	Alves,	919	1010	16	11	27	1	–	1	11	4	15	1
126	Bellie,	2017	1967	24	34	58	2	3	5	21	18	39	10
127	Birnie,	427	411	5	5	10	–	–	–	3	2	5	3
128	Boharm,	1368	1412	26	21	47	5	3	8	13	12	25	10
129	Dallas,	1226	1102	17	18	35	3	2	5	3	7	10	9
130	Drainy,	1856	3028	58	61	119	4	3	7	21	25	46	21
131	Duffus,	2983	3308	68	57	125	10	5	15	20	22	42	24
132	Duthil, etc.—												
	(1) Duthil,	c. 1493	1609	34	24	58	4	4	8	6	11	17	8
	(2) Rothiemurchus,	c. 295	319	3	7	10	–	2	2	3	2	5	–
133	Dyke,	1369	1247	26	16	42	1	1	2	9	8	17	6
134	Edinkillie,	1343	1303	13	20	33	1	2	3	9	15	24	7
135	ELGIN (incl. Burgh),	8231	9866	156	120	276	25	17	42	76	68	144	41
136	New Spynie,	445	518	37	43	80	3	7	10	18	22	40	11
137	FORRES (incl. Burgh),	4069	4112	67	68	135	10	7	17	30	52	82	23
138	Kinloss,	1370	1315	17	24	41	1	3	4	5	8	13	6
139	Knockando,	1771	1736	22	26	48	--	6	6	9	9	18	15
140	Rafford,	1020	1055	14	17	31	1	4	5	8	12	20	4
141	Rothes,	2022	2407	45	48	93	9	7	16	20	22	42	13

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
142	St Andrews Lhanbryde,	1208	1344	24	19	43	3	2	5	8	11	19	12
143	Speymouth, . . .	685	689	13	12	25	2	–	2	10	4	14	5
144	Urquhart, . . .	2544	2532	44	39	83	5	6	11	18	18	36	13
	Total,	40532	44218	752	713	1465	94	87	181	330	368	698	249
	9. Banff.												
145	Aberlour, . . .	1447	1665	27	18	45	5	6	11	6	10	16	11
146	Alvah, ...	1402	1467	20	21	41	2	6	8	7	4	11	5
147	BANFF—(1) Burgh, .	6084	6791	119	105	224	17	12	29	66	76	142	44
	(2) Landward,	869	949	18	18	36	3	5	8	4	5	9	3
148	Botriphnie, . . .	713	867	7	15	22	2	–	2	12	4	16	3
149	Boyndie, . . .	1564	1711	33	30	63	3	9	12	15	8	23	11
150	CULLEN (Burgh), .	1697	1821	27	33	60	3	5	8	17	18	35	13
151	Deskford, . . .	917	1031	21	16	37	4	2	6	7	6	13	2
152	Enzie, ...	c. 1872	2072	35	33	68	7	6	13	16	22	38	10
153	Fordyce, . . .	3807	4145	89	74	163	14	17	31	39	45	84	21
154	Forglen, ...	695	783	11	7	18	–	1	1	5	4	9	3
155	Gamrie, ...	2758	3019	55	57	112	7	8	15	20	27	47	16
156	Grange, ...	1851	1909	38	30	68	10	3	13	19	14	33	18
157	Inveravon—												
	(1) Inveravon, . .	c. 894	868	11	15	26	–	2	2	6	6	12	3
	(2) Auchbreck, .	c. 1820	1771	30	15	45	14	1	15	21	15	36	7
158	Inverkeithny, . . .	835	880	17	18	35	2	1	3	6	4	10	2
159	Keith, ...	4986	5943	101	109	210	19	27	46	55	54	109	37
160	Kirkmichael, etc.—												
	(1) Kirkmichael, .	c. 568	551	6	5	11	1	–	1	11	11	22	3
	(2) Tomintoul, . .	c. 990	960	14	13	27	4	1	5	11	9	20	3
161	Marnoch, . . .	2994	3289	58	79	137	13	18	31	29	30	59	15
162	Mortlach, . . .	2804	3095	48	34	82	6	4	10	23	24	47	17
163	Ordiquhill, . . .	644	764	19	10	29	4	–	4	2	3	5	8
164	Rathven (incl. Buckie),	c. 4664	4922	110	99	209	17	10	27	49	46	95	37
165	Rothiemay, . . .	1413	1414	12	25	37	2	3	5	10	15	25	9
166	St Fergus, . . .	1597	1608	25	27	52	4	2	6	13	14	27	8
167	Seafield (pt. of CULLEN),	c. 1468	1725	26	39	65	2	3	5	10	11	21	12
	Total,	51353	56020	977	945	1922	165	152	317	479	485	964	321
	10. Aberdeen.												
168	ABERDEEN (Burgh)—												
	(1) St Nicholas, . .	41465	41962	765	744	1509	123	130	253	498	508	1006	323
	(2) Old Machar (Burghal)	30503	31938	469	433	902	75	56	131	316	354	670	213
	(3) Do. (Landward),	1254	1298	13	16	29	1	1	2	4	7	11	4
169	Aberdour, . . .	1857	1997	39	30	69	8	3	11	13	7	20	5
170	Aboyne, ...	1108	1160	21	10	31	5	2	7	4	7	11	13
171	Alford, ...	1143	1264	23	19	42	5	5	10	11	16	27	9
172	Auchindoir, . . .	1369	1593	33	32	65	6	5	11	8	19	27	7
173	Auchterless, . . .	1837	2010	41	48	89	6	11	17	6	15	21	9
174	Belhelvie, . . .	1692	1807	22	22	44	4	3	7	11	12	23	10
175	Birse, ...	1533	1284	18	16	34	2	4	6	9	5	14	3
176	Bourtie, . . .	529	547	14	5	19	2	–	2	4	3	7	3
177	Cabrach, . . .	750	794	9	15	24	3	7	10	6	3	9	2
178	Cairney, ...	1565	1490	18	20	38	3	7	10	9	7	16	7
179	Chapel of Garioch, . .	2102	2023	40	28	68	7	6	13	13	13	26	9
180	Clatt, ...	543	511	7	5	12	2	1	3	2	–	2	1
181	Cluny, ...	1149	1254	17	19	36	4	6	10	9	8	17	17
182	Coull, ...	734	792	12	10	22	3	–	3	6	6	12	6
183	Crathie and Braemar, .	1788	1574	18	20	38	1	3	4	10	11	21	8
184	Crimond, . . .	893	892	12	19	31	3	6	9	4	7	11	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
185	Cruden, ...	2479	2743	50	36	86	8	9	17	21	18	39	20
186	Culsamond, ...	1042	1165	29	18	47	6	–	6	5	4	9	9
187	Daviot, ...	601	614	13	9	22	3	–	3	3	2	5	2
188	Drumblade, ...	949	926	10	16	26	2	3	5	13	6	19	3
189	Drumoak, ...	948	996	8	20	28	1	3	4	3	4	7	7
190	Dyce, ...	470	585	11	11	22	1	1	2	4	6	10	1
191	Echt, ...	1206	1287	11	16	27	3	2	5	6	7	13	5
192	Ellon, ...	3324	3913	78	47	125	11	4	15	19	22	41	19
193	Fintray, ...	1080	1003	19	15	34	3	2	5	10	9	19	4
194	Forgue, ...	2626	2686	61	41	102	11	14	25	22	14	36	12
195	Foveran, ...	1638	1891	26	28	54	6	4	10	9	8	17	11
196	FRASERBURGH, . .	4447	4511	117	87	204	21	10	31	42	35	77	30
197	Fyvie, ...	3927	4344	69	71	140	11	13	24	30	29	59	41
198	Gartly, ...	990	1029	11	18	29	2	3	5	11	5	16	2
199	Glass, ...	972	1049	17	13	30	6	2	8	8	8	16	6
200	Glenbucket, . . .	542	552	12	13	25	2	4	6	3	7	10	4
201	Glenmuick, Tullich, and Glengairn, . . .	1984	1668	27	30	57	9	6	15	14	16	30	9
202	HUNTLY, ...	4061	4329	74	68	142	14	7	21	41	42	83	22
203	Insch, ...	1519	1565	32	24	56	4	6	10	15	8	23	7
204	INVERURY (including part of Burgh), . .	c. 2649	2668	62	57	119	11	13	24	22	22	44	19
205	Keig, ...	772	811	15	18	33	–	1	1	4	5	9	5
206	Keith-hall, ...	920	933	10	10	20	–	–	–	8	3	11	6
207	Kemnay, ...	680	832	16	16	32	3	2	5	3	5	8	2
208	Kildrummy, ...	643	590	12	7	19	–	1	1	5	6	11	–
209	Kincardine O'Neil, .	2098	2186	33	30	63	6	5	11	17	17	34	11
210	King-Edward, . . .	2749	2843	48	37	85	12	7	19	29	20	49	19
211	Kinnellar, ...	590	691	13	8	21	2	–	2	3	5	8	4
212	Kinnethmont, . . .	1108	1187	15	23	38	2	1	3	19	13	32	9
213	KINTORE, and part of Burgh (incl. Burgh of Inverury), ...	1342	1895	31	33	64	5	4	9	18	17	35	17
214	Leochel-Cushnie, . .	1068	1173	15	20	35	3	3	6	5	10	15	15
215	Leslie, ...	559	577	9	8	17	–	–	–	1	6	7	2
216	Logie-Buchan, . . .	724	762	12	16	28	2	3	5	3	3	6	4
217	Logie-Coldstone, . .	889	932	13	11	24	1	4	5	9	6	15	5
218	Longside, ...	2952	3008	51	43	94	8	7	15	17	32	49	18
219	Lonmay, ...	1964	2142	42	27	69	5	3	8	16	15	31	17
220	Lumphanan, ...	1088	1251	19	17	36	1	4	5	9	10	19	6
221	Methlic, ...	1997	2157	34	33	67	4	3	7	12	15	27	9
222	Midmar, ...	1166	1091	22	19	41	2	3	5	7	8	15	6
223	Monquhitter, ...	2295	2580	50	41	91	13	10	23	17	13	30	17
224	Monymusk, ...	940	988	18	17	35	2	2	4	12	12	24	7
225	New Deer, ...	3973	4385	69	64	133	14	5	19	22	31	53	25
226	Newhills, ...	3325	3463	54	57	111	7	5	12	21	24	45	24
a227	New Machar, ...	c. 1338	1556	22	29	51	3	4	7	8	14	22	10
b227	New Pitsligo, . . .			54	40	94	13	9	22	18	20	38	15
228	Old Deer, ...	4743	5174	81	74	155	14	10	24	23	41	64	34
229	Old Meldrum, . . .	2002	2343	42	33	75	5	5	10	15	19	34	20
230	Oyne, ...	919	1127	21	24	45	3	3	6	9	15	24	5
231	Peterculter, ...	1351	1410	23	29	52	4	4	8	9	12	21	8
232	PETERHEAD—												
	(1) Burgh, ...	7298	9796 (both)	156	170	326	14	11	25	74	75	149	45
	(2) Landward, . . .	2131		40	28	68	3	4	7	17	12	29	22
233	Pitsligo, ...	1801	1890	38	36	74	3	2	5	13	14	27	17
234	Premnay, ...	793	916	24	18	42	5	5	10	7	10	17	10
235	Rathen, ...	2368	2554	58	44	102	5	4	9	25	19	44	10
236	Rayne, ...	1550	1514	22	19	41	4	3	7	8	12	20	10

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	T tl	Deaths. Mal.	Fem	Total.	Marriages.
237	Rhynie, . . .	1017	1061	16	22	38	4	3	7	10	8	18	8
238	Skene, ...	1862	1831	37	21	58	4	4	8	14	16	30	19
239	Slains, ...	1232	1266	24	17	41	–	2	2	4	9	13	6
240	Strathdon, . . .	1531	1459	22	12	34	2	3	5	14	11	25	8
241	Strichen, . . .	2283	2472	48	43	91	16	12	28	16	22	38	10
242	Tarland, . . .	1197	1246	22	19	41	2	3	5	15	12	27	10
243	Tarves, ...	2469	2509	44	31	75	6	4	10	20	13	33	15
244	Tough, ...	891	874	19	16	35	5	3	8	7	7	14	3
245	Towie, ...	758	839	10	9	29	2	3	5	3	6	9	3
246	Tullynessle and Forbes,	930	957	15	13	28	4	3	7	5	11	16	3
247	Turriff, ...	3584	3693	61	58	119	16	10	26	25	36	61	39
248	Tyrie, ...	2830	3043	15	7	22	3	2	5	10	3	13	4
249	Udny, ...	c. 1473	1623	22	28	50	5	3	8	14	9	23	9
	Total,	213461	223344	3865	3554	7419	635	554	1189	1884	1982	3866	1460
	11. Kincardine.												
250	Arbuthnot, . . .	1002	932	6	11	17	1	1	2	10	8	18	8
251	Banchory-Devenick, .	3078	2919	47	48	95	7	9	16	20	30	50	15
252	Banchory-Ternan, . .	2462	2947	60	40	100	4	6	10	20	28	48	18
253	Benholm, ...	1641	1574	22	25	47	1	3	4	10	15	25	10
254	BERVIE (incl. Burgh), .	1459	1561	28	26	54	3	5	8	14	8	22	13
255	Dunnottar, . . .	1949	1828	20	36	56	1	8	9	15	20	35	18
256	Durris, ...	962	1109	19	16	35	2	2	4	3	6	9	7
257	Fettercairn, . . .	1741	1700	30	26	56	4	1	5	13	20	33	12
258	Fetteresso, . . .	5720	5527	77	72	149	11	8	19	33	52	85	37
259	Fordoun, . . .	2386	2297	35	28	63	2	3	5	23	26	49	11
260	Garvock, . . .	457	458	7	5	12	1	–	1	3	1	4	2
261	Glenbervie, . . .	1239	1219	10	17	27	–	1	1	14	18	32	7
262	Kinneff and Catterline, .	1069	1054	18	18	36	–	1	1	7	7	14	12
263	Laurencekirk, . .	2125	2110	33	27	60	5	4	9	18	19	37	19
264	Maryculter, . . .	1055	1055	14	13	27	2	2	4	12	7	19	3
265	Marykirk, . . .	2232	2068	36	29	65	7	4	11	24	25	49	13
266	Nigg, ...	1841	2074	45	32	77	4	5	9	18	12	30	9
267	St Cyrus, . . .	1579	1552	25	16	41	5	3	8	11	10	21	12
268	Strachan, . . .	947	870	15	13	28	1	3	4	4	12	16	7
	Total,	34944	34854	547	498	1045	61	69	130	272	324	596	233
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno, . . .	1116	1054	10	20	30	3	2	5	8	9	17	6
270	Airlie, ...	856	845	14	15	29	1	2	3	7	9	16	7
271	Arbirlot, . . .	990	960	12	20	32	4	–	4	12	6	18	16
272	ARBROATH (including Burgh), . . .	17233	17831	310	314	624	32	31	63	188	197	385	157
273	Auchterhouse, . .	686	706	11	11	22	1	1	2	5	5	10	6
274	Barry, ...	2175	2465	46	27	73	3	5	8	21	24	45	16
275	BRECHIN (incl. Burgh),	8210	8810	147	140	287	25	21	46	118	119	237	66
276	Carmylie, . . .	1240	1286	28	16	44	3	1	4	11	8	19	5
277	Careston, . . .	207	225	7	4	11	2	1	3	1	2	3	1
278	Cortachy and Clova, .	722	653	8	12	20	1	1	2	6	4	10	2
279	Coupar-Angus, . .	2685	2642	45	44	89	5	6	11	36	43	79	9
280	Craig (incl. part of MONTROSE Burgh), .	1934	2177	42	39	81	–	2	2	16	16	32	22
281	Dun, ...	522	552	11	9	20	2	–	2	4	8	12	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
282	DUNDEE (Burgh)—												
	(1) First District, .	c.39960	44064	834	866	1700	73	83	156	488	595	1083	372
	(2) Second District, .	c.34835	40813	818	777	1595	87	93	180	523	537	1060	308
	(3) Third (or Lochee) Dis.	c. 5232	6787	127	104	231	12	16	28	64	62	126	43
283	Dunnichen, . . .	1884	1932	32	29	61	7	2	9	24	20	44	11
284	Eassie and Nevay, .	706	748	15	18	33	2	2	4	1	5	6	2
285	Edzell, ...	1084	1025	15	11	26	3	–	3	3	7	10	2
286	Farnell, . . .	650	703	12	8	20	3	1	4	9	8	17	2
287	Fearn.	392	439	4	12	16	1	2	3	5	3	8	1
288	FORFAR (incl. Burgh),	11009	10838	182	176	358	33	29	62	167	159	326	66
289	Glammis, . . .	2152	1980	28	28	56	4	2	6	15	23	38	11
290	Glenisla, . . .	1050	1008	10	13	23	1	1	2	5	3	8	8
291	Guthrie, . . .	469	476	4	8	12	–	3	3	3	5	8	4
292	Inverarity, . . .	948	961	11	13	24	–	–	–	5	5	10	9
293	Inverkeillor, . . .	1871	1792	30	31	61	4	2	6	13	18	31	14
294	Kettins, . . .	995	962	17	11	28	–	1	1	8	13	21	5
295	Kingoldrum, . . .	429	473	4	5	9	1	–	1	1	1	2	3
296	Kinnell, . . .	826	816	11	15	26	2	2	4	8	9	17	10
297	Kinnettles, . . .	460	447	9	7	16	–	–	–	1	5	6	4
298	Kirkden, . . .	1763	1862	35	39	74	3	3	6	15	15	30	11
299	KIRRIEMUIR (incl. Town),	7617	7359	130	123	253	32	31	63	75	85	160	61
300	Lethnott and Navar, .	408	446	10	4	14	2	–	2	2	3	5	–
301	Liff, Benvie, and Invergowrie, . . .	1467	1430	19	20	39	1	3	4	15	17	32	6
302	Lintrathen, . . .	926	898	10	13	23	1	2	3	9	4	13	5
303	Lochlee, . . .	615	495	7	6	13	1	2	3	3	6	9	–
304	Logie-Pert, . . .	1609	1483	17	16	33	–	1	1	14	10	24	3
305	Lunan, . . .	279	259	1	4	5	–	1	1	3	1	4	1
306	Lundie, . . .	450	442	5	7	12	1	–	1	5	1	6	2
307	Mains, etc.—(1) Mains,	1299	1392	28	11	39	4	–	4	10	16	26	4
	(2) Strathmartine, .	735	789	14	14	28	2	–	2	8	9	17	2
308	Marytown, . . .	366	417	15	5	20	1	–	1	4	3	7	2
309	Menmuir, . . .	693	796	17	13	30	1	1	2	11	7	18	4
310	Monifieth (including part of BROUGHTY-FERRY),	4267	5052	95	89	184	5	5	10	61	52	113	30
311	Monikie, . . .	1317	1460	23	21	44	1	1	2	4	13	17	7
312	MONTROSE (incl. part of Burgh), . . .	16037	15668	258	225	483	29	12	41	219	255	474	65
313	Murroes, . . .	643	763	12	9	21	–	–	–	6	6	12	2
314	Newtyle, . . .	1141	1139	17	20	37	2	–	2	9	11	20	5
315	Oathlaw, . . .	424	399	10	2	12	3	–	3	2	4	6	4
316	Panbride, . . .	1372	1299	16	20	36	3	2	5	9	16	25	11
317	Rescobie, . . .	711	747	11	8	19	–	1	1	6	5	11	5
318	Ruthven, . . .	503	265	5	7	12	1	–	1	2	1	3	–
319	St Vigeans, ...	2591	2553	47	41	88	3	3	6	21	22	43	11
320	Stracathro, . . .	505	546	7	9	16	1	1	2	5	3	8	3
321	Tannadice, . . .	1517	1438	24	17	41	2	1	3	18	24	42	12
322	Tealing, . . .	844	883	14	13	27	2	–	2	9	6	15	5
	Total,	193627	206750	3701	3559	7260	416	382	798	2321	2523	4844	1452
	13. PERTH.												
323	Aberdalgie, . . .	343	295	3	4	7	–	–	–	3	–	3	2
324	Aberfeldy, . . .	c. 2702	2402	29	32	61	2	1	3	18	22	40	11
325	Aberfoyle, . . .	514	565	21	13	34	–	1	1	12	8	20	7
326	Abernethy, . . .	2026	1960	36	24	60	5	1	6	8	13	21	8
327	Abernyte, . . .	275	310	4	5	9	–	–	–	1	5	6	–
328	ALYTH (incl. Town), .	3152	3422	47	48	95	11	5	16	36	27	63	11

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
329	AUCHTERARDER (including Town),	4160	4208	83	55	138	13	10	23	38	39	77	19
330	Auchtergaven,	3232	2562	42	32	74	8	5	13	24	20	44	24
331	Balquhidder,	874	746	14	7	21	1	3	4	2	5	7	2
332	Bendochy,	773	769	10	11	21	–	1	1	1	2	3	4
333	Blackford,	c. 2012	2084	37	22	59	4	–	4	11	15	26	12
334	Blair-Athol,	c. 1951	1553	24	19	43	–	2	2	11	11	22	5
335	BLAIRGOWRIE (including Town),	4297	4657	65	68	133	8	14	22	53	47	100	35
336	Callander,	1716	1676	26	19	45	3	3	6	21	22	43	13
337	Caputh,	2000	1772	22	14	36	2	1	3	8	13	21	7
338	Cargill,	1629	1647	24	21	45	3	4	7	6	14	20	10
339	Clunie,	723	699	13	11	24	1	–	1	6	7	13	3
340	Collace,	581	534	7	7	14	1	2	3	5	6	11	6
341	Comrie,	2463	2226	34	31	65	3	4	7	21	32	53	13
342	CRIEFF (incl. Town),	4504	4490	66	73	139	10	8	18	47	49	96	20
343	CULROSS (incl. Burgh),	1487	1423	15	21	36	2	1	3	10	7	17	3
344	Dowally,	c. 531	436	4	4	8	–	–	–	7	4	11	4
345	Dron,	394	376	7	4	11	–	–	–	2	1	3	2
346	Dull,	c. 855	753	8	4	12	1	1	2	6	7	13	3
347	Dunbarney,	1066	1035	11	16	27	1	1	2	9	8	17	14
348	Dunblane,	c. 3213	3096	40	47	87	5	3	8	28	28	56	19
349	Dunkeld,	c. 1199	1086	14	14	28	–	2	2	15	10	25	5
350	Dunning,	2206	2084	31	34	65	5	6	11	15	29	44	13
351	Errol,	2796	2759	45	47	92	4	7	11	22	29	51	19
352	Findo-Gask,	405	399	4	7	11	–	1	1	3	1	4	1
353	Forgandenny,	828	739	13	11	24	3	1	4	4	3	7	4
354	Forteviot,	638	595	10	6	16	1	–	1	4	2	6	2
a355	Fortingall,	c. 1409	1244	12	6	18	1	–	1	7	18	25	6
b355	Foss,	c. 432	381	5	3	8	1	–	1	2	3	5	1
356	Fowlis-Easter,	300	317	7	7	14	2	–	2	1	1	2	–
357	Fowlis-Wester,	1321	1276	12	11	23	1	1	2	9	15	24	6
358	Glendovan,	128	138	2	–	2	–	–	–	3	–	3	1
359	Inchture,	745	659	9	10	19	1	4	5	10	–	10	–
360	Kenmore,	c. 1718	1515	14	21	35	2	2	4	5	10	15	9
361	Killin,	c. 1817	1681	28	22	50	4	4	8	30	18	48	5
362	Kilmadock,	3659	3312	59	50	109	10	6	16	27	33	60	24
363	Kilspindie,	684	665	10	9	19	–	–	–	6	4	10	2
364	Kincardine,	1993	1778	26	21	47	3	3	6	24	18	42	7
365	Kinclaven,	881	758	7	4	11	3	–	3	6	4	10	5
366	Kinfauns,	650	657	7	7	14	1	1	2	5	–	5	4
367	Kinloch-Rannoch,	c. 1303	1147	14	18	32	1	2	3	4	11	15	6
368	Kinnaird,	370	318	4	5	9	–	–	–	3	2	5	–
369	Kinnoull,	771	796	14	7	21	3	1	4	7	8	15	6
370	Kirkmichael—												
	(1) Kirkmichael, }	1280	1224	11	10	21	4	2	6	5	7	12	2
	(2) Glenshee, }			5	5	10	–	–	–	–	2	2	2
371	Lecropt,	442	538	7	8	15	–	–	–	5	2	7	5
372	Lethendy and Kinloch,	556	542	5	7	12	–	–	–	3	2	5	3
373	Little Dunkeld,	c. 2140	2089	31	21	52	1	1	2	19	21	40	8
374	Logie (including part of STIRLING),	2551	3483	33	38	71	2	2	4	30	29	59	25
375	Logiealmond,	c. 959	815	3	11	14	–	3	3	5	5	10	3
376	Logierait,	c. 2109	1902	23	25	48	3	4	7	13	17	30	11
377	Longforgan,	1787	1823	40	30	70	2	4	6	13	18	31	9
378	Madderty,	593	536	6	7	13	–	–	–	4	3	7	7
379	Meigle,	978	1122	17	15	32	–	4	4	12	5	17	4
380	Methven,	c. 2394	2290	36	36	72	4	5	9	19	20	39	15
381	Moneydie,	321	252	2	7	9	1	1	2	1	4	5	1

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
382	Monzie, ...	c. 569	461	4	1	5	–	–	–	1	1	2	1
383	Monzievaird, . .	790	782	12	9	21	1	–	1	4	4	8	5
384	Moulin, ...	c. 1772	1605	21	13	34	–	3	3	16	9	25	8
385	Muckhart, . . .	685	615	7	6	13	1	1	2	4	2	6	2
386	Muthill, ...	c. 2972	2808	44	45	89	5	4	9	37	34	71	15
387	PERTH—												
	(1) Burgh, . .	23835	26094	421	393	814	30	36	66	272	288	560	238
	(2) Landward, . .	835		11	11	22	1	1	2	2	3	5	6
388	Port of Menteith, . .	1419	1375	12	26	38	2	2	4	9	10	19	8
389	Rattray, ...	2336	2261	24	27	51	1	2	3	18	26	44	11
390	Redgorton, . . .	c. 1955	1596	21	23	44	3	2	5	12	12	24	12
391	Rhynd, ...	338	297	6	5	11	1	–	1	3	6	9	1
392	St Madoes, . . .	288	280	3	5	8	–	–	–	2	2	4	1
393	St Martins, . . .	983	904	14	11	25	1	1	2	7	4	11	3
a394	Scone, ...	2332	2153	30	27	57	5	1	6	15	17	32	14
b394	Tenandry, . . .	c. 681	595	6	5	11	–	2	2	4	8	12	–
395	Tibbermore, . . .	1469	1182	11	19	30	2	3	5	8	5	13	8
396	Trinity-Gask, . . .	597	488	8	8	16	2	–	2	4	3	7	1
397	Tulliallan (including KINCARDINE), . . .	3043	2410	46	28	74	6	2	8	22	31	53	9
398	Weem, ...	c. 230	215	1	2	3	–	1	1	1	1	2	–
	Total,	137369	133198	1960	1816	3776	208	199	407	1176	1232	2408	821
	14. Fife.												
399	Abbotshall, . . .	688	808	13	7	20	1	1	2	3	3	6	1
400	Abdie, ...	c. 1353	1257	20	17	37	5	1	6	9	11	20	7
401	Aberdour, . . .	1945	1874	26	35	61	3	4	7	11	9	20	10
402	ANSTRUTHER-EASTER (Burgh), .	1161	1155	24	23	47	2	3	5	11	9	20	6
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	6	7	13	1	1	2	7	6	13	1
404	Arngask, ...	689	705	15	10	25	–	1	1	2	7	9	3
405	Auchterderran, . .	3210	3457	92	75	167	4	3	7	29	26	55	19
406	AUCHTERMUCHTY (incl. Burgh), . .	3704	3285	50	52	102	5	8	13	20	28	48	15
407	Auchtertool, . . .	517	609	12	11	23	–	2	2	6	2	8	3
408	Ballingry, . . .	568	736	25	21	46	5	1	6	12	7	19	7
409	Balmerino, . . .	945	815	13	8	21	3	–	3	5	13	18	3
410	Beath, ...	1252	2390	61	55	116	3	4	7	28	20	48	3
411	BURNTISLAND (incl. Burgh), . . .	3158	3670	71	62	133	5	2	7	35	37	72	27
412	Cameron, . . .	1207	1362	16	24	40	–	4	4	9	10	19	9
413	Carnbee, . . .	1129	1157	22	23	45	1	1	2	4	6	10	7
414	Carnock, . . .	3191	2925	69	66	135	8	3	11	31	30	61	14
415	Ceres, ...	2833	2723	40	44	84	5	4	9	25	17	42	9
416	Collessie, . . .	1520	1530	24	26	50	3	4	7	12	10	22	8
417	CRAIL (incl. Burgh), .	1903	1931	30	28	58	1	2	3	14	27	41	18
418	Criech, ...	386	377	6	4	10	–	1	1	4	1	5	3
419	Cults, ...	915	800	19	17	36	2	–	2	12	10	22	10
420	CUPAR (incl. Burgh), .	7427	6750	101	86	187	11	5	16	48	94	142	50
421	Dairsie, . . .	708	638	12	9	21	2	1	3	5	4	9	4
422	Dalgetty, . . .	1513	1569	31	21	52	–	2	2	10	9	19	7
423	Dunbog, . . .	c. 409	414	10	11	21	2	1	3	1	2	3	4
424	DUNFERMLINE—												
	(1) Burgh, . . .	13836	13506	221	211	432	12	12	24	102	93	195	131
	(2) Landward, . .	c. 7602	7609	154	154	308	9	11	20	66	71	137	27
425	Dunino, . . .	289	370	7	5	12	–	2	2	4	1	5	1
426	DYSART (incl. Burgh),	8739	8842	139	161	300	5	9	14	90	79	169	39

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
427	Elie, ...	843	826	15	5	20	1	1	2	4	10	14	4
428	FALKLAND (incl. Burgh)	3102	2937	52	43	95	5	5	10	29	51	80	12
429	Ferry-Port-on-Craig, .	2238	2013	29	26	55	1	2	3	25	22	47	7
430	Flisk, ...	c. 157	230	3	4	7	–	–	–	–	1	1	–
431	Forgan, ...	1125	1326	19	16	35	–	–	–	7	7	14	10
432	INVERKEITHING (incl. Burgh), . .	c. 2748	3196	43	52	95	3	4	7	23	17	40	23
433	Kemback, . . .	956	896	7	19	26	–	1	1	9	7	16	3
434	Kennoway, . . .	2257	2012	33	24	57	3	2	5	17	18	35	8
435	Kettle, ...	2601	2474	29	34	63	3	2	5	19	9	28	10
436	KILCONQUHAR (incl. EARLSFERRY), . .	2489	2431	35	39	74	1	3	4	16	15	31	12
437	Kilmany, ...	662	656	11	10	21	2	2	4	3	4	7	3
438	KILRENNY (including Burgh), . . .	2194	2534	40	49	89	2	–	2	21	19	40	11
439	KINGHORN (including Burgh), ...	2455	2349	41	40	81	6	4	10	29	31	60	13
440	Kinglassie, . . .	1186	1266	22	23	45	–	3	3	14	14	28	6
441	Kingsbarns, . . .	893	937	13	17	30	1	–	1	6	7	13	7
442	KIRKCALDY (including Burgh), . . .	10636	11117	207	174	381	11	17	28	93	89	182	60
443	Largo, ...	2800	2626	45	45	90	5	9	14	18	23	41	8
444	Leslie (incl. Town), .	3800	4332	48	52	100	8	10	18	47	61	108	28
445	Leuchars, . . .	1991	1903	28	19	47	5	1	6	15	10	25	10
446	Logie, ...	467	410	11	8	19	2	–	2	1	3	4	6
447	Markinch, . . .	5843	5375	74	78	152	7	6	13	48	65	113	41
448	Monimail, . . .	1102	1054	18	11	29	1	1	2	8	7	15	4
449	Moonzie, . . .	198	179	4	–	4	1	–	1	1	1	2	–
450	NEWBURGH (including Burgh), . . .	2986	2693	39	34	73	7	2	9	24	38	62	10
451	Newburn, . . .	375	374	6	5	11	2	1	3	–	4	4	1
452	PITTENWEEM (incl. Burgh), . . .	1473	1710	24	19	43	1	1	2	20	9	29	7
453	ST ANDREWS and ST LEONARDS (incl. Bur.)	7327	7605	111	113	224	5	13	18	70	69	139	62
454	St Monance (or Abercrombie), . . .	1241	1498	29	29	58	1	1	2	11	12	23	12
455	Saline, ...	1792	1610	35	31	66	3	2	5	16	7	23	11
456	Scoonie (incl. Leven), .	3115	3257	50	67	117	3	8	11	23	26	49	20
457	Strathmiglo, . . .	2509	2261	31	38	69	2	7	9	17	11	28	12
458	Torryburn, . . .	1341	1229	28	21	49	1	1	2	13	10	23	4
459	Wemyss, . . .	5647	6003	125	103	228	5	6	11	55	58	113	38
	Total,	153789	155021	2634	2521	5155	196	208	404	1317	1377	2694	909
	15. Kinross.												
460	Cleish, ...	659	649	13	6	19	2	–	2	5	2	7	1
461	Fossoway and Tulliebole,	1621	1584	21	35	56	1	1	2	11	11	22	11
462	Kinross (incl. Town), .	3227	2649	41	39	80	7	8	15	18	23	41	13
463	Orwell, ...	2569	2399	30	36	66	7	4	11	22	24	46	6
464	Portmoak, . . .	1550	1450	27	21	48	6	2	8	10	12	22	13
	Total,	9626	8731	132	137	269	23	15	38	66	72	138	44
	16. Clackmannan.												
465	Alloa (incl. Town), .	9493	8867	164	154	318	14	16	30	82	74	156	56
466	Clackmannan, . .	5802	4425	101	84	185	15	7	22	41	40	81	29
467	Dollar, ...	1574	1776	22	19	41	3	4	7	18	14	32	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
468	TILLICOULTRY (including Town), . . .	4686	5054	87	91	178	13	7	20	42	41	83	28
	Total,	21555	20122	374	348	722	45	34	79	183	169	352	120
	V. WEST-MIDLAND. 17. STIRLING.												
469	Airth, ...	1319	1194	15	15	30	–	1	1	14	13	27	9
470	ALVA (incl. Town), .	3204	3283	68	53	121	10	7	17	29	28	57	15
471	Baldernock, . . .	801	718	11	7	18	1	2	3	7	7	14	4
472	Balfron, ...	1900	1517	28	40	68	1	4	5	20	20	40	18
473	Bothkennar, . . .	1179	1722	30	27	57	1	1	2	18	12	30	8
474	Buchanan, . . .	632	705	14	9	23	2	–	2	8	6	14	4
475	CAMPSIE (including LENNOXTOWN), . . .	6918	6483	123	92	215	7	7	14	46	44	90	62
476	DENNY (incl. Town), .	4754	4988	89	82	171	7	4	11	45	46	91	31
477	Drymen, . . .	1481	1619	37	38	75	–	3	3	18	20	38	8
478	Dunipace, . . .	1472	1731	31	39	70	3	1	4	10	16	26	12
479	FALKIRK—(1) Burgh, .	8752	9030	170	152	322	12	8	20	126	112	238	69
	(2) Landward,	7686	7996	147	172	319	7	13	20	77	84	161	75
480	Fintry, ...	823	685	6	13	19	1	1	2	13	12	25	5
481	Gargunnock, . . .	754	728	9	12	21	–	1	1	4	5	9	4
482	Killearn, . . .	1176	1171	19	26	45	1	–	1	17	18	35	6
483	KILSYTH (incl. Town), .	5346	6112	140	117	257	15	16	31	83	69	152	32
484	Kippen, ...	1892	1722	27	29	56	2	1	3	17	17	34	7
485	Larbert, ...	4606	4999	119	87	206	10	3	13	53	39	92	25
486	Muiravonside, . .	2647	2660	66	50	116	2	3	5	22	30	52	14
487	Polmont, . . .	3764	4111	72	90	162	4	4	8	33	27	60	24
488	ST NINIANS (including BANNOCKBURN), . .	7630	6648	106	89	195	12	9	21	74	75	149	27
489	Slamannan, . . .	1655	2916	67	81	148	2	4	6	25	25	50	25
490	STIRLING (incl. Burgh),	12401	14012	264	214	478	22	20	42	179	137	316	150
491	Strathblane, . .	1010	1388	38	27	65	4	1	5	19	13	32	12
	Total,	83802	88138	1696	1561	3257	126	114	240	957	875	1832	646
	18. DUMBARTON.												
492	Arrochar, . . .	562	629	7	9	16	–	–	–	7	4	11	3
493	BONHILL (includ. ALEXANDRIA), . . .	7819	9059	173	137	310	20	11	31	98	85	183	57
494	CARDROSS (incl. RENTON),	3402	4168	92	65	157	10	7	17	47	48	95	33
495	Cumbernauld, . .	3778	3513	61	79	140	8	8	16	39	29	68	19
496	DUMBARTON (Burgh),	5445	8268	164	171	335	6	4	10	73	86	159	55
497	Kilmaronock, . .	1033	1085	20	16	36	2	–	2	7	4	11	8
498	KIRKINTILLOCH, . .	8426	8179	179	161	340	22	19	41	91	82	173	58
499	Luss, ...	907	831	9	9	18	–	–	–	3	9	12	3
500	New, or East, Kilpatrick,	4286	4910	103	95	198	8	5	13	45	39	84	45
501	OLD, or WEST, KILPATRICK	5921	5577	109	106	215	7	7	14	80	69	149	27
502	Roseneath, . . .	1044	1626	8	16	24	–	–	–	11	12	23	7
503	Row, ...	4372	6334	76	84	160	4	7	11	58	52	110	47
	Total,	46995	54179	1001	948	1949	87	68	155	559	519	1078	362
	19. ARGYLL. *Mainland.*												
504	Ardchattan, . . .	1525	1381	18	18	36	2	2	4	13	10	23	2
505	Ardnamurchan—												
	(1) Aharacle, . .	c. 1791	1544	21	17	38	3	1	4	13	8	21	10
	(2) Arisaig, . .	c. 1555	1343	17	8	25	–	–	–	8	4	12	6
	(3) Sunart (or Strontian)	c. 875	759	10	11	21	–	–	–	10	8	18	2
	(4) Western District, .	c 1225	1054	14	7	21	3	2	5	2	3	5	8

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
506	Ballachulish and Corran of Ardgour,	c. 1125	919	19	14	33	–	1	1	4	6	10	5
507	CAMPBELTOWN (incl. Burgh),	9381	8149	126	116	242	5	8	13	78	65	143	48
508	Craignish,	756	618	6	6	12	–	–	–	5	2	7	1
509	Cumlodden,	1095	1033	19	16	35	1	–	1	7	9	16	3
510	Dunoon and Kilmun,	4518	5461	70	78	148	5	2	7	51	59	110	28
511	Glassary,	c. 1860	1769	34	22	56	–	–	–	10	16	26	9
512	Glenorchy and Inishail,	1450	1307	26	15	41	–	–	–	11	16	27	8
513	INVERARAY (including Burgh),	1755	1650	20	19	39	–	1	1	16	10	26	8
514	Inverchaolain,	474	424	6	7	13	–	2	2	7	1	8	–
515	Kilbrandon & Kilchattan,	c. 2571	2053	27	25	52	3	–	3	13	16	29	4
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	c. 930	742	10	13	23	–	–	–	12	10	22	3
	(2) Kilberry,	689	583	8	7	15	–	1	1	7	4	11	3
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	2	2	4	–	1	1	4	7	11	4
	(2) Dalavich,	282	230	4	2	6	–	–	–	2	4	6	1
518	Kilfinan,	1695	1891	27	26	53	1	2	3	20	13	33	9
519	Killean and Kilchenzie,	2219	1890	38	24	62	–	2	2	14	9	23	8
520	Kilmalie,	c. 4110	3353	46	39	85	6	2	8	38	42	80	16
521	Kilmartin,	1144	949	12	22	34	2	1	3	5	3	8	11
522	Kilmodan,	500	433	7	6	13	–	–	–	3	7	10	4
523	Kilmore and Kilbride—												
	(1) OBAN,	3131	2962	35	23	58	6	5	11	33	25	58	22
	(2) Kilmore & Kilbride,			7	6	13	–	–	–	17	4	21	10
524	Kilninver, etc.—												
	(1) Kilninver,	449	314	8	5	13	2	–	2	2	3	5	2
	(2) Kilmelford,	265	486	7	12	19	–	–	–	1	3	4	2
525	Lismore, etc.—												
	(1) Lismore,	c. 1167	1023	7	17	24	1	1	2	11	9	20	1
	(2) Appin,	c. 940	825	11	8	19	–	1	1	6	3	9	2
	(3) Glencoe & Ballachulish,	c. 1510	1324	25	21	46	–	–	–	12	7	19	–
	(4) Duror,	c. 480	423	5	4	9	1	–	1	1	6	7	10
526	Lochgilphead,	c. 3263	3312	34	47	81	1	–	1	21	22	43	25
527	Lochgoilhead & Kilmorich,	834	702	5	14	19	–	–	–	6	10	16	3
528	Morvern,	1547	1226	14	16	30	1	2	3	14	9	23	7
529	Muckairn,	788	729	12	7	19	–	1	1	4	10	14	4
530	North Knapdale,	1666	1327	23	11	34	2	3	5	12	10	22	5
531	Saddell, etc.—												
	(1) Saddell,	791	739	9	12	21	1	1	2	10	3	13	3
	(2) Skipness,	c. 705	533	8	7	15	–	–	–	5	10	15	3
532	Southend,	1406	1214	22	18	40	1	–	1	7	8	15	9
533	South Knapdale,	565	654	8	8	16	–	–	–	7	3	10	2
534	Stralachlan, etc.—												
	(1) Stralachlan,	397	309	4	5	9	1	2	3	5	2	7	1
	(2) Strachur,	518	563	8	8	16	2	–	2	6	5	11	3
535	Tarbert,	c. 1828	1661	35	35	70	–	2	2	22	12	34	8
	Insular.												
536	Bowmore (or Kilarrow),	3469	2701	37	35	72	10	3	13	32	28	60	12
537	Gigha,	547	467	8	–	8	–	–	–	4	3	7	3
538	Iona,	c. 900	743	12	12	24	1	–	1	5	8	13	5
539	Jura, etc.—(1) Jura,	c. 868	858	13	18	31	–	4	4	7	7	14	4
	(2) Colonsay,	837	598	12	11	23	1	2	3	3	8	11	2
540	Kilchoman,	c. 2865	2377	36	36	72	7	4	11	29	30	59	14
541	Kildalton,	c. 2450	2187	37	27	64	1	3	4	22	6	28	9

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
542	Kilfinichen & Kilvickeon,	c. 2171	1792	24	24	48	5	2	7	16	16	32	16
543	Kilmeny,	1413	1268	16	19	35	6	3	9	17	10	27	7
544	Kilninian and Kilmore,	c. 1890	1641	12	19	31	–	2	2	10	11	21	10
545	Kinlochspelvie,	c. 420	428	6	5	11	–	–	–	4	2	6	1
546	Oa,	c. 860	769	14	13	27	–	2	2	4	6	10	2
547	Portnahaven,	c. 1277	1059	23	16	39	3	–	3	17	14	31	5
548	Salen,	c. 634	604	4	8	12	–	–	–	7	5	12	5
549	Tobermory,	c. 1804	1566	15	24	39	1	–	1	21	22	43	11
550	Torosay,	c. 550	557	14	5	19	3	1	4	6	5	11	4
551	Tyree, etc.—(1) Tyree,	3709	3217	54	42	96	3	2	5	22	18	40	9
	(2) Coll,	1109	781	7	9	16	1	–	1	3	6	9	3
	Total,	94042	83859	1218	1127	2345	92	74	166	784	701	1485	445
	20. Bute.												
552	Cumbraes,	1275	1256	15	19	34	–	3	3	16	13	29	5
553	Kilbride,	c. 2340	2253	32	22	54	2	–	2	18	22	40	10
554	Kilmory,	c. 2724	2515	22	33	55	2	3	5	12	23	35	10
555	Kingarth,	1007	905	9	14	23	–	-	–	9	16	25	6
556	Lochranza,	c. 883	824	12	16	28	2	2	4	7	5	12	3
557	North Bute,	c. 1235	1351	16	19	35	–	–	–	8	10	18	11
558	ROTHESAY (Burgh),	c. 7144	7227	111	94	205	12	9	21	78	103	181	46
	Total,	16608	16331	217	217	434	18	17	35	148	192	340	91
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Abbey District—(portion of Burgh of PAISLEY),	16351	15889	315	316	631	28	29	57	164	186	350	206
	(2) Do. (Landward),	c. 4867	5670	124	120	244	5	3	8	73	47	120	40
	(3) Johnstone District,	c. 7363	8142	192	195	387	16	7	23	103	132	235	85
560	Cathcart,	2916	3782	74	67	141	3	–	3	25	25	50	35
561	Eaglesham,	2524	2328	36	24	60	3	2	5	19	13	32	22
562	Eastwood,	9243	11314	243	211	454	25	11	36	124	118	242	84
563	Erskine,	1232	1457	22	28	50	–	1	1	11	12	23	6
564	GREENOCK (Burgh)—												
	(1) New, or Middle,	9414	9446	229	181	410	19	14	33	160	175	335	43
	(2) East,	7704	12135	279	231	510	12	6	18	177	155	332	63
	(3) Old, or West,	20318	22313	436	392	828	20	20	40	377	379	756	225
565	Houston and Killellan,	2753	2490	53	48	101	6	4	10	27	28	55	16
566	Inchinnan,	649	619	11	16	27	1	–	1	5	5	10	1
567	Innerkip—(1) Innerkip,	c. 1026	1188	14	15	29	–	3	3	10	7	17	4
	(2) Gourock,	c. 1992	2307	29	28	57	2	–	2	22	24	46	9
568	Kilbarchan (incl. Town),	5474	6348	121	135	256	9	9	18	69	60	129	44
569	Kilmalcolm,	1399	1455	18	20	38	3	–	3	17	13	30	11
570	Lochwinnoch,	4153	3821	69	45	114	6	8	14	51	31	82	16
571	Mearns,	3704	3547	66	71	137	4	14	18	43	36	79	26
572	Neilston (including part of Barrhead),	12233	11013	188	168	356	14	19	33	80	88	168	57
573	PAISLEY (Bur., part of)—												
	(1) High,	14643	14900	315	300	615	18	16	34	171	168	339	114
	(2) Low,	7205	6712	143	106	249	13	11	24	116	87	203	45
	(3) Middle,	9904	9926	187	168	355	21	16	37	139	154	293	67
574	PORT-GLASGOW (incl. Burgh),	7017	7294	182	146	328	10	10	20	111	106	217	77
575	RENFREW (incl. Burgh),	3866	4650	88	65	153	3	4	7	40	50	90	21
	Total,	157950	168746	3434	3096	6530	241	207	448	2134	2099	4233	1317

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
	22. Ayr.												
576	Ardrossan, . . .	5581	6776	121	116	237	12	8	20	54	59	113	71
577	Auchinleck, . . .	3697	4213	104	89	193	6	5	11	41	38	79	24
578	AYR (incl. Burgh), .	18845	19659	367	357	724	35	24	59	213	198	411	157
579	Ballantrae, . . .	1801	1483	21	20	41	1	5	6	14	12	26	9
580	Barr, ...	907	910	12	13	25	1	1	2	11	7	18	3
581	Beith, ...	6425	5775	115	118	233	10	11	21	43	57	100	40
582	Colmonell, . . .	2934	2588	42	38	80	6	3	9	18	11	29	16
583	Coylton, ...	1542	1604	31	21	52	3	1	4	12	13	25	7
584	Craigie, ...	793	730	13	12	25	3	1	4	8	7	15	6
585	Dailly, ...	2413	2050	37	36	73	4	4	8	14	15	29	23
586	Dalmellington, . .	2910	4194	106	101	207	7	3	10	31	37	68	19
587	Dalry, ...	8865	11156	281	293	574	21	12	33	135	122	257	83
588	Dalrymple, . . .	1096	1325	22	29	51	4	–	4	6	9	15	5
589	Dreghorn, . . .	1828	3283	84	76	160	4	6	10	30	25	55	19
590	Dundonald, . . .	4555	4694	73	92	165	4	4	8	42	42	84	34
591	Dunlop, . . .	1115	1038	14	13	27	2	–	2	5	7	12	6
592	Fenwick, . . .	1741	1532	17	22	39	1	1	2	16	10	26	16
593	Galston (incl. Town), .	4392	5254	102	93	195	8	10	18	46	41	87	30
594	Girvan (incl. Town), .	8588	7053	171	167	338	24	33	57	70	72	142	72
595	IRVINE (incl. Burgh), .	8463	8607	164	152	316	17	13	30	80	103	183	71
596	Kilbirnie (incl. Town),	5484	5265	119	116	235	5	4	9	47	36	83	40
597	KILMARNOCK (incl. part of Burgh), . .	21287	23556	545	494	1039	45	40	85	270	286	556	218
598	Kilmaurs, . . .	3144	3526	69	68	137	4	3	7	34	33	67	27
599	Kilwinning, . . .	6359	7717	164	161	325	16	11	27	83	77	160	51
600	Kirkmichael, . . .	3262	2823	64	58	122	8	10	18	25	30	55	21
601	Kirkoswald, . . .	2242	2060	42	21	63	3	2	5	9	11	20	10
602	Largs, ...	3715	3620	58	50	108	–	3	3	45	48	93	20
603	Loudoun, . . .	4720	4840	115	85	200	5	6	11	60	54	114	37
604	Mauchline, . . .	2470	2303	36	46	82	1	5	6	24	22	46	17
605	Maybole, . . .	7615	6713	140	112	252	20	11	31	54	66	120	56
606	Monkton and Prestwick,	1960	1937	41	28	69	4	1	5	16	14	30	16
607	Muirkirk, . . .	3423	3270	60	69	129	6	4	10	21	23	44	18
608	New Cumnock, . .	2759	2891	59	43	102	5	5	10	13	17	30	29
609	Ochiltree, . . .	1787	1676	30	23	53	4	1	5	19	7	26	12
610	Old Cumnock, . .	3777	3721	64	69	133	7	9	16	35	32	67	36
611	Riccarton (incl. part of KILMARNOCK Burgh)	4583	5629	134	124	258	10	7	17	71	60	131	47
612	St Quivox and Newton-upon-Ayr, . . .	2231	1870	40	43	83	4	5	9	16	20	36	21
613	Sorn, ...	4174	4042	74	74	148	7	4	11	38	40	78	37
614	Stair, ...	820	743	9	15	24	–	–	–	4	1	5	9
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	145	117	262	13	12	25	80	62	142	45
616	Stewarton (incl. Town),	4572	4449	78	80	158	10	8	18	37	73	110	31
617	Straiton, . . .	1540	1544	27	32	59	4	3	7	11	10	21	17
618	Symington, . . .	902	855	12	18	30	–	1	1	7	5	12	7
619	Tarbolton, . . .	2824	2669	36	40	76	5	5	10	23	31	54	25
620	West Kilbride, . .	2021	1968	27	42	69	1	6	7	20	14	34	11
	Total,	189973	199063	4085	3886	7971	360	311	671	1951	1957	3908	1569
	23. Lanark.												
621	Avondale (incl. Strathaven), ...	6451	6125	101	94	195	12	8	20	45	49	94	61
622	Barony—(1) Maryhill,	c. 4007	6734	154	128	282	11	3	14	85	80	165	28
	(2) Springburn,	c. 6386	8911	178	220	398	12	18	30	197	178	375	37
	(3) Shettleston,	c. 6564	6914	123	149	272	10	9	19	71	70	141	43
623	Biggar, ...	2049	1999	37	37	74	4	3	7	21	30	51	16
624	Blantyre, . . .	2848	3092	47	47	94	3	2	5	23	28	51	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
625	Bothwell—												
	(1) Bothwell,	c. 5583	7059	162	141	303	4	4	8	89	56	145	30
	(2) Holytown,	c. 9700	10844	244	241	485	10	9	19	110	107	217	51
626	Cadder—												
	(1) Western District,	c. 2550	3023	69	55	124	1	1	2	25	23	48	9
	(2) Eastern District,	c. 2464	2925	62	58	120	4	7	11	24	27	51	10
627	Cambuslang,	3306	3647	67	65	132	1	5	6	24	29	53	26
628	Cambusnethan,	8621	14601	364	355	719	16	19	35	143	139	282	100
629	Carluke (incl. Town),	6283	6176	146	154	300	8	12	20	54	48	102	47
630	Carmichael,	805	836	10	17	27	2	1	3	6	1	7	5
631	Carmunnock,	710	734	11	12	23	1	–	1	2	4	6	2
632	Carnwath,	3551	3584	74	71	145	11	10	21	28	34	62	30
633	Carstairs,	1066	1345	23	25	48	–	2	2	6	8	14	5
634	Covington & Thankerton,	548	532	8	8	16	–	–	–	4	4	8	4
635	Crawford—												
	(1) Crawford,	c. 730	694	6	12	18	1	–	1	6	7	13	5
	(2) Leadhills,	c. 940	896	15	12	27	4	2	6	7	9	16	12
636	Crawfordjohn,	1111	980	11	8	19	2	3	5	7	3	10	3
637	Culter,	472	665	5	9	14	2	1	3	7	8	15	5
638	Dalserf—(1) Larkhall,	c. 2670	3629	72	69	141	9	10	19	31	37	68	32
	(2) Dalserf,	c. 913	1247	20	28	48	2	5	7	11	6	17	8
639	Dalziel,	2262	5438	151	141	292	3	4	7	51	43	94	25
640	Dolphington,	305	260	1	4	5	–	–	–	3	1	4	–
641	Douglas,	2611	2490	39	47	86	7	4	11	25	27	52	15
642	Dunsyre,	312	312	3	4	7	–	1	1	4	1	5	–
643	East Kilbride,	3760	4064	67	66	133	4	1	5	36	33	69	24
644	GLASGOW (Burgh)—												
	(1) Central,	c. 43270	49678	1053	905	1958	102	61	163	752	811	1563	546
	(2) High,	c. 42005	48119	975	968	1943	67	76	143	980	808	1788	247
	(3) Bridgeton,	c. 38385	45485	895	847	1742	47	42	89	493	551	1044	262
	(4) Calton,	c. 33310	36625	951	919	1870	174	150	324	535	545	1080	526
	(5) Clyde,	c. 32800	29975	618	583	1201	45	47	92	498	470	968	230
	(6) Blythswood,	c. 21405	28697	439	423	862	25	26	51	272	282	554	536
	(7) Milton,	c. 26240	33360	664	706	1370	49	45	94	416	421	837	258
	(8) Anderston,	c. 30035	40945	823	824	1647	54	46	100	513	518	1031	222
	(9) Tradeston,	c. 27163	38600	767	739	1506	39	29	68	435	416	851	384
	(10) Hutchesontown,	c. 34484	44019	926	922	1848	44	41	85	542	574	1116	261
645	Glassford,	1955	1938	33	32	65	2	3	5	31	31	62	12
646	Govan (Landward)—												
	(1) Govan,	c. 6238	13725	269	265	534	10	10	20	136	131	267	63
	(2) Partick,	c. 7852	14859	279	251	530	5	7	12	150	152	302	91
647	HAMILTON (incl. Burgh),	11740	14047	322	247	569	24	21	45	162	133	295	139
648	LANARK (incl. Burgh),	8243	7891	135	135	270	11	13	24	68	99	167	71
649	Lesmahagow,	7746	9266	174	174	348	17	16	33	83	78	161	51
650	Libberton,	800	836	9	9	18	1	–	1	8	7	15	5
651	New Monkland—												
	(1) Burgh of AIRDRIE,	14435	12922	299	305	604	19	22	41	155	126	281	126
	(2) Landward,	8766	7632	182	153	335	14	8	22	84	67	151	42
652	Old Monkland—												
	(1) Western District,	c. 6646	6932	177	126	303	6	4	10	75	65	140	24
	(2) Middle District,	c. 13168	15303	337	334	671	19	21	40	154	135	289	130
	(3) Eastern District,	c. 7519	7308	150	167	317	5	12	17	62	80	142	11
653	Pettinain,	428	407	6	9	15	–	1	1	3	4	7	7
654	RUTHERGLEN (incl. Burgh),	7954	9335	191	188	379	8	7	15	112	124	236	88
655	Shotts,	5982	7343	171	146	317	7	4	11	68	79	147	45
656	Stonehouse,	2781	3267	72	66	138	8	4	12	25	31	56	26
657	Symington,	536	528	9	7	16	–	1	1	5	8	13	5
658	Walston,	497	480	5	6	11	1	3	4	9	10	19	4

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
659	Wandell and Lamington,	369	380	4	4	8	–	–	–	3	4	7	–
660	Wiston and Roberton, .	839	786	11	13	24	1	2	3	3	5	8	8
	Total,	533169	640444	13216	12750	25966	948	866	1814	7977	7855	15832	506
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn, . . .	977	965	11	17	28	2	2	4	3	6	9	7
662	Bathgate, . . .	4533	10134	245	227	472	13	15	28	103	99	202	73
663	Borrowstounness, .	5192	5698	131	124	255	9	9	18	77	57	134	54
664	Carriden, . . .	1724	1821	40	40	80	7	4	11	18	25	43	14
665	Dalmeny, . . .	768	804	13	15	28	1	1	2	4	6	10	4
666	Ecclesmachen, . .	289	309	5	9	14	1	–	1	1	2	3	2
667	Kirkliston, . . .	2029	1907	35	35	70	2	2	4	18	18	36	13
668	LINLITHGOW—												
	(1) Burgh, . . .	4213	3843	73	84	157	9	10	19	34	40	74	38
	(2) Landward (St Michael's Dist.), . .	1902	1941	32	31	63	5	1	6	22	20	42	16
669	Livingstone, . . .	1289	1366	25	21	46	7	3	10	10	6	16	7
670	QUEENSFERRY(Burgh),	1195	1391	22	24	46	2	3	5	24	12	36	11
671	Torphichen, . . .	1356	1848	39	42	81	3	2	5	14	12	26	16
672	Uphall, ...	1331	1507	20	21	41	2	1	3	14	13	27	8
673	Whitburn, . . .	3792	5511	111	106	217	10	6	16	31	35	66	38
	Total,	30590	39045	802	796	1598	73	59	132	373	351	724	301
	25. Edinburgh.												
674	Borthwick, . . .	1614	1742	22	37	59	1	5	6	12	14	26	10
675	Carrington, . . .	710	681	10	19	29	2	1	3	3	1	4	3
676	Cockpen, . . .	3228	2902	45	56	101	4	3	7	19	24	43	24
677	Colinton, . . .	2676	2656	48	46	94	5	3	8	17	20	37	16
678	Corstorphine, . . .	1499	1579	30	24	54	6	2	8	17	9	26	6
679	Cramond, . . .	2547	2695	51	42	93	–	–	–	25	25	50	12
680	Cránston, . . .	1235	1035	18	16	34	1	3	4	9	8	17	7
681	Crichton, . . .	1387	1304	31	27	58	2	1	3	17	8	25	5
682	Currie, ...	2190	2248	42	35	77	2	2	4	20	9	29	13
683	Dalkeith (incl. Town),	6521	7114	139	103	242	11	5	16	86	71	157	62
684	Duddingston—												
	(1) Burgh of PORTOBELLO, . . .	3559	4366	66	56	122	10	5	15	31	29	60	32
	(2) Landward, . .	904	857	21	9	30	3	1	4	10	3	13	3
685	EDINBURGH (Burgh)—												
	(1) St George (incl. Landward of St Cuthbert), . . .	c. 38540	42068	578	577	1155	48	28	76	412	451	863	276
	(2) St Andrew . .	c. 37435	38731	468	426	894	23	20	43	287	297	584	396
	(3) Canongate (incl. Landward), . .	c. 29230	30169	572	555	1127	28	30	58	580	491	1071	222
	(4) St Giles, . . .	c. 29245	29679	665	651	1316	144	127	271	299	337	636	342
	(5) Newington, . .	c. 27198	29797	515	474	989	30	22	52	258	291	549	258
686	Fala and Soutra, . .	434	382	5	7	12	–	1	1	1	3	4	8
687	Glencross, . . .	1138	1217	19	8	27	2	3	5	7	6	13	4
688	Heriot, ...	352	407	7	8	15	1	–	1	1	3	4	1
689	Inveresk (incl. Burgh of MUSSELBURGH), .	8653	9518	148	154	302	16	15	31	86	92	178	60
690	Kirknewton and East-Calder, ...	1630	1549	23	34	57	2	5	7	13	17	30	14

No.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
91	Lasswade,	5821	5688	116	90	206	6	8	14	51	54	105	40
92	LEITH (Burgh)—												
	(1) North Leith,	c. 9494	11562	182	170	352	4	7	11	89	86	175	82
	(2) South Leith (incl. Landward),	c.22725	24467	445	431	876	24	15	39	247	277	524	240
93	Liberton,	3528	3510	58	47	105	8	3	11	27	24	51	15
94	Mid-Calder,	1474	1389	23	23	46	5	2	7	5	12	17	6
95	Newbattle,	2518	2837	62	54	116	7	4	11	24	13	37	14
96	Newton,	1780	1553	30	26	56	2	2	4	10	12	22	8
97	Penicuik,	3003	3249	60	52	112	5	5	10	25	37	62	26
98	Ratho,	1718	1659	30	28	58	4	2	6	11	6	17	1
99	Stow,	1973	2171	46	35	81	3	7	10	18	6	24	14
00	Temple,	1414	1385	24	22	46	2	1	3	7	15	22	13
01	West-Calder,	2120	1927	34	42	76	3	4	7	12	8	20	13
	Total,	259493	274093	4633	4384	9017	414	342	756	2736	2759	5495	2246
	26. HADDINGTON.												
02	Aberlady,	1099	1019	11	13	24	2	1	3	7	10	17	3
03	Athelstaneford,	971	902	10	18	28	–	3	3	5	4	9	5
04	Bolton,	373	332	3	10	13	–	–	–	1	4	5	1
05	Dirleton,	1634	1540	25	23	48	3	1	4	12	9	21	10
06	DUNBAR (incl. Burgh),	4415	4944	93	79	172	5	8	13	31	26	57	32
07	Garvald,	869	891	13	12	25	2	4	6	2	4	6	5
08	Gladsmuir,	1780	1945	34	36	70	1	4	5	18	16	34	10
09	HADDINGTON (incl. Burgh),	5525	5548	104	82	186	10	4	14	44	50	94	54
10	Humbie,	925	997	16	19	35	3	1	4	6	4	10	–
11	Innerwick,	1012	937	15	10	25	1	–	1	11	10	21	6
12	Morham,	249	281	3	8	11	–	–	–	–	2	2	3
13	NORTH BERWICK (incl. Burgh),	1643	2071	35	32	67	9	3	12	20	16	36	6
14	Oldhamstocks,	692	615	13	17	30	1	3	4	2	7	9	2
15	Ormiston,	811	915	15	19	34	2	6	8	8	9	17	8
16	Pencaitland,	1175	1187	24	23	47	3	3	6	13	14	27	3
17	Prestonkirk,	1894	1960	38	32	70	4	3	7	12	21	33	14
18	Prestonpans,	2123	2080	31	33	64	4	1	5	19	22	41	16
19	Salton,	697	712	8	8	16	3	1	4	1	2	3	8
20	Spott,	595	555	7	4	11	2	–	2	2	1	3	4
21	Stenton,	719	692	7	9	16	–	–	–	1	4	5	3
22	TRANENT (incl. Town),	4158	4647	83	102	185	3	10	13	40	48	88	35
23	Whitekirk & Tynninghame	1131	1113	18	19	37	3	3	6	5	5	10	8
24	Whittinghame,	671	710	14	8	22	1	1	2	4	2	6	1
25	Yester (or Gifford),	1202	1033	14	18	32	1	4	5	4	8	12	8
	Total,	36363	37626	634	634	1268	63	64	127	268	298	566	245
	27. BERWICK.												
26	Abbey St Bathans,	155	179	6	–	6	2	–	2	–	–	–	2
27	Ayton,	1959	2014	40	30	70	4	–	4	17	9	26	10
28	Bunkle and Preston,	715	756	8	13	21	1	–	1	4	3	7	1
29	Channelkirk,	728	671	21	6	27	3	–	3	2	9	11	1
30	Chirnside,	1384	1502	23	14	37	5	–	5	9	11	20	10
31	Cockburnspath,	1196	1194	13	14	27	–	3	3	10	7	17	7
32	Coldingham,	3188	3241	54	54	108	9	2	11	41	33	74	18
33	Coldstream,	3245	2823	42	37	79	6	3	9	29	32	61	12
34	Cranshaws,	127	134	5	1	6	–	–	–	–	–	–	–
35	DUNSE (incl. Town),	3407	3595	54	46	100	5	5	10	29	41	70	23
36	Earlston,	1819	1825	22	27	49	3	1	4	8	15	23	[illegible]

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
737	Eccles, ...	1892	1861	22	38	60	2	4	6	12	11	23	9
738	Edrom, ...	1474	1592	20	20	40	–	1	1	7	6	13	6
739	Eyemouth, . . .	1488	1804	28	31	59	1	–	1	16	13	29	8
740	Fogo, ...	604	559	9	7	16	–	–	–	4	4	8	2
741	Foulden, . . .	430	431	9	6	15	–	1	1	4	3	7	1
742	Gordon, ...	983	931	18	18	36	3	2	5	5	11	16	5
743	Greenlaw, . . .	1378	1370	21	23	44	1	5	6	7	10	17	6
744	Hume, ...	406	420	9	8	17	3	–	3	2	5	7	2
745	Hutton, ...	1102	1067	8	14	22	1	1	2	6	10	16	7
746	Ladykirk, . . .	561	564	6	6	12	–	–	–	9	8	17	1
747	Langton, . . .	484	502	8	7	15	–	–	–	4	6	10	4
748	LAUDER (incl. Burgh),	2154	2198	37	44	81	1	2	3	17	17	34	7
749	Legerwood, . . .	587	599	13	11	24	1	–	1	3	5	8	1
750	Longformacus, . .	411	448	7	10	17	1	1	2	4	7	11	4
751	Merton, . . .	692	729	10	8	18	2	3	5	1	3	4	4
752	Mordington, . . .	427	377	11	6	17	1	1	2	4	2	6	2
753	Nenthorn, . . .	441	461	6	1	7	2	1	3	4	2	6	3
754	Polwarth, . . .	331	251	1	2	3	–	–	–	1	4	5	–
755	Swinton, . . .	994	964	16	14	30	–	4	4	14	18	32	4
756	Westruther, . . .	791	786	16	15	31	–	2	2	8	6	14	1
757	Whitsome, . . .	612	640	14	9	23	2	1	3	9	6	15	2
	Total,	36165	36488	577	540	1117	59	43	102	290	317	607	172
	28. Peebles.												
758	Broughton, . . .	284	297	6	4	10	1	–	1	2	5	7	1
759	Drumelzier, . . .	244	209	3	1	4	.	–	–	1	1	2	–
760	Eddlestone, . . .	790	753	11	17	28	–	2	2	3	5	8	3
761	Glenholm, . . .	252	198	1	5	6	–	1	1	2	1	3	1
762	Innerleithen, . . .	1236	1823	30	32	62	4	5	9	10	8	18	7
763	Kilbucho, . . .	345	228	4	2	6	–	1	1	2	3	5	–
764	Kirkurd, . . .	326	362	4	7	11	–	1	1	3	4	7	3
765	Lyne, etc.—(1) Lyne, .	95	81	3	–	3	-	–	–	–	1	1	–
	(2) Meggat,	63	53	1	--	1	1	–	1	1	–	1	–
766	Manor, . . .	256	247	7	4	11	1	1	2	–	3	3	4
767	Newlands, . . .	950	987	9	14	23	1	–	1	10	6	16	9
768	PEEBLES (incl. Burgh),	2673	2850	47	46	93	5	1	6	25	24	49	16
769	Skirling, . . .	316	317	9	6	15	2	1	3	–	3	3	2
770	Stobo, ...	478	478	8	6	14	–	–	–	1	3	4	1
771	Traquair, . . .	646	687	11	10	21	1	1	2	4	2	6	2
772	Tweedsmuir, . .	220	196	2	3	5	–	–	–	1	–	1	–
773	West Linton, . .	1630	1534	22	31	53	5	4	9	25	23	48	13
	Total,	10804	11300	178	188	366	21	18	39	90	92	182	62
	29. Selkirk.												
774	Ettrick, . . .	477	454	11	7	18	3	1	4	5	1	6	2
775	Galashiels, . . .	3014	3379	57	68	125	6	11	17	29	26	55	19
776	Kirkhope, . . .	c. 600	555	14	11	25	3	2	5	1	4	5	8
777	Roberton, . . .	670	640	13	7	20	3	–	3	6	11	17	2
778	SELKIRK (incl. Burgh),	4347	4739	87	81	168	10	7	17	45	23	68	23
779	Yarrow, ...	c. 694	643	7	10	17	–	1	1	5	3	8	3
	Total,	9802	10410	189	184	373	25	22	47	91	68	159	57
	VIII. SOUTHERN. 30. Roxburgh.												
780	Ancrum, . . .	1554	1511	24	19	43	1	2	3	9	9	18	13
781	Ashkirk, . . .	578	578	10	6	16	3	1	4	2	3	5	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
82	Bedrule,	240	222	5	4	9	–	1	1	2	1	3	1
83	Bowden,	981	864	17	20	37	2	3	5	8	6	14	6
84	Castleton,	2130	3688	41	19	60	7	3	10	20	11	31	17
85	Cavers,	1495	1824	31	27	58	2	3	5	9	15	24	11
86	Crailing,	734	673	9	11	20	1	2	3	5	2	7	2
7*a*	Eckford,	1073	957	18	10	28	1	3	4	1	7	8	4
7*b*	Edgerston,	*c.* 373	359	4	5	9	–	1	1	5	3	8	4
88	Ednam,	658	599	12	10	22	–	–	–	6	2	8	6
89	HAWICK,	7801	8726	165	162	327	22	26	48	90	82	172	82
90	Hobkirk,	720	771	8	7	15	1	1	2	8	9	17	6
91	Hownam,	252	289	4	1	5	2	–	2	2	1	3	–
92	JEDBURGH (part of)—(incl. Burgh),	*c.* 5220	5011	66	54	120	8	3	11	45	43	88	32
93	KELSO,	5634	5192	98	75	173	9	8	17	49	64	113	37
94	Kirktown,	282	421	7	2	9	–	–	–	4	–	4	2
95	Lilliesleaf,	798	772	8	4	12	–	–	–	6	5	11	1
96	Linton,	630	608	9	4	13	2	1	3	5	4	9	–
97	Makerston,	345	380	4	7	11	–	–	–	4	3	7	2
98	Maxton,	550	497	12	4	16	1	–	1	2	2	4	2
99	Melrose—(1) Melrose,	3592	3557	59	51	110	5	4	9	29	24	53	23
	(2) Ladhope,	3773	4154	71	71	142	4	8	12	25	43	68	32
00	Minto,	467	430	8	5	13	–	3	3	1	2	3	6
01	Morebattle,	997	1031	7	23	30	2	3	5	9	6	15	4
02	Oxnam,	*c.* 632	592	10	10	20	2	–	2	6	3	9	–
03	Roxburgh,	1141	1178	29	19	48	4	2	6	7	8	15	10
04	St Boswells,	884	865	25	9	34	2	1	3	3	2	5	9
05	Smailholm,	617	554	13	8	21	1	1	2	6	2	8	1
06	Southdean,	*c.* 765	687	8	7	15	–	1	1	3	2	5	2
07	Sprouston,	1424	1305	22	14	36	1	–	1	10	12	22	11
08	Stitchel,	426	425	5	4	9	–	–	–	2	–	2	2
09	Teviothead,	550	438	4	5	9	–	1	1	3	5	8	2
10	WILTON,	2557	3357	53	68	121	10	3	13	27	31	58	22
11	Yetholm,	1352	1207	21	22	43	2	3	5	12	12	24	13
	Total,	51225	53722	887	767	1654	95	88	183	425	424	849	367
	31. DUMFRIES.												
12	ANNAN (part of)—(incl. Burgh),	*c.* 5128	5113	83	77	160	13	12	25	56	47	103	29
3*a*	Applegarth,	918	935	21	16	37	–	3	3	5	2	7	4
3*b*	Brydekirk,	*c.* 864	779	9	15	24	2	4	6	7	6	13	5
14	Canonbie,	3163	3219	47	46	93	6	8	14	25	30	55	11
15	Carlaverock,	1418	1248	16	22	38	2	4	6	9	9	18	5
16	Closeburn,	1732	1651	31	29	60	5	4	9	13	19	32	14
17	Cummertrees,	*c.* 1334	1184	17	15	32	1	2	3	9	6	15	9
18	Dalton,	761	679	11	7	18	–	1	1	4	4	8	3
19	Dornock,	936	856	11	12	23	–	1	1	7	7	14	1
20	Dryfesdale,	2409	2509	45	27	72	10	6	16	25	26	51	9
21	DUMFRIES (incl. part of Burgh),	12298	13523	274	241	515	40	29	69	173	178	351	125
22	Dunscore,	1578	1554	33	24	57	2	5	7	12	11	23	11
23	Durrisdeer,	1795	1320	16	18	34	3	1	4	9	9	18	11
24	Eskdalemuir,	672	590	15	9	24	1	1	2	3	4	7	2
25	Ewes,	354	356	6	6	12	–	–	–	4	6	10	2
26	Glencairn,	1980	1867	21	28	49	5	4	9	16	15	31	15
27	Graitney (or Gretna),	1830	1620	27	37	64	4	5	9	14	13	27	19
28	Halfmorton,	687	713	11	10	21	2	4	6	4	5	9	2
29	Hoddam,	*c.* 1705	1568	31	30	61	3	6	9	11	9	20	8
30	Holywood,	1060	1115	24	18	42	2	1	3	10	8	18	10

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
831	Hutton, ...	836	876	15	14	29	3	2	5	7	4	11	10
832	Johnstone, . . .	1261	1149	21	17	38	2	3	5	10	6	16	4
833	Keir, ...	960	849	10	18	28	–	2	2	11	10	21	6
834	Kirkconnel, . . .	1245	996	13	20	33	–	4	4	12	8	20	8
835	Kirkmahoe, . . .	1553	1462	14	21	35	4	6	10	17	13	30	9
836	Kirkmichael, . . .	1124	1026	24	11	35	3	–	3	7	4	11	7
837	Kirkpatrick-Fleming, .	1829	1925	24	38	62	4	3	7	10	21	31	12
838	Kirkpatrick-Juxta, .	1097	1025	18	19	37	2	1	3	7	6	13	3
839	Langholm, . . .	2990	2979	54	50	104	8	4	12	33	26	59	13
840	LOCHMABEN (includ. Burgh), . . .	3127	3087	56	50	106	7	10	17	23	36	59	18
841	Middlebie, . . .	2163	2004	29	28	57	4	5	9	18	18	36	10
842	Moffat, ...	2304	2232	41	33	74	3	5	8	15	26	41	9
843	Morton, ...	2482	2253	27	40	67	7	8	15	21	27	48	11
844	Mousewald, . . .	686	633	7	8	15	–	1	1	5	2	7	2
845	Penpont, . . .	1411	1326	14	11	25	1	3	4	12	12	24	13
846	Ruthwell, . . .	1110	1046	15	12	27	1	2	3	8	10	18	8
847	St Mungo, . . .	645	686	7	8	15	1	–	1	8	1	9	1
848	SANQUHAR (including Burgh), . . .	c. 3155	2758	40	41	81	4	5	9	42	41	83	13
849	Tinwald, . . .	1080	1079	17	13	30	1	2	3	3	5	8	7
850	Torthorwald, . . .	1313	1254	15	21	36	2	5	7	17	14	31	6
851	Tundergarth, . . .	577	507	8	11	19	2	1	3	4	4	8	2
852	Tynron, ...	482	446	3	8	11	–	2	2	–	3	3	1
853*a*	Wamphray, . . .	523	559	5	7	12	–	1	1	4	5	9	1
853*b*	Wanlockhead, . .	c. 916	811	10	16	26	–	3	3	3	5	8	8
854	Westerkirk, . . .	658	537	8	8	16	2	–	2	5	5	10	3
	Total,	78149	75904	1244	1210	2454	162	179	341	718	726	1444	480
	32. KIRKCUDBRIGHT.												
855	Anwoth, ...	900	899	12	9	21	–	2	2	7	7	14	2
856	Balmaclellan. . . .	c. 938	890	9	14	23	1	1	2	8	4	12	10
857	Balmaghie, . . .	1217	1225	20	18	38	4	1	5	13	3	16	5
858	Borgue, ...	1043	1162	21	22	43	2	4	6	7	7	14	6
859	Buittle, ...	1042	1165	16	18	34	1	–	1	7	5	12	9
860	Carsphairn, . . .	855	553	5	8	13	–	–	–	6	8	14	5
861	Colvend, . . .	1398	1366	17	16	33	1	1	2	12	7	19	5
862	Corsock-Bridge, . .	c. 550	544	14	7	21	2	1	3	5	2	7	1
863	Crossmichael, . . .	1362	1536	31	16	47	7	1	8	10	11	21	7
864	Dalbeattie, . . .	c. 1927	2054	40	42	82	7	8	15	25	29	54	25
865	Dalry, ...	1238	1149	19	24	43	3	2	5	12	16	28	7
866	Girthon, ...	1787	1702	25	28	53	1	3	4	13	19	32	6
867	Irongray, . . .	918	913	17	16	33	4	2	6	3	6	9	6
868	Kells (incl. Burgh of NEW GALLOWAY),	1091	1170	26	20	46	5	2	7	13	8	21	8
869	Kelton, ...	3186	3436	59	64	123	13	11	24	47	49	96	23
870	Kirkbean, . . .	982	942	17	12	29	1	1	2	3	7	10	5
871	KIRKCUDBRIGHT (including Burgh), . .	3555	3407	50	42	92	10	6	16	46	48	94	19
872	Kirkgunzeon, . . .	734	793	14	14	28	1	3	4	9	3	12	6
873	Kirkmabreck, . . .	2266	1851	33	38	71	6	3	9	22	19	41	12
874	Kirkpatrick-Durham, .	c. 1349	1323	24	22	46	5	6	11	11	16	27	3
875	Lochrutton, . . .	726	677	11	11	22	–	3	3	1	10	11	4
876	Minnigaff, . . .	2054	1804	33	25	58	6	2	8	21	23	44	13
877	New Abbey, . . .	1098	1063	17	22	39	5	2	7	8	12	20	5
878	Parton, ...	c. 547	572	13	5	18	–	–	–	1	4	5	2
879	Rerrick, ...	1725	1738	30	26	56	3	2	5	24	25	49	21

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
880	Terregles (incl. part of DUMFRIES Burgh), .	566	580	5	6	11	–	1	1	1	6	7	4
881	Tongland, ...	924	892	14	12	26	–	1	1	10	4	14	3
882	Troqueer (incl. part of DUMFRIES Burgh), .	4925	4743	87	106	193	15	14	29	56	61	117	31
883	Twynholm, . . .	782	815	9	11	20	1	2	3	1	11	12	5
884	Urr, ...	c. 1436	1531	25	30	55	3	4	7	12	17	29	11
	Total,	43121	42495	713	704	1417	107	89	196	414	447	861	269
	33. Wigtown.												
885	Glasserton, . . .	1487	1472	25	20	45	1	1	2	7	7	14	8
886	Inch, ...	2579	2460	38	31	69	2	4	6	24	22	46	8
887	Kirkcolm, . . .	2018	1860	26	30	56	1	4	5	26	19	45	10
888	Kirkcowan, . . .	1541	1434	16	21	37	1	6	7	15	10	25	6
889	Kirkinner, . . .	1914	1716	22	22	44	1	4	5	10	15	25	6
890	Kirkmaiden, . . .	2681	2333	36	49	85	6	15	21	30	27	57	7
891	Leswalt, . . .	1703	1417	12	27	39	2	1	3	14	14	28	6
892	Mochrum, . . .	2946	2694	40	37	77	6	6	12	28	25	53	17
893	New Luce, . . .	791	731	16	14	30	1	7	8	6	4	10	1
894	Old Luce (or Glenluce), .	2841	2800	39	47	86	8	7	15	24	27	51	14
895	Penninghame, . .	4155	4061	63	60	123	12	11	23	45	58	103	42
896	Portpatrick, . . .	1963	2189	32	29	61	9	6	15	15	19	34	7
897	Sorbie, ...	1886	1814	22	21	43	3	–	3	9	15	24	6
898	Stoneykirk, . . .	3321	3228	46	56	102	2	10	12	26	31	57	11
899	STRANRAER (Burgh),	5738	6315	92	98	190	17	21	38	95	113	208	32
900	WHITHORN (incl. Burgh)	3001	2934	69	48	117	7	8	15	31	36	67	22
901	WIGTOWN (incl. Burgh)	2824	2637	36	44	80	7	9	16	30	33	63	18
	Total,	43389	42095	630	654	1284	86	120	206	435	475	910	221

SUMMARY.

DISTRICTS.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem.	Total.	
Insular, ...	166,487	160,733	2349	2278	4627	145	124	269	1252	1381	2633	910
Mainland—Rural, . .	1,712,552	1,763,377	30478	28888	59366	3066	2808	5874	15317	15642	30959	10825
Town,*	1,009,703	1,138,184	21801	20749	42550	1878	1694	3572	14019	14103	28122	9466
SCOTLAND, . . .	2,888,742	3,062,294	54628	51915	106543	5089	4626	9715	30588	31126	61714	21201

* The constitution of the Town Districts was slightly altered in 1858, so that the populations of the Mainland and Town Districts do not quite correspond with those of former Returns.

MARRIAGES registered in SCOTLAND in 1859, and the Number of Persons who signed the Register by Marks.

COUNTY.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholics.	Other Denominations.	Not Stated.	TOTAL.		Males.	Females.	TOTAL.
Shetland	148	12	2	–	–	6	–	168	–	14	67	81
Orkney	91	41	47	–	–	7	3	189	2	5	14	19
Caithness	40	155	6	–	–	16	1	218	–	5	25	30
Sutherland	12	88	–	–	–	–	–	100	–	9	24	33
Ross and Cromarty	66	346	8	–	3	2	–	425	–	161	240	401
Inverness	229	202	8	1	60	1	1	502	–	153	276	429
Nairn	19	37	8	2	2	2	–	70	–	8	22	30
Elgin	138	78	21	3	4	5	–	249	–	16	39	55
Banff	204	72	17	6	18	3	1	321	–	7	31	38
Aberdeen	907	363	52	53	14	71	–	1460	–	26	117	143
Kincardine	160	54	2	14	2	1	–	233	–	3	19	22
Forfar	673	302	224	45	139	69	–	1452	–	151	363	514
Perth	370	246	125	12	35	33	–	821	–	37	88	125
Fife	523	170	188	3	14	11	–	909	–	41	101	142
Kinross	14	16	14	–	–	–	–	44	–	–	3	3
Clackmannan	39	43	32	1	–	5	–	120	–	7	23	30
Stirling	294	142	134	5	54	16	1	646	–	89	151	240
Dumbarton	180	49	53	5	64	11	–	362	–	76	118	194
Argyll	272	114	24	10	14	10	1	445	–	68	136	204
Bute	50	23	8	1	5	4	–	91	–	4	15	19
Renfrew	664	209	166	22	192	56	8	1317	–	204	457	661
Ayr	853	304	209	12	113	64	14	1569	–	227	460	687
Lanark	1596	965	899	78	805	653	67	5063	5	650	1456	2106
Linlithgow	146	61	54	–	31	6	3	301	–	50	73	123
Edinburgh	1054	440	326	94	144	71	112	2241	5	94	214	308
Haddington	150	48	27	1	19	–	–	245	–	21	39	60
Berwick	68	35	50	1	3	–	13	170	2	4	9	13
Peebles	36	10	12	–	–	2	2	62	–	–	1	1
Selkirk	28	7	19	–	–	2	1	57	–	1	3	4
Roxburgh	184	57	78	2	26	17	2	366	1	16	37	53
Dumfries	261	89	76	4	23	18	7	478	2	16	36	52
Kirkcudbright	175	47	17	3	21	4	2	269	–	15	20	35
Wigtown	125	36	30	–	17	9	4	221	–	31	30	61
SCOTLAND	9769	4861	2936	378	1822	1175	243	21184	17	2209	4707	6916

AGES and CONDITION of Persons married in SCOTLAND in 1859.

Condition combined with Age.		TOTAL.	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors and Spinsters.		17536	–	–	3	17	125	421	924	6815	5551	2094	879	359	206	79	29	4	4	1	1	–	–	24
		17536	3	7	69	280	817	1383	1751	7248	4201	1171	397	110	38	11	2	–	–	–	–	–	–	48
Bachelors and Widows.		567	–	–	–	–	–	2	8	80	142	127	83	55	41	18	3	2	5	–	–	–	–	1
		567	–	–	–	–	–	–	–	32	158	143	120	59	37	8	3	–	1	–	–	–	–	6
Widowers and Spinsters.		1864	–	–	–	–	–	–	–	31	183	340	378	321	226	151	121	66	30	9	4	1	–	3
		1864	–	–	–	3	6	29	43	320	475	392	293	157	86	38	10	3	–	–	–	–	–	9
Widowers and Widows.		603	–	–	–	–	–	–	–	2	22	48	84	117	128	79	64	31	13	12	3	–	–	–
		603	–	–	–	–	–	–	–	10	55	119	145	131	89	31	17	4	1	–	–	–	–	1
Condition not stated.	Males.	631	–	–	–	–	2	13	56	227	179	82	33	9	17	4	3	1	1	–	–	–	–	4
	Females.	631	1	–	6	9	30	59	69	250	132	40	15	8	3	1	–	–	–	–	–	–	–	8
TOTAL MALES		21201	–	–	3	17	127	436	988	7155	6077	2691	1457	861	618	331	220	104	53	22	8	1	–	32
TOTAL FEMALES ...		21201	4	7	75	292	853	1471	1863	7860	5021	1865	970	465	253	89	32	7	2	–	–	–	–	72

AGES of MALES married in Scotland in 1859.

	Total Males.	Ages of Males at Marriage.																				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	21201	–	–	3	17	127	436	988	7155	6077	2691	1457	861	618	331	220	104	53	22	8	1	–	32
DIVISIONS.																							
1. Northern .	677	–	–	–	1	5	5	22	186	218	111	60	22	20	6	12	6	2	–	–	1	–	–
2. North-Western	927	–	–	–	–	2	3	16	174	304	202	111	42	40	21	4	5	1	–	–	–	–	2
3. North-Eastern	2333	–	–	–	1	9	32	83	697	729	337	182	106	66	32	30	11	12	3	1	–	–	2
4. East-Midland .	3346	–	–	–	3	24	88	176	1169	931	408	199	130	95	50	32	22	6	7	2	–	–	4
5. West-Midland	1544	–	–	–	2	8	27	50	499	452	211	123	72	40	25	19	7	3	–	2	–	–	4
6. South-Western	7954	–	–	3	7	59	189	437	2953	2157	886	466	312	221	119	82	34	16	5	1	–	–	7
7. South-Eastern	3083	–	–	–	2	13	60	142	1036	895	360	217	129	100	57	34	15	8	3	1	–	–	11
8. Southern . .	1337	–	–	–	1	7	32	62	441	391	176	99	48	36	21	7	4	5	4	1	–	–	2
COUNTIES.																							
Shetland . .	168	–	–	–	–	2	2	5	61	56	23	6	4	3	–	6	–	–	–	–	–	–	–
Orkney . .	191	–	–	–	1	2	–	7	53	58	27	19	7	8	4	3	1	1	–	–	–	–	–
Caithness . .	218	–	–	–	–	1	2	9	56	70	42	20	8	6	1	1	2	–	–	–	–	–	–
Sutherland . .	100	–	–	–	–	–	1	1	16	34	19	15	3	3	1	2	3	1	–	–	1	–	–
Ross and Cromarty	425	–	–	–	–	1	2	5	83	150	85	48	23	14	13	–	1	–	–	–	–	–	–
Inverness . .	502	–	–	–	–	1	1	11	91	154	117	63	19	26	8	4	4	1	–	–	–	–	2

AGES of MALES married in Scotland in 1859.

Nairn . . .	70	–	–	–	–	–	–	2	13	26	16	4	5	1	–	1	–	1	–	–	–	–	1
Elgin . . .	249	–	–	–	–	1	3	8	68	91	36	18	6	7	4	5	–	2	–	–	–	–	–
Banff . . .	321	–	–	–	–	–	3	16	111	93	45	23	8	11	4	–	2	4	1	–	–	–	–
Aberdeen . .	1460	–	–	–	1	7	22	52	443	443	200	118	77	42	20	21	7	4	2	1	–	–	–
Kincardine . .	233	–	–	–	–	1	4	5	62	76	40	19	10	5	4	3	2	1	–	–	–	–	1
Forfar . .	1452	–	–	–	1	6	39	66	540	392	168	81	63	40	28	13	7	1	5	1	–	–	1
Perth . . .	821	–	–	–	–	8	17	33	230	244	130	67	39	28	5	11	5	2	–	1	–	–	1
Fife . . .	909	–	–	–	1	7	27	61	331	267	91	44	24	20	14	6	9	3	2	–	–	–	2
Kinross . .	44	–	–	–	–	–	2	5	17	5	4	1	2	5	2	1	–	–	–	–	–	–	–
Clackmannan .	120	–	–	–	1	3	3	11	51	23	15	6	2	2	1	1	1	–	–	–	–	–	–
Stirling . .	646	–	–	–	2	5	20	25	245	181	68	36	28	15	7	7	2	1	–	1	–	–	3
Dumbarton . .	362	–	–	–	–	2	4	19	128	112	49	16	14	9	5	2	2	–	–	–	–	–	–
Argyll . .	445	–	–	–	–	1	2	3	98	136	82	60	25	13	12	7	3	1	–	1	–	–	1
Bute . . .	91	–	–	–	–	–	1	3	28	23	12	11	5	3	1	3	–	1	–	–	–	–	–
Renfrew . .	1317	–	–	–	1	7	27	53	513	359	143	84	39	39	30	12	6	2	1	1	–	–	–
Ayr . . .	1569	–	–	2	–	16	48	100	606	389	170	75	67	43	11	25	11	5	1	–	–	–	–
Lanark . .	5068	–	–	1	6	36	114	284	1834	1409	573	307	206	139	78	45	17	9	3	–	–	–	7
Linlithgow . .	301	–	–	–	–	2	9	27	125	71	24	13	11	9	2	4	–	1	–	–	–	–	3
Edinburgh . .	2246	–	–	–	2	8	40	98	723	653	278	168	99	80	46	22	12	6	3	1	–	–	7
Haddington .	245	–	–	–	–	2	6	13	96	70	24	14	4	5	3	4	3	–	–	–	–	–	1
Berwick . .	172	–	–	–	–	1	3	3	54	61	22	14	8	2	2	2	–	–	–	–	–	–	–
Peebles . .	62	–	–	–	–	–	1	–	19	22	5	3	5	2	3	2	–	–	–	–	–	–	–
Selkirk . .	57	–	–	–	–	–	1	1	19	18	7	5	2	2	1	–	–	1	–	–	–	–	
Roxburgh . .	367	–	–	–	–	3	7	15	130	110	49	22	11	8	5	2	2	1	1	1	–	–	–
Dumfries . .	480	–	–	–	1	1	8	22	182	141	48	35	16	14	6	1	–	2	2	–	–	–	1
Kirkcudbright .	269	–	–	–	–	–	7	11	63	91	42	27	12	5	6	2	1	–	1	–	–	–	1
Wigtown . .	221	–	–	–	–	3	10	14	66	49	37	15	9	9	4	2	1	2	–	–	–	–	–

AGES of FEMALES married in Scotland in 1859.

	Total Females	Ages of Females at Marriage. Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	21201	4	7	75	292	853	1471	1863	7860	5021	1865	970	465	253	89	32	7	2	–	–	–	–	72
DIVISIONS.																							
1. Northern . .	677	–	1	1	10	18	33	36	232	201	77	41	17	5	2	1	–	–	–	–	–	–	2
2. North-Western	927	–	–	2	6	19	38	68	333	281	119	36	13	5	1	1	–	–	–	–	–	–	5
3. North-Eastern	2333	–	2	10	31	78	135	177	848	629	224	110	42	29	12	2	2	–	–	–	–	–	2
4. East-Midland .	3346	–	–	6	24	89	214	267	1304	841	292	162	63	48	13	6	1	1	–	–	–	–	15
5. West-Midland .	1544	–	–	2	26	69	100	138	574	375	127	73	32	17	4	2	–	–	–	–	–	–	5
6. South-Western	7954	1	2	30	148	414	663	803	2964	1641	617	325	179	91	40	10	4	–	–	–	–	–	22
7. South-Eastern	3083	3	1	19	30	127	187	259	1100	738	293	157	86	45	15	6	–	1	–	–	–	–	16
8. Southern . .	1337	–	1	5	17	39	101	115	505	315	116	66	33	13	2	4	–	–	–	–	–	–	5
COUNTIES.																							
Shetland . .	168	–	–	–	2	–	5	6	71	55	17	10	2	–	–	–	–	–	–	–	–	–	–
Orkney . .	191	–	–	1	2	6	8	10	64	51	22	15	9	1	2	–	–	–	–	–	–	–	–
Caithness . .	218	–	1	–	3	9	16	18	71	62	23	10	2	–	–	1	–	–	–	–	–	–	2
Sutherland . .	100	–	–	–	3	3	4	2	26	33	15	6	4	4	–	–	–	–	–	–	–	–	–
Ross and Cromarty	425	–	–	–	2	9	13	24	161	132	58	16	4	2	1	–	–	–	–	–	–	–	3
Inverness . .	502	–	–	2	4	10	25	44	172	149	61	20	9	3	–	1	–	–	–	–	–	–	2

AGES of FEMALES married in Scotland in 1859.

Nairn	70	–	–	1	–	4	5	6	24	16	7	3	1	2	1	–	–	–	–	–	–	–	–
Elgin	249	–	–	1	5	3	8	25	96	69	23	12	3	2	–	1	–	–	–	–	–	–	1
Banff	321	–	–	3	4	6	23	19	126	95	25	14	3	3	–	–	–	–	–	–	–	–	–
Aberdeen	1460	–	2	5	21	55	88	110	521	384	147	68	32	19	6	1	1	–	–	–	–	–	–
Kincardine	233	–	–	–	1	10	11	17	81	65	22	13	3	3	5	–	1	–	–	–	–	–	1
Forfar	1452	–	–	–	13	30	106	123	570	347	134	70	34	14	3	5	–	–	–	–	–	–	3
Perth	821	–	–	5	9	23	40	52	297	229	75	52	17	9	3	–	–	1	–	–	–	–	9
Fife	909	–	–	1	–	31	49	77	364	233	75	37	12	19	7	1	–	–	–	–	–	–	3
Kinross	44	–	–	–	–	–	4	4	14	14	1	2	–	4	–	–	1	–	–	–	–	–	–
Clackmannan	120	–	–	–	2	5	15	11	59	18	7	1	–	2	–	–	–	–	–	–	–	–	–
Stirling	646	–	–	2	12	36	54	68	236	142	42	24	19	6	–	2	–	–	–	–	–	–	3
Dumbarton	362	–	–	–	7	22	26	37	151	68	30	14	3	3	1	–	–	–	–	–	–	–	–
Argyll	445	–	–	–	6	8	18	27	153	141	45	26	9	7	3	–	–	–	–	–	–	–	2
Bute	91	–	–	–	1	3	2	6	34	24	10	9	1	1	–	–	–	–	–	–	–	–	–
Renfrew	1317	1	–	2	20	63	116	134	509	264	107	49	35	10	6	1	–	–	–	–	–	–	–
Ayr	1569	–	2	6	38	98	118	162	592	279	127	66	37	19	16	3	–	–	–	–	–	–	6
Lanark	5068	–	–	22	90	253	429	507	1863	1098	383	210	107	62	18	6	4	–	–	–	–	–	16
Linlithgow	301	1	–	5	8	25	25	36	109	47	15	13	8	3	2	–	–	1	–	–	–	–	3
Edinburgh	2246	2	1	13	18	85	139	178	784	552	225	115	71	36	9	6	–	–	–	–	–	–	12
Haddington	245	–	–	–	2	9	10	20	108	56	20	8	4	3	4	–	–	–	–	–	–	–	1
Berwick	172	–	–	–	1	7	5	18	54	50	20	14	1	2	–	–	–		–	–	–	–	–
Peebles	62	–	–	–	1	1	2	2	26	19	5	5	1	–	–	–	–	–	–	–	–	–	–
Selkirk	57	–	–	1	–	–	6	5	19	14	8	2	1	1	–	–	–	–	–	–	–	–	–
Roxburgh	367	–	1	2	7	9	34	27	157	72	37	11	5	3	1	1	–	–	–	–	–	–	–
Dumfries	480	–	–	1	3	17	27	48	176	138	31	16	15	4	1	1	–	–	–	–	–	–	2
Kirkcudbright	269	–	–	2	4	9	22	20	92	59	26	23	7	3	–	–	–	–	–	–	–	–	2
Wigtown	221	–	–	–	3	4	18	20	80	46	22	16	6	3	–	2	–	–	–	–	–	–	1

DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—BOTH SEXES.

	POPULATION.		BOTH SEXES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	2888742	3062294	61714	5695	1819	4009	5557	3011	1981	1423	3493	1530	2047	2321	2070
Insular . .	166487	160733	2633	262	64	113	133	68	33	34	85	54	83	112	104
Mainland .	1712552	1763377	30959	2799	817	1673	2262	1233	913	579	1776	877	1079	1175	1008
Towns . .	1009703	1138184	28122	2634	938	2223	3162	1710	1035	810	1632	599	885	1034	958
Shetland . .	31078	31670	466	24	14	10	9	11	7	5	7	9	19	33	18
Orkney . .	31455	32395	483	20	5	13	17	4	8	5	15	10	17	26	20
Caithness .	39782	42200	559	56	11	17	13	10	10	3	18	16	19	14	16
Sutherland .	24720	24157	322	28	6	4	3	5	7	4	6	2	10	17	20
Ross & Cromarty	83781	82427	1299	144	29	55	85	38	28	11	37	32	27	41	42
Inverness .	91954	84902	1377	166	41	60	66	46	19	16	42	22	36	43	43
Nairn . .	8076	8347	143	13	4	11	3	5	2	3	1	1	2	12	4
Elgin . .	40532	44218	698	73	28	29	46	23	17	10	14	12	15	31	17
Banff . .	51353	56020	964	90	18	46	46	35	23	9	43	30	44	41	34
Aberdeen .	213461	223344	3866	338	94	186	209	124	92	65	188	109	127	157	125
Kincardine .	34944	34854	596	52	12	20	30	20	24	12	36	23	19	12	18
Forfar . .	193627	206750	4844	464	145	285	469	257	192	163	331	107	179	176	135
Perth . .	137369	133198	2408	174	53	114	137	58	48	35	109	55	75	102	90
Fife . . .	153789	155021	2694	222	59	153	198	113	69	55	143	83	106	79	74
Kinross . .	9626	8731	138	13	5	6	3	4	3	5	9	1	5	1	1
Clackmannan .	21555	20122	352	40	11	35	30	5	8	4	21	10	15	13	11
Stirling . .	83802	88138	1832	169	56	120	186	99	51	32	106	49	69	69	51
Dumbarton .	46995	54179	1078	84	31	73	115	75	34	30	69	36	41	42	41
Argyll . .	94042	83859	1485	95	25	63	71	37	24	15	53	43	50	80	61
Bute . .	16608	16331	340	21	10	26	21	14	5	5	22	13	9	14	19
Renfrew . .	157950	168746	4233	369	132	361	489	284	207	150	317	98	143	132	131
Ayr . .	189973	199063	3908	338	107	284	385	193	123	94	275	117	168	157	125
Lanark . .	533169	640444	15832	1521	555	1383	2063	1093	665	506	1042	367	518	598	535
Linlithgow .	30590	39045	724	95	36	65	97	45	32	11	38	20	11	14	17
Edinburgh .	259493	274093	5495	553	175	329	424	222	116	68	215	112	144	216	217
Haddington .	36363	37626	566	48	20	20	48	18	15	8	22	8	22	8	13
Berwick . .	36165	36488	607	71	14	27	28	22	32	11	37	17	10	16	22
Peebles . .	10804	11300	182	11	4	6	8	12	10	4	7	8	9	11	8
Selkirk . .	9802	10410	159	19	6	9	5	4	2	1	10	6	6	6	6
Roxburgh .	51225	53722	849	117	26	47	43	25	14	16	35	21	31	32	28
Dumfries . .	78149	75904	1444	140	48	64	94	43	30	23	66	35	47	60	63
Kirkcudbright	43121	42495	861	54	23	35	66	37	31	16	75	22	33	29	35
Wigtown . .	43389	42095	910	73	16	53	50	30	33	28	84	36	21	39	30

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.—BOTH SEXES.

Inverness .	16496	16162	347	27	13	24	21	12	8	2	13	5	8	12	14
Aberdeen .	71973	73900	1676	126	44	110	124	91	49	45	96	42	56	48	49
Arbroath .	17238	17831	385	43	7	19	29	18	7	8	20	7	19	13	13
Dundee . .	80027	91664	2269	255	75	154	276	123	91	75	122	43	91	88	66
Forfar . .	11009	10838	326	19	12	18	33	27	21	19	38	7	8	9	3
Montrose .	16037	15668	474	20	14	31	47	26	23	21	40	8	17	18	10
Perth . .	23835	25293	560	56	15	33	45	8	11	4	22	11	16	21	24
Dunfermline .	13836	13506	195	16	5	12	14	8	4	4	6	4	11	2	13
Kirkcaldy .	10636	11117	182	18	4	19	15	14	2	4	7	3	5	8	5
Stirling . .	12401	14012	316	32	13	30	28	18	5	4	12	7	10	12	8
Greenock .	37436	43894	1423	115	52	146	181	110	92	61	123	26	37	38	36
Paisley . .	48071	47427	1185	108	31	74	120	71	42	49	73	31	43	34	41
Ayr . .	18845	19659	411	32	13	30	30	22	11	8	29	16	11	15	10
Kilmarnock .	21287	23556	556	44	15	52	50	33	19	20	52	12	19	28	18
Glasgow . .	329097	395503	10832	1066	391	991	1502	772	463	359	666	226	333	411	375
Barony . .	16957	22667	681	59	19	56	79	49	27	22	49	15	19	27	13
Govan . .	14090	28587	569	41	22	43	86	45	22	19	26	14	13	16	23
Hamilton . .	11740	14047	295	34	8	21	17	20	9	8	14	12	15	19	12
Airdrie . .	14435	12922	281	24	9	25	32	17	11	6	31	7	13	13	3
Coatbridge, etc.	13168	15303	289	28	15	33	35	22	7	8	17	13	11	15	7
Edinburgh .	161648	170444	3703	362	121	219	279	141	88	47	125	66	106	159	160
Leith . .	32219	36029	699	69	23	51	69	40	10	8	30	15	14	22	30
Dumfries .	17223	18266	468	40	17	32	50	23	13	9	21	9	10	6	25

DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1934	1862	1813	1807	1939	2099	2506	2592	2931	2861	2324	1277	466	173	39	135
Insular . . .	84	71	79	67	85	91	127	124	167	192	180	119	45	23	14	20
Mainland . . .	872	839	820	857	932	1039	1340	1477	1764	1825	1548	915	332	107	20	81
Towns . . .	978	952	914	883	922	969	1039	991	1000	844	596	243	89	43	5	34
Shetland . . .	14	16	11	16	16	11	20	26	32	49	38	37	8	5	–	1
Orkney . . .	12	11	15	14	17	24	36	26	32	42	49	26	11	3	2	3
Caithness . . .	21	10	11	9	21	27	33	36	35	43	52	34	13	6	1	4
Sutherland . .	9	11	10	8	7	8	15	16	20	39	24	22	15	4	–	2
Ross and Cromarty .	35	27	34	25	28	39	66	79	83	103	106	57	26	13	5	4
Inverness . . .	53	39	50	44	44	46	56	79	81	96	101	39	17	14	10	8
Nairn . . .	4	2	3	6	1	11	8	8	12	9	13	4	1	–	–	–
Elgin . . .	18	22	13	17	15	31	26	42	56	42	40	39	15	2	1	4
Banff . . .	29	25	27	20	28	33	31	44	48	76	69	46	25	2	1	1
Aberdeen . . .	137	133	98	112	126	148	174	188	236	294	200	134	42	19	2	9
Kincardine . .	18	11	14	15	15	16	28	35	45	40	34	30	9	4	1	3
Forfar . . .	118	136	123	143	163	164	204	199	232	188	141	73	24	15	1	17
Perth . . .	83	71	60	77	88	93	121	111	197	203	144	61	32	9	1	7
Fife	77	68	73	70	97	120	147	142	170	147	130	62	25	6	1	5
Kinross . . .	7	2	1	3	6	5	9	5	10	14	9	8	1	1	–	1
Clackmannan . .	10	6	9	10	12	12	18	23	12	16	9	11	–	–	–	1
Stirling . . .	41	55	54	50	67	55	63	85	94	84	70	35	13	5	–	4
Dumbarton . .	43	26	37	30	36	24	43	32	43	36	36	14	5	–	–	2
Argyll . . .	41	38	47	54	49	51	73	75	117	103	107	61	30	9	6	7
Bute . . .	10	8	10	6	13	18	11	13	17	17	18	10	2	2	–	6
Renfrew . . .	120	113	111	110	130	139	147	138	139	121	84	44	17	2	–	5
Ayr	115	119	103	98	118	106	144	152	180	165	119	83	24	9	1	6
Lanark . . .	527	492	512	458	450	454	500	453	399	309	270	99	35	14	4	10
Linlithgow . .	14	18	18	18	16	16	19	22	31	36	18	10	2	1	–	4
Edinburgh . .	223	244	213	235	215	239	283	273	259	245	168	65	28	9	–	5
Haddington . .	13	19	15	23	19	29	30	31	41	36	33	19	2	2	–	4
Berwick . . .	11	14	18	14	23	23	24	31	49	41	16	27	6	1	–	2
Peebles . . .	5	6	4	6	5	10	7	8	9	8	7	9	–	–	–	–
Selkirk . . .	5	1	4	5	8	6	6	16	8	8	4	5	2	1	–	–
Roxburgh . .	29	25	27	28	24	29	39	41	50	63	36	18	1	2	–	2
Dumfries . . .	36	48	32	49	46	50	53	71	95	103	86	40	12	6	1	3
Kirkcudbright . .	33	24	27	16	16	33	33	45	51	50	36	26	12	1	–	2
Wigtown . . .	23	22	29	18	20	29	39	47	48	35	57	29	11	6	1	3

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.—BOTH SEXES.

	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	9	9	14	12	16	13	14	18	20	26	22	9	1	4	1	–
Aberdeen . .	59	52	41	54	62	75	74	72	96	114	57	23	8	4	–	5
Arbroath . . .	10	12	10	17	11	20	19	14	24	26	14	3	1	1	–	–
Dundee . . .	61	66	65	77	86	73	94	84	74	47	36	25	5	7	1	9
Forfar . . .	5	6	3	6	6	10	12	18	16	13	12	3	1	–	–	1
Montrose . . .	10	14	12	9	13	18	25	18	26	25	14	10	4	1	–	–
Perth . . .	23	18	20	18	19	25	28	33	38	32	24	13	2	–	–	1
Dunfermline . .	4	6	11	3	6	14	11	11	16	6	4	2	–	–	–	2
Kirkcaldy . . .	8	4	3	4	5	5	10	14	6	8	5	3	3	–	–	–
Stirling . . .	16	9	13	7	13	11	11	16	12	13	11	2	2	1	–	–
Greenock . . .	46	39	32	33	41	36	47	27	37	29	24	9	5	1	–	–
Paisley . . .	39	40	37	39	47	45	40	49	58	34	26	11	3	–	–	–
Ayr . . .	14	15	12	11	11	15	20	19	23	13	13	14	1	2	–	1
Kilmarnock . .	26	18	20	11	14	13	16	15	26	13	16	3	1	2	–	–
Glasgow . . .	359	350	356	316	323	322	338	284	231	183	140	39	18	9	2	7
Barony . . .	27	20	25	13	30	14	26	26	26	13	15	8	3	1	–	–
Govan . . .	23	22	20	26	12	17	21	19	15	12	6	3	2	–	–	1
Hamilton . . .	11	9	10	5	5	5	9	11	10	10	13	4	1	2	–	1
Airdrie . . .	10	10	10	10	13	8	2	8	10	4	2	1	2	–	–	–
Coatbridge, etc. .	9	9	9	12	3	12	4	6	2	6	5	1	–	–	–	–
Edinburgh . .	165	176	145	161	149	168	179	177	180	157	103	42	20	6	–	2
Leith . . .	27	34	29	25	24	30	28	34	32	25	21	5	2	–	–	2
Dumfries . . .	17	14	17	14	13	20	11	18	22	35	13	10	4	2	1	2

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1375479	1449848	30588	3283	1029	2149	2843	1508	976	700	1770	750	1078	1195	950
Insular . .	76760	73409	1252	156	36	67	66	41	19	16	40	21	45	69	46
Mainland .	829259	849381	15317	1627	466	911	1148	591	442	293	891	427	573	605	469
Towns . .	469460	527058	14019	1500	527	1171	1629	876	515	391	839	302	460	521	435
Shetland . .	13145	13041	212	17	5	8	4	7	4	3	5	2	10	22	6
Orkney . .	14350	14921	213	11	2	9	10	4	4	3	4	6	9	13	8
Caithness .	18809	19827	272	35	8	10	5	4	4	2	11	6	14	11	10
Sutherland .	11437	11008	150	17	4	2	2	2	5	2	4	1	4	10	9
Ross & Cromarty	39489	38281	636	84	20	34	39	24	15	7	17	17	17	25	25
Inverness .	42814	39432	662	109	21	33	38	15	13	8	16	7	20	25	20
Nairn . .	3831	3975	65	9	1	7	2	1	1	1	1	1	1	6	2
Elgin . .	19104	20719	330	46	13	17	19	6	9	6	6	3	10	17	7
Banff . .	24034	26377	479	56	9	21	27	18	10	5	20	15	22	21	19
Aberdeen .	100938	105019	1884	210	52	98	123	59	34	36	99	60	68	78	60
Kincardine .	17185	16914	272	23	6	10	13	10	12	4	17	8	8	9	7
Forfar . .	89399	93056	2321	247	75	150	226	127	99	83	174	53	86	88	45
Perth . .	65266	63000	1176	100	30	57	71	27	26	18	51	21	45	58	31
Fife . . .	73305	72363	1317	113	34	87	109	51	40	27	65	41	55	37	37
Kinross . .	4660	4134	66	9	3	3	–	4	1	2	5	–	3	–	–
Clackmannan .	10634	9713	183	23	6	19	15	3	4	3	16	6	7	8	6
Stirling . .	41563	43507	957	107	34	72	99	50	19	15	58	19	38	36	24
Dumbarton .	23340	26418	559	57	14	44	60	37	15	15	40	18	25	24	20
Argyll . .	46197	40772	784	54	17	40	35	22	12	2	28	24	27	47	37
Bute . .	7518	7043	148	10	7	10	12	9	4	3	9	6	5	8	7
Renfrew . .	74224	79121	2134	219	82	193	238	139	107	74	168	59	72	64	59
Ayr . .	92933	96865	1951	181	62	141	197	95	51	52	137	54	88	71	60
Lanark . .	258450	307985	7977	870	319	744	1051	578	336	234	533	192	262	281	244
Linlithgow .	15137	20230	373	54	21	35	53	22	15	6	18	12	6	8	12
Edinburgh .	119713	126256	2736	327	96	166	210	112	57	37	103	55	80	126	103
Haddington .	17592	17842	268	28	11	13	24	7	5	6	10	2	10	5	4
Berwick . .	17367	17332	290	40	10	11	14	8	19	6	17	8	6	7	10
Peebles . .	5400	5593	90	5	2	5	5	8	3	3	4	3	3	6	5
Selkirk . .	4836	5065	91	16	4	2	3	2	2	1	7	2	2	4	1
Roxburgh .	25002	26565	425	63	13	23	27	12	8	7	17	6	14	21	9
Dumfries .	38922	37244	718	74	32	38	50	18	13	12	34	15	36	29	30
Kirkcudbright	19501	18086	414	30	10	20	35	13	13	8	38	9	13	10	16
Wigtown .	20335	19311	435	39	6	27	27	14	16	9	38	19	12	20	17

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.

	1851.	1861.	ALL AGES.	3	6	12	2	3	4	5	10	15	20	25	30
Inverness .	7401	7261	176	17	10	13	15	6	7	–	5	1	6	6	4
Aberdeen .	31746	32554	814	84	22	61	73	42	20	22	59	23	30	20	17
Arbroath .	7866	7770	188	26	3	11	14	10	3	6	13	5	11	9	4
Dundee . .	36364	40395	1075	125	33	81	124	62	42	36	63	19	41	48	23
Forfar . .	5017	4735	167	10	9	6	21	11	13	10	22	3	1	4	1
Montrose .	7061	6736	219	14	8	17	24	12	12	13	22	4	7	7	2
Perth . .	11282	11564	272	31	9	14	23	4	6	3	7	3	9	11	8
Dunfermline .	6901	6447	102	12	5	5	7	5	3	1	3	1	4	1	7
Kirkcaldy .	4906	5074	93	8	2	13	7	6	1	4	4	–	1	5	3
Stirling . .	5908	6814	179	21	7	16	16	9	2	2	7	4	8	9	7
Greenock .	17905	21567	714	75	37	78	82	54	52	28	51	16	22	21	18
Paisley . .	22608	21913	590	53	18	33	69	35	19	22	43	18	21	17	22
Ayr . .	8675	9094	213	19	11	13	19	11	5	3	15	6	7	5	3
Kilmarnock .	10163	11398	270	20	4	28	30	15	9	11	25	5	12	13	9
Glasgow . .	154930	185556	5436	611	219	530	776	416	231	168	342	118	167	200	173
Barony . .	8547	11221	353	31	11	32	37	27	16	10	30	5	10	10	8
Govan . .	6830	13603	286	23	12	27	47	21	9	11	13	7	5	8	8
Hamilton .	5576	6798	162	24	5	13	8	12	5	3	9	8	9	13	6
Airdrie . .	7333	6242	155	14	7	16	17	6	5	2	19	4	9	3	1
Coatbridge, etc.	7084	8155	154	12	9	16	21	12	3	3	11	10	6	8	4
Edinburgh .	72067	76013	1836	205	63	109	136	72	42	23	55	33	58	88	80
Leith . .	15482	17894	336	38	13	23	36	21	6	6	12	7	11	12	15
Dumfries .	7809	8254	229	27	10	16	27	7	4	4	9	2	5	3	12

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	896	851	918	948	950	1056	1160	1253	1301	1230	949	517	172	59	13	84
Insular . . .	30	34	37	32	34	37	59	54	66	85	64	47	19	11	5	16
Mainland . . .	406	379	423	439	473	519	624	740	795	811	645	393	131	40	7	49
Towns . . .	460	438	458	477	443	500	477	459	440	434	240	77	22	8	1	19
Shetland . . .	8	7	7	5	7	3	10	12	9	19	12	12	3	4	–	1
Orkney . . .	6	4	6	9	6	8	14	13	10	17	19	9	4	2	1	2
Caithness . . .	10	6	3	5	11	11	16	20	14	16	16	12	5	2	1	4
Sutherland . .	4	5	5	3	5	4	7	5	11	16	9	8	4	1	–	1
Ross and Cromarty .	16	13	21	11	16	19	23	33	30	52	36	22	10	5	3	2
Inverness . . .	20	17	29	21	16	21	32	31	39	39	38	13	6	1	4	7
Nairn . . .	–	1	1	1	1	5	4	4	6	5	1	2	1	–	–	–
Elgin . . .	8	11	7	10	7	16	13	17	17	21	13	18	9	–	–	4
Banff . . .	13	11	19	11	14	19	10	20	29	35	25	19	9	1	–	1
Aberdeen . . .	55	54	46	58	65	86	72	95	106	117	70	51	19	5	–	8
Kincardine . .	7	5	6	11	9	6	15	15	21	14	17	12	2	2	–	3
Forfar . . .	56	54	60	63	76	75	93	94	107	82	60	28	9	2	–	9
Perth . . .	39	37	29	42	40	50	60	55	80	96	59	33	13	5	–	3
Fife . . .	43	24	39	31	54	59	63	78	81	64	49	26	8	2	–	–
Kinross . . .	3	–	–	1	3	1	4	3	7	5	5	3	–	1	–	–
Clackmannan . .	5	3	3	5	8	6	7	11	7	7	3	2	–	–	–	–
Stirling . . .	22	30	29	26	43	35	32	45	42	33	26	15	6	1	–	1
Dumbarton . .	22	13	19	16	15	11	17	17	21	16	19	1	1	–	–	2
Argyll . . .	19	20	26	28	29	30	35	34	55	53	57	27	14	6	2	4
Bute	1	5	4	2	2	6	4	2	8	5	7	5	1	1	–	5
Renfrew . . .	57	67	52	57	57	66	60	64	59	57	31	21	8	1	–	3
Ayr	53	50	51	56	60	56	69	89	89	74	62	38	7	4	1	3
Lanark . . .	232	232	252	254	215	240	229	215	167	121	118	37	9	7	–	5
Linlithgow . .	9	8	9	9	6	7	11	10	9	16	7	4	1	1	–	4
Edinburgh . .	112	109	113	132	110	113	135	131	113	95	71	23	4	1	–	2
Haddington . .	8	7	5	12	8	12	18	16	14	17	12	11	–	–	–	3
Berwick . . .	3	6	8	8	12	9	11	15	21	17	7	13	2	–	–	2
Peebles . . .	1	2	2	4	–	6	5	3	7	2	4	2	–	–	–	–
Selkirk . . .	4	1	3	4	2	3	4	10	6	4	–	3	–	1	–	–
Roxburgh . .	16	10	17	14	13	13	18	21	27	28	16	8	1	1	–	2
Dumfries . . .	17	21	16	23	21	23	25	37	42	48	39	17	6	–	1	1
Kirkcudbright . .	19	9	17	5	6	20	21	17	25	22	19	12	6	–	–	1
Wigtown . . .	8	9	14	8	13	17	23	21	22	17	22	10	4	2	–	1

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.

	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	4	4	12	7	6	6	8	6	9	10	14	–	–	–	–	–
Aberdeen . . .	26	21	17	29	33	41	29	34	40	42	17	6	2	–	–	4
Arbroath . . .	6	5	6	5	5	5	6	4	11	12	6	2	–	–	–	–
Dundee . . .	29	27	33	33	36	40	46	46	36	19	15	9	2	1	–	6
Forfar . . .	3	1	2	3	4	5	8	7	10	5	6	1	–	–	–	1
Montrose . . .	4	6	4	6	8	8	9	4	12	9	5	1	1	–	–	–
Perth . . .	8	11	11	12	10	13	12	16	18	18	7	6	1	–	–	1
Dunfermline . .	3	1	4	–	4	8	7	7	9	3	2	–	–	–	–	–
Kirkcaldy . . .	6	2	1	3	3	4	3	6	3	4	2	1	1	–	–	–
Stirling . . .	6	4	7	5	6	9	3	11	7	7	3	1	1	1	–	–
Greenock . . .	24	20	17	18	20	19	17	13	12	11	3	5	1	–	–	–
Paisley . . .	17	22	17	21	21	26	20	19	28	13	11	3	2	–	–	–
Ayr . . .	11	9	5	6	3	6	14	12	12	6	6	5	–	–	–	1
Kilmarnock . .	11	7	8	7	7	5	10	7	10	6	8	1	1	1	–	–
Glasgow . . .	158	164	168	171	144	168	147	129	88	66	58	12	5	4	–	3
Barony . . .	10	7	13	5	15	10	16	18	16	5	6	3	1	1	–	–
Govan . . .	9	11	13	15	5	11	12	7	4	3	2	2	–	–	–	1
Hamilton . . .	3	3	6	4	1	4	4	5	4	4	6	2	–	–	–	1
Airdrie . . .	7	6	7	8	7	2	1	4	5	2	2	1	–	–	–	–
Coatbridge, etc. .	5	5	5	6	3	4	3	1	1	2	4	–	–	–	–	–
Edinburgh . .	83	85	80	93	83	75	82	86	82	65	45	11	2	–	–	–
Leith	13	11	14	13	12	17	17	12	12	6	6	2	–	–	–	1
Dumfries . . .	14	6	8	7	7	14	3	5	11	16	6	3	2	–	1	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—FEMALES.

	FEMALE POPULATION.		FEMALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1612446	31126	2412	790	1860	2714	1503	1005	723	1723	780	969	1126	1120
Insular . .	89727	87324	1381	106	28	46	67	27	14	18	45	33	38	43	58
Mainland .	883293	913996	15642	1172	351	762	1114	642	471	286	885	450	506	570	539
Towns . .	540243	611126	14103	1134	411	1052	1533	834	520	419	793	297	425	513	523
Shetland . .	17933	18637	254	7	9	2	5	4	3	2	2	7	9	11	12
Orkney . .	17105	17495	270	9	3	4	7	–	4	2	11	4	8	13	12
Caithness .	20973	22477	287	21	3	7	8	6	6	1	7	10	5	3	6
Sutherland .	13283	13112	172	11	2	2	1	3	2	2	2	1	6	7	11
Ross & Cromarty	44292	44020	663	60	9	21	46	14	13	4	20	15	10	16	17
Inverness .	49140	45447	715	57	20	27	28	31	6	8	26	15	16	18	23
Nairn . .	4245	4374	78	4	3	4	1	4	1	2	–	–	1	6	2
Elgin . .	21758	23496	368	27	15	12	27	17	8	4	8	9	5	14	10
Banff . .	26989	29663	485	34	9	25	19	17	13	4	23	15	22	20	15
Aberdeen .	112528	118135	1982	128	42	88	86	65	58	29	89	49	59	79	65
Kincardine .	17754	17935	324	29	6	10	17	10	12	8	19	15	11	3	11
Forfar . .	104232	113640	2523	217	70	135	243	130	93	80	157	54	93	88	90
Perth . .	71039	70067	1232	74	23	57	66	31	22	17	58	34	30	44	59
Fife . .	80484	82443	1377	109	25	66	89	62	29	28	78	42	51	42	37
Kinross . .	4966	4595	72	4	2	3	3	–	2	3	4	1	2	1	1
Clackmannan .	10921	10408	169	17	5	16	15	2	4	1	5	4	8	5	5
Stirling . .	43298	44766	875	62	22	48	87	49	32	17	48	30	31	33	27
Dumbarton .	23655	27763	519	27	17	29	55	38	19	15	29	18	16	18	21
Argyll . .	47845	43004	701	41	8	23	36	15	12	13	25	19	23	33	24
Bute . .	9090	9145	192	11	3	16	9	5	1	2	13	7	4	6	12
Renfrew . .	83726	89472	2099	150	50	168	251	145	100	76	149	39	71	68	72
Ayr . .	96980	102186	1957	157	45	143	188	98	72	42	138	63	80	86	65
Lanark . .	274719	332451	7855	651	236	639	1012	515	329	272	509	175	256	317	291
Linlithgow .	14895	19015	351	41	15	30	44	23	17	5	20	8	5	6	5
Edinburgh .	140338	147709	2759	226	79	163	214	110	59	31	112	57	64	90	114
Haddington .	18771	19773	298	20	9	7	24	11	10	2	12	6	12	3	9
Berwick . .	18798	19157	317	31	4	16	14	14	13	5	20	9	4	9	12
Peebles . .	5404	5707	92	6	2	1	3	4	7	1	3	5	6	5	3
Selkirk . .	4966	5345	68	3	2	7	2	2	–	–	3	4	4	2	5
Roxburgh .	26223	27147	424	54	13	24	16	13	6	9	18	15	17	11	19
Dumfries .	43040	42254	726	66	16	26	44	25	17	11	32	20	11	31	33
Kirkcudbright	20807	20744	447	24	13	15	31	24	18	8	37	13	20	19	19
Wigtown .	23054	22727	475	34	10	26	23	16	17	19	46	17	9	19	13

FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.

	1851.	1861.	ALL AGES.	3	6	12	2	3	4	5	10	15	20	25	30
Inverness .	9095	8901	171	10	3	11	6	6	1	2	8	4	2	6	10
Aberdeen .	40227	41346	862	42	22	49	51	49	29	23	27	19	26	28	32
Arbroath .	9372	10061	197	17	4	8	15	8	4	2	7	2	8	4	9
Dundee . .	43663	51269	1194	130	42	73	152	61	49	39	59	24	50	40	43
Forfar . .	5992	6103	159	9	3	12	12	16	8	9	16	4	7	5	2
Montrose .	8976	8932	255	6	6	14	23	14	11	8	18	4	10	11	8
Perth . .	12553	13729	288	25	6	19	22	4	5	1	15	8	7	10	16
Dunfermline .	6935	7059	93	4	–	7	7	3	1	3	3	3	7	1	6
Kirkcaldy .	5730	6043	89	10	2	6	8	8	1	–	3	3	4	3	2
Stirling . .	6493	7198	137	11	6	14	12	9	3	2	5	3	2	3	1
Greenock .	19531	22327	709	40	15	68	99	56	40	33	72	10	15	17	18
Paisley . .	25463	25514	595	55	13	41	51	36	23	27	30	13	22	17	19
Ayr . .	10170	10565	198	13	2	17	11	11	6	5	14	10	4	10	7
Kilmarnock .	11124	12158	286	24	11	24	20	18	10	9	27	7	7	15	9
Glasgow . .	174167	209947	5396	455	172	461	726	356	232	191	324	108	166	211	202
Barony . .	8410	11338	328	28	8	24	42	22	11	12	19	10	9	17	5
Govan . .	7260	14981	283	18	10	16	39	24	13	8	13	7	8	8	15
Hamilton .	6164	7249	133	10	3	8	9	8	4	5	5	4	6	6	6
Airdrie . .	7102	6680	126	10	2	9	15	11	6	4	12	3	4	10	2
Coatbridge, etc.	6084	7148	135	16	6	17	14	10	4	5	6	3	5	7	3
Edinburgh .	89581	94431	1867	157	58	110	143	69	46	24	70	33	48	71	80
Leith . .	16737	18135	363	31	10	28	33	19	4	2	18	8	3	10	15
Dumfries .	9414	10012	239	13	7	16	23	16	9	5	12	7	5	3	13

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1038	1011	895	859	989	1043	1346	1339	1630	1631	1375	760	294	114	26	51
Insular . . .	54	37	42	35	51	54	68	70	101	107	116	72	26	12	9	4
Mainland . . .	466	460	397	418	459	520	716	737	969	1014	903	522	201	67	13	32
Towns . . .	518	514	456	406	479	469	562	532	560	510	356	166	67	35	4	15
Shetland . . .	6	9	4	11	9	8	10	14	23	30	26	25	5	1	–	–
Orkney . . .	6	7	9	5	11	16	22	13	22	25	30	17	7	1	1	1
Caithness . . .	11	4	8	4	10	16	17	16	21	27	36	22	8	4	–	–
Sutherland . .	5	6	5	5	2	4	8	11	9	23	15	14	11	3	–	1
Ross and Cromarty .	19	14	13	14	12	20	43	46	53	51	70	35	16	8	2	2
Inverness . . .	33	22	21	20	28	25	24	48	42	57	63	26	11	13	6	1
Nairn . . .	4	1	2	5	–	6	4	4	6	4	12	2	–	–	–	–
Elgin . . .	10	11	6	7	8	15	13	25	39	21	27	21	6	2	1	–
Banff . . .	16	14	8	9	14	14	21	24	19	41	44	27	16	1	1	–
Aberdeen . . .	82	79	52	54	61	62	102	93	130	177	130	83	23	14	2	1
Kincardine . . .	11	6	8	4	6	10	13	20	24	26	17	18	7	2	1	–
Forfar . . .	62	82	63	80	87	89	111	105	125	106	81	45	15	13	1	8
Perth . . .	44	34	31	35	48	43	61	56	117	107	85	28	19	4	1	4
Fife . . .	34	44	34	39	43	61	84	64	89	83	81	36	17	4	1	5
Kinross . . .	4	2	1	2	3	4	5	2	3	9	4	5	1	–	–	1
Clackmannan . .	5	3	6	5	4	6	11	12	5	9	6	9	–	–	–	1
Stirling . . .	19	25	25	24	24	20	31	40	52	51	44	20	7	4	–	3
Dumbarton . .	21	13	18	14	21	13	26	15	22	20	17	13	4	–	–	–
Argyll . . .	22	18	21	26	20	21	38	41	62	50	50	34	16	3	4	3
Bute . . .	9	3	6	4	11	12	7	11	9	12	11	5	1	1	–	1
Renfrew . . .	63	46	59	53	73	73	87	74	80	64	53	23	9	1	–	2
Ayr . . .	62	69	52	42	58	50	75	63	91	91	57	45	17	5	–	3
Lanark . . .	295	260	260	204	235	214	271	238	232	188	152	62	26	7	4	5
Linlithgow . .	5	10	9	9	10	9	8	12	22	20	11	6	1	–	–	–
Edinburgh . .	111	135	100	103	105	126	148	142	146	150	97	42	24	8	–	3
Haddington . .	5	12	10	11	11	17	12	15	27	19	21	8	2	2	–	1
Berwick . . .	8	8	10	6	11	14	13	16	28	24	9	14	4	1	–	–
Peebles . . .	4	4	2	2	5	4	2	5	2	6	3	7	–	–	–	–
Selkirk . . .	1	–	1	1	6	3	2	6	2	4	4	2	2	–	–	–
Roxburgh . . .	13	15	10	14	11	16	21	20	23	35	20	10	–	1	–	–
Dumfries . . .	19	27	16	26	25	27	28	34	53	55	47	23	6	6	–	2
Kirkcudbright . .	14	15	10	11	10	13	12	28	26	28	17	14	6	1	–	1
Wigtown . . .	15	13	15	10	7	12	16	26	26	18	35	19	7	4	1	2
FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.																
Inverness . . .	5	5	2	5	10	7	6	12	11	16	8	9	1	4	1	–
Aberdeen . . .	33	31	24	25	29	34	45	38	56	72	40	17	6	4	–	1
Arbroath . . .	4	7	4	12	6	15	13	10	13	14	8	1	1	1	–	–
Dundee . . .	32	39	32	44	50	33	48	38	38	28	21	16	3	6	1	3
Forfar . . .	2	5	1	3	2	5	4	11	6	8	6	2	1	–	–	–
Montrose . . .	6	8	8	3	5	10	16	14	14	16	9	9	3	1	–	–
Perth . . .	15	7	9	6	9	12	16	17	20	14	17	7	1	–	–	–
Dunfermline . .	1	5	7	3	2	6	4	4	7	3	2	2	–	–	–	2
Kirkcaldy . . .	2	2	2	1	2	1	7	8	3	4	3	2	2	–	–	–
Stirling . . .	10	5	6	2	7	2	8	5	5	6	8	1	1	–	–	–
Greenock . . .	22	19	15	15	21	17	30	14	25	18	21	4	4	1	–	–
Paisley . . .	22	18	20	18	26	19	20	30	30	21	15	8	1	–	–	–
Ayr . . .	3	6	7	5	8	9	6	7	11	7	7	9	1	2	–	–
Kilmarnock . .	15	11	12	4	7	8	6	8	16	7	8	2	–	1	–	–
Glasgow . . .	201	186	188	145	179	154	191	155	143	117	82	27	13	5	2	4
Barony . . .	17	13	12	8	15	4	10	8	10	8	9	5	2	–	–	–
Govan . . .	14	11	7	11	7	6	9	12	11	9	4	1	2	–	–	–
Hamilton . . .	8	6	4	1	4	1	5	6	6	6	7	2	1	2	–	.
Airdrie . . .	3	4	3	2	6	6	1	4	5	2	–	–	2	–	–	–
Coatbridge, etc . .	4	4	4	6	–	8	1	5	1	4	1	1	–	–	–	–
Edinburgh . .	82	91	65	68	66	93	97	91	98	92	58	31	18	6	–	2
Leith . . .	14	23	15	12	12	13	11	22	20	19	15	3	2	–	–	1
Dumfries . . .	3	8	9	7	6	6	8	13	11	19	7	7	2	2	–	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	61714	466	483	559	322	1299	1377	143	698	964	3866	596	4844	2408	2694	138
SPECIFIED CAUSES . .	58208	381	430	508	267	1086	1156	129	631	883	3693	571	4717	2300	2512	134
I. Zymotic Class . .	14640	24	66	106	29	236	233	23	116	174	706	152	1501	452	541	23
II. Diseases of Uncer. Seat	2433	17	27	25	19	58	57	6	23	45	194	28	160	124	134	4
III. Tubercular Class .	9951	63	65	70	41	113	135	20	84	138	651	65	717	353	355	20
IV. Brain and Nervous Sys.	4770	13	24	33	11	56	70	15	64	80	343	46	430	235	236	16
V. Organs of Circulation	2314	8	6	11	7	17	21	2	38	29	171	29	206	116	111	8
VI. Respiratory Organs .	6505	25	37	33	29	100	111	8	64	92	394	62	463	214	284	13
VII. Organs of Digestion .	4594	23	41	40	15	57	94	9	57	73	309	43	304	179	202	9
VIII. Urinary Organs .	720	2	6	12	5	15	15	3	18	20	77	7	54	35	29	3
IX. Organs of Generation	504	7	2	2	4	16	22	1	5	5	41	1	39	15	24	2
X. Organs of Locomotion	270	2	3	4	2	10	10	2	4	2	25	5	20	16	10	1
XI. Skin, etc. . . .	65	–	–	–	–	2	2	–	–	2	5	–	2	3	5	–
XII. Malformation . .	144	1	1	–	–	–	–	1	–	2	6	–	12	3	6	1
XIII. Premature Debility .	2776	5	8	18	4	44	40	5	23	39	146	26	251	100	107	5
XIV. Atrophy . . .	466	1	2	3	1	3	11	1	1	9	24	5	26	17	20	–
XV. Age	5913	156	131	131	94	324	287	30	107	138	469	81	362	346	340	23
XVI. Sudden Deaths .	89	3	–	–	–	2	2	–	5	1	–	–	9	5	10	–
XVII. Violent Deaths . .	2054	23	11	20	6	33	46	3	22	34	132	21	161	87	98	6
I. Small Pox . . .	682	3	–	3	–	3	16	1	1	11	29	–	3	2	2	–
Measles . . .	972	–	12	–	–	52	6	1	6	7	12	7	192	21	47	–
Scarlatina . . .	3614	2	1	–	1	6	3	–	10	17	53	33	502	66	97	5
Diphtheria . .	415	–	–	1	–	19	1	–	3	16	76	23	32	22	34	–
Hooping Cough .	2660	1	6	–	3	19	89	12	34	8	136	15	188	104	89	2
Croup . . .	921	3	1	8	14	35	19	4	12	15	70	7	90	38	58	1
Thrush . . .	32	–	–	–	1	–	–	–	–	–	4	2	5	2	1	–
Diarrhœa . . .	1273	2	12	25	2	9	22	1	9	18	64	9	94	45	28	4
Dysentery . . .	469	1	1	1	–	2	1	2	6	8	48	5	64	24	11	3
Cholera . . .	146	–	–	24	1	6	1	–	1	2	2	–	15	3	5	1
Influenza . . .	294	6	10	8	–	44	14	–	6	7	29	8	13	12	8	–
Purpura . . .	31	–	1	–	–	2	–	–	–	–	1	–	5	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	30	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Infantile Fever . .	72	1	–	–	–	2	3	–	2	6	5	–	6	2	–	–
Typhus . . .	2436	4	17	35	6	29	41	1	16	45	128	34	248	88	140	3
Metria . . .	175	–	–	–	1	5	4	1	3	3	12	5	8	7	10	–
Rheumatic Fever .	67	1	1	–	–	–	2	–	2	–	2	–	5	8	3	1
Erysipelas . .	247	–	4	–	–	–	11	–	5	9	26	4	18	4	5	3
Syphilis . . .	90	–	–	1	–	3	–	–	–	–	8	–	10	4	1	–
Noma . . .	12	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–
Hydrophobia . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	91	–	1	–	–	–	–	–	–	1	7	4	9	5	3	–
Dropsy . . .	1027	13	17	8	7	33	31	3	4	20	59	12	72	59	60	2
Abscess . . .	113	–	–	1	–	2	1	–	1	2	11	–	7	4	3	1
Ulcer . . .	26	1	–	2	–	–	2	1	–	1	1	1	1	2	1	–
Fistula . . .	12	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Mortification . .	148	–	1	1	3	1	2	–	1	4	13	–	6	5	9	–
Cancer . . .	1004	3	8	13	9	22	20	2	17	16	101	11	64	48	58	1
Gout . . .	12	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–
III. Scrofula . . .	447	4	1	2	1	3	5	1	3	10	47	–	28	24	20	–
Tabes Mesenterica .	610	1	1	5	–	1	1	–	3	5	31	–	31	14	23	–
Phthisis . . .	7172	60	58	50	38	101	118	16	65	105	438	52	520	270	259	14
Hydrocephalus . .	1722	1	5	13	2	8	11	3	13	18	135	13	138	45	53	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dunbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	352	1832	1078	1485	340	4233	3908	15832	724	5495	566	607	182	159	849	1444	861	910
SPECIFIED CAUSES	323	1720	995	1295	313	4071	3702	15167	672	5305	512	588	178	156	822	1325	807	859
Zymotic Class	45	429	264	223	58	1311	930	4562	206	1001	99	146	49	24	174	273	206	258
Uncertain Seat	10	90	40	64	16	130	150	478	21	244	30	37	10	7	48	62	36	39
Tubercular Class	65	266	220	195	71	774	776	2829	90	954	68	72	23	23	156	199	130	147
Brain, etc.	27	123	68	85	23	292	302	1079	41	569	52	58	15	17	98	112	79	53
Heart, etc.	16	86	34	43	11	121	125	436	34	357	36	40	12	13	53	59	35	23
Respiratory Organs	50	200	59	115	33	417	352	2035	83	699	50	52	15	22	72	146	91	85
Digestive Organs	34	147	114	100	26	306	288	1211	54	403	52	46	15	22	67	117	77	60
Urinary Organs	5	18	11	21	6	34	46	125	8	82	5	8	2	5	6	12	9	16
Generative Organs	1	11	7	18	2	42	24	114	6	49	6	10	3	–	5	10	4	6
Locomotive Organs	–	2	4	9	–	12	23	50	2	28	2	–	1	–	4	9	3	5
Skin	–	2	–	–	–	4	5	19	3	4	1	1	–	–	1	–	3	1
Malformation	–	5	3	1	5	7	15	40	2	26	–	1	–	1	3	1	1	–
Premature Debility	24	91	39	31	4	213	167	826	51	288	20	30	6	7	57	56	20	25
Atrophy	3	7	9	5	2	42	43	140	4	56	2	3	2	–	2	13	5	4
Age	31	173	77	316	43	237	287	720	45	338	73	67	20	9	60	204	88	106
Sudden Deaths	1	2	1	6	–	6	5	27	–	–	–	–	1	–	–	2	1	–
Violent Deaths	11	68	45	63	13	123	164	476	22	207	16	17	4	6	16	50	19	31
Small Pox	–	20	11	7	5	68	13	224	5	229	3	2	–	–	5	15	1	–
Measles	–	40	4	71	–	59	94	231	36	21	4	2	–	–	1	34	12	–
Scarlatina	4	82	97	25	25	507	276	1316	43	68	8	70	20	1	9	23	86	158
Diphtheria	–	11	3	1	2	10	6	52	2	34	2	4	3	7	10	9	31	1
Hooping Cough	12	53	36	9	7	278	89	1118	57	176	24	6	5	2	24	15	19	24
Croup	2	30	16	16	3	64	48	217	11	62	15	9	3	2	25	11	7	5
Thrush	–	–	–	–	–	2	1	9	–	4	–	1	–	–	–	–	–	–
Diarrhœa	3	59	21	17	7	99	97	417	17	80	13	8	–	2	24	36	13	16
Dysentery	4	15	12	7	1	15	35	118	2	35	4	–	2	2	6	23	6	5
Cholera	–	6	2	–	–	9	7	37	2	12	–	3	–	–	3	2	–	2
Influenza	2	2	1	17	1	10	28	25	2	5	1	3	1	1	8	8	3	11
Purpura	–	–	–	1	–	–	2	9	–	5	–	–	–	–	3	1	–	–
Ague	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	3	–	3	7	6	–	2	–	–	–	–	–	3	1	2
Infantile Fever	3	1	3	–	–	5	2	16	–	4	–	–	–	1	1	2	2	5
Typhus	14	93	54	44	6	153	190	619	23	186	23	27	13	6	36	74	21	19
Metria	–	9	2	1	–	5	13	47	1	23	1	4	–	–	4	2	–	4
Rheumatic Fever	1	2	–	–	–	2	4	9	–	10	–	1	–	–	3	4	2	4
Erysipelas	–	3	1	3	1	13	12	56	3	39	1	4	1	–	11	8	1	1
Syphilis	–	2	1	1	–	9	4	31	2	6	–	2	1	–	1	2	1	–
Noma	–	–	–	–	–	–	2	4	–	–	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hæmorrhage	–	3	2	4	–	2	4	21	3	11	3	–	–	–	3	2	3	–
Dropsy	7	57	17	39	6	65	61	219	5	57	10	16	6	4	18	16	10	14
Abscess	–	4	2	2	–	4	8	33	1	14	1	1	–	–	2	4	2	2
Ulcer	–	–	–	–	–	–	1	6	–	3	–	–	–	–	3	–	–	–
Fistula	1	–	–	–	–	2	–	3	–	4	–	–	–	–	–	–	–	–
Mortification	–	6	2	4	1	6	11	27	–	23	3	6	–	–	3	5	2	3
Cancer	2	20	17	15	9	50	64	168	12	129	12	14	4	3	19	35	19	19
Gout	–	–	–	–	–	1	1	1	–	3	1	–	–	–	–	–	–	1
Scrofula	–	6	8	12	3	33	31	116	8	38	1	7	5	5	3	10	5	7
Tabes Mesenterica	6	22	7	3	7	35	71	203	6	75	4	7	2	–	17	17	6	6
Phthisis	45	184	170	159	49	567	536	1999	49	648	48	41	13	17	113	154	93	123
Hydrocephalus	14	54	35	21	12	139	138	511	27	193	15	17	3	1	23	18	26	11

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	Scotl d.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	321	2	2	6	3	6	6	1	4	6	21	5	26	10	12	–
Apoplexy	1135	1	6	5	–	4	11	5	19	11	80	10	108	69	67	5
Paralysis	1415	4	8	18	6	25	22	6	15	32	91	13	123	90	87	7
Delirium Tremens	50	–	1	–	–	–	1	1	1	–	8	–	5	2	2	–
Chorea	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Epilepsy	187	1	2	1	–	4	4	–	2	4	18	1	9	12	8	–
Tetanus	60	3	–	–	–	1	4	–	1	–	8	–	5	–	3	–
Insanity	52	–	–	–	–	–	–	2	–	–	3	–	5	2	2	1
Convulsions	753	4	–	1	–	7	11	–	11	14	64	3	91	16	23	2
Brain Disease	794	3	5	2	2	9	11	–	11	13	50	12	58	34	32	1
V. Pericarditis	77	1	–	1	–	1	–	–	–	–	6	2	2	8	3	–
Aneurism	75	–	–	1	–	2	–	–	–	2	9	1	7	3	3	–
Heart Disease	2162	7	6	9	7	14	21	2	38	27	156	26	197	105	105	8
VI. Laryngitis	156	–	–	1	–	1	3	–	–	2	12	4	18	7	7	–
Bronchitis	3228	14	10	12	9	52	33	4	28	34	216	34	197	95	131	5
Pleurisy	302	1	2	–	–	5	29	1	5	8	26	2	14	15	14	–
Pneumonia	1900	3	5	13	3	8	15	1	16	32	100	18	145	62	102	6
Asthma	566	6	12	7	14	32	26	2	7	7	21	1	53	27	11	1
Lung Disease	353	1	8	–	3	2	5	–	8	9	19	3	36	8	19	1
VII. Teething	996	1	1	5	–	3	13	–	9	11	46	2	102	26	47	–
Quinsey	70	–	1	1	–	3	1	–	–	2	3	–	10	2	1	–
Gastritis	146	–	1	4	–	1	5	–	2	2	6	–	9	14	8	2
Enteritis	848	2	4	5	2	9	9	4	13	9	34	9	37	23	31	1
Peritonitis	263	–	2	7	2	4	8	1	1	4	22	3	11	15	12	1
Ascites	104	–	2	–	–	2	5	–	–	3	10	2	5	5	5	–
Ulceration of Intestines	167	1	–	1	1	3	2	–	6	3	26	1	15	4	6	1
Hernia	71	1	2	1	1	3	2	–	–	–	10	2	4	5	2	1
Ileus	238	2	8	1	1	5	5	1	5	9	29	9	19	11	13	–
Intussusception	41	1	1	–	–	1	–	–	–	–	4	2	1	3	3	–
Stricture of Intestines	27	1	–	–	–	–	1	–	–	–	2	–	2	2	3	–
Stomach Disease	774	5	8	6	3	10	24	2	10	14	40	9	43	39	34	3
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	139	1	2	3	–	–	2	–	–	3	7	–	7	6	3	–
Jaundice	214	3	1	2	2	2	5	–	2	5	33	–	10	7	12	–
Liver Disease	477	4	7	4	3	11	11	1	8	8	36	4	28	17	21	–
Spleen Disease	18	1	1	–	–	–	1	–	1	–	1	–	1	–	1	–
VIII. Nephritis	40	–	–	1	–	2	–	–	1	–	3	–	1	6	–	–
Nephria	128	–	–	2	–	2	1	–	4	2	4	2	9	6	7	–
Ischuria	37	–	–	–	2	2	1	–	1	1	7	1	1	1	2	1
Diabetes	69	–	1	1	–	1	–	–	1	2	8	1	3	3	–	–
Stone	63	2	–	3	1	4	5	2	2	2	9	–	5	1	–	1
Cystitis	47	–	2	2	–	–	–	–	1	1	5	1	3	5	2	–
Stricture of Urethra	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	330	–	3	3	1	4	8	1	8	12	41	2	32	13	18	1
IX. Paramenia	21	1	–	–	–	–	2	–	–	–	1	–	1	2	2	–
Ovarian Dropsy	56	–	–	–	1	1	–	–	1	1	12	–	4	–	5	–
Childbirth	333	6	2	2	3	12	17	1	4	2	15	1	22	10	14	2
Organs of Generation	94	–	–	–	–	3	3	–	–	2	13	–	12	3	3	–
X. Arthritis	17	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–
Rheumatism	112	2	3	4	1	8	7	1	1	–	6	4	8	10	2	–
Joint and Bone Disease	141	–	–	–	1	2	2	1	3	2	17	1	10	6	8	1
XI. Carbuncle	21	–	–	–	–	–	2	–	–	2	1	–	1	–	3	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Skin Disease	40	–	–	–	–	2	–	–	–	–	3	–	1	3	1	–
XII. Cyanosis	42	–	–	–	–	–	–	–	–	1	2	–	6	1	3	–
Spina Bifida	39	–	–	–	–	–	–	1	–	1	2	–	2	2	1	–
Other Malformations	63	1	1	–	–	–	–	–	–	–	2	–	4	–	2	1
XVII. Intemperance	101	–	2	1	–	1	2	–	–	–	4	–	6	9	1	–
Privation	6	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–
Want of Breast Milk	47	–	–	1	–	–	1	–	–	–	2	–	5	1	–	–
Neglect	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	49	1	–	1	–	2	3	–	1	2	12	–	1	5	3	–
Poison	52	–	–	3	–	1	–	–	2	1	4	–	6	3	–	–
Burns and Scalds	303	4	1	5	–	6	9	1	3	8	15	3	22	11	17	3
Hanging, etc.	58	–	–	–	1	–	–	–	–	2	7	–	9	1	3	–
Suffocation	88	–	1	–	–	1	–	1	–	2	8	1	6	2	3	1
Drowning	421	16	5	8	2	12	18	–	4	10	28	4	25	22	31	1
Fracture and Contusion	722	2	2	–	2	8	9	1	9	6	41	9	61	24	35	1
Wounds	100	–	–	1	1	1	4	–	3	3	7	3	7	2	1	–
Other Violent Causes	102	–	–	–	–	–	–	–	–	–	2	1	12	7	4	–
Not Specified	3506	85	53	51	55	213	221	14	67	81	173	25	127	108	182	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	6	2	3	1	21	31	83	2	32	2	2	–	1	4	7	8	6
Apoplexy	6	20	24	22	6	86	73	248	10	116	18	10	3	4	20	21	34	13
Paralysis	13	49	20	31	7	85	94	200	11	170	13	29	6	10	45	44	22	19
Delirium Tremens	–	3	1	–	–	3	1	8	–	8	2	–	1	–	2	–	–	–
Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	5	4	2	–	10	12	49	–	25	1	1	1	1	3	4	–	3
Tetanus	–	4	1	7	–	–	5	6	1	7	1	–	–	–	1	1	1	–
Insanity	–	–	1	3	–	9	3	8	1	8	1	–	–	–	1	2	–	–
Convulsions	4	18	10	8	2	29	32	267	10	84	5	8	1	1	7	11	5	4
Brain Disease	4	17	5	9	7	49	51	210	6	119	9	8	3	–	15	22	9	8
Pericarditis	–	3	–	4	1	6	7	16	2	7	–	1	–	–	2	2	2	–
Aneurism	–	1	–	2	–	1	3	10	1	22	–	–	–	–	2	3	1	1
Heart Disease	16	82	34	37	10	114	115	410	31	328	36	39	12	13	49	54	32	22
Laryngitis	2	6	2	2	–	5	7	38	6	16	1	2	1	–	–	6	5	2
Bronchitis	20	95	36	58	26	233	175	1046	40	367	21	21	5	15	31	69	47	49
Pleurisy	3	6	1	7	4	8	19	51	4	37	4	5	1	1	7	6	8	8
Pneumonia	20	52	13	30	3	117	86	675	26	176	15	21	6	6	30	49	27	19
Asthma	5	15	5	10	–	36	39	144	5	51	5	1	1	–	4	7	4	7
Lung Disease	–	26	2	8	–	18	26	81	2	52	4	2	1	–	–	9	–	–
Teething	14	40	39	14	1	108	47	344	15	68	4	2	2	–	4	12	5	11
Quinsey	1	2	3	–	–	4	7	13	–	7	1	2	–	–	2	–	1	3
Gastritis	1	6	1	3	–	10	17	28	1	10	–	2	–	2	2	5	4	–
Enteritis	3	15	13	10	8	62	54	313	18	56	6	10	2	4	14	30	24	14
Peritonitis	3	5	2	2	1	6	18	61	4	29	4	3	–	3	7	13	7	2
Ascites	2	2	2	4	–	2	14	22	1	9	–	–	1	–	–	1	2	3
Ulceration of Intestines	1	6	8	6	1	4	7	29	–	16	3	2	3	1	2	2	4	2
Hernia	–	2	–	2	2	8	5	7	1	6	1	1	–	–	1	–	–	1
Ileus	2	7	1	3	3	7	10	38	1	23	1	4	–	–	5	7	5	3
Intussusception	–	–	–	3	–	3	4	6	–	3	2	–	–	–	–	–	2	2
Stricture of Intestines	–	–	–	3	–	–	–	6	–	6	–	–	–	–	–	–	–	1
Stomach Disease	4	38	22	21	5	35	53	157	8	84	14	8	5	11	17	26	9	7
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	1	10	2	10	15	42	1	6	2	2	–	–	2	4	4	–
Jaundice	–	6	6	4	–	13	17	41	–	19	5	3	1	–	4	6	1	4
Liver Disease	1	15	15	12	3	32	20	102	4	60	9	7	1	1	7	10	8	7
Spleen Disease	–	1	1	3	–	1	–	2	–	1	–	–	–	–	–	1	1	–
Nephritis	–	1	–	1	2	1	5	7	1	2	–	–	–	–	–	1	1	4
Nephria	1	2	–	3	1	7	2	39	1	27	–	1	–	1	1	1	1	1
Ischuria	–	–	1	1	–	3	5	1	–	3	1	–	–	–	1	1	–	–
Diabetes	2	2	–	1	–	2	7	17	1	5	2	3	–	2	1	1	2	–
Stone	–	–	2	5	1	3	4	2	1	2	1	–	1	–	–	1	–	3
Cystitis	–	1	–	–	–	6	5	6	–	3	–	1	–	–	–	1	–	2
Stricture of Urethra	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–
Kidney Disease	2	12	8	10	2	12	18	49	4	40	1	3	1	2	3	6	4	6
Paramenia	–	1	–	2	–	1	–	4	–	2	–	1	–	–	1	–	–	–
Ovarian Dropsy	–	2	–	4	–	2	3	10	1	8	1	–	–	–	–	–	–	–
Childbirth	1	7	5	11	2	32	17	86	3	28	1	6	3	–	3	5	4	6
Organs of Generation	–	1	2	1	–	7	4	14	2	11	4	3	–	–	1	5	–	–
Arthritis	–	1	–	–	–	–	4	2	–	3	–	–	–	–	–	1	–	1
Rheumatism	–	–	2	7	–	6	8	13	1	9	–	–	–	–	2	6	1	–
Joint Disease	–	1	2	2	–	6	11	35	1	16	2	–	1	–	2	2	2	4
Carbuncle	–	–	–	–	–	1	2	3	–	3	–	1	–	–	–	–	1	1
Phlegmon	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	2	–	–	–	3	3	15	2	1	1	–	–	–	1	–	2	–
Cyanosis	–	1	–	–	–	2	7	8	–	10	–	–	–	–	1	–	–	–
Spina Bifida	–	1	–	–	5	4	2	11	–	4	–	1	–	1	1	–	–	–
Other Malformations	–	3	3	1	–	1	6	21	2	12	–	–	–	–	1	1	1	–
Intemperance	–	1	3	3	–	9	4	27	2	17	1	–	–	–	2	3	1	2
Privation	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	3	–	25	–	6	–	1	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–
Cold	–	–	1	2	–	2	5	4	1	1	–	–	1	–	–	–	–	1
Poison	–	2	–	1	–	4	4	15	1	3	–	1	–	–	–	–	1	–
Burns and Scalds	1	8	6	2	2	21	28	77	4	24	1	2	–	1	2	5	4	7
Hanging, etc.	1	1	–	–	1	–	2	10	1	9	1	1	–	2	1	4	–	1
Suffocation	–	3	2	3	1	6	2	25	–	14	1	–	–	–	1	1	–	3
Drowning	2	15	18	32	8	25	20	65	3	18	4	1	1	2	1	10	4	6
Fracture and Contusion	7	24	10	16	1	41	86	184	7	79	6	10	1	1	7	18	6	8
Wounds	–	7	1	3	–	4	5	14	2	19	2	1	1	–	–	6	1	1
Other Violent Causes	–	7	3	1	–	6	8	27	1	15	–	–	–	–	1	3	2	2
Not Specified	29	112	83	190	27	162	206	665	52	190	54	19	4	3	27	119	54	51

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	30588	212	213	272	150	636	662	65	330	479	1884	272	2321	1176	1317	66
SPECIFIED CAUSES	28724	169	182	246	119	519	543	57	294	427	1798	262	2258	1123	1226	62
I. Zymotic Class	7038	11	30	55	11	113	111	11	49	77	324	56	716	210	239	11
II. Diseases of Uncer. Seat	951	8	9	9	5	23	25	3	9	17	67	7	57	50	49	1
III. Tubercular Class	4956	32	22	42	21	65	74	7	41	64	335	35	337	173	188	8
IV. Brain and Nervous Sys.	2567	11	12	15	9	29	42	7	36	37	187	25	221	134	120	10
V. Organs of Circulation	1166	5	1	8	3	12	11	1	16	14	75	16	83	68	61	4
VI. Respiratory Organs	3324	10	13	11	14	47	56	3	24	42	192	37	231	104	160	3
VII. Organs of Digestion	2405	11	21	17	9	36	44	5	34	47	173	24	163	99	103	5
VIII. Urinary Organs	512	2	4	11	4	12	13	2	9	13	56	3	36	22	21	3
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	145	1	1	1	1	4	4	1	2	2	18	2	10	7	6	–
XI. Skin, etc.	34	–	–	–	–	2	2	–	–	1	3	–	–	2	2	–
XII. Malformation	82	1	1	–	–	–	–	1	–	1	4	–	6	2	3	–
XIII. Premature Debility	1549	3	5	13	3	23	21	3	14	21	86	10	133	58	56	3
XIV. Atrophy	216	–	2	1	–	1	5	–	–	8	14	2	12	8	7	–
XV. Age	2249	55	52	48	34	125	100	11	39	59	167	30	151	128	129	11
XVI. Sudden Deaths	49	2	–	–	–	2	1	–	4	–	–	–	4	2	8	–
XVII. Violent Deaths	1480	17	9	15	5	25	34	2	17	24	97	15	98	56	74	3
I. Small Pox	349	1	–	1	–	1	9	–	–	4	24	–	–	1	1	–
Measles	501	–	6	–	–	26	3	1	5	5	8	2	94	14	22	–
Scarlatina	1793	1	1	–	–	4	3	–	3	10	24	17	255	37	43	4
Diphtheria	172	–	–	–	–	6	–	–	1	10	33	6	12	5	14	–
Hooping Cough	1216	–	2	–	1	7	47	4	14	2	52	5	86	45	34	–
Croup	479	3	–	4	8	20	9	4	5	7	32	3	42	20	32	1
Thrush	18	–	–	–	1	–	–	–	–	–	3	1	2	1	1	–
Diarrhœa	654	–	7	12	–	3	14	–	3	4	37	4	50	22	14	1
Dysentery	214	1	–	1	–	–	–	1	2	3	19	1	33	10	4	–
Cholera	80	–	–	8	1	4	–	–	–	1	1	–	9	3	4	1
Influenza	133	2	4	6	–	27	5	–	3	2	5	2	4	6	5	–
Purpura	19	–	1	–	–	1	–	–	–	–	1	–	3	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Fever	35	–	–	–	–	–	1	–	1	5	4	–	1	–	–	–
Typhus	1141	3	7	22	–	13	15	1	7	18	59	14	112	37	58	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	33	–	–	–	–	–	1	–	1	–	–	–	–	4	2	1
Erysipelas	127	–	2	–	–	–	4	–	4	5	16	1	9	1	2	1
Syphilis	47	–	–	1	–	1	–	–	–	–	5	–	3	4	1	–
Noma	9	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	43	–	–	–	–	–	–	–	–	–	4	1	3	4	2	–
Dropsy	435	5	5	3	1	13	12	1	1	7	24	2	26	23	28	–
Abscess	52	–	–	–	–	2	–	–	–	–	5	–	4	3	–	1
Ulcer	14	1	–	2	–	–	2	1	–	–	–	1	–	1	–	–
Fistula	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	83	–	–	–	1	1	2	–	1	1	6	–	4	3	7	–
Cancer	310	2	4	4	3	7	9	1	7	8	27	3	20	15	12	–
Gout	8	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
III. Scrofula	258	3	–	2	1	2	4	–	–	5	38	–	13	14	11	–
Tabes Mesenterica	318	1	1	2	–	1	1	–	2	3	14	–	17	4	14	–
Phthisis	3424	27	19	32	18	58	63	5	32	48	201	25	238	132	130	4
Hydrocephalus	956	1	2	6	2	4	6	2	7	8	82	10	69	23	33	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	183	957	559	784	148	2134	1951	7977	373	2736	268	290	90	91	425	718	414	435
SPECIFIED CAUSES	167	898	516	676	138	2048	1839	7613	342	2636	242	277	86	88	412	657	391	413
Zymotic Class	27	209	144	114	34	662	451	2205	109	477	48	71	25	13	76	140	90	119
Uncertain Seat	3	37	15	31	4	54	65	182	7	98	12	18	3	4	23	22	18	16
Tubercular Class	36	150	113	99	24	382	371	1407	40	485	33	37	10	12	82	99	58	74
Brain, etc.	16	76	39	51	10	157	141	595	24	302	31	29	9	6	51	63	38	34
Heart, etc.	7	45	22	24	3	56	78	214	19	187	15	12	7	5	28	32	18	16
Respiratory Organs	30	106	32	57	17	221	177	1082	48	344	25	24	9	12	39	75	46	33
Digestive Organs	10	75	55	54	12	152	146	629	26	202	28	20	8	16	40	62	45	34
Urinary Organs	4	13	10	16	4	24	31	88	6	58	4	7	1	3	4	11	6	11
Generative Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	5	–	7	13	27	1	18	1	–	–	–	2	6	–	3
Skin	–	–	–	–	–	2	3	9	2	2	–	–	–	–	1	–	2	1
Malformation	–	4	3	1	1	3	6	26	1	14	–	–	–	1	2	1	–	–
Premature Debility	15	57	22	20	4	125	83	470	28	162	10	15	1	5	26	31	11	12
Atrophy	2	5	3	3	1	21	20	70	1	19	1	1	2	–	1	2	1	3
Age	11	63	23	143	14	98	116	252	14	123	26	31	7	5	27	79	44	34
Sudden Deaths	–	1	–	3	–	3	4	14	–	–	–	–	–	–	–	–	1	–
Violent Deaths	6	56	34	55	10	81	134	342	16	145	8	12	4	6	10	34	13	23
Small Pox	–	11	6	4	3	42	7	111	1	109	–	–	–	–	2	10	1	–
Measles	–	23	3	39	–	30	49	121	19	7	3	2	–	–	–	16	3	–
Scarlatina	3	34	54	12	17	249	135	649	26	34	5	37	8	1	6	12	38	71
Diphtheria	–	3	–	1	1	10	4	23	–	15	1	1	1	2	3	2	17	1
Hooping Cough	9	27	17	4	4	131	37	513	31	87	11	–	5	–	12	6	12	11
Croup	2	17	11	6	–	36	25	112	7	37	5	4	1	2	17	5	2	–
Thrush	–	–	–	–	–	1	1	4	–	3	–	–	–	–	–	–	–	–
Diarrhœa	1	34	11	10	2	53	54	212	6	39	7	5	–	2	9	19	6	13
Dysentery	1	6	6	3	1	4	23	53	1	12	2	–	1	2	3	15	3	3
Cholera	–	6	2	–	–	7	2	19	2	6	–	1	–	–	1	1	–	1
Influenza	1	2	1	6	1	6	15	13	1	2	–	1	–	1	1	6	–	5
Purpura	–	–	–	–	–	–	1	4	–	5	–	–	–	–	2	–	–	–
Ague	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	2	–	1	5	4	–	1	–	–	–	–	–	2	–	1
Infantile Fever	2	–	1	–	–	2	1	9	–	3	–	–	–	1	–	–	1	2
Typhus	7	41	31	25	5	79	83	300	12	87	14	17	8	2	11	35	6	10
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	2	3	5	–	6	–	–	–	–	2	2	1	1
Erysipelas	–	2	–	1	–	5	4	33	3	21	–	1	–	–	6	6	–	–
Syphilis	–	1	1	1	–	4	1	15	–	3	–	2	1	–	1	2	–	–
Noma	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	–	1	2	9	2	5	–	–	–	–	2	2	3	–
Dropsy	2	27	6	16	3	33	26	98	2	26	8	8	2	3	9	6	5	4
Abscess	–	3	1	–	–	1	6	17	1	4	–	–	–	–	2	1	–	1
Ulcer	–	–	–	–	–	–	1	–	–	3	–	–	–	–	2	–	–	–
Fistula	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–
Mortification	–	3	2	3	–	4	6	15	–	11	3	2	–	–	1	2	2	3
Cancer	1	3	5	11	1	13	24	41	2	43	1	8	1	1	7	11	8	7
Gout	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	1
Scrofula	–	5	5	6	1	14	14	65	3	24	1	2	4	4	2	6	4	5
Tabes Mesenterica	4	10	4	1	1	20	37	117	3	32	2	3	1	–	5	11	2	5
Phthisis	23	103	80	80	18	271	243	933	22	331	22	24	3	7	58	74	43	57
Hydrocephalus	9	32	24	12	4	77	77	292	12	98	8	8	2	1	17	8	9	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—MALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	185	1	1	3	2	3	3	1	2	3	17	4	17	5	7	–
Apoplexy	597	1	2	2	–	2	5	3	11	6	35	5	59	35	30	5
Paralysis	672	2	4	9	5	11	15	2	7	14	36	7	50	48	38	3
Delirium Tremens	40	–	–	–	–	–	1	1	1	–	6	–	4	2	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	101	–	1	–	–	3	1	–	–	1	13	1	6	9	4	–
Tetanus	38	1	–	–	–	1	1	–	1	–	6	–	5	–	2	–
Insanity	21	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–
Convulsions	438	3	–	–	–	3	10	–	6	7	40	1	51	10	15	2
Brain Disease	475	3	4	1	2	6	6	–	8	6	33	7	28	24	21	–
V. Pericarditis	38	1	–	1	–	1	–	–	–	–	4	–	1	5	–	–
Aneurism	52	–	–	1	–	2	–	–	–	2	6	–	5	–	2	–
Heart Disease	1076	4	1	6	3	9	11	1	16	12	65	16	77	63	59	4
VI. Laryngitis	77	–	–	–	–	–	3	–	–	1	4	3	8	3	6	–
Bronchitis	1549	3	4	3	6	26	13	–	10	13	96	15	92	50	74	1
Pleurisy	166	1	1	–	–	4	13	1	1	4	15	1	9	6	4	–
Pneumonia	1091	1	4	6	3	5	9	1	7	18	57	15	81	30	56	1
Asthma	262	4	2	2	4	10	13	1	1	2	9	1	26	10	8	–
Lung Disease	179	1	2	–	1	2	5	–	5	4	11	2	15	5	12	1
VII. Teething	525	1	1	2	–	2	8	–	6	5	24	1	60	12	27	–
Quinsey	39	–	1	1	–	3	–	–	–	1	2	–	6	2	–	–
Gastritis	74	–	–	2	–	–	3	–	1	1	5	–	5	9	2	2
Enteritis	461	2	3	2	2	7	4	2	9	6	20	5	17	18	16	1
Peritonitis	118	–	1	2	1	1	3	–	1	4	12	2	6	5	5	–
Ascites	45	–	1	–	–	1	4	–	–	1	4	–	3	2	2	–
Ulceration of Intestines	86	–	–	–	1	1	–	–	2	2	15	–	6	2	3	–
Hernia	35	1	1	1	–	3	1	–	–	–	5	2	1	2	–	–
Ileus	134	1	3	1	1	3	2	1	4	6	16	4	9	7	8	–
Intussusception	27	1	1	–	–	1	–	–	–	–	2	1	1	3	1	–
Stricture of Intestines	16	1	–	–	–	–	1	–	–	–	1	–	2	1	2	–
Stomach Disease	383	–	1	3	1	4	12	1	4	9	21	7	20	23	17	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	81	–	1	1	–	–	–	–	–	3	7	–	5	3	3	–
Jaundice	111	2	1	–	–	2	1	–	1	5	20	–	5	4	4	–
Liver Disease	262	1	5	2	3	8	5	1	5	4	18	2	17	6	12	–
Spleen Disease	8	1	1	–	–	–	–	–	1	–	1	–	–	–	1	–
VIII. Nephritis	27	–	–	1	–	2	–	–	–	–	2	–	1	2	–	–
Nephria	75	–	–	2	–	1	–	–	–	1	4	1	7	3	4	–
Ischuria	32	–	–	–	2	1	1	–	1	1	6	–	1	1	2	1
Diabetes	44	–	1	–	–	1	–	–	1	2	3	–	2	3	–	–
Stone	55	2	–	3	1	3	5	2	2	1	8	–	5	1	–	1
Cystitis	36	–	2	2	–	–	–	–	–	1	5	1	2	4	2	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	238	–	1	3	1	4	7	–	5	7	28	1	18	8	13	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	11	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Rheumatism	44	1	1	1	–	2	2	–	1	–	4	1	4	4	1	–
Joint and Bone Disease	90	–	–	–	1	2	1	1	1	2	13	1	6	3	5	–
XI. Carbuncle	12	–	–	–	–	–	2	–	–	1	1	–	–	–	2	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	21	–	–	–	–	2	–	–	–	–	2	–	–	2	–	–
XII. Cyanosis	22	–	–	–	–	–	–	–	–	–	2	–	2	1	2	–
Spina Bifida	17	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–
Other Malformations	43	1	1	–	–	–	–	–	–	–	2	–	3	–	1	–
XVII. Intemperance	65	–	2	1	–	1	2	–	–	–	3	–	5	7	1	–
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	25	–	–	1	–	–	1	–	–	–	1	–	1	1	–	–
Neglect	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	32	1	–	1	–	2	1	–	1	–	7	–	–	4	2	–
Poison	24	–	–	2	–	1	–	–	2	–	2	–	3	2	–	–
Burns and Scalds	137	1	–	2	–	2	3	–	2	5	8	–	8	3	7	1
Hanging, etc.	42	–	–	–	1	–	–	–	–	2	4	–	4	1	3	–
Suffocation	52	–	–	–	–	1	–	1	–	1	7	1	2	1	2	–
Drowning	350	14	5	7	2	11	17	–	2	9	27	4	21	13	24	1
Fracture and Contusion	590	1	2	–	1	5	6	1	7	4	31	6	40	17	31	1
Wounds	79	–	–	1	1	1	4	–	3	3	5	3	6	2	1	–
Other Violent Causes	79	–	–	–	–	–	–	–	–	–	2	1	8	5	3	–
Not Specified	1864	43	31	26	31	117	119	8	36	52	86	10	63	53	91	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	3	1	1	–	14	11	51	2	15	1	2	–	–	3	4	4	4
Apoplexy	4	12	15	15	3	48	33	137	6	58	12	3	1	2	7	10	20	10
Paralysis	7	29	10	18	2	40	45	96	6	74	5	15	4	4	26	25	6	9
Delirium Tremens	–	2	1	–	–	2	1	7	–	6	2	–	1	–	2	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	1	1	–	7	6	21	–	13	1	–	1	–	3	3	–	2
Tetanus	–	3	1	3	–	–	3	5	–	5	1	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	4	1	3	–	6	1	–	–	–	–	–	–	–
Convulsions	2	13	5	5	1	13	17	154	5	50	4	6	–	–	1	7	4	3
Brain Disease	3	11	5	7	4	29	24	121	5	75	4	3	2	–	9	14	4	6
Pericarditis	–	2	–	2	1	1	4	6	2	4	–	1	–	–	1	1	–	–
Aneurism	–	1	–	–	–	–	2	7	1	19	–	–	–	–	1	2	1	–
Heart Disease	7	42	22	22	2	55	72	201	16	164	15	11	7	5	26	29	17	16
Laryngitis	1	1	1	–	–	3	3	19	3	10	–	1	–	–	–	3	3	1
Bronchitis	11	42	22	28	15	110	70	535	21	170	12	10	3	6	18	32	21	17
Pleurisy	2	4	–	5	1	5	14	28	4	23	2	2	1	1	4	3	3	4
Pneumonia	12	32	5	16	1	75	54	389	17	99	9	10	4	5	14	30	17	8
Asthma	4	12	3	3	–	18	24	70	2	19	2	–	–	–	3	4	2	3
Lung Disease	–	15	1	5	–	10	12	41	1	23	–	1	1	–	–	3	–	–
Teething	6	21	18	6	1	58	21	180	7	36	1	1	1	–	3	6	3	7
Quinsey	–	1	2	–	–	4	3	4	–	5	1	–	–	–	2	–	–	1
Gastritis	–	4	–	2	–	4	8	14	–	5	–	–	–	2	1	3	1	–
Enteritis	2	12	8	6	3	32	24	167	9	26	4	5	–	4	12	14	14	5
Peritonitis	–	4	–	2	–	3	3	24	2	13	3	2	–	2	3	7	6	1
Ascites	–	1	–	2	–	–	3	9	1	6	–	–	1	–	–	1	1	2
Ulceration of Intestines	–	3	4	3	1	3	5	18	–	4	2	1	1	1	2	1	3	2
Hernia	–	–	–	2	–	2	2	5	1	3	–	1	–	–	1	–	–	1
Ileus	1	2	1	1	1	3	6	24	–	11	1	2	–	–	3	6	4	2
Intussusception	–	–	–	1	–	2	2	4	–	2	2	–	–	–	–	–	1	2
Stricture of Intestines	–	–	–	1	–	–	–	3	–	3	–	–	–	–	–	–	–	1
Stomach Disease	–	17	12	14	3	15	34	73	2	41	8	–	3	6	7	14	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	5	2	7	8	23	1	5	2	1	–	–	–	2	1	–
Jaundice	–	4	3	3	–	4	12	22	–	5	1	3	1	–	2	3	1	2
Liver Disease	1	4	7	6	1	15	15	58	3	36	3	4	1	1	4	5	5	4
Spleen Disease	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Nephritis	–	1	–	1	1	1	4	6	1	2	–	–	–	–	–	–	1	1
Nephria	1	–	–	2	–	3	1	25	–	17	–	1	–	–	–	1	–	1
Ischuria	–	–	1	–	–	3	5	1	–	2	1	–	–	–	1	1	–	–
Diabetes	1	1	–	1	–	2	3	13	–	3	2	2	–	1	–	1	1	–
Stone	–	–	1	5	1	2	3	1	1	2	1	–	1	–	–	1	–	2
Cystitis	–	1	–	–	–	3	4	4	–	1	–	1	–	–	–	1	–	2
Stricture of Urethra	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–
Kidney Disease	2	10	8	7	2	10	11	34	4	31	–	3	–	2	3	6	3	5
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	3	2	–	2	–	–	–	–	–	1	–	1
Rheumatism	–	–	–	3	–	2	3	6	1	4	–	–	–	–	–	3	–	–
Joint Disease	–	1	1	2	–	5	7	19	–	12	1	–	–	–	2	2	–	2
Carbuncle	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	1
Phlegmon	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	1	9	1	–	–	–	–	–	1	–	2	–
Cyanosis	–	1	–	–	–	–	3	5	–	6	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	1	2	1	6	–	1	–	–	–	1	1	–	–	–
Other Malformations	–	3	3	1	–	1	2	15	1	7	–	–	–	–	1	1	–	–
Intemperance	–	1	2	2	–	3	4	13	2	9	–	–	–	–	2	2	1	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	2	–	13	–	4	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–
Cold	–	–	1	2	–	1	5	2	–	–	–	–	1	–	–	–	–	1
Poison	–	2	–	–	–	1	2	5	1	1	–	–	–	–	–	–	–	–
Burns and Scalds	–	4	4	1	1	8	15	46	2	8	–	–	–	1	–	1	1	3
Hanging, etc.	1	1	–	–	–	–	2	9	–	6	1	1	–	2	–	3	–	1
Suffocation	–	2	1	2	1	2	2	14	–	9	–	–	–	–	–	–	–	3
Drowning	1	12	16	29	7	22	17	48	3	12	3	1	1	2	1	9	4	5
Fracture and Contusion	4	22	7	15	1	32	76	161	6	68	3	10	1	1	5	14	4	7
Wounds	–	5	1	3	–	4	4	11	1	15	1	–	1	–	–	2	1	–
Other Violent Causes	–	7	2	1	–	6	7	17	1	12	–	–	–	–	1	3	2	1
Not Specified	16	59	43	108	10	86	112	364	31	100	26	13	4	3	13	61	23	22

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	31126	254	270	287	172	663	715	78	368	485	1982	324	2523	1232	1377	72
SPECIFIED CAUSES	29484	212	248	262	148	567	613	72	337	456	1895	309	2459	1177	1286	72
I. Zymotic Class	7602	13	36	51	18	123	122	12	67	97	382	96	785	242	302	12
II. Diseases of Uncer. Seat	1482	9	18	16	14	35	32	3	14	28	127	21	103	74	85	3
III. Tubercular Class	4995	34	43	28	20	48	61	13	43	74	316	30	380	180	167	12
IV. Brain and Nervous Sys.	2203	7	12	18	2	27	28	8	28	43	156	21	209	101	116	6
V. Organs of Circulation	1148	3	5	3	4	5	10	1	22	15	96	13	123	48	50	4
VI. Respiratory Organs	3181	15	24	22	15	53	55	5	40	50	202	25	232	110	124	10
VII. Organs of Digestion	2189	12	20	23	6	21	50	4	23	26	136	19	141	80	99	4
VIII. Urinary Organs	208	–	2	1	1	3	2	1	9	7	21	4	18	13	8	–
IX. Organs of Generation	503	7	2	2	4	16	22	1	5	5	41	1	39	15	24	2
X. Organs of Locomotion	125	1	2	3	1	6	6	1	2	–	7	3	10	9	4	1
XI. Skin, etc.	31	–	–	–	–	–	–	–	–	1	2	–	2	1	3	–
XII. Malformation	62	–	–	–	–	–	–	–	–	1	2	–	6	1	3	1
XIII. Premature Debility	1227	2	3	5	1	21	19	2	9	18	60	16	118	42	51	2
XIV. Atrophy	250	1	–	2	1	2	6	1	1	1	10	3	14	9	13	–
XV. Age	3664	101	79	83	60	199	187	19	68	79	302	51	211	218	211	12
XVI. Sudden Deaths	40	1	–	–	–	–	1	–	1	1	–	–	5	3	2	–
XVII. Violent Deaths	574	6	2	5	1	8	12	1	5	10	35	6	63	31	24	3
I. Small Pox	333	2	–	2	–	2	7	1	1	7	5	–	3	1	1	–
Measles	471	–	6	–	–	26	3	–	1	2	4	5	98	7	25	–
Scarlatina	1821	1	–	–	1	2	–	–	7	7	29	16	247	29	54	1
Diphtheria	243	–	–	1	–	13	1	–	2	6	43	17	20	17	20	–
Hooping Cough	1444	1	4	–	2	12	42	8	20	6	84	10	102	59	55	2
Croup	442	–	1	4	6	15	10	–	7	8	38	4	48	18	26	–
Thrush	14	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–
Diarrhœa	619	2	5	13	2	6	8	1	6	14	27	5	44	23	14	3
Dysentery	255	–	1	–	–	2	1	1	4	5	29	4	31	14	7	3
Cholera	66	–	–	16	–	2	1	–	1	1	1	–	6	–	1	–
Influenza	161	4	6	2	–	17	9	–	3	5	24	6	9	6	3	–
Purpura	12	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	13	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Fever	37	1	–	–	–	2	2	–	1	1	1	–	5	2	–	–
Typhus	1295	1	10	13	6	16	26	–	9	27	69	20	136	51	82	1
Metria	175	–	–	–	1	5	4	1	3	3	12	5	8	7	10	–
Rheumatic Fever	34	1	1	–	–	–	1	–	1	–	2	–	5	4	1	–
Erysipelas	120	–	2	–	–	–	7	–	1	4	10	3	9	3	3	2
Syphilis	43	–	–	–	–	2	–	–	–	–	3	–	7	–	–	–
Noma	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	48	–	1	–	–	–	–	–	–	1	3	3	6	1	1	–
Dropsy	592	8	12	5	6	20	19	2	3	13	35	10	46	36	32	2
Abscess	61	–	–	1	–	–	1	–	1	2	6	–	3	1	3	–
Ulcer	12	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–
Fistula	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Mortification	65	–	1	1	2	–	–	–	–	3	7	–	2	2	2	–
Cancer	694	1	4	9	6	15	11	1	10	8	74	8	44	33	46	1
Gout	4	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
III. Scrofula	189	1	1	–	–	1	1	1	3	5	9	–	15	10	9	–
Tabes Mesenterica	292	–	–	3	–	–	–	–	1	2	17	–	14	10	9	–
Phthisis	3748	33	39	18	20	43	55	11	33	57	237	27	282	138	129	10
Hydrocephalus	766	–	3	7	–	4	5	1	6	10	53	3	69	22	20	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	169	875	519	701	192	2099	1957	7855	351	2759	298	317	92	68	424	726	447	475
SPECIFIED CAUSES	156	822	479	619	175	2023	1863	7554	330	2669	270	311	92	68	410	668	416	446
Zymotic Class	18	220	120	109	24	649	479	2357	97	524	51	75	24	11	98	133	116	139
Uncertain Seat	7	53	25	33	12	76	85	296	14	146	18	19	7	3	25	40	18	23
Tubercular Class	29	116	107	96	47	392	405	1422	50	469	35	35	13	11	74	100	72	73
Brain, etc.	11	47	29	34	13	135	161	484	17	267	21	29	6	11	47	49	41	19
Heart, etc.	9	41	12	19	8	65	47	222	15	170	21	28	5	8	25	27	17	7
Respiratory Organs	20	94	27	58	16	196	175	953	35	355	25	28	6	10	33	71	45	52
Digestive Organs	24	72	59	46	14	154	142	582	28	201	24	26	7	6	27	55	32	26
Urinary Organs	1	5	1	5	2	10	15	57	2	24	1	1	1	2	2	1	3	5
Generative Organs	1	11	7	18	2	42	24	113	6	49	6	10	3	–	5	10	4	6
Locomotive Organs	–	1	3	4	–	5	10	23	1	10	1	–	1	–	2	3	3	2
Skin	–	2	–	–	–	2	2	10	1	2	1	1	–	–	–	–	1	–
Malformation	–	1	–	–	4	4	9	14	1	12	–	1	–	–	1	–	1	–
Premature Debility	9	34	17	11	–	88	84	356	23	126	10	15	5	2	31	25	9	13
Atrophy	1	2	6	2	1	21	23	70	3	37	1	2	–	–	1	11	4	1
Age	20	110	54	173	29	139	171	468	31	215	47	36	13	4	33	125	44	72
Sudden Deaths	1	1	1	3	–	3	1	13	–	–	–	–	1	–	–	2	–	–
Violent Deaths	5	12	11	8	3	42	30	134	6	62	8	5	–	–	6	16	6	8
Small Pox	–	9	5	3	2	26	6	113	4	120	3	2	–	–	3	5	–	–
Measles	–	17	1	32	–	29	45	110	17	14	1	–	–	–	1	18	9	–
Scarlatina	1	48	43	13	8	258	141	667	17	34	3	33	12	–	3	11	48	87
Diphtheria	–	8	3	–	1	–	2	29	2	19	1	3	2	5	7	7	14	–
Hooping Cough	3	26	19	5	3	147	52	605	26	89	13	6	–	2	12	9	7	13
Croup	–	13	5	10	3	28	23	105	4	25	10	5	2	–	8	6	5	5
Thrush	–	–	–	–	–	1	–	5	–	1	–	1	–	–	–	–	–	–
Diarrhœa	2	25	10	7	5	46	43	205	11	41	6	3	–	–	15	17	7	3
Dysentery	3	9	6	4	–	11	12	65	1	23	2	–	1	–	3	8	3	2
Cholera	–	–	–	–	–	2	5	18	–	6	–	2	–	–	2	1	–	1
Influenza	1	–	–	11	–	4	13	12	1	3	1	2	1	–	7	2	3	6
Purpura	–	–	–	1	–	–	1	5	–	–	–	–	–	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	1	–	2	2	2	–	1	–	–	–	–	–	1	1	1
Infantile Fever	1	–	2	–	–	3	1	7	–	1	–	–	–	–	1	2	1	3
Typhus	7	52	23	19	1	74	107	319	11	99	9	10	5	4	25	39	15	9
Metria	–	9	2	1	–	5	13	47	1	23	1	4	–	–	4	2	–	4
Rheumatic Fever	–	1	–	–	–	–	1	4	–	4	–	1	–	–	1	2	1	3
Erysipelas	–	1	1	2	1	8	8	23	–	18	1	3	1	–	5	2	1	1
Syphilis	–	1	–	–	–	5	3	16	2	3	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hæmorrhage	–	2	1	3	–	1	2	12	1	6	3	–	–	–	1	–	–	–
Dropsy	5	30	11	23	3	32	35	121	3	31	2	8	4	1	9	10	5	10
Abscess	–	1	1	2	–	3	2	16	–	10	1	1	–	–	–	3	2	1
Ulcer	–	–	–	–	–	–	–	6	–	–	–	–	–	–	1	–	–	–
Fistula	1	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Mortification	–	3	–	1	1	2	5	12	–	12	–	4	–	–	2	3	–	–
Cancer	1	17	12	4	8	37	40	127	10	86	11	6	3	2	12	24	11	12
Gout	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Scrofula	–	1	3	6	2	19	17	51	5	14	–	5	1	1	1	4	1	2
Tabes Mesenterica	2	12	3	2	6	15	34	86	3	43	2	4	1	–	12	6	4	1
Phthisis	22	81	90	79	31	296	293	1066	27	317	26	17	10	10	55	80	50	66
Hydrocephalus	5	22	11	9	8	62	61	219	15	95	7	9	1	–	6	10	17	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—FEMALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	136	1	1	3	1	3	3	–	2	3	4	1	9	5	5	–
Apoplexy	538	–	4	3	–	2	6	2	8	5	45	5	49	34	37	–
Paralysis	743	2	4	9	1	14	7	4	8	18	55	6	73	42	49	4
Delirium Tremens	10	–	1	–	–	–	–	–	–	–	2	–	1	–	1	–
Chorea	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Epilepsy	86	1	1	1	–	1	3	–	2	3	5	–	3	3	4	–
Tetanus	22	2	–	–	–	–	3	–	–	–	2	–	–	–	1	–
Insanity	31	–	–	–	–	–	–	2	–	–	2	–	4	1	–	1
Convulsions	315	1	–	1	–	4	1	–	5	7	24	2	40	6	8	–
Brain Disease	319	–	1	1	–	3	5	–	3	7	17	5	30	10	11	1
V. Pericarditis	39	–	–	–	–	–	–	–	–	–	2	2	1	3	3	–
Aneurism	23	–	–	–	–	–	–	–	–	–	3	1	2	3	1	–
Heart Disease	1086	3	5	3	4	5	10	1	22	15	91	10	120	42	46	4
VI. Laryngitis	79	–	–	1	–	1	–	–	–	1	8	1	10	4	1	–
Bronchitis	1679	11	6	9	3	26	20	4	18	21	120	19	105	45	57	4
Pleurisy	136	–	1	–	–	1	16	–	4	4	11	1	5	9	10	–
Pneumonia	809	2	1	7	–	3	6	–	9	14	43	3	64	32	46	5
Asthma	304	2	10	5	10	22	13	1	6	5	12	–	27	17	3	1
Lung Disease	174	–	6	–	2	–	–	–	3	5	8	1	21	3	7	–
VII. Teething	471	–	–	3	–	1	5	–	3	6	22	1	42	14	20	–
Quinsey	31	–	–	–	–	–	1	–	–	1	1	–	4	–	1	–
Gastritis	72	–	1	2	–	1	2	–	1	1	1	–	4	5	6	–
Enteritis	387	–	1	3	–	2	5	2	4	3	14	4	20	5	15	–
Peritonitis	145	–	1	5	1	3	5	1	–	–	10	1	5	10	7	1
Ascites	59	–	1	–	–	1	1	–	–	2	6	2	2	3	3	–
Ulceration of Intestines	81	1	–	1	–	2	2	–	4	1	11	1	9	2	3	1
Hernia	36	–	1	–	1	–	1	–	–	–	5	–	3	3	2	1
Ileus	104	1	5	–	–	2	3	–	1	3	13	5	10	4	5	–
Intussusception	14	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–
Stricture of Intestines	11	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Stomach Disease	391	5	7	3	2	6	12	1	6	5	19	2	23	16	17	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	58	1	1	2	–	–	2	–	–	–	–	–	2	3	–	–
Jaundice	103	1	–	2	2	–	4	–	1	–	13	–	5	3	8	–
Liver Disease	215	3	2	2	–	3	6	–	3	4	18	2	11	11	9	–
Spleen Disease	10	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
VIII. Nephritis	13	–	–	–	–	–	–	–	1	–	1	–	–	4	–	–
Nephria	53	–	–	–	–	1	1	–	4	1	–	1	2	3	3	–
Ischuria	5	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
Diabetes	25	–	–	1	–	–	–	–	–	–	5	1	1	–	–	–
Stone	8	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Cystitis	11	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
Stricture of Urethra	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	92	–	2	–	–	–	1	1	3	5	13	1	14	5	5	–
IX. Paramenia	21	1	–	–	–	–	2	–	–	–	1	–	1	2	2	–
Ovarian Dropsy	56	–	–	–	1	1	–	–	1	1	12	–	4	–	5	–
Childbirth	333	6	2	2	3	12	17	1	4	2	15	1	22	10	14	2
Organs of Generation	93	–	–	–	–	3	3	–	–	2	13	–	12	3	3	–
X. Arthritis	6	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Rheumatism	68	1	2	3	1	6	5	1	–	–	2	3	4	6	1	–
Joint and Bone Disease	51	–	–	–	–	–	1	–	2	–	4	–	4	3	3	1
XI. Carbuncle	9	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
Phlegmon	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Skin Disease	19	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
XII. Cyanosis	20	–	–	–	–	–	–	–	–	1	–	–	4	–	1	–
Spina Bifida	22	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–
Other Malformations	20	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1
XVII. Intemperance	36	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–
Privation	5	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Want of Breast Milk	22	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	17	–	–	–	–	–	2	–	–	2	5	–	1	1	1	–
Poison	28	–	–	1	–	–	–	–	–	1	2	–	3	1	–	–
Burns and Scalds	166	3	1	3	–	4	6	1	1	3	7	3	14	8	10	2
Hanging, etc.	16	–	–	–	–	–	–	–	–	–	3	–	5	–	–	–
Suffocation	36	–	1	–	–	–	–	–	–	1	1	–	4	1	1	1
Drowning	71	2	–	1	–	1	1	–	2	1	1	–	4	9	7	–
Fracture and Contusion	132	1	–	–	1	3	3	–	2	2	10	3	21	7	4	–
Wounds	21	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Other Violent Causes	23	–	–	–	–	–	–	–	–	–	–	–	4	2	1	–
Not Specified	1642	42	22	25	24	96	102	6	31	29	87	15	64	55	91	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—FEMALES. (*Continued.*)

DISEASES.	Clack-mannan.	Stirling.	Dum-barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith-gow.	Edin-burgh.	Hadding-ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud-bright.	Wigtown.
Cephalitis	–	3	1	2	1	7	20	32	–	17	1	–	–	1	1	3	4	2
Apoplexy	2	8	9	7	3	38	40	111	4	58	6	7	2	2	13	11	14	3
Paralysis	6	20	10	13	5	45	49	104	5	96	8	14	2	6	19	19	16	10
Delirium Tremens	–	1	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	3	1	–	3	6	28	–	12	–	1	–	1	–	1	–	1
Tetanus	–	1	–	4	–	–	2	1	1	2	–	–	–	–	1	1	1	–
Insanity	–	–	1	2	–	5	2	5	1	2	–	–	–	–	1	2	–	–
Convulsions	2	5	5	3	1	16	15	113	5	34	1	2	1	1	6	4	1	1
Brain Disease	1	6	–	2	3	20	27	89	1	44	5	5	1	–	6	8	5	2
Pericarditis	–	1	–	2	–	5	3	10	–	3	–	–	–	–	1	1	2	–
Aneurism	–	–	–	2	–	1	1	3	–	3	–	–	–	–	1	1	–	1
Heart Disease	9	40	12	15	8	59	43	209	15	164	21	28	5	8	23	25	15	6
Laryngitis	1	5	1	2	–	2	4	19	3	6	1	1	1	–	–	3	2	1
Bronchitis	9	53	14	30	11	123	105	511	19	197	9	11	2	9	13	37	26	32
Pleurisy	1	2	1	2	3	3	5	23	–	14	2	3	–	–	3	3	5	4
Pneumonia	8	20	8	14	2	42	32	286	9	77	6	11	2	1	16	19	10	11
Asthma	1	3	2	7	–	18	15	74	3	32	3	1	1	–	1	3	2	4
Lung Disease	–	11	1	3	–	8	14	40	1	29	4	1	–	–	–	6	–	–
Teething	8	19	21	8	–	50	26	164	8	32	3	1	1	–	1	6	2	4
Quinsey	1	1	1	–	–	–	4	9	–	2	–	2	–	–	–	–	1	2
Gastritis	1	2	1	1	–	6	9	14	1	5	–	2	–	–	1	2	3	–
Enteritis	1	3	5	4	5	30	30	146	9	30	2	5	2	–	2	16	10	9
Peritonitis	3	1	2	–	1	3	15	37	2	16	1	1	–	1	4	6	1	1
Ascites	2	1	2	2	–	2	11	13	–	3	–	–	–	–	–	–	1	1
Ulceration of Intestines	1	3	4	3	–	1	2	11	–	12	1	1	2	–	–	1	1	–
Hernia	–	2	–	–	2	6	3	2	–	3	1	–	–	–	–	–	–	–
Ileus	1	5	–	2	2	4	4	14	1	12	–	2	–	–	2	1	1	1
Intussusception	–	–	–	2	–	1	2	2	–	1	–	–	–	–	–	–	1	–
Stricture of Intestines	–	–	–	2	–	–	–	3	–	3	–	–	–	–	–	–	–	–
Stomach Disease	4	21	10	7	2	20	19	84	6	43	6	8	2	5	10	12	4	3
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	1	5	–	3	7	19	–	1	–	1	–	–	2	2	3	–
Jaundice	–	2	3	1	–	9	5	19	–	14	4	–	–	–	2	3	–	2
Liver Disease	–	11	8	6	2	17	5	44	1	24	6	3	–	–	3	5	3	3
Spleen Disease	–	–	1	3	–	1	–	1	–	–	–	–	–	–	–	1	1	–
Nephritis	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	3
Nephria	–	2	–	1	1	4	1	14	1	10	–	–	–	1	1	–	1	–
Ischuria	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	1	–	–	–	–	4	4	1	2	–	1	–	1	1	–	1	–
Stone	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1
Cystitis	–	–	–	–	–	3	1	2	–	2	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	3	–	2	7	15	–	9	1	–	1	–	–	–	1	1
Paramenia	–	1	–	2	–	1	–	4	–	2	–	1	–	–	1	–	–	–
Ovarian Dropsy	–	2	–	4	–	2	3	10	1	8	1	–	–	–	–	–	–	–
Childbirth	1	7	5	11	2	32	17	86	3	28	1	6	3	–	3	5	4	6
Organs of Generation	–	1	2	1	–	7	4	13	2	11	4	3	–	–	1	5	–	–
Arthritis	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	2	4	–	4	5	7	–	5	–	–	–	–	2	3	1	–
Joint Disease	–	–	1	–	–	1	4	16	1	4	1	–	1	–	–	–	2	2
Carbuncle	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	2	–	–	–	2	2	6	1	1	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	2	4	3	–	4	–	–	–	–	1	–	–	–
Spina Bifida	–	1	–	–	4	2	1	5	–	3	–	1	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	4	6	1	5	–	–	–	–	–	–	1	–
Intemperance	–	–	1	1	–	6	–	14	–	8	1	–	–	–	–	1	–	–
Privation	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	1	–	12	–	2	–	1	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	3	2	10	–	2	–	1	–	–	–	–	1	–
Burns and Scalds	1	4	2	1	1	13	13	31	2	16	1	2	–	–	2	4	3	4
Hanging, etc.	–	–	–	–	1	–	–	1	1	3	–	–	–	–	1	1	–	–
Suffocation	–	1	1	1	–	4	–	11	–	5	1	–	–	–	1	1	–	–
Drowning	1	3	2	3	1	3	3	17	–	6	1	–	–	–	–	1	–	1
Fracture and Contusion	3	2	3	1	–	9	10	23	1	11	3	–	–	–	2	4	2	1
Wounds	–	2	–	–	–	–	1	3	1	4	1	1	–	–	–	4	–	1
Other Violent Causes	–	–	1	–	–	–	1	10	–	3	–	–	–	–	–	–	–	1
Not Specified	13	53	40	82	17	76	94	301	21	90	28	6	–	–	14	58	31	29

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	10832	681	569	3703	2269	1676	1185	1423	699	560
SPECIFIED CAUSES . . .	10476	603	559	3651	2254	1665	1137	1382	612	551
I. Zymotic Class . . .	3089	182	176	677	664	386	287	556	115	106
II. Diseases of Uncertain Seat	308	28	19	163	84	89	42	35	27	23
III. Tubercular Class . .	2031	89	104	697	411	341	232	221	102	103
IV. Brain and Nervous System	756	44	59	387	217	165	108	91	67	59
V. Organs of Circulation .	298	20	18	238	89	81	26	49	43	36
VI. Respiratory Organs .	1483	89	65	503	218	193	105	150	60	44
VII. Organs of Digestion .	876	37	30	280	151	119	110	71	49	41
VIII. Urinary Organs . .	85	3	5	68	27	34	14	15	3	9
IX. Organs of Generation .	87	4	4	38	18	12	18	13	3	3
X. Organs of Locomotion .	31	1	1	19	5	7	4	4	5	3
XI. Skin, etc.	12	1	1	4	1	3	1	2	–	1
XII. Malformation . . .	27	–	1	17	6	2	3	1	2	1
XIII. Premature Debility . .	580	33	27	194	142	61	58	69	39	32
XIV. Atrophy	97	10	5	41	15	5	14	13	5	5
XV. Age	409	44	27	215	119	130	86	55	46	58
XVI. Sudden Deaths . .	21	–	–	–	2	–	–	2	–	2
XVII. Violent Deaths . .	286	18	17	110	85	37	29	35	46	25
I. Small Pox	201	3	12	167	2	17	2	31	45	1
Measles	156	5	17	13	108	9	25	7	2	–
Scarlatina	772	74	55	39	105	39	81	266	11	10
Diphtheria	24	5	3	9	11	40	3	2	8	–
Hooping Cough . .	928	26	30	134	139	110	76	116	8	41
Croup	122	14	9	27	59	34	17	24	10	8
Thrush	3	1	–	1	2	1	–	1	2	–
Diarrhœa	268	22	11	55	42	30	23	35	6	15
Dysentery	66	4	9	25	34	23	6	2	1	6
Cholera	27	–	1	7	10	1	2	4	4	1
Influenza	17	–	1	3	5	6	–	3	1	–
Purpura	2	–	–	2	4	1	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–
Worms	6	–	–	2	–	–	2	–	–	–
Infantile Fever . .	14	–	–	3	5	1	2	3	–	2
Typhus	381	24	21	125	118	54	44	49	14	13
Metria	31	2	3	19	1	3	1	1	1	5
Rheumatic Fever . .	6	–	–	5	2	–	–	1	–	2
Erysipelas	38	1	3	35	9	10	2	5	2	1
Syphilis	23	1	1	6	7	7	1	6	–	1
Noma	3	–	–	–	1	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	15	1	2	8	7	3	1	1	1	–
Dropsy	145	18	6	30	42	24	29	12	8	8
Abscess	17	2	1	12	6	7	2	1	2	–
Ulcer	2	–	–	2	–	1	–	–	1	–
Fistula	2	1	–	4	–	–	1	–	–	–
Mortification . . .	18	–	4	18	2	6	–	4	3	3
Cancer	109	6	6	87	27	48	9	17	12	11
Gout	–	–	–	2	–	–	–	–	–	1
III. Scrofula	66	11	–	27	16	18	14	9	3	7
Tabes Mesenterica . .	142	6	12	51	16	19	11	13	4	3
Phthisis	1460	62	66	482	290	206	174	157	60	76
Hydrocephalus . .	303	10	26	137	89	98	33	42	35	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	347	385	326	474	195	182	316	411	556	295	281	289	468
SPECIFIED CAUSES	344	382	326	460	188	174	309	376	541	277	266	282	437
Zymotic Class	87	91	154	169	37	44	62	74	167	61	88	79	84
Uncertain Seat	16	17	8	12	12	9	10	16	27	10	6	7	14
Tubercular Class	38	60	26	56	34	24	52	78	132	66	47	68	71
Brain, etc.	30	43	30	57	15	23	27	28	50	19	17	14	48
Heart, etc.	12	15	20	17	12	2	29	21	18	11	6	5	22
Respiratory Organs	28	43	23	41	23	17	38	50	43	34	34	33	52
Digestive Organs	44	30	22	28	14	13	35	33	26	12	25	24	35
Urinary Organs	6	–	4	11	3	–	2	5	7	2	1	1	3
Generative Organs	7	1	3	–	1	1	2	3	1	1	1	4	4
Locomotive Organs	2	3	1	1	–	–	1	2	2	–	2	–	2
Skin	1	–	–	–	1	–	–	–	2	–	1	1	–
Malformation	–	1	2	1	–	–	1	1	4	1	–	2	–
Premature Debility	10	31	11	11	15	8	23	9	24	21	10	13	24
Atrophy	5	4	–	1	2	–	3	3	4	–	1	3	5
Age	48	29	16	38	12	25	11	35	21	28	14	8	50
Sudden Deaths	–	4	–	–	2	3	2	–	–	1	–	1	–
Violent Deaths	10	10	6	17	5	5	11	18	13	10	13	19	23
Small Pox	14	–	–	–	1	–	1	1	–	–	–	–	–
Measles	–	27	6	27	7	4	4	2	4	–	9	8	24
Scarlatina	3	16	108	83	2	2	6	33	68	15	33	14	3
Diphtheria	–	2	3	–	–	5	–	–	1	1	–	2	2
Hooping Cough	36	3	1	22	10	14	7	9	18	16	4	4	–
Croup	3	1	3	5	4	7	2	5	5	7	4	7	6
Thrush	–	–	–	–	–	1	–	–	–	–	1	2	–
Diarrhœa	15	10	10	9	1	1	21	6	19	4	16	15	18
Dysentery	–	4	5	3	1	–	3	2	4	2	2	7	9
Cholera	–	–	–	–	1	–	2	–	1	–	–	–	–
Influenza	–	1	–	2	1	–	–	1	–	–	1	1	–
Purpura	–	–	–	–	–	–	–	–	1	–	2	3	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	23	15	16	6	7	16	14	37	15	15	9	14
Metria	–	1	–	1	2	–	–	–	4	1	–	1	–
Rheumatic Fever	–	1	1	–	–	1	–	–	–	–	–	–	2
Erysipelas	1	2	2	–	1	2	–	–	3	–	–	5	4
Syphilis	–	–	–	1	–	–	–	1	1	–	1	1	2
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	1	–	–	1	1	1	–	–	–
Dropsy	9	5	4	3	8	5	8	5	10	5	5	4	2
Abscess	–	–	–	1	–	1	–	–	1	2	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	2	1	–	5	1	–	1	1
Cancer	7	10	4	7	3	1	1	10	10	1	1	2	10
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	3	1	2	–	3	2	4	2	9	4
Tabes Mesenterica	–	2	6	1	2	1	1	9	10	2	3	–	7
Phthisis	32	52	13	44	27	19	46	53	97	50	33	43	44
Hydrocephalus	6	5	6	8	4	2	5	13	23	10	9	16	16

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—BOTH SEXES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	60	4	4	21	13	7	5	8	6	1
Apoplexy	162	13	18	74	49	33	31	20	18	23
Paralysis	127	13	6	102	46	45	36	24	21	19
Delirium Tremens	7	–	–	7	1	5	1	1	–	1
Chorea	–	–	–	–	–	–	–	–	–	–
Epilepsy	29	2	7	16	3	10	6	1	2	2
Tetanus	5	1	–	5	4	2	–	–	2	–
Insanity	3	1	2	7	–	2	5	3	–	–
Convulsions	209	5	5	62	75	41	7	16	10	8
Brain Disease	154	5	17	93	26	20	17	18	8	5
V. Pericarditis	10	–	2	6	1	3	–	4	–	1
Aneurism	6	1	1	14	–	5	–	1	5	1
Heart Disease	282	19	15	218	88	73	26	44	38	34
VI. Laryngitis	30	–	–	10	11	8	2	2	–	–
Bronchitis	776	41	40	264	78	117	55	82	31	23
Pleurisy	28	3	1	25	3	8	1	3	3	2
Pneumonia	494	35	20	116	83	37	33	45	23	14
Asthma	94	6	4	44	38	11	12	11	1	5
Lung Disease	61	4	–	44	5	12	2	7	2	–
VII. Teething	286	10	11	49	69	29	30	35	10	14
Quinsey	10	–	–	7	8	1	2	–	–	1
Gastritis	18	–	2	8	4	2	3	1	2	–
Enteritis	216	8	7	49	17	8	30	13	5	3
Peritonitis	36	4	5	19	8	10	2	1	6	3
Ascites	10	4	–	5	1	3	–	–	–	–
Ulceration of Intestines	16	1	–	12	4	9	2	1	–	–
Hernia	6	–	–	5	1	4	2	1	–	3
Ileus	26	–	1	11	5	8	1	1	3	4
Intussusception	6	–	–	2	1	1	1	2	–	1
Stricture of Intestines	4	–	–	6	1	2	–	–	–	1
Stomach Disease	111	3	1	58	15	13	13	8	9	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	1	3	5	4	1	5	–	1	–
Jaundice	25	1	–	10	3	16	4	4	5	2
Liver Disease	76	5	–	33	9	12	14	4	8	4
Spleen Disease	–	–	–	1	1	–	1	–	–	–
VIII. Nephritis	3	–	2	1	1	–	–	–	–	–
Nephria	31	1	2	26	2	1	3	3	1	1
Ischuria	–	–	–	3	–	4	1	1	–	1
Diabetes	11	–	–	4	2	2	2	–	–	1
Stone	2	–	–	2	3	3	1	1	–	–
Cystitis	4	–	–	3	1	2	3	3	–	2
Stricture of Urethra	3	1	–	–	–	–	–	–	–	–
Kidney Disease	31	1	1	29	18	22	4	7	2	4
IX. Paramenia	4	–	–	1	–	–	1	–	–	–
Ovarian Dropsy	8	–	–	6	–	4	–	2	–	–
Childbirth	65	4	4	20	16	3	16	7	3	1
Organs of Generation	10	–	–	11	2	5	1	4	–	2
X. Arthritis	1	–	–	1	1	–	–	–	1	–
Rheumatism	5	–	1	7	3	2	3	1	1	2
Joint and Bone Disease	25	1	–	11	1	5	1	3	3	1
XI. Carbuncle	1	–	–	3	1	1	1	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–
Skin Disease	10	1	1	1	–	2	–	2	–	1
XII. Cyanosis	4	–	–	5	4	2	1	–	2	–
Spina Bifida	9	–	–	3	1	–	2	–	–	1
Other Malformations	14	–	1	9	1	–	–	1	–	–
XVII. Intemperance	17	–	–	14	2	–	1	5	1	4
Privation	–	–	–	–	–	1	–	2	–	–
Want of Breast Milk	18	4	1	3	5	2	–	3	–	–
Neglect	2	1	–	2	–	–	–	–	–	–
Cold	–	–	1	–	–	1	–	–	–	–
Poison	11	–	2	2	2	2	2	1	1	–
Burns and Scalds	48	1	1	11	14	7	3	6	7	4
Hanging, etc.	5	–	2	3	4	2	–	–	5	1
Suffocation	14	2	2	7	2	5	2	1	4	1
Drowning	43	5	1	4	12	7	8	6	9	4
Fracture and Contusion	100	5	5	44	34	9	8	10	13	10
Wounds	9	–	–	9	1	–	–	1	3	1
Other Violent Causes	19	–	2	11	9	1	5	–	3	–
Not Specified	356	78	10	52	15	11	48	41	87	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—BOTH SEXES. *(Contd.)*

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	5	5	–	–	1	1	3	8	–	–	–	3
Apoplexy	5	15	11	17	4	6	6	3	11	2	10	3	13
Paralysis	7	12	7	17	6	7	11	13	14	6	1	4	19
Delirium Tremens	1	1	–	–	1	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	–	3	1	–	–	2	–	2	2	–	3
Tetanus	1	–	–	1	–	–	–	1	1	–	–	–	–
Insanity	–	–	–	4	–	–	–	1	–	–	–	–	1
Convulsions	5	5	4	–	1	3	3	3	10	5	2	4	1
Brain Disease	7	4	3	15	2	6	5	2	6	4	2	3	8
Pericarditis	–	–	–	1	–	–	1	1	–	–	–	–	–
Aneurism	–	–	1	–	–	–	1	1	–	–	–	–	1
Heart Disease	12	15	19	16	12	2	27	19	18	11	6	5	21
Laryngitis	–	1	1	2	1	1	4	–	1	1	–	1	–
Bronchitis	13	29	8	26	13	7	24	23	22	19	9	16	26
Pleurisy	1	–	2	1	–	–	2	1	–	3	–	1	2
Pneumonia	7	8	10	6	7	5	3	14	10	10	17	10	18
Asthma	5	3	–	1	2	2	1	8	5	–	7	5	4
Lung Disease	2	2	2	5	–	2	4	4	5	1	1	–	2
Teething	12	12	3	5	4	5	17	8	2	3	6	5	6
Quinsey	–	1	1	–	–	–	1	1	3	–	1	–	–
Gastritis	3	–	1	–	1	1	–	5	3	–	1	3	3
Enteritis	2	2	5	5	1	3	–	2	8	1	5	9	6
Peritonitis	3	2	–	–	1	1	2	1	–	2	–	–	4
Ascites	1	1	–	1	–	–	–	5	1	–	–	1	–
Ulceration of Intestines	1	–	2	5	–	–	–	–	–	1	1	1	1
Hernia	2	1	–	1	–	–	–	–	1	–	–	–	–
Ileus	1	2	2	1	–	1	2	2	–	1	–	–	1
Intussusception	–	–	–	–	–	–	–	–	1	–	–	–	1
Stricture of Intestines	1	–	–	–	1	–	–	–	–	1	–	–	–
Stomach Disease	8	5	3	4	2	1	8	3	5	1	8	3	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	–	–	–	–	–	4	–	–	1	2	1
Jaundice	2	–	2	–	2	–	2	–	1	–	1	–	1
Liver Disease	6	2	3	6	2	1	3	2	1	2	1	–	4
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	1	–	–	–	–
Nephria	–	–	–	5	–	–	–	1	–	–	–	–	–
Ischuria	1	–	–	1	1	–	–	–	–	–	1	–	–
Diabetes	–	–	–	1	–	–	–	1	2	–	–	–	–
Stone	1	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	1	1	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	4	3	2	–	2	1	3	1	–	1	2
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	1	–
Childbirth	5	1	–	–	1	1	2	3	1	1	1	1	2
Organs of Generation	1	–	2	–	–	–	–	–	–	–	–	2	2
Arthritis	–	–	–	–	–	–	–	–	1	–	–	–	1
Rheumatism	1	1	–	–	–	–	–	–	–	–	1	–	1
Joint Disease	1	2	1	1	–	–	1	2	1	–	1	–	–
Carbuncle	1	–	–	–	1	–	–	–	1	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	1	–
Cyanosis	–	–	2	–	–	–	–	1	1	–	–	1	–
Spina Bifida	–	–	–	–	–	–	1	–	1	–	–	1	–
Other Malformations	–	1	–	1	–	–	–	–	2	1	–	–	–
Intemperance	–	1	–	1	–	–	–	3	–	–	–	1	1
Privation	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	1	–	1	–	–	1	1	1	–	–	–	–
Burns and Scalds	2	1	1	2	1	1	1	4	4	1	6	4	2
Hanging, etc.	–	2	1	–	–	–	–	1	–	–	1	–	2
Suffocation	–	–	1	1	–	–	2	1	–	–	–	1	–
Drowning	4	–	–	4	–	1	1	3	1	2	–	2	1
Fracture and Contusion	2	4	2	7	4	2	3	4	5	5	6	10	11
Wounds	1	1	–	–	–	–	3	–	–	1	–	–	5
Other Violent Causes	–	–	–	1	–	1	–	1	2	1	–	–	1
Not Specified	3	3	–	14	7	8	7	35	15	18	15	7	31

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5436	353	286	1836	1075	814	590	714	336	272
SPECIFIED CAUSES	5227	309	279	1802	1066	811	564	692	296	269
I. Zymotic Class	1486	90	89	319	310	176	141	283	51	41
II. Diseases of Uncertain Seat	116	14	10	63	29	27	18	11	12	11
III. Tubercular Class	1024	37	54	369	188	184	124	104	45	52
IV. Brain and Nervous System	428	27	27	215	121	88	59	43	31	38
V. Organs of Circulation	138	12	11	124	33	40	9	24	19	21
VI. Respiratory Organs	779	50	31	242	105	99	58	80	34	23
VII. Organs of Digestion	449	21	15	135	87	60	55	40	26	21
VIII. Urinary Organs	56	3	4	47	14	25	9	10	2	8
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	17	1	1	11	1	7	2	4	4	8
XI. Skin, etc.	6	1	–	2	–	2	1	1	–	–
XII. Malformation	21	–	–	8	–	2	1	1	2	–
XIII. Premature Debility	324	18	14	101	65	39	26	47	22	17
XIV. Atrophy	49	3	1	14	10	2	7	5	3	2
XV. Age	125	19	10	78	51	36	34	16	13	13
XVI. Sudden Deaths	12	–	–	–	1	–	–	–	–	1
XVII. Violent Deaths	196	13	12	74	51	24	20	23	32	18
I. Small Pox	101	–	7	85	–	12	2	18	16	1
Measles	82	2	10	5	53	6	13	5	–	–
Scarlatina	384	40	18	15	50	17	40	128	7	5
Diphtheria	8	3	1	4	5	21	3	2	4	–
Hooping Cough	425	11	18	65	60	39	36	55	2	18
Croup	63	7	8	16	27	15	9	10	8	4
Thrush	–	–	–	1	–	1	–	1	1	–
Diarrhœa	133	14	8	27	22	14	13	21	2	5
Dysentery	33	–	5	10	18	9	1	2	–	1
Cholera	13	–	1	3	7	1	1	3	3	1
Influenza	6	–	1	2	–	–	–	2	–	–
Purpura	2	–	–	2	3	1	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–
Worms	4	–	–	1	–	–	1	–	–	–
Infantile Fever	7	–	–	2	1	–	–	2	–	–
Typhus	180	11	9	58	56	29	22	27	6	5
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	3	–	–	–	1	–	–
Erysipelas	23	1	3	17	6	7	–	3	2	–
Syphilis	13	1	–	3	1	4	–	3	–	1
Noma	3	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	1	4	2	1	–	1	1	–
Dropsy	67	9	5	14	14	7	14	6	5	2
Abscess	8	2	1	3	3	3	1	–	1	–
Ulcer	–	–	–	2	–	–	–	–	1	–
Fistula	–	1	–	3	–	–	–	–	–	–
Mortification	11	–	1	8	1	4	–	2	1	2
Cancer	23	2	2	27	9	12	3	2	3	6
Gout	–	–	–	2	–	–	–	–	–	1
III. Scrofula	38	6	–	18	6	15	8	3	1	3
Tabes Mesenterica	81	4	9	21	8	9	7	7	2	1
Phthisis	695	23	28	259	135	94	88	75	25	40
Hydrocephalus	210	4	17	71	39	66	21	19	17	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	176	188	167	219	102	93	179	213	270	162	155	154	229
SPECIFIED CAUSES .	174	186	167	212	99	87	173	190	261	150	148	151	212
Zymotic Class . .	53	42	78	90	16	22	33	34	80	33	49	49	41
Uncertain Seat . .	2	5	1	4	6	4	6	6	12	2	2	2	5
Tubercular Class . .	21	32	15	17	20	12	37	38	69	40	20	35	33
Brain, etc. . . .	17	24	16	23	7	11	19	12	24	7	13	9	26
Heart, etc. . . .	7	8	7	5	5	1	15	13	13	5	4	2	12
Respiratory Organs .	16	18	16	17	13	12	15	25	15	18	22	13	27
Digestive Organs . .	24	17	10	14	5	9	13	19	15	7	12	13	16
Urinary Organs . .	6	–	3	9	2	–	2	3	4	2	1	1	3
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	1	3	1	1	–	–	1	2	2	–	1	–	2
Skin	1	–	–	–	–	–	–	–	1	–	–	1	–
Malformation . .	–	1	2	1	–	–	–	1	2	–	–	1	–
Premature Debility .	4	18	7	9	12	2	15	7	7	16	7	5	18
Atrophy . . .	2	1	–	–	1	–	2	1	2	–	–	1	1
Age	14	11	8	11	5	9	5	12	5	11	6	4	14
Sudden Deaths . .	–	1	–	–	2	2	1	–	–	–	–	1	–
Violent Deaths . .	6	5	3	11	5	3	9	17	10	9	11	14	14
Small Pox . . .	7	–	–	–	1	–	–	1	–	–	–	–	–
Measles . . .	–	13	2	12	3	1	3	1	3	–	7	5	9
Scarlatina . . .	3	7	55	46	1	1	3	14	28	9	21	11	–
Diphtheria . . .	–	–	1	–	–	2	–	–	1	1	–	2	1
Hooping Cough . .	23	2	–	13	4	7	5	4	7	8	2	2	–
Croup	2	–	3	2	1	6	1	4	3	4	1	4	2
Thrush	–	–	–	–	–	1	–	–	–	–	–	2	–
Diarrhœa . . .	10	5	5	6	–	–	13	2	15	2	7	8	11
Dysentery . . .	–	2	3	2	–	–	–	1	2	2	1	5	6
Cholera	–	–	–	–	1	–	2	–	–	–	–	–	–
Influenza . . .	–	–	–	1	1	–	–	–	–	–	1	1	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	12	9	8	3	2	6	7	18	7	9	5	7
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	1	–	–	–	–	–	–	1
Erysipelas . . .	1	1	–	–	1	1	–	–	2	–	–	3	2
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	2
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . . .	–	–	–	–	1	–	–	–	1	–	–	–	–
Dropsy	1	1	–	–	5	2	5	2	2	1	1	1	2
Abscess	–	–	–	1	–	–	–	–	1	1	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	1	–	–	–	2	1	–	4	–	–	1	–
Cancer	1	3	1	3	–	–	–	4	4	–	1	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	2	1	2	–	2	–	2	1	6	2
Tabes Mesenterica .	–	2	4	–	2	1	1	3	4	2	2	–	3
Phthisis	18	26	7	12	14	9	32	25	49	30	14	23	22
Hydrocephalus . .	3	4	3	3	3	–	4	8	16	6	3	6	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	35	4	2	11	9	6	4	6	3	1
Apoplexy	94	8	8	40	32	11	16	11	7	13
Paralysis	64	7	1	46	20	15	15	12	8	14
Delirium Tremens	6	–	–	6	1	4	–	1	–	1
Chorea	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	5	7	2	8	5	–	1	1
Tetanus	4	1	–	4	4	2	–	–	1	–
Insanity	1	1	1	6	–	1	2	1	–	–
Convulsions	118	3	4	38	40	28	4	5	5	5
Brain Disease	93	3	6	57	13	13	13	7	6	3
V. Pericarditis	5	–	–	4	–	3	–	1	–	–
Aneurism	6	–	–	13	–	4	–	–	3	–
Heart Disease	127	12	11	107	33	33	9	23	16	21
VI. Laryngitis	16	–	–	5	3	2	1	1	–	–
Bronchitis	396	26	18	121	32	58	32	35	17	13
Pleurisy	15	1	–	17	1	5	1	2	3	1
Pneumonia	283	19	11	63	44	23	20	32	13	6
Asthma	38	4	2	16	22	4	4	6	–	3
Lung Disease	31	–	–	20	3	7	–	4	1	–
VII. Teething	148	5	6	23	38	15	15	21	6	5
Quinsey	3	–	–	5	6	1	2	–	–	1
Gastritis	8	–	1	4	3	2	1	–	1	–
Enteritis	111	6	3	22	7	3	16	8	3	3
Peritonitis	17	2	2	10	4	5	1	1	2	–
Ascites	3	2	–	3	1	1	–	–	–	–
Ulceration of Intestines	10	1	–	3	2	3	1	1	–	–
Hernia	4	–	–	3	–	2	–	–	–	–
Ileus	17	–	1	3	3	2	1	1	1	3
Intussusception	4	–	–	1	1	–	–	2	–	1
Stricture of Intestines	1	–	–	3	1	1	–	–	–	1
Stomach Disease	50	2	–	28	8	7	6	3	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	16	–	2	4	3	1	4	–	1	–
Jaundice	15	–	–	4	2	10	2	1	1	1
Liver Disease	42	3	–	18	8	7	6	2	6	2
Spleen Disease	–	–	–	1	–	–	–	–	–	–
VIII. Nephritis	3	–	2	1	1	–	–	–	–	–
Nephria	19	1	1	16	1	1	1	1	1	1
Ischuria	–	–	–	2	–	3	1	1	–	1
Diabetes	8	–	–	2	2	1	2	–	–	1
Stone	1	–	–	2	3	3	–	1	–	–
Cystitis	3	–	–	1	–	2	2	1	–	2
Stricture of Urethra	3	1	–	–	–	–	–	–	–	–
Kidney Disease	19	1	1	23	7	15	3	6	1	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–
Rheumatism	3	–	1	4	1	2	1	1	–	2
Joint and Bone Disease	13	1	–	7	–	5	1	3	3	1
XI. Carbuncle	–	–	–	2	–	1	1	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	1	–	–	–	1	–	1	–	–
XII. Cyanosis	4	–	–	3	–	2	–	–	2	–
Spina Bifida	5	–	–	1	–	–	1	–	–	–
Other Malformations	12	–	–	4	–	–	–	1	–	–
XVII. Intemperance	9	–	–	8	2	–	1	2	1	3
Privation	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	2	–	1	1	1	–	2	–	–
Neglect	2	1	–	1	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–
Poison	5	–	–	1	1	1	1	–	–	–
Burns and Scalds	28	1	–	4	5	3	1	3	1	2
Hanging, etc.	4	–	2	2	2	–	–	–	3	1
Suffocation	5	1	2	4	1	4	–	–	2	1
Drowning	34	3	1	2	10	7	8	6	8	3
Fracture and Contusion	82	5	5	34	22	7	4	9	13	7
Wounds	6	–	–	8	1	–	–	1	2	1
Other Violent Causes	12	–	1	9	6	1	5	–	2	–
Not Specified	209	44	7	34	9	3	26	22	40	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	3	3	–	–	–	1	1	3	–	–	–	–
Apoplexy	–	5	5	8	2	3	4	1	6	1	7	3	9
Paralysis	6	7	4	5	3	1	9	6	7	1	1	2	11
Delirium Tremens	1	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	2	–	–	–	–	–	–	1	–	2
Tetanus	1	–	–	1	–	–	–	1	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	4	3	3	–	1	3	2	2	6	2	2	2	–
Brain Disease	4	4	1	6	1	4	3	1	2	3	2	2	4
Pericarditis	–	–	–	1	–	–	1	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	1	1	–	–	–	–	–
Heart Disease	7	8	6	4	5	1	13	12	13	5	4	2	12
Laryngitis	–	1	1	1	1	1	–	–	–	–	–	1	–
Bronchitis	6	13	7	10	6	5	10	9	5	9	7	5	14
Pleurisy	1	–	1	–	–	–	1	–	–	2	–	–	–
Pneumonia	4	4	7	2	4	2	2	10	6	6	9	5	10
Asthma	3	–	–	–	2	2	1	4	1	–	5	2	2
Lung Disease	2	–	–	4	–	2	1	2	3	1	1	–	1
Teething	8	10	3	3	3	2	7	4	1	2	5	2	1
Quinsey	–	–	–	–	–	–	–	–	2	–	–	–	–
Gastritis	1	–	1	–	1	–	–	2	2	–	1	–	1
Enteritis	–	1	2	3	–	3	–	2	3	1	3	7	2
Peritonitis	2	1	–	–	–	1	2	1	–	–	–	–	2
Ascites	1	1	–	–	–	–	–	1	–	–	–	1	–
Ulceration of Intestines	–	–	–	3	–	–	–	–	–	1	–	–	1
Hernia	1	–	–	–	–	–	–	–	1	–	–	–	–
Ileus	1	–	1	–	–	1	–	2	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	1	–	–	–
Stomach Disease	5	2	1	2	1	1	3	3	4	–	3	1	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	2	–	–	–	2	1
Jaundice	–	–	1	–	–	–	1	–	1	–	–	–	1
Liver Disease	4	1	1	3	–	1	–	2	1	2	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	1	–	–	–	–
Nephria	–	–	–	4	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	1	–	–	–	–	–	1	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	1	1	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	3	3	1	–	2	1	2	1	–	1	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	1	–	–	–	1
Rheumatism	1	1	–	–	–	–	–	–	–	–	–	–	1
Joint Disease	–	2	1	1	–	–	1	2	1	–	1	–	–
Carbuncle	1	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	1	–
Cyanosis	–	–	2	–	–	–	–	1	–	–	–	1	–
Spina Bifida	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Malformations	–	1	–	1	–	–	–	–	1	–	–	–	–
Intemperance	–	–	–	1	–	–	–	3	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	1	–	–	–	–	1	1	1	–	–	–	–
Burns and Scalds	1	1	1	1	1	–	1	3	3	1	4	1	–
Hanging, etc.	–	1	–	–	–	–	–	1	–	–	1	–	1
Suffocation	–	–	–	1	–	–	1	1	–	–	–	1	–
Drowning	4	–	–	3	–	–	1	3	1	1	–	2	1
Fracture and Contusion	–	1	2	5	4	2	2	4	4	5	6	9	8
Wounds	1	1	–	–	–	–	3	–	–	1	–	–	2
Other Violent Causes	–	–	–	–	–	1	–	1	1	1	–	–	1
Not Specified	2	2	–	7	3	6	6	23	9	12	7	3	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5396	328	283	1867	1194	862	595	709	363	288
SPECIFIED CAUSES	5249	294	280	1849	1188	854	573	690	316	282
I. Zymotic Class	1603	92	87	358	354	210	146	273	64	65
II. Diseases of Uncertain Seat	192	14	9	100	55	62	24	24	15	12
III. Tubercular Class	1007	52	50	328	223	157	108	117	57	51
IV. Brain and Nervous System	328	17	32	172	96	77	49	48	36	21
V. Organs of Circulation	160	8	7	114	56	41	17	25	24	15
VI. Respiratory Organs	704	39	34	261	113	94	47	70	26	21
VII. Organs of Digestion	427	16	15	145	64	59	55	31	23	20
VIII. Urinary Organs	29	–	1	21	13	9	5	5	1	1
IX. Organs of Generation	86	4	4	38	18	12	18	13	3	3
X. Organs of Locomotion	14	–	–	8	4	–	2	–	1	–
XI. Skin, etc.	6	–	1	2	1	1	–	1	–	1
XII. Malformation	6	–	1	9	6	–	2	–	–	1
XIII. Premature Debility	256	15	13	93	77	22	32	22	17	15
XIV. Atrophy	48	7	4	27	5	3	7	8	2	3
XV. Age	284	25	17	137	68	94	52	39	33	45
XVI. Sudden Deaths	9	–	–	–	1	–	–	2	–	1
XVII. Violent Deaths	90	5	5	36	34	13	9	12	14	7
I. Small Pox	100	3	5	82	2	5	–	13	29	–
Measles	74	3	7	8	55	3	12	2	2	–
Scarlatina	388	34	37	24	55	22	41	138	4	5
Diphtheria	16	2	2	5	6	19	–	–	4	–
Hooping Cough	503	15	12	69	79	71	40	61	6	23
Croup	59	7	1	11	32	19	8	14	2	4
Thrush	3	1	–	–	2	–	–	–	1	–
Diarrhœa	135	8	3	28	20	16	10	14	4	10
Dysentery	33	4	4	15	16	14	5	–	1	5
Cholera	14	–	–	4	3	–	1	1	1	–
Influenza	11	–	–	1	5	6	–	1	1	–
Purpura	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	1	–	–	1	–	–	–
Infantile Fever	7	–	–	1	4	1	2	1	–	2
Typhus	201	13	12	67	62	25	22	22	8	8
Metria	31	2	3	19	1	3	1	1	1	5
Rheumatic Fever	1	–	–	2	2	–	–	–	–	2
Erysipelas	15	–	–	18	3	3	2	2	–	1
Syphilis	10	–	1	3	6	3	1	3	–	–
Noma	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	1	1	4	5	2	1	–	–	–
Dropsy	78	9	1	16	28	17	15	6	3	6
Abscess	9	–	–	9	3	4	1	1	1	–
Ulcer	2	–	–	–	–	1	–	–	–	–
Fistula	2	–	–	1	–	–	1	–	–	–
Mortification	7	–	3	10	1	2	–	2	2	1
Cancer	86	4	4	60	18	36	6	15	9	5
Gout	–	–	–	–	–	–	–	–	–	–
III. Scrofula	28	5	–	9	10	3	6	6	2	4
Tabes Mesenterica	61	2	3	30	8	10	4	6	2	2
Phthisis	765	39	38	223	155	112	86	82	35	36
Hydrocephalus	153	6	9	66	50	32	12	23	18	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	171	197	159	255	93	89	137	198	286	133	126	135	239
SPECIFIED CAUSES	170	196	159	248	89	87	136	186	280	127	118	131	225
Zymotic Class	34	49	76	79	21	22	29	40	87	28	39	30	43
Uncertain Seat	14	12	7	8	6	5	4	10	15	8	4	5	9
Tubercular Class	17	28	11	39	14	12	15	40	63	26	27	33	38
Brain, etc.	13	19	14	34	8	12	8	16	26	12	4	5	22
Heart, etc.	5	7	13	12	7	1	14	8	5	6	2	3	10
Respiratory Organs	12	25	7	24	10	5	23	25	28	16	12	20	25
Digestive Organs	20	13	12	14	9	4	22	14	11	5	13	11	19
Urinary Organs	–	–	1	2	1	–	–	2	3	–	–	–	–
Generative Organs	7	1	3	–	1	1	2	3	1	1	1	4	4
Locomotive Organs	1	–	–	–	–	–	–	–	–	–	1	–	–
Skin	–	–	–	–	1	–	–	–	1	–	1	–	–
Malformation	–	–	–	–	–	–	1	–	2	1	–	1	–
Premature Debility	6	13	4	2	3	6	8	2	17	5	3	8	6
Atrophy	3	3	–	1	1	–	1	2	2	–	1	2	4
Age	34	18	8	27	7	16	6	23	16	17	8	4	36
Sudden Deaths	–	3	–	–	–	1	1	–	–	1	–	–	–
Violent Deaths	4	5	3	6	–	2	2	1	3	1	2	5	9
Small Pox	7	–	–	–	–	–	1	–	–	–	–	–	–
Measles	–	14	4	15	4	3	1	1	1	–	2	3	15
Scarlatina	–	9	53	37	1	1	3	19	40	6	12	3	3
Diphtheria	–	2	2	–	–	3	–	–	–	–	–	–	1
Hooping Cough	13	1	1	9	6	7	2	5	11	8	2	2	–
Croup	1	1	–	3	3	1	1	1	2	3	3	3	4
Thrush	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa	5	5	5	3	1	1	8	4	4	2	9	7	7
Dysentery	–	2	2	1	1	–	3	1	2	–	1	2	3
Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	–	1	–	1	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	2	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	11	6	8	3	5	10	7	19	8	6	4	7
Metria	–	1	–	1	2	–	–	–	4	1	–	1	–
Rheumatic Fever	–	1	1	–	–	–	–	–	–	–	–	–	1
Erysipelas	–	1	2	–	–	1	–	–	1	–	–	2	2
Syphilis	–	–	–	1	–	–	–	1	1	–	1	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	1	–	1	–	–	–
Dropsy	8	4	4	3	3	3	3	3	8	4	4	3	–
Abscess	–	–	–	–	–	1	–	–	–	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	–	1
Cancer	6	7	3	4	3	1	1	6	6	1	–	2	8
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	–	–	–	1	2	2	1	3	2
Tabes Mesenterica	–	–	2	1	–	–	–	6	6	–	1	–	4
Phthisis	14	26	6	32	13	10	14	28	48	20	19	20	22
Hydrocephalus	3	1	3	5	1	2	1	5	7	4	6	10	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—FEMALES. *(Contd.)*

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	25	–	2	10	4	1	1	2	3	–
Apoplexy	68	5	10	34	17	22	15	9	11	10
Paralysis	63	6	5	56	26	30	21	12	13	5
Delirium Tremens	1	–	–	1	–	1	1	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–
Epilepsy	16	2	2	9	1	2	1	1	1	1
Tetanus	1	–	–	1	–	–	–	–	1	–
Insanity	2	–	1	1	–	1	3	2	–	–
Convulsions	91	2	1	24	35	13	3	11	5	3
Brain Disease	61	2	11	36	13	7	4	11	2	2
V. Pericarditis	5	–	2	2	1	–	–	3	–	1
Aneurism	–	1	1	1	–	1	–	1	2	1
Heart Disease	155	7	4	111	55	40	17	21	22	13
VI. Laryngitis	14	–	–	5	8	6	1	1	–	–
Bronchitis	380	15	22	143	46	59	23	47	14	10
Pleurisy	13	2	1	8	2	3	–	1	–	1
Pneumonia	211	16	9	53	39	14	13	13	10	8
Asthma	56	2	2	28	16	7	8	5	1	2
Lung Disease	30	4	–	24	2	5	2	3	1	–
VII. Teething	138	5	5	26	31	14	15	14	4	9
Quinsey	7	–	–	2	2	–	–	–	–	–
Gastritis	10	–	1	4	1	–	2	1	1	–
Enteritis	105	2	4	27	10	5	14	5	2	–
Peritonitis	19	2	3	9	4	5	1	–	4	3
Ascites	7	2	–	2	–	2	–	–	–	–
Ulceration of Intestines	6	–	–	9	2	6	1	–	–	–
Hernia	2	–	–	2	1	2	2	1	–	3
Ileus	9	–	–	8	2	6	–	–	2	1
Intussusception	2	–	–	1	–	1	1	–	–	–
Stricture of Intestines	3	–	–	3	–	1	–	–	–	–
Stomach Disease	61	1	1	30	7	6	7	5	4	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	14	1	1	1	1	–	1	–	–	–
Jaundice	10	1	–	6	1	6	2	3	4	1
Liver Disease	34	2	–	15	1	5	8	2	2	2
Spleen Disease	–	–	–	–	1	–	1	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–
Nephria	12	–	1	10	1	–	2	2	–	–
Ischuria	–	–	–	1	–	1	–	–	–	–
Diabetes	3	–	–	2	–	1	–	–	–	–
Stone	1	–	–	–	–	–	1	–	–	–
Cystitis	1	–	–	2	1	–	1	2	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	6	11	7	1	1	1	1
IX. Paramenia	4	–	–	1	–	–	1	–	–	–
Ovarian Dropsy	8	–	–	6	–	4	–	2	–	–
Childbirth	65	4	4	20	16	3	16	7	3	1
Organs of Generation	9	–	–	11	2	5	1	4	–	2
X. Arthritis	–	–	–	1	1	–	–	–	–	–
Rheumatism	2	–	–	3	2	–	2	–	1	–
Joint and Bone Disease	12	–	–	4	1	–	–	–	–	–
XI. Carbuncle	1	–	–	1	1	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–
Skin Disease	4	–	1	1	–	1	–	1	–	1
XII. Cyanosis	–	–	–	2	4	–	1	–	–	–
Spina Bifida	4	–	–	2	1	–	1	–	–	1
Other Malformations	2	–	1	5	1	–	–	–	–	–
XVII. Intemperance	8	–	–	6	–	–	–	3	–	1
Privation	–	–	–	–	–	1	–	2	–	–
Want of Breast Milk	9	2	1	2	4	1	–	1	–	–
Neglect	–	–	–	1	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	–	–	–
Poison	9	–	2	1	1	1	1	1	1	–
Burns and Scalds	20	–	1	7	9	4	2	3	6	2
Hanging, etc.	1	–	–	1	2	2	–	–	2	–
Suffocation	9	1	–	3	1	1	2	1	2	–
Drowning	9	2	–	2	2	–	–	–	1	1
Fracture and Contusion	18	–	–	10	12	2	4	1	–	3
Wounds	3	–	–	1	–	–	–	–	1	–
Other Violent Causes	7	–	1	2	3	–	–	–	1	–
Not Specified	147	34	3	18	6	8	22	19	47	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	2	2	–	–	1	–	2	5	–	–	–	3
Apoplexy	5	10	6	9	2	3	2	2	5	1	3	–	4
Paralysis	1	5	3	12	3	6	2	7	7	5	–	2	8
Delirium Tremens	–	–	–	–	1	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	1	1	–	–	2	–	2	1	–	1
Tetauus	–	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	–	–	–	3	–	–	–	1	–	–	–	–	1
Convulsions	1	2	1	–	–	–	1	1	4	3	–	2	1
Brain Disease	3	–	2	9	1	2	2	1	4	1	–	1	4
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	5	7	13	12	7	1	14	7	5	6	2	3	9
Laryngitis	–	–	–	1	–	–	4	–	1	1	–	–	–
Bronchitis	7	16	1	16	7	2	14	14	17	10	2	11	12
Pleurisy	–	–	1	1	–	–	1	1	–	1	–	1	2
Pneumonia	3	4	3	4	3	3	1	4	4	4	8	5	8
Asthma	2	3	–	1	–	–	–	4	4	–	2	3	2
Lung Disease	–	2	2	1	–	–	3	2	2	–	–	–	1
Teething	4	2	–	2	1	3	10	4	1	1	1	3	5
Quinsey	–	1	1	–	–	–	1	1	1	–	1	–	–
Gastritis	2	–	–	–	–	1	–	3	1	–	–	3	2
Enteritis	2	1	3	2	1	–	–	–	5	–	2	2	4
Peritonitis	1	1	–	–	1	–	–	–	–	2	–	–	2
Ascites	–	–	–	1	–	–	–	4	1	–	–	–	–
Ulceration of Intestines	1	–	2	2	–	–	–	–	–	–	1	1	–
Hernia	1	1	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	2	1	1	–	–	2	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	1	–	–	–	1
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	3	3	2	2	1	–	5	–	1	1	5	2	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	–	–	–	–	–	2	–	–	1	–	–
Jaundice	2	–	1	–	2	–	1	–	–	–	1	–	–
Liver Disease	2	1	2	3	2	–	3	–	–	–	1	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	1	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	1	2	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	1	–	–	–	1	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	1	–
Childbirth	5	1	–	–	1	1	2	3	1	1	1	1	2
Organs of Generation	1	–	2	–	–	–	–	–	–	–	–	2	2
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	1	–	–	–	–
Spina Bifida	–	–	–	–	–	–	1	–	–	–	–	1	–
Other Malformations	–	–	–	–	–	–	–	–	1	1	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	1	–	1	1	–	2	3	2
Hanging, etc.	–	1	1	–	–	–	–	–	–	–	–	–	1
Suffocation	–	–	1	–	–	–	1	–	–	–	–	–	–
Drowning	–	–	–	1	–	1	–	–	–	1	–	–	–
Fracture and Contusion	2	3	–	2	–	–	1	–	1	–	–	1	3
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	3
Other Violent Causes	–	–	–	1	–	–	–	–	1	–	–	–	–
Not Specified	1	1	–	7	4	2	1	12	6	6	8	4	14

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	61714	5695	1819	4009	5557	3011	1981	1423	3493	1530	2047	2321	2070
Specified Causes	58208	4559	1545	3679	5251	2846	1902	1373	3335	1450	1967	2214	2002
I. Zymotic Class	14640	605	472	1499	2619	1721	1214	913	1819	509	381	365	302
II. Diseases of Uncertain Seat	2433	36	12	18	33	32	30	25	80	34	39	43	53
III. Tubercular Class	9951	101	207	588	811	444	244	180	651	428	963	1114	905
IV. Brain and Nervous System	4770	344	112	189	191	98	75	59	203	117	110	115	111
V. Organs of Circulation	2314	22	8	5	7	6	5	11	32	52	73	72	110
VI. Respiratory Organs	6505	314	327	663	687	287	186	100	237	80	89	147	135
VII. Organs of Digestion	4594	388	210	548	663	131	56	30	115	81	83	99	124
VIII. Urinary Organs	720	4	3	–	6	9	6	8	26	16	25	25	31
IX. Organs of Generation	504	–	–	–	–	–	–	–	–	3	23	53	85
X. Organs of Locomotion	270	1	–	–	2	1	5	5	17	28	28	26	9
XI. Skin, etc.	65	13	5	8	6	3	–	–	1	–	1	1	–
XII. Malformation	144	126	3	6	1	–	3	1	–	–	2	2	–
XIII. Premature Debility	2776	2506	150	120	–	–	–	–	–	–	–	–	–
XIV. Atrophy	466	–	–	1	148	39	19	11	36	9	10	7	13
XV. Age	5913	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	89	15	8	4	5	1	–	2	1	–	3	3	2
XVII. Violent Deaths	2054	84	28	30	72	74	59	28	117	93	137	142	122
I. Small Pox	682	31	39	92	120	92	58	41	61	17	19	33	31
Measles	972	30	16	151	352	175	97	57	68	10	4	5	4
Scarlatina	3614	24	31	205	556	606	488	444	905	194	63	35	20
Diphtheria	415	12	10	26	66	53	40	35	83	34	18	7	7
Hooping Cough	2660	151	173	614	842	360	227	125	162	4	1	–	–
Croup	921	41	37	87	243	190	134	95	87	4	–	–	1
Thrush	32	17	5	5	4	–	1	–	–	–	–	–	–
Diarrhœa	1273	169	93	172	203	64	19	17	30	14	10	12	20
Dysentery	469	5	13	22	42	14	5	7	10	6	5	12	10
Cholera	146	5	3	14	13	7	7	2	8	4	–	3	7
Influenza	294	10	7	26	28	6	–	2	7	6	4	–	3
Purpura	31	3	–	4	3	2	1	–	5	2	1	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	30	–	–	–	2	8	6	7	7	–	–	–	–
Infantile Fever	72	10	3	18	19	8	7	3	4	–	–	–	–
Typhus	2436	10	16	41	109	125	117	77	365	192	233	199	128
Metria	175	–	–	–	–	–	–	–	–	–	8	41	55
Rheumatic Fever	67	–	–	–	–	1	–	–	6	11	5	5	4
Erysipelas	247	54	11	9	11	6	4	1	8	11	10	8	10
Syphilis	90	33	15	13	5	3	1	–	1	–	–	4	1
Noma	12	–	–	–	1	1	1	–	2	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	91	13	1	1	3	1	–	1	3	1	4	4	4
Dropsy	1027	4	2	6	17	20	26	18	57	23	22	19	20
Abscess	113	7	4	8	4	5	3	3	10	4	4	6	10
Ulcer	26	2	–	–	1	1	–	–	–	1	–	1	2
Fistula	12	–	–	–	–	–	–	1	–	–	1	3	2
Mortification	148	9	1	1	5	3	–	2	4	5	3	5	5
Cancer	1004	1	4	2	3	2	1	–	6	–	5	5	10
Gout	12	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	447	6	13	30	28	15	12	9	45	48	51	48	33
Tabes Mesenterica	610	35	30	64	157	78	34	18	70	36	31	15	10
Phthisis	7172	9	47	101	185	145	75	66	292	299	871	1049	861
Hydrocephalus	1722	51	117	393	441	206	123	87	244	45	10	2	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1934	1862	1813	1807	1939	2099	2506	2592	2931	2861	2324	1277	466	173	39	135
Specified Causes	1861	1797	1735	1726	1844	1973	2375	2592	2930	2861	2322	1277	466	173	39	114
Zymotic Class	214	216	176	166	173	170	225	214	228	215	130	56	21	3	–	14
Uncertain Seat	76	96	142	165	214	215	278	222	246	149	126	51	11	4	1	2
Tubercular Class	777	621	499	421	308	299	202	92	56	26	7	3	–	1	–	3
Brain, etc.	135	169	156	200	211	280	355	380	449	381	211	84	19	5	2	9
Heart, etc.	112	137	149	136	195	188	241	249	220	190	62	22	4	–	1	5
Respiratory Organs	137	149	209	237	297	361	422	446	397	333	183	60	11	4	–	7
Digestive Organs	119	134	157	178	211	224	254	268	239	162	88	25	6	–	1	–
Urinary Organs	40	33	36	38	30	52	61	59	66	82	46	12	2	2	–	2
Generative Organs	92	100	49	33	26	14	12	5	6	2	1	–	–	–	–	–
Locomotive Organs	14	5	11	11	14	12	25	16	16	11	10	2	1	–	–	–
Skin	2	2	1	1	3	3	–	6	4	2	1	1	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	14	14	13	22	49	58	2	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	190	563	947	1262	1429	947	383	152	34	6
Sudden Deaths	1	3	5	4	4	5	15	5	2	1	–	–	–	–	–	–
Violent Deaths	128	118	132	114	109	92	93	67	54	45	28	14	8	2	–	64
Small Pox	14	16	7	2	2	4	2	1	–	–	–	–	–	–	–	–
Measles	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	20	5	8	1	3	1	1	2	–	–	–	1	–	–	–	1
Diphtheria	3	2	2	7	1	2	3	2	1	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	17	34	17	18	30	22	48	53	65	73	45	16	10	–	–	2
Dysentery	14	13	11	20	23	31	46	37	43	43	26	8	2	–	–	1
Cholera	8	8	3	6	9	10	8	2	6	8	4	–	–	–	–	1
Influenza	1	4	2	4	7	5	20	21	32	36	30	22	6	2	–	3
Purpura	–	2	1	–	1	–	1	2	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	84	93	98	95	87	81	82	73	62	41	18	6	1	–	–	3
Metria	37	21	10	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	8	4	3	2	1	5	6	–	2	–	–	–	–	–	–
Erysipelas	7	9	7	6	7	9	8	12	17	9	6	3	2	1	–	1
Syphilis	3	–	6	1	1	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	2	–	2	1	2	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	7	6	10	4	8	3	5	4	5	2	1	–	–	–	–	–
Dropsy	29	29	46	53	68	78	94	108	105	79	65	31	6	–	–	2
Abscess	10	6	2	4	3	6	3	2	4	2	2	–	1	–	–	–
Ulcer	3	1	1	3	–	1	2	3	2	1	1	–	–	–	–	–
Fistula	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–
Mortification	4	5	3	–	9	5	9	10	18	14	15	8	4	1	–	–
Cancer	23	47	80	100	123	120	162	92	111	51	41	11	–	3	1	–
Gout	–	2	–	–	1	1	3	2	1	–	1	1	–	–	–	–
Scrofula	19	15	12	12	11	18	5	8	6	2	1	–	–	–	–	–
Tabes Mesenterica	4	4	5	4	2	4	2	4	2	1	–	–	–	–	–	–
Phthisis	754	602	482	404	295	277	195	80	48	23	6	3	–	1	–	2
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	321	1	15	25	36	13	18	16	47	26	22	17	15
Apoplexy	1135	5	11	10	17	7	5	11	32	14	19	20	17
Paralysis	1415	–	1	–	1	2	–	–	7	4	12	13	14
Delirium Tremens	50	–	–	–	–	–	–	–	–	–	–	–	4
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	187	–	–	–	1	–	–	–	9	16	13	25	19
Tetanus	60	19	1	1	2	1	–	–	5	8	4	1	3
Insanity	52	–	–	–	–	–	–	–	–	–	–	1	6
Convulsions	753	312	73	127	108	55	29	19	27	1	–	–	–
Brain Disease	794	7	11	26	26	20	23	13	75	47	40	38	33
V. Pericarditis	77	2	–	–	1	2	2	3	7	2	6	4	3
Aneurism	75	–	–	1	–	–	–	–	–	1	1	2	6
Heart Disease	2162	20	8	4	6	4	3	8	25	49	66	66	101
VI. Laryngitis	156	6	8	17	22	16	6	4	17	4	4	3	3
Bronchitis	3228	172	204	401	393	138	104	45	93	24	25	30	33
Pleurisy	302	12	6	6	8	6	3	2	13	7	9	22	21
Pneumonia	1900	113	102	232	245	120	66	47	98	32	45	69	54
Asthma	566	–	–	–	1	1	1	–	–	1	1	4	9
Lung Disease	353	11	7	7	18	6	6	2	16	12	5	19	15
VII. Teething	996	4	44	403	490	48	7	–	–	–	–	–	–
Quinsey	70	12	10	5	12	6	3	2	4	1	3	1	1
Gastritis	146	3	1	6	7	4	1	1	7	5	7	2	6
Enteritis	848	198	90	79	97	32	16	11	34	16	19	14	25
Peritonitis	263	9	6	4	3	2	6	3	15	17	16	30	26
Ascites	104	–	–	–	1	–	1	2	7	5	5	5	6
Ulceration of Intestines	167	1	1	2	4	2	1	3	8	6	7	4	8
Hernia	71	2	1	–	–	–	–	–	–	1	1	1	1
Ileus	238	17	5	3	4	3	2	1	2	8	7	5	4
Intussusception	41	3	5	2	–	–	1	–	1	–	1	1	4
Stricture of Intestines	27	1	1	–	–	–	–	–	–	–	–	1	–
Stomach Disease	774	74	34	39	35	19	9	6	21	10	10	14	15
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	139	7	4	1	1	1	2	–	4	2	1	10	3
Jaundice	214	50	4	2	6	10	5	–	1	1	2	2	6
Liver Disease	477	7	4	2	2	4	2	1	11	8	4	9	16
Spleen Disease	18	–	–	–	1	–	–	–	–	1	–	–	3
VIII. Nephritis	40	–	1	–	3	1	3	2	7	1	2	1	2
Nephria	128	–	–	–	–	2	–	3	5	8	6	5	11
Ischuria	37	1	–	–	–	1	–	1	–	–	–	1	–
Diabetes	69	–	–	–	–	–	1	–	3	3	9	4	2
Stone	63	2	–	–	1	–	–	–	1	–	3	–	2
Cystitis	47	–	–	–	–	1	–	–	–	–	1	1	3
Stricture of Urethra	6	–	1	–	–	–	–	–	–	–	–	–	1
Kidney Disease	330	1	1	–	2	4	2	2	10	4	4	13	10
IX. Paramenia	21	–	–	–	–	–	–	–	–	3	7	2	1
Ovarian Dropsy	56	–	–	–	–	–	–	–	–	–	–	4	4
Childbirth	333	–	–	–	–	–	–	–	–	–	14	44	74
Organs of Generation	94	–	–	–	–	–	–	–	–	–	2	3	6
X. Arthritis	17	–	–	–	–	–	2	–	2	1	2	1	2
Rheumatism	112	–	–	–	–	–	1	–	2	2	2	6	–
Joint and Bone Disease	141	1	–	–	2	1	2	5	13	25	24	19	7
XI. Carbuncle	21	–	1	1	–	1	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	40	12	4	7	6	2	–	–	1	–	1	–	–
XII. Cyanosis	42	40	–	–	–	–	–	–	–	–	1	1	–
Spina Bifida	39	32	1	3	–	–	3	–	–	–	–	–	–
Other Malformations	63	54	2	3	1	–	–	1	–	–	1	1	–
XVII. Intemperance	101	–	–	–	–	–	–	–	–	–	–	1	11
Privation	6	–	–	1	1	1	–	–	–	–	–	–	–
Want of Breast Milk	47	31	6	9	1	–	–	–	–	–	–	–	–
Neglect	5	2	2	1	–	–	–	–	–	–	–	–	–
Cold	49	4	–	1	–	2	–	–	1	–	3	2	5
Poison	52	5	–	1	–	3	2	–	1	1	1	7	4
Burns and Scalds	303	–	5	12	46	42	33	17	42	6	6	9	8
Hanging, etc.	58	–	–	–	–	–	–	–	–	2	2	1	–
Suffocation	88	25	15	4	3	4	2	–	1	2	3	–	–
Drowning	421	–	–	–	12	17	8	3	25	26	40	50	34
Fracture and Contusion	722	3	–	1	8	5	13	6	37	48	66	63	45
Wounds	100	–	–	–	1	–	–	–	7	4	10	5	9
Other Violent Causes	102	14	–	–	–	–	1	2	3	4	6	4	6
Not Specified	3506	1136	274	330	306	165	79	50	158	80	80	107	68

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	12	12	14	9	5	3	3	6	1	4	–	1	–	–	–	–
Apoplexy	36	41	46	66	80	103	130	124	154	98	54	25	4	1	1	4
Paralysis	20	30	32	41	75	105	159	194	250	245	136	51	15	4	1	3
Delirium Tremens	7	10	6	11	3	5	2	1	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	16	18	7	17	6	10	6	8	6	7	1	1	–	–	–	1
Tetanus	3	1	2	2	2	1	1	–	1	1	1	–	–	–	–	–
Insanity	1	5	5	8	4	6	7	4	2	1	–	2	–	–	–	–
Convulsions	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	40	51	44	45	36	47	47	43	35	24	18	4	–	–	–	1
Pericarditis	2	9	4	5	2	5	–	3	10	5	–	–	–	–	–	–
Aneurism	3	13	3	5	13	12	9	3	1	2	–	–	–	–	–	–
Heart Disease	107	115	142	126	180	171	232	243	209	183	62	22	4	–	1	5
Laryngitis	6	7	5	4	4	6	5	5	2	1	–	1	–	–	–	–
Bronchitis	45	45	80	84	125	177	196	226	213	195	123	42	8	2	–	5
Pleurisy	6	8	14	10	20	15	24	34	23	26	5	1	–	1	–	–
Pneumonia	53	52	64	67	65	78	69	73	73	45	22	11	3	–	–	2
Asthma	10	16	26	45	60	56	98	80	65	57	30	5	–	–	–	–
Lung Disease	17	21	20	27	23	29	30	28	21	9	3	–	–	1	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	2	–	2	2	–	2	–	–	–	–	–	–
Gastritis	4	6	5	7	11	10	10	12	13	7	6	5	–	–	–	–
Enteritis	18	19	30	18	23	17	17	29	17	15	11	3	–	–	–	–
Peritonitis	18	14	13	10	8	9	17	9	13	11	4	–	–	–	–	–
Ascites	6	3	1	12	8	7	7	7	10	7	3	–	1	–	–	–
Ulceration of Intestines	9	16	10	13	12	16	8	15	14	3	3	1	–	–	–	–
Hernia	–	1	2	–	5	6	11	11	5	10	12	1	–	–	–	–
Ileus	10	10	12	11	12	23	23	22	23	14	14	1	2	–	–	–
Intussusception	–	3	2	3	2	3	4	2	1	2	–	1	–	–	–	–
Stricture of Intestines	1	–	1	2	3	4	5	3	4	–	–	1	–	–	–	–
Stomach Disease	22	25	30	30	46	54	68	72	69	47	19	4	2	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	13	10	8	12	9	15	11	11	8	1	–	–	–	–	–
Jaundice	6	2	7	10	10	7	19	13	17	18	9	5	1	–	1	–
Liver Disease	17	19	32	52	57	58	46	59	40	18	6	3	–	–	–	–
Spleen Disease	1	3	2	1	–	1	2	1	2	–	–	–	–	–	–	–
Nephritis	3	–	1	2	–	2	2	1	2	–	3	–	–	1	–	–
Nephria	14	13	5	8	12	15	8	6	5	1	1	–	–	–	–	–
Ischuria	2	–	2	2	–	2	2	2	3	9	7	2	–	–	–	–
Diabetes	9	8	6	5	4	5	1	3	5	–	–	–	–	–	–	1
Stone	–	1	1	1	1	3	5	6	10	18	8	–	–	–	–	–
Cystitis	–	4	1	1	1	2	7	5	3	11	3	3	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Kidney Disease	12	7	20	18	12	22	36	34	38	43	24	7	2	1	–	1
Paramenia	–	2	1	2	3	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	5	4	7	8	4	7	2	4	1	1	–	–	–	–	–
Childbirth	75	77	39	10	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	12	16	5	14	15	10	5	3	2	1	–	–	–	–	–	–
Arthritis	–	–	1	1	1	2	2	–	–	–	–	–	–	–	–	–
Rheumatism	6	2	4	7	8	8	18	13	13	10	8	1	1	–	–	–
Joint Disease	8	3	6	3	5	2	5	3	3	1	2	1	–	–	–	–
Carbuncle	–	2	1	1	2	2	–	2	4	2	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	14	12	14	15	8	12	4	4	1	–	–	–	–	–	1
Privation	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	3	1	5	6	1	2	1	2	3	1	–	–	–	–	2
Poison	1	6	7	3	4	1	1	1	3	–	–	–	–	–	–	–
Burns and Scalds	5	6	2	3	4	5	4	8	11	7	10	6	5	–	–	1
Hanging, etc.	8	4	5	7	4	12	6	4	–	2	–	–	–	–	–	1
Suffocation	3	2	3	2	3	1	4	3	1	3	–	–	–	–	–	4
Drowning	35	25	30	16	19	12	22	11	5	5	1	–	–	–	–	25
Fracture and Contusion	52	49	54	47	41	39	34	32	26	18	15	7	3	2	–	8
Wounds	10	4	15	9	10	6	4	1	2	3	–	–	–	–	–	–
Other Violent Causes	5	5	3	6	3	7	4	2	–	3	1	1	–	–	–	22
Not Specified	73	65	78	81	95	126	131	–	1	–	2	–	–	–	–	21

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	30588	3283	1029	2149	2843	1508	976	700	1770	750	1078	1195	950
SPECIFIED CAUSES	28724	2600	884	1968	2679	1425	937	675	1692	713	1037	1142	919
I. Zymotic Class	7038	341	253	765	1311	858	585	434	847	207	163	162	110
II. Diseases of Uncertain Seat	951	20	7	12	18	16	18	16	52	15	17	18	25
III. Tubercular Class	4956	56	126	323	429	225	125	92	354	210	482	574	419
IV. Brain and Nervous System	2567	197	72	101	111	48	32	36	112	70	69	63	63
V. Organs of Circulation	1166	8	6	4	4	4	2	7	15	23	39	38	49
VI. Respiratory Organs	3324	197	177	378	350	137	86	42	127	36	48	93	69
VII. Organs of Digestion	2405	240	128	306	348	58	29	11	59	47	51	44	63
VIII. Urinary Organs	512	4	3	–	4	6	3	6	20	8	18	18	9
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	145	1	–	–	–	1	5	2	11	13	21	15	3
XI. Skin, etc.	34	7	3	4	2	2	–	–	1	–	–	–	–
XII. Malformation	82	73	1	3	1	–	2	1	–	–	1	–	–
XIII. Premature Debility	1549	1402	91	56	–	–	–	–	–	–	–	–	–
XIV. Atrophy	216	–	–	–	64	27	8	10	21	8	9	4	4
XV. Age	2249	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	49	7	3	2	3	–	–	1	–	–	2	2	–
XVII. Violent Deaths	1480	47	14	14	34	43	42	17	73	76	117	111	104
I. Small Pox	349	17	16	45	61	46	26	23	28	11	10	18	18
Measles	501	20	7	90	180	89	51	23	29	4	3	4	–
Scarlatina	1793	13	22	110	282	314	242	229	423	91	32	10	7
Diphtheria	172	4	4	11	33	23	15	19	33	10	5	3	2
Hooping Cough	1216	78	87	293	392	152	97	40	74	2	–	–	–
Croup	479	20	27	49	133	106	66	39	37	1	–	–	–
Thrush	18	9	4	3	2	–	–	–	–	–	–	–	–
Diarrhœa	654	105	52	85	104	31	12	9	14	10	4	9	8
Dysentery	214	4	9	9	26	6	3	6	7	4	3	4	3
Cholera	80	3	3	6	7	4	2	2	5	3	–	2	3
Influenza	133	6	3	18	17	5	–	1	4	4	2	–	1
Purpura	19	2	–	3	1	1	1	–	4	1	–	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	17	–	–	–	1	5	4	4	3	–	–	–	–
Infantile Fever	35	7	1	7	10	4	4	1	1	–	–	–	–
Typhus	1141	7	8	24	53	66	57	37	177	54	99	104	59
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	33	–	–	–	–	1	–	–	4	6	3	3	1
Erysipelas	127	27	3	4	7	2	1	1	3	6	2	4	6
Syphilis	47	19	7	8	1	2	1	–	–	–	–	–	1
Noma	9	–	–	–	1	1	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	43	7	–	1	2	–	–	–	1	–	–	1	2
Dropsy	435	4	2	3	11	13	16	13	36	8	11	7	9
Abscess	52	1	3	6	3	2	1	2	8	2	1	2	5
Ulcer	14	1	–	–	–	–	–	–	–	1	–	–	1
Fistula	6	–	–	–	–	–	–	1	–	–	–	2	–
Mortification	83	7	–	–	–	1	–	–	3	4	2	5	4
Cancer	310	–	2	2	2	–	1	–	4	–	3	1	4
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	258	3	9	12	18	6	7	6	31	32	30	30	18
Tabes Mesenterica	318	18	14	39	86	42	16	8	41	14	15	5	3
Phthisis	3424	5	26	51	85	70	38	33	148	134	433	537	398
Hydrocephalus	956	30	77	221	240	107	64	45	134	30	4	2	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	896	851	918	948	950	1056	1160	1253	1301	1230	949	517	172	59	13	84
SPECIFIED CAUSES	855	819	884	909	911	1007	1100	1253	1300	1230	949	517	172	59	13	75
Zymotic Class	65	95	79	100	87	80	106	105	102	86	60	19	10	–	–	8
Uncertain Seat	28	30	41	52	77	83	93	89	92	62	45	20	2	2	–	1
Tubercular Class	346	259	240	203	158	145	99	50	27	8	2	1	–	–	–	3
Brain, etc.	86	97	96	115	109	160	175	199	222	173	101	44	7	1	1	7
Heart, etc.	54	64	85	69	95	104	126	131	103	91	30	11	1	–	–	3
Respiratory Organs	69	80	125	142	154	182	186	219	182	138	76	24	5	–	–	2
Digestive Organs	61	65	77	91	102	117	129	137	110	76	44	10	2	–	–	–
Urinary Organs	23	22	22	27	18	35	45	42	55	69	40	10	1	2	–	2
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	4	6	7	10	5	16	6	4	4	4	2	–	–	–	–
Skin	1	1	–	–	1	1	–	4	4	1	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	6	5	8	14	21	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	50	226	362	496	538	370	141	53	12	1
Sudden Deaths	1	1	3	4	3	4	9	2	1	1	–	–	–	–	–	–
Violent Deaths	110	95	105	91	83	70	65	43	36	25	8	5	3	1	–	48
Small Pox	7	10	5	2	1	3	2	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	4	1	3	–	–	2	–	–	–	1	–	–	–	–
Diphtheria	1	1	1	3	–	1	1	2	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	14	7	9	14	9	25	28	30	32	27	4	4	–	–	1
Dysentery	4	2	3	12	13	9	19	20	20	17	8	1	1	–	–	1
Cholera	5	5	2	4	5	4	5	2	3	3	1	–	–	–	–	1
Influenza	1	4	–	3	3	3	7	9	12	7	10	8	3	–	–	2
Purpura	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	46	50	57	41	38	40	33	25	19	10	4	1	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	3	1	3	–	1	2	2	–	2	–	–	–	–	–	–
Erysipelas	3	6	3	6	5	8	4	6	10	5	3	1	1	–	–	–
Syphilis	1	–	3	–	1	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	2	–	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	4	6	1	4	2	1	3	2	1	1	–	–	–	–	–
Dropsy	13	9	12	15	31	34	36	45	37	34	23	11	1	–	–	1
Abscess	3	1	1	–	1	5	2	–	1	1	–	–	1	–	–	–
Ulcer	1	1	–	1	–	1	1	3	1	1	1	–	–	–	–	–
Fistula	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	4	3	2	–	5	1	8	6	9	5	8	5	–	1	–	–
Cancer	3	11	20	34	34	39	43	29	42	20	11	4	–	1	–	–
Gout	–	1	–	–	1	1	2	2	–	–	1	–	–	–	–	–
Scrofula	11	6	8	6	7	10	2	3	3	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	3	1	2	2	2	3	1	–	–	–	–	–	–	–
Phthisis	332	253	229	195	149	133	95	44	23	8	2	1	–	–	–	2
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	185	1	9	14	24	6	8	10	25	13	13	11	8
Apoplexy	597	3	7	6	10	–	–	7	15	10	10	9	10
Paralysis	672	–	1	–	–	1	–	–	5	1	7	7	9
Delirium Tremens	40	–	–	–	–	–	–	–	–	–	–	–	4
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	101	–	–	–	–	–	–	–	3	9	8	12	8
Tetanus	38	11	1	1	–	1	–	–	1	7	3	1	2
Insanity	21	–	–	–	–	–	–	–	–	–	–	1	3
Convulsions	438	177	45	70	68	30	16	13	18	–	–	–	–
Brain Disease	475	5	9	10	9	10	8	6	45	30	28	22	19
V. Pericarditis	38	–	–	–	1	1	1	1	6	2	3	2	2
Aneurism	52	–	–	1	–	–	–	–	–	–	1	1	3
Heart Disease	1076	8	6	3	3	3	1	6	9	21	35	35	44
VI. Laryngitis	77	2	4	8	12	7	2	1	6	2	2	3	2
Bronchitis	1549	107	106	225	199	68	49	24	49	11	13	15	8
Pleurisy	166	7	3	5	3	2	2	–	7	4	6	17	9
Pneumonia	1091	73	60	135	127	56	29	16	55	14	23	41	36
Asthma	262	–	–	–	1	–	1	–	–	–	–	3	7
Lung Disease	179	8	4	5	8	4	3	1	10	5	4	14	7
VII. Teething	525	2	24	224	257	16	2	–	–	–	–	–	–
Quinsey	39	7	5	2	8	4	1	1	3	–	3	–	–
Gastritis	74	2	–	2	3	–	1	1	4	4	6	1	3
Enteritis	461	123	59	46	47	14	10	3	16	9	14	8	11
Peritonitis	118	7	4	1	2	2	3	1	8	6	8	9	10
Ascites	45	–	–	–	–	–	1	–	5	4	2	1	3
Ulceration of Intestines	86	1	1	2	3	1	–	1	4	3	4	3	6
Hernia	35	2	1	–	–	–	–	–	–	1	–	1	1
Ileus	134	14	4	1	2	3	2	–	1	4	4	1	2
Intussusception	27	2	4	1	–	–	–	–	–	–	1	–	4
Stricture of Intestines	16	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	383	38	18	24	19	10	3	3	8	8	4	5	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	81	4	3	1	1	1	2	–	2	2	1	8	1
Jaundice	111	33	4	1	3	3	3	–	–	1	1	–	3
Liver Disease	262	5	1	1	2	4	1	1	8	5	3	6	11
Spleen Disease	8	–	–	–	1	–	–	–	–	–	–	–	3
VIII. Nephritis	27	–	1	–	1	–	3	–	6	–	1	1	2
Nephria	75	–	–	–	–	1	–	3	5	6	4	4	–
Ischuria	32	1	–	–	–	1	–	1	–	–	–	1	–
Diabetes	44	–	–	–	–	–	–	–	2	1	7	3	–
Stone	55	2	–	–	1	–	–	–	1	–	2	–	1
Cystitis	36	–	–	–	–	–	–	–	–	–	1	1	1
Stricture of Urethra	5	–	1	–	–	–	–	–	–	–	–	–	1
Kidney Disease	238	1	1	–	2	4	–	2	6	1	3	8	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	11	–	–	–	–	–	2	–	1	1	2	–	1
Rheumatism	44	–	–	–	–	–	1	–	1	1	–	2	–
Joint and Bone Disease	90	1	–	–	–	1	2	2	9	11	19	13	2
XI. Carbuncle	12	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	21	7	2	4	2	2	–	–	1	–	–	–	–
XII. Cyanosis	22	22	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	17	14	–	1	–	–	2	–	–	–	–	–	–
Other Malformations	43	37	1	2	1	–	–	1	–	–	1	–	–
XVII. Intemperance	65	–	–	–	–	–	–	–	–	–	–	1	9
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	25	19	2	3	1	–	–	–	–	–	–	–	–
Neglect	4	1	2	1	–	–	–	–	–	–	–	–	–
Cold	32	1	–	–	–	1	–	–	1	–	2	2	4
Poison	24	2	–	1	–	2	–	–	–	–	–	2	2
Burns and Scalds	137	–	2	7	22	23	25	10	13	2	5	4	4
Hanging, etc.	42	–	–	–	–	–	–	–	–	2	1	1	–
Suffocation	52	10	8	1	1	3	2	–	1	1	2	–	–
Drowning	350	–	–	–	6	10	6	2	22	23	38	39	27
Fracture and Contusion	590	3	–	1	3	4	8	4	27	41	55	55	44
Wounds	79	–	–	–	1	–	–	–	6	3	9	4	8
Other Violent Causes	79	11	–	–	–	–	1	1	3	4	5	3	6
Not Specified	1864	683	145	181	164	83	39	25	78	37	41	53	31

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	7	8	5	2	3	2	4	1	4	–	1	–	–	–	–
Apoplexy	21	23	27	28	39	60	71	71	78	50	25	12	2	–	–	3
Paralysis	14	18	18	23	36	58	69	90	113	102	65	25	5	1	1	3
Delirium Tremens	6	8	5	11	3	1	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	8	3	14	6	5	2	3	4	2	1	1	–	–	–	–
Tetanus	1	1	2	1	2	1	1	–	–	1	–	–	–	–	–	–
Insanity	–	3	2	3	1	1	2	3	–	1	–	1	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	26	29	31	29	20	31	27	27	26	13	10	4	–	–	–	1
Pericarditis	–	2	3	2	2	2	–	3	4	1	–	–	–	–	–	–
Aneurism	2	9	3	4	11	9	5	2	1	–	–	–	–	–	–	–
Heart Disease	52	53	79	63	82	93	121	126	98	90	30	11	1	–	–	3
Laryngitis	2	6	1	2	1	4	4	3	1	1	–	1	–	–	–	–
Bronchitis	17	20	42	42	58	88	76	101	85	72	52	17	4	–	–	1
Pleurisy	2	3	4	6	16	8	11	19	13	14	4	1	–	–	–	–
Pneumonia	39	35	47	52	43	40	39	45	47	23	10	4	1	–	–	1
Asthma	5	7	17	26	21	29	44	38	29	24	9	1	–	–	–	–
Lung Disease	4	9	14	14	15	13	12	13	7	4	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Gastritis	2	1	3	5	3	6	5	6	9	3	4	–	–	–	–	–
Enteritis	10	8	8	8	10	9	10	15	7	6	7	3	–	–	–	–
Peritonitis	5	7	4	6	4	4	7	5	5	6	4	–	–	–	–	–
Ascites	4	3	–	5	3	2	–	4	5	2	1	–	–	–	–	–
Ulceration of Intestines	6	5	5	6	4	10	5	8	6	1	1	–	–	–	–	–
Hernia	–	–	–	–	2	2	3	6	3	4	8	1	–	–	–	–
Ileus	4	6	8	7	7	11	12	14	10	10	7	–	–	–	–	–
Intussusception	–	2	2	3	1	1	3	1	1	–	–	1	–	–	–	–
Stricture of Intestines	1	–	1	1	2	3	4	2	1	–	–	–	–	–	–	–
Stomach Disease	14	12	12	13	25	29	37	36	29	22	8	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	8	6	5	3	4	8	6	6	6	–	–	–	–	–	–
Jaundice	2	2	5	3	5	3	10	5	9	8	2	4	1	–	–	–
Liver Disease	8	10	22	29	32	32	23	28	19	8	2	1	–	–	–	–
Spleen Disease	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	1	–	2	2	1	2	–	1	–	–	1	–	–
Nephria	6	8	5	4	5	10	5	3	4	1	1	–	–	–	–	–
Ischuria	1	–	1	2	–	1	1	2	3	9	6	2	–	–	–	–
Diabetes	8	5	1	3	4	3	1	–	5	–	–	–	–	–	–	1
Stone	–	1	1	1	1	1	3	5	10	18	7	–	–	–	–	–
Cystitis	–	4	1	1	1	–	6	5	2	9	2	2	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	7	4	12	14	7	17	27	25	29	32	23	6	1	1	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	1	4	5	3	9	5	2	4	2	1	–	–	–	–
Joint Disease	3	3	5	3	4	1	5	1	2	–	2	1	–	–	–	–
Carbuncle	–	1	–	–	1	–	–	2	4	1	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	7	4	9	9	5	10	3	3	–	–	–	–	–	–	1
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	2	1	2	6	1	1	–	1	1	1	–	–	–	–	1
Poison	1	4	3	2	1	–	1	–	3	–	–	–	–	–	–	–
Burns and Scalds	3	3	1	1	1	1	–	1	2	1	1	3	2	–	–	–
Hanging, etc.	4	1	4	6	4	11	4	2	–	2	–	–	–	–	–	–
Suffocation	2	2	2	2	2	1	4	2	1	3	–	–	–	–	–	2
Drowning	33	22	28	12	16	11	16	9	4	3	1	–	–	–	–	22
Fracture and Contusion	48	46	49	43	36	30	24	23	20	9	5	2	1	1	–	8
Wounds	8	3	11	7	6	4	3	1	2	3	–	–	–	–	–	–
Other Violent Causes	3	5	2	6	2	6	2	2	–	3	–	–	–	–	–	14
Not Specified	41	32	31	39	39	49	60	–	1	–	–	–	–	–	–	9

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	31126	2412	790	1860	2714	1503	1005	723	1723	780	969	1126	1120
Specified Causes	29484	1959	661	1711	2572	1421	965	698	1643	737	930	1072	1083
I. Zymotic Class	7602	264	219	734	1308	863	629	479	972	302	218	203	192
II. Diseases of Uncertain Seat	1482	16	5	6	15	16	12	9	28	19	22	25	28
III. Tubercular Class	4995	45	81	265	382	219	119	88	297	218	481	540	486
IV. Brain and Nervous System	2203	147	40	88	80	50	43	23	91	47	41	52	48
V. Organs of Circulation	1148	14	2	1	3	2	3	4	17	29	34	34	61
VI. Respiratory Organs	3181	117	150	285	337	150	100	58	110	44	41	54	66
VII. Organs of Digestion	2189	148	82	242	315	73	27	19	56	34	32	55	61
VIII. Urinary Organs	208	–	–	–	2	3	3	2	6	8	7	7	22
IX. Organs of Generation	503	–	–	–	–	–	–	–	–	3	23	53	84
X. Organs of Locomotion	125	–	–	–	2	–	–	3	6	15	7	11	6
XI. Skin, etc.	31	6	2	4	4	1	–	–	–	–	1	1	–
XII. Malformation	62	53	2	3	–	–	1	–	–	–	1	2	–
XIII. Premature Debility	1227	1104	59	64	–	–	–	–	–	–	–	–	–
XIV. Atrophy	250	–	–	1	84	12	11	1	15	1	1	3	9
XV. Age	3664	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	40	8	5	2	2	1	–	1	1	–	1	1	2
XVII. Violent Deaths	574	37	14	16	38	31	17	11	44	17	20	31	18
I. Small Pox	333	14	23	47	59	46	32	18	33	6	9	15	13
Measles	471	10	9	61	172	86	46	34	39	6	1	1	4
Scarlatina	1821	11	9	95	274	292	244	215	482	103	31	25	13
Diphtheria	243	8	6	15	33	30	25	16	50	24	13	4	5
Hooping Cough	1444	73	86	321	450	208	130	85	88	2	1	–	–
Croup	442	21	10	38	110	84	68	56	50	3	–	–	1
Thrush	14	8	1	2	2	–	1	–	–	–	–	–	–
Diarrhœa	619	64	41	87	99	33	7	8	16	4	6	3	12
Dysentery	255	1	4	13	16	8	2	1	3	2	2	8	7
Cholera	66	2	–	8	6	3	5	–	3	1	–	1	4
Influenza	161	4	4	8	11	1	–	1	3	2	2	–	2
Purpura	12	1	–	1	2	1	–	–	1	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	13	–	–	–	1	3	2	3	4	–	–	–	–
Infantile Fever	37	3	2	11	9	4	3	2	3	–	–	–	–
Typhus	1295	3	8	17	56	59	60	40	188	138	134	95	69
Metria	175	–	–	–	–	–	–	–	–	–	8	41	55
Rheumatic Fever	34	–	–	–	–	–	–	–	2	5	2	2	3
Erysipelas	120	27	8	5	4	4	3	–	5	5	8	4	4
Syphilis	43	14	8	5	4	1	–	–	1	–	–	4	–
Noma	3	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	48	6	1	–	1	1	–	1	2	1	4	3	2
Dropsy	592	–	–	3	6	7	10	5	21	15	11	12	11
Abscess	61	6	1	2	1	3	2	1	2	2	3	4	5
Ulcer	12	1	–	–	1	1	–	–	–	–	–	1	1
Fistula	6	–	–	–	–	–	–	–	–	–	1	1	2
Mortification	65	2	1	1	5	2	–	2	1	1	1	–	1
Cancer	694	1	2	–	1	2	–	–	2	–	2	4	6
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	189	3	4	18	10	9	5	3	14	16	21	18	15
Tabes Mesenterica	292	17	16	25	71	36	18	10	29	22	16	10	7
Phthisis	3748	4	21	50	100	75	37	33	144	165	438	512	463
Hydrocephalus	766	21	40	172	201	99	59	42	110	15	6	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	1038	1011	895	859	989	1043	1346	1339	1630	1631	1375	760	294	114	26	51
SPECIFIED CAUSES .	1006	978	851	817	933	966	1275	1339	1630	1631	1373	760	294	114	26	39
Zymotic Class . .	149	121	97	66	86	90	119	109	126	129	70	37	11	3	–	6
Uncertain Seat . .	48	66	101	113	137	132	185	133	154	87	81	31	9	2	1	1
Tubercular Class . .	431	362	259	218	150	154	103	42	29	18	5	2	–	1	–	–
Brain, etc. . . .	49	72	60	85	102	120	180	181	227	208	110	40	12	4	1	2
Heart, etc. . . .	58	73	64	67	100	84	115	118	117	99	32	11	3	–	1	2
Respiratory Organs .	68	69	84	95	143	179	236	227	215	195	107	36	6	4	–	5
Digestive Organs . .	58	69	80	87	109	107	125	131	129	86	44	15	4	–	1	–
Urinary Organs . .	17	11	14	11	12	17	16	17	11	13	6	2	1	–	–	–
Generative Organs .	92	100	49	33	26	14	12	5	6	2	1	–	–	–	–	–
Locomotive Organs .	9	1	5	4	4	7	9	10	12	7	6	–	1	–	–	–
Skin	1	1	1	1	2	2	–	2	–	1	–	–	–	–	–	1
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	8	8	8	14	35	37	1	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	140	337	585	766	891	577	242	99	22	5
Sudden Deaths . .	–	2	2	–	1	1	6	3	1	–	–	–	–	–	–	–
Violent Deaths . .	18	23	27	23	26	22	28	24	18	20	20	9	5	1	–	16
Small Pox . . .	7	6	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	17	3	4	–	–	1	1	–	–	–	–	–	–	–	–	1
Diphtheria . . .	2	1	1	4	1	1	2	–	1	1	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	10	20	10	9	16	13	23	25	35	41	18	12	6	–	–	1
Dysentery . . .	10	11	8	8	10	22	27	17	23	26	18	7	1	–	–	–
Cholera	3	3	1	2	4	6	3	–	3	5	3	–	–	–	–	–
Influenza . . .	–	–	2	1	4	2	13	12	20	29	20	14	3	2	–	1
Purpura . . .	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	53	47	48	38	46	43	42	40	37	22	8	2	–	–	–	2
Metria	37	21	10	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	3	5	3	–	2	–	3	4	–	–	–	–	–	–	–	–
Erysipelas . . .	4	3	4	–	2	1	4	6	7	4	3	2	1	1	–	1
Syphilis	2	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	3	2	4	3	4	1	4	1	3	1	–	–	–	–	–	–
Dropsy	16	20	34	38	37	44	58	63	68	45	42	20	5	–	–	1
Abscess . . .	7	5	1	4	2	1	1	2	3	1	2	–	–	–	–	–
Ulcer	2	–	1	2	–	–	1	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Mortification . . .	–	2	1	–	4	4	1	4	9	9	7	3	4	–	–	–
Cancer	20	36	60	66	89	81	119	63	69	31	30	7	–	2	1	–
Gout	–	1	–	–	–	–	1	–	1	–	–	1	–	–	–	–
Scrofula . . .	8	9	4	6	4	8	3	5	3	2	1	–	–	–	–	–
Tabes Mesenterica .	1	4	2	3	–	2	–	1	1	1	–	–	–	–	–	–
Phthisis . . .	422	349	253	209	146	144	100	36	25	15	4	2	–	1	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	136	–	6	11	12	7	10	6	22	13	9	6	7
Apoplexy	538	2	4	4	7	7	5	4	17	4	9	11	7
Paralysis	743	–	–	–	1	1	–	–	2	3	5	6	5
Delirium Tremens	10	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	86	–	–	–	1	–	–	–	6	7	5	13	11
Tetanus	22	8	–	–	2	–	–	–	4	1	1	–	1
Insanity	31	–	–	–	–	–	–	–	–	–	–	–	3
Convulsions	315	135	28	57	40	25	13	6	9	1	–	–	–
Brain Disease	319	2	2	16	17	10	15	7	30	17	12	16	14
V. Pericarditis	39	2	–	–	–	1	1	2	1	–	3	2	1
Aneurism	23	–	–	–	–	–	–	–	–	1	–	1	3
Heart Disease	1086	12	2	1	3	1	2	2	16	28	31	31	57
VI. Laryngitis	79	4	4	9	10	9	4	3	11	2	2	–	1
Bronchitis	1679	65	98	176	194	70	55	21	44	13	12	15	25
Pleurisy	136	5	3	1	5	4	1	2	6	3	3	5	12
Pneumonia	809	40	42	97	118	64	37	31	43	18	22	28	18
Asthma	304	–	–	–	–	1	–	–	–	1	1	1	2
Lung Disease	174	3	3	2	10	2	3	1	6	7	1	5	8
VII. Teething	471	2	20	179	233	32	5	–	–	–	–	–	–
Quinsey	31	5	5	3	4	2	2	1	1	1	–	1	1
Gastritis	72	1	1	4	4	4	–	–	3	1	1	1	3
Enteritis	387	75	31	33	50	18	6	8	18	7	5	6	14
Peritonitis	145	2	2	3	1	–	3	2	7	11	8	21	16
Ascites	59	–	–	–	1	–	–	2	2	1	3	4	3
Ulceration of Intestines	81	–	–	–	1	1	1	2	4	3	3	1	2
Hernia	36	–	–	–	–	–	–	–	–	–	1	–	–
Ileus	104	3	1	2	2	–	–	1	1	4	3	4	2
Intussusception	14	1	1	1	–	–	1	–	1	–	–	1	–
Stricture of Intestines	11	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	391	36	16	15	16	9	6	3	13	2	6	9	10
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	58	3	1	–	–	–	–	–	2	–	–	2	2
Jaundice	103	17	–	1	3	7	2	–	1	–	1	2	3
Liver Disease	215	2	3	1	–	–	1	–	3	3	1	3	5
Spleen Disease	10	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	13	–	–	–	2	1	–	2	1	1	1	–	–
Nephria	53	–	–	–	–	1	–	–	–	2	2	1	11
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	25	–	–	–	–	–	1	–	1	2	2	1	2
Stone	8	–	–	–	–	–	–	–	–	–	1	–	1
Cystitis	11	–	–	–	–	1	–	–	–	–	–	–	2
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	92	–	–	–	–	–	2	–	4	3	1	5	6
IX. Paramenia	21	–	–	–	–	–	–	–	–	3	7	2	1
Ovarian Dropsy	56	–	–	–	–	–	–	–	–	–	–	4	4
Childbirth	333	–	–	–	–	–	–	–	–	–	14	44	74
Organs of Generation	93	–	–	–	–	–	–	–	–	–	2	3	5
X. Arthritis	6	–	–	–	–	–	–	–	1	–	–	1	1
Rheumatism	68	–	–	–	–	–	–	–	1	1	2	4	–
Joint and Bone Disease	51	–	–	–	2	–	–	3	4	14	5	6	5
XI. Carbuncle	9	–	–	1	–	1	–	–	–	–	–	–	–
Phlegmon	3	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	19	5	2	3	4	–	–	–	–	–	1	–	–
XII. Cyanosis	20	18	–	–	–	–	–	–	–	–	1	1	–
Spina Bifida	22	18	1	2	–	–	1	–	–	–	–	–	–
Other Malformations	20	17	1	1	–	–	–	–	–	–	–	1	–
XVII. Intemperance	36	–	–	–	–	–	–	–	–	–	–	–	2
Privation	5	–	–	1	1	1	–	–	–	–	–	–	–
Want of Breast Milk	22	12	4	6	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	17	3	–	1	–	1	–	–	–	–	1	–	1
Poison	28	3	–	–	–	1	2	–	1	1	1	5	2
Burns and Scalds	166	–	3	5	24	19	8	7	29	4	1	5	4
Hanging, etc.	16	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	36	15	7	3	2	1	–	–	–	1	1	–	–
Drowning	71	–	–	–	6	7	2	1	3	3	2	11	7
Fracture and Contusion	132	–	–	–	5	1	5	2	10	7	11	8	1
Wounds	21	–	–	–	–	–	–	–	1	1	1	1	1
Other Violent Causes	23	3	–	–	–	–	–	1	–	–	1	1	–
Not Specified	1642	453	129	149	142	82	40	25	80	43	39	54	37

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	5	6	4	3	–	1	2	–	–	–	–	–	–	–	–
Apoplexy	15	18	19	38	41	43	59	53	76	48	29	13	2	1	1	1
Paralysis	6	12	14	18	39	47	90	104	137	143	71	26	10	3	–	–
Delirium Tremens	1	2	1	–	–	4	1	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	4	10	4	3	–	5	4	5	2	5	–	–	–	–	–	1
Tetanus	2	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–
Insanity	1	2	3	5	3	5	5	1	2	–	–	1	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	14	22	13	16	16	16	20	16	9	11	8	–	–	–	–	–
Pericarditis	2	7	1	3	–	3	–	–	6	4	–	–	–	–	–	–
Aneurism	1	4	–	1	2	3	4	1	–	2	–	–	–	–	–	–
Heart Disease	55	62	63	63	98	78	111	117	111	93	32	11	3	–	1	2
Laryngitis	4	1	4	2	3	2	1	2	1	–	–	–	–	–	–	–
Bronchitis	28	25	38	42	67	89	120	125	128	123	71	25	4	2	–	4
Pleurisy	4	5	10	4	4	7	13	15	10	12	1	–	–	1	–	–
Pneumonia	14	17	17	15	22	38	30	28	26	22	12	7	2	–	–	1
Asthma	5	9	9	19	39	27	54	42	36	33	21	4	–	–	–	–
Lung Disease	13	12	6	13	8	16	18	15	14	5	2	–	–	1	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–
Gastritis	2	5	2	2	8	4	5	6	4	4	2	5	–	–	–	–
Enteritis	8	11	22	10	13	8	7	14	10	9	4	–	–	–	–	–
Peritonitis	13	7	9	4	4	5	10	4	8	5	–	–	–	–	–	–
Ascites	2	–	1	7	5	5	7	3	5	5	2	–	1	–	–	–
Ulceration of Intestines	3	11	5	7	8	6	3	7	8	2	2	1	–	–	–	–
Hernia	–	1	2	–	3	4	8	5	2	6	4	–	–	–	–	–
Ileus	6	4	4	4	5	12	11	8	13	4	7	1	2	–	–	–
Intussusception	–	1	–	–	1	2	1	1	–	2	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	1	1	3	–	–	1	–	–	–	–
Stomach Disease	8	13	18	17	21	25	31	36	40	25	11	4	1	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	5	4	3	9	5	7	5	5	2	1	–	–	–	–	–
Jaundice	4	–	2	7	5	4	9	8	8	10	7	1	–	–	1	–
Liver Disease	9	9	10	23	25	26	23	31	21	10	4	2	–	–	–	–
Spleen Disease	–	2	1	1	–	–	2	1	2	–	–	–	–	–	–	–
Nephritis	2	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
Nephria	8	5	–	4	7	5	3	3	1	–	–	–	–	–	–	–
Ischuria	1	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–
Diabetes	1	3	5	2	–	2	–	3	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	2	2	1	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	2	1	–	1	2	1	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	5	3	8	4	5	5	9	9	9	11	1	1	1	–	–	–
Paramenia	–	2	1	2	3	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	5	4	7	8	4	7	2	4	1	1	–	–	–	–	–
Childbirth	75	77	39	10	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	12	16	5	14	15	10	5	3	2	1	–	–	–	–	–	–
Arthritis	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	1	3	3	3	5	9	8	11	6	6	–	1	–	–	–
Joint Disease	5	–	1	–	1	1	–	2	1	1	–	–	–	–	–	–
Carbuncle	–	1	1	1	1	2	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	7	8	5	6	3	2	1	1	1	–	–	–	–	–	–
Privation	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	3	–	–	1	1	1	2	–	–	–	–	–	1
Poison	–	2	4	1	3	1	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	2	3	1	2	3	4	4	7	9	6	9	3	3	–	–	1
Hanging, etc.	4	3	1	1	–	1	2	2	–	–	–	–	–	–	–	1
Suffocation	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	2
Drowning	2	3	2	4	3	1	6	2	1	2	–	–	–	–	–	3
Fracture and Contusion	4	3	5	4	5	9	10	9	6	9	10	5	2	1	–	–
Wounds	2	1	4	2	4	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	1	–	1	1	2	–	–	–	1	1	–	–	–	8
Not Specified	32	33	44	42	56	77	71	–	–	–	2	–	–	–	–	12

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2633	262	64	113	133	68	33	34	85	54	83	112	104
SPECIFIED CAUSES	2189	134	36	81	104	50	23	23	68	40	69	99	89
I. Zymotic Class . . .	400	33	13	45	67	29	13	13	37	13	16	10	16
II. Diseases of Uncertain Seat	116	–	–	1	–	–	–	–	–	–	1	3	4
III. Tubercular Class . .	321	1	1	13	13	8	4	4	10	10	31	49	43
IV. Brain and Nervous System	113	12	3	–	4	–	–	–	6	5	1	7	3
V. Organs of Circulation .	39	–	–	–	–	–	–	–	1	1	1	2	1
VI. Respiratory Organs . .	199	17	11	12	9	6	2	3	4	3	5	10	9
VII. Organs of Digestion . .	136	4	3	7	3	3	–	–	2	3	4	3	4
VIII. Urinary Organs . .	22	–	1	–	–	–	1	1	1	–	1	–	1
IX. Organs of Generation .	29	–	–	–	–	–	–	–	–	–	1	2	3
X. Organs of Locomotion .	20	–	–	–	–	–	–	–	–	2	–	–	–
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	7	6	–	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility . .	64	59	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	4	–	–	–	2	–	1	–	–
XV. Age	597	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	10	1	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths . .	104	1	–	1	4	4	2	2	5	3	6	13	5
I. Small Pox	8	1	–	–	–	–	–	1	2	–	1	–	2
Measles	63	9	–	13	21	2	4	2	5	–	2	1	3
Scarlatina	35	1	1	3	4	8	1	2	9	5	–	1	–
Diphtheria	3	–	–	–	–	1	–	–	–	–	–	–	1
Hooping Cough . . .	42	3	2	5	15	7	2	4	4	–	–	–	–
Croup	46	10	4	5	9	5	4	3	6	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	35	3	2	3	1	1	1	–	1	3	1	–	1
Dysentery	8	–	1	–	–	–	–	–	–	–	1	–	1
Cholera	4	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	74	6	3	15	13	2	–	–	2	–	2	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	2	–	–	–	–	–	–	–
Infantile Fever . .	2	–	–	–	1	–	1	–	–	–	–	–	–
Typhus	59	–	–	–	1	1	–	1	6	4	9	7	6
Metria	6	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever . .	3	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	–	–	1	–	–	–	–	1	1	–	–	–
Syphilis	2	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	71	–	–	1	–	–	–	–	–	–	1	3	2
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	36	–	–	–	–	–	–	–	–	–	–	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	15	–	–	1	–	–	1	–	2	1	1	4	2
Tabes Mesenterica . .	11	–	1	3	1	2	1	–	1	2	–	–	–
Phthisis	270	–	–	2	7	5	–	–	4	6	29	45	41
Hydrocephalus . . .	25	1	–	7	5	1	2	4	3	1	1	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	84	71	79	67	85	91	127	124	167	192	180	119	45	23	14	20
SPECIFIED CAUSES	73	64	65	55	63	71	104	124	167	192	178	119	45	23	14	16
Zymotic Class	9	8	5	3	6	8	6	11	6	15	7	8	–	1	–	2
Uncertain Seat	7	9	11	9	10	9	18	5	12	5	10	2	–	–	–	–
Tubercular Class	30	22	22	21	5	16	10	3	2	2	–	–	–	–	–	1
Brain, etc.	4	1	3	4	4	7	10	5	6	14	11	1	1	–	–	1
Heart, etc.	2	1	2	–	6	4	4	3	5	3	2	1	–	–	–	–
Respiratory Organs	2	4	6	2	12	10	15	15	15	17	8	1	–	1	–	–
Digestive Organs	4	9	5	6	11	12	18	14	8	5	6	1	–	–	1	–
Urinary Organs	–	–	3	1	1	–	–	1	3	6	–	1	–	–	–	–
Generative Organs	9	6	2	4	1	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	1	3	2	4	3	3	–	1	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	56	103	120	129	103	43	21	13	–
Sudden Deaths	–	–	2	–	1	–	4	1	–	–	–	–	–	–	–	–
Violent Deaths	6	3	4	4	6	2	7	7	3	2	2	–	–	–	–	12
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	2	2	4	2	5	2	–	–	–	–	–
Dysentery	–	2	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Cholera	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	1	–	1	1	3	4	2	5	5	6	–	1	–	2
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	3	2	3	4	1	–	1	2	–	1	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
Syphilis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	3	5	8	4	6	11	4	6	4	8	2	–	–	–	–
Abscess	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	2	3	6	1	5	3	6	1	5	1	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	29	22	21	21	5	16	10	3	1	2	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	1	–	–	–	–	–	–	2	–	1	1
Apoplexy	18	–	–	–	–	–	–	–	–	–	–	1	1
Paralysis	40	–	–	–	–	–	–	–	1	–	1	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	1	1	–	–	–
Tetanus	7	4	–	–	2	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	12	8	2	–	2	–	–	–	–	–	–	–	–
Brain Disease	22	–	–	–	–	–	–	–	4	2	–	5	1
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	36	–	–	–	–	–	–	–	1	1	1	2	1
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	87	6	9	9	7	5	1	1	2	2	2	2	2
Pleurisy	33	10	1	1	–	1	–	–	2	–	1	3	3
Pneumonia	20	–	1	2	–	–	1	1	–	1	2	1	2
Asthma	42	–	–	–	–	–	–	–	–	–	–	1	1
Lung Disease	15	1	–	–	2	–	–	1	–	–	–	3	1
VII. Teething	6	–	1	3	1	1	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	–	–	–	–	1	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	22	1	–	3	1	1	–	–	–	–	3	–	–
Peritonitis	5	–	–	–	–	1	–	–	–	1	–	–	–
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	2	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	7	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	15	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	32	2	2	1	–	–	–	–	2	1	1	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	17	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	1	–	–	–	–	1	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	1	–	1	–	–	–	1
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	24	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	19	–	–	–	–	–	–	–	–	2	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	5	4	–	–	–	–	1	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	15	–	–	1	3	3	2	2	2	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	57	–	–	–	–	–	–	–	2	2	4	12	3
Fracture and Contusion	16	–	–	–	–	–	–	–	1	1	1	1	1
Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	444	128	28	32	29	18	10	11	17	14	14	13	15

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	2	2	3	2	1	1	2	1	–	–	–	–
Paralysis	–	–	1	–	2	4	5	1	4	11	8	–	1	–	–	1
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	–	–	–	–	–	1	2	1	1	1	–	–	–	–	–
Pericarditis	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	1	–	6	3	4	3	4	3	2	1	–	–	–	–
Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	2	1	4	4	4	6	5	8	3	1	–	–	–	–
Pleurisy	1	1	3	–	–	–	2	–	2	–	1	–	–	1	–	–
Pneumonia	–	–	1	–	–	1	3	1	–	3	–	–	–	–	–	–
Asthma	–	1	–	1	5	4	6	7	7	6	3	–	–	–	–	–
Lung Disease	–	–	–	–	3	1	–	1	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Enteritis	–	2	2	–	–	1	3	1	2	–	2	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Ascites	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	3	2	–	–	1	–	–	–	–	–
Ileus	1	–	–	–	–	3	3	3	–	2	2	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	3	–	–	2	4	2	4	3	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	–	1	–	1	1	1	–	–	–	1	–
Liver Disease	1	–	1	3	6	1	1	1	1	–	–	1	–	–	–	–
Spleen Disease	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	–	–	–	–	1	2	–	–	–	–	–	–
Paramenia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	6	2	4	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	1	2	2	4	3	3	–	1	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	2	4	1	1	1	6	2	–	1	1	–	–	–	–	11
Fracture and Contusion	1	–	–	–	3	–	1	4	2	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	11	7	14	12	22	20	23	–	–	–	2	–	–	–	–	4

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1252	156	36	67	66	41	19	16	40	21	45	69	46
SPECIFIED CAUSES	1014	65	23	48	50	32	11	12	30	13	37	61	43
I. Zymotic Class	196	15	8	27	30	22	6	6	16	5	6	5	6
II. Diseases of Uncertain Seat	51	–	–	1	–	–	–	–	–	–	–	1	3
III. Tubercular Class	143	–	1	7	6	5	2	3	3	3	17	27	19
IV. Brain and Nervous System	61	7	1	–	2	–	–	–	3	1	–	7	2
V. Organs of Circulation	17	–	–	–	–	–	–	–	–	–	–	1	1
VI. Respiratory Organs	91	10	7	9	4	3	1	2	2	–	4	7	5
VII. Organs of Digestion	71	1	2	3	3	1	–	–	1	1	3	2	2
VIII. Urinary Organs	17	–	1	–	–	–	–	–	1	–	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	6	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	32	29	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	–	1	–	1	–	–
XV. Age	232	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	82	–	–	–	3	1	1	1	3	2	5	11	4
I. Small Pox	4	–	–	–	–	–	–	1	2	–	–	–	–
Measles	30	6	–	6	8	2	3	1	–	–	2	1	–
Scarlatina	22	–	1	2	3	6	1	1	4	4	–	–	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–
Hooping Cough	16	1	1	2	5	4	1	2	–	–	–	–	–
Croup	22	2	4	3	3	3	1	1	5	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	2	–	2	1	1	–	–	–	1	–	–	1
Dysentery	3	–	1	–	–	–	–	–	–	–	1	–	–
Cholera	4	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	38	4	1	11	9	2	–	–	2	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	2	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	–	–	–	–	1	–	–	2	–	3	4	5
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	29	–	–	1	–	–	–	–	–	–	–	1	2
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	–	–	–	–	2	–	1	2	2
Tabes Mesenterica	5	–	1	–	1	2	1	–	–	–	–	–	–
Phthisis	117	–	–	2	2	3	–	–	1	3	16	25	17
Hydrocephalus	12	–	–	5	3	–	1	3	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	30	34	37	32	34	37	59	54	66	85	64	47	19	11	5	16
SPECIFIED CAUSES	26	30	34	26	23	33	52	54	66	85	64	47	19	11	5	14
Zymotic Class	2	4	2	3	4	6	2	5	2	6	3	4	–	–	–	1
Uncertain Seat	4	6	5	3	3	3	8	4	5	3	2	–	–	–	–	–
Tubercular Class	11	8	11	9	1	4	3	1	1	–	–	–	–	–	–	1
Brain, etc.	2	–	2	1	2	4	7	3	5	6	4	1	–	–	–	1
Heart, etc.	–	1	–	–	2	3	2	1	2	2	1	1	–	–	–	–
Respiratory Organs	1	2	4	1	1	5	5	4	7	6	1	–	–	–	–	–
Digestive Organs	1	6	3	5	5	4	10	7	4	3	4	–	–	–	–	–
Urinary Organs	–	–	2	1	–	–	–	1	2	6	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	2	1	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	20	36	52	46	39	19	11	5	–
Sudden Deaths	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–
Violent Deaths	5	3	4	3	5	2	6	7	2	1	2	–	–	–	–	11
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	1	1	2	1	1	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	2	–	2	2	2	–	–	–	1
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	2	2	2	4	1	–	–	1	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Syphilis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	2	2	2	2	6	3	2	2	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	3	3	1	1	1	2	1	3	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	8	10	9	1	4	3	1	1	–	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	–	–	–	–	1	1
Apoplexy	10	–	–	–	–	–	–	–	–	–	–	1	1
Paralysis	21	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	2	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	8	5	1	–	2	–	–	–	–	–	–	–	–
Brain Disease	15	–	–	–	–	–	–	–	2	1	–	5	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	15	–	–	–	–	–	–	–	–	–	–	1	1
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	40	3	7	6	4	3	1	1	2	–	1	2	1
Pleurisy	16	6	–	1	–	–	–	–	–	–	1	1	2
Pneumonia	11	–	–	2	–	–	–	–	–	–	2	1	1
Asthma	14	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	8	1	–	–	–	–	–	1	–	–	–	2	1
VII. Teething	3	–	1	1	1	–	–	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	–	–	1	1	–	–	–	–	–	2	–	–
Peritonitis	2	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	14	–	1	1	–	–	–	–	1	1	1	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	1	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	–	–	–	–	1	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	2	1	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	50	–	–	–	–	–	–	–	2	2	4	10	2
Fracture and Contusion	14	–	–	–	–	–	–	–	1	–	–	1	1
Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	238	91	13	19	16	9	8	4	10	8	8	8	3

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	. ?
Cephalitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	2	2	1	1	–	–	1	–	–	–	–
Paralysis	–	–	–	–	2	2	4	1	3	4	3	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	–	–	2	2	2	1	1	2	1	1	–	–	–	–
Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	–	2	2	–	1	2	1	–	–	–	–	–
Pleurisy	–	–	2	–	–	–	1	–	2	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	–	–	1	1	–	2	–	–	–	–	–	–
Asthma	–	1	–	1	–	2	1	2	4	2	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	2	1	–	–	1	3	–	1	–	2	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	2	2	–	1	1	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	1	–	–	2	1	–	1	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Liver Disease	–	–	–	3	2	1	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	–	–	–	–	–	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	4	–	–	1	5	2	–	1	1	–	–	–	–	11
Fracture and Contusion	1	–	–	–	3	–	1	4	2	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	4	3	6	11	4	7	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1381	106	28	46	67	27	14	18	45	33	38	43	58
SPECIFIED CAUSES . . .	1175	69	13	33	54	18	12	11	38	27	32	38	46
I. Zymotic Class . . .	204	18	5	18	37	7	7	7	21	8	10	5	10
II. Diseases of Uncertain Seat	65	–	–	–	–	–	–	–	–	–	1	2	1
III. Tubercular Class . .	178	1	–	6	7	3	2	1	7	7	14	22	24
IV. Brain and Nervous System	52	5	2	–	2	–	–	–	3	4	1	–	1
V. Organs of Circulation .	22	–	–	–	–	–	–	–	1	1	1	1	–
VI. Respiratory Organs . .	108	7	4	3	5	3	1	1	2	3	1	3	4
VII. Organs of Digestion .	65	3	1	4	–	2	–	–	1	2	1	1	2
VIII. Urinary Organs . .	5	–	–	–	–	–	1	1	–	–	–	–	–
IX. Organs of Generation .	29	–	–	–	–	–	–	–	–	–	1	2	3
X. Organs of Locomotion .	14	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	32	30	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	–	1	–	–	–	–
XV. Age	365	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	5	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths . . .	22	1	–	1	1	3	1	1	2	1	1	2	1
I. Small Pox	4	1	–	–	–	–	–	–	–	–	1	–	2
Measles	33	3	–	7	13	–	1	1	5	–	–	–	3
Scarlatina	13	1	–	1	1	2	–	1	5	1	–	1	–
Diphtheria	2	–	–	–	–	–	–	–	–	–	–	–	1
Hooping Cough . .	26	2	1	3	10	3	1	2	4	–	–	–	–
Croup	24	8	–	2	6	2	3	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	19	1	2	1	–	–	1	–	1	2	1	–	–
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	36	2	2	4	4	–	–	–	–	–	2	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . . .	2	–	–	–	1	–	1	–	–	–	–	–	–
Typhus	28	–	–	–	1	–	–	1	4	4	6	3	1
Metria	6	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever . .	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	–	–	–	1	1	–	–	–
Syphilis	1	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	42	–	–	–	–	–	–	–	–	–	1	2	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	1	–	–	1	–	–	1	–	2	–
Tabes Mesenterica . .	6	–	–	3	–	–	–	–	1	2	–	–	–
Phthisis	153	–	–	–	5	2	–	–	3	3	13	20	24
Hydrocephalus . . .	13	1	–	2	2	1	1	1	3	1	1	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	54	37	42	35	51	54	68	70	101	107	116	72	26	12	9	4
SPECIFIED CAUSES	47	34	31	29	40	38	52	70	101	107	114	72	26	12	9	2
Zymotic Class	7	4	3	–	2	2	4	6	4	9	4	4	–	1	–	1
Uncertain Seat	3	3	6	6	7	6	10	1	7	2	8	2	–	–	–	–
Tubercular Class	19	14	11	12	4	12	7	2	1	2	–	–	–	–	–	–
Brain, etc.	2	1	1	3	2	3	3	2	1	8	7	–	1	–	–	–
Heart, etc.	2	–	2	–	4	1	2	2	3	1	1	–	–	–	–	–
Respiratory Organs	1	2	2	1	11	5	10	11	8	11	7	1	–	1	–	–
Digestive Organs	3	3	2	1	6	8	8	7	4	2	2	1	–	–	1	–
Urinary Organs	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Generative Organs	9	6	2	4	1	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	1	1	4	3	2	–	1	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	36	67	68	83	64	24	10	8	–
Sudden Deaths	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	1	1	–	1	–	1	1	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	1	2	1	4	1	–	–	–	–	–
Dysentery	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	1	1	3	2	2	3	3	4	–	1	–	1
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	1	–	1	–	–	–	1	1	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	3	6	2	4	5	1	4	2	7	2	–	–	–	–
Abscess	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	1	–	3	–	4	2	4	–	2	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	19	14	11	12	4	12	7	2	–	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	1	–	–	–	–	–	–	2	–	–	–
Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	19	–	–	–	–	–	–	–	–	–	1	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	1	1	–	–	–
Tetanus	5	2	–	–	2	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	3	1	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	–	–	2	1	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	21	–	–	–	–	–	–	–	1	1	1	1	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	47	3	2	3	3	2	–	–	–	2	1	–	1
Pleurisy	17	4	1	–	–	1	–	–	2	–	–	2	1
Pneumonia	9	–	1	–	–	–	1	1	–	1	–	–	1
Asthma	28	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	7	–	–	–	2	–	–	–	–	–	–	1	–
VII. Teething	3	–	–	2	–	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	1	–	2	–	1	–	–	–	–	1	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	2	1	–	–	–	–	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	1	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	1	–	–	–	–	–	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	24	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	14	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	4	4	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	–	–	1	1	2	1	1	2	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	–	–	–	2	1
Fracture and Contusion	2	–	–	–	–	–	–	–	–	1	1	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	206	37	15	13	13	9	2	7	7	6	6	5	12

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	–	2	–	1	1	–	1	2	–	–	–	–	–
Paralysis	–	–	1	–	–	2	1	–	1	7	5	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	1	–	4	1	2	2	3	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	1	4	2	2	6	4	6	2	1	–	–	–	–
Pleurisy	1	1	1	–	–	–	1	–	–	–	1	–	–	1	–	–
Pneumonia	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–
Asthma	–	–	–	–	5	2	5	5	3	4	3	–	–	–	–	–
Lung Disease	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	3	1	1	–	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	–	–	–	3	2	3	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–
Liver Disease	1	–	1	–	4	–	–	1	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	6	2	4	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	1	4	3	2	–	1	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	3	11	6	11	16	16	–	–	–	2	–	–	–	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	30959	2799	817	1673	2262	1233	913	579	1776	877	1079	1175	1008
Specified Causes	28767	2101	665	1460	2052	1143	869	553	1675	823	1027	1095	973
I. Zymotic Class	6805	281	209	580	1024	698	568	388	963	320	231	197	140
II. Diseases of Uncertain Seat	1335	23	5	6	15	12	9	8	36	20	18	17	29
III. Tubercular Class	1547	44	87	242	332	168	90	62	300	218	459	546	447
IV. Brain and Nervous System	2303	114	38	73	62	40	33	22	86	61	60	57	53
V. Organs of Circulation	1187	11	7	2	4	3	2	3	11	27	36	31	53
VI. Respiratory Organs	2937	162	134	264	261	103	84	32	116	44	44	66	58
VII. Organs of Digestion	2353	206	108	222	248	55	29	13	59	49	50	45	68
VIII. Urinary Organs	390	3	1	–	4	2	2	3	12	10	12	8	15
IX. Organs of Generation	246	–	–	–	–	–	–	–	–	1	10	29	32
X. Organs of Locomotion	154	1	–	–	1	1	2	1	7	15	22	10	8
XI. Skin, etc.	31	7	2	5	2	1	–	–	–	–	1	1	–
XII. Malformation	64	54	1	1	1	–	2	1	–	–	2	2	–
XIII. Premature Debility	1267	1156	61	50	–	–	–	–	–	–	–	–	–
XIV. Atrophy	215	–	–	1	57	15	11	6	17	3	6	4	8
XV. Age	3792	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	39	5	2	2	3	1	–	–	1	–	2	–	2
XVII. Violent Deaths	1102	34	10	12	38	44	37	14	67	55	74	82	60
I. Small Pox	176	9	9	20	29	17	18	12	19	7	4	8	7
Measles	445	11	10	68	151	83	45	23	38	9	2	4	1
Scarlatina	1741	17	11	93	237	240	241	195	487	118	38	21	12
Diphtheria	291	10	7	15	36	28	29	17	72	32	16	6	6
Hooping Cough	866	77	73	193	254	109	73	33	50	3	–	–	–
Croup	492	15	16	47	128	96	75	53	56	3	–	–	1
Thrush	17	9	4	1	3	–	–	–	–	–	–	–	–
Diarrhœa	586	73	42	75	86	26	6	4	15	7	5	8	9
Dysentery	243	2	8	11	17	7	1	3	8	2	1	6	4
Cholera	81	1	2	7	8	6	4	–	1	4	–	–	4
Influenza	177	3	3	9	8	4	–	2	3	5	2	–	2
Purpura	14	1	–	2	1	1	1	–	2	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	17	–	–	–	1	5	4	4	3	–	–	–	–
Infantile Fever	38	8	2	8	11	4	4	1	–	–	–	–	–
Typhus	1334	8	13	22	45	68	65	40	199	116	149	112	65
Metria	92	–	–	–	–	–	–	–	–	–	6	26	25
Rheumatic Fever	43	–	–	–	–	1	–	–	4	8	5	5	3
Erysipelas	115	25	5	6	8	3	1	1	4	5	2	1	1
Syphilis	28	12	4	3	1	–	–	–	1	–	–	–	–
Noma	8	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	46	8	–	–	3	–	–	1	2	1	1	2	3
Dropsy	561	3	–	2	6	8	7	4	25	14	12	6	11
Abscess	56	4	2	3	2	1	2	1	5	1	1	3	6
Ulcer	17	2	–	–	1	–	–	–	–	1	–	1	–
Fistula	3	–	–	–	–	–	–	1	–	–	–	1	–
Mortification	75	6	–	–	–	1	–	1	1	3	2	1	4
Cancer	569	–	3	1	3	2	–	–	3	–	2	3	5
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	229	4	7	7	17	9	4	4	17	20	25	30	23
Tabes Mesenterica	278	10	12	21	80	34	12	6	29	19	16	10	4
Phthisis	3316	7	20	46	66	46	25	24	134	149	410	506	420
Hydrocephalus	724	23	48	168	169	79	49	28	120	30	8	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	872	839	820	857	932	1039	1340	1477	1764	1825	1548	915	332	107	20	81
SPECIFIED CAUSES	826	795	780	803	874	943	1259	1477	1763	1825	1548	915	332	107	20	64
Zymotic Class	102	95	90	77	82	90	118	116	141	143	86	41	13	1	–	11
Uncertain Seat	26	41	67	73	120	126	149	134	157	97	90	42	9	3	1	2
Tubercular Class	341	284	226	189	149	141	112	48	37	15	6	1	–	1	–	2
Brain, etc.	53	77	59	84	100	123	167	218	259	245	127	64	17	2	2	7
Heart, etc.	45	57	59	64	91	82	128	138	145	120	41	18	3	–	1	5
Respiratory Organs	48	54	72	103	102	150	199	226	217	210	126	48	6	2	–	6
Digestive Organs	69	57	79	89	111	114	157	166	159	113	63	18	6	–	–	–
Urinary Organs	20	14	14	20	14	24	39	36	38	52	31	11	1	2	–	2
Generative Organs	40	50	28	20	14	8	6	3	5	–	–	–	–	–	–	–
Locomotive Organs	7	2	6	5	9	7	19	12	9	4	4	2	–	–	–	–
Skin	1	–	–	1	–	1	–	3	3	2	–	–	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	9	7	7	12	25	26	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	109	332	560	791	956	657	272	95	16	4
Sudden Deaths	1	2	2	2	1	2	5	4	2	–	–	–	–	–	–	–
Violent Deaths	64	55	71	64	56	49	51	41	31	33	18	13	5	1	–	23
Small Pox	3	7	2	1	1	2	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	13	4	7	–	2	–	1	2	–	–	–	1	–	–	–	1
Diphtheria	1	2	2	4	–	2	3	2	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	11	8	8	15	12	22	23	33	42	29	14	4	–	–	2
Dysentery	6	2	7	12	11	17	22	19	21	33	17	5	1	–	–	–
Cholera	6	4	1	1	4	5	4	2	6	6	4	–	–	–	–	1
Influenza	1	3	–	3	4	3	14	14	24	26	21	15	6	1	–	1
Purpura	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	40	43	50	42	43	43	41	41	43	27	12	4	–	–	–	3
Metria	17	11	5	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	3	3	1	1	1	2	2	–	1	–	–	–	–	–	–
Erysipelas	3	4	2	3	–	3	7	6	11	6	3	2	2	–	–	1
Syphilis	2	–	3	–	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	2	–	2	1	2	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	4	–	6	3	2	2	3	1	1	–	–	–	–	–
Dropsy	12	14	24	17	40	41	48	74	65	52	43	25	6	–	–	2
Abscess	4	3	2	3	1	4	–	–	3	2	2	–	1	–	–	–
Ulcer	2	–	1	2	–	1	1	1	2	1	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	1	2	2	–	5	3	6	2	9	7	10	7	2	–	–	–
Cancer	7	17	34	51	67	73	90	54	75	34	32	9	–	3	1	–
Gout	–	2	–	–	1	1	2	–	–	–	1	1	–	–	–	–
Scrofula	8	9	5	6	6	14	2	7	2	2	1	–	–	–	–	–
Tabes Mesenterica	4	4	2	3	1	3	2	4	1	1	–	–	–	–	–	–
Phthisis	329	271	219	179	142	124	108	37	34	12	5	1	–	1	–	1
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	157	1	6	9	14	5	12	5	24	13	13	7	10
Apoplexy	570	3	3	5	5	5	–	8	15	5	11	12	10
Paralysis	812	–	–	–	1	1	–	–	2	4	7	8	4
Delirium Tremens	22	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	88	–	–	–	1	–	–	–	4	8	5	9	10
Tetanus	30	9	1	–	–	1	–	–	3	4	3	–	2
Insanity	22	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	257	99	26	49	30	21	13	7	12	–	–	–	–
Brain Disease	342	2	2	10	11	7	8	2	25	26	21	20	14
V. Pericarditis	44	–	–	–	1	1	–	1	1	2	4	3	1
Aneurism	37	–	–	1	–	–	–	–	–	1	1	2	1
Heart Disease	1106	11	7	1	3	2	2	2	10	24	31	26	51
VI. Laryngitis	78	4	3	3	9	9	2	4	12	3	4	2	3
Bronchitis	1399	89	89	166	156	55	54	14	40	9	11	8	13
Pleurisy	179	2	1	3	4	2	2	1	6	4	5	10	12
Pneumonia	855	59	37	88	88	35	24	13	51	18	21	36	19
Asthma	255	–	–	–	1	–	–	–	–	–	1	–	3
Lung Disease	171	8	4	4	3	2	2	–	7	10	2	10	8
VII. Teething	359	3	17	148	175	14	2	–	–	–	–	–	–
Quinsey	31	5	5	3	3	3	1	1	1	1	3	–	–
Gastritis	83	2	1	5	1	3	1	–	2	4	5	–	4
Enteritis	421	97	53	37	41	17	8	3	16	7	7	7	11
Peritonitis	148	7	3	4	–	–	3	2	9	6	12	17	15
Ascites	66	–	–	–	–	–	–	1	4	4	3	2	4
Ulceration of Intestines	108	1	1	1	3	–	1	1	5	5	6	–	5
Hernia	37	1	–	–	–	–	–	–	–	1	1	–	–
Ileus	150	11	2	1	2	1	2	1	2	6	4	5	2
Intussusception	22	2	3	1	–	–	1	–	–	–	–	1	1
Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	448	43	19	19	15	10	7	3	9	8	6	4	9
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	71	3	1	–	1	–	–	–	4	1	1	3	2
Jaundice	126	25	1	2	4	7	2	–	1	1	1	1	2
Liver Disease	262	6	2	1	2	–	1	1	6	4	1	5	11
Spleen Disease	12	–	–	–	1	–	–	–	–	1	–	–	2
VIII. Nephritis	28	–	–	–	2	1	2	1	4	1	1	1	1
Nephria	49	–	–	–	–	1	–	1	1	5	2	1	2
Ischuria	22	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	42	–	–	–	–	–	–	–	2	3	6	1	2
Stone	44	2	–	–	1	–	–	–	–	–	1	–	1
Cystitis	23	–	–	–	–	–	–	–	–	–	–	–	3
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	180	1	1	–	1	–	–	–	5	1	2	5	5
IX. Paramenia	11	–	–	–	–	–	–	–	–	1	3	–	1
Ovarian Dropsy	34	–	–	–	–	–	–	–	–	–	–	1	2
Childbirth	151	–	–	–	–	–	–	–	–	–	6	26	25
Organs of Generation	50	–	–	–	–	–	–	–	–	–	1	2	4
X. Arthritis	10	–	–	–	–	–	1	–	1	–	2	1	2
Rheumatism	64	–	–	–	–	–	1	–	1	–	1	2	–
Joint and Bone Disease	80	1	–	–	1	1	–	1	5	15	19	7	6
XI. Carbuncle	9	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	3	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	19	6	2	4	2	1	–	–	–	–	1	–	–
XII. Cyanosis	19	17	–	–	–	–	–	–	–	–	1	1	–
Spina Bifida	15	13	–	–	–	–	2	–	–	–	–	–	–
Other Malformations	30	24	1	1	1	–	–	1	–	–	1	1	–
XVII. Intemperance	44	–	–	–	–	–	–	–	–	–	–	1	3
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	11	7	1	3	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	41	4	–	1	–	1	–	–	1	–	2	1	4
Poison	24	1	–	–	–	2	1	–	1	1	–	5	1
Burns and Scalds	156	–	4	5	21	26	17	8	19	3	1	4	3
Hanging, etc.	28	–	–	–	–	–	–	–	–	1	–	1	–
Suffocation	40	11	5	3	1	2	2	–	–	1	1	–	–
Drowning	246	–	–	–	10	12	8	2	15	12	27	31	18
Fracture and Contusion	403	1	–	–	6	1	8	2	23	34	35	36	22
Wounds	64	–	–	–	–	–	–	–	6	1	6	3	6
Other Violent Causes	44	10	–	–	–	–	1	2	2	2	2	–	3
Not Specified	2192	698	152	213	210	90	44	26	101	54	52	80	35

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	5	6	5	3	1	3	3	1	4	–	1	–	–	–	–
Apoplexy	11	25	15	26	39	41	56	69	82	68	33	15	4	–	1	3
Paralysis	10	14	15	17	35	53	75	119	150	155	83	41	13	2	1	2
Delirium Tremens	1	2	2	8	1	3	1	1	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	8	7	4	9	4	6	4	3	2	2	–	1	–	–	–	1
Tetanus	1	–	1	–	1	1	1	–	1	–	1	–	–	–	–	–
Insanity	1	2	2	3	2	2	5	–	1	–	–	2	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	15	22	14	16	15	16	22	23	22	15	9	4	–	–	–	1
Pericarditis	1	5	1	3	2	3	–	2	8	5	–	–	–	–	–	–
Aneurism	1	5	1	4	6	5	4	3	–	2	–	–	–	–	–	–
Heart Disease	43	47	57	57	83	74	124	133	137	113	41	18	3	–	1	5
Laryngitis	2	2	3	2	1	2	3	3	1	–	–	1	–	–	–	–
Bronchitis	16	12	24	29	26	66	88	94	106	112	81	32	4	1	–	4
Pleurisy	2	3	8	7	11	12	16	26	14	23	4	1	–	–	–	–
Pneumonia	18	24	25	35	31	39	34	48	48	34	16	10	2	–	–	2
Asthma	3	5	7	17	24	16	40	39	38	34	23	4	–	–	–	–
Lung Disease	7	8	5	13	9	15	18	16	10	7	2	–	.	1	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
Gastritis	2	2	3	2	7	4	4	7	10	5	5	4	–	–	–	–
Enteritis	9	6	15	4	13	9	10	16	11	14	7	3	–	–	–	–
Peritonitis	11	4	6	6	4	4	11	4	11	5	4	–	–	–	–	–
Ascites	3	3	1	7	6	5	5	5	5	5	2	–	1	–	–	–
Ulceration of Intestines	5	11	8	10	6	10	6	9	9	1	3	1	–	–	–	–
Hernia	–	–	–	–	3	2	4	6	2	9	7	1	–	–	–	–
Ileus	6	4	8	9	7	14	16	14	14	7	10	–	2	–	–	–
Intussusception	–	1	1	–	1	1	3	2	1	2	–	1	–	–	–	–
Stricture of Intestines	–	–	–	1	–	2	2	1	1	–	–	1	–	–	–	–
Stomach Disease	12	12	13	16	29	28	45	41	47	35	13	3	2	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	4	6	3	4	3	9	6	8	7	1	–	–	–	–	–
Jaundice	3	1	3	7	5	3	11	9	13	12	7	4	1	–	–	–
Liver Disease	12	7	15	23	25	28	29	44	25	10	4	–	–	–	–	–
Spleen Disease	1	2	–	–	–	1	1	1	2	–	–	–	–	–	–	–
Nephritis	3	–	–	2	–	1	2	1	1	–	3	–	–	1	–	–
Nephria	4	5	1	4	3	10	4	1	2	1	1	–	–	–	–	–
Ischuria	–	–	1	–	–	1	2	2	2	5	6	2	–	–	–	–
Diabetes	5	4	4	4	2	4	1	1	2	–	–	–	–	–	–	1
Stone	–	–	–	1	1	1	5	4	7	14	6	–	–	–	–	–
Cystitis	–	1	1	–	–	–	4	3	1	6	2	2	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	8	4	7	9	8	7	21	23	23	26	13	7	1	1	–	1
Paramenia	–	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	3	3	6	5	2	4	2	4	–	–	–	–	–	–	–
Childbirth	34	34	24	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	11	–	10	8	6	2	1	1	–	–	–	–	–	–	–
Arthritis	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	3	3	6	6	14	9	7	3	4	1	–	–	–	–
Joint Disease	5	1	2	1	3	1	4	3	2	1	–	1	–	–	–	–
Carbuncle	–	–	–	1	–	1	–	1	3	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	5	5	6	6	6	4	2	3	1	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	2	1	5	5	–	2	1	2	3	–	–	–	–	–	2
Poison	1	1	4	1	1	1	1	1	1	–	–	–	–	–	–	–
Burns and Scalds	4	3	–	2	3	2	3	5	4	5	5	6	3	–	–	–
Hanging, etc.	1	1	4	5	2	7	2	2	–	2	–	–	–	–	–	–
Suffocation	2	1	1	–	1	–	2	3	–	2	–	–	–	–	–	2
Drowning	21	12	15	9	12	9	8	8	4	4	–	–	–	–	–	9
Fracture and Contusion	23	24	29	29	17	17	23	17	15	11	13	7	2	1	–	7
Wounds	4	3	12	4	6	4	3	1	2	3	–	–	–	–	–	–
Other Violent Causes	1	3	–	3	3	3	3	1	–	2	–	–	–	–	–	3
Not Specified	46	44	40	54	58	96	81	–	1	–	–	–	–	–	–	17

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	ALL AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15317	1627	466	911	1148	591	442	293	891	427	573	605	469
SPECIFIED CAUSES	14185	1229	388	794	1035	547	424	280	844	404	546	566	450
I. Zymotic Class	3236	159	122	305	512	342	277	185	449	125	99	83	47
II. Diseases of Uncertain Seat	532	14	4	5	8	4	5	5	23	9	7	6	14
III. Tubercular Class	2243	25	56	131	168	75	49	37	168	107	230	290	203
IV. Brain and Nervous System	1221	71	24	40	36	16	11	15	42	40	37	28	31
V. Organs of Circulation	621	6	5	2	2	1	1	3	4	14	21	19	25
VI. Respiratory Organs	1505	100	67	151	129	49	32	12	59	23	21	44	27
VII. Organs of Digestion	1251	134	65	125	130	23	13	6	31	29	32	16	36
VIII. Urinary Organs	281	3	1	–	2	–	2	2	9	5	7	6	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	74	1	–	–	–	1	2	–	3	5	17	5	3
XI. Skin, etc.	16	4	1	2	–	1	–	–	–	–	–	–	–
XII. Malformation	36	31	–	1	1	–	1	1	–	–	1	–	–
XIII. Premature Debility	717	657	36	24	–	–	–	–	–	–	–	–	–
XIV. Atrophy	104	–	–	–	28	11	5	5	10	3	5	3	3
XV. Age	1507	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	23	2	1	2	2	–	–	–	–	–	2	–	–
XVII. Violent Deaths	818	22	6	6	17	24	26	9	46	44	67	66	56
I. Small Pox	94	7	5	7	17	8	7	6	11	6	1	4	4
Measles	236	6	5	42	81	38	25	12	19	4	1	3	–
Scarlatina	868	9	9	54	115	128	126	98	232	53	20	7	5
Diphtheria	112	3	3	7	16	11	10	9	29	8	5	2	2
Hooping Cough	394	39	39	98	113	40	27	8	28	1	–	–	–
Croup	257	7	13	26	73	56	35	24	21	1	–	–	–
Thrush	11	5	3	1	2	–	–	–	–	–	–	–	–
Diarrhœa	295	46	26	32	41	7	5	2	7	6	3	7	4
Dysentery	108	1	6	8	11	4	–	2	5	2	–	–	–
Cholera	40	1	2	3	4	3	2	–	–	3	–	–	–
Influenza	80	1	1	6	5	3	–	1	1	3	2	–	1
Purpura	8	–	–	2	–	1	1	–	2	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	–	2	3	2	1	–	–	–	–
Infantile Fever	22	6	1	4	5	2	3	1	–	–	–	–	–
Typhus	608	6	7	11	24	37	33	19	89	32	64	56	30
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	–	–	–	–	1	–	–	2	4	3	3	1
Erysipelas	51	12	1	2	5	1	–	1	2	2	–	1	–
Syphilis	18	10	1	2	–	–	–	–	–	–	–	–	–
Noma	5	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	24	6	–	–	2	–	–	–	1	–	–	–	2
Dropsy	240	3	–	1	3	4	4	3	16	6	4	4	4
Abscess	26	–	2	3	1	–	1	1	4	–	–	1	4
Ulcer	8	1	–	–	–	–	–	–	–	1	–	–	–
Fistula	2	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	43	4	–	–	–	–	–	–	–	2	2	1	3
Cancer	184	–	2	1	2	–	–	–	2	–	1	–	1
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	132	3	6	2	12	2	3	2	12	14	14	20	12
Tabes Mesenterica	140	7	5	11	36	18	4	4	19	7	10	4	1
Phthisis	1564	4	11	28	30	17	12	14	66	65	203	266	190
Hydrocephalus	407	11	34	90	90	38	30	17	71	21	3	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	406	379	423	439	473	519	624	740	795	811	645	393	131	40	7	49
SPECIFIED CAUSES	379	356	404	416	456	478	586	740	794	811	645	393	131	40	7	42
Zymotic Class	32	44	37	42	37	43	53	60	65	50	41	14	7	–	–	6
Uncertain Seat	8	11	24	26	49	58	47	51	57	43	34	16	2	1	–	1
Tubercular Class	144	115	109	84	78	67	57	24	18	4	2	–	–	–	–	2
Brain, etc.	34	40	35	48	55	65	85	113	129	117	60	36	7	–	1	5
Heart, etc.	26	27	40	29	46	44	74	76	66	58	20	8	1	–	–	3
Respiratory Organs	25	35	45	67	62	70	85	122	106	91	57	21	3	–	–	2
Digestive Organs	32	27	40	43	57	64	81	96	73	57	30	9	2	–	–	–
Urinary Organs	13	9	9	14	10	16	28	25	32	43	27	9	–	2	–	2
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	1	1	3	5	2	11	5	2	1	1	2	–	–	–	–
Skin	1	–	–	–	–	–	–	3	3	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	1	3	6	8	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	27	138	222	328	368	273	107	37	6	1
Sudden Deaths	1	1	2	2	1	2	2	2	1	–	–	–	–	–	–	–
Violent Deaths	57	45	59	52	48	37	36	25	20	18	5	5	2	–	–	20
Small Pox	1	5	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	3	–	2	–	–	2	–	–	–	1	–	–	–	–
Diphtheria	–	1	1	1	–	1	1	2	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	7	2	3	6	6	12	8	19	17	19	4	2	–	–	1
Dysentery	1	–	2	9	5	4	8	11	8	14	5	1	1	–	–	–
Cholera	4	2	1	–	3	1	2	2	3	2	1	–	–	–	–	1
Influenza	1	3	–	3	3	2	6	7	9	4	8	6	3	–	–	1
Purpura	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	22	23	21	17	22	18	22	18	9	7	2	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	1	–	1	1	1	–	1	–	–	–	–	–	–
Erysipelas	–	1	–	3	–	3	3	4	6	2	1	–	1	–	–	–
Syphilis	1	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	2	–	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	2	–	3	2	–	1	–	1	1	–	–	–	–	–
Dropsy	5	3	7	7	20	24	16	32	23	23	17	9	1	–	–	1
Abscess	1	1	1	–	1	3	–	–	–	1	–	–	1	–	–	–
Ulcer	–	–	–	1	–	1	–	1	1	1	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	1	1	1	–	2	1	6	1	5	4	5	4	–	–	–	–
Cancer	1	2	13	18	22	26	24	15	28	13	9	3	–	1	–	–
Gout	–	1	–	–	1	1	1	–	–	–	1	–	–	–	–	–
Scrofula	5	4	4	2	3	8	1	2	1	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	1	1	2	2	3	–	–	–	–	–	–	–	–
Phthisis	136	111	103	80	74	57	54	19	17	4	2	–	–	–	–	1
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	89	1	4	5	11	1	4	3	9	8	9	3	7
Apoplexy	293	1	3	4	3	–	–	6	7	3	5	6	6
Paralysis	386	–	–	–	–	–	–	–	–	1	4	3	3
Delirium Tremens	19	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	51	–	–	–	–	–	–	–	1	5	4	5	3
Tetanus	17	3	1	–	–	1	–	–	1	4	2	–	1
Insanity	7	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	150	65	14	26	16	9	5	6	9	–	–	–	–
Brain Disease	209	1	2	5	6	5	2	–	15	19	13	10	9
V. Pericarditis	21	–	–	–	1	–	–	1	1	2	1	1	1
Aneurism	23	–	–	1	–	–	–	–	–	–	1	1	–
Heart Disease	577	6	5	1	1	1	1	2	3	12	19	17	24
VI. Laryngitis	41	2	1	1	6	3	1	1	5	2	2	2	2
Bronchitis	655	52	44	96	66	27	21	7	18	4	5	4	2
Pleurisy	99	1	1	3	3	–	1	–	4	3	3	9	4
Pneumonia	495	40	19	48	51	18	9	4	28	10	10	21	12
Asthma	127	–	–	–	1	–	–	–	–	–	–	–	3
Lung Disease	88	5	2	3	2	1	–	–	4	4	1	8	4
VII. Teething	189	1	9	83	94	2	–	–	–	–	–	–	–
Quinsey	18	3	2	1	3	2	–	1	1	–	3	–	–
Gastritis	44	1	–	2	1	–	1	–	1	3	5	–	1
Enteritis	238	66	36	21	17	9	4	2	7	3	6	4	5
Peritonitis	63	6	2	1	–	–	2	–	5	1	5	3	7
Ascites	29	–	–	–	–	–	–	–	3	3	2	–	2
Ulceration of Intestines	59	1	1	1	2	–	–	1	2	3	4	–	4
Hernia	20	1	–	–	–	–	–	–	–	1	–	–	–
Ileus	90	8	2	1	1	1	2	–	1	3	3	1	2
Intussusception	15	2	3	1	–	–	–	–	–	–	–	–	1
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	226	24	7	13	6	6	2	1	5	6	3	3	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	41	1	1	–	1	–	–	–	2	1	1	2	–
Jaundice	67	16	1	1	2	3	2	–	–	1	–	–	2
Liver Disease	142	4	1	–	2	–	–	1	4	4	–	3	7
Spleen Disease	5	–	–	–	1	–	–	–	–	–	–	–	2
VIII. Nephritis	16	–	–	–	–	–	2	–	3	–	–	1	1
Nephria	27	–	–	–	–	–	–	1	1	3	1	1	–
Ischuria	20	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	27	–	–	–	–	–	–	–	1	1	4	1	–
Stone	38	2	–	–	1	–	–	–	–	–	1	–	–
Cystitis	19	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	133	1	1	–	1	–	–	–	4	1	1	3	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	6	–	–	–	–	–	1	–	1	–	2	–	1
Rheumatism	21	–	–	–	–	–	1	–	–	–	–	–	–
Joint and Bone Disease	47	1	–	–	–	1	–	–	2	5	15	5	2
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	4	1	2	–	1	–	–	–	–	–	–	–
XII. Cyanosis	7	7	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	8	7	–	–	–	–	1	–	–	–	–	–	–
Other Malformations	21	17	–	1	1	–	–	1	–	–	1	–	–
XVII. Intemperance	28	–	–	–	–	–	–	–	–	–	–	1	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	6	1	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	27	1	–	–	–	1	–	–	1	–	2	1	4
Poison	11	1	–	–	–	1	–	–	–	–	–	1	1
Burns and Scalds	66	–	1	3	10	13	12	4	8	–	1	–	2
Hanging, etc.	24	–	–	–	–	–	–	–	–	1	–	1	–
Suffocation	27	4	4	1	–	2	2	–	–	1	1	–	–
Drowning	202	–	–	–	5	6	6	2	12	9	26	24	16
Fracture and Contusion	336	1	–	–	2	1	5	2	18	30	31	35	22
Wounds	51	–	–	–	–	–	–	–	5	1	5	3	5
Other Violent Causes	37	9	–	–	–	–	1	1	2	2	1	–	3
Not Specified	1132	398	78	117	113	44	18	13	47	23	27	39	19

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	4	3	1	1	2	3	1	4	–	1	–	–	–	–
Apoplexy	7	11	6	14	19	22	31	40	36	36	15	8	2	–	–	2
Paralysis	6	9	8	7	19	29	34	52	73	69	40	21	5	–	1	2
Delirium Tremens	1	2	2	8	1	1	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	3	2	8	4	3	2	2	2	–	–	1	–	–	–	–
Tetanus	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	1	1	1	–	–	–	–	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	12	11	8	9	7	13	15	17	8	5	4	–	–	–	1
Pericarditis	–	1	1	2	2	1	–	2	3	1	–	–	–	–	–	–
Aneurism	1	2	1	3	4	4	3	2	–	–	–	–	–	–	–	–
Heart Disease	25	24	38	21	40	39	71	72	63	57	20	8	1	–	–	3
Laryngitis	–	2	1	1	1	1	3	2	1	–	–	1	–	–	–	–
Bronchitis	8	6	15	15	17	28	28	49	46	43	36	15	2	–	–	1
Pleurisy	1	1	2	5	7	7	5	14	8	12	4	1	–	–	–	–
Pneumonia	13	17	17	28	18	19	20	29	32	18	9	3	1	–	–	1
Asthma	1	4	6	11	12	9	21	21	15	15	7	1	–	–	–	–
Lung Disease	2	5	4	7	7	6	8	7	4	3	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	–	3	1	2	3	1	4	7	3	4	–	–	–	–	–
Enteritis	6	3	5	2	7	5	5	10	4	5	3	3	–	–	–	–
Peritonitis	2	1	1	5	2	2	3	3	4	4	4	–	–	–	–	–
Ascites	3	3	–	1	2	1	–	4	2	2	1	–	–	–	–	–
Ulceration of Intestines	3	2	3	6	3	5	4	6	6	1	1	–	–	–	–	–
Hernia	–	–	–	–	1	2	2	3	2	3	4	1	–	–	–	–
Ileus	3	3	5	6	5	8	8	10	5	6	6	–	–	–	–	–
Intussusception	–	1	1	–	1	–	2	1	1	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–
Stomach Disease	6	9	5	5	14	18	25	22	21	16	5	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	5	2	2	2	5	4	3	6	–	–	–	–	–	–
Jaundice	–	1	1	2	3	3	6	5	6	6	1	4	1	–	–	–
Liver Disease	5	3	11	13	14	12	17	23	12	5	1	–	–	–	–	–
Spleen Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	–	1	2	1	1	–	1	–	–	1	–	–
Nephria	1	4	1	2	1	5	2	1	1	1	1	–	–	–	–	–
Ischuria	–	–	1	–	–	1	1	2	2	5	5	2	–	–	–	–
Diabetes	5	2	1	3	2	3	1	–	2	–	–	–	–	–	–	1
Stone	–	–	–	1	1	–	3	3	7	14	5	–	–	–	–	–
Cystitis	–	1	1	–	–	–	4	3	1	5	2	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	2	5	7	6	6	15	15	18	18	13	6	–	1	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	2	3	1	6	4	1	1	1	1	–	–	–	–
Joint Disease	3	1	1	1	2	1	4	1	1	–	–	1	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	3	1	4	5	3	3	1	2	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	1	1	2	5	–	1	–	1	1	–	–	–	–	–	1
Poison	1	1	2	1	–	–	1	–	1	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	1	1	1	–	–	–	1	–	3	2	–	–	–
Hanging, etc.	–	–	3	5	2	7	1	2	–	2	–	–	–	–	–	–
Suffocation	2	1	1	–	1	–	2	2	–	2	–	–	–	–	–	1
Drowning	20	10	14	6	12	9	6	6	3	2	–	–	–	–	–	8
Fracture and Contusion	22	23	28	27	16	13	18	12	11	5	5	2	–	–	–	7
Wounds	4	2	9	3	4	2	2	1	2	3	–	–	–	–	–	–
Other Violent Causes	–	3	–	3	2	2	2	1	–	2	–	–	–	–	–	3
Not Specified	27	23	19	23	17	41	38	–	1	–	–	–	–	–	–	7

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	ALL AGES.	FEMALES. AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15642	1172	351	762	1114	642	471	286	885	450	506	570	539
SPECIFIED CAUSES	14582	872	277	666	1017	596	445	273	831	419	481	529	523
I. Zymotic Class	3569	122	87	275	512	356	291	203	514	195	132	114	93
II. Diseases of Uncertain Seat	803	9	1	1	7	8	4	3	13	11	11	11	15
III. Tubercular Class	2304	19	31	111	164	93	41	25	132	111	229	256	244
IV. Brain and Nervous System	1082	43	14	33	26	24	22	7	44	21	23	29	22
V. Organs of Circulation	566	5	2	–	2	2	1	–	7	13	15	12	28
VI. Respiratory Organs	1432	62	67	113	132	54	52	20	57	21	23	22	31
VII. Organs of Digestion	1102	72	43	97	118	32	16	7	28	20	18	29	32
VIII. Urinary Organs	109	–	–	–	2	2	–	1	3	5	5	2	10
IX. Organs of Generation	246	–	–	–	–	–	–	–	–	1	10	29	32
X. Organs of Locomotion	80	–	–	–	1	–	–	1	4	10	5	5	5
XI. Skin, etc.	15	3	1	3	2	–	–	–	–	–	1	1	–
XII. Malformation	28	23	1	–	–	–	1	–	–	–	1	2	–
XIII. Premature Debility	550	499	25	26	–	–	–	–	–	–	–	–	–
XIV. Atrophy	111	–	–	1	29	4	6	1	7	–	1	1	5
XV. Age	2285	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	16	3	1	–	1	1	–	–	1	–	–	–	2
XVII. Violent Deaths	284	12	4	6	21	20	11	5	21	11	7	16	4
I. Small Pox	82	2	4	13	12	9	11	6	8	1	3	4	3
Measles	209	5	5	26	70	45	20	11	19	5	1	1	1
Scarlatina	873	8	2	39	122	112	115	97	255	65	18	14	7
Diphtheria	179	7	4	8	20	17	19	8	43	24	11	4	4
Hooping Cough	472	38	34	95	141	69	46	25	22	2	–	–	–
Croup	235	8	3	21	55	40	40	29	35	2	–	–	1
Thrush	6	4	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	291	27	16	43	45	19	1	2	8	1	2	1	5
Dysentery	135	1	2	3	6	3	1	1	3	–	1	6	4
Cholera	41	–	–	4	4	3	2	–	1	1	–	–	4
Influenza	97	2	2	3	3	1	–	1	2	2	–	–	1
Purpura	6	1	–	–	1	–	–	–	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	9	–	–	–	1	3	1	2	2	–	–	–	–
Infantile Fever	16	2	1	4	6	2	1	–	–	–	–	–	–
Typhus	726	2	6	11	21	31	32	21	110	84	85	56	35
Metria	92	–	–	–	–	–	–	–	–	–	6	26	25
Rheumatic Fever	22	–	–	–	–	–	–	–	2	4	2	2	2
Erysipelas	64	13	4	4	3	2	1	–	2	3	2	–	1
Syphilis	10	2	3	1	1	–	–	–	1	–	–	–	–
Noma	3	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	22	2	–	–	1	–	–	1	1	1	1	2	1
Dropsy	321	–	–	1	3	4	3	1	9	8	8	2	7
Abscess	30	4	–	–	1	1	1	–	1	1	1	2	2
Ulcer	9	1	–	–	1	–	–	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	32	2	–	–	–	1	–	1	1	1	–	–	1
Cancer	385	–	1	–	1	2	–	–	1	–	1	3	4
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	97	1	1	5	5	7	1	2	5	6	11	10	11
Tabes Mesenterica	138	3	7	10	44	16	8	2	10	12	6	6	3
Phthisis	1752	3	9	18	36	29	13	10	68	84	207	240	230
Hydrocephalus	317	12	14	78	79	41	19	11	49	9	5	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	466	460	397	418	459	520	716	737	969	1014	903	522	201	67	13	32
SPECIFIED CAUSES	447	439	376	387	418	465	673	737	969	1014	903	522	201	67	13	22
Zymotic Class	70	51	53	35	45	47	65	56	76	93	45	27	6	1	–	5
Uncertain Seat	18	30	43	47	71	68	102	83	100	54	56	26	7	2	1	1
Tubercular Class	197	169	117	105	71	74	55	24	19	11	4	1	–	1	–	–
Brain, etc.	19	37	24	36	45	58	82	105	130	128	67	28	10	2	1	2
Heart, etc.	19	30	19	35	45	38	54	62	79	62	21	10	2	–	1	2
Respiratory Organs	23	19	27	36	40	80	114	104	111	119	69	27	3	2	–	4
Digestive Organs	37	30	39	46	54	50	76	70	86	56	33	9	4	–	–	–
Urinary Organs	7	5	5	6	4	8	11	11	6	9	4	2	1	–	–	–
Generative Organs	40	50	28	20	14	8	6	3	5	–	–	–	–	–	–	–
Locomotive Organs	4	1	5	2	4	5	8	7	7	3	3	–	–	–	–	–
Skin	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	6	4	6	17	16	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	82	194	338	463	588	384	165	58	10	3
Sudden Deaths	–	1	–	–	–	–	3	2	1	–	–	–	–	–	–	–
Violent Deaths	7	10	12	12	8	12	15	16	11	15	13	8	3	1	–	3
Small Pox	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	11	2	4	–	–	–	1	–	–	–	–	–	–	–	–	1
Diphtheria	1	1	1	3	–	1	2	–	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	4	6	5	9	6	10	15	14	25	10	10	2	–	–	1
Dysentery	5	2	5	3	6	13	14	8	13	19	12	4	–	–	–	–
Cholera	2	2	–	1	1	4	2	–	3	4	3	–	–	–	–	–
Influenza	–	–	–	–	1	1	8	7	15	22	13	9	3	1	–	–
Purpura	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	21	27	21	26	21	23	19	25	18	5	2	–	–	–	2
Metria	17	11	5	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	3	2	–	1	–	1	1	–	–	–	–	–	–	–	–
Erysipelas	3	3	2	–	–	–	4	2	5	4	2	2	1	–	–	1
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	2	–	3	1	2	1	3	–	–	–	–	–	–	–
Dropsy	7	11	17	10	20	17	32	42	42	29	26	16	5	–	–	1
Abscess	3	2	1	3	–	1	–	–	3	1	2	–	–	–	–	–
Ulcer	2	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	1	–	3	2	–	1	4	3	5	3	2	–	–	–
Cancer	6	15	21	33	45	47	66	39	47	21	23	6	–	2	1	–
Gout	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Scrofula	3	5	1	4	3	6	1	5	1	2	1	–	–	–	–	–
Tabes Mesenterica	1	4	–	2	–	1	–	1	1	1	–	–	–	–	–	–
Phthisis	193	160	116	99	68	67	54	18	17	8	3	1	–	1	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	ALL AGES.	FEMALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	68	–	2	4	3	4	8	2	15	5	4	4	3
Apoplexy	277	2	–	1	2	5	–	2	8	2	6	6	4
Paralysis	426	–	–	–	1	1	–	–	2	3	3	5	1
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	37	–	–	–	1	–	–	–	3	3	1	4	7
Tetanus	13	6	–	–	–	–	–	–	2	–	1	–	1
Insanity	15	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	107	34	12	23	14	12	8	1	3	–	–	–	–
Brain Disease	133	1	–	5	5	2	6	2	10	7	8	10	5
V. Pericarditis	23	–	–	–	–	1	–	–	–	–	3	2	–
Aneurism	14	–	–	–	–	–	–	–	–	1	–	1	1
Heart Disease	529	5	2	–	2	1	1	–	7	12	12	9	27
VI. Laryngitis	37	2	2	2	3	6	1	3	7	1	2	–	1
Bronchitis	744	37	45	70	90	28	33	7	22	5	6	4	11
Pleurisy	80	1	–	–	1	2	1	1	2	1	2	1	8
Pneumonia	360	19	18	40	37	17	15	9	23	8	11	15	7
Asthma	128	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	83	3	2	1	1	1	2	–	3	6	1	2	4
VII. Teething	170	2	8	65	81	12	2	–	–	–	–	–	–
Quinsey	13	2	3	2	–	1	1	–	–	1	–	–	–
Gastritis	39	1	1	3	–	3	–	–	1	1	–	–	3
Enteritis	183	31	17	16	24	8	4	1	9	4	1	3	6
Peritonitis	85	1	1	3	–	–	1	2	4	5	7	14	8
Ascites	37	–	–	–	–	–	–	1	1	1	1	2	2
Ulceration of Intestines	49	–	–	–	1	–	1	–	3	2	2	–	1
Hernia	17	–	–	–	–	–	–	–	–	–	1	–	–
Ileus	60	3	–	–	1	–	–	1	1	3	1	4	–
Intussusception	7	–	–	–	–	–	1	–	–	–	–	1	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	222	19	12	6	9	4	5	2	4	2	3	1	6
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	2	–	–	–	–	–	–	2	–	–	1	2
Jaundice	59	9	–	1	2	4	–	–	1	–	1	1	–
Liver Disease	120	2	1	1	–	–	1	–	2	–	1	2	4
Spleen Disease	7	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	12	–	–	–	2	1	–	1	1	1	1	–	–
Nephria	22	–	–	–	–	1	–	–	–	2	1	–	2
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	15	–	–	–	–	–	–	–	1	2	2	–	2
Stone	6	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	47	–	–	–	–	–	–	–	1	–	1	2	3
IX. Paramenia	11	–	–	–	–	–	–	–	–	1	3	–	1
Ovarian Dropsy	34	–	–	–	–	–	–	–	–	–	–	1	2
Childbirth	151	–	–	–	–	–	–	–	–	–	6	26	25
Organs of Generation	50	–	–	–	–	–	–	–	–	–	1	2	4
X. Arthritis	4	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatism	43	–	–	–	–	–	–	–	1	–	1	2	–
Joint and Bone Disease	33	–	–	–	1	–	–	1	3	10	4	2	4
XI. Carbuncle	4	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	2	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	9	2	1	2	2	–	–	–	–	–	1	–	–
XII. Cyanosis	12	10	–	–	–	–	–	–	–	–	1	1	–
Spina Bifida	7	6	–	–	–	–	1	–	–	–	–	–	–
Other Malformations	9	7	1	–	–	–	–	–	–	–	–	1	–
XVII. Intemperance	16	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	14	3	–	1	–	–	–	–	–	–	–	–	–
Poison	13	–	–	–	–	1	1	–	1	1	–	4	–
Burns and Scalds	90	–	3	2	11	13	5	4	11	3	–	4	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	13	7	1	2	1	–	–	–	–	–	–	–	–
Drowning	44	–	–	–	5	6	2	–	3	3	1	7	2
Fracture and Contusion	67	–	–	–	4	–	3	–	5	4	4	1	–
Wounds	13	–	–	–	–	–	–	–	1	–	1	–	1
Other Violent Causes	7	1	–	–	–	–	–	1	–	–	1	–	–
Not Specified	1060	300	74	96	97	46	26	13	54	31	25	41	16

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	3	2	2	2	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	4	14	9	12	20	19	25	29	46	32	18	7	2	–	1	1
Paralysis	4	5	7	10	16	24	41	67	77	86	43	20	8	2	–	–
Delirium Tremens	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	2	4	2	1	–	3	2	1	–	2	–	–	–	–	–	1
Tetanus	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Insanity	1	1	1	3	1	1	4	–	1	–	–	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	10	3	8	6	9	9	8	5	7	4	–	–	–	–	–
Pericarditis	1	4	–	1	–	2	–	–	5	4	–	–	–	–	–	–
Aneurism	–	3	–	1	2	1	1	1	–	2	–	–	–	–	–	–
Heart Disease	18	23	19	33	43	35	53	61	74	56	21	10	2	–	1	2
Laryngitis	2	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	8	6	9	14	9	38	60	45	60	69	45	17	2	1	–	3
Pleurisy	1	2	6	2	4	5	11	12	6	11	–	–	–	–	–	–
Pneumonia	5	7	8	7	13	20	14	19	16	16	7	7	1	–	–	1
Asthma	2	1	1	6	12	7	19	18	23	19	16	3	–	–	–	–
Lung Disease	5	3	1	6	2	9	10	9	6	4	1	–	–	1	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Gastritis	1	2	–	1	5	1	3	3	3	2	1	4	–	–	–	–
Enteritis	3	3	10	2	6	4	5	6	7	9	4	–	–	–	–	–
Peritonitis	9	3	5	1	2	2	8	1	7	1	–	–	–	–	–	–
Ascites	–	–	1	6	4	4	5	1	3	3	1	–	1	–	–	–
Ulceration of Intestines	2	9	5	4	3	5	2	3	3	–	2	1	–	–	–	–
Hernia	–	–	–	–	2	–	2	3	–	6	3	–	–	–	–	–
Ileus	3	1	3	3	2	6	8	4	9	1	4	–	2	–	–	–
Intussusception	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
Stomach Disease	6	3	8	11	15	10	20	19	26	19	8	3	1	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	3	1	1	2	1	4	2	5	1	1	–	–	–	–	–
Jaundice	3	–	2	5	2	–	5	4	7	6	6	–	–	–	–	–
Liver Disease	7	4	4	10	11	16	12	21	13	5	3	–	–	–	–	–
Spleen Disease	–	2	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Nephritis	2	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
Nephria	3	1	–	2	2	5	2	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Diabetes	–	2	3	1	–	1	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	2	1	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	2	2	2	2	2	1	6	8	5	8	–	1	1	–	–	–
Paramenia	–	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	3	3	6	5	2	4	2	4	–	–	–	–	–	–	–
Childbirth	34	34	24	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	11	–	10	8	6	2	1	1	–	–	–	–	–	–	–
Arthritis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	3	1	3	5	8	5	6	2	3	–	–	–	–	–
Joint Disease	2	–	1	–	1	–	–	2	1	1	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	4	2	1	3	1	1	1	1	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	3	–	–	1	1	1	2	–	–	–	–	–	1
Poison	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	–	1	2	1	3	5	4	4	5	3	1	–	–	–
Hanging, etc.	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Drowning	1	2	1	3	–	–	2	2	1	2	–	–	–	–	–	1
Fracture and Contusion	1	1	1	2	1	4	5	5	4	6	8	5	2	1	–	–
Wounds	–	1	3	1	2	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Not Specified	19	21	21	31	41	55	43	–	–	–	–	–	–	–	–	10

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	28122	2634	938	2223	3162	1710	1035	810	1632	599	885	1034	958
Specified Causes	27252	2324	844	2138	3095	1653	1010	797	1592	587	871	1020	940
I. Zymotic Class	7435	291	250	874	1528	994	633	512	819	176	134	158	146
II. Diseases of Uncertain Seat	982	13	7	11	18	20	21	17	[illegible]	14	20	23	20
III. Tubercular Class	5083	56	119	333	466	268	150	114	341	290	473	519	415
IV. Brain and Nervous System	2354	218	71	116	125	58	42	37	111	51	49	51	55
V. Organs of Circulation	1088	11	1	3	3	3	3	8	20	24	36	39	56
VI. Respiratory Organs	3369	135	182	387	417	178	100	65	117	33	40	71	68
VII. Organs of Digestion	2105	178	99	319	412	73	27	17	54	29	29	51	52
VIII. Urinary Organs	308	1	1	–	2	7	3	4	13	6	12	17	15
IX. Organs of Generation	229	–	–	–	–	–	–	–	–	2	12	22	50
X. Organs of Locomotion	96	–	–	–	1	–	3	4	10	11	6	16	1
XI. Skin, etc.	32	6	2	3	4	2	–	–	1	–	–	–	–
XII. Malformation	73	66	2	5	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	1445	1291	86	68	–	–	–	–	–	–	–	–	–
XIV. Atrophy	241	–	–	–	87	24	8	5	17	6	3	3	5
XV. Age	1524	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	40	9	6	2	2	–	–	2	–	–	–	3	–
XVII. Violent Deaths	848	49	18	17	30	26	20	12	45	35	57	47	57
I. Small Pox	498	21	30	72	91	75	40	28	40	10	14	25	22
Measles	464	10	6	70	180	90	48	32	25	1	–	–	–
Scarlatina	1838	6	19	109	315	358	246	247	409	71	25	13	8
Diphtheria	121	2	3	11	30	24	11	18	11	2	2	1	–
Hooping Cough	1752	71	98	416	573	244	152	88	108	1	1	–	–
Croup	383	16	17	35	106	89	55	39	25	1	–	–	–
Thrush	15	8	1	4	1	–	1	–	–	–	–	–	–
Diarrhœa	652	93	49	94	116	37	12	13	14	4	4	4	10
Dysentery	218	3	4	11	25	7	4	4	2	4	3	6	5
Cholera	61	4	1	7	4	1	3	2	7	–	–	3	3
Influenza	43	1	1	2	7	–	–	–	2	1	–	–	1
Purpura	15	2	–	2	2	1	–	–	2	1	–	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	11	–	–	–	1	1	2	3	4	–	–	–	–
Infantile Fever	32	2	1	10	7	4	2	2	4	–	–	–	–
Typhus	1043	2	3	19	63	56	52	36	160	72	75	80	57
Metria	77	–	–	–	–	–	–	–	–	–	2	14	28
Rheumatic Fever	21	–	–	–	–	–	–	–	2	3	–	–	1
Erysipelas	126	29	6	2	3	3	3	–	3	5	8	7	9
Syphilis	60	21	11	10	3	3	1	–	–	–	–	4	1
Noma	4	–	–	–	1	1	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	44	5	1	1	–	1	–	–	1	–	3	2	1
Dropsy	395	1	2	3	11	12	19	14	32	9	9	10	7
Abscess	56	3	2	5	2	4	1	2	5	3	3	3	4
Ulcer	6	–	–	–	–	1	–	–	–	–	–	–	1
Fistula	9	–	–	–	–	–	–	–	–	–	1	2	2
Mortification	70	3	1	1	5	2	–	1	3	2	1	4	1
Cancer	399	1	1	1	–	–	1	–	3	–	3	2	4
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	203	2	6	22	11	6	7	5	26	27	25	14	8
Tabes Mesenterica	321	25	17	40	76	42	21	12	40	15	15	5	6
Phthisis	3586	2	27	53	112	94	50	42	154	144	432	498	400
Hydrocephalus	973	27	69	218	267	126	72	55	121	14	1	2	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	978	952	914	883	922	969	1039	991	1000	844	596	243	89	43	5	34
SPECIFIED CAUSES .	962	938	890	868	907	959	1012	991	1000	844	596	243	89	43	5	34
Zymotic Class . .	103	113	81	86	85	72	101	87	81	57	37	7	8	1	–	1
Uncertain Seat . .	43	46	64	83	84	80	111	83	77	47	26	7	2	1	–	–
Tubercular Class . .	406	315	251	211	154	142	80	41	17	9	1	2	–	–	–	–
Brain, etc. . . .	78	91	94	112	107	150	178	157	184	122	73	19	1	3	–	1
Heart, etc. . . .	65	79	88	72	98	102	109	108	70	67	19	3	1	–	–	–
Respiratory Organs .	87	91	131	132	183	201	208	205	165	106	49	11	5	1	–	1
Digestive Organs . .	46	68	73	83	89	98	79	88	72	44	19	6	–	–	–	–
Urinary Organs . .	20	19	19	17	15	28	22	22	25	24	15	–	1	–	–	–
Generative Organs .	43	44	19	9	11	6	6	1	1	2	1	–	–	–	–	–
Locomotive Organs .	7	3	5	5	5	4	3	2	3	4	3	–	–	–	–	–
Skin	1	2	1	–	3	2	–	3	1	–	1	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	5	6	6	10	24	30	2	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	72	175	284	351	344	187	68	36	5	2
Sudden Deaths . .	–	1	1	2	2	3	6	–	–	1	–	–	–	–	–	–
Violent Deaths . .	58	60	57	46	47	41	35	19	20	10	8	1	3	1	–	29
Small Pox . . .	10	9	5	1	1	2	1	1	–	–	–	–	–	–	–	–
Measles . . .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	7	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	1	–	–	3	1	–	–	–	–	1	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	10	23	9	9	15	8	24	26	30	26	14	2	6	–	–	–
Dysentery . . .	8	9	4	8	12	14	24	17	21	9	9	3	1	–	–	1
Cholera . . .	2	3	2	5	4	5	4	–	–	1	–	–	–	–	–	–
Influenza . . .	–	1	1	1	2	1	3	3	6	5	4	1	–	–	–	–
Purpura . . .	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	46	45	51	41	34	40	32	18	12	6	1	1	–	–	–
Metria	17	10	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	1	4	1	2	1	–	3	2	–	1	–	–	–	–	–	–
Erysipelas . . .	4	5	4	3	7	6	1	6	6	2	3	–	–	1	–	–
Syphilis	1	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	7	3	6	4	1	–	3	2	2	1	–	–	–	–	–	–
Dropsy	14	12	17	28	24	31	35	30	34	23	14	4	–	–	–	–
Abscess . . .	6	2	–	1	2	2	3	2	1	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Mortification . .	2	2	1	–	4	2	2	8	9	7	5	1	2	1	–	–
Cancer	14	27	40	48	51	44	66	37	31	16	7	2	–	–	–	–
Gout	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Scrofula . . .	10	6	6	6	5	4	3	1	3	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	3	1	1	1	–	–	1	–	–	–	–	–	–	–
Phthisis . . .	396	309	242	204	148	137	77	40	13	9	1	2	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	157	–	8	16	22	8	6	11	23	11	9	9	4
Apoplexy	547	2	8	5	12	2	5	3	17	9	8	7	6
Paralysis	563	–	1	–	–	1	–	–	4	–	4	5	10
Delirium Tremens	27	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	94	–	–	–	–	–	–	–	4	7	8	16	9
Tetanus	23	6	–	1	–	–	–	–	2	4	1	1	1
Insanity	29	–	–	–	–	–	–	–	–	–	–	–	5
Convulsions	484	205	45	78	76	34	16	12	15	1	–	–	–
Brain Disease	430	5	9	16	15	13	15	11	46	19	19	13	18
V. Pericarditis	30	2	–	–	–	1	2	2	6	–	2	1	2
Aneurism	38	–	–	–	–	–	–	–	–	–	–	–	5
Heart Disease	1020	9	1	3	3	2	1	6	14	24	34	38	49
VI. Laryngitis	76	2	5	14	13	7	4	–	5	1	–	1	–
Bronchitis	1742	77	106	226	230	78	49	30	51	13	12	20	18
Pleurisy	90	–	4	2	4	3	1	1	5	3	3	9	6
Pneumonia	1025	54	64	142	157	85	41	33	47	13	22	32	33
Asthma	269	–	–	–	–	1	1	–	–	1	–	3	5
Lung Disease	167	2	3	3	13	4	4	1	9	2	3	6	6
VII. Teething	631	1	26	252	314	33	5	–	–	–	–	–	–
Quinsey	37	6	5	2	9	3	2	1	3	–	–	–	1
Gastritis	61	1	–	1	6	1	–	1	5	1	2	2	2
Enteritis	405	100	37	39	55	14	8	8	18	9	9	7	14
Peritonitis	110	2	3	–	3	1	3	1	6	10	4	13	11
Ascites	33	–	–	–	1	–	1	1	3	1	2	3	1
Ulceration of Intestines	57	–	–	1	–	2	–	2	3	1	1	4	3
Hernia	27	1	1	–	–	–	–	–	–	–	–	1	1
Ileus	73	6	3	2	2	2	–	–	–	1	3	–	2
Intussusception	16	1	2	1	–	–	–	–	1	–	1	–	1
Stricture of Intestines	17	1	1	–	–	–	–	–	–	–	–	1	–
Stomach Disease	294	29	13	19	20	9	2	3	10	1	3	9	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	62	4	3	1	–	1	2	–	–	1	–	7	1
Jaundice	81	25	3	–	2	3	3	–	–	–	1	1	4
Liver Disease	198	1	2	1	–	4	1	–	5	4	3	3	5
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	9	–	–	–	1	–	1	–	3	–	1	–	1
Nephria	77	–	–	–	–	1	–	2	4	3	4	4	9
Ischuria	14	1	–	–	–	1	–	–	–	–	–	1	–
Diabetes	26	–	–	–	–	–	1	–	1	–	3	3	–
Stone	14	–	–	–	–	–	–	–	1	–	2	–	1
Cystitis	22	–	–	–	–	1	–	–	–	–	–	1	–
Stricture of Urethra	4	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	142	–	–	–	1	4	1	2	4	3	2	8	4
IX. Paramenia	7	–	–	–	–	–	–	–	–	2	3	1	–
Ovarian Dropsy	22	–	–	–	–	–	–	–	–	–	–	3	2
Childbirth	158	–	–	–	–	–	–	–	–	–	8	17	46
Organs of Generation	42	–	–	–	–	–	–	–	–	–	1	1	2
X. Arthritis	6	–	–	–	–	–	1	–	1	1	–	–	–
Rheumatism	29	–	–	–	–	–	–	–	1	–	1	4	–
Joint and Bone Disease	61	–	–	–	1	–	2	4	8	10	5	12	1
XI. Carbuncle	11	–	1	–	–	1	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	20	6	1	3	4	1	–	–	1	–	–	–	–
XII. Cyanosis	23	23	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	19	15	1	3	–	–	–	–	–	–	–	–	–
Other Malformations	31	28	1	2	–	–	–	–	–	–	–	–	–
XVII. Intemperance	51	–	–	–	–	–	–	–	–	–	–	–	8
Privation	4	–	–	1	1	1	–	–	–	–	–	–	–
Want of Breast Milk	36	24	5	6	1	–	–	–	–	–	–	–	–
Neglect	5	2	2	1	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	1	1	1
Poison	28	4	–	1	–	1	1	–	–	–	1	2	3
Burns and Scalds	132	–	1	6	22	13	14	7	21	3	5	5	5
Hanging, etc.	29	–	–	–	–	–	–	–	–	1	2	–	–
Suffocation	46	13	10	1	1	2	–	–	1	1	2	–	–
Drowning	118	–	–	–	2	5	–	1	8	12	9	7	13
Fracture and Contusion	303	2	–	1	2	4	5	4	13	13	30	26	22
Wounds	35	–	–	–	1	–	–	–	1	3	3	2	3
Other Violent Causes	57	4	–	–	–	–	–	–	1	2	4	4	2
Not Specified	870	310	94	85	67	57	25	13	40	12	14	14	18

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	7	6	4	2	2	–	3	–	–	–	–	–	–	–	–
Apoplexy	25	15	31	39	39	60	71	53	71	29	19	9	–	1	–	1
Paralysis	10	16	16	24	38	48	79	74	96	79	45	10	1	2	–	–
Delirium Tremens	6	8	4	3	2	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	11	3	6	2	4	2	5	4	4	1	–	–	–	–	–
Tetanus	2	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	3	3	5	2	4	1	4	1	1	–	–	–	–	–	–
Convulsions	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	21	29	30	29	21	31	24	18	12	8	8	–	–	–	–	–
Pericarditis	1	4	2	2	–	1	–	1	1	–	–	–	–	–	–	–
Aneurism	2	8	2	1	7	7	5	–	1	–	–	–	–	–	–	–
Heart Disease	62	67	84	69	91	94	104	107	68	67	19	3	1	–	–	–
Laryngitis	3	4	2	2	3	4	2	2	1	1	–	–	–	–	–	–
Bronchitis	29	32	54	54	95	107	104	26	102	75	39	9	4	1	–	1
Pleurisy	3	4	3	3	9	3	6	8	7	3	–	–	–	–	–	–
Pneumonia	35	28	38	32	34	38	32	24	25	8	6	1	1	–	–	–
Asthma	7	10	19	27	31	36	52	34	20	17	4	1	–	–	–	–
Lung Disease	10	13	15	14	11	13	12	11	10	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
Gastritis	2	4	2	5	4	6	4	5	3	2	1	1	–	–	–	–
Enteritis	9	11	13	14	10	7	4	12	4	1	2	–	–	–	–	–
Peritonitis	7	10	7	4	4	5	5	4	1	6	–	–	–	–	–	–
Ascites	2	–	–	4	1	2	2	1	5	2	1	–	–	–	–	–
Ulceration of Intestines	4	5	2	3	6	5	2	6	5	2	–	–	–	–	–	–
Hernia	–	1	2	–	2	3	4	3	3	1	4	–	–	–	–	–
Ileus	3	6	4	2	5	6	4	5	9	5	2	1	–	–	–	–
Intussusception	–	1	1	3	1	2	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	1	1	3	1	3	1	3	–	–	–	–	–	–	–
Stomach Disease	9	10	17	14	15	22	21	27	19	10	6	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	7	4	4	6	6	5	5	3	1	–	–	–	–	–	–
Jaundice	3	1	3	2	5	4	7	4	3	5	1	1	–	–	–	–
Liver Disease	4	12	16	26	26	29	16	14	14	8	2	2	–	–	–	–
Spleen Disease	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	10	8	3	4	8	5	4	5	3	–	–	–	–	–	–	–
Ischuria	2	–	–	2	–	1	–	–	1	4	1	–	–	–	–	–
Diabetes	4	4	2	1	2	1	–	2	2	–	–	–	–	–	–	–
Stone	–	1	1	–	–	2	–	1	3	–	2	–	–	–	–	–
Cystitis	–	3	–	1	1	2	3	2	2	5	1	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	4	3	12	8	4	15	15	11	14	15	11	–	1	–	–	–
Paramenia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	2	1	1	3	2	3	–	–	1	1	–	–	–	–	–
Childbirth	33	37	13	4	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	7	5	5	4	7	4	3	1	1	1	–	–	–	–	–	–
Arthritis	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	1	1	3	2	1	2	2	2	4	1	–	–	–	–	–
Joint Disease	3	2	4	2	2	1	1	–	1	–	2	–	–	–	–	–
Carbuncle	–	2	1	–	2	1	–	1	1	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	8	7	6	8	2	8	1	1	–	–	–	–	–	–	1
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	5	3	2	3	–	–	–	2	–	–	–	–	–	–	–
Burns and Scalds	1	3	2	1	1	3	1	3	6	1	5	–	2	–	–	1
Hanging, etc.	7	3	1	2	2	5	4	2	–	–	–	–	–	–	–	–
Suffocation	1	1	2	2	2	1	2	–	1	1	–	–	–	–	–	2
Drowning	10	11	11	6	6	2	8	1	1	–	–	–	–	–	–	5
Fracture and Contusion	28	25	25	18	21	22	10	11	9	7	2	–	1	1	–	1
Wounds	6	1	3	5	4	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	2	3	3	–	4	1	1	–	1	1	1	–	–	–	19
Not Specified	16	14	24	15	15	10	27	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	14019	1500	527	1171	1629	876	515	391	839	302	460	521	435
SPECIFIED CAUSES	13525	1306	473	1126	1594	846	502	383	818	296	454	515	426
I. Zymotic Class	3606	167	123	433	769	494	302	243	382	77	58	74	57
II. Diseases of Uncertain Seat	368	6	3	6	10	12	13	11	29	6	10	11	8
III. Tubercular Class	2570	31	69	185	255	145	74	52	183	100	235	257	197
IV. Brain and Nervous System	1285	119	47	61	73	32	21	21	67	29	32	28	30
V. Organs of Circulation	528	2	1	2	2	3	1	4	11	9	18	18	23
VI. Respiratory Organs	1728	87	103	218	217	85	53	28	66	13	23	42	37
VII. Organs of Digestion	1083	105	61	178	215	34	16	5	27	17	16	26	25
VIII. Urinary Organs	214	1	1	–	2	6	1	4	10	3	10	12	3
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	65	–	–	–	–	–	3	2	8	7	4	10	–
XI. Skin, etc.	16	3	1	2	2	1	–	–	1	–	–	–	–
XII. Malformation	43	40	1	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	800	716	53	31	–	–	–	–	–	–	–	–	–
XIV. Atrophy	107	–	–	–	34	16	3	5	10	5	3	1	1
XV. Age	510	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	21	4	2	–	1	–	–	1	–	–	–	2	–
XVII. Violent Deaths	580	25	8	8	14	18	15	7	24	30	45	34	44
I. Small Pox	251	10	11	38	44	38	19	16	15	5	9	14	14
Measles	235	8	2	42	91	49	23	10	10	–	–	–	–
Scarlatina	903	4	12	54	164	180	117	130	187	34	12	3	2
Diphtheria	59	1	1	4	17	11	5	10	4	2	–	1	–
Hooping Cough	806	38	47	193	274	108	69	30	46	1	–	–	–
Croup	200	11	10	20	57	47	30	14	11	–	–	–	–
Thrush	7	4	1	2	–	–	–	–	–	–	–	–	–
Diarrhœa	343	57	26	51	62	23	7	7	7	3	1	2	3
Dysentery	103	3	2	1	15	2	3	4	2	2	2	4	3
Cholera	36	2	1	3	2	1	–	2	5	–	–	2	3
Influenza	15	1	1	1	3	–	–	–	1	1	–	–	–
Purpura	9	2	–	1	1	–	–	–	1	1	–	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	7	–	–	–	1	1	1	2	2	–	–	–	–
Infantile Fever	13	1	–	3	5	2	1	–	1	–	–	–	–
Typhus	502	1	1	13	29	28	24	18	86	22	32	44	24
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	11	–	–	–	–	–	–	–	2	2	–	–	–
Erysipelas	73	15	2	1	2	1	1	–	1	4	2	3	6
Syphilis	28	9	6	6	1	2	1	–	–	–	–	–	1
Noma	4	–	–	–	1	1	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	19	1	–	1	–	–	–	–	–	–	–	1	–
Dropsy	166	1	2	1	8	9	12	10	20	2	7	2	3
Abscess	26	1	1	3	2	2	–	1	4	2	1	1	1
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	2	–
Mortification	39	3	–	–	–	1	–	–	3	2	–	4	1
Cancer	108	–	–	1	–	–	1	–	2	–	2	1	3
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	117	–	3	10	6	4	4	4	17	18	15	8	4
Tabes Mesenterica	173	11	8	28	49	22	11	4	22	7	5	1	2
Phthisis	1743	1	15	21	53	50	26	19	81	66	214	246	191
Hydrocephalus	537	19	43	126	147	69	33	25	63	9	1	2	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	460	438	458	477	443	500	477	459	440	334	240	77	22	8	1	19
SPECIFIED CAUSES	450	433	446	467	432	496	462	459	440	334	240	77	22	8	1	19
Zymotic Class	31	47	40	55	46	31	51	40	35	30	16	1	3	–	–	1
Uncertain Seat	16	13	12	23	25	22	38	34	30	16	9	4	–	1	–	–
Tubercular Class	191	136	120	110	79	74	39	25	8	4	–	1	–	–	–	–
Brain, etc.	50	57	59	66	52	91	83	83	88	50	37	7	–	1	–	1
Heart, etc.	28	36	45	40	47	57	50	54	35	31	9	2	–	–	–	–
Respiratory Organs	43	43	76	74	91	107	96	93	69	41	18	3	2	–	–	–
Digestive Organs	28	32	34	43	40	49	38	34	33	16	10	1	–	–	–	–
Urinary Organs	10	13	11	12	8	19	17	16	21	20	13	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	3	5	4	5	2	3	–	2	3	2	–	–	–	–	–
Skin	–	1	–	–	1	1	–	1	1	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	5	2	2	6	10	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	19	68	104	116	124	58	15	5	1	–
Sudden Deaths	–	–	–	2	2	2	4	–	–	1	–	–	–	–	–	–
Violent Deaths	48	47	42	36	30	31	23	11	14	6	1	–	1	1	–	17
Small Pox	5	5	3	1	1	2	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	7	5	5	8	2	12	18	10	14	7	–	2	–	–	–
Dysentery	3	2	1	3	8	5	11	9	11	3	3	–	–	–	–	1
Cholera	1	2	1	4	1	3	3	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	1	1	–	3	1	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	21	25	34	22	12	21	11	7	9	3	1	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	3	–	2	–	–	1	–	–	1	–	–	–	–	–	–
Erysipelas	3	5	3	3	5	5	1	2	4	2	2	–	–	–	–	–
Syphilis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	1	4	1	1	–	1	2	2	–	–	–	–	–	–	–
Dropsy	7	4	3	6	9	8	14	10	12	9	5	2	–	–	–	–
Abscess	2	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	2	1	–	3	–	2	5	4	1	3	1	–	1	–	–
Cancer	1	6	4	15	11	12	17	13	11	6	1	1	–	–	–	–
Gout	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Scrofula	5	2	3	4	4	2	1	1	2	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Phthisis	186	134	116	106	74	72	38	24	5	4	–	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	ALL AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	92	–	5	9	13	5	4	7	16	5	4	7	–
Apoplexy	294	2	4	2	7	–	–	1	8	7	5	2	3
Paralysis	265	–	1	–	–	1	–	–	4	–	3	4	6
Delirium Tremens	21	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	49	–	–	–	–	–	–	–	2	4	4	7	5
Tetanus	19	6	–	1	–	–	–	–	–	3	1	1	1
Insanity	14	–	–	–	–	–	–	–	–	–	–	–	3
Convulsions	280	107	30	44	50	21	11	7	9	–	–	–	–
Brain Disease	251	4	7	5	3	5	6	6	28	10	15	7	10
V. Pericarditis	15	–	–	–	–	1	1	–	5	–	2	1	1
Aneurism	29	–	–	–	–	–	–	–	–	–	–	–	3
Heart Disease	484	2	1	2	2	2	–	4	6	9	16	17	19
VI. Laryngitis	34	–	3	7	6	4	1	–	1	–	–	1	–
Bronchitis	854	52	55	123	129	38	27	16	29	7	7	9	5
Pleurisy	51	–	2	1	–	2	1	–	3	1	2	7	3
Pneumonia	585	33	41	85	76	38	20	12	27	4	11	19	23
Asthma	121	–	–	–	–	–	1	–	–	–	–	2	4
Lung Disease	83	2	2	2	6	3	3	–	6	1	3	4	2
VII. Teething	333	1	14	140	162	14	2	–	–	–	–	–	–
Quinsey	20	3	3	1	5	2	1	–	2	–	–	–	–
Gastritis	29	1	–	–	2	–	–	1	3	1	1	1	2
Enteritis	209	57	23	24	29	5	6	1	9	6	6	4	6
Peritonitis	53	1	2	–	2	1	1	1	3	5	3	6	3
Ascites	14	–	–	–	–	–	1	–	2	1	–	1	1
Ulceration of Intestines	26	–	–	1	–	1	–	–	2	–	–	3	2
Hernia	11	1	1	–	–	–	–	–	–	–	–	1	1
Ileus	38	6	2	–	1	2	–	–	–	1	1	–	–
Intussusception	9	–	1	–	–	–	–	–	–	–	1	–	1
Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	143	14	10	10	13	4	1	2	2	1	–	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	37	3	2	1	–	1	2	–	–	1	–	6	1
Jaundice	40	17	3	–	1	–	1	–	–	–	1	–	1
Liver Disease	111	1	–	1	–	4	1	–	4	1	3	2	4
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	9	–	–	–	1	–	1	–	3	–	1	–	1
Nephria	47	–	–	–	–	1	–	2	4	3	3	3	–
Ischuria	12	1	–	–	–	1	–	–	–	–	–	1	–
Diabetes	16	–	–	–	–	–	–	–	1	–	3	2	–
Stone	12	–	–	–	–	–	–	–	1	–	1	–	1
Cystitis	15	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	4	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	99	–	–	–	1	4	–	2	1	–	2	5	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	4	–	–	–	–	–	1	–	–	1	–	–	–
Rheumatism	18	–	–	–	–	–	–	–	1	–	–	2	–
Joint and Bone Disease	43	–	–	–	–	–	2	2	7	6	4	8	–
XI. Carbuncle	6	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	3	–	2	2	1	–	–	1	–	–	–	–
XII. Cyanosis	15	15	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	8	7	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	20	18	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	31	–	–	–	–	–	–	–	–	–	–	–	6
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	16	13	1	1	1	–	–	–	–	–	–	–	–
Neglect	4	1	2	1	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	1	–
Poison	13	1	–	1	–	1	–	–	–	–	–	1	1
Burns and Scalds	66	–	1	4	10	9	12	5	5	2	4	4	2
Hanging, etc.	18	–	–	–	–	–	–	–	–	1	1	–	–
Suffocation	24	6	4	–	–	1	–	–	1	–	1	–	–
Drowning	98	–	–	–	1	4	–	–	8	12	8	5	9
Fracture and Contusion	240	2	–	1	1	3	3	2	8	11	24	19	21
Wounds	27	–	–	–	1	–	–	–	1	2	3	1	3
Other Violent Causes	41	2	–	–	–	–	–	–	1	2	4	3	2
Not Specified	494	194	54	45	35	30	13	8	21	6	6	6	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	5	2	2	1	2	–	1	–	–	–	–	–	–	–	–
Apoplexy	14	12	21	13	20	36	38	30	41	14	10	3	–	–	–	1
Paralysis	8	9	10	16	15	27	31	37	37	29	22	4	–	1	–	–
Delirium Tremens	5	6	3	3	2	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	5	1	6	2	2	–	1	2	1	1	–	–	–	–	–
Tetanus	1	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	2	1	3	–	–	1	3	–	1	–	–	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	17	20	21	11	24	13	11	8	4	4	–	–	–	–	–
Pericarditis	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	1	7	2	1	7	5	2	–	1	–	–	–	–	–	–	–
Heart Disease	27	28	41	39	40	52	48	53	34	31	9	2	–	–	–	–
Laryngitis	1	3	–	1	–	3	1	1	–	1	–	–	–	–	–	–
Bronchitis	9	14	26	27	41	58	46	52	38	27	15	2	2	–	–	–
Pleurisy	1	2	–	1	9	1	5	5	3	2	–	–	–	–	–	–
Pneumonia	26	18	29	24	25	21	18	15	15	3	1	1	–	–	–	–
Asthma	4	2	11	14	9	18	22	15	10	7	2	–	–	–	–	–
Lung Disease	2	4	10	7	7	6	4	5	3	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Gastritis	1	1	–	4	1	3	3	2	2	–	–	–	–	–	–	–
Enteritis	4	3	2	6	3	3	2	5	2	1	2	–	–	–	–	–
Peritonitis	3	6	3	1	2	2	4	1	1	2	–	–	–	–	–	–
Ascites	1	–	–	3	–	1	–	–	3	–	–	–	–	–	–	–
Ulceration of Intestines	3	3	2	–	1	5	1	2	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	1	1	1	3	–	–	–	–	–
Ileus	1	3	3	1	2	3	2	2	5	3	–	–	–	–	–	–
Intussusception	–	–	1	3	–	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	1	1	2	–	2	–	1	–	–	–	–	–	–	–
Stomach Disease	7	2	7	8	9	10	12	13	7	5	3	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	6	1	2	1	2	2	2	3	–	–	–	–	–	–	–
Jaundice	2	1	3	1	2	–	3	–	2	1	1	–	–	–	–	–
Liver Disease	3	7	11	13	16	19	5	5	6	3	1	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	5	4	3	2	4	5	3	2	3	–	–	–	–	–	–	–
Ischuria	1	–	–	2	–	–	–	–	1	4	1	–	–	–	–	–
Diabetes	3	3	–	–	2	–	–	–	2	–	–	–	–	–	–	–
Stone	–	1	1	–	–	1	–	1	3	–	2	–	–	–	–	–
Cystitis	–	3	–	1	1	–	2	2	1	4	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	1	2	6	6	1	11	12	10	11	12	10	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	1	2	2	1	2	–	1	3	–	–	–	–	–	–
Joint Disease	–	2	4	2	2	–	1	–	1	–	2	–	–	–	–	–
Carbuncle	–	1	–	–	1	–	–	1	1	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	3	3	3	3	2	7	1	1	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	3	1	1	1	–	–	–	2	–	–	–	–	–	–	–
Burns and Scalds	1	2	1	–	–	–	–	1	2	–	1	–	–	–	–	–
Hanging, etc.	4	1	1	1	2	4	3	–	–	–	–	–	–	–	–	–
Suffocation	–	1	1	2	1	1	2	–	1	1	–	–	–	–	–	1
Drowning	10	10	10	6	4	1	5	1	1	–	–	–	–	–	–	3
Fracture and Contusion	25	23	21	16	17	17	5	7	7	4	–	–	1	1	–	1
Wounds	4	1	2	4	2	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	2	2	3	–	4	–	1	–	1	–	–	–	–	–	11
Not Specified	10	5	12	10	11	4	15	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	14103	1134	411	1052	1533	834	520	419	793	297	425	513	523
SPECIFIED CAUSES . . .	13727	1018	371	1012	1501	807	508	414	774	291	417	505	514
I. Zymotic Class	3829	124	127	441	759	500	331	269	437	99	76	84	89
II. Diseases of Uncertain Seat	614	7	4	5	8	8	8	6	15	8	10	12	12
III. Tubercular Class . .	2513	25	50	148	211	123	76	62	158	100	238	262	218
IV. Brain and Nervous System	1069	99	24	55	52	26	21	16	44	22	17	23	25
V. Organs of Circulation .	560	9	–	1	1	–	2	4	9	15	18	21	33
VI. Respiratory Organs .	1641	48	79	169	200	93	47	37	51	20	17	29	31
VII. Organs of Digestion .	1022	73	38	141	197	39	11	12	27	12	13	25	27
VIII. Urinary Organs . .	94	–	–	–	–	1	2	–	3	3	2	5	12
IX. Organs of Generation .	228	–	–	–	–	–	–	–	–	2	12	22	49
X. Organs of Locomotion .	31	–	–	–	1	–	–	2	2	4	2	6	1
XI. Skin, etc.	16	3	1	1	2	1	–	–	–	–	–	–	–
XII. Malformation . . .	30	26	1	3	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	645	575	33	37	–	–	–	–	–	–	–	–	–
XIV. Atrophy	134	–	–	–	53	8	5	–	7	1	–	2	4
XV. Age	1014	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . . .	19	5	4	2	1	–	–	1	–	–	–	1	–
XVII. Violent Deaths . . .	268	24	10	9	16	8	5	5	21	5	12	13	13
I. Small Pox	247	11	19	34	47	37	21	12	25	5	5	11	8
Measles	229	2	4	28	89	41	25	22	15	1	–	–	–
Scarlatina	935	2	7	55	151	178	129	117	222	37	13	10	6
Diphtheria	62	1	2	7	13	13	6	8	7	–	2	–	–
Hooping Cough . . .	946	33	51	223	299	136	83	58	62	–	1	–	–
Croup	183	5	7	15	49	42	25	25	14	1	–	–	–
Thrush	8	4	–	2	1	–	1	–	–	–	–	–	–
Diarrhœa	309	36	23	43	54	14	5	6	7	1	3	2	7
Dysentery	115	–	2	10	10	5	1	–	–	2	1	2	2
Cholera	25	2	–	4	2	–	3	–	2	–	–	1	–
Influenza	28	–	–	1	4	–	–	–	1	–	–	–	1
Purpura	6	–	–	1	1	1	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	–	1	1	2	–	–	–	–
Infantile Fever	19	1	1	7	2	2	1	2	3	–	–	–	–
Typhus	541	1	2	6	34	28	28	18	74	50	43	36	33
Metria	77	–	–	–	–	–	–	–	–	–	2	14	28
Rheumatic Fever . .	10	–	–	–	–	–	–	–	–	1	–	–	1
Erysipelas.	53	14	4	1	1	2	2	–	2	1	6	4	3
Syphilis	32	12	5	4	2	1	–	–	–	–	–	4	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	25	4	1	–	–	1	–	–	1	–	3	1	1
Dropsy	229	–	–	2	3	3	7	4	12	7	2	8	4
Abscess	30	2	1	2	–	2	1	1	1	1	2	2	3
Ulcer	3	–	–	–	–	1	–	–	–	–	–	–	1
Fistula	5	–	–	–	–	–	–	–	–	–	1	–	2
Mortification	31	–	1	1	5	1	–	1	–	–	1	–	–
Cancer	291	1	1	–	–	–	–	–	1	–	1	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	86	2	3	12	5	2	3	1	9	9	10	6	4
Tabes Mesenterica . .	148	14	9	12	27	20	10	8	18	8	10	4	4
Phthisis	1843	1	12	32	59	44	24	23	73	78	218	252	209
Hydrocephalus . . .	436	8	26	92	120	57	39	30	58	5	–	–	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	518	514	456	406	479	469	562	532	560	510	356	166	67	35	4	15
SPECIFIED CAUSES .	512	505	444	401	475	463	550	532	560	510	356	166	67	35	4	15
Zymotic Class . .	72	66	41	31	39	41	50	47	46	27	21	6	5	1	–	–
Uncertain Seat . .	27	33	52	60	59	58	73	49	47	31	17	3	2	–	–	–
Tubercular Class . .	215	179	131	101	75	68	41	16	9	5	1	1	–	–	–	–
Brain, etc. . . .	28	34	35	46	55	59	95	74	96	72	36	12	1	2	–	–
Heart, etc. . . .	37	43	43	32	51	45	59	54	35	36	10	1	1	–	–	–
Respiratory Organs .	44	48	55	58	92	94	112	112	96	65	31	8	3	1	–	1
Digestive Organs . .	18	36	39	40	49	49	41	54	39	28	9	5	–	–	–	–
Urinary Organs . .	10	6	8	5	7	9	5	6	4	4	2	–	–	–	–	–
Generative Organs .	43	44	19	9	11	6	6	1	1	2	1	–	–	–	–	–
Locomotive Organs .	5	–	–	1	–	2	–	2	1	1	1	–	–	–	–	–
Skin	1	1	1	–	2	1	–	2	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	2	1	4	8	18	20	1	–	–	–	–	–	–		–	–
Age	–	–	–	–	–	–	53	107	180	235	220	129	53	31	4	2
Sudden Deaths . .	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Violent Deaths . .	10	13	15	10	17	10	12	8	6	4	7	1	2	–	–	12
Small Pox . . .	5	4	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles . . .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	6	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	6	16	4	4	7	6	12	8	20	12	7	2	4	–	–	–
Dysentery . . .	5	7	3	5	4	9	13	8	10	6	6	3	1	–	–	–
Cholera	1	1	1	1	3	2	1	–	–	1	–	–	–	–	–	–
Influenza . . .	–	–	1	1	2	–	2	3	3	4	4	1	–	–	–	–
Purpura . . .	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	25	20	17	19	22	19	21	11	3	3	–	–	–	–	–
Metria	17	10	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	1	1	1	–	1	–	2	2	–	–	–	–	–	–	–	–
Erysipelas . . .	1	–	1	–	2	1	–	4	2	–	1	–	–	1	–	–
Syphilis	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . . .	3	2	2	3	–	–	2	–	–	1	–	–	–	–	–	–
Dropsy	7	8	14	22	15	23	21	20	22	14	9	2	–	–	–	–
Abscess	4	2	–	1	2	–	1	2	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Mortification . . .	–	–	–	–	1	2	–	3	5	6	2	–	2	–	–	–
Cancer	13	21	36	33	40	32	49	24	20	10	6	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	5	4	3	2	1	2	2	–	1	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	210	175	126	98	74	65	39	16	8	5	1	1	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	65	–	3	7	9	3	2	4	7	6	5	2	4
Apoplexy	253	–	4	3	5	2	5	2	9	2	3	5	3
Paralysis	298	–	–	–	–	–	–	–	–	–	1	1	4
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	45	–	–	–	–	–	–	–	2	3	4	9	4
Tetanus	4	–	–	–	–	–	–	–	2	1	–	–	–
Insanity	15	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	204	98	15	34	26	13	5	5	6	1	–	–	–
Brain Disease	179	1	2	11	12	8	9	5	18	9	4	6	8
V. Pericarditis	15	2	–	–	–	–	1	2	1	–	–	–	1
Aneurism	9	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	536	7	–	1	1	–	1	2	8	15	18	21	30
VI. Laryngitis	42	2	2	7	7	3	3	–	4	1	–	–	–
Bronchitis	888	25	51	103	101	40	22	14	22	6	5	11	13
Pleurisy	39	–	2	1	4	1	–	1	2	2	1	2	3
Pneumonia	440	21	23	57	81	47	21	21	20	9	11	13	10
Asthma	148	–	–	–	–	1	–	–	–	1	–	1	1
Lung Disease	84	–	1	1	7	1	1	1	3	1	–	2	4
VII. Teething	298	–	12	112	152	19	3	–	–	–	–	–	–
Quinsey	17	3	2	1	4	1	1	1	1	–	–	–	1
Gastritis	32	–	–	1	4	1	–	–	2	–	1	1	–
Enteritis	196	43	14	15	26	9	2	7	9	3	3	3	8
Peritonitis	57	1	1	–	1	–	2	–	3	5	1	7	8
Ascites	19	–	–	–	1	–	–	1	1	–	2	2	–
Ulceration of Intestines	31	–	–	–	–	1	–	2	1	1	1	1	1
Hernia	16	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	35	–	1	2	1	–	–	–	–	–	2	–	2
Intussusception	7	1	1	1	–	–	–	–	1	–	–	–	–
Stricture of Intestines	8	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	151	15	3	9	7	5	1	1	8	–	3	8	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	25	1	1	–	–	–	–	–	–	–	–	1	–
Jaundice	41	8	–	–	1	3	2	–	–	–	–	1	3
Liver Disease	87	–	2	–	–	–	–	–	1	3	–	1	1
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	30	–	–	–	–	–	–	–	–	–	1	1	9
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	10	–	–	–	–	–	1	–	–	–	–	1	–
Stone	2	–	–	–	–	–	–	–	–	–	1	–	–
Cystitis	7	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	43	–	–	–	–	–	1	–	3	3	–	3	3
IX. Paramenia	7	–	–	–	–	–	–	–	–	2	3	1	–
Ovarian Dropsy	22	–	–	–	–	–	–	–	–	–	–	3	2
Childbirth	158	–	–	–	–	–	–	–	–	–	8	17	46
Organs of Generation	41	–	–	–	–	–	–	–	–	–	1	1	1
X. Arthritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	11	–	–	–	–	–	–	–	–	–	1	2	–
Joint and Bone Disease	18	–	–	–	1	–	–	2	1	4	1	4	1
XI. Carbuncle	5	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	3	1	1	2	–	–	–	–	–	–	–	–
XII. Cyanosis	8	8	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	11	8	1	2	–	–	–	–	–	–	–	–	–
Other Malformations	11	10	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	–	2
Privation	4	–	–	1	1	1	–	–	–	–	–	–	–
Want of Breast Milk	20	11	4	5	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	1	–	1
Poison	15	3	–	–	–	–	1	–	–	–	1	1	2
Burns and Scalds	66	–	–	2	12	4	2	2	16	1	1	1	3
Hanging, etc.	11	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	22	7	6	1	1	1	–	–	–	1	1	–	–
Drowning	20	–	–	–	1	1	–	1	–	–	1	2	4
Fracture and Contusion	63	–	–	–	1	1	2	2	5	2	6	7	1
Wounds	8	–	–	–	–	–	–	–	–	1	–	1	–
Other Violent Causes	16	2	–	–	–	–	–	–	–	–	–	1	–
Not Specified	376	116	40	40	32	27	12	5	19	6	8	8	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	4	2	1	–	–	2	–	–	–	–	–	–	–	–
Apoplexy	11	3	10	26	19	24	33	23	30	15	9	6	–	1	–	–
Paralysis	2	7	6	8	23	21	48	37	59	50	23	6	1	1	–	–
Delirium Tremens	1	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	6	2	–	–	2	2	4	2	3	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	2	2	2	4	–	1	1	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	12	10	8	10	7	11	7	4	4	4	–	–	–	–	–
Pericarditis	1	3	–	2	–	1	–	–	1	–	–	–	–	–	–	–
Aneurism	1	1	–	–	–	2	3	–	–	–	–	–	–	–	–	–
Heart Disease	35	39	43	30	51	42	56	54	34	36	10	1	1	–	–	–
Laryngitis	2	1	2	1	3	1	1	1	1	–	–	–	–	–	–	–
Bronchitis	20	18	28	27	54	49	58	74	64	48	24	7	2	1	–	1
Pleurisy	2	2	3	2	–	2	1	3	4	1	–	–	–	–	–	–
Pneumonia	9	10	9	8	9	17	14	9	10	5	5	–	1	–	–	–
Asthma	3	8	8	13	22	18	30	19	10	10	2	1	–	–	–	–
Lung Disease	8	9	5	7	4	7	8	6	7	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Gastritis	1	3	2	1	3	3	1	3	1	2	1	1	–	–	–	–
Enteritis	5	8	11	8	7	4	2	7	2	–	–	–	–	–	–	–
Peritonitis	4	4	4	3	2	3	1	3	–	4	–	–	–	–	–	–
Ascites	1	–	–	1	1	1	2	1	2	2	1	–	–	–	–	–
Ulceration of Intestines	1	2	–	3	5	–	1	4	5	2	–	–	–	–	–	–
Hernia	–	1	2	–	1	3	4	2	2	–	1	–	–	–	–	–
Ileus	2	3	1	1	3	3	2	3	4	2	2	1	–	–	–	–
Intussusception	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–
Stomach Disease	2	8	10	6	6	12	9	14	12	5	3	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	3	2	5	4	3	3	–	1	–	–	–	–	–	–
Jaundice	1	–	–	1	3	4	4	4	1	4	–	1	–	–	–	–
Liver Disease	1	5	5	13	10	10	11	9	8	5	1	1	–	–	–	–
Spleen Disease	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	4	–	2	4	–	1	3	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	1	1	2	1	–	1	–	2	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	2	1	–	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	1	6	2	3	4	3	1	3	3	1	–	–	–	–	–
Paramenia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	2	1	1	3	2	3	–	–	1	1	–	–	–	–	–
Childbirth	33	37	13	4	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	7	5	5	4	7	4	3	1	1	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	1	–	–	–	2	1	1	1	–	–	–	–	–
Joint Disease	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	5	4	3	5	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	2	2	1	2	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	1	1	3	1	2	4	1	4	–	2	–	–	1
Hanging, etc.	3	2	–	1	–	1	1	2	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Drowning	–	1	1	–	2	1	3	–	–	–	–	–	–	–	–	2
Fracture and Contusion	3	2	4	2	4	5	5	4	2	3	2	–	–	–	–	–
Wounds	2	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	–	–	–	1	–	–	–	1	1	–	–	–	8
Not Specified	6	9	12	5	4	6	12	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	MONTHS. 6	MONTHS. 12	2	3	4	5	10	15	20	25	30
ALL CAUSES	10832	1066	391	991	1502	772	463	359	666	226	333	411	375
SPECIFIED CAUSES	10476	939	351	958	1481	748	451	352	651	221	327	406	369
I. Zymotic Class	3089	112	103	398	686	434	281	217	331	70	42	69	63
II. Diseases of Uncertain Seat	308	4	2	3	10	6	9	10	18	5	5	8	8
III. Tubercular Class	2031	20	49	149	228	118	64	51	137	81	194	206	157
IV. Brain and Nervous System	756	75	34	45	62	28	24	17	46	20	14	17	14
V. Organs of Circulation	298	2	–	–	2	2	1	3	4	3	12	16	16
VI. Respiratory Organs	1483	62	69	192	236	98	52	34	62	15	15	28	31
VII. Organs of Digestion	876	96	45	134	209	39	7	8	25	8	15	18	23
VIII. Urinary Organs	85	–	1	–	–	1	–	2	4	3	4	10	8
IX. Organs of Generation	87	–	–	–	–	–	–	–	–	1	6	9	22
X. Organs of Locomotion	31	–	–	–	1	–	1	3	3	3	2	8	–
XI. Skin, etc.	12	2	–	2	2	1	–	–	–	–	–	–	–
XII. Malformation	27	25	–	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	580	513	41	26	–	–	–	–	–	–	–	–	–
XIV. Atrophy	97	–	–	–	34	10	5	–	8	3	1	2	3
XV. Age	409	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	21	7	2	–	1	–	–	1	–	–	–	3	–
XVII. Violent Deaths	286	21	5	7	10	11	7	6	13	9	17	12	24
I. Small Pox	201	5	12	32	38	24	18	16	16	2	4	12	13
Measles	156	4	–	25	60	34	16	11	4	1	–	–	–
Scarlatina	772	3	10	38	138	159	110	101	164	33	8	3	2
Diphtheria	24	1	–	4	7	4	1	2	2	–	2	–	–
Hooping Cough	928	27	43	222	307	131	82	49	65	1	1	–	–
Croup	122	7	5	11	31	36	15	12	5	–	–	–	–
Thrush	3	1	–	1	–	–	1	–	–	–	–	–	–
Diarrhœa	268	39	21	34	58	19	5	9	5	1	–	2	7
Dysentery	66	1	2	3	13	2	1	–	–	1	2	3	3
Cholera	27	2	–	4	3	1	2	1	3	–	–	2	–
Influenza	17	–	1	2	2	–	–	–	2	1	–	–	1
Purpura	2	–	–	–	–	–	–	–	–	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	6	–	–	–	1	–	2	2	1	–	–	–	–
Infantile Fever	14	1	–	8	3	1	–	1	–	–	–	–	–
Typhus	381	2	2	10	22	21	26	13	61	29	24	34	23
Metria	31	–	–	–	–	–	–	–	–	–	1	9	8
Rheumatic Fever	6	–	–	–	–	–	–	–	2	–	–	–	–
Erysipelas	38	10	1	1	1	1	1	–	1	–	–	3	5
Syphilis	23	9	6	3	1	–	–	–	–	–	–	1	1
Noma	3	–	–	–	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	2	1	–	–	1	–	–	–	–	1	1	–
Dropsy	145	1	1	1	7	3	9	8	16	3	2	4	4
Abscess	17	1	–	1	1	–	–	2	–	1	2	1	1
Ulcer	2	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	18	–	–	–	2	1	–	–	2	1	–	2	–
Cancer	109	–	–	1	–	–	–	–	–	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	66	–	2	5	4	6	4	2	15	7	6	3	3
Tabes Mesenterica	142	10	9	23	39	19	8	5	13	4	6	3	1
Phthisis	1460	1	13	25	80	51	27	25	73	64	182	200	153
Hydrocephalus	363	9	25	96	105	42	25	19	36	6	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes . . .	359	350	356	316	323	322	338	284	231	183	140	39	18	9	2	7
Specified Causes .	352	345	345	309	315	317	326	284	231	183	140	39	18	9	2	7
Zymotic Class . .	44	47	24	25	22	21	34	22	22	12	6	1	3	–	–	–
Uncertain Seat . .	16	16	24	28	30	21	32	20	14	11	8	–	–	–	–	–
Tubercular Class . .	137	112	96	83	60	46	23	11	5	3	1	–	–	–	–	–
Brain, etc. . . .	28	26	27	33	35	50	50	39	36	19	16	–	–	–	–	1
Heart, etc. . . .	17	23	27	23	25	31	41	25	14	9	1	1	–	–	–	–
Respiratory Organs .	42	39	64	61	86	79	76	71	36	25	9	1	–	–	–	–
Digestive Organs . .	19	31	37	32	24	32	26	23	11	8	5	1	–	–	–	–
Urinary Organs . .	8	6	5	3	4	7	6	6	2	3	1	–	1	–	–	–
Generative Organs .	14	18	7	1	3	1	2	1	1	–	1	–	–	–	–	–
Locomotive Organs .	4	–	2	1	–	–	–	–	–	1	2	–	–	–	–	–
Skin	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	2	3	1	5	8	12	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	27	61	86	91	87	35	12	8	2	–
Sudden Deaths . .	–	–	–	1	2	1	3	–	–	–	–	–	–	–	–	–
Violent Deaths . .	20	24	30	13	15	15	6	4	4	1	3	–	2	1	–	6
Small Pox . . .	3	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	4	12	1	3	4	4	12	7	9	6	3	–	3	–	–	–
Dysentery . . .	5	3	1	2	4	5	5	3	3	2	1	1	–	–	–	–
Cholera . . .	1	1	2	1	2	2	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	1	–	–	–	–	–	4	3	–	–	–	–	–	–
Purpura . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	15	13	16	11	6	15	10	5	1	1	–	–	–	–	–
Metria	5	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas . . .	2	4	–	1	–	3	1	2	1	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	2	1	4	1	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	7	4	5	12	10	10	14	9	6	5	4	–	–	–	–	–
Abscess . . .	2	2	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification . .	1	1	–	–	–	–	–	3	1	3	1	–	–	–	–	–
Cancer	4	8	15	14	19	10	16	8	6	3	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	2	–	2	1	1	1	1	–	1	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	135	112	94	81	59	44	22	11	4	3	1	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	60	–	4	8	12	4	5	4	8	4	4	1	–
Apoplexy	162	–	5	–	6	–	3	–	6	3	2	–	1
Paralysis	127	–	–	–	–	–	–	–	1	–	2	1	–
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	29	–	–	–	–	–	–	–	–	2	2	6	6
Tetanus	5	–	–	1	–	–	–	–	1	–	–	1	1
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	209	72	21	32	39	19	8	8	9	–	–	–	–
Brain Disease	154	3	4	4	5	5	8	5	21	11	4	8	4
V. Pericarditis	10	–	–	–	–	–	1	–	1	–	1	1	1
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	282	2	–	–	2	2	–	3	3	3	11	15	14
VI. Laryngitis	30	2	2	5	8	3	3	–	2	–	–	–	–
Bronchitis	776	29	37	109	128	46	23	17	33	7	4	9	9
Pleurisy	28	–	2	1	–	1	1	–	1	–	1	–	2
Pneumonia	494	30	28	76	96	46	23	16	24	8	8	14	16
Asthma	94	–	–	–	–	–	–	–	–	–	–	2	3
Lung Disease	61	1	–	1	4	2	2	1	2	–	2	3	1
VII. Teething	286	–	9	104	152	20	1	–	–	–	–	–	–
Quinsey	10	2	2	–	4	1	–	–	–	–	–	–	1
Gastritis	18	–	–	–	3	1	–	1	2	–	1	–	–
Enteritis	216	58	20	22	35	4	3	4	11	5	6	3	11
Peritonitis	36	1	2	–	1	–	1	–	3	1	1	1	4
Ascites	10	–	–	–	1	–	–	1	2	–	1	1	–
Ulceration of Intestines	16	–	–	–	–	1	–	–	2	–	1	1	–
Hernia	6	1	–	–	–	–	–	–	–	–	–	–	1
Ileus	26	5	1	–	–	2	–	–	–	1	2	–	2
Intussusception	6	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	4	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	111	16	6	7	12	5	–	2	4	–	2	6	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	4	2	1	–	1	1	–	–	–	–	4	1
Jaundice	25	7	1	–	1	1	1	–	–	–	–	1	1
Liver Disease	76	1	–	–	–	3	–	–	1	1	1	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	2	–	–	–	1
Nephria	31	–	–	–	–	1	–	1	1	2	–	4	4
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	11	–	–	–	–	–	–	–	1	–	2	1	–
Stone	2	–	–	–	–	–	–	–	–	–	1	–	1
Cystitis	4	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	3	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	31	–	–	–	–	–	–	1	–	1	1	4	2
IX. Paramenia	4	–	–	–	–	–	–	–	–	1	3	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	2	1
Childbirth	65	–	–	–	–	–	–	–	–	–	3	7	20
Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	25	–	–	–	1	–	–	3	3	3	2	7	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	2	–	2	2	1	–	–	–	–	–	–	–
XII. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	9	7	–	2	–	–	–	–	–	–	–	–	–
Other Malformations	14	14	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	17	–	–	–	–	–	–	–	–	–	–	–	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	18	13	2	2	1	–	–	–	–	–	–	–	–
Neglect	2	1	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	11	1	–	1	–	–	–	–	–	–	1	1	1
Burns and Scalds	48	–	–	2	6	7	5	3	8	3	2	2	1
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	14	5	2	1	1	1	–	–	–	–	1	–	–
Drowning	43	–	–	–	–	2	–	–	1	2	–	3	8
Fracture and Contusion	100	–	–	1	1	1	2	3	4	3	9	4	8
Wounds	9	–	–	–	1	–	–	–	–	–	–	1	2
Other Violent Causes	19	1	–	–	–	–	–	–	–	1	4	1	1
Not Specified	356	127	40	33	21	24	12	7	15	5	6	5	6

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	13	6	10	9	15	18	21	19	13	5	6	–	–	–	–	1
Paralysis	4	2	6	10	12	16	21	13	18	13	8	–	–	–	–	–
Delirium Tremens	1	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	5	1	–	–	1	1	2	1	1	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	9	10	9	7	15	6	4	3	–	2	–	–	–	–	–
Pericarditis	–	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Aneurism	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	17	20	26	23	24	29	40	24	13	9	1	1	–	–	–	–
Laryngitis	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Bronchitis	19	15	26	31	53	51	39	44	23	17	6	1	–	–	–	–
Pleurisy	3	1	1	2	4	2	1	3	1	1	–	–	–	–	–	–
Pneumonia	11	12	20	16	13	10	11	9	3	2	2	–	–	–	–	–
Asthma	3	3	12	6	12	8	22	11	7	4	1	–	–	–	–	–
Lung Disease	6	7	5	5	4	7	2	3	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	2	2	1	1	–	1	–	–	1	–	–	–	–	–
Enteritis	5	7	7	5	5	1	–	2	2	–	–	–	–	–	–	–
Peritonitis	4	5	3	3	–	2	2	1	–	1	–	–	–	–	–	–
Ascites	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	2	–	–	2	2	1	2	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–
Ileus	1	1	2	1	–	1	1	1	–	4	1	–	–	–	–	–
Intussusception	–	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	2	7	8	4	4	7	5	7	4	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	3	1	2	2	2	3	–	1	–	–	–	–	–	–
Jaundice	–	–	3	–	3	1	4	–	–	–	1	–	–	–	–	–
Liver Disease	2	6	8	14	7	11	8	5	5	–	1	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	2	–	–	3	3	3	3	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	3	1	1	2	3	3	1	3	1	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Childbirth	13	15	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	3	1	1	1	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Joint Disease	2	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	4	5	2	2	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	3	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	–	2	1	–	–	3	–	2	–	–	–	–	1	–	–	–
Hanging, etc.	1	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	7	2	3	1	4	–	–	–	–	–	–	–	–	2
Fracture and Contusion	12	8	9	8	7	9	1	2	3	1	2	–	1	1	–	–
Wounds	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	3	–	–	1	–	–	–	–	1	–	–	–	–	4
Not Specified	7	5	11	7	8	5	12	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	5436	611	219	530	776	416	231	168	342	118	167	200	173
SPECIFIED CAUSES	5227	534	195	510	770	402	222	163	334	115	164	197	169
I. Zymotic Class	1486	67	48	200	332	228	130	95	148	30	21	30	27
II. Diseases of Uncertain Seat	116	2	1	2	6	3	6	6	14	4	2	3	3
III. Tubercular Class	1024	9	30	81	125	67	33	26	77	41	92	100	76
IV. Brain and Nervous System	428	35	21	23	40	17	12	11	28	12	10	8	7
V. Organs of Circulation	138	1	–	–	1	2	–	3	3	3	6	8	5
VI. Respiratory Organs	779	42	40	109	136	51	27	13	35	7	6	18	17
VII. Organs of Digestion	449	55	26	77	105	17	6	2	14	6	8	6	10
VIII. Urinary Organs	56	–	1	–	–	1	–	2	4	2	3	7	2
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	17	–	–	–	–	–	1	1	2	–	1	5	–
XI. Skin, etc.	6	2	–	2	–	1	–	–	–	–	–	–	–
XII. Malformation	21	20	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	324	288	26	10	–	–	–	–	–	–	–	–	–
XIV. Atrophy	49	–	–	–	19	6	2	–	5	2	1	1	1
XV. Age	125	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	12	3	–	–	1	–	–	1	–	–	–	2	–
XVII. Violent Deaths	196	10	2	5	5	9	5	3	4	8	14	9	20
I. Small Pox	101	1	3	19	24	13	7	8	3	1	3	8	6
Measles	82	2	–	18	27	19	12	3	1	–	–	–	–
Scarlatina	384	2	6	16	72	83	52	52	78	17	4	1	–
Diphtheria	8	–	–	1	4	1	–	–	1	–	–	–	–
Hooping Cough	425	18	18	106	139	61	37	18	27	1	–	–	–
Croup	63	5	5	5	18	21	6	3	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	133	24	8	21	22	13	3	4	2	1	–	1	3
Dysentery	33	1	1	–	9	1	1	–	–	–	1	1	2
Cholera	13	1	–	2	1	1	–	1	1	–	–	1	–
Influenza	6	–	1	1	–	–	–	–	1	1	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	–	1	1	1	–	–	–	–
Infantile Fever	7	1	–	2	3	1	–	–	–	–	–	–	–
Typhus	180	1	1	7	11	13	9	5	31	8	13	17	11
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	2	–	–	–	–
Erysipelas	23	5	1	1	–	–	1	–	–	–	–	1	4
Syphilis	13	6	4	1	–	–	–	–	–	–	–	–	1
Noma	3	–	–	–	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	1	–	–	–	–	–	–	–	–	–	1	–
Dropsy	67	1	1	–	5	3	6	5	12	2	1	–	2
Abscess	8	–	–	1	1	–	–	1	–	1	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	–	–	–	–	–	–	–	2	1	–	2	–
Cancer	23	–	–	1	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	38	–	1	2	2	4	2	2	9	5	2	1	2
Tabes Mesenterica	81	4	4	16	24	12	3	3	8	2	3	1	1
Phthisis	695	–	8	10	37	25	14	12	40	30	87	98	73
Hydrocephalus	210	5	17	53	62	26	14	9	20	4	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	158	164	168	171	144	168	147	129	88	66	58	12	5	4	–	3
SPECIFIED CAUSES	152	161	161	166	139	166	142	129	88	66	58	12	5	4	–	3
Zymotic Class	14	21	8	20	13	8	18	10	7	5	5	–	1	–	–	–
Uncertain Seat	5	4	5	9	7	6	9	7	5	5	2	–	–	–	–	–
Tubercular Class	62	51	40	42	27	23	10	8	2	2	–	–	–	–	–	–
Brain, etc.	16	15	17	21	17	32	28	22	17	9	9	–	–	–	–	1
Heart, etc.	7	12	9	11	10	16	17	11	7	4	1	1	–	–	–	–
Respiratory Organs	15	17	38	33	37	46	33	32	14	8	5	–	–	–	–	–
Digestive Organs	11	15	17	16	9	15	13	9	5	4	3	–	–	–	–	–
Urinary Organs	4	5	2	1	2	5	5	4	1	3	1	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	2	1	–	–	–	–	–	1	1	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	1	1	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	24	26	24	31	11	2	3	–	–
Sudden Deaths	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	15	18	22	10	13	10	3	2	4	1	–	–	1	1	–	2
Small Pox	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	3	–	3	2	1	7	5	2	2	2	–	1	–	–	–
Dysentery	2	2	–	1	3	–	3	2	1	1	1	–	–	–	–	–
Cholera	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	8	6	12	6	3	6	3	2	1	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	4	–	1	–	2	1	–	1	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	2	2	2	5	3	5	2	1	2	2	–	–	–	–	–
Abscess	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	–	2	1	1	–	–	–	–	–	–
Cancer	–	–	–	6	2	3	3	3	2	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	61	51	39	41	26	22	10	8	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	35	–	1	4	8	3	3	3	6	1	1	1	–
Apoplexy	94	–	3	–	4	–	–	–	4	2	2	–	–
Paralysis	64	–	–	–	–	–	–	–	1	–	2	1	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	–	–	–	–	2	2	1	2
Tetanus	4	–	–	1	–	–	–	–	–	–	–	1	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	118	32	13	18	27	12	5	5	5	–	–	–	–
Brain Disease	93	3	4	–	1	2	4	3	12	7	3	4	2
V. Pericarditis	5	–	–	–	–	–	–	–	1	–	1	1	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	127	1	–	–	1	2	–	3	2	3	5	7	4
VI. Laryngitis	16	–	1	3	5	3	1	–	–	–	–	–	–
Bronchitis	396	21	22	62	76	24	11	8	20	4	1	5	2
Pleurisy	15	–	1	–	–	1	1	–	1	–	–	–	1
Pneumonia	283	20	16	43	52	22	13	5	12	3	3	10	12
Asthma	38	–	–	–	–	–	–	–	–	–	–	1	2
Lung Disease	31	1	–	1	3	1	1	–	2	–	2	2	–
VII. Teething	148	–	5	59	74	9	1	–	–	–	–	–	–
Quinsey	3	–	1	–	2	–	–	–	–	–	–	–	–
Gastritis	8	–	–	–	2	–	–	1	2	–	1	–	–
Enteritis	111	32	12	13	17	1	3	–	5	4	4	1	6
Peritonitis	17	–	1	–	1	–	–	–	2	1	1	1	1
Ascites	3	–	–	–	–	–	–	–	1	–	–	–	–
Ulceration of Intestines	10	–	–	–	–	–	–	–	1	–	–	1	–
Hernia	4	1	–	–	–	–	–	–	–	–	–	–	1
Ileus	17	5	–	–	–	2	–	–	–	1	1	–	–
Intussusception	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	50	8	5	4	9	1	–	1	2	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	16	3	1	1	–	1	1	–	–	–	–	3	1
Jaundice	15	5	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	42	1	–	–	–	3	–	–	1	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	2	–	–	–	1
Nephria	19	–	–	–	–	1	–	1	1	2	–	3	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	8	–	–	–	–	–	–	–	1	–	2	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	3	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	19	–	–	–	–	–	–	1	–	–	1	2	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X Arthritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	13	–	–	–	–	–	–	1	2	–	1	5	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	2	–	2	–	1	–	–	–	–	–	–	–
XII. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	5	4	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	12	12	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	7	–	1	1	–	–	–	–	–	–	–	–
Neglect	2	1	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	28	–	–	2	3	6	4	2	1	2	2	2	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	2	1	–	–	–	–	–	–	–	–	–	–
Drowning	34	–	–	–	–	2	–	–	1	2	–	2	6
Fracture and Contusion	82	–	–	1	–	1	1	1	2	3	8	4	8
Wounds	6	–	–	–	1	–	–	–	–	–	–	–	2
Other Violent Causes	12	–	–	–	–	–	–	–	–	1	4	1	1
Not Specified	209	77	24	20	6	14	9	5	8	3	3	3	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	6	4	6	3	8	10	14	13	7	3	4	–	–	–	–	1
Paralysis	2	–	4	7	5	8	11	6	8	6	3	–	–	–	–	–
Delirium Tremens	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	4	6	7	4	13	3	2	2	–	2	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	7	10	8	11	9	15	16	10	7	4	1	1	–	–	–	–
Laryngitis	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	4	5	13	16	18	28	18	21	8	4	5	–	–	–	–	–
Pleurisy	1	1	–	–	4	1	1	1	–	1	–	–	–	–	–	–
Pneumonia	8	8	14	13	10	7	5	4	2	1	–	–	–	–	–	–
Asthma	2	1	7	1	3	5	7	4	3	2	–	–	–	–	–	–
Lung Disease	–	1	4	3	2	4	1	2	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	1	2	3	2	1	–	1	1	–	–	–	–	–	–	–
Peritonitis	1	3	2	1	–	–	1	–	–	1	–	–	–	–	–	–
Ascites	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	1	–	–	–	2	1	2	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Ileus	1	1	2	1	–	–	–	1	–	2	–	–	–	–	–	–
Intussusception	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	1	3	1	2	3	3	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Jaundice	–	–	3	–	2	–	2	–	–	–	1	–	–	–	–	–
Liver Disease	2	4	6	5	4	8	3	1	2	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	2	–	–	2	3	2	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	2	–	–	1	3	3	–	3	1	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	2	–	2	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	6	2	2	–	2	–	–	–	–	–	–	–	–	1
Fracture and Contusion	10	6	9	7	6	8	–	1	3	1	–	–	1	1	–	–
Wounds	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	1
Not Specified	6	3	7	5	5	2	5	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	5396	455	172	461	726	356	232	191	324	108	166	211	202
SPECIFIED CAUSES	5249	405	156	448	711	346	229	189	317	106	163	209	200
I. Zymotic Class . . .	1603	45	55	198	354	206	151	122	183	40	21	39	36
II. Diseases of Uncertain Seat	192	2	1	1	4	3	3	4	4	1	3	5	5
III. Tubercular Class . .	1007	11	19	68	103	51	31	25	60	40	102	106	81
IV. Brain and Nervous System	328	40	13	22	22	11	12	6	18	8	4	9	7
V. Organs of Circulation .	160	1	–	–	1	–	1	–	1	–	6	8	11
VI. Respiratory Organs . .	704	20	29	83	100	47	25	21	27	8	9	10	14
VII. Organs of Digestion .	427	41	19	57	104	22	1	6	11	2	7	12	13
VIII. Urinary Organs . .	29	–	–	–	–	–	–	–	–	1	1	3	6
IX. Organs of Generation .	86	–	–	–	–	–	–	–	–	1	6	9	21
X. Organs of Locomotion .	14	–	–	–	1	–	–	2	1	3	1	3	–
XI. Skin, etc.	6	–	–	–	2	–	–	–	–	–	–	–	–
XII. Malformation . . .	6	5	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	256	225	15	16	–	–	–	–	–	–	–	–	–
XIV. Atrophy	48	–	–	–	15	4	3	–	3	1	–	1	2
XV. Age	284	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	9	4	2	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths . .	90	11	3	2	5	2	2	3	9	1	3	3	4
I. Small Pox	100	4	9	13	14	11	11	8	13	1	1	4	7
Measles	74	2	–	7	33	15	4	8	3	1	–	–	–
Scarlatina	388	1	4	22	66	76	58	49	86	16	4	2	2
Diphtheria	16	1	–	3	3	3	1	2	1	–	2	–	–
Hooping Cough . .	503	9	25	116	168	70	45	31	38	–	1	–	–
Croup	59	2	–	6	13	15	9	9	5	–	–	–	–
Thrush	3	1	–	1	–	–	1	–	–	–	–	–	–
Diarrhœa	135	15	13	13	36	6	2	5	3	–	–	1	4
Dysentery	33	–	1	3	4	1	–	–	–	1	1	2	1
Cholera	14	1	–	2	2	–	2	–	2	–	–	1	–
Influenza	11	–	–	1	2	–	–	–	1	–	–	–	1
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	1	–	–	–	–	–
Infantile Fever . .	7	–	–	6	–	–	–	1	–	–	–	–	–
Typhus	201	1	1	3	11	8	17	8	30	21	11	17	12
Metria	31	–	–	–	–	–	–	–	–	–	1	9	8
Rheumatic Fever . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	15	5	–	–	1	1	–	–	1	–	–	2	1
Syphilis	10	3	2	2	1	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	1	1	–	–	1	–	–	–	–	1	–	–
Dropsy	78	–	–	1	2	–	3	3	4	1	1	4	2
Abscess	9	1	–	–	–	–	–	1	–	–	1	1	1
Ulcer	2	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	7	–	–	–	2	1	–	–	–	–	–	–	–
Cancer	86	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	28	–	1	3	2	2	2	–	6	2	4	2	1
Tabes Mesenterica . .	61	6	5	7	15	7	5	2	5	2	3	2	–
Phthisis	765	1	5	15	43	26	13	13	33	34	95	102	80
Hydrocephalus . .	153	4	8	43	43	16	11	10	16	2	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	201	186	188	145	179	154	191	155	143	117	82	27	13	5	2	4
SPECIFIED CAUSES .	200	184	184	143	176	151	184	155	143	117	82	27	13	5	2	4
Zymotic Class . .	30	26	16	5	9	13	16	12	15	7	1	1	2	–	–	–
Uncertain Seat . .	11	12	19	19	23	15	23	13	9	6	6	–	–	–	–	–
Tubercular Class . .	75	61	56	41	33	23	13	3	3	1	1	–	–	–	–	–
Brain, etc. . . .	12	11	10	12	18	18	22	17	19	10	7	–	–	–	–	–
Heart, etc. . . .	10	11	18	12	15	15	24	14	7	5	–	–	–	–	–	–
Respiratory Organs .	27	22	26	28	49	33	43	39	22	17	4	1	–	–	–	–
Digestive Organs . .	8	16	20	16	15	17	13	14	6	4	2	1	–	–	–	–
Urinary Organs . .	4	1	3	2	2	2	1	2	1	–	–	–	–	–	–	–
Generative Organs .	14	18	7	1	3	1	2	1	1	–	1	–	–	–	–	–
Locomotive Organs .	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Skin	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	1	–	–	4	6	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	23	37	60	67	56	24	10	5	2	–
Sudden Deaths . .	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths . .	5	6	8	3	2	5	3	2	–	–	3	–	1	–	–	4
Small Pox . . .	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	1	9	1	–	2	3	5	2	7	4	1	–	2	–	–	–
Dysentery . . .	3	1	1	1	1	5	2	1	2	1	–	1	–	–	–	–
Cholera	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	1	–	–	–	–	–	3	2	–	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	7	7	4	5	3	9	7	3	–	–	–	–	–	–	–
Metria	5	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	4	2	3	10	5	7	9	7	5	3	2	–	–	–	–	–
Abscess . . .	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification . . .	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
Cancer	4	8	15	8	17	7	13	5	4	1	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	74	61	55	40	33	22	12	3	3	1	1	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	25	–	3	4	4	1	2	1	2	3	3	–	–
Apoplexy	68	–	2	–	2	–	3	–	2	1	–	–	1
Paralysis	63	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	16	–	–	–	–	–	–	–	–	–	–	5	4
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	91	40	8	14	12	7	3	3	4	–	–	–	–
Brain Disease	61	–	–	4	4	3	4	2	9	4	1	4	2
V. Pericarditis	5	–	–	–	–	–	1	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	155	1	–	–	1	–	–	–	1	–	6	8	10
VI. Laryngitis	14	2	1	2	3	–	2	–	2	–	–	–	–
Bronchitis	380	8	15	47	52	22	12	9	13	3	3	4	7
Pleurisy	13	–	1	1	–	–	–	–	–	–	1	–	1
Pneumonia	211	10	12	33	44	24	10	11	12	5	5	4	4
Asthma	56	–	–	–	–	–	–	–	–	–	–	1	1
Lung Disease	30	–	–	–	1	1	1	1	–	–	–	1	1
VII. Teething	138	–	4	45	78	11	–	–	–	–	–	–	–
Quinsey	7	2	1	–	2	1	–	–	–	–	–	–	1
Gastritis	10	–	–	–	1	1	–	–	–	–	–	–	–
Enteritis	105	26	8	9	18	3	–	4	6	1	2	2	5
Peritonitis	19	1	1	–	–	–	1	–	1	–	–	–	3
Ascites	7	–	–	–	1	–	–	1	1	–	1	1	–
Ulceration of Intestines	6	–	–	–	–	1	–	–	1	–	1	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	–	1	–	–	–	–	–	–	–	1	–	2
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	61	8	1	3	3	4	–	1	2	–	2	6	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	14	1	1	–	–	–	–	–	–	–	–	1	–
Jaundice	10	2	–	–	1	1	–	–	–	–	–	1	1
Liver Disease	34	–	–	–	–	–	–	–	–	1	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	12	–	–	–	–	–	–	–	–	–	–	1	4
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	1	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	–	–	–	–	–	–	1	–	2	2
IX. Paramenia	4	–	–	–	–	–	–	–	–	1	3	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	2	1
Childbirth	65	–	–	–	–	–	–	–	–	–	3	7	20
Organs of Generation	9	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	12	–	–	–	1	–	–	2	1	3	1	2	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	–	–	–	2	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	4	3	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	6	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	6	1	–	–	–	–	–	–	–	–	1	1	1
Burns and Scalds	20	–	–	–	3	1	1	1	7	1	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	9	3	1	1	1	1	–	–	–	–	1	–	–
Drowning	9	–	–	–	–	–	–	–	–	–	–	1	2
Fracture and Contusion	18	–	–	–	1	–	1	2	2	–	1	–	–
Wounds	3	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	7	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	147	50	16	13	15	10	3	2	7	2	3	2	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	7	2	4	6	7	8	7	6	6	2	2	–	–	–	–	–
Paralysis	2	2	2	3	7	8	10	7	10	7	5	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	5	4	2	3	2	3	2	1	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	10	10	18	12	15	14	24	14	6	5	–	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	15	10	13	15	35	23	21	23	15	13	1	1	–	–	–	–
Pleurisy	2	–	1	2	–	1	–	2	1	–	–	–	–	–	–	–
Pneumonia	3	4	6	3	3	3	6	5	1	1	2	–	–	–	–	–
Asthma	1	2	5	5	9	3	15	7	4	2	1	–	–	–	–	–
Lung Disease	6	6	1	2	2	3	1	1	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	2	1	1	1	–	1	–	–	1	–	–	–	–	–
Enteritis	3	6	5	2	3	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	3	2	1	2	–	2	1	1	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	5	7	1	3	5	2	4	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	3	1	2	2	–	2	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	2	9	3	3	5	4	3	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Childbirth	13	15	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	3	1	1	1	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Joint Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	–	3	–	1	–	–	–	–	1	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	1	1	2	–	–	–	–	–	–	–	–	1
Fracture and Contusion	2	2	–	1	1	1	1	1	–	–	2	–	–	–	–	–
Wounds	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	3
Not Specified	1	2	4	2	3	3	7	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1250	100	41	99	165	94	49	41	75	29	32	43	36
SPECIFIED CAUSES	1162	75	34	87	154	84	47	41	67	28	29	41	35
I. Zymotic Class	358	6	9	37	87	57	30	27	40	10	7	2	7
II. Diseases of Uncertain Seat	47	2	–	–	4	–	1	–	3	2	2	1	–
III. Tubercular Class	193	1	3	22	18	9	3	4	14	9	11	22	18
IV. Brain and Nervous System	103	5	3	2	4	1	1	2	2	1	2	3	2
V. Organs of Circulation	38	2	–	–	–	–	–	1	–	–	1	1	1
VI. Respiratory Organs	154	5	4	12	24	11	6	4	3	2	2	5	1
VII. Organs of Digestion	67	2	4	8	11	3	3	1	2	2	1	3	–
VIII. Urinary Organs	8	–	–	–	1	–	–	1	2	–	1	–	1
IX. Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	2	–	–	–	–	–	1	–	–	–	–	–	–
XI. Skin, etc.	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	60	48	10	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	5	2	1	–	–	–	–	–	–
XV. Age	71	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	35	2	1	3	–	1	1	1	1	2	2	3	3
I. Small Pox	15	–	1	2	3	1	–	2	1	2	1	–	–
Measles	22	1	–	–	14	5	1	1	–	–	–	–	–
Scarlatina	129	–	1	9	24	28	19	17	28	3	–	–	–
Diphtheria	8	–	–	2	4	–	–	1	–	–	–	–	–
Hooping Cough	56	1	3	14	23	9	3	1	2	–	–	–	–
Croup	23	–	1	1	7	6	4	3	1	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	33	1	2	5	6	3	1	1	–	–	2	–	–
Dysentery	13	–	–	2	1	–	–	–	–	1	–	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	–	–	2	2	5	2	1	8	3	4	2	5
Metria	5	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	1	–	–	–	–	1	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	–	–	1	–	–
Dropsy	24	–	–	–	1	–	1	–	3	1	1	1	–
Abscess	3	1	–	–	1	–	–	–	–	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	1	1	–	–	–	1	1	–	1	1
Tabes Mesenterica	18	1	–	1	6	–	1	–	4	3	1	–	–
Phthisis	128	–	1	7	1	3	2	1	7	5	10	21	17
Hydrocephalus	36	–	2	13	10	6	–	3	2	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	50	42	45	39	42	31	47	45	41	25	21	11	5	1	–	1
SPECIFIED CAUSES	50	41	41	39	41	31	47	45	41	25	21	11	5	1	–	1
Zymotic Class	4	6	9	5	4	3	2	3	2	1	–	–	–	–	–	–
Uncertain Seat	2	4	3	2	3	2	3	4	4	3	1	1	–	–	–	–
Tubercular Class	19	10	8	8	7	2	2	1	2	–	–	–	–	–	–	–
Brain, etc.	8	6	7	10	6	9	8	10	4	3	4	–	–	–	–	–
Heart, etc.	5	3	2	1	2	4	5	5	1	3	1	–	–	–	–	–
Respiratory Organs	4	5	4	7	9	6	14	8	12	3	2	1	–	–	–	–
Digestive Organs	2	4	2	6	3	2	4	1	2	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Generative Organs	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	–	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	12	13	11	13	9	5	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	3	–	3	–	2	–	1	–	–	–	–	–	–	1
Small Pox	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	4	1	–	–	1	3	1	1	–	–	–	–	–	–
Dysentery	1	1	2	2	1	1	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	3	1	1	2	1	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	3	2	–	1	3	1	3	–	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	1	3	–	–	2	1	–	2	1	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	18	10	7	7	6	2	2	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	–	–	–	1	–	–	1	1	–	2	–
Apoplexy	31	1	–	–	1	–	–	1	1	–	–	–	1
Paralysis	19	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	10	4	2	2	1	–	–	1	–	–	–	–	–
Brain Disease	22	–	1	–	2	–	1	–	–	–	1	–	–
V. Pericarditis	2	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	34	–	–	–	–	–	–	1	–	–	1	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	81	4	2	8	9	5	4	1	1	1	1	–	–
Pleurisy	4	–	–	–	–	–	–	–	–	1	–	2	–
Pneumonia	55	1	2	4	13	6	2	3	2	–	1	3	1
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	2	–	–	–	–	–	–	–	–
VII. Teething	21	–	2	8	9	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	15	2	1	–	1	1	1	–	2	–	1	–	–
Peritonitis	9	–	–	–	1	–	1	1	–	1	–	2	–
Ascites	4	–	–	–	–	–	1	–	–	1	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	1	–	–	–	1	–	–	–	–
Nephria	3	–	–	–	–	–	–	1	1	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	–	1	2
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	2	1	2	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	1	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	2	–	–	–	–	–	1	–	–	–	–	–	1
Burns and Scalds	2	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	–	–	–	–	1	–	–	–	–	1	–	–
Drowning	6	–	–	–	–	–	–	1	–	1	–	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	–	1	1	1	2
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	88	25	7	12	11	10	2	–	8	1	3	2	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	5	1	1	1	4	5	3	1	3	–	–	–	–	–
Paralysis	–	1	1	1	2	5	1	4	–	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	–	4	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	1	3	2	2	3	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	2	2	1	2	3	5	5	1	3	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	3	3	1	4	5	8	6	7	3	2	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	1	1	1	4	1	3	1	3	–	–	–	–	–	–	–
Asthma	–	1	–	4	1	–	2	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	4	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	639	54	23	59	84	48	25	21	43	12	15	18	16
SPECIFIED CAUSES	588	38	20	53	76	42	24	21	39	12	13	17	15
I. Zymotic Class	179	4	5	22	45	28	12	14	20	2	1	2	4
II. Diseases of Uncertain Seat	24	1	–	–	2	–	1	–	2	1	1	1	–
III. Tubercular Class	91	–	1	12	14	5	3	1	10	4	4	5	5
IV. Brain and Nervous System	54	2	3	2	1	1	–	1	1	1	1	2	2
V. Organs of Circulation	23	–	–	–	–	–	–	1	–	–	–	1	1
VI. Respiratory Organs	81	4	2	8	7	5	4	2	2	–	2	3	1
VII. Organs of Digestion	36	1	2	6	6	1	2	1	2	2	1	1	–
VIII. Urinary Organs	7	–	–	–	1	–	–	1	2	–	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	2	–	–	–	–	–	1	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	23	7	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	–	1	1	–	–	–	–	–	–
XV. Age	29	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	2	–	1	–	1	–	–	–	2	2	2	2
I. Small Pox	7	–	1	1	–	–	–	1	1	1	–	–	–
Measles	12	1	–	–	7	3	–	1	–	–	–	–	–
Scarlatina	58	–	–	8	11	12	6	7	14	–	–	–	–
Diphtheria	4	–	–	2	2	–	–	–	–	–	–	–	–
Hooping Cough	29	1	1	6	13	5	1	1	1	–	–	–	–
Croup	15	–	1	–	4	5	3	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	22	–	1	4	6	2	1	1	–	–	–	–	–
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	–	1	–	1	1	1	4	–	1	2	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	1	–	–	–	–	1	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	1	–	1	–	2	–	1	1	–
Abscess	3	1	–	–	1	–	–	–	–	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	1	1	–	–	–	1	–	–	1	–
Tabes Mesenterica	13	–	–	1	6	–	1	–	2	2	–	–	–
Phthisis	51	–	–	3	–	2	2	–	5	2	4	4	5
Hydrocephalus	21	–	1	7	7	3	–	1	2	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	19	18	26	20	20	21	28	25	20	8	8	5	1	1	–	1
SPECIFIED CAUSES	19	17	25	20	19	21	28	25	20	8	8	5	1	1	–	1
Zymotic Class	1	2	5	3	3	1	1	2	1	1	–	–	–	–	–	–
Uncertain Seat	1	2	1	1	1	1	2	2	3	–	–	1	–	–	–	–
Tubercular Class	2	7	5	4	5	1	–	1	2	–	–	–	–	–	–	–
Brain, etc.	4	2	5	6	1	6	5	4	2	1	1	–	–	–	–	–
Heart, etc.	3	2	2	–	–	3	4	3	–	2	1	–	–	–	–	–
Respiratory Organs	2	1	2	3	6	5	9	4	5	2	1	1	–	–	–	–
Digestive Organs	1	1	2	3	1	1	1	–	1	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	8	5	2	5	3	1	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	3	–	1	–	2	–	1	–	–	–	–	–	–	1
Small Pox	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	–	–	1	2	1	1	–	–	–	–	–	–
Dysentery	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	–	2	–	3	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	2	7	5	4	4	1	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	1	–	–	1	1	–	2	–
Apoplexy	16	1	–	–	–	–	–	–	–	–	–	–	1
Paralysis	8	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	7	1	2	2	1	–	–	1	–	–	–	–	–
Brain Disease	9	–	1	–	–	–	–	–	–	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	–	–	–	–	1	–	–	–	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	44	3	1	5	6	2	3	1	–	–	1	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	30	1	1	3	1	3	1	1	2	–	1	2	1
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	11	–	–	6	5	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	9	1	1	–	1	1	1	–	2	–	1	–	–
Peritonitis	4	–	–	–	–	–	–	1	–	1	–	–	–
Ascites	2	–	–	–	–	–	1	–	–	1	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	1	–	–	–	1	–	–	–	–
Nephria	2	–	–	–	–	–	–	1	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	1	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	–	–	–	1	–	–	–	–	1	–	–
Drowning	4	–	–	–	–	–	–	–	–	1	–	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	–	1	1	1	2
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	51	16	3	6	8	6	1	–	4	–	2	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	5	–	–	1	3	1	2	–	1	–	–	–	–	–
Paralysis	–	–	–	–	1	4	–	2	–	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	2	–	–	3	4	3	–	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	2	1	1	4	4	2	2	2	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	4	1	3	1	3	–	–	–	–	–	–	–
Asthma	–	–	–	2	1	–	2	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	611	46	18	40	81	46	24	20	32	17	17	25	20
SPECIFIED CAUSES	574	37	14	34	78	42	23	20	28	16	16	24	20
I. Zymotic Class	179	2	4	15	42	29	18	13	20	8	6	–	3
II. Diseases of Uncertain Seat	23	1	–	–	2	–	–	–	1	1	1	–	–
III. Tubercular Class	102	1	2	10	4	4	–	3	4	5	7	17	13
IV. Brain and Nervous System	49	3	–	–	3	–	1	1	1	–	1	1	–
V. Organs of Circulation	15	2	–	–	–	–	–	–	–	–	1	–	–
VI. Respiratory Organs	73	1	2	4	17	6	2	2	1	2	–	2	–
VII. Organs of Digestion	31	1	2	2	5	2	1	–	–	–	–	2	–
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	25	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	5	1	–	–	–	–	–	–	–
XV. Age	42	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	10	–	1	2	–	–	1	1	1	–	–	1	1
I. Small Pox	8	–	–	1	3	1	–	1	–	1	1	–	–
Measles	10	–	–	–	7	2	1	–	–	–	–	–	–
Scarlatina	71	–	1	1	13	16	13	10	14	3	–	–	–
Diphtheria	4	–	–	–	2	–	–	1	–	–	–	–	–
Hooping Cough	27	–	2	8	10	4	2	–	1	–	–	–	–
Croup	8	–	–	1	3	1	1	1	1	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	11	1	1	1	–	1	–	–	–	–	2	–	–
Dysentery	8	–	–	2	1	–	–	–	–	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	1	2	4	1	–	4	3	3	–	1
Metria	5	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	1	–	–
Dropsy	10	–	–	–	–	–	–	–	1	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	..	–	–
III. Scrofula	5	–	–	–	–	–	–	–	–	1	–	–	1
Tabes Mesenterica	5	1	–	–	–	–	–	–	2	1	1	–	–
Phthisis	77	–	1	4	1	1	–	1	2	3	6	17	12
Hydrocephalus	15	–	1	6	3	3	–	2	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	31	24	19	19	22	10	19	20	21	17	13	6	4	–	–	–
SPECIFIED CAUSES .	31	24	16	19	22	10	19	20	21	17	13	6	4	–	–	–
Zymotic Class . .	3	4	4	2	1	2	1	1	1	–	–	–	–	–	–	–
Uncertain Seat .	1	2	2	1	2	1	1	2	1	3	1	–	–	–	–	–
Tubercular Class . .	17	3	3	4	2	1	2	–	–	–	–	–	–	–	–	–
Brain, etc. . . .	4	4	2	4	5	3	3	6	2	2	3	–	–	–	–	–
Heart, etc. . . .	2	1	–	1	2	1	1	2	1	1	–	–	–	–	–	–
Respiratory Organs .	2	4	2	4	3	1	5	4	7	1	1	–	–	–	–	–
Digestive Organs . .	1	3	–	3	2	1	3	1	1	1	–	–	–	–	–	–
Urinary Organs . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs .	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	4	8	9	8	6	4	–	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Small Pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Dysentery . . .	–	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	2	1	–	1	1	1	–	–	1	–	–	–	–	–
Abscess . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	1	–	–	2	–	–	1	1	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	16	3	2	3	2	1	2	–	–	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	ALL AGES.	FEMALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	15	–	–	–	1	–	–	1	1	–	–	–	–
Paralysis	11	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	3	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	13	–	–	–	2	–	1	–	–	–	–	–	–
V. Pericarditis	2	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	11	–	–	–	–	–	–	–	–	–	1	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	37	1	1	3	3	3	1	–	1	1	–	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	1	–	1	–
Pneumonia	25	–	1	1	12	3	1	2	–	–	–	1	–
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	2	–	–	–	–	–	–	–	–
VII. Teething	10	–	2	2	4	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	5	–	–	–	1	–	1	–	–	–	–	2	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	–	1	2
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	1	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	1	–	–	–	–	–	1
Burns and Scalds	1	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	1	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	37	9	4	6	3	4	1	–	4	1	1	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	1	1	–	1	4	1	1	2	–	–	–	–	–
Paralysis	–	1	1	1	1	1	1	2	–	1	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	1	2	2	1	1	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	–	1	2	–	1	2	1	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	1	–	3	1	4	4	5	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Asthma	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	3	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	3703	362	121	219	279	141	88	47	125	66	106	159	160
Specified Causes	3651	340	115	214	277	141	87	47	124	66	106	159	158
I. Zymotic Class . . .	677	34	31	78	110	65	46	29	45	21	20	29	24
II. Diseases of Uncertain Seat	163	4	–	1	1	3	–	–	4	1	4	4	5
III. Tubercular Class . .	697	13	21	43	48	37	18	7	32	16	52	66	63
IV. Brain and Nervous System	387	39	5	16	10	6	2	3	12	6	8	5	11
V. Organs of Circulation .	238	1	–	2	–	–	2	1	6	10	8	10	17
VI. Respiratory Organs . .	503	22	35	39	45	16	11	2	11	4	1	16	16
VII. Organs of Digestion . .	280	26	10	26	41	5	4	2	4	2	3	9	8
VIII. Urinary Organs . .	68	–	–	–	–	2	1	–	–	2	3	4	1
IX. Organs of Generation .	38	–	–	–	–	–	–	–	–	–	1	6	6
X. Organs of Locomotion .	19	–	–	–	–	–	–	–	2	2	2	2	–
XI. Skin, etc.	4	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	17	15	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	194	179	8	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	41	–	–	–	21	4	1	2	4	1	–	1	1
XV. Age	215	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . . .	110	6	4	1	1	3	2	1	4	1	4	7	6
I. Small Pox	167	11	12	21	28	27	15	7	12	3	6	9	5
Measles	13	–	1	2	7	3	–	–	–	–	–	–	–
Scarlatina	39	–	–	2	4	9	5	6	7	2	1	–	1
Diphtheria	9	1	1	–	–	1	2	1	1	–	–	1	–
Hooping Cough . .	134	2	8	37	47	16	12	5	7	–	–	–	–
Croup	27	4	1	3	11	2	4	2	–	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	55	9	6	7	5	–	1	1	1	2	1	–	–
Dysentery	25	–	–	–	–	–	–	2	–	1	–	–	–
Cholera	7	1	–	2	–	–	–	–	–	–	–	–	–
Influenza	3	1	–	–	1	–	–	–	–	–	–	–	–
Purpura	2	–	–	1	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	1	–	–	1	–	–	–	–
Infantile Fever . . .	3	–	–	–	2	–	1	–	–	–	–	–	–
Typhus	125	–	–	1	5	6	5	5	15	9	4	13	6
Metria	19	–	–	–	–	–	–	–	–	–	1	3	10
Rheumatic Fever . .	5	–	–	–	–	–	–	–	–	2	–	–	–
Erysipelas	35	2	1	1	–	–	1	–	–	2	7	2	2
Syphilis	6	3	1	–	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	8	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	30	–	–	–	1	1	–	–	2	–	1	1	1
Abscess	12	1	–	–	–	2	–	–	2	–	1	–	1
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	2	1
Mortification . . .	18	–	–	1	–	–	–	–	–	1	1	–	1
Cancer	87	1	–	–	–	–	–	–	–	–	1	1	1
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	–	–	5	2	–	2	1	1	1	5	1	1
Tabes Mesenterica . .	51	11	4	8	6	6	4	2	7	1	1	–	–
Phthisis	482	–	3	1	5	7	1	–	8	13	46	64	62
Hydrocephalus . . .	137	2	14	29	35	24	11	4	16	1	–	1	–

CASUES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	165	176	145	161	149	168	179	177	180	157	103	42	20	6	–	2
SPECIFIED CAUSES	162	174	142	160	148	167	177	177	180	157	103	42	20	6	–	2
Zymotic Class	14	13	14	10	9	12	16	16	18	13	7	1	2	–	–	–
Uncertain Seat	9	12	7	15	11	18	23	16	13	8	1	1	2	–	–	–
Tubercular Class	63	58	46	36	22	27	17	9	1	2	–	–	–	–	–	–
Brain, etc.	16	24	17	24	16	21	29	27	38	26	17	8	–	1	–	–
Heart, etc.	18	17	19	16	21	20	15	25	10	16	4	–	–	–	–	–
Respiratory Organs	11	17	19	18	36	36	35	43	32	20	13	4	1	–	–	–
Digestive Organs	7	11	9	19	14	17	15	17	16	8	5	2	–	–	–	–
Urinary Organs	4	6	5	7	5	5	5	4	3	7	4	–	–	–	–	–
Generative Organs	7	8	1	2	4	2	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	2	–	2	–	2	2	–	1	1	–	–	–	–	–	–
Skin	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	15	42	54	52	26	14	5	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	11	4	4	11	7	6	12	4	6	2	–	–	1	–	–	2
Small Pox	4	4	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	1	–	–	1	3	3	5	4	–	1	1	–	–	–
Dysentery	–	–	–	–	1	2	8	3	4	3	–	–	1	–	–	–
Cholera	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	3	8	8	5	7	4	6	4	3	4	–	–	–	–	–
Metria	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	1	1	2	–	3	5	2	2	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Dropsy	2	2	2	–	3	5	1	3	2	2	1	–	–	–	–	–
Abscess	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	2	–	1	1	4	2	–	1	2	–	–	–
Cancer	3	8	5	13	6	12	19	8	5	4	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Scrofula	–	3	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	63	55	44	36	20	26	16	9	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	21	–	2	2	3	–	–	2	1	2	–	1	1
Apoplexy	74	–	–	–	–	–	–	–	1	–	3	–	1
Paralysis	102	–	–	–	–	–	–	–	2	–	1	–	2
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	16	–	–	–	–	–	–	–	1	1	–	3	–
Tetanus	5	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	7	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	62	36	2	12	7	3	2	–	–	–	–	–	–
Brain Disease	93	2	1	2	–	3	–	1	7	3	4	1	5
V. Pericarditis	6	–	–	–	–	–	1	–	1	–	1	–	1
Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	218	1	–	2	–	–	1	1	5	10	7	10	15
VI. Laryngitis	10	–	1	3	–	1	–	–	1	–	–	–	–
Bronchitis	264	13	24	23	29	4	6	1	2	1	–	5	4
Pleurisy	25	–	1	–	2	1	–	–	2	1	–	4	2
Pneumonia	116	9	8	13	12	9	4	1	2	2	1	5	6
Asthma	44	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	44	–	1	–	2	1	1	–	4	–	–	2	4
VII. Teething	49	–	3	17	27	1	1	–	–	–	–	–	–
Quinsey	7	2	1	–	2	–	–	–	–	–	–	–	–
Gastritis	8	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	49	14	3	4	8	2	1	1	1	–	–	1	2
Peritonitis	19	1	–	–	1	–	–	–	1	2	2	2	1
Ascites	5	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	12	–	–	–	–	1	–	–	–	–	–	–	1
Hernia	5	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	11	–	1	2	–	–	–	–	–	–	–	–	–
Intussusception	2	1	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	58	5	2	3	2	–	1	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	10	3	–	–	1	1	–	–	–	–	1	–	–
Liver Disease	33	–	–	–	–	–	1	–	2	–	–	1	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	26	–	–	–	–	–	–	–	–	1	3	–	1
Ischuria	3	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	1	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	29	–	–	–	–	2	1	–	–	1	–	2	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	20	–	–	–	–	–	–	–	–	–	1	4	5
Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	7	–	–	–	–	–	–	–	1	–	–	1	–
Joint and Bone Disease	11	–	–	–	–	–	–	–	1	2	2	1	–
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	5	5	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	3	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	9	7	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	14	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	3	–	–	–	–	–	–	–	–	–	–	–
Neglect	2	1	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	11	–	–	1	1	–	1	1	–	–	–	1	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	2	–	–
Suffocation	7	1	3	–	–	–	–	–	–	1	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	44	–	–	–	–	2	1	–	2	–	1	4	2
Wounds	9	–	–	–	–	–	–	–	1	–	–	–	1
Other Violent Causes	11	–	–	–	–	–	–	–	1	–	–	2	1
Not Specified	52	22	6	5	2	–	1	–	1	–	–	–	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	2	2	1	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	2	3	10	6	8	8	6	13	6	2	4	–	–	–	–
Paralysis	1	5	3	3	4	4	14	12	18	16	12	4	–	1	–	–
Delirium Tremens	2	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	1	1	–	–	2	–	–	1	2	–	–	–	–	–	–
Tetanus	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	2	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	12	5	7	3	6	7	7	6	2	3	–	–	–	–	–
Pericarditis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	2	–	3	2	1	–	–	–	–	–	–	–	–	–
Heart Disease	17	11	17	16	18	18	14	25	10	16	4	–	–	–	–	–
Laryngitis	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	4	3	8	7	18	15	22	29	20	13	10	3	–	–	–	–
Pleurisy	–	2	–	–	3	1	3	3	–	–	–	–	–	–	–	–
Pneumonia	2	5	4	2	6	8	1	2	6	3	3	1	1	–	–	–
Asthma	2	4	2	4	3	9	8	5	4	3	–	–	–	–	–	–
Lung Disease	2	2	5	5	5	3	1	4	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Gastritis	–	–	–	2	2	–	–	1	–	1	–	1	–	–	–	–
Enteritis	1	1	3	2	–	2	1	2	–	–	–	–	–	–	–	–
Peritonitis	2	2	1	–	2	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	1	1	–	–	2	3	1	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Ileus	–	2	–	1	1	1	1	–	2	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	–	1	1	–	–	–	–	–	–	–
Stomach Disease	3	2	2	5	3	7	5	6	6	1	3	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Liver Disease	–	1	2	6	4	5	3	1	2	2	1	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	3	5	2	4	3	1	1	2	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Stone	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	3	2	–	2	4	1	3	6	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Childbirth	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	2	1	2	1	2	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–
Joint Disease	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	4	–	5	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	4	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Fracture and Contusion	5	2	3	6	3	4	2	3	2	2	–	–	–	–	–	–
Wounds	3	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1
Not Specified	3	2	3	1	1	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1836	205	63	109	136	72	42	23	55	33	58	88	80
SPECIFIED CAUSES	1802	186	60	107	135	72	42	23	54	33	58	88	79
I. Zymotic Class	319	21	14	37	56	31	22	13	18	12	10	14	8
II. Diseases of Uncertain Seat	63	–	–	–	1	2	–	–	2	1	2	3	3
III. Tubercular Class	369	7	13	25	24	17	10	2	10	8	29	35	36
IV. Brain and Nervous System	215	24	5	7	7	3	1	2	7	2	5	2	7
V. Organs of Circulation	124	–	–	1	–	–	1	–	1	4	3	6	9
VI. Respiratory Organs	242	14	17	21	23	9	5	2	6	3	1	10	8
VII. Organs of Digestion	135	15	5	14	19	3	1	1	3	–	2	7	3
VIII. Urinary Organs	47	–	–	–	–	2	–	–	–	1	2	3	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	11	–	–	–	–	–	–	–	2	1	2	1	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	8	7	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	101	97	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	4	3	–	2	2	1	–	–	–
XV. Age	78	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	74	1	3	–	1	2	2	1	3	–	2	7	5
I. Small Pox	85	6	4	12	13	15	7	4	5	1	4	5	5
Measles	5	–	–	1	4	–	–	–	–	–	–	–	–
Scarlatina	15	–	–	2	2	3	2	2	1	2	1	–	–
Diphtheria	4	1	–	–	–	–	1	–	–	–	–	1	–
Hooping Cough	65	1	6	16	24	7	4	3	4	–	–	–	–
Croup	16	4	1	2	5	2	2	–	–	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	27	5	2	1	4	–	1	–	1	1	1	–	–
Dysentery	10	–	–	–	–	–	–	2	–	1	–	–	–
Cholera	3	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	2	1	–	–	1	–	–	–	–	–	–	–	–
Purpura	2	–	–	1	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	1	–	1	–	–	–	–	–	–
Typhus	58	–	–	–	2	3	4	2	6	3	2	8	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	2	–	–	–
Erysipelas	17	1	–	–	–	–	–	–	–	2	2	–	1
Syphilis	3	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	1	1	–	–	1	–	1	–	1
Abscess	3	–	–	–	–	1	–	–	1	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	2	–
Mortification	8	–	–	–	–	–	–	–	–	1	–	–	1
Cancer	27	–	–	–	–	–	–	–	–	–	1	1	1
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	–	–	2	2	–	2	1	1	1	4	1	–
Tabes Mesenterica	21	5	2	5	2	3	2	–	2	–	–	–	–
Phthisis	259	–	1	1	1	3	1	–	3	6	25	33	36
Hydrocephalus	71	2	10	17	19	11	5	1	4	1	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	83	85	80	93	83	75	82	86	82	65	45	11	2	–	–	–
SPECIFIED CAUSES	81	85	77	92	83	75	81	86	82	65	45	11	2	–	–	–
Zymotic Class	3	6	9	7	3	4	4	7	10	7	3	–	–	–	–	–
Uncertain Seat	3	3	1	5	4	5	8	10	5	3	1	1	–	–	–	–
Tubercular Class	37	26	24	20	18	13	10	4	1	–	–	–	–	–	–	–
Brain, etc.	11	18	13	16	9	10	10	16	21	11	6	2	–	–	–	–
Heart, etc.	7	7	11	11	13	12	7	15	8	5	3	–	–	–	–	–
Respiratory Organs	3	10	9	8	23	16	16	14	11	7	5	1	–	–	–	–
Digestive Organs	5	6	3	9	5	7	8	9	5	1	3	1	–	–	–	–
Urinary Organs	3	3	3	5	4	4	4	2	3	5	3	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	5	17	24	21	6	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	9	3	3	10	3	4	9	3	1	2	–	–	–	–	–	–
Small Pox	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	–	–	1	2	3	3	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	2	4	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	5	5	3	2	2	2	–	2	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	1	–	2	–	1	3	2	1	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	1	1	2	–	2	1	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	2	–	1	–	1	–	–	1	–	–	–	–
Cancer	–	2	1	4	2	3	5	4	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Scrofula	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	37	25	23	20	16	13	10	4	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	ALL AGES.	MALES. AGE UNDER — MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	11	–	2	1	1	–	–	1	1	1	–	–	–
Apoplexy	40	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	46	–	–	–	–	–	–	–	2	–	–	–	1
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	4	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	38	22	2	5	6	2	1	–	–	–	–	–	–
Brain Disease	57	1	1	1	–	1	–	1	4	1	4	1	4
V. Pericarditis	4	–	–	–	–	–	1	–	1	–	1	–	1
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	107	–	–	1	–	–	–	–	–	4	2	6	7
VI. Laryngitis	5	–	1	1	–	1	–	–	–	–	–	–	–
Bronchitis	121	11	11	11	15	3	4	1	2	1	–	2	1
Pleurisy	17	–	–	–	–	1	–	–	1	1	–	4	1
Pneumonia	63	3	4	9	8	3	–	1	1	1	1	3	4
Asthma	16	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	20	–	1	–	–	1	1	–	2	–	–	1	2
VII. Teething	23	–	1	11	11	–	–	–	–	–	–	–	–
Quinsey	5	1	1	–	2	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	22	9	1	2	4	2	–	–	–	–	–	–	–
Peritonitis	10	1	–	–	1	–	–	–	1	–	1	1	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	3	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	3	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	28	3	1	1	–	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	4	1	–	–	1	–	–	–	–	–	1	–	–
Liver Disease	18	–	–	–	–	–	1	–	2	–	–	1	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	16	–	–	–	–	–	–	–	–	1	2	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	23	–	–	–	–	2	–	–	–	–	–	2	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	1	–	–	1	–
Joint and Bone Disease	7	–	–	–	–	–	–	–	1	1	2	–	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	4	3	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	1	–	1	1	–	–	–	1	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	4	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	34	–	–	–	–	1	1	–	1	–	1	4	2
Wounds	8	–	–	–	–	–	–	–	1	–	–	–	1
Other Violent Causes	9	–	–	–	–	–	–	–	1	–	–	2	1
Not Specified	34	19	3	2	1	–	–	–	1	–	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	3	4	2	5	3	5	9	3	1	1	–	–	–	–
Paralysis	1	5	2	3	2	1	3	7	6	7	5	1	–	–	–	–
Delirium Tremens	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Tetanus	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	8	4	5	3	3	4	3	5	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	2	–	3	2	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	3	9	11	10	10	7	15	8	5	3	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	1	2	2	2	12	8	8	9	6	4	5	–	–	–	–	–
Pleurisy	–	1	–	–	3	–	3	2	–	–	–	–	–	–	–	–
Pneumonia	–	4	3	2	5	4	1	1	3	1	–	1	–	–	–	–
Asthma	1	1	1	2	–	4	3	1	2	1	–	–	–	–	–	–
Lung Disease	1	1	3	2	3	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Peritonitis	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	1	2	3	3	3	4	1	1	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	3	1	3	1	1	1	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	2	2	2	2	2	1	1	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stone	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	2	–	2	3	1	3	5	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	5	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	2	2	5	3	2	1	2	1	2	–	–	–	–	–	–
Wounds	2	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	3	1	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	MONTHS. 6	MONTHS. 12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1867	157	58	110	143	69	46	24	70	33	48	71	80
SPECIFIED CAUSES	1849	154	55	107	142	69	45	24	70	33	48	71	79
I. Zymotic Class	358	13	17	41	54	34	24	16	27	9	10	15	16
II. Diseases of Uncertain Seat	100	4	–	1	–	1	–	–	2	–	2	1	2
III. Tubercular Class	328	6	8	18	24	20	8	5	22	8	23	31	27
IV. Brain and Nervous System	172	15	–	9	3	3	1	1	5	4	3	3	4
V. Organs of Circulation	114	1	–	1	–	–	1	1	5	6	5	4	8
VI. Respiratory Organs	261	8	18	18	22	7	6	–	5	1	–	6	8
VII. Organs of Digestion	145	11	5	12	22	2	3	1	1	2	1	2	5
VIII. Urinary Organs	21	–	–	–	–	–	1	–	–	1	1	1	1
IX. Organs of Generation	38	–	–	–	–	–	–	–	–	–	1	6	6
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	1	–	1	–
XI. Skin, etc.	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	9	8	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	93	82	6	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	27	–	–	–	17	1	1	–	2	–	–	1	1
XV. Age	137	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	36	5	1	1	–	1	–	–	1	1	2	–	1
I. Small Pox	82	5	8	9	15	12	8	3	7	2	2	4	–
Measles	8	–	1	1	3	3	–	–	–	–	–	–	–
Scarlatina	24	–	–	–	2	6	3	4	6	–	–	–	1
Diphtheria	5	–	1	–	–	1	1	1	1	–	–	–	–
Hooping Cough	69	1	2	21	23	9	8	2	3	–	–	–	–
Croup	11	–	–	1	6	–	2	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	28	4	4	6	1	–	–	1	–	1	–	–	–
Dysentery	15	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	67	–	–	1	3	3	1	3	9	6	2	5	4
Metria	19	–	–	–	–	–	–	–	–	–	1	3	10
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	18	1	1	1	–	–	1	–	–	–	5	2	1
Syphilis	3	2	–	–	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	16	–	–	–	–	–	–	–	1	–	–	1	–
Abscess	9	1	–	–	–	1	–	–	1	–	1	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	10	–	–	1	–	–	–	–	–	–	1	–	–
Cancer	60	1	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	3	–	–	–	–	–	–	1	–	1
Tabes Mesenterica	30	6	2	3	4	3	2	2	5	1	1	–	–
Phthisis	223	–	2	–	4	4	–	–	5	7	21	31	26
Hydrocephalus	66	–	4	12	16	13	6	3	12	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	82	91	65	68	66	93	97	91	98	92	58	31	18	6	–	2
SPECIFIED CAUSES	81	89	65	68	65	92	96	91	98	92	58	31	18	6	–	2
Zymotic Class	11	7	5	3	6	8	12	9	8	6	4	1	2	–	–	–
Uncertain Seat	6	9	6	10	7	13	15	6	8	5	–	–	2	–	–	–
Tubercular Class	26	32	22	16	4	14	7	5	–	2	–	–	–	–	–	–
Brain, etc.	5	6	4	8	7	11	19	11	17	15	11	6	–	1	–	–
Heart, etc.	11	10	8	5	8	8	8	10	2	11	1	–	–	–	–	–
Respiratory Organs	8	7	10	10	13	20	19	29	21	13	8	3	1	–	–	–
Digestive Organs	2	5	6	10	9	10	7	8	11	7	2	1	–	–	–	–
Urinary Organs	1	3	2	2	1	1	1	2	–	2	1	–	–	–	–	–
Generative Organs	7	8	1	2	4	2	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	10	25	30	31	20	12	5	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	1	1	4	2	3	1	5	–	–	–	1	–	–	2
Small Pox	4	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	–	–	1	2	1	2	1	–	1	1	–	–	–
Dysentery	–	–	–	–	1	2	7	1	–	3	–	–	1	–	–	–
Cholera	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	3	3	2	5	2	4	4	1	2	–	–	–	–	–
Metria	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	2	2	–	1	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	2	–	3	4	–	1	2	–	–	–	–	–	–	–
Abscess	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	3	2	–	–	2	–	–	–
Cancer	3	6	4	9	4	9	14	4	3	3	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	26	30	21	16	4	13	6	5	–	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	10	–	–	1	2	–	–	1	–	1	–	1	1
Apoplexy	34	–	–	–	–	–	–	–	1	–	2	–	1
Paralysis	56	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	1	1	–	2	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	24	14	–	7	1	1	1	–	–	–	–	–	–
Brain Disease	36	1	–	1	–	2	–	–	3	2	–	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	111	1	–	1	–	–	1	1	5	6	5	4	8
VI. Laryngitis	5	–	–	2	–	–	–	–	1	–	–	–	–
Bronchitis	143	2	13	12	14	1	2	–	–	–	–	3	3
Pleurisy	8	–	1	–	2	–	–	–	1	–	–	–	1
Pneumonia	53	6	4	4	4	6	4	–	1	1	–	2	2
Asthma	28	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	24	–	–	–	2	–	–	–	2	–	–	1	2
VII. Teething	26	–	2	6	16	1	1	–	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	27	5	2	2	4	–	1	1	1	–	–	1	2
Peritonitis	9	–	–	–	–	–	–	–	–	2	1	1	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	9	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	–	2	–	–	–	–	–	–	–	–	–
Intussusception	1	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	30	2	1	2	2	–	1	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	2	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	15	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	10	–	–	–	–	–	–	–	–	–	1	–	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	1	–	–	1	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	20	–	–	–	–	–	–	–	–	–	1	4	5
Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	–	1	–	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	5	4	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	3	1	1	–	–	–	–	–	–	1	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	10	–	–	–	–	1	–	–	1	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	18	3	3	3	1	–	1	–	–	–	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	6	4	3	5	1	4	3	1	3	–	–	–	–
Paralysis	–	–	1	–	2	3	11	5	12	9	7	3	–	1	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	–	1	–	–	–	2	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	4	1	2	–	3	3	4	1	1	3	–	–	–	–	–
Pericarditis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	11	8	8	5	8	8	7	10	2	11	1	–	–	–	–	–
Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	6	5	6	7	14	20	14	9	5	3	–	–	–	–
Pleurisy	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Pneumonia	2	1	1	–	1	4	–	1	3	2	3	–	1	–	–	–
Asthma	1	3	1	2	3	5	5	4	2	2	–	–	–	–	–	–
Lung Disease	1	1	2	3	2	3	–	3	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	–	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–
Enteritis	1	–	3	2	–	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	–	–	2	3	1	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	2	–	1	1	1	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Stomach Disease	1	2	1	3	–	4	2	2	5	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Liver Disease	–	–	1	3	3	2	2	–	1	2	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	3	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Childbirth	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	2	1	2	1	2	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	4	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	1	–	1	1	–	2	1	1	1	–	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Not Specified	1	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2269	255	75	154	276	123	91	75	122	43	91	88	66
Specified Causes	2254	247	72	152	276	122	91	75	122	42	91	88	66
I. Zymotic Class	664	39	23	67	164	76	53	48	61	12	10	14	7
II. Diseases of Uncertain Seat	84	1	3	1	–	3	2	1	4	1	4	2	1
III. Tubercular Class	411	8	13	14	40	19	14	12	25	14	47	43	29
IV. Brain and Nervous System	217	51	6	7	8	4	3	5	9	3	4	5	5
V. Organs of Circulation	89	–	–	–	–	–	–	–	–	4	2	3	4
VI. Respiratory Organs	218	6	9	22	21	9	9	7	10	1	5	5	6
VII. Organs of Digestion	151	3	7	35	33	3	6	2	5	3	2	4	4
VIII. Urinary Organs	27	–	–	–	–	1	1	–	2	1	1	1	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	2	2	5
X. Organs of Locomotion	5	–	–	–	–	–	–	–	1	–	1	1	–
XI. Skin, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	6	5	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	142	131	6	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	6	4	–	–	–	1	1	–	–
XV. Age	119	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	85	3	3	1	4	2	3	–	5	2	12	8	4
I. Small Pox	2	–	1	–	–	1	–	–	–	–	–	–	–
Measles	108	3	3	10	42	21	15	7	7	–	–	–	–
Scarlatina	105	1	1	7	23	21	10	15	17	6	2	2	–
Diphtheria	11	–	–	1	5	1	2	2	–	–	–	–	–
Hooping Cough	139	12	9	33	52	14	8	5	6	–	–	–	–
Croup	59	3	3	5	18	9	7	9	5	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	42	6	3	7	7	2	2	–	1	1	–	–	1
Dysentery	34	2	2	1	5	2	2	–	1	–	–	1	–
Cholera	10	–	–	–	–	–	–	1	1	–	–	1	1
Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	2	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	5	1	–	–	–	2	–	1	1		–	–	–
Typhus	118	–	–	2	11	3	7	8	21	5	8	9	5
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	3	–	–	–	–	–	–	–	–	–	–	–
Syphilis	7	4	1	1	–	–	–	–	–	–	–	1	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	42	–	1	–	–	3	1	1	3	1	3	1	1
Abscess	6	–	1	1	–	–	1	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	27	–	–	–	–	–	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	1	3	1	–	–	–	–	2	4	2	1
Tabes Mesenterica	16	1	2	–	2	1	1	1	4	1	1	–	2
Phthisis	290	–	1	2	7	7	5	5	14	9	42	41	26
Hydrocephalus	89	7	9	9	30	11	8	6	7	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	61	66	65	77	86	73	94	84	74	47	36	25	5	7	1	9
Specified Causes	61	66	65	77	86	73	94	84	74	47	36	25	5	7	1	9
Zymotic Class	6	10	3	15	15	7	12	11	4	3	3	1	–	–	–	–
Uncertain Seat	4	1	4	9	9	9	10	4	8	1	1	1	–	–	–	–
Tubercular Class	30	16	22	19	17	14	12	2	1	–	–	–	–	–	–	–
Brain, etc.	2	9	7	5	5	13	19	16	17	8	3	3	–	–	–	–
Heart, etc.	6	10	11	7	9	5	2	10	9	7	–	–	–	–	–	–
Respiratory Organs	5	10	5	12	13	12	18	17	9	3	4	–	–	–	–	–
Digestive Organs	3	2	5	3	7	4	8	7	4	1	–	–	–	–	–	–
Urinary Organs	–	1	1	3	2	1	3	1	4	1	2	–	–	–	–	–
Generative Organs	1	5	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	15	18	22	23	20	5	7	1	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	2	5	3	5	8	2	1	–	1	–	–	–	–	–	9
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	2	–	2	3	2	1	1	–	–	–	–	–
Dysentery	1	1	–	2	1	3	2	3	1	1	2	1	–	–	–	–
Cholera	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	2	–	1	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	8	1	10	6	3	3	2	1	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Erysipelas	–	–	2	–	3	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	2	1	–	2	–	–	–	–	–	–	–	–	–
Dropsy	2	1	1	3	2	4	4	3	6	–	1	–	–	–	–	–
Abscess	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	3	3	6	4	4	1	2	1	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	29	16	22	18	17	14	12	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	13	–	–	–	1	1	–	1	4	–	–	1	1
Apoplexy	49	–	–	–	1	–	–	1	2	1	–	1	1
Paralysis	46	–	–	–	–	–	–	–	–	–	–	1	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	4	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	75	48	6	7	6	3	2	2	–	1	–	–	–
Brain Disease	26	–	–	–	–	–	1	1	3	1	4	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	88	–	–	–	–	–	–	–	–	4	2	3	4
VI. Laryngitis	11	–	–	1	1	1	–	–	1	–	–	–	–
Bronchitis	78	3	4	14	8	3	5	2	1	–	1	3	2
Pleurisy	3	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	83	3	5	7	12	5	3	4	7	–	4	2	2
Asthma	38	–	–	–	–	–	–	–	–	1	–	–	2
Lung Disease	5	–	–	–	–	–	1	–	1	–	–	–	–
VII. Teething	69	1	3	34	29	1	1	–	–	–	–	–	–
Quinsey	8	1	1	–	1	–	2	1	2	–	–	–	–
Gastritis	4	–	–	–	1	–	–	–	1	–	–	–	1
Enteritis	17	1	2	1	1	2	1	1	–	–	–	2	–
Peritonitis	8	–	–	–	–	–	1	–	1	2	–	1	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	1	–	–	–	–	–	1	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	–	–	–	–	–	–	–	1	1	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	3	–	1	–	–	–	–	–	–	–	–	–	1
Liver Disease	9	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	1	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	18	–	–	–	–	–	–	–	2	1	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	1	2	5
Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	1	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	14	–	1	–	3	1	2	–	4	–	1	1	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	12	–	–	–	1	1	–	–	–	1	3	1	–
Fracture and Contusion	34	–	–	–	–	–	1	–	1	1	8	6	3
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	9	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	15	8	3	2	–	1	–	–	–	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	4	3	3	7	8	6	5	1	–	3	–	–	–	–
Paralysis	1	3	–	–	2	3	8	9	10	5	2	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	1	2	–	2	3	1	2	1	1	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	10	11	7	9	5	2	10	9	7	–	–	–	–	–	–
Laryngitis	1	2	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	3	2	1	3	4	4	6	2	4	–	–	–	–	–
Pleurisy	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	3	4	1	4	5	4	4	3	1	–	–	–	–	–	–	–
Asthma	–	1	1	5	6	4	9	8	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	–	4	4	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	2	1	1	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	3	2	1	3	1	1	1	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	3	–	3	4	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1075	125	33	81	124	62	42	36	63	19	41	48	23
SPECIFIED CAUSES	1066	120	32	80	124	61	42	36	63	18	41	48	23
I. Zymotic Class	310	17	10	32	75	39	26	23	32	5	4	8	1
II. Diseases of Uncertain Seat	29	1	1	1	–	2	1	–	2	–	2	2	–
III. Tubercular Class	188	6	3	6	15	10	4	6	16	7	21	25	12
IV. Brain and Nervous System	121	29	3	3	6	2	2	3	3	1	3	5	2
V. Organs of Circulation	33	–	–	–	–	–	–	–	–	–	1	2	–
VI. Respiratory Organs	105	5	5	15	8	3	2	3	5	–	1	1	3
VII. Organs of Digestion	87	2	3	22	15	1	4	1	3	2	1	2	3
VIII. Urinary Organs	14	–	–	–	–	–	1	–	–	–	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	65	60	4	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	3	–	–	–	1	1	–	–
XV. Age	51	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	51	–	2	–	2	1	2	–	2	2	6	3	2
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	53	3	2	6	20	14	5	1	2	–	–	–	–
Scarlatina	50	1	1	5	11	10	4	9	6	2	–	1	–
Diphtheria	5	–	–	–	2	–	1	2	–	–	–	–	–
Hooping Cough	60	3	4	14	24	7	3	2	3	–	–	–	–
Croup	27	1	1	2	5	4	6	4	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	22	3	1	4	4	1	1	–	1	1	–	–	–
Dysentery	18	2	1	–	1	–	2	–	1	–	–	1	–
Cholera	7	–	–	–	–	–	–	1	1	–	–	1	1
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	2	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	56	–	–	1	7	2	4	4	13	2	4	5	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	1	–	–	2	1	–	2	–	2	1	–
Abscess	3	–	–	1	–	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	–	–	–	1	3	–	1
Tabes Mesenterica	8	1	–	–	1	–	–	1	4	–	1	–	–
Phthisis	135	–	–	–	3	5	2	2	9	5	17	25	11
Hydrocephalus	39	5	3	6	11	5	2	3	3	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	29	27	33	33	36	40	46	46	36	19	15	9	2	1	–	6
SPECIFIED CAUSES	29	27	33	33	36	40	46	46	36	19	15	9	2	1	–	6
Zymotic Class	2	3	2	6	4	5	5	8	1	1	1	–	–	–	–	–
Uncertain Seat	–	–	1	–	4	1	5	–	5	–	–	1	–	–	–	–
Tubercular Class	15	6	8	6	7	8	6	1	–	–	–	–	–	–	–	–
Brain, etc.	2	7	4	2	3	9	11	8	8	4	–	1	–	–	–	–
Heart, etc.	1	4	6	5	3	1	–	4	4	2	–	–	–	–	–	–
Respiratory Organs	4	4	4	8	4	6	10	9	3	2	–	–	–	–	–	–
Digestive Organs	2	1	3	2	4	4	4	5	3	–	–	–	–	–	–	–
Urinary Organs	–	1	1	2	–	–	1	1	4	1	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	9	8	8	13	7	2	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	4	2	5	6	1	1	–	1	–	–	–	–	–	6
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	3	–	1	1	–	–	–	–	–
Dysentery	–	–	–	1	1	2	2	3	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	–	5	–	2	1	1	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	2	–	2	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	–	2	–	3	–	2	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	15	6	8	5	7	8	6	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	ALL AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	–	–	1	1	–	1	2	–	–	1	–
Apoplexy	32	–	–	–	1	–	–	1	1	1	–	1	–
Paralysis	20	–	–	–	–	–	–	–	–	–	–	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	4	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	40	26	3	3	4	1	2	1	–	–	–	–	–
Brain Disease	13	–	–	–	–	–	–	–	–	–	3	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	33	–	–	–	–	–	–	–	–	–	1	2	–
VI. Laryngitis	3	–	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	32	2	1	11	4	1	–	1	–	–	–	1	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	44	3	4	4	4	2	1	2	4	–	1	–	1
Asthma	22	–	–	–	–	–	–	–	–	–	–	–	2
Lung Disease	3	–	–	–	–	–	1	–	–	–	–	–	–
VII. Teething	38	1	1	21	14	1	–	–	–	–	–	–	–
Quinsey	6	1	1	–	1	–	1	–	2	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	1	–	–	–	1
Enteritis	7	–	–	1	–	–	1	1	–	–	–	2	–
Peritonitis	4	–	–	–	–	–	1	–	–	1	–	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	–	–	–	–	–	–	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	2	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	1	–	1	1	1	–	1	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	10	–	–	–	1	–	–	–	–	1	3	–	–
Fracture and Contusion	22	–	–	–	–	–	1	–	1	1	3	3	2
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	9	5	1	1	–	1	–	–	–	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	4	1	2	4	5	3	4	1	–	1	–	–	–	–
Paralysis	1	1	–	–	1	2	4	4	3	2	–	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	–	1	–	2	2	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	6	5	3	1	–	4	4	2	–	–	–	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	2	–	–	2	2	1	1	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	3	2	1	3	2	2	2	2	1	–	–	–	–	–	–	–
Asthma	–	–	1	4	2	2	6	4	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	2	3	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	2	1	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	2	–	–	1	1	1	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	2	–	3	3	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1194	130	42	73	152	61	49	39	59	24	50	40	43
SPECIFIED CAUSES	1188	127	40	72	152	61	49	39	59	24	50	40	43
I. Zymotic Class	354	22	13	35	89	37	27	25	29	7	6	6	6
II. Diseases of Uncertain Seat	55	–	2	–	–	1	1	1	2	1	2	–	1
III. Tubercular Class	223	2	10	8	25	9	10	6	9	7	26	18	17
IV. Brain and Nervous System	96	22	3	4	2	2	1	2	6	2	1	–	3
V. Organs of Circulation	56	–	–	–	–	–	–	–	–	4	1	1	4
VI. Respiratory Organs	113	1	4	7	13	6	7	4	5	1	4	4	3
VII. Organs of Digestion	64	1	4	13	18	2	2	1	2	1	1	2	1
VIII. Urinary Organs	13	–	–	–	–	1	–	–	2	1	–	1	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	2	2	5
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	1	1	–
XI. Skin, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	6	5	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	77	71	2	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	3	1	–	–	–	–	–	–	–
XV. Age	68	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	34	3	1	1	2	1	1	–	3	–	6	5	2
I. Small Pox	2	–	1	–	–	1	–	–	–	–	–	–	–
Measles	55	–	1	4	22	7	10	6	5	–	–	–	–
Scarlatina	55	–	–	2	12	11	6	6	11	4	2	1	–
Diphtheria	6	–	–	1	3	1	1	–	–	–	–	–	–
Hooping Cough	79	9	5	19	28	7	5	3	3	–	–	–	–
Croup	32	2	2	3	13	5	1	5	1	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	3	2	3	3	1	1	–	–	–	–	–	1
Dysentery	16	–	1	1	4	2	–	–	–	–	–	–	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	4	1	–	–	–	1	–	1	1	–	–	–	–
Typhus	62	–	–	1	4	1	3	4	8	3	4	4	5
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	6	3	1	1	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	28	–	–	–	–	1	–	1	1	1	1	–	1
Abscess	3	–	1	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	1	3	1	–	–	–	–	1	1	2	–
Tabes Mesenterica	8	–	2	–	1	1	1	–	–	1	–	–	2
Phthisis	155	–	1	2	4	2	3	3	5	4	25	16	15
Hydrocephalus	50	2	6	3	19	6	6	3	4	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	32	39	32	44	50	33	48	38	38	28	21	16	3	6	1	3
SPECIFIED CAUSES	32	39	32	44	50	33	48	38	38	28	21	16	3	6	1	3
Zymotic Class	4	7	1	9	11	2	7	3	3	2	2	1	–	–	–	–
Uncertain Seat	4	1	3	9	5	8	5	4	3	1	1	–	–	–	–	–
Tubercular Class	15	10	14	13	10	6	6	1	1	–	–	–	–	–	–	–
Brain, etc.	–	2	3	3	2	4	8	8	9	4	3	2	–	–	–	–
Heart, etc.	5	6	5	2	6	4	2	6	5	5	–	–	–	–	–	–
Respiratory Organs	1	6	1	4	9	6	8	8	6	1	4	–	–	–	–	–
Digestive Organs	1	1	2	1	3	–	4	2	1	1	–	–	–	–	–	–
Urinary Organs	–	–	–	1	2	1	2	–	–	–	1	–	–	–	–	–
Generative Organs	1	5	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	6	10	14	10	13	3	6	1	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–	3
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	2	–	2	–	–	–	–	–	–	–
Dysentery	1	1	–	1	–	1	–	–	–	1	2	1	–	–	–	–
Cholera	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	2	–	1	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	5	1	5	6	1	2	1	1	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	2	1	1	3	1	4	3	3	3	–	1	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	2	3	4	4	1	1	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	10	14	13	10	6	6	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	–	2	–	–	–	1
Apoplexy	17	–	–	–	–	–	–	–	1	–	–	–	1
Paralysis	26	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	35	22	3	4	2	2	–	1	–	1	–	–	–
Brain Disease	13	–	–	–	–	–	1	1	3	1	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	55	–	–	–	–	–	–	–	–	4	1	1	4
VI. Laryngitis	8	–	–	1	1	1	–	–	–	–	–	–	–
Bronchitis	46	1	3	3	4	2	5	1	1	–	1	2	2
Pleurisy	2	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	39	–	1	3	8	3	2	2	3	–	3	2	1
Asthma	16	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	31	–	2	13	15	–	1	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	1	1	–	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	10	1	2	–	1	2	–	–	–	–	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	1	1	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	1	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	–	–	–	–	–	1	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	11	–	–	–	–	–	–	–	2	1	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	1	2	5
Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	1	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	3	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	2	–	1	–	3	–	1	1	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	1	–	–	–	–	–	1	–
Fracture and Contusion	12	–	–	–	–	–	–	–	–	–	5	3	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	3	2	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—FEMALES. *(Continued.)*

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	2	1	3	3	3	1	–	–	2	–	–	–	–
Paralysis	–	2	–	–	1	1	4	5	7	3	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	1	–	–	1	–	1	1	1	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	6	5	2	6	4	2	6	5	5	–	–	–	–	–	–
Laryngitis	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	2	1	1	2	3	5	1	4	–	–	–	–	–
Pleurisy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	2	–	1	3	2	2	1	–	–	–	–	–	–	–	–
Asthma	–	1	–	1	4	2	3	4	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	2	1	2	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1676	126	44	110	124	91	49	45	96	42	56	48	49
Specified Causes	1665	122	44	110	124	90	48	45	96	42	56	47	49
I. Zymotic Class	386	15	12	38	64	55	28	26	38	10	7	8	7
II. Diseases of Uncertain Seat	89	1	1	2	–	–	3	–	6	1	–	2	3
III. Tubercular Class	341	3	12	27	23	20	11	12	32	17	29	21	24
IV. Brain and Nervous System	165	18	8	8	5	3	1	–	5	3	3	3	3
V. Organs of Circulation	81	–	–	1	–	–	–	–	3	2	5	1	3
VI. Respiratory Organs	193	10	4	13	16	7	2	3	5	2	7	4	2
VII. Organs of Digestion	119	12	3	18	12	2	3	1	1	5	2	4	4
VIII. Urinary Organs	34	–	–	–	–	1	–	1	2	–	–	1	1
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	1	–
X. Organs of Locomotion	7	–	–	–	–	–	–	–	1	2	–	1	–
XI. Skin, etc.	3	1	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	61	56	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	–	–	–	–	–	1	–	–
XV. Age	130	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	37	4	1	1	2	2	–	2	3	–	2	1	2
I. Small Pox	17	1	1	1	2	1	1	–	4	–	1	1	1
Measles	9	–	–	1	2	2	2	–	2	–	–	–	–
Scarlatina	39	–	–	1	4	8	2	5	8	4	1	2	2
Diphtheria	40	–	–	1	7	9	6	9	5	2	–	–	–
Hooping Cough	110	5	7	23	31	22	6	7	9	–	–	–	–
Croup	34	–	–	–	11	6	9	4	3	1	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	30	3	1	5	3	2	1	–	2	–	–	–	–
Dysentery	23	–	–	2	1	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	6	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	–	1	3	2	1	1	4	3	5	4	3
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	10	5	1	–	–	–	–	–	1	–	–	–	–
Syphilis	7	–	1	3	–	2	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	1	–	–	–	1
Dropsy	24	–	–	–	–	–	2	–	2	–	–	1	–
Abscess	7	–	1	2	–	–	–	–	1	1	–	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	48	–	–	–	–	–	1	–	2	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	–	–	3	–	–	–	1	3	4	3	1	–
Tabes Mesenterica	19	–	1	2	4	4	1	–	4	1	1	1	–
Phthisis	206	1	3	3	1	5	3	2	4	10	24	19	24
Hydrocephalus	98	2	8	19	18	11	7	9	21	2	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	59	52	41	54	62	75	74	72	96	114	57	23	8	4	–	5
SPECIFIED CAUSES .	59	52	41	53	62	74	72	72	96	114	57	23	8	4	–	5
Zymotic Class . .	3	5	4	8	8	7	11	9	8	8	5	2	–	–	–	–
Uncertain Seat . .	3	4	9	6	5	7	11	4	8	10	3	–	–	–	–	–
Tubercular Class . .	32	22	8	16	9	12	5	2	1	3	–	–	–	–	–	–
Brain, etc. . . .	7	5	4	9	10	10	6	16	19	14	4	1	–	–	–	–
Heart, etc. . . .	1	6	6	1	11	3	12	6	8	8	4	–	–	–	–	–
Respiratory Organs .	3	2	5	4	8	13	13	16	24	23	3	1	2	1	–	–
Digestive Organs . .	3	2	3	5	7	9	4	3	9	6	1	–	–	–	–	–
Urinary Organs . .	2	2	1	2	1	6	1	4	3	4	2	–	–	–	–	–
Generative Organs .	2	2	–	2	–	2	2	–	–	1	–	–	–	–	–	–
Locomotive Organs .	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	10	15	36	35	19	6	3	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	3	–	–	–	2	2	1	2	1	1	–	–	–	–	–	5
Small Pox . . .	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	1	1	1	2	–	–	1	–	3	2	2	–	–	–	–	–
Dysentery . . .	–	2	–	1	–	1	5	3	4	2	–	1	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	2	6	4	4	4	1	3	–	1	–	–	–	–
Metria	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	3	2	2	–	1	3	6	1	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	1	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
Cancer	1	4	7	3	2	5	11	2	4	3	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	31	22	8	16	9	11	4	2	1	3	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	–	–	–	–	–	2	1	1	1	1
Apoplexy	33	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	45	–	1	–	–	–	–	–	–	–	–	–	2
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	–	–	2	1	–	2	–
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	41	17	7	8	5	3	1	–	–	–	–	–	–
Brain Disease	20	–	–	–	–	–	–	–	1	–	1	–	–
V. Pericarditis	3	–	–	–	–	–	–	–	2	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	73	–	–	1	–	–	–	–	1	2	5	1	2
VI. Laryngitis	8	–	–	1	2	–	1	–	1	–	–	–	–
Bronchitis	117	4	2	7	8	4	1	2	2	1	3	2	–
Pleurisy	8	–	–	–	1	–	–	–	–	–	2	1	2
Pneumonia	37	5	2	5	3	3	–	1	1	–	1	1	–
Asthma	11	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	12	1	–	–	2	–	–	–	1	1	1	–	–
VII. Teething	29	–	–	14	12	2	1	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	–	1	1	–	–	1	–	–	1	–	–	–
Peritonitis	10	–	–	–	–	–	–	–	–	1	1	–	3
Ascites	3	–	–	–	–	–	–	–	–	–	1	–	1
Ulceration of Intestines	9	–	–	–	–	–	–	1	–	1	–	2	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	–	1	2	–	–	–	–	1	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	16	11	–	–	–	–	1	–	–	–	–	1	–
Liver Disease	12	–	1	1	–	–	–	–	–	2	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	22	–	–	–	–	–	–	1	2	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	1	–
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	5	–	–	–	–	–	–	–	1	2	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	1	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	1	–	–
Burns and Scalds	7	–	–	–	2	1	–	1	1	–	–	–	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	5	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	9	1	–	–	–	–	–	–	1	–	1	–	–
Wounds	–	–	–	–	–	–	–	1	1	–	–	1	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	11	4	–	–	–	1	1	–	–	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	3	1	3	3	4	6	7	2	–	–	–	–	–
Paralysis	1	–	–	1	5	5	1	10	12	6	–	1	–	–	–	–
Delirium Tremens	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	1	–	–	–	1	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	1	2	2	2	2	2	1	–	1	1	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	1	5	6	–	9	3	12	6	7	8	4	–	–	–	–	–
Laryngitis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	–	1	3	2	6	9	7	13	16	17	3	1	2	1	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Pneumonia	2	–	1	1	1	3	1	1	4	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	1	2	2	1	4	–	–	–	–	–	–
Lung Disease	–	1	–	–	1	–	2	–	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	1	1	–	–	2	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Ileus	1	–	1	–	–	2	–	–	3	–	1	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	2	1	1	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	3	1	1	–	–	1	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	1	1	5	1	2	2	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2
Drowning	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	2
Fracture and Contusion	1	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	814	84	22	61	73	42	20	22	59	23	30	20	17
SPECIFIED CAUSES	811	84	22	61	73	42	19	22	59	23	30	20	17
I. Zymotic Class	176	11	3	15	34	22	10	12	22	5	2	3	2
II. Diseases of Uncertain Seat	27	1	1	1	–	–	1	–	4	–	–	–	1
III. Tubercular Class	184	3	8	18	18	12	6	7	19	9	16	8	10
IV. Brain and Nervous System	88	11	6	7	3	3	–	–	5	3	1	2	1
V. Organs of Circulation	40	–	–	1	–	–	–	–	2	1	1	–	–
VI. Respiratory Organs	99	7	2	9	7	2	1	1	2	1	7	1	1
VII. Organs of Digestion	60	9	1	8	8	1	1	–	–	2	1	3	1
VIII. Urinary Organs	25	–	–	–	–	1	–	1	1	–	–	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	7	–	–	–	–	–	–	–	1	2	–	1	–
XI. Skin, etc.	2	–	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	39	36	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	–	–	–	–	–	–	1	–	–
XV. Age	36	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	24	4	–	–	2	1	–	1	3	–	1	1	1
I. Small Pox	12	1	1	–	1	–	–	–	3	–	1	1	1
Measles	6	–	–	1	1	1	1	–	2	–	–	–	–
Scarlatina	17	–	–	–	1	3	1	3	6	2	1	–	–
Diphtheria	21	–	–	–	3	4	3	6	2	2	–	–	–
Hooping Cough	39	2	–	8	16	8	1	1	3	–	–	–	–
Croup	15	–	–	–	5	3	3	2	2	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	3	1	3	3	1	–	–	–	–	–	–	–
Dysentery	9	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	29	–	–	1	3	1	1	–	4	1	–	2	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	7	4	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	–	1	2	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	3	–	1	1	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	1	–	2	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	15	–	–	2	–	–	–	1	3	3	3	1	–
Tabes Mesenterica	9	–	1	1	3	1	–	–	3	–	–	–	–
Phthisis	94	1	2	1	1	3	1	1	2	5	12	7	10
Hydrocephalus	66	2	5	14	14	8	5	5	11	1	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	26	21	17	29	33	41	29	34	40	42	17	6	2	–	–	4
SPECIFIED CAUSES	26	21	17	29	33	40	28	34	40	42	17	6	2	–	–	4
Zymotic Class	1	1	2	6	7	2	6	2	3	3	1	1	–	–	–	–
Uncertain Seat	2	–	3	1	1	1	2	2	2	3	1	–	–	–	–	–
Tubercular Class	12	8	5	9	4	6	3	2	–	1	–	–	–	–	–	–
Brain, etc.	5	4	–	5	5	7	2	9	5	2	2	–	–	–	–	–
Heart, etc.	–	4	5	1	4	3	8	2	3	4	1	–	–	–	–	–
Respiratory Organs	3	1	1	2	5	8	4	10	12	11	1	–	–	–	–	–
Digestive Organs	2	–	–	3	4	6	2	1	4	3	–	–	–	–	–	–
Urinary Organs	–	1	–	2	1	4	1	4	3	3	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	7	11	9	5	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	1	2	–	–	1	1	–	–	–	–	–	4
Small Pox	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	3	1	3	1	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	–	2	5	1	3	1	–	2	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	1	–	–	1	–	2	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	–	1	1	–	1	2	–	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	8	5	9	4	6	2	2	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	–	–	–	2	1	1	1	–
Apoplexy	11	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	15	–	1	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	2	1	–	1	–
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	28	10	5	7	3	3	–	–	–	–	–	–	–
Brain Disease	13	–	–	–	–	–	–	–	1	–	–	–	–
V. Pericarditis	3	–	–	–	–	–	–	–	2	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	33	–	–	1	–	–	–	–	–	1	1	–	–
VI. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	58	2	1	3	4	1	1	1	1	1	3	–	–
Pleurisy	5	–	–	–	–	–	–	–	–	–	2	–	1
Pneumonia	23	4	1	5	1	1	–	–	–	–	1	1	–
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	1	–	–	2	–	–	–	1	–	1	–	–
VII. Teething	15	–	–	5	8	1	1	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	1	1	–	–	–	–	–	–	–	–	–
Peritonitis	5	–	–	–	–	–	–	–	–	1	1	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	1	–	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	10	8	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	–	–	1	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	1	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	–	–	–	–	1	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	5	–	–	–	–	–	–	–	1	2	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	3	–	–	–	2	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	1	–	–	1	–	1	–	–
Fracture and Contusion	7	1	–	–	–	–	–	1	1	–	–	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	–	–	–	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	–	2	1	3	2	1	–	–	–	–	–	–
Paralysis	1	–	–	–	1	3	–	4	3	1	–	–	–	–	–	–
Delirium Tremens	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	–	2	2	2	1	1	–	–	1	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	–	3	5	–	2	3	8	2	2	4	1	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	1	3	5	2	8	10	8	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Pneumonia	2	–	–	1	1	3	–	1	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	2	1	1	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	1	1	3	1	2	2	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Drowning	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	2
Fracture and Contusion	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	862	42	22	49	51	49	29	23	37	19	26	28	32
SPECIFIED CAUSES	854	38	22	49	51	48	29	23	37	19	26	27	32
I. Zymotic Class	210	4	9	23	30	33	18	14	16	5	5	5	5
II. Diseases of Uncertain Seat	62	–	–	1	–	–	2	–	2	1	–	2	2
III. Tubercular Class	157	–	4	9	5	8	5	5	13	8	13	13	14
IV. Brain and Nervous System	77	7	2	1	2	–	1	–	–	–	2	1	2
V. Organs of Circulation	41	–	–	–	–	–	–	–	1	1	4	1	3
VI. Respiratory Organs	94	3	2	4	9	5	1	2	3	1	–	3	1
VII. Organs of Digestion	59	3	2	10	4	1	2	1	1	3	1	1	3
VIII. Urinary Organs	9	–	–	–	–	–	–	–	1	–	–	–	1
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	1	–
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	22	20	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	–	–	–	–	–	–	–	–
XV. Age	94	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	13	–	1	1	–	1	–	1	–	–	1	–	1
I. Small Pox	5	–	–	1	1	1	1	–	1	–	–	–	–
Measles	3	–	–	–	1	1	1	–	–	–	–	–	–
Scarlatina	22	–	–	1	3	5	1	2	2	2	–	2	2
Diphtheria	19	–	–	1	4	5	3	3	3	–	–	–	–
Hooping Cough	71	3	7	15	15	14	5	6	6	–	–	–	–
Croup	19	–	–	–	6	3	6	2	1	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	–	–	2	–	1	1	–	2	–	–	–	–
Dysentery	14	–	–	2	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	6	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	–	–	1	–	1	–	2	5	2	3
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	1	1	–	–	–	–	–	1	–	–	–	–
Syphilis	3	–	–	1	–	1	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	1
Dropsy	17	–	–	–	–	–	2	–	1	–	–	1	–
Abscess	4	–	–	1	–	–	–	–	–	1	–	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	36	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	1	–	–	–	–	–	1	–	–	–
Tabes Mesenterica	10	–	–	1	1	3	1	–	1	1	1	1	–
Phthisis	112	–	1	2	–	2	2	1	2	5	12	12	14
Hydrocephalus	32	–	3	5	4	3	2	4	10	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	33	31	24	25	29	34	45	38	56	72	40	17	6	4	–	1
SPECIFIED CAUSES	33	31	24	24	29	34	44	38	56	72	40	17	6	4	–	1
Zymotic Class	2	4	2	2	1	5	5	7	5	5	4	1	–	–	–	–
Uncertain Seat	1	4	6	5	4	6	9	2	6	7	2	–	–	–	–	–
Tbercular Class	20	14	3	7	5	6	2	–	1	2	–	–	–	–	–	–
Brain, etc.	2	1	4	4	5	3	4	7	14	12	2	1	–	–	–	–
Heart, etc.	1	2	1	–	7	–	4	4	5	4	3	–	–	–	–	–
Respiratory Organs	–	1	4	2	3	5	9	6	12	12	2	1	2	1	–	–
Digestive Organs	1	2	3	2	3	3	2	2	5	3	1	–	–	–	–	–
Urinary Organs	2	1	1	–	–	2	–	–	–	1	–	–	–	–	–	–
Generative Organs	2	2	–	2	–	2	2	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	8	8	25	26	14	4	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	–	–	–	1	–	1	2	–	–	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	–	–	–	1	–	3	2	2	–	–	–	–	–
Dysentery	–	2	–	1	–	1	2	2	1	1	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	1	3	1	3	1	1	–	–	–	–	–	–
Metria	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	3	1	2	–	–	3	4	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cancer	1	4	6	2	2	4	9	2	2	2	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	20	14	3	7	5	5	2	–	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. **Cephalitis**	1	–	–	–	–	–	–	–	–	–	–	–	1
Apoplexy	22	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	30	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	13	7	2	1	2	–	1	–	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	–	–	–	–	1	–	–
V. **Pericarditis**	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	40	–	–	–	–	–	–	–	1	1	4	1	2
VI. **Laryngitis**	6	–	–	–	2	–	1	–	1	–	–	–	–
Bronchitis	59	2	1	4	4	3	–	1	1	–	–	2	–
Pleurisy	3	–	–	–	1	–	–	–	–	–	–	1	1
Pneumonia	14	1	1	–	2	2	–	1	1	–	–	–	–
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	1	–	–	–
VII. **Teething**	14	–	–	9	4	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	–	–	–	–	–	1	–	–	1	–	–	–
Peritonitis	5	–	–	–	–	–	–	–	–	–	–	–	3
Ascites	2	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	1	–	1	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	1	1	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	3	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	5	–	1	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. **Nephritis**	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	1	–	–	–	1
IX. **Paramenia**	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. **Arthritis**	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. **Carbuncle**	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. **Cyanosis**	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. **Intemperance**	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	1	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	1	–	1	–	–	–	–	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	4	–	–	–	1	–	–	–	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	2	2	1	1	2	1	4	6	2	–	–	–	–	–
Paralysis	–	–	–	1	4	2	1	6	9	5	–	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	2	1	–	7	–	4	4	5	4	3	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	–	–	2	1	3	4	5	5	6	9	2	1	2	1	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	–	–	1	–	3	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	1	2	1	–	2	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	1	–	1	–	–	1	–	–	2	–	1	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1185	108	31	74	120	71	42	49	73	31	43	34	41
SPECIFIED CAUSES	1137	81	24	70	117	68	42	49	72	31	42	33	41
I. Zymotic Class	287	6	8	24	55	46	29	32	32	6	4	–	6
II. Diseases of Uncertain Seat	42	–	–	–	–	3	2	2	2	1	1	1	–
III. Tubercular Class	232	–	2	12	20	10	6	9	17	13	30	24	17
IV. Brain and Nervous System	108	3	1	3	3	1	2	1	6	4	2	3	4
V. Organs of Circulation	26	3	–	–	–	–	–	1	–	–	–	–	–
VI. Respiratory Organs	105	2	3	12	9	4	1	3	4	2	1	2	3
VII. Organs of Digestion	110	9	7	15	24	2	1	–	5	2	–	–	4
VIII. Urinary Organs	14	–	–	–	–	–	–	–	–	–	1	–	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	1	2	1	4
X. Organs of Locomotion	4	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	58	52	2	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	5	2	–	1	2	–	–	–	–
XV. Age	86	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	29	3	1	–	1	–	1	–	4	2	–	2	2
I. Small Pox	2	–	–	–	1	–	–	–	–	1	–	–	–
Measles	25	–	–	4	6	5	4	2	4	–	–	–	–
Scarlatina	81	1	2	7	10	18	7	16	16	3	1	–	–
Diphtheria	3	–	–	–	1	1	–	1	–	–	–	–	–
Hooping Cough	76	1	2	10	28	11	13	9	2	–	–	–	–
Croup	17	–	2	1	5	4	2	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	2	1	1	3	2	–	1	–	–	–	–	1
Dysentery	6	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Infantile Fever	2	–	–	–	–	1	1	–	–	–	–	–	–
Typhus	44	–	–	1	1	4	2	1	7	2	3	–	4
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	1
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	29	–	–	–	–	2	2	2	1	1	–	1	–
Abscess	2	–	–	–	–	1	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	–	–	–	–	–	1	1	4	–	3	–
Tabes Mesenterica	11	–	–	1	5	2	–	1	1	–	–	–	1
Phthisis	174	–	1	3	4	7	4	3	9	9	30	21	16
Hydrocephalus	33	–	1	8	11	1	2	4	6	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	39	40	37	39	47	45	40	49	58	34	26	11	3	–	–	–
Specified Causes	39	40	37	39	47	45	39	49	58	34	26	11	3	–	–	–
Zymotic Class	2	5	2	1	8	2	5	6	3	3	2	–	–	–	–	–
Uncertain Seat	3	1	6	3	3	4	2	4	3	–	–	1	–	–	–	–
Tubercular Class	16	14	9	8	8	10	3	3	1	–	–	–	–	–	–	–
Brain, etc.	–	2	4	6	10	6	16	5	14	5	6	–	1	–	–	–
Heart, etc.	1	5	3	2	–	5	2	2	1	1	–	–	–	–	–	–
Respiratory Organs	3	3	9	8	8	6	6	6	9	–	–	1	–	–	–	–
Digestive Organs	4	3	2	4	9	7	1	4	2	4	1	–	–	–	–	–
Urinary Organs	2	2	–	1	–	3	–	1	2	–	1	–	–	–	–	–
Generative Organs	5	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	14	22	21	14	9	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	4	–	3	–	1	–	3	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	3	–	1	3	2	2	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	1	2	–	–	2	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	5	2	–	4	2	3	1	1	1	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	2	2	1	3	2	3	3	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	3	1	2	1	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	15	14	9	8	7	9	3	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	1	–	–	1	2	1	–	–	–
Apoplexy	31	–	1	2	–	1	1	–	3	2	1	–	–
Paralysis	36	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	7	3	–	1	2	–	–	–	1	–	–	–	–
Brain Disease	17	–	–	–	–	–	1	–	–	1	1	2	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	26	3	–	–	–	–	–	1	–	–	–	–	–
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	55	1	2	10	5	1	1	1	1	1	–	1	1
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	33	1	1	2	3	3	–	2	3	1	1	1	2
Asthma	12	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	30	–	2	10	16	1	1	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	3	–	–	1	–	–	–	–	–	–	–	–	1
Enteritis	30	7	3	3	6	–	–	–	2	1	–	–	1
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	1	1	1	1	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	4	1	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	14	–	1	–	–	–	–	–	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	2	1	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	–	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	4	1	–	–	–
Fracture and Contusion	8	–	–	–	1	–	1	–	–	1	–	2	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	48	27	7	4	3	3	–	–	1	–	1	1	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	3	2	2	5	–	6	1	–	–	–	–	–	–
Paralysis	–	–	–	1	4	3	8	2	7	4	5	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	1	3	–	2	1	–	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	5	3	2	–	5	2	2	1	1	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	4	5	4	3	1	5	4	–	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	1	2	2	2	1	2	1	–	2	–	–	–	–	–	–	–
Asthma	–	–	2	1	3	1	3	–	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	3	2	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	–	–	–	–		–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	2	–	–	1	–	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	1	1	–	1	4	2	–	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	590	53	18	33	69	35	19	22	43	18	21	17	22
SPECIFIED CAUSES . . .	564	36	14	31	69	34	19	22	42	18	21	16	22
I. Zymotic Class . . .	141	2	3	11	30	23	15	14	18	4	1	–	3
II. Diseases of Uncertain Seat	18	–	–	–	–	1	1	2	2	–	–	–	–
III. Tubercular Class . .	124	–	–	7	17	7	1	2	9	7	16	12	9
IV. Brain and Nervous System	59	3	1	1	–	–	1	1	4	3	2	2	2
V. Organs of Circulation .	9	–	–	–	–	–	–	–	–	–	–	–	–
VI. Respiratory Organs . .	58	1	3	5	4	1	1	2	3	1	–	1	3
VII. Organs of Digestion .	55	5	5	6	14	1	–	–	1	2	–	–	3
VIII. Urinary Organs . .	9	–	–	–	–	–	–	–	–	–	1	–	–
IX. Organs of Generation .	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	2	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	26	23	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	3	1	–	1	1	–	–	–	–
XV. Age	34	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . .	20	1	–	–	1	–	–	–	4	1	–	1	2
I. Small Pox . . .	2	–	–	–	1	–	–	–	–	1	–	–	–
Measles	13	–	–	3	4	3	1	1	1	–	–	–	–
Scarlatina	40	1	–	4	3	11	3	6	10	2	–	–	–
Diphtheria . . .	3	–	–	–	1	1	–	1	–	–	–	–	–
Hooping Cough . .	36	–	2	2	15	5	7	3	2	–	–	–	–
Croup	9	–	–	–	4	2	2	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	1	1	1	2	1	–	1	–	–	–	–	–
Dysentery . . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	–	–	1	–	–	2	1	4	1	1	–	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	–	1	1	2	1	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	–	–	–	–	–	–	3	–	2	–
Tabes Mesenterica . .	7	–	–	1	4	1	–	–	–	–	–	–	1
Phthisis	88	–	–	1	4	5	1	–	5	4	16	10	8
Hydrocephalus . . .	21	–	–	5	9	1	–	2	4	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	17	22	17	21	21	26	20	19	28	13	11	3	2	–	–	–
SPECIFIED CAUSES	17	22	17	21	21	26	20	19	28	13	11	3	2	–	–	–
Zymotic Class	–	2	–	1	3	–	4	3	2	2	–	–	–	–	–	–
Uncertain Seat	1	1	–	2	2	2	1	1	1	–	–	1	–	–	–	–
Tubercular Class	9	4	6	4	3	8	2	1	–	–	–	–	–	–	–	–
Brain, etc.	–	1	3	2	5	4	9	3	7	1	4	–	–	–	–	–
Heart, etc.	–	2	1	1	–	4	–	1	–	–	–	–	–	–	–	–
Respiratory Organs	1	3	6	6	4	4	1	3	5	–	–	–	–	–	–	–
Digestive Organs	3	3	1	2	4	2	–	–	1	2	–	–	–	–	–	–
Urinary Organs	1	2	–	1	–	1	–	1	1	–	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	4	10	8	5	2	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	4	–	2	–	1	–	2	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	1	2	1	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	–	–	2	–	3	–	1	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	1	1	1	1	1	1	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	4	6	4	3	7	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	1	2	1	–	–	–
Apoplexy	16	–	1	1	–	–	–	–	1	1	1	–	–
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	3	–	–	–	–	–	–	1	–	–	–	–
Brain Disease	13	–	–	–	–	–	1	–	–	1	1	1	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	–	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	32	1	2	4	1	1	1	1	1	1	–	1	1
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	20	–	1	1	2	–	–	1	2	–	–	–	2
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	15	–	2	5	8	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	16	4	2	1	5	–	–	–	1	1	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	4	1	–	–	–
Fracture and Contusion	4	–	–	–	1	–	–	–	–	–	–	1	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	26	17	4	2	–	1	–	–	1	–	–	1	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	2	4	–	4	–	–	–	–	–	–	–
Paralysis	–	–	–	1	1	2	4	1	2	1	3	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	1	2	–	–	1	–	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	1	1	–	4	–	1	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	3	4	3	1	1	2	1	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	–	2	2	2	1	2	–	–	2	–	–	–	–	–	–	–
Asthma	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	595	55	13	41	51	36	23	27	30	13	22	17	19
SPECIFIED CAUSES . . .	573	45	10	39	48	34	23	27	30	13	21	17	19
I. Zymotic Class . . .	146	4	5	13	25	23	14	18	14	2	3	–	3
II. Diseases of Uncertain Seat	24	–	–	–	–	2	1	–	–	1	1	1	–
III. Tubercular Class . .	108	–	2	5	3	3	5	7	8	6	14	12	8
IV. Brain and Nervous System	49	–	–	2	3	1	1	–	2	1	–	1	2
V. Organs of Circulation .	17	3	–	–	–	–	–	1	–	–	–	–	–
VI. Respiratory Organs . .	47	1	–	7	5	3	–	1	1	1	1	1	–
VII. Organs of Digestion .	55	4	2	9	10	1	1	–	4	–	–	–	1
VIII. Urinary Organs . .	5	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation .	18	–	–	–	–	–	–	–	–	1	2	1	4
X. Organs of Locomotion .	2	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	32	29	–	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	2	1	–	–	1	–	–	–	–
XV. Age	52	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . . .	9	2	1	–	–	–	1	–	–	1	–	1	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	–	–	1	2	2	3	1	3	–	–	–	–
Scarlatina	41	–	2	3	7	7	4	10	6	1	1	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . . .	40	1	–	8	13	6	6	6	–	–	–	–	–
Croup	8	–	2	1	1	2	–	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	1	–	–	1	1	–	–	–	–	–	–	1
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever . . .	2	–	–	–	–	1	1	–	–	–	–	–	–
Typhus	22	–	–	–	1	4	–	–	3	1	2	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	1
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	15	–	–	–	–	1	1	–	–	1	–	1	–
Abscess	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	–	1	1	1	–	1	–
Tabes Mesenterica . .	4	–	–	–	1	1	–	1	1	–	–	–	–
Phthisis	86	–	1	2	–	2	3	3	4	5	14	11	8
Hydrocephalus . . .	12	–	1	3	2	–	2	2	2	–	–	–	–

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	22	18	20	18	26	19	20	30	30	21	15	8	1	–	–	–
SPECIFIED CAUSES	22	18	20	18	26	19	19	30	30	21	15	8	1	–	–	–
Zymotic Class	2	3	2	–	5	2	1	3	1	1	2	–	–	–	–	–
Uncertain Seat	2	–	6	1	1	2	1	3	2	–	–	–	–	–	–	–
Tubercular Class	7	10	3	4	5	2	1	2	1	–	–	–	–	–	–	–
Brain, etc.	–	1	1	4	5	2	7	2	7	4	2	–	1	–	–	–
Heart, etc.	1	3	2	1	–	1	2	1	1	1	–	–	–	–	–	–
Respiratory Organs	2	–	3	2	4	2	5	3	4	–	–	1	–	–	–	–
Digestive Organs	1	–	1	2	5	5	1	4	1	2	1	–	–	–	–	–
Urinary Organs	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Generative Organs	5	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	10	12	13	9	7	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	2	–	2	2	–	1	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	2	1	–	2	1	2	2	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	10	3	4	4	2	1	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	15	–	–	1	–	1	1	–	2	1	–	–	–
Paralysis	21	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	3	–	–	1	2	–	–	–	–	–	–	–	–
Brain Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	3	–	–	–	–	–	1	–	–	–	–	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	23	–	–	6	4	–	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	13	1	–	1	1	3	–	1	1	1	1	1	–
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	15	–	–	5	8	1	1	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	14	3	1	2	1	–	–	–	1	–	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	1	–	1	1	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	1	–	–	–	–	–	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	2	1	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	–	–	–	–	–	1	–	–	1	–	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	22	10	3	2	3	2	–	–	–	–	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	3	1	–	1	–	2	1	–	–	–	–	–	–
Paralysis	–	–	–	–	3	1	4	1	5	3	2	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	3	2	1	–	1	2	1	1	1	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	1	1	2	–	3	3	–	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	1	1	3	–	3	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	2	1	–	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	ALL AGES.	AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1423	115	52	146	181	110	92	61	123	26	37	38	36
SPECIFIED CAUSES	1382	100	44	145	177	107	89	59	123	26	36	38	36
I. Zymotic Class	556	18	15	75	105	76	65	46	90	8	4	8	9
II. Diseases of Uncertain Seat	35	–	1	–	–	2	2	2	2	1	–	1	1
III. Tubercular Class	221	1	5	16	22	10	8	6	15	10	19	22	14
IV. Brain and Nervous System	91	1	2	9	8	4	6	1	5	1	2	3	3
V. Organs of Circulation	49	1	1	–	–	–	–	1	1	1	2	–	–
VI. Respiratory Organs	150	8	12	24	14	9	5	–	4	1	4	2	1
VII. Organs of Digestion	71	5	4	16	19	5	1	–	2	1	1	–	3
VIII. Urinary Organs	15	–	–	–	–	–	–	–	1	–	–	1	1
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	1	–	3
X. Organs of Locomotion	4	–	–	–	–	–	1	–	1	–	–	–	–
XI. Skin, etc.	2	1	–	–	–	–	–	–	1	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	69	62	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	7	–	–	2	–	–	–	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	1	–	–	–	–	–
XVII. Violent Deaths	35	2	–	2	2	1	1	–	1	3	3	1	1
I. Small Pox	31	1	1	4	6	6	2	1	3	1	–	1	2
Measles	7	–	–	2	4	–	1	–	–	–	–	–	–
Scarlatina	266	–	3	18	44	50	39	38	64	5	1	1	2
Diphtheria	2	–	–	1	1	–	–	–	–	–	–	–	–
Hooping Cough	116	3	5	35	33	13	14	4	9	–	–	–	–
Croup	24	1	2	4	7	4	1	2	3	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	35	10	3	9	1	1	–	–	1	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	–	–	–	1	–	1	–	–	–	1
Influenza	3	–	–	–	2	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	3	–	–	2	–	–	–	–	1	–	–	–	–
Typhus	49	–	–	–	5	1	6	1	8	2	3	5	4
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	–	1	–
Syphilis	6	–	1	–	2	1	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	–	2	2	1	1	1	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	17	–	1	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	1	–	2	–	–	–	–	3	1	–	–
Tabes Mesenterica	13	–	1	1	4	2	–	1	2	–	1	–	–
Phthisis	157	–	–	4	3	4	4	3	9	7	17	22	14
Hydrocephalus	42	1	3	11	13	4	4	2	4	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	46	39	32	33	41	36	47	27	37	29	24	9	5	1	–	–
SPECIFIED CAUSES	46	38	32	31	41	36	46	27	37	29	24	9	5	1	–	–
Zymotic Class	5	9	1	3	3	2	2	3	4	2	1	1	–	1	–	–
Uncertain Seat	–	2	–	3	8	3	5	1	–	1	–	–	–	–	–	–
Tubercular Class	17	11	14	6	11	5	4	3	1	–	–	1	–	–	–	–
Brain, etc.	3	4	4	4	6	5	9	–	8	1	1	1	–	–	–	–
Heart, etc.	4	1	3	4	4	3	9	4	6	2	1	1	–	–	–	–
Respiratory Organs	6	3	4	3	5	11	7	14	2	3	7	–	1	–	–	–
Digestive Organs	–	3	1	1	–	2	2	1	3	–	1	–	–	–	–	–
Urinary Organs	2	–	1	1	2	2	1	–	2	1	–	–	–	–	–	–
Generative Organs	4	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	1	10	19	13	5	4	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	5	2	2	4	1	1	2	–	1	–	–	–	–	–	–	–
Small Pox	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	–	–	1	1	–	–	1	1	1	1	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	–	2	1	1	1	3	2	1	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	3	6	2	3	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	10	13	5	11	5	4	3	1	–	–	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	1	2	1	1	–	–	–	–	–	2	–
Apoplexy	20	–	–	–	–	–	1	–	–	1	–	1	–
Paralysis	24	–	–	–	–	–	–	–	1	–	–	–	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	1	–	4	5	3	2	–	1	–	–	–	–
Brain Disease	18	–	1	3	2	–	3	1	3	–	1	–	1
V. Pericarditis	4	–	–	–	–	–	–	1	1	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	44	1	1	–	–	–	–	–	–	1	2	–	–
VI. Laryngitis	2	–	–	1	–	1	–	–	–	–	–	–	–
Bronchitis	82	6	9	14	10	4	4	–	1	–	1	–	–
Pleurisy	3	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	45	2	3	8	4	4	1	–	3	–	3	2	1
Asthma	11	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	–	–	–	–	–	–	–	–	1	–	–	–
VII. Teething	35	–	2	14	17	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	13	4	1	1	2	2	–	–	1	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	–	1	–	–	–	–	–	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	1	–	–	–	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	–	3
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	1	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	1	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	1	1	–	1	–	1	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	1	–	–	–	2	1	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	–	1	1	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	41	15	8	1	4	3	3	2	–	–	1	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	1	1	5	2	3	–	3	–	–	–	–	–	–	–
Paralysis	–	2	1	2	1	2	6	–	5	–	1	1	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	2	3	4	3	8	4	6	2	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	–	1	5	3	12	1	2	7	–	1	–	–	–
Pleurisy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	5	2	3	1	–	2	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	2	2	3	1	1	1	1	–	–	–	–	–	–
Lung Disease	–	1	–	–	1	1	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	1	–	1	–	–	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	2	–	1	1	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	714	75	37	78	82	54	52	28	51	16	22	21	18
SPECIFIED CAUSES . . .	692	66	30	78	81	52	52	28	51	16	22	21	18
I. Zymotic Class . . .	283	11	11	37	51	41	39	22	35	5	2	3	6
II. Diseases of Uncertain Seat	11	–	–	–	–	1	1	1	2	–	–	–	–
III. Tubercular Class . .	104	1	3	10	9	2	4	3	4	5	11	12	7
IV. Brain and Nervous System	43	–	1	4	2	–	3	–	4	1	–	2	2
V. Organs of Circulation .	24	1	1	–	–	–	–	–	–	–	2	–	–
VI. Respiratory Organs . .	80	4	7	17	6	4	3	–	2	1	3	2	–
VII. Organs of Digestion .	40	3	4	8	11	3	–	–	1	1	1	–	2
VIII. Urinary Organs . .	10	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation .	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	4	–	–	–	–	–	1	–	1	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	1	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	47	43	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	2	–	–	–	–	–
XV. Age	16	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . . .	23	2	–	1	–	1	1	–	–	3	3	1	1
I. Small Pox	18	–	1	2	2	4	2	1	2	1	–	–	1
Measles	5	–	–	1	3	–	1	–	–	–	–	–	–
Scarlatina	128	–	3	7	22	27	22	20	22	2	–	–	2
Diphtheria	2	–	–	1	1	–	–	–	–	–	–	–	–
Hooping Cough . . .	55	1	3	17	14	6	10	–	4	–	–	–	–
Croup	10	1	1	3	4	1	–	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	21	6	3	5	1	1	–	–	1	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	–	–	–	–	–	1	–	–	–	1
Influenza	2	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . . .	2	–	–	1	–	–	–	–	1	–	–	–	–
Typhus	27	–	–	–	2	1	3	1	4	1	2	2	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	1	–
Syphilis	3	–	–	–	1	1	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	1	1	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	2	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	2	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	–	–	–	–	–	2	1	–	–
Tabes Mesenterica . .	7	–	1	1	2	1	–	–	–	–	1	–	–
Phthisis	75	–	–	2	1	–	4	3	2	3	9	12	7
Hydrocephalus . . .	19	1	2	7	6	1	–	–	2	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	24	20	17	18	20	19	17	13	12	11	3	5	1	–	–	–
SPECIFIED CAUSES .	24	20	17	16	20	19	16	13	12	11	3	5	1	–	–	–
Zymotic Class . .	2	5	–	2	3	2	2	2	1	1	–	–	–	–	–	–
Uncertain Seat . .	–	1	–	–	1	1	1	1	–	1	–	–	–	–	–	–
Tubercular Class . .	5	4	8	3	6	3	1	2	–	–	–	1	–	–	–	–
Brain, etc. . . .	2	4	3	2	4	2	3	–	2	1	–	1	–	–	–	–
Heart, etc. . . .	4	–	1	2	2	1	4	3	2	–	–	1	–	–	–	–
Respiratory Organs .	6	3	3	1	3	6	3	5	–	–	–	–	1	–	–	–
Digestive Organs . .	–	2	–	1	–	1	1	–	1	–	–	–	–	–	–	–
Urinary Organs . .	1	–	1	1	1	2	–	–	1	1	–	–	–	–	–	–
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	–	4	7	3	2	–	–	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	4	1	–	3	–	–	1	–	1	–	–	–	–	–	–	–
Small Pox . . .	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Dysentery . . .	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	–	1	1	1	1	2	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	4	7	3	6	3	1	2	–	–	–	1	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	1	2	–	–	–	–	–	–	–	2	–
Apoplexy	11	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	12	–	–	–	–	–	–	–	1	–	–	–	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	–	–	1	2	–	2	–	–	–	–	–	–
Brain Disease	7	–	–	1	–	–	1	–	3	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	1	1	–	–	–	–	–	–	–	2	–	–
VI. Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	35	3	5	9	4	2	2	–	–	–	1	–	–
Pleurisy	2	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	32	1	2	6	2	2	1	–	2	–	2	2	–
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
VII. Teething	21	–	2	8	10	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	3	1	–	1	1	–	–	1	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	1	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	1	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	–	–	1	–	–	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	1	–	–	–	2	1	–	–
Fracture and Contusion	9	–	–	–	–	–	–	–	–	1	1	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	22	9	7	–	1	2	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	1	–	4	–	3	–	–	–	–	–	–	–	–	–
Paralysis	–	2	1	1	–	2	–	–	2	–	–	1	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	–	–	2	2	1	4	3	2	–	–	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	–	–	2	1	4	–	–	–	–	1	–	–	–
Pleurisy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	5	2	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	1	2	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	–	1	–	–	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	709	40	15	68	99	56	40	33	72	10	15	17	18
SPECIFIED CAUSES	690	34	14	67	96	55	37	31	72	10	14	17	18
I. Zymotic Class . . .	273	7	4	38	54	35	26	24	55	3	2	5	3
II. Diseases of Uncertain Seat	24	–	1	–	–	1	1	1	–	1	–	1	1
III. Tubercular Class . .	117	–	2	6	13	8	4	3	11	5	8	10	7
IV. Brain and Nervous System	48	1	1	5	6	4	3	1	1	–	2	1	1
V. Organs of Circulation .	25	–	–	–	–	–	–	1	1	1	–	–	–
VI. Respiratory Organs . .	70	4	5	7	8	5	2	–	2	–	1	–	1
VII. Organs of Digestion .	31	2	–	8	8	2	1	–	1	–	–	–	1
VIII. Urinary Organs . .	5	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation .	13	–	–	–	–	–	–	–	–	–	1	–	3
X. Organs of Locomotion .	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	22	19	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	5	–	–	–	–	–	–	–	–
XV. Age	39	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . . .	2	–	–	–	–	–	–	1	–	–	–	–	–
XVII. Violent Deaths . . .	12	–	–	1	2	–	–	–	1	–	–	–	–
I. Small Pox	13	1	–	2	4	2	–	–	1	–	–	1	1
Measles	2	–	–	1	1	–	–	–	–	–	–	–	–
Scarlatina	138	–	–	11	22	23	17	18	42	2	1	1	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . . .	61	2	2	18	19	7	4	4	5	–	–	–	–
Croup	14	–	1	1	3	3	1	2	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	4	–	4	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . . .	1	–	–	1	–	–	–	–	–	–	–	–	–
Typhus	22	–	–	–	3	–	3	–	4	1	1	3	2
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	1	1	–	–	1	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	15	–	1	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	1	–	2	–	–	–	–	1	–	–	–
Tabes Mesenterica . .	6	–	–	–	2	1	–	1	2	–	–	–	–
Phthisis	82	–	–	2	2	4	–	–	7	4	8	10	7
Hydrocephalus	23	–	1	4	7	3	4	2	2	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	22	19	15	15	21	17	30	14	25	18	21	4	4	1	–	–
SPECIFIED CAUSES	22	18	15	15	21	17	30	14	25	18	21	4	4	1	–	–
Zymotic Class	3	4	1	1	–	–	–	1	3	1	1	1	–	1	–	–
Uncertain Seat	–	1	–	3	7	2	4	–	–	–	–	–	–	–	–	–
Tubercular Class	12	7	6	3	5	2	3	1	1	–	–	–	–	–	–	–
Brain, etc.	1	–	1	2	2	3	6	–	6	–	1	–	–	–	–	–
Heart, etc.	–	1	2	2	2	2	5	1	4	2	1	–	–	–	–	–
Respiratory Organs	–	–	1	2	2	5	4	9	2	3	7	–	–	–	–	–
Digestive Organs	–	1	1	–	–	1	1	1	2	–	1	–	–	–	–	–
Urinary Organs	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Generative Organs	4	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	1	6	12	10	3	4	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	2	1	1	1	1	–	–	–	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	3	6	1	3	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	6	6	2	5	2	3	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	1	1	–	–	–	–	–	–	–
Apoplexy	9	–	–	–	–	–	1	–	–	–	–	1	–
Paralysis	12	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	11	1	–	3	3	3	–	–	1	–	–	–	–
Brain Disease	11	–	1	2	2	–	2	1	–	–	1	–	1
V. Pericarditis	3	–	–	–	–	–	–	1	1	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	21	–	–	–	–	–	–	–	–	1	–	–	–
VI. Laryngitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	47	3	4	5	6	2	2	–	1	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	13	1	1	2	2	2	–	–	1	–	1	–	1
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	14	–	–	6	7	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	5	1	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	1	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	–	3
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	19	6	1	1	3	1	3	2	–	–	1	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—FEMALES. (*Continued.*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	1	2	–	–	3	–	–	–	–	–	–	–
Paralysis	–	–	–	1	1	–	6	–	3	–	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	2	1	2	2	4	1	4	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	1	3	2	8	1	2	7	–	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	699	69	23	51	69	40	10	8	30	15	14	22	30
Specified Causes . . .	612	55	16	42	57	36	9	7	26	14	13	18	24
I. Zymotic Class . . .	115	6	3	16	24	21	2	5	12	1	3	–	3
II. Diseases of Uncertain Seat	27	–	–	1	1	1	1	–	–	–	–	–	–
III. Tubercular Class . .	102	2	3	9	12	7	3	–	4	4	1	10	9
IV. Brain and Nervous System	67	4	–	2	3	2	–	2	2	2	4	2	2
V. Organs of Circulation .	43	–	–	–	–	–	–	–	–	–	–	–	4
VI. Respiratory Organs . .	60	5	8	6	2	3	2	–	2	1	–	–	–
VII. Organs of Digestion .	49	3	–	2	10	–	–	–	1	1	1	3	3
VIII. Urinary Organs . .	3	–	–	–	–	1	–	–	–	–	–	–	–
IX. Organs of Generation .	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	5	–	–	–	–	–	–	–	1	1	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	39	32	1	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	1	–	–	2	–	–	–	–
XV. Age	46	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . . .	46	1	1	–	3	–	1	–	2	4	4	2	3
I. Small Pox	45	2	–	11	12	12	1	2	2	–	1	–	1
Measles	2	–	–	–	–	–	–	–	2	–	–	–	–
Scarlatina	11	–	–	1	–	2	–	1	5	–	1	–	–
Diphtheria . . .	8	–	–	–	2	3	–	1	2	–	–	–	–
Hooping Cough . .	8	1	1	1	3	2	–	–	–	–	–	–	–
Croup	10	–	–	2	4	2	1	–	1	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	1	1	1	1	–	–	–	–	–	–	–	–
Dysentery . . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	–	1	–	–	–	–	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	14	–	–	–	1	–	–	1	–	1	1	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	2	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	–	–	–	1	–	1	–	–	–	–	–	–
Abscess	2	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	–	–	1	–	–	–	–	1	–
Tabes Mesenterica . .	4	–	–	–	2	1	–	–	–	–	–	–	1
Phthisis	60	–	–	1	–	–	–	–	1	4	1	8	8
Hydrocephalus . . .	35	2	3	8	10	6	2	–	3	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	27	34	29	25	24	30	28	34	32	25	21	5	2	–	–	2
SPECIFIED CAUSES .	24	30	24	23	24	28	21	34	32	25	21	5	2	–	–	2
Zymotic Class . .	1	3	1	4	1	4	1	1	1	1	1	–	–	–	–	–
Uncertain Seat . .	2	–	1	3	3	2	1	6	3	–	2	–	–	–	–	–
Tubercular Class . .	7	11	7	5	3	3	1	1	–	–	–	–	–	–	–	–
Brain, etc. . . .	–	5	5	2	1	6	5	2	5	9	1	1	–	–	–	–
Heart, etc. . . .	3	5	2	2	4	7	3	6	5	2	–	–	–	–	–	–
Respiratory Organs .	3	2	3	3	2	1	5	2	5	2	2	1	–	–	–	–
Digestive Organs . .	2	1	2	2	4	4	4	4	–	2	–	–	–	–	–	–
Urinary Organs . .	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Generative Organs .	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	8	12	8	13	3	2	–	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	3	3	2	2	5	1	1	4	–	1	1	–	–	–	–	2
Small Pox . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dysentery . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	1	–	2	1	1	1	1	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	1	1	–	2	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
Cancer	1	–	1	2	2	–	–	4	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	7	11	6	5	3	3	1	1	–	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	1	–	–	–	–	–	1	–	1
Apoplexy	18	–	–	–	–	–	–	1	–	1	–	1	–
Paralysis	21	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	10	3	–	2	2	1	–	–	1	–	–	–	–
Brain Disease	8	–	–	–	–	1	–	1	1	–	3	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	38	–	–	–	–	–	–	–	–	–	–	–	3
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	31	3	3	4	2	2	2	–	1	–	–	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	23	2	5	2	–	1	–	–	–	1	–	–	–
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	10	–	–	2	8	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	2	–	–	1	–	–	–	–	–	1	–	–
Peritonitis	6	–	–	–	–	–	–	–	–	1	–	2	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	5	1	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	8	–	–	–	–	–	–	–	1	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	3	–	1	–	–	–	–	–	–
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	1	1	–	–	–	–	–	1	1	–	–	–
Drowning	9	–	–	–	–	–	–	–	1	2	–	–	1
Fracture and Contusion	13	–	–	–	–	–	–	–	–	–	4	2	1
Wounds	3	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	1	–	–	–
Not Specified	87	14	7	9	12	4	1	1	4	1	1	4	6

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	2	–	4	3	–	4	–	1	–	–	–	–	–
Paralysis	–	1	2	–	1	2	2	2	1	9	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Heart Disease	3	5	2	2	3	6	1	6	5	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	1	1	3	1	3	2	1	1	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Pneumonia	3	1	2	2	–	–	2	1	–	–	1	–	–	–	–	–
Asthma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	1	1	3	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	1	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–
Wounds	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Not Specified	3	4	5	2	–	2	7	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	336	38	13	23	36	21	6	6	12	7	11	12	15
SPECIFIED CAUSES	296	30	9	18	29	19	5	5	12	7	11	11	12
I. Zymotic Class . . .	51	3	2	7	12	9	–	4	2	–	1	–	2
II. Diseases of Uncertain Seat	12	–	–	–	1	1	1	–	–	–	–	–	–
III. Tubercular Class . .	45	2	1	5	5	4	1	–	1	1	1	5	4
IV. Brain and Nervous System	31	2	–	1	2	1	–	1	2	1	4	1	1
V. Organs of Circulation .	19	–	–	–	–	–	–	–	–	–	–	–	2
VI. Respiratory Organs . .	34	–	5	2	2	2	2	–	2	–	–	–	–
VII. Organs of Digestion .	26	3	–	–	6	–	–	–	1	–	1	3	1
VIII. Urinary Organs . .	2	–	–	–	–	1	–	–	–	–	–	–	–
IX. Organs of Generation .	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	4	–	–	–	–	–	–	–	1	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	22	18	1	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	1	–	–	1	–	–	–	–
XV. Age	13	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . . .	32	–	–	–	–	–	1	–	2	4	4	2	2
I. Small Pox	16	1	–	4	3	4	–	2	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	7	–	–	1	–	2	–	1	1	–	1	–	–
Diphtheria	4	–	–	–	2	2	–	.	–	–	–	–	–
Hooping Cough . . .	2	1	–	–	1	–	–	–	–	–	–	–	–
Croup	8	–	–	2	4	1	–	–	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	1	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	–	1	–	–	–	–	–	–	–	1
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	–	–	–	1	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	–	1	–	1	–	–	–	–	–	–
Abscess	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	–	–	–	–	–	–	1	–
Tabes Mesenterica . .	2	–	–	–	1	1	–	–	–	–	–	–	–
Phthisis	25	–	–	1	–	–	–	–	–	1	1	3	4
Hydrocephalus . . .	17	2	1	4	4	3	1	–	1	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	13	11	14	13	12	17	17	12	12	6	6	2	–	–	–	1
SPECIFIED CAUSES .	13	10	13	12	12	17	12	12	12	6	6	2	–	–	–	1
Zymotic Class . .	1	–	–	2	1	3	1	–	1	–	–	–	–	–	–	–
Uncertain Seat . .	1	–	1	1	2	1	1	1	–	–	1	–	–	–	–	–
Tubercular Class . .	3	3	4	3	–	1	1	–	–	–	–	–	–	–	–	–
Brain, etc. . . .	–	1	2	1	–	4	2	1	2	1	–	1	–	–	–	–
Heart, etc. . . .	2	1	1	–	3	5	1	2	1	1	–	–	–	–	–	–
Respiratory Organs .	2	1	2	2	–	1	3	2	4	1	1	–	–	–	–	–
Digestive Organs . .	1	1	2	1	2	1	2	1	–	–	–	–	–	–	–	–
Urinary Organs . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	3	3	3	3	1	–	–	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	3	3	1	2	3	1	1	2	–	–	–	–	–	–	–	1
Small Pox . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dysentery . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Abscess . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	3	3	4	3	–	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—MALES. *(Continued.)*

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	MONTHS. 6	MONTHS. 12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	1	–	–	–	–	–	1	–	–
Apoplexy	7	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	8	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	1	–	1	1	1	–	–	1	–	–	–	–
Brain Disease	6	–	–	–	–	–	–	1	1	–	3	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	16	–	–	–	–	–	–	–	–	–	–	–	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	17	–	2	1	2	1	2	–	1	–	–	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	13	–	3	1	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	6	–	–	–	6	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	2	–	–	–	–	–	–	–	–	1	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	2	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	1	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	1	–	–	–
Suffocation	2	–	–	–	–	–	–	–	1	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	1	2	–	–	–
Fracture and Contusion	13	–	–	–	–	–	–	–	–	–	4	2	1
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	1	–	–	–
Not Specified	40	8	4	5	7	2	1	1	–	–	–	1	3

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	–	3	–	–	1	–	–	–	–	–	–	–
Paralysis	–	–	1	–	–	1	2	1	1	1	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	1	–	2	4	–	2	1	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	–	1	2	1	2	1	–	–	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Pneumonia	2	–	2	1	–	–	1	1	–	–	1	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–
Wounds	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	1	–	–	5	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	ALL AGES.	MONTHS. 3	MONTHS. 6	MONTHS. 12	AGE UNDER 2	3	4	5	10	15	20	25	30
ALL CAUSES	363	31	10	28	33	19	4	2	18	8	3	10	15
SPECIFIED CAUSES	316	25	7	24	28	17	4	2	14	7	2	7	12
I. Zymotic Class	64	3	1	9	12	12	2	1	10	1	2	–	1
II. Diseases of Uncertain Seat	15	–	–	1	–	–	–	–	–	–	–	–	–
III. Tubercular Class	57	–	2	4	7	3	2	–	3	3	–	5	5
IV. Brain and Nervous System	36	2	–	1	1	1	–	1	–	1	–	1	1
V. Organs of Circulation	24	–	–	–	–	–	–	–	–	–	–	–	2
VI. Respiratory Organs	26	5	3	4	–	1	–	–	–	1	–	–	–
VII. Organs of Digestion	23	–	–	2	4	–	–	–	–	1	–	–	2
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	17	14	–	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	1	–	–	–	1	–	–	–	–
XV. Age	33	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	14	1	1	–	3	–	–	–	–	–	–	–	1
I. Small Pox	29	1	–	7	9	8	1	–	2	–	1	–	–
Measles	2	–	–	–	–	–	–	–	2	–	–	–	–
Scarlatina	4	–	–	–	–	–	–	–	4	–	–	–	–
Diphtheria	4	–	–	–	–	1	–	1	2	–	–	–	–
Hooping Cough	6	–	1	1	2	2	–	–	–	–	–	–	–
Croup	2	–	–	–	–	1	1	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	1	–	1	1	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	–	1	1	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	2	–	–	–	1	–	–	–	–	–	–	–	1
Phthisis	35	–	–	–	–	–	–	–	1	3	–	5	4
Hydrocephalus	18	–	2	4	6	3	1	–	2	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	14	23	15	12	12	13	11	22	20	19	15	3	2	–	–	1
SPECIFIED CAUSES .	11	20	11	11	12	11	9	22	20	19	15	3	2	–	–	–
Zymotic Class . .	–	3	1	2	–	1	–	1	–	1	1	–	–	–	–	–
Uncertain Seat . .	1	–	–	2	1	1	–	5	3	–	1	–	–	–	–	–
Tubercular Class . .	4	8	3	2	3	2	–	1	–	–	–	–	–	–	–	–
Brain, etc. . . .	–	4	3	1	1	2	3	1	3	8	1	–	–	–	–	–
Heart, etc. . . .	1	4	1	2	1	2	2	4	4	1	–	–	–	–	–	–
Respiratory Organs .	1	1	1	1	2	–	2	–	1	1	1	1	–	–	–	–
Digestive Organs . .	1	–	–	1	2	3	2	3	–	2	–	–	–	–	–	–
Urinary Organs . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs .	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	5	9	5	10	2	2	–	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	–	–	1	–	2	–	–	2	–	1	1	–	–	–	–	1
Small Pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	1	–	–	–	1	–	1	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Cancer	1	–	–	2	–	–	–	4	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	4	8	2	2	3	2	–	1	–	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Apoplexy	11	–	–	–	–	–	–	1	–	–	–	1	–
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	2	–	1	1	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	22	–	–	–	–	–	–	–	–	–	–	–	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	14	3	1	3	–	1	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	10	2	2	1	–	–	–	–	–	1	–	–	–
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	4	–	–	2	2	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	–	1	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	3	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	47	6	3	4	5	2	–	–	4	1	1	3	3

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	1	3	–	3	–	1	–	–	–	–	–
Paralysis	–	1	1	–	1	1	–	1	–	8	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	1	2	1	2	1	4	4	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	1	–	1	–	1	1	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	3	3	4	1	–	2	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	MONTHS. 6	MONTHS. 12	2	3	4	5	10	15	20	25	30
ALL CAUSES	560	56	15	33	45	8	11	4	22	11	16	21	24
SPECIFIED CAUSES	551	49	14	33	45	8	11	4	22	11	16	21	23
I. Zymotic Class	106	5	6	17	20	4	8	2	8	4	5	2	7
II. Diseases of Uncertain Seat	23	1	–	1	–	–	–	–	–	–	–	–	–
III. Tubercular Class	103	2	1	4	7	3	1	1	6	4	9	10	13
IV. Brain and Nervous System	59	5	1	–	3	1	–	–	1	–	1	2	–
V. Organs of Circulation	36	–	–	–	–	–	–	–	1	–	–	1	–
VI. Respiratory Organs	44	1	3	2	7	–	1	–	3	–	–	1	–
VII. Organs of Digestion	41	2	1	8	6	–	–	–	1	–	–	2	–
VIII. Urinary Organs	9	1	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	30	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	–	–	–	–	–	1
XV. Age	58	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	1	–	–	–	–	1	1	2	3	1	2	2
I. Small Pox	1	–	–	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	10	–	1	–	1	–	1	1	2	2	1	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	41	5	5	11	14	1	4	–	1	–	–	–	–
Croup	8	–	–	2	2	1	3	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	15	–	–	3	3	1	–	1	–	–	–	–	1
Dysentery	6	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	13	–	–	–	–	–	–	–	2	2	3	2	–
Metria	5	–	–	–	–	–	–	–	–	–	–	–	4
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	1	–	1	–	–	–	–	1	–	1	–	–
Tabes Mesenterica	3	1	–	–	–	–	–	1	–	1	–	–	–
Phthisis	76	–	–	–	–	–	–	–	4	3	8	10	12
Hydrocephalus	17	–	1	3	7	3	1	–	1	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	23	18	20	18	19	25	28	33	38	32	24	13	2	–	–	1
SPECIFIED CAUSES .	23	18	20	18	19	25	28	33	38	32	24	13	2	–	–	1
Zymotic Class . .	4	–	3	1	1	2	3	–	3	–	1	–	–	–	–	–
Uncertain Seat . .	–	–	1	2	–	1	2	5	5	2	2	1	–	–	–	–
Tubercular Class . .	13	11	6	5	1	3	–	2	1	–	–	–	–	–	–	–
Brain, etc. . . .	1	–	1	1	3	5	6	3	8	9	5	3	–	–	–	–
Heart, etc. . . .	1	1	3	4	7	4	4	6	1	2	1	–	–	–	–	–
Respiratory Organs .	2	–	–	1	1	5	5	3	5	3	–	–	1	–	–	–
Digestive Organs . .	1	–	2	1	5	2	1	5	2	1	1	–	–	–	–	–
Urinary Organs . .	–	1	2	–	–	–	1	1	2	1	–	–	–	–	–	–
Generative Organs .	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	7	11	12	13	9	1	–	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths . .	–	5	1	2	–	2	–	–	–	–	1	–	–	–	–	1
Small Pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	2	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
Dysentery . . .	1	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
Cholera . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	1	1	–	–	1	2	1	–	–	–	–
Abscess . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Cancer	–	–	–	2	–	–	1	4	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula . . .	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	12	11	5	4	1	3	–	2	1	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Apoplexy	23	–	–	–	–	–	–	–	–	–	–	2	–
Paralysis	19	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	8	5	1	–	1	1	–	–	–	–	–	–	–
Brain Disease	5	–	–	–	2	–	–	–	1	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	34	–	–	–	–	–	–	–	1	–	–	1	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	23	1	–	2	5	–	–	–	2	–	–	–	–
Pleurisy	2	–	–	–	–	–	–	–	1	–	–	1	–
Pneumonia	14	–	3	–	2	–	1	–	–	–	–	–	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	14	–	–	8	6	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	–	–	–	–	–	–	–	–	–	1	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	–	1	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	1	1	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	1	2	–	2	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	9	7	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	–	4	5	1	3	4	2	1	–	–	–	–
Paralysis	–	–	–	1	2	–	1	1	5	4	3	2	–	–	–	–
Delirium Tremens	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	3	3	7	3	4	6	1	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	1	3	2	2	2	2	–	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	272	31	9	14	23	4	6	3	7	3	9	11	8
SPECIFIED CAUSES	269	28	9	14	23	4	6	3	7	3	9	11	8
I. Zymotic Class	41	2	3	7	12	2	4	2	2	–	1	1	–
II. Diseases of Uncertain Seat	11	1	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	52	1	1	1	3	1	1	–	4	1	6	7	6
IV. Brain and Nervous System	38	3	1	–	1	1	–	–	–	–	1	–	–
V. Organs of Circulation	21	–	–	–	–	–	–	–	–	–	–	–	–
VI. Respiratory Organs	23	1	3	2	4	–	–	–	–	–	–	1	–
VII. Organs of Digestion	21	2	1	3	2	–	–	–	–	–	–	1	–
VIII. Urinary Organs	8	1	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	17	16	–	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	1	–	–	–	–	–	–	–	–
XV. Age	13	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	18	1	–	–	–	–	1	1	1	2	1	–	2
I. Small Pox	1	–	–	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	–	1	–	1	–	1	1	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	18	2	2	4	8	–	2	–	–	–	–	–	–
Croup	4	–	–	1	1	1	1	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	–	–	1	2	–	–	1	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	–	–	–	–	–	–	–	1	–	1	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	–	–	–	–	–	–	1	–	–
Tabes Mesenterica	1	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	40	–	–	–	–	–	–	–	3	1	5	7	6
Hydrocephalus	8	–	1	1	3	1	1	–	1	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—Males.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	8	11	11	12	10	13	12	16	18	18	7	6	1	–	–	1
Specified Causes	8	11	11	12	10	13	12	16	18	18	7	6	1	–	–	1
Zymotic Class	–	–	2	1	–	–	1	–	1	–	–	–	–	–	–	–
Uncertain Seat	–	–	–	1	–	1	–	3	3	1	1	–	–	–	–	–
Tubercular Class	4	6	3	3	1	2	–	1	–	–	–	–	–	–	–	–
Brain, etc.	1	–	1	1	2	4	2	1	5	7	5	2	–	–	–	–
Heart, etc.	1	1	3	1	4	2	2	4	1	2	–	–	–	–	–	–
Respiratory Organs	1	–	–	1	–	1	2	2	1	3	–	–	1	–	–	–
Digestive Organs	1	–	–	1	3	1	1	2	2	1	–	–	–	–	–	–
Urinary Organs	–	1	1	–	–	–	1	1	2	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	2	3	1	1	4	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	–	3	1	2	–	2	–	–	–	–	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	–	1	–	–	–	2	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	6	2	2	1	2	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	ALL AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Apoplexy	13	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	14	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	3	1	–	–	1	–	–	–	–	–	–	–
Brain Disease	3	–	–	–	1	–	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	21	–	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	13	1	–	2	4	–	–	–	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	6	–	3	–	–	–	–	–	–	–	–	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	5	–	–	3	2	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	–	–	–	–	–	–	–	–	–	1	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	1	1	–	–
Fracture and Contusion	7	–	–	–	–	–	–	–	1	1	–	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	3	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	–	3	1	–	2	3	2	1	–	–	–	–
Paralysis	–	–	–	1	1	–	1	1	3	3	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	3	1	4	2	2	4	1	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	–	1	1	1	–	2	–	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	288	25	6	19	22	4	5	1	15	8	7	10	16
SPECIFIED CAUSES . . .	282	21	5	19	22	4	5	1	15	8	7	10	15
I. Zymotic Class . . .	65	3	3	10	8	2	4	–	6	4	4	1	7
II. Diseases of Uncertain Seat	12	–	–	1	–	–	–	–	–	–	–	–	–
III. Tubercular Class . .	51	1	–	3	4	2	–	1	2	3	3	3	7
IV. Brain and Nervous System	21	2	–	–	2	–	–	–	1	–	–	2	–
V. Organs of Circulation .	15	–	–	–	–	–	–	–	1	–	–	1	–
VI. Respiratory Organs . .	21	–	–	–	3	–	1	–	3	–	–	–	–
VII. Organs of Digestion . .	20	–	–	5	4	–	–	–	1	–	–	1	–
VIII. Urinary Organs . .	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation .	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	15	14	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	–	–	–	–	–	–	–	1
XV. Age	45	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . .	7	–	–	–	–	–	–	–	1	1	–	2	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	–	–	–	–	–	–	–	2	2	1	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	23	3	3	7	6	1	2	–	1	–	–	–	–
Croup	4	–	–	1	1	–	2	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	–	–	2	1	1	–	–	–	–	–	–	1
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . . .	2	–	–	.	–	–	–	–	2	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	1	2	2	1	–
Metria	5	–	–	–	–	–	–	–	–	–	–	–	4
Rheumatic Fever . .	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas . . .	1	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	1	–	1	–	–	–	–	1	–	–	–	–
Tabes Mesenterica . .	2	–	–	–	–	–	–	1	–	1	–	–	–
Phthisis	36	–	–	–	–	–	–	–	1	2	3	3	6
Hydrocephalus . . .	9	–	–	2	4	2	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	15	7	9	6	9	12	16	17	20	14	17	7	1	–	–	.
SPECIFIED CAUSES .	15	7	9	6	9	12	16	17	20	14	17	7	1	–	–	–
Zymotic Class . .	4	–	1	–	1	2	2	–	2	–	1	–	–	–	–	–
Uncertain Seat . .	–	–	1	1	–	–	2	2	2	1	1	1	–	–	–	–
Tubercular Class . .	9	5	3	2	–	1	–	1	1	–	–	–	–	–	–	–
Brain, etc. . . .	–	–	–	–	1	1	4	2	3	2	–	1	–	–	–	.
Heart, etc. . . .	–	–	–	3	3	2	2	2	–	–	1	–	–	–	–	–
Respiratory Organs .	1	–	–	–	1	4	3	1	4	–	–	–	–	–	–	–
Digestive Organs . .	–	–	2	–	2	1	–	3	–	–	1	–	–	–	–	–
Urinary Organs . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs .	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	5	8	11	12	5	1	–	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Small Pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	2	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Dysentery . . .	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	1	–	–	1	1	1	–	–	–	–
Abscess . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	.	–
Cancer	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	8	5	3	2	–	1	–	1	1	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	10	–	–	–	–	–	–	–	–	–	–	2	–
Paralysis	5	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	2	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	1	–	–	–	1	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	13	–	–	–	–	–	–	–	1	–	–	1	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	10	–	–	–	1	–	–	–	2	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	8	–	–	–	2	–	1	–	–	–	–	–	–
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	9	–	–	5	4	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	–	–	–	–	–	–	–	1	–	2	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	4	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	1	4	1	1	1	–	–	–	–	–	–
Paralysis	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	–	2	3	1	2	2	–	–	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	1	2	1	1	2	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

			DEATHS in 1859.												
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1859		39°·6	40°·5	43°·0	41°·9	51°·9	56°·6	59°·0	57°·8	52°·3	45°·8	39°·4	34°·0	46°·8
		Population 1859.													
	SCOTLAND . .	3,027,582	5960	5494	5668	5562	5262	4734	4539	4509	4322	4355	5215	6094	61,714
	INSULAR DISTRICTS .	161,883	254	218	264	305	253	220	196	182	192	150	192	207	2,633
	MAINLAND DISTRICTS	1,752,797	2984	2810	2819	2852	2772	2424	2270	2283	2189	2130	2474	2952	30,959
	TOWN DISTRICTS .	1,112,902	2722	2466	2585	2405	2237	2090	2073	2044	1941	2075	2549	2935	28,122
	DIVISIONS.														
1	Northern . . .	129,740	203	164	181	177	151	124	123	141	154	129	138	145	1,830
2	North-Western .	169,015	205	255	236	314	292	237	176	175	161	153	210	262	2,676
3	North-Eastern . .	363,098	595	573	543	569	583	508	455	459	448	417	516	601	6,267
4	East-Midland . .	522,249	1066	928	921	913	881	860	760	741	748	760	858	1000	10,436
5	West-Midland . .	242,295	449	435	487	471	457	346	331	345	340	303	353	418	4,735
6	South-Western .	982 820	2363	2139	2227	2096	1908	1722	1771	1788	1621	1746	2118	2474	23,973
7	South-Eastern . .	403,809	681	649	694	669	659	604	579	547	579	551	713	808	7,733
8	Southern . . .	214,556	398	351	379	353	331	333	344	313	271	296	309	386	4,064
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	31,551	58	44	38	46	35	37	38	29	40	22	38	41	466
2	Orkney . . .	32,207	60	40	56	58	48	33	38	33	32	28	26	31	483
3	Caithness . . .	41,710	52	55	54	39	37	38	27	56	58	50	42	51	559
4	Sutherland . .	24,272	33	25	33	34	31	16	20	23	24	29	32	22	322
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	82,701	101	137	104	151	143	126	80	93	73	70	94	127	1,299
6	Inverness . . .	86,314	104	118	132	163	149	111	96	82	88	83	116	135	1,377
	III. NORTH-EASTERN.														
7	Nairn . . .	8,292	12	12	13	7	12	9	12	16	8	10	18	14	143
8	Elgin (or Moray) .	43,481	62	74	64	68	72	57	49	48	43	50	45	66	698
9	Banff . . .	55,086	97	84	76	94	83	89	74	70	60	54	82	101	964
10	Aberdeen . . .	221,367	357	352	346	343	368	301	280	278	303	270	302	366	3,866
11	Kincardine . .	34,872	67	51	44	57	48	52	40	47	34	33	69	54	596
	IV. EAST-MIDLAND.														
12	Forfar . . .	204,123	533	418	397	424	397	400	370	360	333	353	420	439	4,844
13	Perth . . .	134,030	249	245	249	226	203	212	144	157	175	154	167	227	2,408
14	Fife	154,773	247	229	240	221	232	205	202	189	202	211	227	289	2,694
15	Kinross . . .	8,912	11	5	11	13	9	13	10	6	13	7	19	21	138
16	Clackmannan . .	20,411	26	31	24	29	40	30	34	29	25	35	25	24	352
	V. WEST-MIDLAND.														
17	Stirling . . .	87,266	190	156	192	176	188	136	124	118	144	107	133	168	1,832
18	Dumbarton . .	52,739	108	105	100	95	104	82	74	76	72	83	85	94	1,078
19	Argyll . . .	85,898	114	147	155	174	137	104	104	126	92	88	105	139	1,485
20	Bute	16,392	37	27	40	26	28	24	29	25	32	25	30	17	340
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	166,587	369	363	315	367	307	326	342	359	295	355	419	416	4,233
22	Ayr	197,245	417	321	363	329	360	295	277	310	272	268	298	398	3,908
23	Lanark . . .	618,988	1577	1455	1549	1400	1241	1101	1152	1119	1054	1123	1401	1660	15,832
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	37,354	54	50	60	55	62	54	59	59	60	55	70	86	724
25	Edinburgh . .	271,173	492	478	513	496	453	428	407	366	397	382	501	582	5,495
26	Haddington . .	37,372	56	44	44	47	55	35	43	33	46	55	53	55	566
27	Berwick . . .	36,422	61	57	47	42	65	62	34	56	43	34	54	52	607
28	Peebles . .	11,199	11	10	13	11	10	13	19	18	23	16	24	14	182
29	Selkirk . . .	10,289	7	10	17	18	14	12	17	15	10	9	11	19	159
	VIII. SOUTHERN.														
30	Roxburgh . . .	53,217	94	63	54	88	79	66	74	71	43	56	76	85	849
31	Dumfries . .	76,357	136	138	131	117	131	123	118	117	99	101	95	138	1,444
32	Kirkcudbright .	42,625	67	71	88	72	62	82	71	63	65	64	66	90	861
33	Wigtown . . .	42,357	101	79	106	76	59	62	81	62	64	75	72	73	910

SIXTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1864.

REPORT.

TO THE

RIGHT HON[BLE.] SIR GEORGE GREY, BART., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *July* 22, 1864.

SIR,

I HAVE the honour to submit to you my Detailed Annual Report for the year 1860.

As facts accumulate, new light is thrown on many subjects bearing on the increase of the population, and on the proportion of Births, Deaths, and Marriages, in different classes of the Community, and even in the several Counties. Advantage has been taken of some of these facts to endeavour to account for the varying Birth-rate which prevails in the several Counties, and to show how intimately they are connected with the number and proportion of married females in each of these.

The year 1860, to which the Report refers, was one of excessive mortality in Scotland; yet not dependent on any special Epidemic, but rather on the increased fatality of all diseases. This high mortality could not be traced to bad harvests, to insufficient supply or bad quality of food, or to the inability of the people to procure it; because work was abundant, while wages were good, and provisions both good in quality and cheap. It is a remarkable fact, however, as probably showing that it was connected with some general atmospheric cause, of which as yet we know nothing, that during that year plague and famine prevailed over Persia and the East, decimating the population.

As the Death-rate in the Towns, instead of diminishing under the operation of the recent Police and Improvement Acts, seems to be rather on the increase, the attention of those who have the carrying out of these Acts is directed to the fact for the purpose of seeking out the cause and applying the remedy. If under the operation of these Acts, sinks and water-closets have to any considerable extent been introduced into the rooms actually inhabited by the labouring classes, the increased vitiation of the air caused by these conveniences, which air the occupants of these apartments are forced at all times to breathe, may produce the increase in the mortality; and it would be well that the subject were thoroughly investigated.

The state of elementary education, as exhibited in the proportion of men and of women able to sign their names in the Marriage Register, continues satisfactory, seeing that 89·69 per cent. of the men, and 78·29 per cent. of the women who married in Scotland in 1860 were able to sign their names.

The Tables printed in this Report correspond with those of former years, in order that each year's results may be strictly comparable with one another, and full Tables are appended showing the influence of weather, of season, of the supply and price of food, of the state of trade and commerce, etc., on the Births, Deaths, and Marriages.

As the General Indices to the Registers of the Births, Deaths, and Marriages, are now completed for a period of Five Years, a few particulars are given as to the nomenclature of the people of Scotland; not only showing what are the 50 most common Surnames, and their proportion in the population, but also the relative prevalence of the various male and female Christian names.

I have the honour to be,

SIR,

Your faithful Servant,

W. P. DUNDAS,

Registrar-General.

CONTENTS.

Page

Report of Registrar-General to the Secretary of State, ... iii

Report to the Registrar-General, ... ix

Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland in each year, 1855 to 1860 inclusive, and their proportion to the Population; showing also the excess of Births over Deaths, ... ix

Table showing the Proportion of Births, Deaths, and Marriages in the Insular, the Mainland-Rural, and Town Districts of Scotland, during each of the years 1855 to 1860 inclusive, ... x

Table of the Population of Scotland and its Three Great Groups of Districts in 1851 and 1861, also the estimated Population in 1860, distinguishing the Sexes, . . xi

Table of the Births, Deaths, and Marriages in Scotland and in its Three Great Groups of Districts, in 1860, and the proportion to the estimated Population in each of these; also the number of the Illegitimate Births, and their proportion to the total Births, . xii

Table showing the Proportion of Births, Deaths, and Marriages to the estimated Population of each of the Divisions and Counties of Scotland, in 1859 and 1860; also the proportion of Wives in every 100 females above 15 years of age, . . . xiii

Births in 1860.

Number of Births in 1860, and their Proportion to the Population, ... ix

Birth-rates in the several Counties, and explanation of the probable cause of the great difference, ... x

Number and Proportion of Legitimate and Illegitimate Children, ... xiv

Table showing the Number and Proportion of Legitimate and Illegitimate Children in Scotland, its Divisions and Counties, ... xvi

Proportion of Sexes, Twins, Triplets, etc., ... xv

Marriages in 1860.

Number of Marriages, and their Proportion to the Population, ... xvii

Vitality of the Population, estimated by the fecundity of the married women, . . xviii

Lower Marriage-rate in Scotland than England; but the married females more fruitful, . xx

Number and Proportion of Marriages celebrated according to the Rites of the different Religious Denominations, ... xxi

Number and Proportion of Persons who marry under 21 and 25 years of age, . . xxii

Number of Marriages between Bachelors and Spinsters; Bachelors and Widows; Widowers and Spinsters; Widowers and Widows, in the several Divisions and Counties of Scotland; also the Number and Proportion of Men and of Women who re-marry . xxiv

Number and Proportion of Men and of Women in Scotland, its Groups of Districts, its Divisions, its Counties, and in its two principal Towns, who signed the Marriage Register by Mark, ... xxv

Deaths in 1860.

Number of Deaths, and their Proportion to the Population, ... xxvii

Great increased Mortality in 1860, but especially in the Towns, . . . xxix

Page
Suggestions as to the probable cause of the increased Mortality in the Towns, . . xxx
Death-rate in each of the Eight Principal Towns, with Table, ... xxxii
Male Death-rate higher than that of the Female at all Ages, ... xxxii
Tables showing the Mortality at every five yearly periods of Life, but at every year under 5 years, in all Scotland, in the Insular, the Mainland-Rural, and Town Districts, xxviii–xxxi
Tables showing the same facts for each of the Eight Principal Towns, . . xxxiii-xl

CAUSES OF DEATHS.

Table showing the Proportion of Deaths from a few of the more common Diseases in each of the Eight Principal Towns, ... xli
Table showing the Proportion of Deaths from different Diseases in every hundred thousand persons of the general Population, and also the Proportion in each Sex, in Scotland, and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town, xlii
Table showing the Proportion of Deaths from different Diseases in every ten thousand Specified Causes of Death in Scotland, and in its Three Great Groups of Districts, distinguishing the Sexes, ... xliii
Deaths from the Zymotic Class of Diseases, and from a few of the individual Diseases under that Class—Small-pox, Measles, Typhus, &c., ... xxxv
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, &c., ... xl
Deaths from the Tubercular Class of Diseases—Scrofula, Tabes Mesenterica, Hydrocephalus and Consumption, ... xl
Deaths from Diseases of the Brain and Nervous System, Apoplexy, Paralysis, Convulsions, &c., ... xlvi
Deaths from Diseases of the Heart and Organs of the Circulation, ... xlvii
Deaths from Diseases of the Respiratory Organs, Bronchitis, Pneumonia, &c., . . xlvii
Deaths from Diseases of the Organs of Digestion, ... xlviii
Deaths from Child-Birth xlviii
Violent Deaths and Suicides, ... xlix
Table showing the 14 most fatal Diseases in Scotland in 1860, ... l
Table showing the 14 most fatal Diseases in England in 1860, ... l

Influence of External Agencies.

Table showing the influence of Season on the Births li
Table showing the influence of the Civil Terms on the Marriages, ... li
Influence of External Agencies on the Deaths, ... lii
Atmospherical Agencies and Character of the Year, ... liv
Table showing the Influence of Mean Monthly Temperature on the Mortality in Scotland, and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town, ... li
Table showing the value of the Imports and Exports, the quantity of Grains and other articles of Food or of Commerce imported into Great Britain in 1859, 1860, and 1861; the average Price of Grain and the 4lb. Loaf, the Amount of Deposits in Savings Banks; Number of Paupers and of Emigrants, &c., ... lii
Table of the Meteorology of Scotland during each month of the year 1860, . . liii

NOMENCLATURE IN SCOTLAND.

Influence of Clanship in diminishing the number of Surnames, ... liv
Table of the 50 most common Surnames in Scotland, and the Number of the Population bearing each of these Surnames, ... lvi
Table of the 50 most common Surnames in England, ... lvii
Table of the Male and Female Christian Names in Scotland, ... lviii, lix

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1860, distinguishing the Sexes, the Number of Illegitimate Births, the

Page

Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1

Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages, also of the Illegitimate Births, in every Registration District during the year 1860, . 2–23

Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1860, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . 23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1860; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

Table of the Civil Condition of the Parties who married in 1860; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25

Table of the Ages of all Males who married in Scotland and its Counties in 1860, . . 26

Table of the Ages of all Females who married in Scotland and its Counties in 1860, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1860, together with the Population of these Counties and Towns in 1851 and 1861, ... 30

Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1860, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32

Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1860, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34

Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1860, ... 36–39

Do. Males, ... 40–43

Do. Females, ... 44–47

Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1860, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51

Do. Males, ... 52–55

Do. Females, ... 56–59

Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63

Do. Males, ... 64–67

Do. Females, ... 68–71

Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75

Do. Males, ... 76–79

Do. Females, ... 80–83

Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87

Do. Males, ... 88–91

Do. Females, ... 92–95

Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99

Do. Males, ... 100–103

Do. Females, ... 104–107

Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111

Do. Males, ... 112–115

Do. Females, ... 116–119

Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–123

Do. Males, ... 124–127

Do. Females, ... 128–131

	Page
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life,	132–135
Do. Males,	136–139
Do. Females,	140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life,	144–147
Do. Males,	148–151
Do. Females,	152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life,	156–159
Do. Males,	160–163
Do. Females,	164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life,	168–171
Do. Males,	172–175
Do. Females,	176–179
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life,	180–183
Do. Males,	184–187
Do. Females,	188–191
Table of the Causes of Death in both Sexes in Leith at different Periods of Life,	192–195
Do. Males,	196–199
Do. Females,	200–203
Table of the Causes of Death in both Sexes in Perth at different Periods of Life,	204–207
Do. Males,	208–211
Do. Females,	212–215
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1860, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County in 1860,	216
Constitution of the Compound Districts,	217
Index to Districts,	218

REPORT TO THE REGISTRAR-GENERAL.

SIR,

THE year 1860 was one of commercial prosperity. Provisions were abundant and cheap, though slightly higher in price than during the previous year; the demand for labour was good, and the wages for labour high, so that fewer emigrants left the country. The Births were, however, slightly below their usual proportion; while the Marriages, which are the true index of the general prosperity, were somewhat above their annual average. Under these circumstances, it might have been expected that the Deaths would have been lower than usual; but, contrary to expectation, though no specially destructive epidemic was prevalent, the Deaths rose far above their average, and thus constituted 1860 the year most fatal to human life since the Registration Act came into operation in the beginning of 1855. The probable causes of this excessive mortality will be endeavoured to be traced when we come to speak of the Deaths.

The population of Scotland may be estimated for 1860 at 3,044,938 persons, consisting of 1,442,412 males, and 1,602,526 females. These, distributed among the Three Great Groups into which we divide the population, would furnish 161,308 persons for the Insular Districts; 1,758,089 persons for the Mainland-Rural Districts; and 1,125,541 persons for the Town Districts. (See Table III.)

BIRTHS.

105,629 Births were registered in Scotland during the year 1860, indicating a proportion of 346 Births in every ten thousand persons of the estimated population. This is a proportion slightly below the mean of the previous years, which averaged 348 Births to every ten thousand persons, and was greatly below that of the previous year (1859), when the Births were in the high proportion of 351 to every ten thousand persons in the population.

TABLE I.—Estimated Population; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each year, 1855 to 1860; and their Proportion to the Population.

YEAR.	Estimated Population.	Births.	Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
						Births.	Deaths.	Marriages.
1855	2,958,162	93,349	62,004	19,680	31,345	3·156	2·096	0·665
1856	2,975,517	101,821	58,529	20,740	43,291	3·422	1·967	0·697
1857	2,999,872	103,415	61,906	21,369	41,509	3·456	2·068	0·714
1858	3,010,227	104,018	63,539	19,655	40,479	3·455	2·110	0·652
1859	3,027,582	106,543	61,714	21,201	44,829	3·519	2·038	0·700
1860	3,044,938	105,629	68,170	21,225	37,459	3·469	2·238	0·697

This diminution of the Birth-rate was observed in almost every County, as may be seen by referring to Table V., where the proportion of Births in each County and Division of Scotland may be compared for the years 1859 and 1860. The Counties embraced in the Southern Division are almost the only exceptions to this, the proportion of Births in them during 1860 having rather exceeded than fallen short of the proportion in 1859.

By passing the eye down the Birth columns of Table V., it will be seen that the proportion of Births in each of the Counties differs widely, so that, while Linlithgow has a proportion of 417 Births in every ten thousand persons in 1860, the adjoining County of Edinburgh has only 327 Births to a like population. On comparing the corresponding columns for 1859 and 1860, it will be seen that there is a general agreement year by year, for, while Linlithgow gave in 1859 a proportion of 430 Births in every ten thousand persons, Edinburgh had only the proportion of 332 Births to a like population.

That Table, then, renders it apparent that each of the Counties furnishes, year after year, a proportion of Births widely differing from each other, though the proportion is pretty steady in the same County from year to year. The difference in the proportion of Births is extremely great in different Counties, being lowest in Sutherland, both in 1859 and 1860, and highest in Linlithgow and in Lanark.

Is this great disproportion in the Birth-rates of these Counties explicable? Does it depend on fixed laws affecting the population? Or is it a matter depending on chance; or on the particular race of people inhabiting the County?

So far as we are aware, no attempt has been made to explain the marked differences which exist in the Birth-rates of different Counties. The subject itself, of the different Birth-rates which prevail in the several Counties of England, is noticed in every Report of the Registrar-General of England; but, so far as we are aware, no attempt has been made to trace the cause to its source, or show from facts on what that great diversity depends.

In former Reports we avoided the subject of the varying Birth-rates in the several Counties, because the full details of the Census were not then published, and we confined our attention solely to the marked differences which existed in the Birth-rates of Town and Country. Year after year it

TABLE II.—Proportion of Births, Deaths, and Marriages in every 100 Persons living in the Insular, Mainland-Rural, and Town Districts of Scotland during the years 1855, 1856, 1857, 1858, 1859, and 1860.

Years.	Insular Districts.			Mainland Districts.			Town Districts.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	2·292	1·644	0·441	3·067	1·784	0·580	3·421	2·682	0·839
1856	2·642	1·324	0·514	3·260	1·659	0·599	3·804	2·568	0·883
1857	2·737	1·414	0·585	3·305	1·744	0·629	3·805	2·685	0·869
1858	2·758	1·463	0·544	3·296	1·806	0·576	3·801	2·690	0·789
1859	2·858	1·626	0·562	3·386	1·766	0·617	3·823	2·526	0·850
1860	2·844	1·682	0·502	3·349	1·897	0·611	3·745	2·851	0·858

has been shown that the Birth-rate in the Mainland-Rural and in the Insular Districts was far below that occurring in the Town Districts; and it was concluded from the facts then known, that it was the high Death-rate which led to this result, because it was observed that, wherever a high Death-rate prevailed, there, as if by a natural law of compensation, in order to keep up the numbers of the population, a high Birth-rate was superinduced. This connection is, accordingly, easily traced in the Tables for 1860; and, both in Tables IV. and V., it will be seen that the Deaths and Births in the Insular, the Mainland-Rural, and the Town Districts closely correspond with each other. Thus, for every ten thousand persons in each of these Districts, 284 Births occurred in the Insular, 334 Births in the Mainland-Rural, and 374 Births in the Town Districts; while to like populations, 168 Deaths occurred in the Insular, 189 Deaths in the Mainland-Rural, but 285 Deaths in the Town populations.

The late Census Report, however, and the study of the facts which that document has brought to light, must tend to modify the views of all on this subject; and that document is especially valuable as enabling us to ascertain the true cause of the varying Birth-rates in each County and District. The explanation of the phenomenon, now to be given, accounts satisfactorily for all the facts known and published, not only relative to each County of Scotland, but also to each County of England, and possibly to all the kingdoms of the world.

Why, then, should Linlithgow year after year exhibit the high proportion of 417 Births to every ten thousand persons, while Sutherland only yields 249 Births in a like population?

When we turn to the Report on the Census of Scotland for 1861, and refer to the Tables given in that Report, which exhibit the conjugal condition of the population in the several Counties, the explanation of the difference becomes easy; indeed, the wonder is, that it escaped notice up to this time. (See Census of Scotland, Vol. II., Table XVIII. at p. xxxi.) In Linlithgow, where the high Birth-rate prevails, 53·9 per cent. of the women above 15 years of age are Wives; whereas, in Sutherland, where the low Birth-rate prevails, only 34·7 per cent. of the women at the same ages are Wives. (See Table V.)

This simple cause, then, at once explains the whole difference in the Birth-rates of the various Counties; and proves that, in all, just in proportion to per centage of females in the population who are Wives, is the pro-

TABLE III.—POPULATION of SCOTLAND and its Three Great Groups of Districts in 1851 and 1861; and the Estimated Population for 1860, distinguishing the Sexes.

Districts.	Census 1851.			Census 1861.			Estimated 1860.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular	76,760	89,727	166,487	73,409	87,324	160,733	73,744	87,564	161,308
Mainland-Rural	829,259	883,293	1,712,552	849,381	913,996	1,763,377	847,272	910,817	1,758,089
Town	469,460	540,243	1,009,703	527,058	611,126	1,138,184	521,396	604,145	1,125,541
SCOTLAND	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,442,412	1,602,526	3,044,938

portion of Births which annually occurs in each. In so far as Scotland is concerned, this correspondence is so close that the relative proportion of Wives in each County might almost be calculated from the annual number of Births in that County. But it must always be remembered that large fluctuations are met with when the numbers are small, which disappear when spread over a series of years, or thrown into larger groups.

To give this explanation of the fact due prominence, and permit every one to examine the facts for himself, a column has been added to Table V., taken from the Census of 1861, showing the proportion of Wives in every 100 women above 15 years of age, in each of the Three Great Groups of Districts, in the Divisions, and in the Counties of Scotland. The general accordance between the proportion of the Wives, and the Birth-rate in the several Counties, Divisions, and Groups of Districts, is too close to be fortuitous, and undoubtedly fully explains the facts. Thus it will be seen, that the County of Perth, with its low Birth-rate of 293 Births in every ten thousand persons, has only 39 per cent. of Wives among its women above 15 years of age; while the County of Fife, with its 45 per cent. of Wives, has the Birth-rate of 330 Births in every ten thousand persons; and Clackmannan, with its 46 per cent. of Wives, has the still higher Birth-rate of 360 Births in every ten thousand persons.

But the above cause equally explains the varying proportions of Births in the several Counties of England. Thus, in 1860, the highest Birth-rates in England occurred in the Counties of Stafford and Durham, the Births in the former being in the proportion of 416 Births, and in the latter, 411 Births to every ten thousand persons in the population; while the lowest Birth-rates occurred in the Counties of Sussex, Hereford, and North Wales, viz., from 296 to 299 Births for every ten thousand persons. According to the Census of England for 1861, the proportion of women between the ages of 20 and 40 who were Wives, was 68 per cent. in Stafford, and 69 per cent. in Durham; whereas, of the Counties yielding the low Birth-rate, only 52 per cent. of the women between the ages of 20 and 40 were Wives in Sussex, 56 per cent. in Hereford, and 54 per cent. in North Wales.

The varying Birth-rates of the several Counties of both England and of Scotland seem, therefore, to be fully accounted for by the different proportions in which women at the child-bearing ages, who are Wives, exist in

TABLE IV.—Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland, and in its Three Great Groups of Districts, in 1860, and their proportion to the Estimated Population; also the Number of the Illegitimate Births, and their proportion to the Total Births.

1860. Districts.	BIRTHS.		Illegitimate Births.		DEATHS.						MARRIAGES.	
					No. of Deaths.			Per Cent. to Pop.				
	No.	Per cent. to Pop.	No.	Per cent. to Total Births	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	No.	Per cent. to Pop.
Insular	4,588	2·844	247	5·38	1,319	1,395	2,714	1·788	1·593	1·682	811	0·502
Mainland-Rural	58,883	3·349	5,875	9·97	16,510	16,848	33,358	1·948	1·849	1·897	10,747	0·611
Town	42,158	3·745	3,614	8·57	15,781	16,317	32,098	3·026	2·700	2·851	9,667	0·858
SCOTLAND	105,629	3·469	9,736	9·21	33,610	34,560	68,170	2·330	2·156	2·238	21,225	0·697

these several Counties. This investigation also throws much light on one of the laws which seem to influence the proportion of the population above and under 20 years of age, in different Countries—a law which was en-

TABLE V.—Proportion of Births, Deaths, and Marriages, to the Estimated Population in the several Groups of Districts, Divisions, and Counties of Scotland, during the years 1859 and 1860; and also the proportion of Wives in every 100 females above 15 years of age.

	Groups of Districts, Divisions, and Counties of Scotland.	Proportion to every 100 persons living in 1859.			Proportion to every 100 persons living in 1860.			Proportion of Wives in every 100 Women above 15 years of age.
		Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	
	SCOTLAND . . .	3·519	2·038	0·700	3·469	2·238	0·697	43·051
	Insular Districts . .	2·858	1·626	0·562	2·844	1·682	0·502	39·441
	Mainland-Rural Dists.	3·386	1·766	0·617	3·349	1·896	0·611	43·479
	Town Districts . . .	3·828	2·526	0·850	3·745	2·851	0·858	42·963
	DIVISIONS.							
I.	NORTHERN	2·676	1·410	0·521	2·727	1·564	0·536	38·123
II.	NORTH-WESTERN . .	2·838	1·583	0·548	2·757	1·718	0·494	38·311
III.	NORTH-EASTERN . .	3·327	1·726	0·642	3·272	1·923	0·671	41·237
IV.	EAST-MIDLAND . . .	3·290	1·998	0·640	3·286	2·140	0·664	42·227
V.	WEST-MIDLAND . .	3·295	1·954	0·637	3·269	2·043	0·589	43·350
VI.	SOUTH-WESTERN . .	4·015	2·438	0·809	4·001	2·798	0·793	46·853
VII.	SOUTH-EASTERN . .	3·377	1·915	0·763	3·342	2·188	0·767	41·238
VIII.	SOUTHERN	3·173	1·894	0·623	3·252	2·017	0·616	41·327
	COUNTIES.							
	I. *Northern.*							
1	Shetland	2·732	1·477	0·532	2·704	1·147	0·553	35·930
2	Orkney	2·437	1·499	0·593	2·709	1·482	0·560	41·166
3	Caithness.	2·988	1·340	0·522	2·890	1·752	0·572	39·664
4	Sutherland	2·385	1·326	0·412	2·498	1·478	0·417	34·785
	II. *North-Western.*							
5	Ross and Cromarty .	2·925	1·577	0·513	2·830	1·741	0·435	39·689
6	Inverness	2·755	1·595	0·581	2·687	1·694	0·550	36·990
	III. *North-Eastern.*							
7	Nairn	2·894	1·724	0·844	2·584	1·839	0·601	37·964
8	Elgin	3·599	1·605	0·572	3·181	1·635	0·538	40·438
9	Banff	3·489	1·749	0·582	3·394	1·909	0·703	42·201
10	Aberdeen.	3·351	1·746	0·659	3·310	2·002	0·695	40·850
11	Kincardine	2·996	1·709	0·668	3·095	1·792	0·654	44·162
	IV. *East-Midland.*							
12	Forfar	3·556	2·373	0·711	3·493	2·435	0·716	41·516
13	Perth	2·817	1·055	0·612	2·930	2·015	0·603	39·345
14	Fife.	3·330	1·746	0·587	3·301	1·901	0·644	45·264
15	Kinross	3·018	1·548	0·493	2·890	1·813	0·498	42·487
16	Clackmannan . . .	3·537	1·724	0·587	3·601	1·939	0·769	46·734
	V. *West-Midland.*							
17	Stirling	3·732	2·099	0·740	3·683	2·097	0·717	47·220
18	Dumbarton . . .	3·695	2·044	0·843	3·660	2·291	0·677	44·380
19	Argyll	2·717	1·728	0·518	3·013	1·838	0·412	40·902
20	Bute	2·647	2·074	0·555	2·303	1·943	0·531	34·432
	VI. *South-Western.*							
21	Renfrew	3·919	2·541	0·790	3·802	2·580	0·778	44·505
22	Ayr.	4·041	1·981	0·795	3·765	2·319	0·702	48·159
23	Lanark	4·195	2·557	0·818	4·128	2·848	0·826	47·111
	VII. *South-Eastern.*							
24	Linlithgow	4·304	1·938	0·805	4·178	1·863	0·730	53·936
25	Edinburgh	3·325	2·026	0·825	3·274	2·367	0·853	39·209
26	Haddington	3·392	1·514	0·655	3·333	2·077	0·554	43·852
27	Berwick	3·066	1·666	0·472	3·154	1·657	0·510	41·822
28	Peebles	3·268	1·625	0·553	2·800	1·484	0·462	43·964
29	Selkirk	3·625	1·545	0·554	3·323	1·700	0·657	45·690
	VIII. *Southern.*							
30	Roxburgh	3·108	1·595	0·689	3·448	2·073	0·634	43·946
31	Dumfries	3·213	1·891	0·628	3·216	2·075	0·585	40·808
32	Kirkcudbright . . .	3·324	2·019	0·631	3·148	1·940	0·599	39·827
33	Wigtown	3·055	2·148	0·521	3·144	1·915	0·667	40·642

deavoured to be investigated in the Scottish Census Report of 1861. It corroborates and confirms the conclusions there arrived at from other facts, that it is the much larger proportion of women who are married in newly settled countries which causes the population under 20 years of age to exceed that above that age; whereas, when a smaller proportion of the population is married, as in the old settled countries of Europe, the population above 20 years of age exceeds in number those under that age.

Of the 105,629 children born during the year, 95,893 were legitimate, and 9736 illegitimate; being in the proportion of one illegitimate in every 10·8 Births, or 9·21 per cent. of the Births illegitimate. This is a slightly higher proportion than during the previous year, when only 9·11 per cent. of the Births were illegitimate. To whatever cause, then, it may be owing, it would appear that illegitimacy is on the increase.

As in the former years, so in 1860, it would appear that the proportion of illegitimate Births was highest in the Mainland Rural Districts, lower in the Town Districts, and lowest in the Insular Districts. Thus, in the Mainland-Rural Districts 9·97 per cent. of the Births were illegitimate; but only 8·57 per cent. in the Town Districts, and 5·38 per cent. in the Insular Districts. (See Tables IV., VI., and VII.) It ought to be kept in remembrance, that over the whole continent of Europe, the reverse of this holds good; illegitimacy being there from three to six times more prevalent in the Town than in the Rural Districts.

The several Divisions and Counties of Scotland exhibit the greatest possible difference in the prevalence of illegitimacy among the respective populations; and as the proportions for each Division and County are pretty nearly the same for each year, the cause of the difference deserves the attention of the philanthropist. The last column of Table VIII. shows the per centage of illegitimate to the total Births in the different Divisions and Counties of Scotland. On consulting that Table, it will be seen that while the Northern Division of Scotland, which contains the Counties of Shetland, Orkney, Caithness, and Sutherland, only yields 5·6 per cent. of the Births as illegitimate, the North-Eastern Division, which consists of the Counties of Nairn, Elgin, Banff, Aberdeen, and Kincardine, yields the very high proportion of 15·7 per cent. of all the Births as illegitimate. Even the West Midland, and the South-Western Divisions, which contain the Counties of Stirling, Dumbarton, Argyll, Bute, Renfrew, Ayr, and Lanark, have only about half the proportion of the North-Eastern Division, viz., 7·5 and 7·4 per cent. of illegitimate Births.

Table VI.—BIRTHS, 1860. Total Births; also the Number of the Legitimate and Illegitimate Births in Scotland and in its Three Great Groups of Districts in 1860; together with the Number of Cases of Twins and Triplets at a Birth.

Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twins.	Triplets.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes		
Insular	2,364	2,224	4,588	2,231	2,110	4,341	133	114	247	47	–
Mainland-Rural . .	30,289	28,594	58,883	27,259	25,749	53,008	3,030	2,845	5,875	682	14
Town	21,756	20,402	42,158	19,880	18,664	38,544	1,876	1,738	3,614	518	9
Scotland . . .	54,409	51,220	105,629	49,370	46,523	95,893	5,039	4,697	9,736	1,247	23

Of the individual Counties, Shetland, Ross and Cromarty, and Sutherland, yield the fewest illegitimate Births; Banff, Aberdeen, and Dumfries, the highest proportion. It is also a remarkable fact with regard to both the County and Town of Aberdeen, as showing that the cause, whatever it be, which gives rise to the excessively high proportion of illegitimate Births, equally affects Town and Rural populations, is the fact that year after year the proportion of illegitimate Births in the Town and in the Rural parishes of that County is nearly the same. For 1860, the Town of Aberdeen yielded 16·4 per cent. of her Births as illegitimate; the Rural parishes 16 per cent. In 1859, however, the Rural parishes had a slightly higher proportion of illegitimates than the Town, so that in a series of years the proportions were nearly equal.

Of the 105,629 children born during the year, 54,409 were males, and 51,220 females; being in the proportion of 106 males for every 100 females at Birth. The proportion of males was slightly higher among the illegitimate than among the legitimate children, for, while there were only 106·1 males to every 100 females among the legitimate children, there were 107·3 males to every 100 females among the illegitimate children. For the six years, 1855 to 1860 inclusive, much the same disproportions of the sexes have been observed in the legitimate and illegitimate Births, seeing that the annual average proportion for each of these years has been 105·4 males to every 100 females in the legitimate Births, but 107·1 males to every 100 females in the illegitimate Births. This is a result quite opposed to the statistics of illegitimacy on the Continent of Europe; for all the documents published relative to the proportion of the sexes agree in assigning a larger proportional number of males for the legitimate than for the illegitimate Births. In fact, the large collection of statistics relative to this subject, go to prove, that on the Continent of Europe, while the legitimate Births yield from 105 to 106 males for every 100 females, the illegitimate Births only furnish from 102 to 103 males for every 100 females. This, then, in addition to the circumstance that the proportion of illegitimate children is higher in the Rural Parishes than in the Town Districts, would seem to indicate that illegitimacy in Scotland and on the Continent of Europe is essentially different, and probably dependent on different causes.

During the year 1860 there occurred 1247 cases of Twin Births, and

Table VII.—BIRTHS, 1860. Per Centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportions of the Sexes in the Total Births, in the Legitimate and in the Illegitimate Births; together with the Per Centage of the Twin and Triplet Births to the Total Births in Scotland, and in its Three Great Groups of Districts, in 1860.

Districts.	Per Centage of Births to Population.	Per Centage of Illegitim. to Total Births.	Proportion of Males to 100 Females in the Total Births.	Proportion of Males to 100 Females in the Legitimate Births.	Proportion of Males to 100 Females in the Illegitim. Births.	Per Centage of Twin Births to the Total Births.	Per Centage of Triplet Births to Total Births.
Insular	2·844	5·38	106·3	105·7	116·6	1·024	—
Mainland-Rural	3·349	9·97	105·9	105·8	106·1	1·159	0·023
Town	3·745	8·57	106·6	106·5	107·9	1·228	0·021
Scotland . . .	3·469	9·21	106·2	106·1	107·3	1·180	0·021

23 cases of Triplets at a Birth; which gives the proportion of one case of Twins in every 84 Births, and one case of Triplets in every 4592 Births.

As the Births amounted to 105,629, and the Deaths to 68,170, the

TABLE VIII.—BIRTHS, 1860. Number and Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; also the proportion of Illegitimate to the Total Births in all Scotland, its Divisions, and Counties, in 1860.

1860.	TOTAL BIRTHS.			LEGITIMATE BIRTHS.			ILLEGITIMATE BIRTHS.			No. of the Total and of the Illegit. Births, and per centage of Illegit. to the Total Births.		
	Males.	Females.	Proportion of Males to 100 Females.	Males.	Females.	Proportion of Males to 100 Females.	Males.	Females.	Proportion of Males to 100 Females.	Total Births.	Illegit. Births.	Per cent. of Illegit.
SCOTLAND . . .	54409	51220	106·2	49370	46523	106·1	5039	4697	107·3	105629	9736	9·21
NORTHERN DIVISION	1782	1767	100·8	1673	1676	99·8	109	91	119·7	3549	200	5·6
NORTH-WESTERN Do.	2377	2260	105·1	2230	2132	104·6	147	128	114·8	4637	275	5·9
NORTH-EASTERN Do.	6136	5809	105·6	5162	4909	105·1	974	900	108·2	11945	1874	15·7
EAST MIDLAND Do. .	8819	8372	105·3	7933	7551	105·0	886	821	107·9	17191	1707	9·9
WEST MIDLAND Do. .	4120	3803	108·3	3809	3517	108·3	311	286	108·3	7923	597	7·5
SOUTH-WESTERN Do.	20549	19282	106·5	19020	17830	106·6	1529	1452	105·3	39831	2981	7·4
SOUTH-EASTERN Do.	7032	6550	107·3	6432	5998	107·2	600	552	108·7	13582	1152	8·4
SOUTHERN Do. . .	3594	3377	106·1	3111	2910	106·9	483	467	103·4	6971	950	13·6
I. NORTHERN.												
Shetland	449	406	110·5	431	390	110·5	18	16	112·5	855	34	3·9
Orkney	437	438	99·8	402	415	96·8	35	23	152·1	875	58	6·6
Caithness	602	612	98·3	561	572	98·0	41	40	102·5	1214	81	6·6
Sutherland	294	311	94·5	279	299	93·3	15	12	125·0	605	27	4·4
II. NORTH-WESTERN.												
Ross and Cromarty .	1224	1113	109·9	1175	1066	110·2	49	47	104·2	2337	96	4·1
Inverness	1153	1147	100·5	1055	1066	98·9	98	81	120·9	2300	179	7·7
III. NORTH-EASTERN.												
Nairn	123	92	133·6	111	86	129·0	12	6	200·0	215	18	8·3
Elgin	705	690	102·1	610	595	102·5	95	95	100·0	1395	190	13·6
Banff	939	947	99·1	783	797	98·2	156	150	104·0	1886	306	16·2
Aberdeen	3843	3527	108·6	3209	2960	108·4	634	567	111·8	7370	1201	16·2
Kincardine	526	553	95·1	449	471	93·2	77	82	93·9	1079	159	14·7
IV. EAST MIDLAND.												
Forfar	3699	3477	103·5	3275	3075	106·5	424	402	105·4	7176	826	11·5
Perth	2003	1913	104·7	1784	1711	104·2	219	202	108·4	3916	421	10·7
Fife	2622	2492	105·2	2421	2328	103·9	201	164	122·5	5114	365	7·1
Kinross	132	123	107·3	121	108	112·0	11	15	73·3	255	26	10·1
Clackmannan . . .	363	367	98·9	332	329	100·9	31	38	81·5	730	69	9·4
V. WEST MIDLAND.												
Stirling	1652	1579	104·6	1490	1438	103·6	162	141	114·9	3231	303	9·3
Dumbarton	1021	936	109·0	966	873	110·6	55	63	87·3	1957	118	6·0
Argyll	1254	1104	113·5	1171	1040	112·5	83	64	129·6	2358	147	6·2
Bute	193	184	104·9	182	166	109·6	11	18	61·1	377	29	7·6
VI. SOUTH-WESTERN.												
Renfrew	3226	3148	102·4	3005	2918	102·9	221	230	91·7	6374	451	7·7
Ayr	3818	3643	104·5	3489	3321	105·0	329	322	102·1	7461	651	8·7
Lanark	13505	12491	108·1	12526	11591	108·0	979	900	108·7	25996	1879	7·2
VII. SOUTH-EASTERN.												
Linlithgow	880	716	122·9	819	666	122·9	61	50	122·0	1596	111	6·9
Edinburgh	4571	4356	104·9	4193	3989	105·1	378	367	103·0	8927	745	8·3
Haddington	654	596	109·7	591	560	105·5	63	36	175·0	1250	99	7·9
Berwick	588	562	104·6	531	501	105·9	57	61	93·4	1150	118	10·2
Peebles	158	157	100·6	140	140	100·0	18	17	105·8	315	35	11·1
Selkirk	181	163	111·0	158	142	111·2	23	21	109·5	344	44	12·7
VIII. SOUTHERN.												
Roxburgh	919	925	99·3	818	828	98·3	101	97	104·1	1844	198	10·7
Dumfries	1287	1172	109·8	1100	985	111·6	187	187	100·0	2459	374	15·2
Kirkcudbright . . .	688	652	105·5	590	567	104·0	98	85	115·2	1340	183	13·6
Wigtown	700	628	111·4	603	530	113·7	97	98	98·9	1328	195	14·7

excess of Births over Deaths amounted to 37,459 persons, and by that number the population of Scotland would have been augmented during the year, had no other causes been in operation to diminish that number. The Emigration Commissioners, however, ascertained that 128,469 persons emigrated from the ports of Great Britain and Ireland during the year, and of that number 8733 were ascertained to have been of Scottish origin. If 2427 be added to that number as the proportion of emigrants whose origin was not ascertained, the total number of Scottish emigrants during 1860 would amount to 11,164; which number deducted from the excess of Births over Deaths, would make it appear as if the population had increased by 26,295 souls during the year. The actual increase, however, was only about two-thirds of that number, a fact which proves that many thousand Scotsmen annually leave their native country to seek a livelihood in England and other countries, or in the Army, Navy, and Merchant Shipping, of whom no account is taken by the Emigration Commissioners.

MARRIAGES.

21,225 Marriages were registered in Scotland during the year 1860; being in the proportion of 697 Marriages in every 100,000 persons of the population, or a slightly higher proportion than the average annual Marriage-rate of the five previous years.

It has been pointed out in previous Reports, as well as in the Report on the Census of Scotland, that the Scottish Marriage-rate, and, consequently, the number of Married persons in the population is much below that of England. Thus, during the six years, 1855 to 1860 inclusive, only at the rate of 687 Marriages occurred annually in Scotland for every 100,000 persons in the population; but in England, during the same years, 830 Marriages occurred annually for every 100,000 persons in the population of England. In the Report on the Census of Scotland, when treating of the conjugal condition of the people, it was endeavoured to be shown that this result was produced by the greater difficulty of finding employment for the young men in Scotland, which forced them to emigrate in much larger proportions than in England, so that not only was the proportion of Marriages kept lower than in England, but, from the males emigrating in much larger proportions than the females, the disproportion of the sexes—that is, the excess of females in the population—was becoming rapidly greater from year to year.

The comparative facility or difficulty of procuring a livelihood in diffe-

TABLE IX.—MARRIAGES, 1860. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their several Proportions to the Total Marriages.

Religious Denominations.	Number of Marriages.	Per Centage to Total Marriages.
Established Church	9,705	45·73
Free Church	4,870	22·95
United Presbyterian Church	2,837	13·36
Roman Catholic Church	1,857	8·75
Episcopalian Church	414	1·95
Other Denominations	1,217	5·73
Denomination not stated	325	1·53

rent parts of Scotland is strikingly exemplified in the different Marriage-rates which prevail in the Insular, the Mainland-Rural, and in the Town Districts. It may be stated as a fact, which the late Census has enabled us to authenticate, that the Insular Districts are overstocked with inhabitants, that is to say, that there are more persons in these districts than the soil or its productions can support; that, therefore, the population is not only stationary, but is rapidly decreasing by emigration. The Mainland-Rural Districts have nearly as many inhabitants as they can find employment for, so that they are increasing at a very low ratio; and the Marriages there are almost completely regulated by the mortality which prevails. In the Town Districts, on the other hand, demand for labour of all kinds is much greater; in fact, the increase of the population of Scotland is mainly confined to the Town Districts.

All these facts are beautifully exemplified or illustrated by the varying Marriage-rates in these several Groups of Districts. Thus, in the Insular Districts, where the population is falling off from year to year, only 502 Marriages occurred during the year in every 100,000 persons of the population. In the Mainland-Rural Districts, where the population is nearly stationary, or at best only very slowly increasing, there occurred in the proportion of 611 Marriages in a like population. While in the Town Districts, where the population is rapidly increasing, 858 Marriages occurred in every 100,000 persons of the population—a proportion higher than the mean English rate, but much lower than occurs in her Towns. (See Tables IV. and V.)

It is from statistics of this kind, taken in connection with the Births, that we are able to deduce the comparative vitality of different classes of the same population. It is questionable, however, whether the same test would apply, were an attempt made to compare the vitality of the population of Scotland with that of another country, as of France.

It is a well known fact that a residence in Towns weakens the vitality of the persons living in them. This, as yet, has been chiefly attempted

TABLE X.—MARRIAGES, 1860. Ages of Parties at Marriage in Scotland, and in its Three Great Groups of Districts, in 1860.

AGE.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 16 years.	–	8	–	–	–	6	–	2
16—17	3	64	–	2	2	33	1	29
17—18	9	292	1	5	3	155	5	132
18—19	118	864	–	11	62	444	56	409
19—20	439	1417	6	29	203	678	230	710
20—21	992	1962	19	52	521	981	452	929
21—25	7105	7852	178	256	3549	4031	3378	3565
25—30	6166	4962	285	284	3177	2523	2704	2155
30—35	2779	1894	156	106	1443	996	1180	792
35—40	1430	961	73	35	725	480	632	446
40—45	930	474	36	12	459	197	435	265
45—50	518	254	28	15	240	109	250	130
50—55	331	101	7	1	164	51	160	49
55—60	203	29	9	1	99	13	95	15
60—65	99	16	7	–	42	8	50	8
65—70	39	3	2	–	17	1	20	2
70—75	22	1	1	–	16	1	5	–
75—80	8	–	1	–	4	–	3	–
Not stated	34	71	2	2	21	40	11	29
All Ages	21,225	21,225	811	811	10,747	10,747	9667	9667

to be proved by demonstrating the much larger amount of sickness and of Death which annually results in a Town Population, as compared with one residing in a Rural District. But the proportion of Births to the Marriages, and, better still, the proportion of Births to the married women at the child-bearing ages, demonstrates the fact in as pointed a manner; while it is not liable to many of the objections which might be urged against the ordinary mode of proving that fact.

It has already been shown that both Births and Marriages are far more numerous in the Town than in the Rural Districts, in proportion to the population living in each of these Groups of Districts. At first sight this would seem to imply that the vitality of the Town population must be quite equal to that of the Rural population, else the number of Births which occurred in the Towns would fall short of the proportion which occurred in the Rural Districts. When the subject, however, is viewed from the proper point, a very different conclusion is arrived at.

The comparative fecundity of the married female in the different Groups of Districts into which Scotland is divided, affords the very best proof which could be adduced of the comparative vitality of the populations in each of these Groups, and corroborates in a most remarkable manner the conclusions deduced from the Death-rates in the respective Groups. To exclude all source of error, the inquiry must be confined to the women living in the married state (Wives alone) in each of these Groups, and to the legitimate children.

In the Insular Districts in 1860, for every 100 Marriages which were registered during the year, 535 legitimate children were born. In the Mainland-Rural Districts, for every 100 Marriages which were solemnized, 493 legitimate children were born; while, in the Town Districts, the vitality of the population was so much lower, that, for every 100 Marriages, only 389 legitimate children were born. This proves the fact approximatively; let us now see the absolute fecundity of the Wives at the child-bearing ages in each Group of Districts.

The number of Wives from 15 to 45 years of age, in the Insular Districts in 1860, was estimated at 13,144; and as 4341 legitimate children were born there during the year, this proves that every 302 Wives, between the ages of 15 and 45 years of age, gave birth to 100 legitimate children.

In the Mainland-Rural Districts the number of Wives, 15–45 years,

TABLE XI.—MARRIAGES, 1860. Number and Proportion of Men and of Women, under 21 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, the Mainland-Rural, and Town Districts of Scotland, in 1860.

	Number Married in 1860, whose Ages were ascertained.		Number under 21 years.		Per centage under 21 years.	
	Men.	Women.	Men.	Women.	Men.	Women.
ENGLAND . .	106,385	106,385	9,264	25,669	8·707	24·134
SCOTLAND . .	21,191	21,154	1,561	4,607	7·366	21·778
Insular Districts .	809	809	26	99	3·213	12·237
Mainland-Rural Districts . .	10,726	10,707	791	2,297	7·374	21·453
Town Districts .	9,656	9,638	744	2,211	7·704	22·940

was 160,509; and as 53,008 legitimate children were born in these Districts during the year, it is apparent that every 302 Wives, at the child-bearing ages, produced 100 legitimate children.

In the Town Districts, the number of Wives, 15–45 years of age, was 128,510; and as 38,544 legitimate children were born in these Districts during the year, it is evident that 333 Wives, at those ages, were required to produce 100 legitimate children.

It thus appears that the Insular and the Mainland-Rural Districts gave a result absolutely identical, only requiring 302 Wives, from 15–45 years of age, to produce 100 children within the year; while the Wives residing in the Town Districts had their vitality so deteriorated by their Town Residence, that it required 333 Wives to produce 100 children. In other words, a Town life so deteriorates the vitality and fecundity of the population, that every 100 children born annually in the Town required 333 Wives at the child-bearing age, whereas only 302 Wives annually produced the same number of children in the Country.

This fact of itself shows that, to keep up the number of the population, the inhabitants of Towns require to marry in much larger proportions than in the Country, as we find is done by every Town population.

But the inhabitants of Scotland marry in a much lower proportion than those of England, as is clearly established both by the Census, and by the Marriage Returns. Thus for the six years, 1855 to 1860 inclusive, Marriages were only contracted in Scotland at the rate of 687 Marriages annually for every 100,000 persons; while in England, for the same period, 830 Marriages were annually contracted for every 100,000 persons. Or, take the Census figures, and the same result is shown. Thus, in England, of every 1000 men above 15 years of age, 554 are Husbands in England, but only 504 in Scotland; while of every 1000 women, above 15 years of age, 518 are Wives in England, but only 430 are Wives in Scotland.

It might naturally be expected that this lower proportion of married persons in Scotland would result in a much lower proportion of Births; but, in so far as increase of population by Births is concerned, no evil seems to result to Scotland from her lower proportion of Marriages, inasmuch as Nature seems to compensate for the fewer Marriages by making those who do marry more fruitful. Thus, in 1860, for every Marriage which occurred

Table XII.—MARRIAGES, 1860. Number and Proportion of Men and of Women, under and above 25 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, Mainland-Rural, and Town Districts of Scotland, in 1860.

	Number who Married.				Per centage who Married.			
	Under 25 years.		Above 25 years.		Under 25 years.		Above 25 years.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
ENGLAND . . .	53,140	66,778	53,245	39,607	49·952	62·770	50·048	37·238
SCOTLAND . . .	8,666	12,459	12,525	8,695	40·894	58·897	59·106	41·103
Insular Districts . .	204	355	605	454	25·216	43·995	74·784	56·045
Mainland-Rural Dists.	4,340	6,328	6,386	4,379	40·462	59·101	59·538	40·899
Town Districts . . .	4,122	5,776	5,534	3,862	42·595	59·929	57·405	40·071

in Scotland, there were born 4·51 legitimate children; that is, 451 legitimate children to every 100 Marriages. During the same year, however, in England, only 3·76 legitimate children were born for every Marriage; or 376 children to every 100 Marriages. The Scottish females were, therefore, more prolific than the English.

But the same fact may be arrived at by another and more exact mode of calculation. In England, in 1860, the number of Wives at the child-bearing ages, 15–45, was 2,349,638; and as the number of legitimate children born during the year amounted to 640,355, this gives the proportion of one legitimate child for every 3·66 Wives who were alive at these ages; or, in other words, that every 366 Wives in England, at these ages, gave birth to 100 children during the year.

In Scotland, during the same year, the number of Wives at the child-bearing ages, 15–45, was 302,163; and as the number of legitimate children born during the year amounted to 95,893, this gives the proportion of one legitimate child born for every 3·15 Wives in the population who were alive at these ages. In other words, that every 315 Wives in Scotland, at these ages, gave birth to 100 children during the year.

It thus appears that the women of Scotland are more prolific than those of England, seeing that, during the year 1860, every 315 Wives at the child-bearing ages in Scotland gave birth to 100 children; whereas it required 366 Wives of the same ages in England to produce the same result.

It is thus seen that the smaller proportion of Marriages in Scotland produced the same result, in so far as increase of population was concerned, as the larger proportion of Marriages in England. As like results appear year after year, it may be assumed as proved that the Scottish female is more prolific than the English female, so that the lower proportion of Marriages in Scotland is quite compensated for by the greater fecundity of the Marriages.

During the year 1860, it appears that of the 21,225 Marriages, 9705 were celebrated according to the rites of the Established Church; 4870 according to those of the Free Church; 2837 according to those of the

Table XIII.—MARRIAGES, 1860. Number and Proportion of Men and of Women, under and above 25 years of Age, who contracted Marriage in Scotland, and in its Eight Divisions, in 1860.

DIVISIONS.	Number of Persons Married whose Ages were ascertained.		Number of Persons Married.				Proportion per Cent. to the total Men or Women Married.			
			Under 25.		Above 25.		Under 25.		Above 25.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Wom.
1. Northern	696	695	209	322	487	373	30·028	46·331	69·972	53·669
2. North-Western	829	829	158	382	671	447	19·059	46·079	80·941	53·921
3. North-Eastern	2,449	2,448	863	1,366	1,586	1,082	35·239	55·800	64·761	44·200
4. East Midland	3,472	3,463	1,470	1,927	2,002	1,536	42·338	55·645	57·662	44·355
5. West Midland	1,423	1,422	535	834	888	588	37·596	58·649	62·607	41·351
6. South-Western	7,899	7,888	3,704	5,110	4,195	2,778	46·892	64·782	53·108	35·218
7. South-Eastern	3,105	3,093	1,216	1,753	1,889	1,340	39·162	56·667	60·737	43·333
8. Southern	1,318	1,316	511	765	807	551	38·771	58·130	61·229	41·870
SCOTLAND	21,191	21,154	8,666	12,459	12,525	8,695	40·894	58·897	59·106	41·103

United Presbyterian Church; 1857 according to those of the Romish Church; 414 according to those of the Episcopalian Church; 1217 according to the rites of the smaller religious denominations; while in 309 cases the form of ceremony was not stated, and in 16 instances the Marriage was irregular. These numbers yield proportions very similar to those of former years (see Table IX.), seeing that 45·73 per cent. of the Marriages were solemnized by ministers of the Established Church; 22·95 per cent. by those of the Free Church; 13·36 per cent. by those of the United Presbyterian Church; 8·75 per cent. by those of the Romish Church; 1·95 per cent. by those of the Episcopal Church; and 5·73 per cent. by the ministers of the smaller religious denominations.

Of the 21,225 men who married during 1860, the ages of 21,191 were ascertained; and of that number, 1561 were under 21 years of age. Of the 21,225 women who married, the ages of 21,154 were ascertained; and of that number, 4607 were under 21 years of age. It thus appears that 7·36 per cent. of the men, and 21·77 per cent. of the women, who married during the year were under the legal age of 21 years, or were minors.

The English Statistics of Marriage for 1860, corroborates the conclusions arrived at by the Census Commissioners of Scotland, and show that a larger proportion of minors contracts Marriage in England than in Scotland.

Thus, of the 170,156 Marriages in England in 1860, the ages of the parties were ascertained in 106,385 cases; and of that number, 9264 men, and 25,669 women, were under 21 years of age; thus demonstrating that 8·707 per cent. of the men, and 24·134 per cent. of the women, who married in England in 1860, were under 21 years of age—a considerably larger proportion than in Scotland. (See Table XI.)

By Table XII. it will be seen that the proportion of both men and women under 25 years of age, who marry in Scotland, is greatly below the proportion of those who, at the same ages, marry in England. Thus, again corroborating all the conclusions arrived at in the Report on the Census, relative

TABLE XIV.—MARRIAGES, 1860. Number of Persons who Married in 1860, and their Proportion to the estimated Population. Also the number of Males under and above 25 years of Age who married in 1860, and their Proportion to the estimated number of Males in Scotland and its Eight Divisions.

DIVISIONS.	Estimated Population. 1859.	Persons who Married.		Estimated Male Population. 1860.	Number of Men who Married.		Per Cent. to Male Population of Men who Married.	
		Number.	Per cent. to the Population.		Under 25 yrs.	Above 25 yrs.	Under 25 yrs.	Above 25 yrs.
1. Northern . .	130,079	1,394	1·072	58,767	209	487	0·355	0·829
2. North-Western	168,175	1,662	0·988	78,379	158	671	0·201	0·856
3. North-Eastern	364,940	4,902	1·343	172,546	863	1,586	0·500	0·919
4. East Midland .	523,034	6,952	1·329	243,119	1,470	2,002	0·604	0·823
5. West Midland	242,401	2,856	1·178	118,078	535	888	0·453	0·752
6. South-Western	995,536	15,806	1·587	478,773	3,704	4,195	0·773	0·861
7. South-Eastern	406,383	6,236	1·534	191,151	1,216	1,889	0·636	0·988
8. Southern . .	214,390	2,642	1·232	101,599	511	807	0·503	0·794
SCOTLAND .	3,044,938	42,450	1·394	1,442,412	8,666	12,525	0·600	0·868

to the causes of the lower conjugal condition of the people of Scotland, and proving "that there is a much greater difficulty in procuring a livelihood in Scotland than in England, and that it is this which both represses Marriage, and causes Scotland to send out such a much larger proportion of her population to seek a livelihood elsewhere." It is by the ages at which the men marry that this fact is most strikingly brought out relative to England and to Scotland. Thus, if we take the ages under 25, we find that 9 per cent. more men marry in England, under 25 years of age, than in Scotland. In other words, that the facilities of procuring a livelihood are so much greater in England than in Scotland, that of every 100 men who marry, nine more, who are under 25 years of age, can afford to marry in England than in Scotland; so that while of every 100 men who marry in England, 50 are under 25 years of age, only 41 are under that age in Scotland.

Table XIII. shows, in like manner, the comparative facilities of procuring a livelihood in each of the several Divisions of Scotland; and any one who knows the state of the population in the several Counties, under each of these Divisions, will readily admit that the proportion of males under 25 years of age who married in each of these Divisions, very accurately represents the greater or lesser difficulty of procuring a livelihood in each of these Divisions. Thus, in the North-Western Division (a Highland and Insular District), only 19 per cent. of the males who married were under 25 years of age; in the East Midland Division, a thriving agricultural District, 42 per cent. were under 25 years; while in the South-Western Division, the great seat of our mining and manufacturing wealth, nearly 47 per cent. of all the men who married were under 25 years of age. The most prosperous Districts of Scotland, therefore, fell short of the mean proportion who can afford to marry in England under their 25th year.

The same facts may be seen even still more strikingly in Table XIV., which shows the per centage of men who married during the year to the total male Population of each of the Eight Divisions of Scotland. From that Table it will be seen, that while in the North-Western Division, only 201 men under 25 years of age were able to contract Marriage in every 100,000 males of the population; in the South-Western Division, 773 men under 25 years of age contracted Marriage out of every 100,000 males of the population.

Of the 21,225 Marriages contracted in Scotland during the year, in 20,961 cases the conjugal condition of the parties previous to their entrance into the new engagement was stated. Of these 20,961 Marriages, 18,157

TABLE XV—MARRIAGES, 1860. Number of Marriages between Persons in different conjugal conditions, and their Proportion in every 100 Marriages.

Districts.	Number of Marriages.					Proportion in every 100 Marriages.			
	Total Marriages, condition specified.	Bachelors and Spinsters.	Bachelors and Widows	Widowers and Spinsters.	Widowers and Widows.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
Insular	783	670	25	77	11	85·57	3·19	9·84	1·40
Mainland-Rural . .	10,601	9,401	202	807	191	88·68	1·91	7 61	1·80
Town	9,577	8,086	281	854	356	84·43	2·93	8·92	3·72
SCOTLAND	20,961	18,157	508	1738	558	86·62	2·42	8·29	2·67

were between bachelors and spinsters, 508 between bachelors and widows, 1,738 between widowers and spinsters, and 558 between widowers and widows. These numbers indicate that in every 100 Marriages, 86·62 were between bachelors and spinsters; 2·42 between bachelors and widows; 8·29 between widowers and spinsters; and 2·67 between widowers and

TABLE XVI.—MARRIAGES, 1860. Number of Marriages in which the Conjugal Condition of Life was specified; also, the Number of Marriages of Bachelors with Spinsters, Bachelors with Widows, Widowers with Spinsters, and Widowers with Widows, in Scotland, its several Divisions and Counties, in 1860; together with the Number and Proportion of Men and of Women who re-married during that year.

	DIVISIONS AND COUNTIES.	Total Marriages, condition specified.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.	RE-MARRIAGES.			
							Number of Widowers.	Number of Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
	SCOTLAND . . .	20,961	18,157	508	1738	558	2296	1066	10·95	5·08
	Insular Districts . .	783	670	25	77	11	88	36	11·23	4·59
	Mainland-Rural Dists.	10601	9401	202	807	191	998	393	9·40	3·70
	Town Districts . . .	9577	8086	281	854	356	1210	637	12·63	6·65
I.	NORTHERN DIVISION	684	619	17	48	10	58	27	8·47	3·94
II.	NORTH-WESTERN Do.	800	702	16	76	6	82	22	10 25	2·75
III.	NORTH-EASTERN Do.	2431	2158	55	185	33	218	88	8·55	3·62
IV.	EAST MIDLAND Do. .	3449	3018	62	286	83	369	145	10·69	4·20
V.	WEST MIDLAND Do. .	1415	1234	39	116	26	142	65	10·03	4·52
VI.	SOUTH-WESTERN Do.	7809	6671	226	625	287	912	513	11·67	6·56
VII.	SOUTH-EASTERN Do.	3063	2632	77	278	86	364	163	11·88	5·32
VIII.	SOUTHERN Do. . . .	1310	1143	16	124	27	151	43	11·52	3·28
1	Shetland	170	143	8	15	4	19	12	11·17	7·06
2	Orkney	179	161	3	13	2	15	5	8·38	2·79
3	Caithness	239	214	4	17	4	21	8	8·78	3·34
4	Sutherland	96	91	2	3	0	3	2	3·12	2·08
5	Ross and Cromarty .	359	313	6	38	2	40	8	11·14	2·22
6	Inverness	441	389	10	38	4	42	14	9·53	3·17
7	Nairn	50	43	1	5	1	6	2	12·00	4·00
8	Elgin	234	206	5	21	2	23	7	9·82	2·99
9	Banff	387	349	5	26	7	33	12	8·52	3·10
10	Aberdeen	1541	1358	41	120	22	142	63	9·21	4·08
11	Kincardine	219	202	3	13	1	14	4	6·39	1·82
12	Forfar	1464	1247	27	150	40	190	67	12·91	4·57
13	Perth	802	703	14	71	14	85	28	10 57	3·49
14	Fife	986	890	18	55	23	78	41	7·91	4·15
15	Kinross	44	36	1	4	3	7	4	15·90	9·09
16	Clackmannan . . .	153	142	2	6	3	9	5	5·88	3·26
17	Stirling	626	547	17	48	14	62	31	9·90	4·95
18	Dumbarton	356	311	8	32	5	37	13	10 39	3·65
19	Argyll	346	304	9	27	6	33	15	9·54	4·33
20	Bute	87	72	5	9	1	10	6	11·49	6·89
21	Renfrew	1298	1116	39	93	50	143	89	11·06	6 85
22	Ayr	1373	1190	34	110	39	149	73	10·85	5·31
23	Lanark	5138	4365	153	422	198	620	351	12·06	6·83
24	Linlithgow	274	237	9	19	9	28	18	10·21	6·57
25	Edinburgh	2284	1942	62	210	70	280	132	12·26	5 78
26	Haddington	206	185	5	13	3	16	8	7·76	3·88
27	Berwick	181	159	0	21	1	22	1	12·15	0·55
28	Peebles	51	44	0	6	1	7	1	13·72	1·96
29	Selkirk	67	55	1	9	2	11	3	16·41	4·48
30	Roxburgh	337	299	4	29	5	34	9	10·09	2·69
31	Dumfries	444	389	8	41	6	47	14	10·59	3·15
32	Kirkcudbright . . .	249	212	4	28	5	33	9	13·25	3·61
33	Wigtown	280	243	0	26	11	37	11	13·21	3·92

widows. Table XV. shows these facts for Scotland, and for its three great groups of Districts—the Insular, the Mainland-Rural, and Town Districts; while Table XVI. shows, in addition, the re-marriages, and their proportion in each of these groups of Districts, as well as the numbers of the different kinds of Marriages in each of the Divisions and Counties of Scotland. The facts elicited so closely correspond with those of former years, that it would serve no useful purpose to comment upon them.

Of the persons who re-married during the year, 2296 were widowers, and 1066 widows; giving a proportion of 10·95 widowers in every 100 men who married, and 5·08 widows in every 100 women who married during the year. The proportion of re-marriages in England is higher than in Scotland: for during 1860, of every 100 men who married, 13·88 were widowers; and of every 100 women who married, 9·03 were widows.

2189 men, and 4609 women, signed the Marriage Register by mark in 1860; giving the proportion of 10·31 in every 100 men, and 21·71 in every 100 women, who could not sign their names in the Marriage Registers. It thus appears that, in so far as the state of elementary education may be estimated by such a test, that the people of Scotland stand in a very favourable position with regard either to England or Ireland; seeing that of every 100 men who married during the year, 89·69 were able to sign their names, while of every 100 women 78·29 were able to sign their names. In 1860, of every 100 men who married in England, only 74·5 could sign their names, while of every 100 women only 63·8 signed their names in writing.

Table XVIII. shows the number and proportion of men and of women who signed by mark, or who signed their names in writing, in each of the three great groups of Districts, and in the Divisions and Counties of Scotland; and it will be remarked, as a result highly creditable to the Parochial School system of Scotland, that while in the Town Districts (where it might be supposed the means of acquiring the elements of education were within the reach of all), 88 per cent. of the men signed their names in writing in the Marriage Registers, 91 per cent. were able to sign their names in full in the Mainland-Rural Districts.

Ross and Cromarty and Inverness appear to be the Counties in which

TABLE XVII.—MARRIAGES, 1860. Number and Proportion of Marriages between Bachelors and Spinsters, Bachelors and Widows, Widowers and Spinsters, and Widowers and Widows, in 1860, in Edinburgh and Glasgow; also, the Proportion of Re-marriages.

1860.	Total Marriages, condition specified.	Marriages of Bachelors with Spinsters.	Marriages of Bachelors with Widows.	Marriages of Widowers with Spinsters.	Marriages of Widowers with Widows.	RE-MARRIAGES. Number of Widowers.	Number of Widows.	Per cent. of Widowers to 100 Men who married.	Per cent. of Widows to 100 Women who married.
EDINBURGH	1541	1298	45	147	51	198	96	12·8	6·2
GLASGOW	3518	2979	100	309	130	439	230	12·4	6·5
Proportion in every 100 Marriages in Edinburgh	100·00	84·23	2·92	9·54	3·31				
Proportion in every 100 Marriages in Glasgow	100·00	84·68	2·85	8·79	3·68				

education is most backward, only 61·95 in every 100 of the men in Ross and Cromarty, and 70·28 in every 100 of the men in Inverness, having signed their names in writing during the year. No other County makes any approach to this degree of inability to write, Dumbarton alone excepted, in which County, from the great excess of Irish, and from their getting

TABLE XVIII.—MARRIAGES, 1860. Number of Men and of Women who married in Scotland and in its several Divisions and Counties, in 1860; together with the number and proportion of those who signed the Register by Mark, and the proportion of those who signed their names in full.

	DIVISIONS AND COUNTIES.	Men.				Women.			
		Number of Males Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.	Number of Females Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.
	SCOTLAND . . .	21,225	2189	10·31	89·69	21,225	4609	21·71	78·29
	Insular Districts . . .	811	207	24·29	75·71	811	345	42·54	57·46
	Mainland-Rural Districts	10747	902	8·39	91·61	10747	1902	17·69	82·31
	Town Districts . . .	9667	1080	11·17	88·83	9667	2362	24·43	75·57
I.	NORTHERN DIVISION .	697	39	5·59	94·41	697	132	18·93	81·07
II.	NORTH-WESTERN DO. .	831	277	33·33	66·67	831	456	54·87	45·13
III.	NORTH-EASTERN DO. .	2451	68	2·77	97·23	2451	247	10·07	89·93
IV.	EAST MIDLAND DO. . .	3476	254	7·30	92·70	3476	617	17·75	82·25
V.	WEST MIDLAND DO. .	1428	210	14·70	85·30	1428	367	25·70	74·30
VI.	SOUTH-WESTERN DO. .	7903	1081	13·68	86·32	7903	2319	29·34	70·66
VII.	SOUTH-EASTERN DO. .	3118	188	6·02	93·98	3118	346	11·09	88·91
VIII.	SOUTHERN DO. . . .	1321	72	5·45	94·55	1321	125	9·45	90·55
1	Shetland	175	20	11·48	88·52	175	70	40·00	60·00
2	Orkney	181	2	1·10	98·89	181	7	3·86	96·14
3	Caithness	240	4	1·66	98·34	240	24	10·00	90·00
4	Sutherland	101	13	12·87	87·13	101	31	30·69	69·31
5	Ross and Cromarty . .	360	137	38·05	61·95	360	197	54·72	45·28
6	Inverness	471	140	29·72	70·28	471	259	54·98	45·02
7	Nairn	50	5	10·00	90·00	50	18	36·00	64·00
8	Elgin	236	4	1·69	98·31	236	35	14·83	85·17
9	Banff	391	17	4·34	95·66	391	51	13·04	86·96
10	Aberdeen	1546	39	2·52	97·48	1546	131	8·47	91·53
11	Kincardine	228	3	1·31	98·69	228	12	5·26	94·74
12	Forfar.	1472	163	11·07	88·93	1472	410	27·85	72·15
13	Perth	806	26	3·22	96·78	806	64	7·94	92·06
14	Fife	998	46	4 61	95·39	998	105	10·52	89·48
15	Kinross	44	–	0·00	100·00	44	6	13·63	86·37
16	Clackmannan	156	19	12·18	87·82	156	32	25·12	74·88
17	Stirling	629	62	9·85	90·15	629	141	22·41	77·59
18	Dumbarton	362	88	24·31	75·69	362	113	31·21	68·79
19	Argyll.	350	52	14·85	85·15	350	101	28·85	71·15
20	Bute	87	8	9·19	90·81	87	12	13·79	86·21
21	Renfrew	1307	184	14·08	85·92	1307	439	33·58	66·42
22	Ayr	1391	207	14·88	85·12	1391	409	29·40	70·60
23	Lanark	5205	690	13·25	86·75	5205	1471	28·26	71·74
24	Linlithgow	279	40	14·33	85·67	279	81	29·03	70·97
25	Edinburgh	2325	112	4·81	95·19	2325	205	8·81	91·19
26	Haddington	208	26	12·50	87·50	208	47	22·59	77·41
27	Berwick	186	2	1·07	98·93	186	7	3·73	96·27
28	Peebles	52	4	7·69	92·31	52	3	5·77	94·23
29	Selkirk	68	4	5·88	94·12	68	3	4·41	95·59
30	Roxburgh	339	18	5·30	94·70	339	31	9·14	90·86
31	Dumfries	446	13	2·91	97·09	446	33	7·40	92·60
32	Kirkcudbright	254	16	6·29	93·71	254	24	9·45	90·55
33	Wigtown	282	25	8·86	91·14	282	37	13·12	86·88

married there shortly after their arrival, 75·69 only in every 100 men who married during the year were able to sign their names in writing. In no fewer than five Counties, on the other hand, more than 98 in every 100 men signed their names in writing; while in twelve Counties altogether, more than 95 in every 100 men signed their names in writing.

The evil effect of the influx of the uneducated Irish on the Scottish population, is strikingly exemplified by comparing the proportions of men and of women able to sign their names in Edinburgh and Glasgow. (See Table XIX.) In Edinburgh, of every 100 men who married, 96·42 signed their names in writing; but in Glasgow only 86·57. In Edinburgh, of every 100 women who married, 93·41 signed their names in writing; but in Glasgow only 71·11.

DEATHS.

68,170 Deaths were registered in Scotland during the year 1860, being in the very high proportion of 223 Deaths in every ten thousand persons of the population. The mean Death-rate in Scotland during the five previous years was only 205 Deaths annually in every ten thousand persons; but in 1860 the mortality rose to the mean annual Death-rate of England, viz., 223 Deaths in every ten thousand persons.

An increase of Deaths so unexpected and so great,—an increase of 6456 Deaths above those of 1859 in a small population like that of Scotland,—merits a most careful examination; and the primary object of these Reports is to point out such facts, and endeavour to trace them to their cause. A careful examination into the possible causes of this increase is the more necessary, inasmuch as the mortality in Scotland appears to be decidedly on the increase; so that, though the five years, 1855 to 1859 inclusive, give a mean annual Death-rate of 205 Deaths in every ten thousand persons, the mean annual Death-rate of the next four years, 1860 to 1863 inclusive, was 219 Deaths in every ten thousand persons.

Nothing aids an inquiry of this kind so much as a proper division or classification of the population, as it permits us to ascertain whether the increased mortality affects all classes alike, or is chiefly limited to one class. If the increased mortality were found to affect all classes alike, then the natural inference would be, that it depended on atmospheric or other general causes over which man had no control. But if it should be found that this increased mortality was chiefly limited to one class, then the conclusion

Table XIX.—MARRIAGES, 1860. Number and Proportion of Men and of Women who signed their names by Mark, in Edinburgh and Glasgow, in 1860.

1860.	Men.				Women.			
	Number of Men who Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.	Number of Women who Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.
EDINBURGH	1561	56	3·58	96·42	1561	103	6·59	93·41
GLASGOW	3543	476	13·43	86·57	3543	1024	28·89	71·11

would be irresistible, that the causes, whatever they were, were of a nature which specially affected that class alone, and were of a kind which could be removed or lessened by man's aid.

It was with this object in view, that, when these Reports were begun, the inhabitants of Scotland were divided into three great groups, according as they lived in the Insular Districts, in the Mainland-Rural Districts, or in the Town Districts; and the advantage of this division into Classes has been abundantly evidenced in all the inquiries which have been instituted relative to all branches of vital statistics.

During the year 1860, the inhabitants of the Insular Districts died at the rate of 168 in every ten thousand persons of the population; in the Mainland-Rural Districts, at the rate of 189 Deaths in every ten thousand persons; but in the Town Districts, at the very high rate of 285 Deaths in every ten thousand persons. As it is only by contrast, however, that it can be ascertained whether these Death-rates are higher than the average in each of the different groups of Districts, it may be mentioned that the mean annual Death-rate of the five previous years in each of these Districts was 149 Deaths in the Insular, 175 Deaths in the Mainland-Rural, and 263 Deaths in the Town Districts for every ten thousand persons in each of these Districts.

From this it is apparent, that in every one of these Districts the mortality of 1860 was greatly above the mean of the five previous years. A large proportion, then, of the increased number of Deaths must have been produced by general causes—atmospheric or other—over which man has no control. This is the first conclusion from the above facts.

When, however, we look at the relative increase of Deaths in the

TABLE XX.—DEATHS, 1860. Population of Scotland at Different Ages in 1860, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	SCOTLAND, 1860.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	45,806	44,118	7,366	6,047	16·088	13·706
— 2	41,883	40,522	3,252	3,028	7·764	7·470
— 3	42,224	40,864	1,544	1,473	3·656	3·359
— 4	40,825	39,853	1,007	1,024	2·466	2·569
— 5	40,173	38,636	711	741	1·769	1·918
Total under 5 Years	210,911	203,993	13,880	12,313	6·581	6·035
5—10	183,402	177,804	1,754	1,651	0·955	0·928
10—15	164,309	156,680	872	835	0·530	0·532
15—20	149,662	156,010	1,149	1,121	0·767	0·718
20—30	228,209	282,622	2,361	2,524	1·034	0·893
30—40	168,795	205,810	1,980	2,253	1·173	1·094
40—50	135,928	160,673	1,959	2,057	1·441	1·280
50—60	99,198	118,512	2,139	2,178	2·155	1·837
60—70	65,108	85,803	2,734	3,043	4·199	3·546
70—80	28,491	40,809	2,789	3,635	9·789	8·907
80—90	7,765	12,569	1,655	2,420	21·314	19·253
90—100	604	1,184	247	462	40·894	39·020
100 and above	30	57	14	22	46·666	38·596
Not stated	–	–	77	46	–	–
ALL AGES	1,442,412	1,602,526	33,610	34,560	2·330	2·156
BOTH SEXES	*3,044,938		68,170		2·238	

Mainland-Rural and in the Town Districts, another conclusion, additional to the above, forces itself upon us; for we then find that the increased proportion of Deaths for the Town Districts is far beyond that of the Rural Districts, and, in fact, that the increased Deaths in the Towns are nearly twice as great as they ought to have been. To put the proposition in other words: If we suppose that the whole increase in the Mainland-Rural Districts were attributable to general causes, and if we suppose that these general causes would in the same proportion have affected the inhabitants of the Town Districts, then the Deaths in the Towns would only have increased by 2179; whereas the actual increase was 3976 Deaths, or 1797 Deaths more than can be accounted for by the general causes.

Other than general causes—causes which were specially acting on the Town populations, and not on those in the Rural Districts—must therefore have produced this increased mortality in the Towns; and it is very important to endeavour to find out what such causes are, in order that they may, if possible, be removed.

It is necessary to remark, however, that the mere circumstance of the Town mortality having been high in 1860 would not, in all probability, have had the effect of directing special attention to the circumstance, had it not been for the very striking fact, bearing on the same subject, noticed in the Registrar-General's Report for the Quarter ending 31st March 1864. In that Report he directed attention to the fact that the increase of Deaths in Scotland during the first Quarter of the year 1864 was almost entirely confined to the Town Districts, and did not extend to the Rural Districts, which, indeed, remained at their low summer rate of mortality.

TABLE XXI.—DEATHS, 1860. Population of the Insular Districts of Scotland at Different Ages in 1860; the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	INSULAR DISTRICTS, 1860.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,003	1,887	227	176	11·333	9·326
— 2	1,933	1,873	86	71	4·448	3·767
— 3	2,040	2,010	36	32	1·774	1·592
— 4	1,995	1,904	23	32	1·152	1·680
— 5	2,078	1,947	19	20	0·914	1·027
Total under 5 Years	10,049	9,621	391	231	3·890	2·401
5—10	9,527	9,228	43	46	0·451	0·498
10—15	8,737	8,435	43	28	0·492	0·331
15—20	7,564	8,307	49	40	0·648	0·481
20—30	10,284	14,471	118	88	1·147	0·608
30—40	7,671	10,987	90	83	1·173	0·755
40—50	6,432	8,779	67	77	1·041	0·877
50—60	5,602	7,037	86	99	1·535	1·406
60—70	4,660	6,072	128	133	2·746	2·190
70—80	2,321	3,146	136	227	5·859	7·215
80—90	808	1,306	119	186	14·727	14·242
90—100	85	156	37	49	43·529	31·410
100 and above	4	19	3	4	75·000	21·053
Not stated	–	–	9	4	–	–
ALL AGES	73,744	87,564	1,319	1,395	1·788	1·593
BOTH SEXES	161,308		2,714		1·682	

This, then, which proves that the mortality of the Towns, instead of diminishing, as we might expect it would under all the Town Improvement Acts now so vigorously applied over the Country, is really on the increase, is a strong reason for calling attention to the fact, and ought to have the effect of inducing every sanitary reformer to seek to discover its cause.

The General Board of Health, mainly through the instrumentality of Mr Edwin Chadwick, was the means of opening the eyes of the public to the necessity of Sanitary Reforms in our Towns. Among the means specially insisted on as likely to conduce to the improved health of the inhabitants of Towns, were the introduction of a full supply of pure water, the improvement of all drains, the removal of cesspools and accumulations of filth, the covering in of open, stagnant ditches, the draining of damp localities, and the erection of privies and water-closets. The special end of all these suggested improvements was to prevent the air which was breathed by the inhabitants of these crowded localities being vitiated by noxious exhalations, and to afford to all the means of cleanliness.

Several Acts, both local and general, followed the publication of these Reports of the General Board of Health, and among the rest, the General Police and Improvement Act for Scotland in 1850. It was only, however, about the year 1855 that that Act began to be pretty generally adopted, and that the changes under it began to be slowly carried out. The Police and Improvement Act of 1862 (25 and 26 Vict., cap. 101) is virtually but the extension of the Act of 1850, with the incorporation of some smaller Acts.

It is of great importance to watch closely the operation of such Acts, and endeavour to ascertain whether they fulfil the ends for which they were instituted. The primary end of all these enactments is to supply a purer air

Table XXII.—DEATHS, 1860. Population of the Mainland-Rural Districts of Scotland at Different Ages in 1860; the number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	MAINLAND-RURAL DISTRICTS, 1860.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	25,969	25,056	3,329	2,732	12·819	10·903
— 2	24,571	23,704	1,250	1,140	5·086	4·809
— 3	24,841	24,023	611	580	2·459	2·414
— 4	24,367	23,515	420	406	1·723	1·726
— 5	24,066	23,092	313	288	1·299	1·246
Total under 5 Years	123,814	119,390	5,923	5,146	4·783	4·310
5—10	111,013	106,608	840	787	0·756	0·738
10—15	100,306	94,449	483	473	0·481	0·500
15—20	88,649	87,112	655	594	0·730	0·681
20—30	124,667	147,749	1,176	1,158	0·943	0·783
30—40	93,572	110,657	862	1,007	0·921	0·910
40—50	78,084	89,249	854	891	1·093	0·998
50—60	60,071	68,280	1,032	1,025	1·717	1·501
60—70	41,599	51,623	1,460	1,641	3·509	3·178
70—80	19,491	26,326	1,796	2,176	9·214	8·265
80—90	5,556	8,551	1,200	1,588	21·581	18·570
90—100	427	791	162	317	37·939	38·811
100 and above	23	32	7	13	30·426	40·625
Not stated	–	–	60	32	–	–
All Ages	847,272	910,817	16,510	16,848	1·948	1·849
Both Sexes	1,758,089		33,358		1·897	

to the dwellings of the working classes, and to afford to their inmates the means of personal cleanliness; and if they fail to do that, they have failed in the very end for which they were established.

These Acts require that a water-closet and sink be introduced into "every house or part of a house occupied by a separate family," (25 and 26 Vict., cap. 101, clause 210), and it seems desirable to ascertain what may have been the practical result of this enactment. The old houses in most of our Towns are of a peculiar construction, with flats above one another, occupied by different families. Now, if under the directions of the clause above referred to, water-closets, and more especially sinks, have to a considerable extent been introduced either into the apartments where the families live, or into their immediate vicinity, is it not possible that the increased vitiation of the air caused by their emanations may be one cause of the increased mortality manifested by these Returns? This statement is only conjectural, but it appears to merit consideration and inquiry. Even under the most favourable circumstances, it is notorious that unless sinks and water-closets have abundant ventilation, and are kept cleanly and in good working order, it is not easy to prevent the escape of noxious vapours. How much more may this be expected to occur in the close, confined dwellings occupied by large numbers of our Town populations?

It must be remembered that by the Census of 1861, upwards of 73 in every 100 families live in houses of one or of two rooms; and if, instead of removing all sources of vitiation of the air, we introduce a new source of vitiation to their limited dwellings, no other effect can follow than an increased mortality.

Similar Acts have done unquestioned good in England, because the

TABLE XXIII.—DEATHS, 1860. Population of the Town Districts of Scotland at Different Ages in 1860, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	TOWN DISTRICTS, 1860.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	17,834	17,175	3,810	3,139	21·364	18·276
— 2	15,379	14,945	1,916	1,817	12·458	12·157
— 3	15,343	14,831	897	861	5·846	5·805
— 4	14,463	14,434	564	586	3·899	4·059
— 5	14,029	13,597	379	433	2·701	3·184
Total under 5 Years	77,048	74,982	7,566	6,836	9·819	9·117
5—10	62,862	61,968	871	818	1·386	1·320
10—15	55,266	53,796	346	334	0·626	0·620
15—20	53,449	60,591	445	487	0·832	0·803
20—30	93,258	120,402	1,067	1,278	1·144	1·060
30—40	67,552	84,166	1,028	1,163	1·520	1·381
40—50	51,412	62,645	1,038	1,089	2·019	1·738
50—60	33,525	43,195	1,021	1,054	3·045	2·442
60—70	18,849	28,108	1,146	1,269	6·079	4·514
70—80	6,679	11,337	857	1,232	12·831	10·867
80—90	1,400	2,712	336	646	23·982	23·820
90—100	92	237	48	96	52·173	40·510
100 and above	4	6	4	5	100·000	83·333
Not stated	–	–	8	10	–	–
ALL AGES	521,396	604,145	15,781	16,317	3·026	2·700
BOTH SEXES	1,125,541		32,098		2·851	

different construction of English houses enables these Acts to be carried out without introducing a new source of vitiation of the air to the dwellings themselves. But the same cannot so easily be done with the flat-houses of Scotland, which are already built, and for which no special provision was made.

Our object is served if the above shall have the effect of directing the attention of the Sanitary Officers over the Country, and of the public generally, to this important subject. The mortality in the Town Districts seems to be increasing under the Police and Improvement Acts, instead of diminishing; and though we suggest a probable cause, it is for them fully to investigate the subject, and ascertain the true one.

As it is interesting to know the relative Death-rate which prevails in the Eight Principal Towns of Scotland, Table XXIV. is appended for the purpose of showing the mortality in each since the Registration Act came into operation, and also the mean annual Death-rate during the six years, 1855 to 1860 inclusive. The six years' average shows that Greenock has the highest Death-rate, being at the rate of 305 Deaths in every ten thousand persons of the population. Next follows Glasgow, with 299 Deaths in a like population; then Dundee, with 272 Deaths, and Paisley, with 269 Deaths in like populations. Perth had, on the average, only 250 Deaths in every ten thousand persons; Edinburgh, 241; Aberdeen, 239; and Leith had only 225 Deaths in every ten thousand inhabitants.

In former Reports, it was pointed out that the male Death-rate was greater than the female, and this at all ages, and consequently independent of profession and habits. In 1860 the same fact was noticed, inasmuch as over all Scotland males were cut off at the rate of 233 in every ten thousand males in the population, while females only died at the rate of 215 in every ten thousand females.

This higher Death-rate in the males was noticed in all the Three Great Groups into which the population of Scotland is divided. Thus, in the Insular Districts, 178 males died during the year out of every ten thousand males, but only 159 females out of every ten thousand females. In the Mainland-Rural Districts, 194 males died out of every ten thousand males, but only 184 females out of every ten thousand females; and in the Town Districts, 302 males died out of every ten thousand males, while only 270 females died out of every ten thousand females.

Table XXIV.—TOWN DEATHS, 1855–1860. Per Centage of Deaths to the Corrected Population of each of the Eight Principal Towns of Scotland, and the Mean Annual Mortality during these Six Years.

Towns.	Per Centage of Deaths to Population.						
	1855.	1856.	1857.	1858.	1859.	1860.	Mean Annual Mortality.
Glasgow . .	2·99	2·84	3·08	3·05	2·83	3·19	2·99
Edinburgh .	2·57	2·49	2·26	2·49	2·19	2·50	2·41
Dundee . .	2·53	2·84	2·57	2·64	2·53	3·20	2·72
Aberdeen . .	2·28	2·26	2·34	2·20	2·28	2·97	2·39
Paisley . .	2·76	2·30	3·02	2·67	2·49	2·90	2·69
Greenock . .	3·38	3·03	3·06	2·59	3·34	2 90	3·05
Leith . . .	1·96	2·39	2·17	2·26	1·98	2·76	2·25
Perth . . .	2·19	2·19	3·10	2·67	2·24	2·64.	2·50

It has frequently been assumed that the greater mortality in the male was to be explained by the more unhealthy occupations which he had to follow, as well as by his greater abuse of spirituous liquors and of tobacco. That excess in the use of such stimulants and narcotics is highly prejudicial, and that a few unhealthy occupations cause males to die in somewhat larger numbers than females, none can deny; but the fact is, that at all ages the male mortality is greater than the female, and notably so at that period of life when both sexes are clothed, and fed, and treated in every way the same, viz., during the first year of life.

Thus, during the first year of life in Scotland, during the year 1860, only 137 females died out of every thousand females living, whereas 160 males died out of every thousand males. Nay, take the whole children under 5 years of age, and it is seen that, while only 60 females died during the year out of every thousand females living at that age, 65 males died during the same period in every thousand males under 5 years of age. This is a proportion of males far greater than occurs at any subsequent period of life,—a fact which seems to point to a law of nature, that the male at all periods of life is more liable to death than the female. In all investigations, therefore, into the assumed greater mortality of males following this or that trade, or from using or abusing alcoholic liquors or tobacco, this striking peculiarity of the male must be taken into consideration, else we may arrive at most erroneous conclusions, attributing to these causes what is nothing else but the impressed peculiarity of sex.

On casting our eye over the proportional mortality at each age in all Scotland (see Table XX.), it will be seen that, at almost every age, the male mortality exceeds the female. Slight differences and exceptions occur in any single year, but, as a general rule, and taken for a series of years, the

TABLE XXV.—GLASGOW, 1860. Population and Deaths at Different Ages in 1860, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	6,674	6,313	1,602	1,303	23·838	20·639
— 2	5,448	5,348	922	899	16·923	16·772
— 3	5,257	5,207	388	391	7·380	7·509
— 4	4,921	4,977	226	246	4·592	4·942
— 5	4,750	4,594	134	172	2·821	3·744
Total under 5 Years	27,050	26,439	3,272	3,011	12·096	11·384
5—10	20,810	20,588	334	311	1·605	1·510
10—15	18,385	18,045	112	110	0·609	0·589
15—20	19,365	21,594	161	211	0·831	0·977
20—30	35,886	44,431	431	539	1·201	1·213
30—40	25,029	29,747	413	451	1·650	1·516
40—50	18,154	20,973	416	438	2·291	2·088
50—60	10,634	13,314	341	353	3·216	2·650
60—70	5,373	7,917	339	416	6·309	5·254
70—80	1,502	2,716	213	316	14·181	11·634
80—90	282	547	66	143	23·404	26·142
90—100	18	55	10	23	55·555	41·818
100 and above	–	3	–	–	–	–
Not stated	–	–	2	4	–	–
ALL AGES	182,488	206,369	6,110	6,326	3·348	3·065
BOTH SEXES	388,857		12,436		3·198	

fact is manifested. During the year 1860, the only exceptions to the rule appear to be at the ages of 4 and of 5, and again a very slight exception at the ages 10 to 15 years. At all other ages the male mortality is higher than the female, even at the child-bearing ages, when it is assumed the female mortality ought to be higher than the male. Thus, from 15 to 20 years of age, females were only cut off in the proportion of 71 in every ten thousand females; but males in the proportion of 76 in a like number of males. At the next ages, 20 to 30 years, females were only cut off at the rate of 89 in every ten thousand females; but males at the rate of 103 in every ten thousand males. Between the ages of 30 and 40, females died at the rate of 109 in every ten thousand females; but males at the rate of 117 in every ten thousand males.

The immense superiority of a Country to a Town residence for persons at all ages, is strikingly shown in the different rates at which persons die in the Town as contrasted with the Mainland-Rural Districts. (See Tables XXII. and XXIII.) In the Town Districts during 1860, the males under 5 years of age died at the rate of 98 in every thousand who were living at these ages; while in the Mainland-Rural Districts, less than the half of that proportion died, viz., 47 in every thousand. Between the ages of 5 and 10 years, 13 males died in the Towns out of every thousand males at these ages, but only 7 in the Mainland-Rural Districts at the same age. Between 20 and 30 years of age, 11 males died in the Town Districts in every thousand living at the same ages, but only 9 in the Mainland-Rural Districts. Between the ages of 30 and 40 years, 15 males died in the Town Districts, while only 9 at the same ages died in the Mainland-Rural Districts. The mortality at every separate age might be quoted to prove the same point, viz., the immense superiority of a Country to a Town Residence in point of health; and all point to the advantage which would acrue to

Table XXVI.—EDINBURGH, 1860. Population and Deaths at Different Ages in 1860, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,208	2,321	440	407	19·928	17·966
— 2	1,983	1,994	188	172	9·480	8·636
— 3	1,956	1,901	89	98	4·550	5·155
— 4	1,832	1,890	47	44	2·565	2·328
— 5	1,916	1,752	36	33	1·879	1·883
Total under 5 Years	98,95	9,858	800	754	8·084	7·647
5—10	8,613	8,493	84	70	0·995	0·824
10—15	7,940	7,767	29	29	0·365	0·374
15—20	7,965	9,698	51	52	0·640	0·536
20—30	14,472	19,436	160	146	1·105	0·751
30—40	9,804	13,356	174	169	1·774	1·265
40—50	7,406	10,286	179	187	2·416	1·819
50—60	5,072	7,494	175	197	3·450	2·628
60—70	3,034	5,004	200	217	6·591	4·336
70—80	1,183	2,052	140	215	11·834	10·428
80—90	219	461	57	126	26·027	27·331
90—100	9	40	8	19	88·888	47·500
100 and above	1	1	1	1	100·000	100·000
Not stated	–	–	–	–	–	–
All Ages	75,613	93,946	2,058	2,182	2·720	2·322
Both Sexes	169,559		4,240		2·500	

each individual could he himself live, and rear his family, in the Country, instead of burying them in the Towns.

Tables XXV. to XXXII. inclusive, show the mortality of each sex at each age in each of the Eight Principal Towns of Scotland; and besides showing the very high Death-rate which prevails among children under one year of age, serves to complete the series of Tables, having reference to these Towns, given in former Reports.

Causes of Death.

Of the 68,170 Deaths in Scotland during the year 1860, in 64,487 cases the Cause of Death was recorded; thus leaving only 3683 cases in which either no Cause of Death was entered in the Register, or the Cause of Death was entered in such indefinite terms that it could not be tabulated under any particular Class of Diseases. Nearly the half of the cases in which no Cause of Death was assigned occurred in children under one year of age, who had not the benefit of medical attendance during their illness.

Class I. *Zymotic Diseases.*

The Zymotic (or Epidemic and Contagious) Class of Diseases cut off 14,478 persons in Scotland during the year 1860, and thus constituted 22·14 per cent. of the Specified Causes of Death. This is a low Epidemic mortality; and all the more remarkable, inasmuch as the general mortality (that is, the Deaths from all Diseases) was so very much higher than during the previous year. Thus, in 1859, when the total Deaths numbered only 61,714, the Deaths from the Zymotic Class of Diseases amounted to 14,640; but in 1860, though the total Deaths were more numerous by 6456, the Deaths from the Zymotic Class of Diseases were 162 fewer. This fact,

Table XXVII.—DUNDEE, 1860. Population and Deaths at Different Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,462	1,340	330	309	22·503	23·059
— 2	1,138	1,143	165	161	14·499	14·085
— 3	1,282	1,134	88	84	6·864	7·407
— 4	1,111	1,091	95	85	8·550	7·791
— 5	1,076	1,093	62	51	5·762	4·656
Total under 5 Years	6,069	5,801	740	690	12·028	11·894
5—10	5,070	5,000	107	101	2·110	2·020
10—15	4,452	4,394	39	39	0·876	0·887
15—20	4,042	5,339	36	41	0·890	0·767
20—30	6,750	11,025	71	106	1·051	0·961
30—40	4,999	7,161	58	98	1·160	1·368
40—50	3,859	5,197	65	100	1·813	1·922
50—60	2,817	3,563	82	85	2·910	2·385
60—70	1,385	2,088	89	114	6·426	5·459
70—80	457	743	73	102	15·973	13·728
80—90	79	177	20	36	25·316	20·338
90—100	11	15	2	5	18·181	33·333
100 and above	1	1	–	–	–	–
Not stated	–	–	1	3	–	–
All Ages	39,991	50,503	1,383	1,520	3·458	3·009
Both Sexes	90,494		2,903		3·207	

then, of itself, proves that the greatly increased mortality of 1860 did not depend on the greater prevalence or fatality of the Epidemic Class of Diseases, but in a general increased mortality from all the ordinary Diseases. This fact also corroborates the remark made in the Report for 1859, that the greater or lesser prevalence of Epidemics does not of itself necessarily render the mortality of any year greater or lesser than the average; because the atmospheric agencies which favour the origin and spread of Epidemics may yet be so favourable to the general health, that the saving of life, and the lessened mortality of the ordinary Diseases, may more than counterbalance the extra Deaths from the Epidemic Diseases. This year shows the converse of the rule, yet the same fact, viz., that during a most unhealthy year, when the general mortality has been far above its mean, the Epidemic mortality remained at a minimum.

This fact, which may now be regarded as established by the result of six years' knowledge of the Causes of Death in Scotland, would seem to indicate that sanitary inquirers have laid too much stress on the Epidemic Class of Diseases as a means of indicating the sanitary condition of a locality, or of a population; and have too much overlooked the ordinary Diseases, which, perhaps more certainly than the former, indicate from year to year the exact sanitary condition of any class of the Community. Phthisis, Bronchitis, and Pneumonia perhaps indicate more certainly the sanitary condition of a Class, or of a locality, than these Epidemic Diseases, because they occur with greater regularity from year to year, and do not, like the Epidemics, fall lightly on a population for several years running, and then suddenly burst over them with a severity and fatality quite appalling. Nay, the very circumstance that the Epidemic Diseases fall heaviest on the male sex, who spend least of their time in the locality, being absent all day at their work in other places, and most lightly on the female sex, who spend

Table XXVIII.—ABERDEEN, 1860. Population and Deaths at Different Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,031	988	228	137	22·114	13·866
— 2	928	874	104	98	11·206	11·212
— 3	948	925	78	67	8·227	7·243
— 4	902	889	44	58	4·878	6·524
— 5	881	832	31	38	3·518	4·567
Total under 5 Years	4,690	4,508	485	398	10·341	8·828
5—10	4,220	4,034	78	71	1·848	1·760
10—15	3,826	3,892	38	36	0·993	0·925
15—20	3,330	3,805	41	38	1·231	0·998
20—30	4,946	7,420	69	100	1·395	1·347
30—40	3,691	5,615	56	69	1·517	1·228
40—50	3,162	4,466	57	62	1·802	1·388
50—60	2,395	3,471	71	72	2·964	2·074
60—70	1,425	2,458	77	85	5·403	3·458
70—80	617	1,185	81	109	13·128	9·198
80—90	153	342	29	56	18·954	16·374
90—100	11	31	5	10	45·454	32·258
100 and above	–	1	–	–	–	–
Not stated	–	–	–	–	–	–
All Ages	32,466	41,228	1,087	1,106	3·348	2·682
Both Sexes	73,694		2,193		2·975	

almost their whole time in their houses, would seem to indicate that the ordinary Diseases are as well, if not better, fitted to indicate the sanitary condition of any District.

During 1860, then, these Zymotic Diseases cut off in the proportion of 501 persons in every 100,000 living, or in the proportion of 517 males, but only 489 in every 100,000 of each sex in the population. (See Table XXXIV.)

The proportions cut off by that Class of Diseases in the Insular, the Mainland-Rural, and Town Districts differed extremely, yet held a ratio nearly proportioned to the density of population in each. Thus, while in every 100,000 persons in each of these Districts, 287 died from Zymotic Diseases in the Insular, and 409 in the Mainland-Rural Districts, 675 were cut off by the same Diseases in the Town Districts. Crowding, then, favours the spread of Epidemic Diseases; but in making such a statement, we are apt to forget the fact that the same may be said of every Disease to which mankind is subject,—Phthisis, Apoplexy, Bronchitis, etc., being no exceptions to this rule.

Of the Eight Principal Towns of Scotland, the Zymotic mortality was lowest in Edinburgh and Perth, and highest in Dundee and Aberdeen. (See Table XXXIII.) Thus, in every ten thousand inhabitants in each of these Towns, 393 died in Edinburgh from the Zymotic Class of Diseases; 533 in Perth; 623 in Paisley; 727 in Glasgow; 802 in Greenock; 850 in Leith; 880 in Aberdeen; and 1033 in Dundee.

Of the individual Zymotic Diseases, Small-pox caused 1495 Deaths, of which 784 were males, and 711 females. This gives the proportion of 51 Deaths from Small-pox in every 100,000 persons of the general population, or 57 male Deaths, but only 46 female Deaths in a like number of either sex. The influence of density of population in increasing the fatality of that

TABLE XXIX.—PAISLEY, 1860. Population and Deaths at Different Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	778	672	170	132	21·825	19·643
— 2	675	653	78	68	11·570	10·413
— 3	718	637	32	30	4·456	4·709
— 4	648	637	17	19	2·623	2·982
— 5	616	576	14	14	2·272	2·430
Total under 5 Years	3,435	3,275	311	263	9·053	8·030
5—10	2,771	2,856	35	42	1·266	1·470
10—15	2,468	2,425	18	12	0·729	0·494
15—20	2,151	2,623	27	32	1·255	1·219
20—30	3,530	4,715	37	61	1·048	1·293
30—40	2,648	3,288	42	43	1·586	1·307
40—50	2,137	2,538	38	48	1·778	1·891
50—60	1,465	1,846	43	49	2·934	2·654
60—70	917	1,253	64	63	6·979	5·027
70—80	371	554	47	54	12·641	9·746
80—90	82	126	17	25	20·732	19·841
90—100	12	9	–	6	–	6·666
100 and above	–	–	–	–	–	–
Not stated	–	–	1	–	–	–
ALL AGES	21,987	25,508	680	698	3·092	2·730
BOTH SEXES	47,495		1,378		2·901	

Disease was strikingly exhibited in the fact, that while in every 100,000 persons in each of the Groups of Districts, only 21 died from Small-pox in the Insular, and 23 in the Mainland-Rural, Districts, 83 died in the Town Districts. It would appear that Small-pox was considerably more prevalent during 1860 than during former years.

1587 Deaths were caused by Measles, being in the proportion of 54 Deaths in every 100,000 persons. The close apparent relation of Measles and Small-pox has been often remarked on in former Reports, and the results of six years' observations in Scotland seem to indicate that the same unknown atmospheric or other influences which favour the origin and development of the one Epidemic, favour that of the other. During all these years, the mortality of Measles and Small-pox has maintained a kind of relation, rising and falling with each other.

In Scotland Scarlatina is perhaps the most fatal Disease of childhood; and in 1860 it caused 2927 Deaths, being 4·53 per cent. of the total specified Causes of Death, or 101 Deaths in every 100,000 persons of the general population. This is a proportion very much below that of the previous year, when the mortality of Scarlatina rose to 126 Deaths in every 100,000 persons.

Diphtheria, since it first made its appearance in Scotland in 1857, has steadily increased year by year. Thus, in 1857 the Deaths from that Disease numbered 76; in 1858 they were 294; in 1859 they had increased to 415; while in 1860 they were 480 in number.

Hooping-cough proved fatal to 1812 persons in Scotland in 1860, of whom 835 were males, and 977 females, being in the proportion of 61 males, and 64 females in every 100,000 of each of the sexes. Hooping-cough is therefore one of the few Epidemic Diseases which prove more fatal to the female than to the male; and this peculiarity is constant from year to year.

TABLE XXX.—GREENOCK, 1860. Population and Deaths at Different Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	765	687	148	115	19·346	16·739
— 2	592	590	104	70	17·567	11·864
— 3	641	597	45	31	7·020	5·192
— 4	611	604	27	21	4·419	3·476
— 5	560	569	16	30	2·857	5·272
Total under 5 Years	3,169	3,047	340	267	10·728	8·762
5—10	2,531	2,456	29	29	1·145	1·180
10—15	2,099	1,992	16	23	0·762	1·154
15—20	2,078	2,000	25	14	1·203	0·700
20—30	4,069	4,208	41	41	1·007	0·974
30—40	2,981	3,237	49	37	1·643	1·143
40—50	2,127	2,286	40	30	1·880	1·312
50—60	1,227	1,427	44	43	3·585	3·013
60—70	652	948	39	46	5·981	4·852
70—80	224	341	28	30	12·500	8·797
80—90	37	90	15	23	40·540	25·555
90—100	4	9	1	2	25·000	22·222
100 and above	1	1	–	1	–	100·000
Not stated	–	–	–	2	–	–
ALL AGES	21,199	22,042	667	588	3·146	2·667
BOTH SEXES	43,241		1,255		2·902	

The mortality of Diarrhœa, Dysentery, and Cholera is so strictly regulated by temperature that the proportional mortality from these Diseases may always be anticipated when the mean monthly temperature is known. During the year 1860 no great heat occurred. The highest mean monthly temperature occurred in July, when it was 57°·3, while that of June was 53°, and that of August, 54°·4. The natural consequence of this low mean temperature was, that the usual autumnal increase of Bowel Complaints was scarcely noticed; and during the year only 1095 Deaths were caused by Diarrhœa, 369 by Dysentery, and 46 by Cholera.

Typhus, in its varied forms, was the second most fatal of the Zymotic Diseases during 1860, having cut off 2344 persons in Scotland, or in the proportion of 81 Deaths in every 100,000 persons of the population, and thus constituted 3·6 per cent. of the Specified Causes of Death. Like all other Diseases, whether Epidemic or not, it proves most fatal to the population of the Towns. Thus, in every 100,000 persons in each of the Great Groups of Districts, Typhus caused 44 Deaths in the Insular, 75 Deaths in the Mainland-Rural, but 95 Deaths in the Town Districts. Notwithstanding this high mortality, it could not be said that Typhus was prevalent as an Epidemic. The cases appeared almost everywhere to be sporadic. A few instances were traced to have been received by contagion from persons labouring under the same disease; but in other and most instances, the disease originated in the persons affected without apparent cause.

Of the other Zymotic Diseases, Croup caused 1005 Deaths; Influenza, 342; Erysipelas, 334; Metria, or Childbed Fever, 236; Syphilis, 96; Purpura, 61; Infantile Fever, 61; Rheumatic Fever, 95; Worms, 28; Noma, 23; Hydrophobia, 4; and Ague, 3 Deaths. The Ague Deaths were all in males who had caught the Disease abroad, and died under its effects on their return to their native land. Of the 96 Deaths from Syphilis, 78 were congenital, and proved fatal before the expiry of the second year of life.

TABLE XXXI.—LEITH, 1860. Population and Deaths at Different Ages, and the Proportion of Deaths to the Population at different Ages.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	571	525	109	91	19·089	17·333
— 2	548	568	58	47	10·583	8·278
— 3	484	483	32	22	6·611	4·554
— 4	485	477	25	24	5·154	5·031
— 5	473	437	22	24	4·651	5·492
Total under 5 Years	2,561	2,389	246	208	9·605	8·706
5—10	2,028	2,003	39	39	1·921	1·947
10—15	1,825	1,650	12	10	0·657	0·606
15—20	1,607	1,673	10	8	0·622	0·478
20—30	3,671	3,252	32	18	0·871	0·553
30—40	2,516	2,554	30	39	1·194	1·526
40—50	1,681	1,924	25	22	1·486	1·143
50—60	985	1,264	27	32	2·741	2·531
60—70	543	850	42	37	7·734	4·352
70—80	197	347	27	44	13·705	12·680
80—90	36	80	13	24	36·111	30·000
90—100	1	2	1	1	100·000	50·000
100 and above	–	–	–	–	–	–
Not stated	–	–	1	–	–	–
ALL AGES	17,651	17,988	505	482	2·861	2·679
BOTH SEXES	35,639		987		2·769	

Class II. *Diseases of Uncertain Seat.*

The Diseases of Uncertain Seat cut off 2479 persons in Scotland during the year, or in the proportion of 85 Deaths in every 100,000 persons in the population—exactly the same proportion as in the previous year. Dropsy and Cancer are the principal Diseases tabulated under this Class, the cases of Dropsy being only those in which the seat of the Disease, or its primary cause, are not defined. 1052 Deaths were attributed to Dropsy, and 1014 to Cancer, being in the proportion of 36 Deaths from Dropsy, and 35 from Cancer in every 100,000 persons of the population.

Of the other Diseases belonging to this Class, Mortification cut off 148 persons; Abscess, 122; Hæmorrhage (not otherwise defined), 85; Ulcer, 35; Fistula (all kinds), 15; and Gout, 8.

Class III. *Tubercular Diseases.*

The Tubercular Diseases are essentially Diseases of Debility, and are characterised by the deposit of what has been called Tubercular matter in various vital organs of the body. This so-called Tubercular matter is merely albuminous matter so imperfectly oxygenated, or vitalised, that, instead of going to form part of the natural tissues, it is deposited within them as a foreign matter, which eventually prevents them from discharging their proper functions, and so leads to the extinction of life. In this Country this Class of Diseases is a most fatal one, cutting off about a sixth of all who die.

During 1860, the Tubercular Class of Diseases caused 11,212 Deaths in Scotland, of which 5471 were males, and 5741 females. This indicates a proportion of 388 Deaths from the Tubercular Class of Diseases in every 100,000 persons, or 401 males, but only 377 females in a like number of either sex. This great disproportion in the mortality of the sexes is caused

Table XXXII.—PERTH, 1860. Population and Deaths at Different Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	345	330	65	70	18·840	21·212
— 2	317	315	23	21	7·255	6·666
— 3	310	295	9	8	2·903	2·711
— 4	332	304	5	3	1·506	0·986
— 5	280	283	8	4	2·857	1·409
Total under 5 Years	1,584	1,527	110	106	6·944	6·941
5—10	1,306	1,353	8	18	0·612	1·330
10—15	1,235	1 222	10	7	0·809	0·572
15—20	1,213	1,279	11	10	0·906	0·781
20—30	1,931	2,426	29	32	1·501	1·314
30—40	1,499	1,881	18	22	1·200	1·169
40—50	1,140	1,451	20	24	1·754	1·653
50—60	810	1,115	27	24	3·333	2·152
60—70	522	873	48	36	9·195	4·123
70—80	227	379	22	39	9·689	10·290
80—90	63	95	14	23	22·222	24·210
90—100	3	5	1	4	33·333	80·000
100 and above	1	–	1	–	100·000	–
Not stated	–	–	–	–	–	–
All Ages	11,534	13,606	319	345	2·765	2·535
Both Sexes	25,140		664		2·641	

by the much greater liability of the male to die from Hydrocephalus during the period of infancy and childhood.

As might be expected, the inhabitants of the Towns suffered more from these Diseases of Debility than the inhabitants of the Country. Thus, in the Insular Districts the Tubercular Class of Diseases caused 254 Deaths, in the Mainland-Rural Districts 310 Deaths, but in the Town Districts 529 Deaths in every 100,000 persons in the respective Districts. In the Eight Principal Towns of Scotland the proportion was very different for each Town. Thus, in every ten thousand inhabitants in each of these Towns, 32 died during the year from the Tubercular Class of Diseases in Leith; 40 in Perth; 45 in Dundee; 48 in Edinburgh; 57 in Aberdeen; 58 in Paisley; 60 in Glasgow; and 61 in Greenock.

Phthisis, or Consumption, is not only the most fatal of the Diseases which belong to this Class, but it is also the Disease which, in this Country, cuts off a larger proportion of the inhabitants than any other. During the year, there died in Scotland 8165 persons from Consumption; and if we allow 452 as the proportion of persons the causes of whose death were not recorded, the total mortality from Consumption would amount to 8617 Deaths, indicating a proportion of 286 Deaths in every 100,000 persons of the general population. Of the 8165 recorded Deaths from Phthisis, 3793 were males, and 4375 females, thus indicating a proportion of 278 male Deaths, and 287 female Deaths in every 100,000 of each sex. Females, therefore, appear to die in larger proportions from that complaint than males, as might be expected, when it is known that the Disease is one essentially of

TABLE XXXIII.—TOWN DEATHS, 1860. Per Centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1860.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	3·198	2·500	3·207	2·975	2·901	2·902	2·769	2·641
I. Zymotic Class	0·727	0·393	1·033	0·880	0·623	0·802	0·850	0·533
III. Tubercular Class	0·601	0·482	0·454	0·574	0·589	0·612	0·328	0·405
IV. Brain, etc., Diseases	0·210	0·247	0·240	0·246	0·231	0·235	0·261	0·294
V. Heart, etc., Diseases	0·109	0·161	0·137	0·119	0·073	0·087	0·140	0·115
VI. Respiratory Organs, Dis.	0·679	0·481	0·373	0·416	0·376	0·337	0·429	0·389
VII. Organs of Digestion, Dis.	0 229	0·170	0·189	0·168	0·309	0·192	0·129	0·218
XIII. Premature Debility	0·162	0·115	0·185	0·166	0·223	0·129	0·154	0·214
XV. Age	0·126	0·138	0·171	0·093	0·120	0·138	0·131	0·155
XVII. Violent Deaths	0·080	0·059	0·055	0·071	0·061	0·099	0·098	0·067
Small-pox	0·089	0·013	0·206	0·061	0·050	0·210	0·028	0·246
Measles	0·139	0·049	0·065	0·177	0·065	0·115	0·000	0·000
Scarlatina	0·088	0·073	0·293	0·337	0·200	0·074	0·482	0·031
Diphtheria	0·003	0·008	0·036	0·067	0·002	0·087	0·025	0·008
Hooping-cough	0·140	0·060	0·087	0·024	0·069	0·025	0·106	0·000
Croup	0·037	0·020	0·098	0·029	0·059	0·108	0·014	0·035
Diarrhœa, Dysentery, Cholera	0·072	0·061	0·074	0·046	0·044	0·074	0·047	0·083
Typhus and Infantile Fever	0·108	0·068	0·106	0·074	0·077	0·053	0·098	0·083
Dropsy	0·038	0·017	0·039	0·057	0·059	0·023	0·016	0·019
Cancer	0·027	0·064	0·033	0·057	0·029	0·037	0·044	0·063
Phthisis	0·433	0·315	0·352	0·374	0·414	0·446	0·199	0·318
Apoplexy	0·042	0·048	0·046	0·044	0·059	0·043	0·050	0 123
Paralysis	0·044	0·071	0·046	0·052	0·084	0·067	0·087	0·087
Convulsions	0·054	0 041	0·082	0·052	0·006	0·027	0·036	0·022
Bronchitis	0·014	0·313	0·183	0·277	0·246	0·219	0·227	0·270
Pneumonia	0·179	0·090	0·127	0·067	0·084	0·078	0·146	0·063
Teething	0·077	0·029	0 076	0·065	0·073	0·050	0·019	0·091

Debility, of mal-assimilation of the food, and deficient oxygenation of the blood.

But the proportion of females, relative to the males, who die from Con-

TABLE XXXIV.—DEATHS, 1860. Proportion of Deaths from different Diseases in every hundred thousand persons of the Population, and of either Sex, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and the Town Districts, during 1860; allowance being made for the Causes of Death not specified.

1860.	Proportion of DEATHS in every 100,000 Living.											
DISEASES.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.
ALL CAUSES . . .	2238	2330	2156	1682	1788	1593	1897	1948	1849	2851	3026	2700
1. Zymotic Class . . .	501	517	489	287	320	260	409	423	407	675	712	637
2. Uncertain Seat . .	85	71	100	76	75	76	82	67	96	92	73	108
3. Tubercular Class .	388	401	377	254	290	223	310	275	301	529	547	509
4. Nervous System . .	180	193	158	101	125	81	155	167	144	230	274	190
5. Organs of Circulation	89	98	83	35	42	29	76	80	72	118	133	105
6. Respiratory Organs	328	360	300	146	141	150	226	251	202	509	560	461
7. Organs of Digestion	165	180	152	102	123	84	146	158	136	205	226	184
8. Urinary Organs . .	27	39	16	16	31	4	26	37	15	36	42	19
9. Generative Organs .	17	–	32	16	–	29	15	–	28	19	–	36
10. Locomotive Organs .	11	12	10	15	13	15	10	10	9	13	15	11
11. Skin, etc.	2	2	2	–	–	1	2	2	1	2	2	3
12. Malformation . . .	5	6	4	–	–	–	4	5	3	6	7	5
13. Premature Debility .	92	116	91	47	52	41	83	97	73	144	165	124
14. Atrophy	19	17	20	9	8	11	14	14	14	27	25	28
15. Age	227	180	278	447	353	523	256	207	293	162	119	197
16. Sudden Deaths . .	4	4	4	5	4	4	3	3	3	5	6	5
17. Violent Deaths . .	75	116	39	109	189	41	73	14	34	80	112	44
Small-pox	51	57	46	21	18	22	33	37	30	83	93	72
Measles	54	58	51	3	1	4	33	34	32	94	103	85
Scarlatina	101	108	95	38	43	33	85	86	84	134	152	118
Diphtheria	16	17	15	11	21	2	11	16	17	16	17	14
Hooping-cough . .	62	61	64	60	58	61	47	44	47	87	85	88
Croup	34	38	31	38	56	22	28	32	25	43	45	42
DIARRHŒA . .	37	38	37	11	16	7	29	29	29	54	56	52
Dysentery	12	12	12	8	2	11	11	11	12	14	16	12
Cholera	1	1	1	–	–	1	1	1	1	1	2	1
Influenza	11	11	12	27	31	25	13	13	14	7	6	7
Infantile Fever . .	2	2	1	1	–	2	2	2	1	2	2	1
TYPHUS	81	81	81	44	47	39	75	75	75	95	95	94
Metria	8	–	15	3	–	6	7	–	13	10	–	19
Erysipelas	11	12	10	3	–	6	10	11	10	13	16	11
Dropsy	36	31	40	36	33	36	35	30	40	38	33	41
Cancer	35	24	44	27	24	28	33	24	41	39	24	51
Scrofula	16	19	13	15	25	6	11	18	14	18	22	14
Tabes Mesenterica .	24	29	21	8	12	3	17	20	15	38	43	33
PHTHISIS . . .	283	278	287	211	223	190	229	227	230	377	368	382
Hydrocephalus . .	63	74	54	19	27	11	47	54	40	95	112	79
Apoplexy	39	43	36	17	24	11	35	38	33	48	54	43
Paralysis	54	56	52	44	48	39	51	50	52	60	66	54
Epilepsy	7	8	6	5	8	3	5	5	6	10	13	8
Convulsions . . .	29	35	23	11	13	7	20	23	17	45	58	34
BRONCHITIS . .	187	193	181	50	36	60	119	120	117	309	328	289
Pneumonia . . .	83	103	65	26	28	23	89	77	43	127	155	103
Teething	36	41	32	11	10	10	23	27	20	60	67	52
Enteritis	30	35	25	10	12	7	26	31	23	37	45	30
All Liver Diseases .	29	31	27	16	18	12	28	31	28	31	33	29
CHILDBIRTH . .	11	–	21	14	–	26	9	–	17	14	–	26
Burns and Scalds .	12	11	12	13	8	17	10	10	11	14	14	14
Drowning	18	32	5	72	151	6	19	32	3	10	18	4
Fracture & Contusion	26	44	8	16	20	12	28	45	3	28	48	10

sumption is much larger than even the above proportions make them appear to be. It must be remembered that males die in much larger proportions from all Diseases than females; so that if females only died from Consumption in the same proportion as they die from all other Diseases, the above

TABLE XXXV.—DEATHS, 1860. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and the Town Districts, in 1860; distinguishing the proportional mortality in both Sexes, and in the Males and Females.

1860.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
DISEASES.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.
1. Zymotic Class	2245	2220	2269	1714	1798	1636	2159	2115	2202	2368	2355	2382
2. Uncertain Seat	384	301	465	460	433	486	437	349	522	326	243	406
3. Tubercular Class	1754	1723	1752	1519	1642	1406	1636	1644	1628	1856	1803	1901
4. Nervous System	807	878	737	607	710	511	821	862	781	807	907	711
5. Organs of Circulation	402	420	385	217	239	196	402	414	392	416	439	393
6. Respiratory Organs	1468	1544	1394	877	793	954	1192	1293	1093	1786	1849	1726
7. Organs of Digestion	742	777	708	611	692	537	774	811	738	718	749	683
8. Urinary Organs	121	168	76	101	175	34	134	194	82	107	145	74
9. Generative Organs	76	–	150	101	–	196	81	–	160	70	–	137
10. Locomotive Organs	51	52	51	93	83	102	53	5	54	47	50	44
11. Skin, etc.	9	10	9	4	–	8	10	14	7	9	6	12
12. Malformation	23	26	20	–	–	–	24	29	19	23	24	22
13. Premature Debility	463	503	425	283	304	264	434	472	397	505	547	465
14. Atrophy	85	77	93	62	46	76	75	71	78	97	84	109
15. Age	1019	773	1257	2662	1983	3290	1350	1064	1629	569	395	736
16. Sudden Deaths	20	20	20	31	27	34	19	20	19	20	20	20
17. Violent Deaths	338	501	181	651	1070	264	387	589	189	268	373	167
Small-pox	231	247	217	128	110	144	179	192	166	291	311	272
Measles	246	252	240	22	9	34	176	177	176	333	343	319
Scarlatina	453	466	441	230	249	213	452	445	459	471	502	441
Diphtheria	74	74	74	70	129	17	92	87	96	56	57	56
Hooping-cough	281	263	298	362	332	392	249	239	259	306	282	329
Croup	155	164	147	230	322	144	151	166	138	154	151	157
DIARRHŒA	169	166	173	70	92	51	154	149	158	191	186	196
Dysentery	57	56	58	48	18	76	62	58	66	52	56	48
Cholera	7	6	8	4	–	8	7	5	9	7	7	7
Influenza	53	49	56	168	175	161	73	68	77	24	21	27
Infantile Fever	9	10	8	8	–	17	11	12	10	7	9	6
TYPHUS	363	350	379	261	267	255	399	388	410	335	317	352
Metria	36	–	72	22	–	42	37	–	73	37	–	73
Erysipelas	51	54	49	22	–	42	57	58	55	48	53	43
Dropsy	163	136	189	217	193	239	188	158	218	133	110	155
Cancer	157	106	206	166	138	102	176	128	112	137	81	191
Scrofula	74	85	64	93	147	42	84	93	76	63	73	54
Tabes Mesenterica	111	122	101	48	73	25	92	103	80	135	145	124
PHTHISIS	1266	1195	1334	1262	1263	1261	1208	1168	1248	1323	1217	1426
Hydrocephalus	285	324	252	115	156	76	249	278	221	334	373	295
Apoplexy	177	186	171	106	138	76	189	197	182	170	179	160
Paralysis	241	240	243	265	276	255	272	257	282	211	220	102
Epilepsy	34	37	31	35	46	25	31	29	32	38	45	31
Convulsions	132	138	110	66	83	51	108	120	96	160	192	129
BRONCHITIS	837	830	843	301	212	383	628	620	637	1081	1086	1082
Pneumonia	373	445	305	159	166	153	315	397	236	448	514	385
Teething	165	178	152	66	64	68	126	141	112	210	224	198
Enteritis	134	152	117	62	73	51	141	158	125	133	151	115
All Liver Diseases	131	134	129	97	110	85	156	158	153	110	111	109
CHILDBIRTH	50	–	100	88	–	170	48	–	96	50	–	98
Burns and Scalds	55	50	59	79	46	110	56	54	59	51	47	55
Drowning	83	141	26	434	858	42	102	169	37	38	62	15
Fracture & Contusion	115	193	40	101	119	85	133	232	37	98	159	40

proportions would be different. If we take the six years' results, viz., 1855 to 1860 inclusive, we shall find that of 186,831 male Deaths from all causes, 20,622 were assigned to Consumption, while, of 189,031 female Deaths from all causes, 22,539 were attributed to Consumption. Had the female Deaths from Consumption borne the same ratio to the male, as the total female to the total male Deaths, instead of 22,539 female Deaths from Consumption having occurred, the number would only have been 20,864; in other words, had males and females died from Consumption in the same proportion as they die from all causes, 1675 fewer females would have died from that complaint during the six years, 1855 to 1860 inclusive, than really did die.

Phthisis is perhaps one of those Diseases which even better than those of the Zymotic Class exhibits the true sanitary condition of a population. False conclusions may be arrived at from the Epidemic Diseases, because they attack populations at irregular intervals, and because they are generally more fatal when they first break out as Epidemics than they are afterwards; but conclusions deduced from the per centage of Deaths from Consumption to the living population may be thoroughly relied on as giving a true indication of the actual sanitary condition of any population. This is apparent in the Three Great Groups of Districts into which Scotland is divided. Thus, in every 100,000 persons living in each of these Districts, 211 Deaths by Consumption occurred in the Insular, 229 Deaths in the Mainland-Rural, but 377 Deaths in the Town Districts. We are quite aware that the proportion for the Insular Districts may be overstated, in consequence of the want of medical practitioners in these Districts who could give certificates of the cause of Death, and from the people in their ignorance registering under the title of Consumption all cases where the person dies with a cough which is attended with any degree of wasting of the body. Many cases may, on the other hand, be registered as the decay of age, which are truly cases of Phthisis. The relative proportions in the Mainland-Rural and in the Town Districts may, however, be depended on.

If we look at the Eight Principal Towns of Scotland, their relative sanitary condition, as exhibited by the proportion of Deaths from Consumption, will put them in much the same position as the Deaths from all causes. Thus, in every ten thousand persons living in each of the Towns, 19 died from Consumption in Leith, 31 in Edinburgh and Perth, 35 in Dundee, 37 in Aberdeen, 41 in Paisley, 43 in Glasgow, and 44 in Greenock. It must always be borne in remembrance that the proportions of all Diseases for Leith are below the reality, as the Royal Infirmary in Edinburgh draws to it a certain amount of the Leith cases, which, while they add to the Edinburgh proportion, diminish in a much larger ratio the proportions for Leith.

But the Deaths from Consumption merit being looked at from another point of view, as, indeed, do all Diseases. In speaking of the mortality of a Disease, we are too apt to imagine we have got all the information we desire, when we have ascertained the proportion in which it annually proves fatal in a fixed number of the population. And in so far as pure sanitary considerations are concerned, this is certainly the case. But with a Disease like Consumption, which cuts off such a large proportion of our race, it is important to find out what proportion of a generation dies from that Disease. To give information on this point, ever since these Reports were published, we have given a Table showing the proportion in which every leading Disease proves fatal as compared with the total Deaths. (See Table XXXV.) This Table reveals to us the astounding fact, that though Consumption may annually destroy only half the proportion of persons in the Rural to what

it does in the Town Districts as compared with the population, yet the absolute proportion of Deaths by Consumption to the Deaths from all causes, is nearly the same for Town as for Country. In other words, these Tables for the six years, 1855 to 1860 inclusive, which show the proportion of Deaths from each cause to the total specified causes, seem to prove that, in a whole generation of persons living in the Country, nearly as many eventually die from Consumption as in a generation which lived and died in the Towns. Thus, take the proportion of Deaths from Consumption to the total Deaths during the above six years, and it appears that 12·19 per cent. of all the Deaths were attributed to Consumption in the Insular Districts, 11·52 per cent. in the Mainland-Rural Districts, and 12·97 per cent. in the Town Districts. If allowance be made for the Deaths which really occur from Consumption in the Mainland-Rural Districts, but are entered on the Registers as cases of "Decay" and "Decay of Age,"—no medical attendant having been present at the Death,—the proportions in the Mainland-Rural and Town Districts would be almost identical.

Should further investigation prove that the proportional mortality from other leading diseases, as compared with the total deaths, is nearly the same for Town and Country, it would have the effect of causing us to modify our views very much relative to the causes of disease. Instead of proving that an unhealthy locality, or a crowded, ill-drained town, induced certain diseases, or classes of disease (which is the conclusion at present drawn by sanitary inquirers), it would rather tend to show that all that the unhealthy Town or locality did was to shorten life generally, and increase the general mortality from all diseases. It would tend to prove that every human being, or generation of human beings, according to the country which he inhabited, had his cause of death fixed by natural laws; and that whether he resided in an unhealthy town, or in a salubrious rural parish, the Disease of which he was to die, previously fixed by certain laws, would reach him as surely in the one place as in the other, and not be changed in consequence of his residence, or by changing his residence,—the sole difference being, that in the salubrious rural parish he would be spared a few years longer than if his residence had been in the unhealthy town.

This idea receives striking confirmation from the fact that, even imperfectly as the causes of Death must always be entered on a public register, the proportion of Deaths from the Zymotic Class of Diseases, as compared with the total Deaths, is not greatly different in Town and Country. Thus, in 1860, 21 per cent. of the Deaths were attributed to that Class of Diseases in the Mainland-Rural Districts, and 23 per cent. in the Towns; and the proportion would have been absolutely the same had not twice as many causes of Death escaped specification in the Mainland-Rural Districts.

One disease, however, is recognised, as well by the people as by the medical attendant, and it may be safely assumed that every Death from it is properly entered on the register,—viz., Typhus Fever, in all its varied forms. All sanitary inquirers lay great stress on this Disease, as proving the unhealthiness of a Town or District; but when the subject is looked at from that point of view to which we now wish to direct attention, it is seen that no more than any other Disease to which mankind is liable, does it merit to be selected as showing the healthiness or unhealthiness of a locality. Thus we all know that the Mainland-Rural Districts are much healthier than the Town Districts, and annually yield a third fewer Deaths in proportion to the population. But when we look at the proportion in which persons die from Typhus, as compared with those who die from all specified

causes, the startling fact stares us in the face, that a greater proportion dies from Typhus in the healthy Rural Districts than in the unhealthy over-crowded Towns. Thus, take even the unhealthy year 1860, when the Town mortality was so disproportionately high, and it is found that only 3·35 per cent. of the specified causes of Death resulted from Typhus in the Town Districts, but 3·99 per cent. in the Mainland-Rural Districts. But the fact is still more strikingly brought out by taking the mortality from Typhus in each of these Districts for the six years 1855 to 1860 inclusive, when it appears that only 4·10 per cent. of the specified causes of Death were caused by Typhus in the Towns, but 4·76 per cent. in the Mainland-Rural Districts.

The subject, however, is too extensive to enter further into it at present. It is sufficient to have started it, that it may be followed out by those who have leisure for such inquiries. It is, however, surrounded with difficulties, from the impossibility of getting a sufficient basis of facts on which reliance can be placed for such an inquiry; for though the facts culled from a public register may be sufficiently accurate for general purposes, excepting for a few well recognised Diseases, they would scarcely answer for an inquiry like the present.

It is greatly to be regretted that the English Mortality Tables are not drawn up on such a plan as would enable us to compare the relative mortality of the different Diseases in Town and Country; both because the much larger numbers would give more accurate results, and because so much larger a proportion of the people have the advantage of medical attendance, and the registers the benefit of their certificates of the cause of Death.

Of the other Tubercular Class of Diseases, Scrofula cut off 483 persons, Tabes Mesenterica 721, and Hydrocephalus 1843, being in the respective proportions of 16, 24, and 63 Deaths in every hundred thousand persons of the general population. In Hydrocephalus, the male Deaths so preponderated over the female, that 74 male for every 54 female Deaths occurred in every hundred thousand persons of each sex.

Class IV. *Diseases of the Brain and Nervous System.*

Diseases of the Brain and Nervous System proved fatal to 5206 persons in Scotland during 1860, of whom 2789 were males, and 2417 females. This gives the proportion of 180 Deaths from that Class of Diseases in every hundred thousand persons of the population, or 193 males, but only 158 females in a like number of each sex.

To show the exact proportion, however, in which Brain Diseases prove fatal to each sex, all the Deaths from Hydrocephalus (or water on or in the Brain) ought to be added. When this is done, it is found that the male tendency to Brain Diseases so much exceeds the female, that in every hundred thousand persons of each sex, 277 males die for every 212 females.

All classes are agreed as to the evils produced by the *abuse* of stimulant (alcoholic) drinks and of tobacco. But a certain class decry even the use of these, and point to such statistics as the above as a triumphant proof of the baneful effect of such stimulants and sedatives. No such conclusion can be drawn from such statistics; and this may be proved in the most satisfactory manner. Tobacco and stimulating drinks are almost exclusively consumed by males, and by almost none under 15 years of age. Yet we find that, in every hundred thousand males under 15 years of age, the above Brain Diseases cut off annually 337 persons; whereas in an equal number of females, only 276 are cut off by the same Diseases. At the very period

of life, therefore, when neither sex use these so-called obnoxious articles, the male tendency to these Diseases is so much greater than it is in the female, that 337 males die for every 276 females. Above 15 years of age, when, for argument's sake, we may allow that the female does not consume these articles, or at least that the number who do is so insignificant as not to affect the general results, while the male both uses, and in many cases abuses them, instead of finding that the relative proportion of male Deaths from these Diseases increases, we find that it rather diminishes; so that, while, above 15 years of age, 217 males die from these Diseases in every hundred thousand males, 164 females die out of a like number of females.

But the subject may be viewed in a more striking light still, by taking the proportion of each sex who die from these Diseases above and under 15 years of age. Thus, of the male Deaths, 49·5 in every 100 were under 15 years of age, and 50·5 per cent. above that age. But of the female Deaths, 45·9 in every 100 were below 15 years of age, while 54·1 per cent. were above that age. The relative tendency to death from these Brain Diseases, in persons above 15 years of age, was therefore greater in the female than in the male.

The only conclusion, therefore, which seems deducible from these facts appears to be that, in so far as the statistics of these Deaths go, there is no evidence to prove that the consumption of alcoholic liquors (including every form,—wine, beer, spirits, etc.) or of tobacco, injures the general health of the population. On the other hand, the evidence seems rather to favour the idea, that the *moderate use* of these articles by the mass of the people so improves their health as to act as a counterpoise to the undoubtedly injurious and fatal effects to which the *abuse* leads in the few.

This Class of Diseases, like most others, proves most fatal in the Town Districts. Thus, of every 100,000 persons in each District, 101 were cut off by these Diseases in the Insular, 155 in the Mainland-Rural, and 230 in the Town Districts. Of the Eight Principal Towns, Glasgow exhibited the lowest mortality from these Diseases, while Perth exhibited the highest.

Of the individual Diseases under this Class, Paralysis cut off 1560 persons; Apoplexy, 1144; Convulsions, 852; Cephalitis, 378; Epilepsy, 224; Delirium Tremens, 88; Insanity, 54; Tetanus, 47; Chorea, 9; while 850 Deaths were returned by the indefinite term of Brain Disease.

Class V. *Diseases of the Heart and Organs of the Circulation.*

2598 persons died in Scotland during the year from Diseases of the Heart and Organs of the Circulation, of whom 1334 were males, and 1264 females. This gives the proportion of 98 male and 83 female Deaths from these Diseases in every 100,000 of either sex in the population.

Of the individual Diseases under this Class, Heart Disease cut off 2418, Pericarditis 92, and Aneurism 88 persons.

Class VI. *Diseases of the Respiratory Organs.*

The Inflammatory Affections of the Respiratory Organs forms the third most fatal Class of Diseases to which the inhabitants of Scotland are liable, and during the year cut off 9470 persons, of whom 4902 were males, and 4568 females, being in the proportion of 328 Deaths in every 100,000 persons of the general population, or 360 male Deaths, and 300 female Deaths, in every 100,000 of each sex. If to this Class Consumption were added as being truly a Disease of the Respiratory Organs, then this Class

would be the most fatal of all the Classes of Diseases; and such a Classification would show that upwards of 27 in every 100 persons who died annually were cut off by some Disease of the Respiratory Organs. This, however, would be an under-estimate of the real fatality of these complaints; for it cannot be doubted that a full half of those Deaths which are at present entered on the Registers as "Old Age" ought to have been entered as due to some affection of the Respiratory Organs; so that 32 per cent. of all the Deaths which occur in Scotland may be attributed to these causes.

Of the individual Diseases belonging to this Class, Bronchitis is by far the most common and fatal, having caused 5400 Deaths in Scotland during the year, of which 2637 were males, and 2763 females, being in the proportion of 193 male Deaths, and 181 female Deaths, in every 100,000 of each sex.

Pneumonia was the next most fatal Disease, having caused 2416 Deaths, of which 1415 were males, and 1001 females, being in the proportion of 103 male, but only 65 female, Deaths out of every 100,000 of each sex.

Of the other Diseases belonging to this Class, Asthma cut off 714 persons, Pleurisy 324, Laryngitis 167, while other Lung Diseases not specially defined cut off 449 persons.

Class VII. *Diseases of the Organs of Digestion.*

4787 persons died from Diseases of the Organs of Digestion, of whom 2467 were males, and 2568 females. It is a remarkable fact, as showing the influence of coarse food in increasing the relative mortality from these complaints, that, in proportion to the persons who die from all causes, a larger proportion are cut off by Diseases of the Digestive Organs in the Mainland-Rural than in the Town Districts. Thus, while in every 10,000 specified causes 774 died from these affections in the Mainland-Rural Districts, the proportion was only 718 in the Town Districts in an equal number of Deaths. This curious fact is even more strongly brought out by taking all the Liver Diseases—Diseases thought most erroneously by many to be especially produced by the use and abuse of alcoholic drinks. In the Mainland-Rural Districts, of every 10,000 specified causes of Death, 156 were caused by Liver Diseases; but in the Town Districts, where three or four times the proportion of alcoholic drinks per man is consumed, in an equal number of Deaths, only 110 were caused by Liver Diseases.

The other Diseases and Classes of Disease it is unnecessary to particularize, seeing the results so closely correspond with those of former years. A few remarks will alone be offered on the Deaths from Childbirth, and the Violent Deaths.

During 1860, 564 women died in Childbed either immediately, as a consequence of Convulsions, Floodings, Exhaustion, etc., or shortly after from Childbed Fever (Metria). This gives the very low proportion of one Death in every 185 women who gave birth to children during the year. As, however, there is reason to believe that many births escape registration in England, and no statements are given of the number of twin and triplet cases, it is only in a rough way that any comparison can be instituted between the Deaths of mothers in Childbed in England and Scotland. Still, making such corrections as we know must be not far from the truth, it may be estimated that in 1860 one mother died in Childbirth in England out of every 221 who gave birth to children during the year. The mortality, therefore, is very much higher in Scotland than in England.

In last Report, from looking only at one set of Tables, this higher mortality was attributed to the much smaller proportion of the population of Scotland, who have the benefit of medical assistance at that period. But when the subject is looked into more narrowly, it is found that this will not serve to explain it altogether, inasmuch as the proportion of mothers who die in Childbed in the Insular Districts, where certainly not one in 20 has medical attendance, is much smaller than it is in the Town Districts, where perhaps 19 in every 20 have medical aid; while in the Mainland-Rural Districts where, on the average over Scotland, not exceeding half of the mothers have medical assistance, the mortality is lowest of all. Thus, in every ten thousand women who bore children in each of the Groups of Districts during the year, only 45 died in Childbed in the Mainland-Rural Districts; 55 in the Insular Districts; but in the Town Districts the proportion rose to 65. In other words, one mother died in Childbed out of every 153 who bore children in the Towns, one in every 181 in the Insular, and only one in every 218 mothers in the Mainland-Rural Districts. The probable cause of this is worthy of inquiry.

Class XVII. *Violent Deaths.*

2186 Deaths from Violent Causes occurred in Scotland during the year, being in the proportion of 75 Deaths in every 100,000 persons of the general population. This proportion is wonderfully uniform from year to year; but both when compared with the number of the inhabitants, and when compared with the total Deaths, is very much larger in the Insular Districts than in the Mainland-Rural, or in the Town Districts. Thus, as compared with the population, 109 persons died by Violent Causes in the Insular Districts in every 100,000, while in equal populations only 73 died in the Mainland-Rural, and 80 in the Town Districts. If compared with the total Deaths in each District, however, the proportion of the population who die by Violent Deaths in the Insular Districts appears still greater. Thus, in every 10,000 Deaths from all causes, 651 died from Violent Causes in the Insular, 387 in the Mainland-Rural, but only 268 in the Town Districts. This great disproportion for the Insular Districts is easily accounted for. The inhabitants are scattered over 186 Islands, but require constantly to visit the Mainland or the other 602 Islands on which they pasture sheep, and from which they collect eggs, feathers, etc. The passages between these Islands are dangerous, from the rapidity of the tidal currents, and the broken nature of the channels, and the danger is greatly increased if the wind be high, or if a ground swell be coming from the Atlantic, the Arctic, or the North Sea. The consequence is, that the Deaths by Drowning among the inhabitants of the Insular Districts are nearly four times as great in proportion to the population as they are in the Mainland-Rural Districts, and six times as great as in the Town Districts.

Of the 2186 Deaths by Violent Causes, 747 were caused by Fractures and Contusions, 537 by Drowning, 356 by Burns and Scalds, 86 by Wounds, 79 by Suffocation, of which the half were children overlaid in bed, 60 by Want of Breast Milk, 55 by Intemperance, 50 by Poison, 50 by Hanging, 47 by Cold, 6 by Privation or Starvation, 1 by Neglect, while in 112 cases, the specific cause of the Violent Death was not stated.

Of the 2186 Violent Deaths, 119 were ascertained to have been by Suicide. Of these, 43 were by Hanging, 30 by Cut-throat, 15 by Drowning, 12 by Poison, 5 by Gunshot, 1 by Precipitation from a window; while in 13 the particular mode in which the suicide was effected was not stated.

The accompanying Tables show the 14 Diseases which proved most fatal in Scotland and in England during the year 1860, arranged in the order of their respective fatality. They are interesting as showing that even in Countries so closely adjoining, the several Diseases exhibit, during the same year, very different fatalities; so that the mortality of an Epidemic (as Scarlatina) in the one Country may be twice that of the same Disease during that year in the other.

The Fourteen most fatal Diseases in SCOTLAND in 1860.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	283
Bronchitis . . .	187
Scarlatina . . .	101
Pneumonia . . .	83
Typhus and Infantile Fever	83
Hydrocephalus . .	63
Hooping-cough . .	62
Paralysis . . .	54
Measles	54
Small-Pox . . .	51
Diarrhœa, Dysentery, & Cholera . . .	50
Apoplexy . . .	39
Dropsy	36
Teething . . .	36

The Fourteen most fatal Diseases in ENGLAND in 1860.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	259
Bronchitis . . .	164
Pneumonia . . .	128
Convulsions . . .	128
Typhus & Infantile Fever	66
Diarrhœa, Dysentery, & Cholera . . .	55
Scarlatina . . .	49
Paralysis . . .	49
Measles	48
Apoplexy . . .	46
Hooping-cough . .	43
Dropsy	39
Hydrocephalus . .	36
Cancer	34

INFLUENCE OF EXTERNAL AGENCIES.

Though man, unlike the lower animals, produces his young at all seasons, still the influence of season on the numbers of Births is quite marked. Thus, Table XXXVI. shows that by far the largest number of Births occurs during the months of March, April, and May—the months during which most animals alone produce their young in this Country. The influence of seasons of plenty and of scarcity on the number of Births has not yet been satisfactorily traced; and any influence which such may have on the Births will be attributable to those causes already commented on, when speaking of the Births, viz., the influence which plenty or scarcity has on the number of Marriages, and the consequent proportion of married females at the child-bearing ages in the population.

The influence of season on the Marriages in this Country is inappreciable, Marriage being regulated to a great extent by the demand for work. But the season for Marriage is, to a powerful extent, regulated by the peculiar habits of the people, and more especially by the civil Terms of Whitsunday and Martinmas. It is at these half-yearly terms that all engagements between master and servant are loosened, and that houses are most easily procured. It is consequently during the month following each of these terms that by far the greatest number of Marriages occur, so that June and December stand prominently out as the favourite marrying months. By far the fewest Marriages occur year after year during May; and for a very good reason, viz., that in it occurs a double term—the domestic servants changing their places on the 15th of the month, while the house-changing term falls on the 24th day of the same month. The wonder, therefore, is not that so few Marriages occur during the month, but that so many take place. Table XXXVII. shows the influence of these civil Terms on the Marriages during

1860, and it will be observed that the largest number of Marriages occurs during the months which immediately follow these respective terms.

The English Marriage Statistics are unfortunately not published in such a form as to show the monthly number of Marriages, so that it is impossible to ascertain whether the influence of the civil terms equally affects England and Scotland.

In Roman Catholic Countries, however, it is not the civil terms, but the stated religious fasts, feasts, or festivals, which regulate the periods at which Marriages chiefly occur. In these Countries very few Marriages indeed occur during the period of Lent (which lasts forty days in spring), or during

TABLE XXXVI.—Showing the Influence of SEASON on the BIRTHS in 1860; the Months equalized; and the Births corrected to 30 days in each Month. Total Births, 105,629.

MONTHS.	Corrected Births.	MONTHS.	Corrected Births.
JANUARY . . .	8846	JULY	8703
FEBRUARY . . .	8884	AUGUST . . .	0071
MARCH	9516	SEPTEMBER . . .	8005
APRIL	9578	OCTOBER . . .	8647
MAY	9499	NOVEMBER . . .	8321
JUNE	9360	DECEMBER . . .	8199

TABLE XXXVII.—Showing the Influence of the Civil Terms of Whitsunday and Martinmas on the MARRIAGES in 1860. The Marriages corrected to 30 days in each Month. Total Marriages, 21,225.

MONTHS.	Corrected Marriages.	MONTHS.	Corrected Marriages.
JANUARY . . .	2223	JULY	1977
FEBRUARY . . .	1465	AUGUST . . .	1372
MARCH	1126	SEPTEMBER . . .	1124
APRIL	1328	OCTOBER . . .	1380
MAY	997	NOVEMBER . . .	2121
JUNE	3064	DECEMBER . . .	3048

TABLE XXXVIII.—Showing the Influence of Season, but especially of Mean Temperature, on the Deaths in Scotland, and in its Three Great Groups of Districts in 1860; the Months being equalized to 30 days, and the Deaths corrected to correspond.

MONTHS.	Mean Temperature.	Number of DEATHS Corrected to 30 Days in each Month.				Per Centage of Corrected Monthly Deaths to the Yearly Deaths.			
		SCOTLAND.	Insular Districts	Mainland Rural Districts	Town Districts	SCOTLAND.	Insular Districts	Mainland Rural Districts	Town Districts
JANUARY .	35°·5	6,258	220	2,947	3,091	9·180	8·106	8·834	9·629
FEBRUARY .	34°·0	7,249	253	3,410	3,586	10·634	9·322	10·223	11·173
MARCH . .	38°·4	6,798	232	3,445	3,121	9·973	8·549	10·328	9·724
APRIL . .	41°·5	6,632	267	3,232	3,133	9·729	9·838	9·689	9·761
MAY . .	50°·2	6,158	257	3,212	2,689	9·033	9·469	9·629	8·377
JUNE . .	53°·0	5,491	233	2,808	2,450	8·054	8·586	8·417	7·633
JULY . .	57°·3	4,965	196	2,441	2,328	7·283	7·222	7·317	7·252
AUGUST .	54°·4	4,533	209	2,218	2,106	6·649	7·700	6·649	6·561
SEPTEMBER	50°·2	4,265	185	2,110	1,970	6·257	6·816	6·325	6·137
OCTOBER .	46°·0	4,774	208	2,271	2,295	7·003	7·664	6·808	7·150
NOVEMBER .	39°·1	5,178	206	2,478	2,494	7·596	7·591	7·429	7·770
DECEMBER .	34° 1	5,869	248	2,786	2,835	8·609	9·137	8·352	8·833
YEAR . .	44°·4	68,170	2,714	33,358	32,098	100·000	100·000	100·000	100·000

that of Advent (which embraces the first twenty-four days of December). The Marriages which would otherwise fall to be celebrated in these periods, are anticipated, as it were; and hence, by far the greatest number of Marriages occur in these Roman Catholic Countries during the months which immediately precede these religious feasts. Hence, as Lent is a moveable feast, the greater number of Marriages in the beginning of the year occurs either during January or February, depending on the circumstance whether Lent commences in February or in March; while during the latter half of the year, the favourite marrying month is November, which precedes the period of Advent.

The influence of season on the Deaths has been so fully commented on in previous Reports, that it seems to be unnecessary to do more than refer to the Table XXXVIII., which shows the influence of season on the number of Deaths in the Three Great Groups of Districts into which Scotland is divided. It will be seen that the Table bears out the conclusions arrived at in former Reports, that temperature is the external agent which, of all others, exerts the most potent influence on the number of Deaths. To show the full influence of that agent, however, we must always bear in

TABLE XXXIX.—Showing the Revenue, Exports and Imports, the Quantity of Grains, Tea, Sugar, etc., imported into the United Kingdom; the average Price of the Chief Articles of Food in England, etc., during the years 1859, 1860, and 1861.

		1859.	1860.	1861.
Gross Revenue of United Kingdom,	£	65,477,284	71,089,668	70,283,674
Expenditure,	£	64,799,421	69,619,266	72,964,536
Real Value of Total Imports,	£	179,182,355	210,648,643	217,351,881
Real Value of Total Exports,	£	155,692,975	165,670,653	160,809,430
Wheat imported,	Qrs.	4,000,922	5,880,958	6,912,815
All other Grains imported,	Qrs.	5,317,761	7,125,662	7,366,239
Wheat Flour imported,	Cwts.	3,328,324	5,086,220	6,152,938
All other kinds of Flour imported,	Cwts.	3,835	71,344	97,421
Eggs imported,	No.	148,631,000	167,695,200	203,313,360
Butter imported,	Cwts.	425,663	840,112	992,772
Cheese imported,	Cwts.	406,547	583,283	706,395
Potatoes imported,	Cwts.	588,910	560,762	385,446
Rice imported,	Cwts.	1,450,090	1,535,575	3,305,632
Tea imported,	lbs.	75,077,451	88,946,532	96,577,382
Coffee imported,	lbs.	65,353,030	82,767,746	83,532,525
Cocoa imported,	lbs.	6,006,759	9,009,839	9,080,288
Raw Sugar imported,	Cwts.	9,098,544	8,817,277	10,400,805
Tobacco imported (total),	lbs.	50,671,265	51,663,625	52,854,392
Wine imported,	Galls.	8,195,513	12,475,001	11,052,436
Wool imported,	lbs.	133,284,634	148,396,577	147,172,841
Cotton (Raw) imported,	lbs.	1,225,989,072	1,390,938,752	1,256,984,736
Flax,	Cwts.	1,432,037	1,464,810	1,333,679
Hemp, etc., imported,	Cwts.	1,059,119	792,388	820,600
Jute imported,	Cwts.	1,061,288	816,787	904,092
Quantity of Coal raised in Scotland,	Tons	10,300,000	10,900,500	11,081,000
——— Iron Ore raised in do.,	Tons	2,225,000	2,150,000	1,975,000
——— Pig Iron made in do.,	Tons	960,550	937,000	950,000
Cod and Ling taken on Coasts of do.,	Cwts.	171,553	167,918	131,764
Herrings taken on do.,	Barrels	528,355	721,190	723,486
Average Price of Wheat in England,	per Qr.	43s. 10d.	53s. 3d.	55s. 4d.
——— Barley,	per Qr.	33s. 6d.	36s. 7d.	36s. 1d.
——— Oats,	per Qr.	23s. 3d.	24s. 5d.	23s. $9\frac{1}{4}$d.
Contract price of 4lb. Loaf to Troops in Scotland,	1st half year,	?	$4\frac{3}{4}$d. to $5\frac{3}{4}$d.	7d.
	2d half year,	$4\frac{3}{4}$d. to $6\frac{1}{2}$d.	5d. to $6\frac{1}{2}$d.	$6\frac{1}{4}$d.
Contract price of Fresh Meat per lb. to Troops in Scotland,	1st half year,	?	$4\frac{1}{4}$d. to $5\frac{1}{4}$d.	$5\frac{1}{4}$d.
	2d half year,	$4\frac{1}{2}$d. to $5\frac{1}{2}$d.	5d. to $6\frac{3}{4}$d.	5d.
Savings Banks, Scotland—Number of Accounts,		132,597	139,114	143,906
Savings Banks, do.—Amount of Deposits,	£	2,210,710	2,414,073	2,537,963
Number of estimated Paupers in Scotland,		122,013	120,906	124,191
Number of ascertained Scottish Emigrants,		10,182	8,733	6,730

remembrance the kind of weather, and the mean temperature which prevailed during the last two months of the year which preceded that under consideration. Thus, the mean temperature of November 1859 was 39°·4, when the Deaths in Scotland numbered 5215; and the fall of temperature to 34° in December increased the Deaths to 5898. During January 1860 the mean temperature was slightly higher, viz., 35°·5, yet the continuance of the cold increased its deadly effects, so that 6258 persons died during the month, and the fall of mean temperature to 34° during February, raised the Deaths to 7249. From that period the mean temperature began to rise; and, proportioned to the rise, the monthly number of Deaths diminished, till they attained

Table XL.—Meteorology of Scotland for 1860, deduced from Observations made at 53 Stations of the Meteorological Society of Scotland, the particulars for each of these Stations having been published in the Quarterly Reports of the Registrar-General for 1860.

1860.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Absolute Highest Temperature in shade	55·0	58·5	65·5	69·0	78·0	79·0	85·2	81·0	78·2	69·0	73·4	54·8	85·2
Absolute Lowest Temperature do.	6·0	– 5·0	18·7	21·0	26·0	30·2	33·8	32·7	26·3	22·7	13·2	—12·0	—12·0
Mean of Highest Daily Temperatures	39·6	39·2	44·0	48·9	57·7	59·7	64·5	60·8	57·1	51·4	43·1	37·9	50·3
Mean of Lowest Daily Temperatures	31·4	28·6	32·5	34·0	42·6	46·5	50·1	48·0	43·3	40·5	35·1	30·0	38·5
Mean Daily Range of Temperature	8·1	10·7	11·5	14·9	15·0	13·3	14·5	12·8	13·8	10·9	8·1	8·1	11·8
Mean Temperature	35·5	34·0	38·4	41·5	50·2	53·0	57·3	54·4	50·2	46·0	39·1	34·1	44·4
Mean of Black Bulb in Sun	48·4	57·0	66·5	76·7	81·5	80·8	90·8	84·6	81·7	68·1	53·2	45·0	69·5
Mean of Black Bulb at Night	26·7	24·1	27·4	29·7	37·8	42·2	45·5	42·4	38·0	35·2	30·5	26·0	33·8
Mean Temperature of Evaporation	34·2	32·0	36·1	39·0	47·3	50·2	54·1	52·0	48·0	44·1	37·6	32·9	42·3
Mean Dew-point Temperature	32·5	29·3	33·8	35·9	44·4	47·9	51·6	49·8	46·0	42·0	35·9	31·2	40·0
Mean Humidity of the Air	89	85	86	82	81	85	83	85	87	87	90	90	86
Elastic Force of Vapour (inches)	·185	·163	·195	·212	·294	·335	·384	·359	·312	·268	·212	·176	·258
Number of Days on which Rain, etc. fell	18	13	19	10	15	18	11	19	14	22	17	17	193
Amount of Rain, Sleet, and Snow (inches)	4·56	2·69	3·52	1·18	2·18	4·34	1·82	3·79	1·92	5·14	2·83	3·91	37·88
Mean Amount of Cloud	6·9	6·0	6·3	5·5	6·2	6·9	6·5	6·7	6·1	6·6	6·9	6·8	6·4
Hours of Sunshine	64	105	132	194	205	175	202	154	153	107	68	61	1620
Mean Barometer, corrected (inches)	29·529	29·932	29·639	29·978	29·831	29·674	29·988	29·575	29·868	29·784	29·919	29·709	29·785
Easterly Winds—number of Days	10	4	5	12	11	14	9	7	5	4	17	14	112
Westerly Winds—number of Days	12	16	19	9	13	9	13	17	18	19	6	7	158

their minimum in September, with its mean temperature of 50°·2. From that period, till the close of the year, the Deaths increased with the fall of mean temperature.

The atmospheric agencies, however, were very peculiar, during the year 1860; and twice during the year, an intensity of cold occurred very rarely witnessed in Scotland. Thus, not only was the month of February unusually cold, but during the last week of the month, the protected thermometer indicated, at some stations, the intense cold of 5° below zero of Fahrenheit's scale. Before the year closed, between the 20th and 25th of December, the cold occurred with an intensity of which we have no certain previous records; for in many protected thermometers over the Country, the temperature recorded was 12° below zero of Fahr., while in some exposed thermometers, the temperature registered was 19° below zero. The whole year, however, appeared to partake of this low temperature. The sun never shone with his wonted strength; the face of the sky was more than usually shrouded in clouds; the mean temperature of almost every month was below the mean; and even our warmest month never got beyond being cool. A greater amount of rain fell than usual; the air for a great portion of the year was damper or more humid than usual; and during the spring months, the biting easterly winds blew with a keenness and severity greater than usual. Storms of wind also were far more frequent than usual, and the serious losses of shipping on our coasts, will render the year 1860 one not likely soon to fade from the memory.

Table XXXIX. shows the other external agencies, which may be supposed to influence the Deaths and Marriages; and from it may be deduced the general state of the country as to trade and manufactures, the supply and price of provisions, and the ordinary articles of consumpt, etc. From that Table it will be seen that trade was prosperous, provisions cheap, the demand for labour great, so that far fewer emigrants left Scotland than in former years, while the amount of money deposited in the Savings Banks had considerably increased. All this, in the face of a greatly increased mortality, shows that no portion of the increased mortality could be attributed to losses of crops, want of food, or high price thereof, increased by want of work; for every element was present usually thought favourable to a greatly diminished mortality, yet the year was the most fatal to the inhabitants of Scotland of which we have certain records.

Table XL. gives a review of the meteorological elements for the several months, and conveys all the information necessary for forming an estimate of the meteorological phenomena of Scotland for the year 1860. It contains the abstract of observations made at 53 Stations over Scotland, the particulars of which were published in the Quarterly Reports for the year 1860.

NOMENCLATURE IN SCOTLAND.

In the General Registry Office in Edinburgh, Indices are prepared of all the names which are entered annually on the public Registers of Births, of Deaths, and of Marriages; and the General Indices are now completed for a series of five years, commencing with the year 1855, when the Registers were first established. These Indices are not only extremely valuable for the purposes for which they were established, but also as showing the names of the Scottish population at the present day, and the relative proportions in which each name and surname occurs among the people.

The history of Surnames is a very interesting one, and is, to a great extent, bound up with the history of the nation itself. It is an inquiry into which, however, we cannot enter in this place; our present object being rather to point out what are the most common names and surnames of the people at the present day, than tracing each to its origin. It may be mentioned, however, as a striking peculiarity of the inhabitants of Scotland that, both among the Celtic race in the Highlands, and the Lowland races on the Border, it was the custom for all to assume as their surname the name held by the head of the family, either because they were actually his descendants, or because they were his vassals and property. Hence, in the Highlands we have large Clans of the name of Macdonald, Stewart, Campbell, Mackay, Murray, Cameron, etc., and among the inhabitants of the Border Counties the names of Scott, Graham, Kerr, Johnston, Elliott, Armstrong, etc.

It is by no means easy to arrive at any very precise information relative to the exact number of surnames existing in any population, unless by going over the General Indices for a series of years, and carefully noting each surname, and the number of times it occurred in all the Indices. This would involve an amount of labour quite incommensurate with the information to be acquired. To ascertain the number of distinct surnames in Scotland, it may be mentioned that the Index of the Birth Register of a whole year was alone taken, and every separate surname enumerated in it, when they were found to amount to 6823 separate surnames, while the total registered entries of Births amounted to 104,018. These numbers would give the proportion of 15·2 persons to every surname, or 6·5 different surnames to every 100 persons. The English proportion, ascertained in the same manner by the Registrar-General of England in 1855, was 8·4 persons to every surname, or 11·9 surnames in every 100 persons. (Sixteenth Annual Report, p. xviii.)

The above facts, therefore, appear to demonstrate that the effect of the Clan system of surnames in Scotland is to cause a much larger number of persons to hold the same surname; in other words, that, in proportion to the population, fewer surnames exist in Scotland than in England.

But the above figures do not exhibit the true proportion of Scottish surnames to the Scottish population, nor the full effect of Clanship in diminishing the number of surnames; or rather in causing a smaller number of Surnames to go over a larger portion of the population. Within the last thirty years a very large addition to the surnames has been made in Scotland, in consequence of the immense immigration from Ireland. This immigration, beginning about the year 1820, did not assume gigantic proportions till about the year 1840, when the demand for railway labourers brought the Irish over in hundreds and thousands. Since that period, in addition to bringing over about a thousand names which are common to Scotland and to Ireland, they have added to the Scottish surnames nearly a thousand which till that period were peculiar to Ireland. Such, at least, appears to be the result of a pretty careful examination of the Indices already completed at the General Register Office in Edinburgh. Were it not, therefore, for the enormous addition to the surnames made in recent years, the proportion of persons attached to each surname in Scotland would be more than double the proportion of England.

Being, however, desirous of obtaining some more definite information relative to the surnames in most common use in Scotland, the complete Indices of three years were examined, extracting all the surnames which had numerous entries under them, and carefully tabulating the number of

entries in the several Indices, as well as noting all the peculiar names. From that mass of surnames the fifty in most common use in Scotland were abstracted; and the subjoined Table XLI. shows not only what these fifty most common surnames are, but also the number of times in which each of these occurs in the General Indices of Births, Deaths, and Marriages for the three years, 1855, 1856, and 1858. A three years' average may be considered as affording a fair estimate of the relative prevalence of each of these surnames in the population.

During these three years the total names entered on the Registers amounted to 609,639; and as the fifty Surnames in that Table included 180,748 of that number, it would appear that these fifty most common Surnames embraced 29·6 per cent. of all the names entered on the Registers.

In England it was found that the fifty most common Surnames only included about 18 per cent. of all the names entered on the Indices; so that the above fact corroborates the conclusion previously drawn from the proportion of total surnames, viz., that the adoption of Clan surnames in Scotland has had the effect of causing a larger proportion of persons to hold the same surname than in England; so that proportionally fewer surnames are used among the population.

It has been endeavoured to render this Table of the fifty most common Surnames in Scotland more interesting by adding the estimated number of the population attached to each surname. Such particulars will afford a

TABLE XLI.—The FIFTY most common SURNAMES in SCOTLAND, from the Indices of the Registers for the Years 1855, 1856, and 1858. Total Names on Indices, 609,639.

Surnames.	Number on the Indices	Estimated Population holding the Surname in 1861.	Surnames.	Number on the Indices.	Estimated Population holding the Surname in 1861.
Smith,	8835	44,378	Mitchell,	3019	15,164
Macdonald,	7480	37,572	Watson,	2973	14,933
Brown,	6733	33,820	Ferguson,	2952	14,828
Robertson,	6490	32,600	Walker,	2896	14,547
Thomson,	6482	32,560	Morrison,	2883	14,482
Stewart,	6338	31,836	Davidson,	2525	12,683
Campbell,	6282	31,555	Gray,	2500	12,557
Wilson,	5921	29,741	Duncan,	2482	12,467
Anderson,	5634	28,300	Hamilton,	2445	12,282
Mackay,	4746	23,840	Grant,	2426	12,186
Mackenzie,	4633	23,272	Hunter,	2355	11,829
Scott,	4448	22,342	White,	2353	11,819
Johnston,	4294	21,569	Graham,	2331	11,709
Miller,	4244	21,318	Allan,	2305	11,578
Reid,	3991	20,047	Kerr,	2219	11,146
Ross,	3634	18,254	Macgregor,	2204	11,070
Paterson,	3593	18,048	Bell,	2115	10,624
Fraser,	3586	18,013	Simpson,	2100	10,548
Murray,	3505	17,606	Martin,	2064	10,367
Maclean,	3459	17,375	Black,	2021	10,151
Cameron,	3345	16,802	Munro,	2015	10,098
Clark,	3344	16,797	Sinclair,	1967	9,880
Young,	3318	16,705	Sutherland,	1954	9,815
Henderson,	3264	16,394	Gibson,	1853	9,307
Macleod,	3100	15,571			
Taylor,	3092	15,535	50 Surnames,	180,748	907,920

NOTE.—The different spellings are included in the above Surnames—as Thompsons along with the Thomsons—but in every case the Scottish spelling of the name is given, as they very greatly preponderate in the Scottish Indices. The different modes of writing the Highland names, M' or Mac, cannot even be regarded as a difference in spelling.

valuable means of comparing the changes of surname which may occur in the course of ages.

To render the Scottish Table of Surnames more interesting by comparison, we have appended the English Table of Surnames, taken from the Sixteenth Report of the Registrar-General, when it will be seen that the Clan predominance of surnames in Scotland, as compared with that of England, becomes very apparent. Thus, while in the English fifty most common surnames, only 27 can be referred to the Christian fore-name, or name of the sire or head of the family, 37 may be so referred of the fifty most common surnames of Scotland. The great majority of these fifty Scottish names are therefore truly sire-names, either in their pure, unaltered state, as Grant, Cameron, Duncan, Graham, Kerr, Martin, Allan, etc., or altered so as to express the descent from the head of the family, as Robertson, Thomson, Johnston, Watson, Morrison; or with the Gaelic Mac, which means "Son," as Macdonald, Mackay, Maclean, Macleod, etc.

Possibly in every country the Surnames may be divided into four great classes; and it is possible also that the chief peculiarities of each country, in so far as the surnames are concerned, may depend on the relative preponderance which each of these classes bears to the other in the general population. These four classes may be regarded as, 1st, Surnames derived from patronymics, that is, from the Christian or fore-name of the head of the family; 2d, Surnames derived from the rank or occupation of the persons; 3d, Surnames taken from the locality in which the persons dwelt; 4th, Surnames, or soubriquets, given to persons from some supposed personal quality or resemblance.

1st, Almost all the names of our Border and Highland Clans belong to the first class, and they are peculiarly Scottish—neither belonging to England nor to Ireland. These surnames include all those beginning with Mac, as Macgregor, Mactaggart, etc.; besides those simple ones, as Fraser, Douglas, Cameron, Kerr, Grant, etc.

2d, The Surnames derived from rank and occupation are very numerous,

TABLE XLII.—The FIFTY most common SURNAMES in ENGLAND, deduced from the Indices of 1853; showing also the estimated Population holding each Surname in 1853. Population of 1853 estimated at 18,404,421 persons.

Surname.	Estimated Population holding each Surname.	Surname.	Estimated Population holding each Surname.	Surnames.	Estimated Population holding each Surnames.
Smith,	253,600	Walker,	59,300	Allen,	40,500
Jones,	242,100	Hughes,	59,000	Moore,	39,300
Williams,	159,900	Edwards,	58,100	Parker,	39,100
Taylor,	124,400	Lewis,	58,000	Clark,	38,100
Davies,	113,600	White,	56,900	Clarke,	38,100
Brown,	105,600	Turner,	56,300	Cook,	38,100
Thomas,	94,000	Jackson,	55,800	Price,	37,900
Evans,	93,000	Harris,	51,900	Phillips,	37,900
Roberts,	78,400	Cooper,	48,400	Shaw,	36,500
Johnson,	69,500	Harrison,	47,200	Bennett,	35,800
Wilson,	66,800	Ward,	45,700	Lee,	35,200
Robinson,	66,700	Martin,	43,900	Watson,	34,800
Wright,	62,700	Davis,	43,700	Griffiths,	34,800
Wood,	61,200	Baker,	43,600	Carter,	33,400
Thompson,	60,600	Morris,	43,400		
Hall,	60,400	James,	43,100	50 Surnames,	3,253,800
Hill,	60,400	King,	42,300		
Green,	59,400	Morgan,	41,000		

but are equally common to England as to Scotland. Of these, in both countries, SMITH is the most common name; after which follows in Scotland, Stewart, Miller, Clark, Taylor, Walker, and Hunter; but in England after Smith come Taylor, Wright, Walker, Turner, Clark, and Cooper.

3d, Surnames taken from the locality in which the persons originally resided form a very numerous class, and they also are, to a great extent, peculiar to Scotland, seeing that there is scarcely a county, parish, town, river, or remarkable locality but has its name perpetuated in the surnames. Thus, for instance, of the counties we have as surnames Fife, Nairn, Stirling, Ross, Lothian, Sutherland, Berwick, Roxburgh, etc. Of parishes we have Abbey, Fordyce, Alves, Peebles, Farr, Bathgate, Callander, Traquair, Campsie, Cullen, Kirkpatrick, Bothwell, etc. Of towns we have Glasgow, Leith, Aberdeen, Montrose, Biggar, Lauder, Melrose, Hamilton, etc.

4th, The soubriquets perpetuated as surnames are perhaps the most varied of all, and embrace every personal or mental quality supposed to reside in the different individuals to whom they were originally given. They may hence be divided into dozens of subdivisions, according as they were given from the person's general appearace, or the colour of his skin or hair; hence Black, White, Green, Gray, Brown, etc.; or from his supposed likeness to the animal creation, as Lyon, Bull, Stott, Bullock, Lamb, Hogg (which does not mean a pig, or sow, but a lamb a year old), Collie, Tod (which is the Scottish name for the fox), Fish, Haddock, Salmon, Finch, Swan, Heron, etc.; or from his size and make, as Meikle, Little, Long, Thin, Meiklejohn, Littlejohn; or from his strength, swiftness, or other qualities, as Strong, Stark, Swift, Bold, Bauld, Good, Noble, etc.

It would have been very interesting, in comparing some of the commoner surnames of England and of Scotland, to have shown how the language of each country has altered the name, so as to make the families of each country, whose names are derived from the same occupation, similitude, or quality, perfectly distinct. Thus, the common surname Baker in England, is almost

TABLE XLIII.—MALE CHRISTIAN NAMES IN SCOTLAND. Showing the comparative frequency with which each name occurs in the Birth Indices of the Six most common Surnames, including 3690 entries.

Name.	Number of Entries of each Name.	Name.	Number of Entries of each Name.	Names under Three Entries.	
John,	563	Henry,	18	Abraham.	Hector.
James,	508	Daniel,	17	Alfred.	Isaac.
William,	473	Neil,	17	Arthur.	Jeremiah.
Alexander	318	Malcolm,	16	Augustine.	Lawrence.
Robert,	225	Francis,	15	Benjamin.	Lewis.
George,	159	Matthew,	11	Christopher.	Louis.
David,	153	Roderick,	11	Elijah.	Lionel.
Thomas,	139	Richard,	9	Eric.	Michael.
Andrew,	102	Allan,	9	Evan.	Nicol.
Charles,	65	Edward,	9	Evander.	Parlan.
Peter,	64	Norman,	9	Ewen.	Patrick.
Hugh,	49	Kenneth,	8	Frederick.	Philip.
Archibald,	49	Adam,	8	Gavin.	Reginald.
Angus,	40	Dugald,	6	Gideon.	Stephen.
Duncan,	28	Lachlan,	5		
Donald,	28	Murdoch,	5		
Walter,	26	Ronald,	4		
Joseph,	24	Gilbert,	3		
Colin,	22	Ebenezer,	3		
Samuel,	19				

completely supplanted by the name Baxter in Scotland, and all the Bakers may be considered as of English origin. The English surname Fox is quite superseded by the Scottish form Tod, which is a very common name having the same meaning. The English surname Bullock is known in Scotland by the common surname of Stott, which has the same meaning. The English surname Crow takes the form of Craw. The English surname Dove takes the form of Dow, as does the English surname Love the Scottish form of Low, etc. But even one of the cosmopolitan, and very common surnames, receives its characteristic modification in the two countries, seeing Robinsons in England become converted into Robertsons in Scotland.

By far the most common surname in Scotland is SMITH. Of the 609,639 entries on the Index in the three years above named, Smith occurred 8835 times; thus, of itself, constituting nearly 1½ per cent. of the total entries, and corresponding to a total population of 44,378 Smiths in Scotland in 1861. It is also the most common surname in England, but not quite so prevalent as in Scotland; for while England only has one Smith in every 73 persons, Scotland has one Smith in every 68.

After the cosmopolitan surname Smith, the next most common in Scotland is a purely Scottish one—MACDONALD. In this respect England agrees with Scotland, that after its commonest cosmopolitan name Smith, comes a purely English and Welsh surname—Jones. Of the total names on the three years' Indices, Macdonald claims 7480, being about 1·2 per cent. of the whole, and corresponding to a population of 37,572 Macdonalds in Scotland in 1861.

The cosmopolitan name BROWN is the third most common surname in Scotland, but only the sixth in England, and constituted rather more than

TABLE XLIV.—FEMALE CHRISTIAN NAMES IN SCOTLAND. Showing the comparative frequency with which each name occurs in the Birth Indices of the Seven most common Surnames, including 3689 entries.

Name.	Number of Entries of each Name.	Name.	Number of Entries of each Name.	Names under Three Entries.	
Margaret,	470	Wilhelmina,	14	Ailsa.	Josephine.
Mary,	462	Alice,	12	Alexandrina.	Kezia.
Elizabeth,	303	Joan,	12	Andrina.	Letitia.
Ann,	271	Marjory,	10	Annabella.	Lucretia.
Jane,	262	Amelia,	8	Amy.	Lucy.
Janet,	213	Ellen,	8	Beatrice.	Lydia.
Isabella,	212	Maria,	8	Bridget.	Magdalene.
Agnes,	193	Robina,	8	Clara.	May.
Catherine,	166	Rachel,	7	Clementina.	Mysie.
Helen,	138	Elspet,	6	Dorothea.	Nancy.
Christina—ian	107	Caroline,	5	Eleanor.	Norah.
Jessie,	102	Lilly—Lillias,	5	Ellinor.	Petrina.
Marion,	58	Louisa,	5	Emma.	Robertina.
Jean—Jeanie,	48	Matilda,	5	Emeline.	Rosanna.
Sarah,	47	Rebecca,	5	Ethelinda.	Rosina.
Barbara,	32	Alison,	4	Esther.	Teresa.
Grace,	27	Frances—Fanny	4	Felicia.	Thomasina.
Eliza,	25	Hannah,	4	Julia.	
Betsy,	21	Harriet,	4		
Euphemia,	18	Henrietta,	4		
Martha,	17	Susannah,	4		
Flora,	16	Cecilia,	3		
Charlotte,	14	Emily,	3		
Georgina,	14	Rose,	3		
Jemima,	14	Sophia,	3		
Susan,	14				

1 per cent. of the total names. ROBERTSON and THOMSON, with their varied spellings, constituted the fourth and fifth most common surnames; the English forms, Robinson and Thompson, being swamped by the great preponderance of the Scottish forms of these names. These two surnames may be regarded as equally prevalent in the population, and as each constituting 1 per cent. of the population. STEWART, with its rarer spelling of Stuart, and CAMPBELL, both purely Scottish names, are the sixth and seventh most common surnames in Scotland; and they are followed by WILSON, a name equally common to the two countries.

These names are followed in succession by ANDERSON, MACKAY, MACKENZIE, SCOTT, JOHNSTON, MILLER, REID, and ROSS, all of which may be regarded as purely Scottish names, for the English form of one of them is Johnson, which is rare in Scotland; and these surnames are succeeded by PATERSON, FRASER, MURRAY, MACLEAN, and CAMERON, all of them also of Scottish origin.

Of these fifty most common surnames in Scotland, 32, in the forms in which they occur in Scotland, may be reckoned as having originated in the Country, and as being peculiar to it—a very large proportion, considering all circumstances. The remainder are common also to England.

The nomenclature of the people of Scotland would be incomplete, unless some notice were taken of the names proper, or Christian names. Unlike the surnames, both for men and women, these names are few in number; according to Tables XLIII. and XLIV., numbering 67 for the men, and 86 for the women. These Tables will give a very good general idea of the relative prevalence of each Christian name in Scotland, inasmuch as they embrace all the Christian names attached to six of the most common surnames for the males, and all those attached to seven of the most common surnames in the females; and the figures attached to each name show the number of times when that name occurred among the total 3690 male names, and the 3689 female names. We have, unfortunately, no similar tables for England.

From these Tables it will be seen, that JOHN and JAMES are by far the most common Christian names for men; after which come, in regular order, WILLIAM, ALEXANDER, ROBERT, GEORGE, DAVID, THOMAS, and ANDREW. These names are greatly ahead of the rest in frequency.

Of the female names, MARGARET is rather the most frequent, though MARY is very close upon it. In the Highland Clans Mary decidedly preponderates; but Margaret in all other parts of Scotland. After these, come in order, ELIZABETH, ANN, JANE, JANET, ISABELLA, AGNES, CATHERINE, HELEN, CHRISTINA, and JESSIE. These names are greatly ahead of the rest in frequency. To both lists are appended the rarer names, viz., those which occurred fewer than three times in the number specified.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *7th July* 1864.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1860.

	1860.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
		1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Totl	Males.	Fem.	Total.			
	SCOTLAND	2,888,742	3,062,294	54409	51220	105629	5039	4697	9736	33610	34560	68170	21225	37359	19,639,377
	DIVISIONS.														
1	NORTHERN,	127,035	130,422	1782	1767	3549	109	91	200	950	1087	2037	697	1512	2,261,662
2	NORTH-WESTERN,	175,735	167,329	2377	2260	4637	147	128	275	1413	1476	2889	831	1748	4,739,876
3	NORTH-EASTERN,	348,366	366.783	6136	5809	11945	974	900	1874	3438	3570	7008	2451	4937	2,429,594
4	EAST-MIDLAND,	515,966	523,822	8819	8372	17191	886	821	1707	5421	5774	11195	3476	5896	2,790,492
5	WEST-MIDLAND,	241,447	242,507	4120	3803	7923	311	286	597	2496	2457	4953	1428	2970	2,693,176
6	SOUTH-WESTERN,	881,092	1,008,253	20549	19282	39831	1529	1452	2981	13442	13427	26869	7903	12962	1,462,397
7	SOUTH-EASTERN,	383,217	408,962	7032	6550	13582	600	552	1152	4350	4544	8894	3118	4688	1,192,524
8	SOUTHERN,	215,884	214,216	3594	3377	6971	483	467	950	2100	2225	4325	1321	2646	2,069,696
	COUNTIES.														
	I. NORTHERN.														
1	Shetland,	31,078	31,670	449	406	855	18	16	34	229	236	465	175	390	598,726
2	Orkney,	31,455	32,395	437	438	875	35	23	58	204	275	479	181	396	
3	Caithness,	39,782	42,200	602	612	1214	41	40	81	356	379	735	240	479	455,708
4	Sutherland,	24,720	24,157	294	311	605	15	12	27	161	197	358	101	247	1,207,188
	II. NORTH-WESTERN.														
5	Ross and Cromarty,	83,781	82,427	1224	1113	2337	49	47	96	703	735	1438	360	899	2,016,375
6	Inverness,	91,954	84,902	1153	1147	2300	98	81	179	710	741	1451	471	849	2,723,501
	III. NORTH-EASTERN.														
7	Nairn,	8,076	8,347	123	92	215	12	6	18	70	83	153	50	62	137,500
8	Elgin (or Moray),	40,532	44,218	705	690	1395	95	95	190	336	381	717	236	678	340,000
9	Banff,	51,353	56,020	939	947	1886	156	150	306	535	526	1061	391	825	439,219
10	Aberdeen,	213,461	223,344	3843	3527	7370	634	567	1201	2208	2244	4452	1516	2918	1,260,625
11	Kincardine,	34,944	34,854	526	553	1079	77	82	159	289	336	625	228	454	252,250
	IV. EAST-MIDLAND.														
12	Forfar,	193,627	206,750	3699	3477	7176	424	402	826	2407	2597	5004	1472	2172	568,750
13	Perth,	137,369	133,198	2003	1913	3916	219	202	421	1268	1425	2693	806	1123	1,814,063
14	Fife,*	153,789	155,021	2622	2492	5114	201	164	365	1473	1472	2945	998	2169	328,427
15	Kinross,*	9,626	8,731	132	123	255	11	15	26	75	85	160	44	95	49,812
16	Clackmannan,	21,555	20,122	363	367	730	31	38	69	198	195	393	156	337	29,440
	V. WEST-MIDLAND.														
17	Stirling,	83,802	88,138	1652	1579	3231	162	141	303	958	891	1849	629	1382	295,875
18	Dumbarton,	46,995	54,179	1021	936	1957	55	63	118	608	617	1225	362	732	204,800
19	Argyll,	94,042	83,859	1254	1104	2358	83	64	147	760	801	1561	350	797	2,083,126
20	Bute,	16,608	16,331	193	184	377	11	18	29	170	148	318	87	59	109,375
	VI. SOUTH-WESTERN.														
21	Renfrew,*	157,950	168,746	3226	3148	6374	221	230	451	2199	2127	4326	1307	2048	158,268
22	Ayr,*	189,973	199,063	3818	3643	7461	329	322	651	2311	2296	4607	1391	2854	735,262
23	Lanark,*	533,169	640,444	13505	12491	25996	979	900	1879	8932	9004	17936	5205	8060	568,867
	VII. SOUTH-EASTERN.														
24	Linlithgow,*	30,590	39,045	880	716	1596	61	50	111	371	341	712	279	884	81,113
25	Edinburgh,*	259,493	274,093	4571	4356	8927	378	367	745	3150	3306	6456	2325	2471	234,925
26	Haddington,*	36,363	37,626	654	596	1250	63	36	99	387	392	779	208	471	179,142
27	Berwick,*	36,165	36,488	588	562	1150	57	61	118	290	314	604	186	546	302,951
28	Peebles,*	10,804	11,300	158	157	315	18	17	35	74	93	167	52	148	227,869
29	Selkirk,*	9,802	10,410	181	163	344	23	21	44	78	98	176	68	168	166,524
	VIII. SOUTHERN.														
30	Roxburgh,*	51,225	53,722	919	925	1844	101	97	198	532	578	1110	339	734	428,494
31	Dumfries,*	78,149	75,904	1287	1172	2459	187	187	374	785	795	1580	446	879	702,953
32	Kirkcudbright,*	43,121	42,495	688	652	1340	98	85	183	397	429	826	254	514	610,343
33	Wigtown,*	43,389	42,095	700	628	1328	97	98	195	386	423	809	282	519	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, are taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	11	7	18	1	1	2	9	8	17	2
	(2) Burra and Quarff,	906	890	8	8	16	–	–	–	4	4	8	3
2	Delting, . . .	2124	1975	23	27	50	4	–	4	18	19	37	5
3	Dunrossness, etc.—												
	(1) Dunrossness, .	c. 2005	2113	36	36	72	–	1	1	16	12	28	14
	(2) Sandwick and Cunningsburgh, . .	c. 2220	2337	31	20	51	–	–	–	22	26	48	15
	(3) Fair Isle, . .	280	380	12	8	20	–	1	1	2	4	6	1
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	7	5	12	–	–	–	4	4	8	1
	(2) North Yell, . .	998	932	14	8	22	–	1	1	10	9	19	6
5	Lerwick, . . .	3390	3631	60	44	104	5	3	8	21	32	53	35
6	Mid and South Yell, .	1741	1784	22	17	39	2	–	2	18	10	28	6
7	Nesting, etc.—												
	(1) Nesting, . .	c. 806	855	17	11	28	1	–	1	4	6	10	2
	(2) Lunnasting, . .	c. 830	880	12	15	27	1	1	2	4	3	7	6
	(3) Whalsay and Skerries	784	848	15	15	30	1	–	1	–	4	4	1
8	Northmavine, . .	2534	2585	29	26	55	1	–	1	21	22	43	21
9	Sandsting and Aithsting,	2603	2670	46	37	83	–	1	1	20	23	43	8
10	Tingwall, etc.—												
	(1) Tingwall, . .	c. 1654	1554	19	14	33	2	1	3	11	12	23	15
	(2) Whiteness & Weesdale	c. 1220	1143	20	20	40	–	1	1	9	6	15	4
11	Unst, ...	2977	3060	30	53	83	–	2	2	18	17	35	15
12	Walls, etc.—(1) Walls, .	c. 1280	1365	18	14	32	–	2	2	16	9	25	12
	(2) Sandness, .	c. 563	606	8	10	18	–	1	1	2	4	6	1
	(3) Papa-Stour, .	359	366	8	9	17	–	–	–	–	2	2	–
	(4) Foula, . .	240	233	3	2	5	–	–	–	–	–	–	2
	Total,	31078	31670	449	406	855	18	16	34	229	236	465	175
	2. Orkney.												
13	Birsay, ...	1749	1774	25	22	47	3	1	4	14	14	28	10
14	Deerness, . . .	786	813	9	13	22	1	1	2	5	7	12	4
15	Eday and Pharay, . .	1016	979	16	14	30	–	–	–	8	9	17	11
16	Evie and Rendall, . .	1446	1408	18	17	35	1	–	1	6	11	17	5
17	Firth and Stennes, . .	1327	1493	24	24	48	3	2	5	9	5	14	6
18	Harray, . . .	750	819	8	8	16	–	–	...	5	5	10	4
19	Holm and Paplay, .	749	834	8	8	16	–	1	1	3	8	11	2
20	Hoy and Græmsay, .	615	556	4	6	10	–	–	–	4	3	7	5
21	KIRKWALL & ST OLA (incl. Burgh), . .	3990	4422	62	71	133	10	6	16	39	47	86	27
22	North Ronaldshay, .	526	532	7	8	15	–	–	–	1	3	4	6
23	Orphir, . . .	1157	1133	16	7	23	2	–	2	7	13	20	4
24	Rousay and Egilsay, .	1215	1152	17	20	37	–	1	1	4	12	16	9
25	St Andrews, . .	926	868	10	8	18	1	–	1	13	6	19	3
26	Sanday, . . .	2004	2145	22	33	55	–	1	1	9	9	18	10
27	Sandwick, . . .	1107	1225	13	17	30	–	1	1	6	7	13	6
28	Shapinshay, . . .	899	973	10	14	24	–	–	–	5	7	12	9
29	South Ronaldshay and Burray, . . .	3086	3282	61	39	100	4	7	11	13	21	34	13
30	Stromness, . . .	2770	2540	27	23	50	4	–	4	19	41	60	14
31	Stronsay, . . .	1211	1228	18	23	41	1	–	1	5	11	16	9
32	Walls, etc.—(1) Walls, .	1278	1254	18	19	37	2	1	3	7	6	13	2
	(2) Flotta, .	389	420	6	6	12	1	1	2	7	3	10	2
33	Westray, etc.—(1) Westray	2088	2153	29	30	59	2	–	2	9	20	29	18
	(2) Papa-Westray,	371	392	9	8	17	–	–	–	6	7	13	2
	Total,	31455	32395	437	438	875	35	23	58	204	275	479	181

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
	3. Caithness.												
34	Bower,	1658	1746	28	23	51	–	–	–	11	18	29	12
35	Canisbay,	2437	2730	44	37	81	1	1	2	18	12	30	17
36	Dunnet,	1868	1861	27	32	59	1	–	1	16	9	25	15
37	Halkirk,	2918	2864	38	30	68	2	–	2	21	25	46	9
38	Latheron,	8224	8571	130	119	249	18	15	33	56	55	111	41
39	Olrig,	1873	2059	18	33	51	–	2	2	16	21	37	10
40	Reay,	2506	2476	23	36	59	2	2	4	21	29	50	17
41	THURSO,	5096	5561	86	77	163	5	3	8	51	59	110	45
42	Watten,	1351	1491	14	19	33	1	2	3	11	13	24	5
43	WICK—												
	(1) Burgh of Wick,	6796	7505	121	134	255	8	8	16	96	101	197	55
	(2) Landward,	5055	5336	73	72	145	3	7	10	39	37	76	14
	Total,	39782	42200	602	612	1214	41	40	81	356	379	735	240
	4. Sutherland.												
44	Assynt—(1) Kirkton,	c. 510	553	4	9	13	–	1	1	3	2	5	1
	(2) Stoer,	c. 2479	2625	46	34	80	1	–	1	14	19	33	6
45	Clyne,	1933	1886	32	27	59	1	4	5	12	12	24	9
46	Criech—(1) Bonar,	c. 2134	1982	24	24	48	1	1	2	17	18	35	13
	(2) Rosehall,	c. 580	539	7	9	16	–	–	–	6	3	9	3
47	DORNOCH (incl. Burgh)	2981	2885	34	38	72	1	–	1	10	20	30	12
48	Durness,	1152	1109	8	12	20	1	–	1	8	7	15	2
49	Eddrachillis—(1) Scourie.	c. 700	727	6	10	16	1	–	1	5	6	11	3
	(2) Kinlochbervie.	c. 876	914	8	12	20	1	1	2	5	6	11	4
50	Farr—(1) Kirkton,	c. 1313	1251	18	7	25	1	–	1	10	13	23	10
	(2) Strathy,	c. 890	852	7	10	17	–	–	–	4	6	10	4
51	Golspie,	1529	1615	20	30	50	1	1	2	9	10	19	13
52	Kildonan,	2288	2132	29	32	61	3	1	4	17	23	40	4
53	Lairg,	1162	961	13	8	21	–	–	–	11	7	18	3
54	Loth,	640	610	8	8	16	–	1	1	4	4	8	1
55	Rogart,	1535	1439	11	11	22	1	1	2	13	19	32	8
56	Tongue,	2018	2077	19	30	49	2	1	3	13	22	35	5
	Total,	24720	24157	294	311	605	15	12	27	161	197	358	101
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1240	1178	17	18	35	1	2	3	7	8	15	4
58	Applecross—												
	(1) Applecross,	c. 1130	1064	14	4	18	–	–	–	6	11	17	3
	(2) Shieldaig,	c. 1579	1480	21	26	47	1	1	2	11	11	22	7
59	Avoch,	2029	1788	23	27	50	1	–	1	11	27	38	6
60	Contin,	1562	1509	24	14	38	–	2	2	10	11	21	3
61	CROMARTY(incl.Burgh)	2727	2300	35	25	60	2	1	3	25	37	62	10
62	DINGWALL(incl.Burgh)	2364	2412	34	36	70	2	3	5	32	36	68	14
63	Edderton,	890	836	13	6	19	1	1	2	6	4	10	4
64	Fearn,	2122	2083	33	31	64	–	1	1	24	18	42	7
65	Fodderty,	2342	2247	39	21	60	3	2	5	11	21	32	8
66	Gairloch—												
	(1) Northern District,	c. 1822	1927	31	22	53	–	–	–	22	18	40	8
	(2) Southern District,	c. 3340	3522	31	46	77	1	2	3	28	30	58	11
67	Glenshiel,	573	485	5	5	10	1	–	1	5	5	10	6
68	Killearnan,	1794	1494	8	17	25	–	3	3	16	10	26	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
69	Kilmuir-Easter, . .	1437	1295	19	8	27	2	–	2	6	10	16	2
70	Kiltearn, . . .	1538	1634	21	20	41	2	2	4	8	11	19	5
71	Kincardine, . . .	1896	1746	21	25	46	2	–	2	20	14	34	8
72	Kintail, ...	1009	890	9	14	23	1	2	3	5	10	15	7
73	Knockbain, . . .	3005	2485	33	27	60	2	2	4	24	23	47	4
74	Lochalsh, . . .	2299	2413	33	31	64	1	–	1	18	17	35	12
75	Lochbroom—												
	(1) Lochbroom, . .	c. 3540	3577	49	39	88	1	3	4	25	24	49	21
	(2) Coigach, . .	c. 1273	1285	21	17	38	–	–	-	8	12	20	–
76	Lochcarron, . . .	1612	1592	23	19	42	1	1	2	10	10	20	5
77	Logie-Easter, . . .	965	932	13	10	23	1	1	2	4	5	9	4
78	Nigg, ...	1457	1253	17	8	25	2	–	2	9	10	19	4
79	Resolis, ...	1551	1568	11	16	27	1	1	2	15	14	29	7
80	Rosemarkie (incl. Burgh of FORTROSE), .	1776	1545	22	11	33	1	1	2	19	12	31	13
81	Rosskeen, . . .	3699	3766	56	62	118	4	1	5	28	38	66	20
82	TAIN (incl. Burgh), .	3574	3294	41	31	72	3	6	9	24	30	54	14
83	Tarbat, ...	2151	2269	32	39	71	–	–	–	16	22	38	9
84	Urquhart & Logie-Wester,	3153	3147	41	38	79	–	3	3	24	13	37	12
85	Urray, ...	2621	2355	35	37	72	4	3	7	21	17	38	15
	Insular.												
a86	Barvas, ...	4189	4609	101	85	186	–	–	–	49	45	94	22
b86	Carloway . . .			58	40	98	1	–	1	29	22	51	12
87	Lochs, ...	4256	4901	61	59	120	4	–	4	25	32	57	9
88	Stornoway, . . .	8057	8668	149	150	299	3	3	6	89	86	175	46
89	Uig, ...	3209	2878	30	29	59	–	–	–	13	11	24	3
	Total,	83781	82427	1224	1113	2337	49	47	96	703	735	1438	360
	6. Inverness. *Mainland.*												
90	Alvie, ...	914	833	14	11	25	3	2	5	8	7	15	6
91	Ardersier (incl. Fort-George), . . .	1337	1239	26	17	43	3	–	3	12	13	25	13
92	Boleskine & Abertarff—												
	(1) Boleskine, . .	c. 936	813	12	12	24	1	2	3	3	2	5	1
	(2) Fort-Augustus or Abertarff, . . .	c. 1070	930	10	9	19	3	–	3	11	14	25	5
93	Cromdale and Inverallan,	3990	3943	49	48	97	11	8	19	31	30	61	21
94	Croy and Dalcross, .	1777	1873	17	22	39	1	–	1	10	11	21	5
95	Daviot and Dunlichty, .	1857	1741	17	23	40	1	–	1	9	8	17	12
96	Dores, ...	1650	1506	23	18	41	3	–	3	10	12	22	12
97	Glenelg—												
	(1) Glenelg, . . .	c. 1070	800	6	10	16	1	–	1	4	1	5	8
	(2) Knoydart, . .	c. 770	574	4	13	17	1	–	1	5	3	8	1
	(3) North Morar, . .	c. 630	469	8	10	18	–	–	–	3	5	8	7
98	INVERNESS (including Burgh), . . .	16496	16162	199	220	419	18	13	31	187	194	381	118
99	Kilmonivaig—												
	(1) Glengarry, . .	c. 710	625	11	7	18	1	2	3	2	5	7	4
	(2) Lochaber, . .	c. 1873	1651	18	21	39	2	–	2	7	9	16	4
100	Kilmorack, . . .	3007	2852	34	29	63	1	3	4	23	21	44	11
101	Kiltarlity, . . .	2965	2839	30	35	65	4	2	6	17	24	41	13
102	Kingussie and Insh, .	2201	2033	30	23	53	3	2	5	17	19	36	5
103	Kirkhill, ...	1730	1757	22	14	36	–	1	1	14	12	26	6
104	Laggan, ...	1223	986	15	8	23	3	–	3	8	6	14	2
105	Moy and Dalarossie, .	1018	1026	9	7	16	–	–	–	8	9	17	2
106	Petty, ...	1784	1671	14	24	38	3	4	7	11	8	19	9

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
107	Urquhart, etc.—												
	(1) Urquhart, . .	c. 2585	2294	30	28	58	1	3	4	22	22	44	7
	(2) Glenmoriston, .	c. 695	617	10	8	18	1	–	1	10	2	12	2
	Insular.												
108	Barra, ...	1873	1853	29	29	58	1	2	3	16	12	28	15
109	Bracadale, . . .	1597	1335	22	23	45	1	3	4	7	9	16	4
110	Duirinish, . . .	5330	4775	65	74	139	1	5	6	30	34	64	20
111	Harris—(1) Harris, .	3663	3769	73	57	130	4	4	8	33	32	65	22
	(2) Bernera, .	477	336	5	3	8	1	1	2	4	2	6	–
	(3) St Kilda, .	110	78	–	1	1	–	–	–	1	2	3	1
112	Kilmuir—(1) Kilmuir, .	c. 1743	1561	25	23	48	3	2	5	14	24	38	6
	(2) Stenscholl,	c. 1464	1311	19	18	37	1	1	2	8	7	15	5
113	North Uist, . . .	3918	3959	70	58	128	6	9	15	36	41	77	25
114	Portree—(1) Portree, .	2805	2579	41	37	78	1	1	2	23	17	40	13
	(2) Rasay, .	752	580	7	12	19	–	1	1	2	4	6	5
115	Sleat, ...	2531	2330	31	32	63	3	2	5	12	21	33	15
116	Small Isles, . . .	916	567	5	5	10	1	–	1	6	5	11	–
117	Snizort, ...	c. 3071	2613	37	31	68	5	3	8	13	24	37	14
118	South Uist—												
	(1) Benbecula, . .	1762	1544	22	19	41	1	1	2	10	13	23	9
	(2) Howmore, . .	c. 2040	1763	25	36	61	1	2	3	16	12	28	22
	(3) Boisdale, . .	c. 2371	2051	33	30	63	1	–	1	27	26	53	4
119	Strath, ...	3243	2664	36	42	78	2	2	4	20	19	39	17
	Total,	91954	84902	1153	1147	2300	98	81	179	710	741	1451	471
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach, . . .	1278	1330	14	9	23	1	–	1	8	14	22	5
121	Auldearn, . . .	1480	1328	18	10	28	–	–	–	14	10	24	5
122	Cawdor, ...	1202	1203	17	11	28	2	1	3	7	10	17	9
123	NAIRN (incl. Burgh), .	4116	4486	74	62	136	9	5	14	41	49	90	31
	Total,	8076	8347	123	92	215	12	6	18	70	83	153	50
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	24	23	47	2	6	8	7	13	20	8
125	Alves, ...	919	1010	19	19	38	1	1	2	2	8	10	5
126	Bellie, ...	2017	1967	22	29	51	4	3	7	14	18	32	8
127	Birnie, ...	427	411	4	6	10	1	–	1	2	1	3	2
128	Boharm, ...	1368	1412	25	20	45	4	5	9	10	11	21	6
129	Dallas, ...	1226	1102	17	20	37	4	4	8	13	18	31	3
130	Drainy, ...	1856	3028	54	57	111	5	7	12	30	25	55	20
131	Duffus, ...	2983	3308	63	55	118	4	6	10	22	25	47	36
132	Duthil, etc.—												
	(1) Duthil, . . .	c. 1493	1609	26	17	43	2	–	2	12	8	20	8
	(2) Rothiemurchus, .	c. 295	319	4	3	7	1	–	1	2	3	5	1
133	Dyke, ...	1369	1247	13	16	29	3	2	5	6	6	12	4
134	Edinkillie, . . .	1343	1303	10	28	38	2	2	4	8	6	14	7
135	ELGIN (incl. Burgh), .	8231	9866	149	154	303	23	27	50	93	88	181	34
136	New Spynie, . . .	445	518	9	8	17	1	–	1	2	2	4	4
137	FORRES (incl. Burgh), .	4069	4112	65	57	122	9	9	18	42	59	101	15
138	Kinloss, .	1370	1315	20	25	45	3	2	5	10	14	24	9
139	Knockando,	1771	1736	18	33	51	3	7	10	15	17	32	8
140	Rafford, . .	1020	1055	20	12	32	1	–	1	5	4	9	6
141	Rothes, ...	2022	2407	50	38	88	9	5	14	15	16	31	25

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
142	St Andrews Lhanbryde,	1208	1344	24	22	46	3	2	5	8	9	17	14
143	Speymouth, . . .	685	689	15	12	27	1	2	3	2	7	9	4
144	Urquhart, . . .	2544	2532	54	36	90	9	5	14	16	23	39	9
	Total,	40532	44218	705	690	1395	95	95	190	336	381	717	236
	9. Banff.												
145	Aberlour, . . .	1447	1665	26	29	55	4	4	8	13	10	23	10
146	Alvah, ...	1402	1467	22	17	39	8	4	12	5	13	18	13
147	BANFF—(1) Burgh, .	6084	6791	130	128	258	17	17	34	84	60	144	43
	(2) Landward,	869	949	14	11	25	1	1	2	2	5	7	4
148	Botriphnie, . . .	713	867	16	10	26	3	1	4	3	4	7	4
149	Boyndie, . . .	1564	1711	32	34	66	2	6	8	12	14	26	10
150	CULLEN (Burgh), .	1697	1821	33	36	69	3	3	6	11	23	34	16
151	Deskford, . . .	917	1031	18	14	32	1	1	2	11	8	19	5
152	Enzie, ...	c. 1872	2072	33	25	58	9	2	11	28	24	52	13
153	Fordyce, . . .	3807	4145	82	58	140	19	13	32	44	29	73	36
154	Forglen, ...	695	783	12	9	21	1	2	3	3	10	13	3
155	Gamrie, ...	2758	3019	54	64	118	7	11	18	30	25	55	25
156	Grange, ...	1851	1909	31	38	69	8	10	18	8	21	29	12
157	Inveravon—												
	(1) Inveravon, . .	c. 894	868	9	21	30	1	4	5	8	4	12	4
	(2) Auchbreck, .	c. 1820	1771	25	22	47	4	8	12	19	14	33	16
158	Inverkeithny, . . .	835	880	15	9	24	1	–	1	3	4	7	5
159	Keith, ...	4986	5943	96	101	197	19	15	34	45	61	106	39
160	Kirkmichael, etc.—												
	(1) Kirkmichael, .	c. 568	551	9	5	14	–	2	2	6	6	12	5
	(2) Tomintoul, . .	c. 990	960	15	13	28	2	2	4	13	6	19	5
161	Marnoch, . . .	2994	3289	56	48	104	16	4	20	20	27	47	22
162	Mortlach, . . .	2804	3095	37	40	77	6	6	12	24	28	52	22
163	Ordiquhill, . . .	644	764	12	14	26	1	4	5	4	11	15	14
164	Rathven (incl. Buckie),	c. 4664	4922	90	114	204	11	15	26	88	65	153	33
165	Rothiemay, . . .	1413	1414	13	18	31	6	5	11	5	20	25	11
166	St Fergus, . . .	1597	1608	23	35	58	3	8	11	21	14	35	5
167	Seafield (pt. of CULLEN),	c. 1468	1725	36	34	70	3	2	5	25	20	45	16
	Total,	51353	56020	939	947	1886	156	150	306	535	526	1061	391
	10. Aberdeen.												
168	ABERDEEN (Burgh)—												
	(1) St Nicholas, . .	41465	41962	781	672	1453	131	127	258	687	666	1353	362
	(2) Old Machar (Burghal)	30503	31938	511	466	977	84	58	142	400	440	840	219
	(3) Do. (Landward),	1254	1298	14	16	30	1	2	3	7	9	16	6
169	Aberdour, . . .	1707	1837	27	40	67	6	7	13	12	8	20	7
170	Aboyne, ...	1108	1160	15	21	36	3	3	6	7	17	24	5
171	Alford, ...	1143	1264	23	22	45	4	3	7	4	2	6	11
172	Auchindoir, . . .	1369	1593	29	30	59	5	10	15	7	13	20	12
173	Auchterless, . . .	1837	2010	42	34	76	4	6	10	7	19	26	15
174	Belhelvie, . . .	1692	1807	40	19	59	5	4	9	13	14	27	13
175	Birse, ...	1533	1284	28	13	41	7	2	9	6	9	15	2
176	Bourtie, . . .	529	547	11	4	15	3	2	5	1	5	6	2
177	Cabrach, . . .	750	794	10	12	22	1	3	4	10	2	12	6
178	Cairney, ...	1565	1490	26	20	46	7	3	10	6	16	22	12
179	Chapel of Garioch, . .	2102	2023	28	40	68	4	3	7	10	13	23	14
180	Clatt, ...	543	511	5	12	17	2	1	3	4	5	9	3
181	Cluny, ...	1149	1254	29	17	46	5	2	7	11	6	17	5
182	Coull, ...	734	792	14	11	25	2	2	4	2	4	6	7
183	Crathie and Braemar, .	1788	1574	17	19	36	–	4	4	13	12	25	2
184	Crimond, . .	893	892	11	11	22	3	3	6	12	6	18	2

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
185	Cruden,	2479	2743	53	39	92	9	3	12	22	16	38	18
186	Culsamond,	1042	1165	18	10	28	5	1	6	9	7	16	5
187	Daviot,	601	614	6	10	16	–	–	–	3	4	7	5
188	Drumblade,	949	926	12	8	20	3	2	5	8	7	15	9
189	Drumoak,	948	996	9	15	24	2	3	5	8	5	13	1
190	Dyce,	470	585	8	7	15	2	1	3	2	4	6	1
191	Echt,	1206	1287	13	13	26	2	1	3	6	10	16	9
192	Ellon,	c. 2750	3239	66	52	118	13	7	20	20	21	41	19
193	Fintray,	1080	1003	14	16	30	4	1	5	12	9	21	10
194	Forgue,	2626	2686	45	39	84	8	7	15	15	13	28	21
195	Foveran,	1638	1891	38	23	61	2	4	6	8	10	18	9
196	Fraserburgh,	4447	4511	93	84	177	8	11	19	46	48	94	23
197	Fyvie,	3927	4344	75	81	156	12	6	18	42	42	84	43
198	Gartly,	990	1029	11	13	24	3	2	5	5	3	8	8
199	Glass,	972	1049	17	12	29	3	1	4	4	4	8	5
200	Glenbucket,	542	552	8	10	18	2	2	4	4	2	6	1
201	Glenmuick, Tullich, and Glengairn,	1984	1668	19	22	41	1	4	5	16	17	33	10
202	Huntly,	4061	4329	80	72	152	13	12	25	34	32	66	30
203	Insch,	1519	1565	23	27	50	3	2	5	13	17	30	7
204	Inverury (including Burgh),	c. 2649	2668	51	54	105	11	9	20	18	19	37	22
205	Keig,	772	811	8	15	23	1	3	4	6	4	10	5
206	Keith-hall,	920	933	15	8	23	1	3	4	6	7	13	1
207	Kemnay,	680	832	12	18	30	1	2	3	5	4	9	3
208	Kildrummy,	643	590	8	9	17	–	2	2	6	2	8	3
209	Kincardine O'Neil,	2098	2186	27	44	71	6	8	14	20	17	37	18
210	King-Edward,	2749	2843	55	36	91	9	6	15	24	22	46	22
211	Kinnellar,	590	691	13	11	24	2	2	4	6	3	9	3
212	Kinnethmont,	1108	1187	14	18	32	4	–	4	9	8	17	7
213	Kintore (including Burgh),	1342	1895	33	33	66	4	4	8	21	15	36	10
214	Leochel-Cushnie,	1068	1173	17	19	36	4	2	6	7	10	17	16
215	Leslie,	559	577	10	5	15	3	–	3	3	2	5	6
216	Logie-Buchan,	724	762	14	13	27	3	3	6	5	4	9	6
217	Logie-Coldstone,	889	932	16	9	25	2	1	3	4	6	10	3
218	Longside,	2952	3008	49	45	94	10	10	20	24	26	50	18
219	Lonmay,	1964	2142	35	27	62	5	6	11	15	7	22	12
220	Lumphanan,	1088	1251	32	18	50	10	7	17	8	11	19	12
221	Methlic,	1997	2157	38	34	72	8	7	15	19	21	40	10
222	Midmar,	1166	1091	11	15	26	2	6	8	4	7	11	5
223	Monquhitter,	2295	2580	53	43	96	7	9	16	14	22	36	16
224	Monymusk,	940	988	14	11	25	–	1	1	5	4	9	7
225	New Deer,	c. 3383	3736	67	75	142	12	14	26	27	21	48	20
226	Newhills,	3325	3463	42	55	97	5	6	11	25	25	50	23
a227	New Machar,	c. 1338	1556	27	21	48	4	2	6	13	16	29	12
b227	New Pitsligo,	c. 2425	2609	54	41	95	11	5	16	18	23	41	18
228	Old Deer,	c. 4025	4392	68	68	136	14	11	25	29	24	53	25
229	Old Meldrum,	2002	2343	50	44	94	7	9	16	20	12	32	21
230	Oyne,	919	1127	22	22	44	3	7	10	7	3	10	3
231	Peterculter,	1351	1410	19	16	35	5	3	8	5	9	14	12
232	Peterhead—												
	(1) Burgh,	7298	9796 (Burgh and Landward)	160	138	298	15	7	22	98	104	202	74
	(2) Landward,	2131		42	36	78	5	–	5	17	20	37	16
233	Pitsligo,	1801	1890	40	47	87	2	8	10	19	17	36	12
234	Premnay,	793	916	10	16	26	2	2	4	7	10	17	5
235	Rathen,	2368	2554	41	44	85	5	3	8	18	25	43	12
236	Rayne,	1550	1514	24	28	52	2	4	6	5	9	14	6
a237	Rhynie,	1017	1061	13	28	41	2	11	13	9	4	13	4

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
*b*237	Savoch, ...	*c.* 1852	2061	31	29	60	3	7	10	16	12	28	8
238	Skene, ...	1862	1831	25	28	53	2	4	6	15	7	22	12
239	Slains, ...	1232	1266	20	17	37	4	1	5	13	6	19	5
240	Strathdon, . . .	1531	1459	19	31	50	3	10	13	10	11	21	8
241	Strichen, . . .	2223	2409	52	40	92	13	9	22	23	31	54	17
242	Tarland, . . .	1197	1246	21	19	40	4	1	5	10	13	23	16
243	Tarves, ...	*c.* 2339	2377	43	26	69	11	9	20	28	12	40	20
244	Tough, ...	891	874	13	10	23	8	4	12	3	4	7	4
245	Towie, ...	758	839	17	11	28	6	3	9	6	5	11	10
246	Tullynessle and Forbes,	930	957	12	17	29	4	3	7	–	12	12	4
247	Turriff, ...	3584	3693	74	58	132	13	10	23	28	35	63	20
248	Tyrie, ...	*c.* 775	833	17	9	26	2	2	4	5	5	10	6
249	Udny, ...	*c.* 1473	1623	26	36	62	2	6	8	9	11	20	9
	Total,	213461	223344	3843	3527	7370	634	567	1201	2208	2244	4452	1546
	11. KINCARDINE.												
250	Arbuthnot, . . .	1002	932	18	11	29	4	1	5	2	10	12	8
251	Banchory-Devenick—												
	(1) Ban.-Devenick, .	*c.* 1298	1232	24	24	48	2	–	2	13	9	22	8
	(2) Portlethen, . .	*c.* 1780	1687	42	18	60	12	3	15	22	11	33	11
252	Banchory-Ternan, . .	2462	2947	52	49	101	7	8	15	19	27	46	18
253	Benholm, . . .	1641	1574	22	28	50	3	3	6	15	12	27	6
254	BERVIE (incl. Burgh), .	1459	1561	23	24	47	2	6	8	14	15	29	16
255	DUNNOTTAR, . . .	1949	1828	25	29	54	6	5	11	22	15	37	5
256	Durris, ...	962	1109	11	19	30	1	3	4	7	6	13	8
257	Fettercairn, . . .	1741	1700	24	38	62	5	8	13	11	15	26	7
258	FETTERESSO—												
	(1) Fettersso, . .	*c.* 3730	3575	43	48	91	6	4	10	34	52	86	25
	(2) Cookney, . .	*c.* 1990	1952	32	25	57	5	1	6	17	14	31	5
259	Fordoun, . . .	2386	2297	26	35	61	3	4	7	24	30	54	15
260	Garvock, . . .	457	458	9	3	12	–	–	–	5	2	7	4
261	Glenbervie, . . .	1239	1219	11	20	31	1	1	2	6	16	22	6
262	Kinneff and Catterline, .	1069	1054	10	12	22	1	1	2	7	10	17	5
263	Laurencekirk, . .	2125	2110	21	39	60	3	6	9	13	14	27	14
264	Maryculter, . . .	1055	1055	22	11	33	4	4	8	7	11	18	5
265	Marykirk, . . .	2232	2068	36	31	67	7	9	16	19	19	38	17
266	Nigg, ...	1841	2074	33	43	76	3	6	9	14	27	41	18
267	St Cyrus, . . .	1579	1552	29	31	60	1	5	6	11	13	24	17
268	Strachan, . . .	947	870	13	15	28	1	4	5	7	8	15	10
	Total,	34944	34854	526	553	1079	77	82	159	289	336	625	228
	IV. EAST-MIDLAND. 12. FORFAR.												
269	Aberlemno, . . .	1116	1054	15	13	28	2	–	2	6	3	9	7
270	Airlie, ...	856	845	8	14	22	–	1	1	4	5	9	4
271	Arbirlot, . . .	990	960	15	17	32	–	–	–	10	7	17	6
272	ARBROATH (including Burgh), . . .	17238	17831	321	301	622	24	29	53	147	160	307	142
273	Auchterhouse, . .	686	706	14	5	19	2	1	3	4	4	8	4
274	Barry, ...	2175	2465	35	23	58	3	3	6	19	29	48	15
275	BRECHIN (incl. Burgh),	8210	8810	159	136	295	24	25	49	80	87	167	46
276	Carmylie, . . .	1240	1286	22	25	47	4	3	7	12	12	24	6
277	Careston, . . .	207	225	2	1	3	–	1	1	3	–	3	1
278	Cortachy and Clova, .	722	653	11	8	19	1	–	1	2	5	7	5
279	Coupar-Angus, . .	2685	2642	38	44	82	8	9	17	20	18	38	30

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
280	Craig (incl. part of MONTROSE Burgh), .	1934	2177	45	38	83	3	3	6	24	12	36	20
281	Dun, ...	522	552	7	5	12	–	1	1	–	4	4	6
282	DUNDEE (Burgh)—												
	(1) First District, .	c.39960	44064	874	771	1645	85	78	163	657	671	1328	403
	(2) Second District, .	c.34835	40813	778	798	1576	109	88	197	638	750	1388	280
	(3) Third (or Lochee) Dis.	c. 5232	6787	112	111	223	16	16	32	88	99	187	41
283	Dunnichen, . . .	1884	1932	28	34	62	4	2	6	17	25	42	10
284	Eassie and Nevay, .	706	748	11	18	29	–	4	4	6	5	11	2
285	Edzell, ...	1084	1025	21	17	38	2	–	2	8	8	16	3
286	Farnell, ...	650	703	10	12	22	3	1	4	5	1	6	3
287	Fearn, ...	392	439	–	6	6	–	–	–	3	1	4	2
288	FORFAR (incl. Burgh),	11009	10838	186	183	369	32	33	65	105	131	236	88
289	Glammis, ...	2152	1980	35	33	68	6	2	8	22	17	39	13
290	Glenisla, ...	1050	1008	17	13	30	–	1	1	7	7	14	7
291	Guthrie, ...	469	476	8	4	12	–	–	–	3	1	4	2
292	Inverarity, ...	948	961	13	11	24	–	1	1	8	10	18	8
293	Inverkeillor, ...	1871	1792	32	28	60	–	2	2	12	16	28	5
294	Kettins, ...	995	962	11	10	21	3	4	7	5	2	7	4
295	Kingoldrum, ...	429	473	8	6	14	–	–	–	2	4	6	4
296	Kinnell, ...	826	816	7	13	20	–	2	2	6	6	12	1
297	Kinnettles, ...	460	447	3	10	13	1	–	1	2	3	5	4
298	Kirkden, ...	1763	1862	41	29	70	5	2	7	23	16	39	12
299	KIRRIEMUIR (incl. Town),	7617	7359	125	131	256	14	24	38	55	64	119	41
300	Lethnott and Navar, .	408	446	5	9	14	2	–	2	2	3	5	3
301	Liff, Benvie, and Invergowrie, . . .	1467	1430	30	20	50	1	1	2	16	14	30	9
302	Lintrathen, ...	926	898	15	16	31	1	2	3	13	9	22	3
303	Lochlee, ...	615	495	3	6	9	–	1	1	4	2	6	3
304	Logie-Pert, ...	1609	1483	28	18	46	3	2	5	6	10	16	5
305	Lunan, ...	279	259	2	4	6	–	–	–	1	3	4	2
306	Lundie, ...	450	442	4	9	13	–	1	1	1	7	8	1
307	Mains, etc.—(1) Mains,	1299	1392	25	26	51	1	3	4	17	8	25	11
	(2) Strathmartine, .	735	789	8	10	18	1	–	1	8	7	15	3
308	Marytown, ...	366	417	4	4	8	–	–	–	5	1	6	3
309	Menmuir, ...	693	796	17	4	21	–	1	1	6	7	13	3
310	Monifieth (including part of BROUGHTY-FERRY),	4267	5052	72	85	157	3	5	8	67	50	117	35
311	Monikie, ...	1317	1460	29	22	51	4	4	8	18	9	27	9
312	MONTROSE (incl. part of Burgh), . . .	16037	15668	250	228	478	33	26	59	168	179	347	98
313	Murroes, ...	643	763	15	5	20	–	–	–	3	6	9	3
314	Newtyle, ...	1141	1139	23	18	41	3	5	8	12	20	32	7
315	Oathlaw, ...	424	399	9	7	16	1	2	3	4	6	10	3
316	Panbride, ...	1372	1299	18	23	41	1	2	3	10	21	31	4
317	Rescobie, ...	711	747	15	12	27	1	2	3	3	5	8	3
318	Ruthven, ...	503	265	7	4	11	1	1	2	6	1	7	1
319	St Vigeans, ...	2591	2553	58	33	91	5	4	9	18	18	36	13
320	Stracathro, ...	505	546	12	10	22	5	–	5	5	7	12	4
321	Tannadice, ...	1517	1438	25	25	50	4	3	7	8	13	21	9
322	Tealing, ...	844	883	13	11	24	3	1	4	3	8	11	12
	Total,	193627	206750	3699	3477	7176	424	402	826	2407	2597	5004	1472
	13. PERTH.												
323	Aberdalgie, . . .	343	295	2	6	8	–	–	–	2	2	4	2
324	Aberfeldy, . . .	c. 2702	2402	27	31	58	2	9	11	22	30	52	9
325	Aberfoyle, . . .	514	565	8	10	18	–	1	1	2	12	14	5
326	Abernethy, . . .	2026	1960	28	26	54	1	2	3	13	7	20	15

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
327	Albernyte, . . .	275	310	4	4	8	–	–	–	1	2	3	3
328	Alyth (incl. Town), .	c. 2946	3198	64	58	122	13	15	28	51	52	103	15
329	Auchterarder (including Town), . . .	4160	4208	74	63	137	14	8	22	35	42	77	22
330	Auchtergaven, . .	3232	2562	34	36	70	7	5	12	25	28	53	12
331	Balquhidder, . . .	874	746	8	7	15	–	–	–	11	6	17	2
332	Bendochy, . . .	c. 552	549	10	7	17	1	1	2	2	2	4	1
333	Blackford, . . .	c. 2012	2084	35	32	67	2	1	3	23	15	38	14
334	Blair-Athol, . . .	c. 1951	1553	17	14	31	–	3	3	11	21	32	7
335	Blairgowrie (including Town), . . .	c. 4081	4423	62	64	126	5	4	9	37	67	104	26
336	Callander, . . .	1716	1676	22	23	45	3	–	3	20	24	44	9
337	Caputh, ...	c. 1920	1728	23	20	43	3	4	7	11	16	27	8
338	Cargill, . . .	1629	1647	25	25	50	1	4	5	9	16	25	8
339	Clunie, . . .	723	699	11	10	21	–	1	1	9	2	11	4
340	Collace, . . .	581	534	7	9	16	–	1	1	4	6	10	3
341	Comrie, . . .	2463	2226	30	18	48	7	2	9	22	26	48	8
342	Crieff (incl. Town), .	4504	4490	62	75	137	7	12	19	55	54	109	23
343	CULROSS (incl. Burgh),	1487	1423	21	21	42	5	4	9	9	11	20	6
344	Dowally, . . .	c. 531	486	7	7	14	-	2	2	5	3	8	1
345	Dron, ...	394	376	3	8	11	–	–	–	–	2	2	3
346	Dull, ...	c. 855	753	6	7	13	–	–	–	6	10	16	3
347	Dunbarney, . . .	1066	1035	17	19	36	1	1	2	11	8	19	5
348	Dunblane, . . .	c. 3213	3096	51	51	102	8	8	16	26	43	69	16
349	Dunkeld, . . .	c. 1199	1086	16	21	37	1	1	2	16	7	23	5
350	Dunning, . . .	2206	2084	32	38	70	6	4	10	19	34	53	13
351	Errol, ...	2796	2759	47	52	99	4	4	8	23	21	44	16
352	Findo-Gask, . . .	405	399	6	2	8	1	–	1	4	3	7	1
353	Forgandenny, . . .	828	739	10	15	25	–	1	1	6	1	7	1
354	Forteviot, . . .	638	595	8	6	14	1	1	2	1	5	6	5
a355	Fortingall, . . .	c. 1409	1244	17	9	26	2	3	5	10	8	18	2
b355	Foss, ...	c. 432	381	8	3	11	1	–	2	4	2	6	5
356	Fowlis-Easter, . .	300	317	10	3	13	2	–	2	–	2	2	1
357	Fowlis-Wester, . .	1321	1276	16	19	35	2	3	5	14	9	23	4
358	Glendovan, . . .	128	138	2	2	4	–	–	–	–	–	–	1
359	Inchture, . . .	745	659	9	13	22	–	1	1	5	3	8	1
360	Kenmore, . . .	c. 1718	1515	19	22	41	2	1	3	9	14	23	8
361	Killin, ...	c. 1817	1681	24	14	38	5	1	6	9	15	24	6
362	Kilmadock, . . .	3659	3312	45	55	100	1	6	7	33	39	72	20
363	Kilspindie, . . .	684	665	7	11	18	–	–	–	4	1	5	2
364	Kincardine, . . .	1993	1778	29	23	52	5	4	9	13	21	34	8
365	Kinclaven, . . .	881	758	9	8	17	–	–	–	6	4	10	4
366	Kinfauns, . . .	650	657	11	10	21	2	1	3	4	2	6	2
367	Kinloch-Rannoch, . .	c. 1303	1147	12	18	30	3	1	4	6	9	15	3
368	Kinnaird, . . .	370	318	2	5	7	–	–	–	5	3	8	–
369	Kinnoull, . . .	771	796	11	14	25	–	–	–	3	4	7	4
370	Kirkmichael—												
	(1) Kirkmichael, . .	c. 849	812	17	10	27	2	2	4	9	5	14	11
	(2) Glenshee, . .	c. 349	334	6	2	8	–	–	–	–	2	2	3
371	Lecropt, . . .	442	538	11	5	16	2	–	2	9	8	17	4
372	Lethendy and Kinloch, .	c. 544	530	6	9	15	2	1	3	10	5	15	1
373	Little Dunkeld, . .	c. 2140	2089	37	22	59	3	5	8	17	16	33	8
374	Logie (including part of STIRLING), . .	2551	3483	39	35	74	3	2	5	31	34	65	21
375	Logiealmond, . . .	c. 959	815	9	12	21	1	1	2	6	7	13	3
376	Logierait, . . .	c. 2109	1902	23	18	41	–	2	2	24	26	50	7
377	Longforgan, . . .	1787	1823	34	33	67	2	2	4	15	19	34	6
378	Madderty, . . .	593	536	9	5	14	2	–	2	4	2	6	6
379	Meigle, ...	978	1122	17	18	35	1	2	3	8	11	19	10

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
380	Methven,	c. 2394	2290	40	43	83	7	3	10	25	22	47	18
381	Moneydie,	321	252	1	2	3	1	–	1	1	2	3	2
382	Monzie,	c. 569	461	4	8	12	–	1	1	5	4	9	–
383	Monzievaird,	790	782	17	10	27	2	–	2	6	9	15	2
384	Moulin,	c. 1772	1605	17	15	32	3	–	3	10	13	23	4
385	Muckhart,	685	615	10	7	17	1	3	4	4	2	6	3
a386	Muthill,	c. 2972	2808	50	43	93	8	5	13	32	39	71	22
b387	Persie,	c. 814	839	9	15	24	1	2	3	6	3	9	4
387	PERTH—(1) Burgh,	23835	26094	417	394	811	33	26	59	319	345	664	223
	(2) Landward,	835		12	11	23	1	2	3	5	5	10	4
388	Port of Menteith,	1419	1375	26	17	43	4	6	10	14	14	28	6
389	Rattray,	c. 2308	2234	38	25	63	5	2	7	18	21	39	4
390	Redgorton,	c. 1955	1596	23	17	40	1	3	4	11	11	22	14
391	Rhynd,	338	297	1	8	9	1	–	1	1	–	1	4
392	St Madoes,	288	280	4	4	8	–	2	2	–	4	4	1
393	St Martins,	983	904	12	12	24	2	1	3	5	7	12	9
a394	Scone,	2332	2153	31	40	71	2	3	5	18	24	42	21
b394	Strathfillan,	c. 435	411	4	7	11	–	1	1	2	5	7	2
c394	Tenandry,	c. 681	595	10	3	13	–	–	–	7	6	13	3
395	Tibbermore,	1469	1182	17	10	27	2	1	3	4	7	11	11
396	Trinity-Gask,	597	488	4	6	10	–	1	1	–	1	1	6
397	Tulliallan (including KINCARDINE),	3043	2410	35	31	66	7	3	10	24	28	52	20
398	Weem,	c. 230	215	5	2	7	1	–	1	2	4	6	1
	Total,	137369	133198	2003	1913	3916	219	202	421	1268	1425	2693	806
	14. Fife.												
399	Abbotshall,	688	808	10	4	14	1	–	1	1	6	7	1
400	Abdie,	c. 1353	1257	24	17	41	2	1	3	12	8	20	8
401	Aberdour,	1945	1874	34	30	64	4	1	5	16	17	33	11
402	ANSTRUTHER-EASTER (Burgh),	1161	1155	22	14	36	4	–	4	12	12	24	6
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	5	4	9	–	–	–	1	5	6	5
404	Arngask,	689	705	9	7	16	–	2	2	8	2	10	3
405	Auchterderran,	3210	3457	80	75	155	5	6	11	40	31	71	32
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	67	54	121	12	8	20	42	42	84	18
407	Auchtertool,	517	609	11	15	26	1	2	3	8	7	15	2
408	Ballingry,	568	736	19	20	39	1	2	3	12	5	17	2
409	Balmerino,	945	815	13	12	25	1	–	1	9	6	15	7
410	Beath,	1252	2390	59	60	119	2	3	5	28	29	57	1
411	BURNTISLAND (incl. Burgh),	3158	3670	69	55	124	–	2	2	36	24	60	24
412	Cameron,	1207	1362	18	28	46	2	2	4	9	4	13	5
413	Carnbee,	1129	1157	14	15	29	–	–	–	4	9	13	11
414	Carnock,	3191	2925	46	59	105	3	2	5	14	29	43	9
415	Ceres,	2833	2723	47	41	88	2	5	7	11	14	25	12
416	Collessie,	1520	1530	26	14	40	7	2	9	16	6	22	10
417	CRAIL (incl. Burgh),	1903	1931	25	23	48	4	–	4	13	23	36	12
418	Criech,	386	377	8	5	13	1	1	2	7	3	10	3
419	Cults,	915	800	12	17	29	2	1	3	9	8	17	7
420	CUPAR (incl. Burgh),	7427	6750	105	78	183	12	10	22	77	53	130	48
421	Dairsie,	708	638	6	9	15	–	1	1	9	5	14	5
422	Dalgetty,	1513	1569	40	31	71	4	1	5	22	7	29	7
423	Dunbog,	c. 409	414	5	11	16	1	–	1	2	–	2	3
424	DUNFERMLINE—(1) Burgh,	13836	13506	235	186	421	17	11	28	147	173	320	148
	(2) Landward,	c. 7602	7609	166	157	323	14	5	19	106	86	192	24

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
425	Dunino, ...	289	370	5	3	8	2	–	2	3	1	4	4
426	DYSART (incl. Burgh),	8739	8842	134	144	278	10	5	15	64	91	155	59
427	Elie, ...	843	826	16	15	31	1	–	1	6	8	14	7
428	FALKLAND (incl. Burgh)	3102	2937	45	37	82	3	2	5	28	30	58	10
429	Ferry-Port-on-Craig, .	2238	2013	31	32	63	1	–	1	18	17	35	7
430	Flisk, ...	c. 157	230	5	2	7	–	–	–	–	1	1	–
431	Forgan, ...	1125	1326	16	16	32	–	–	–	11	13	24	4
432	INVERKEITHING (incl. Burgh), . .	c. 2748	3196	78	39	117	6	2	8	32	24	56	23
433	Kemback, . . .	956	896	13	12	25	3	2	5	8	6	14	7
434	Kennoway, . . .	2257	2012	24	33	57	3	6	9	8	18	26	19
435	Kettle, ...	2601	2474	41	35	76	5	7	12	17	21	38	11
436	KILCONQUHAR (incl. EARLSFERRY), .	2489	2431	44	36	80	5	–	5	20	17	37	13
437	Kilmany, . . .	662	656	12	10	22	–	–	–	5	3	8	3
438	KILRENNY (incl. Burgh)	2194	2534	34	49	83	2	2	4	13	24	37	14
439	KINGHORN (incl. Burgh)	2455	2349	29	35	64	3	7	10	29	31	60	14
440	Kinglassie, . . .	1186	1266	22	23	45	–	1	1	11	6	17	8
441	Kingsbarns, . . .	893	937	15	18	33	1	1	2	8	3	11	6
442	KIRKCALDY (including Burgh), . . .	10636	11117	168	178	346	8	6	14	94	116	210	96
443	Largo, ...	2800	2626	42	56	98	1	6	7	26	26	52	11
444	Leslie (incl. Town), .	3800	4332	50	59	109	5	11	16	41	49	90	28
445	Leuchars, . . .	1991	1903	39	38	77	4	4	8	24	10	34	8
446	Logie, ...	467	410	11	4	15	–	1	1	–	2	2	5
447	Markinch, . . .	5843	5375	96	94	190	7	6	13	61	56	117	44
448	Monimail, . . .	1102	1054	11	11	22	–	2	2	6	7	13	3
449	Moonzie, . . .	198	179	3	3	6	–	–	–	–	1	1	–
450	NEWBURGH (including Burgh), . . .	2986	2693	38	51	89	4	2	6	20	33	53	13
451	Newburn, . . .	375	374	5	6	11	–	1	1	2	3	5	1
452	PITTENWEEM (incl. Burgh), . . .	1473	1710	32	31	63	4	1	5	25	17	42	11
453	ST ANDREWS and ST LEONARDS (incl. Bur. of St Andrews), . .	7327	7605	111	107	218	9	7	16	58	69	127	54
454	St Monance (or Abercrombie), . . .	1241	1498	23	35	58	1	2	3	21	32	53	4
455	Saline, ...	1792	1610	33	27	60	–	–	–	12	5	17	12
456	Scoonie (incl. Leven), .	3115	3257	51	62	113	1	2	3	30	30	60	20
457	Strathmiglo, . . .	2509	2261	30	27	57	6	3	9	24	23	47	16
458	Torryburn, . . .	1341	1229	18	15	33	1	1	2	15	10	25	16
459	Wemyss, . . .	5647	6003	122	108	230	3	6	9	62	55	117	23
	Total,	153789	155021	2622	2492	5114	201	164	365	1473	1472	2945	998
	15. Kinross.												
460	Cleish, ...	659	649	9	11	20	–	–	–	6	4	10	2
461	Fossoway and Tulliebole,	1621	1584	23	18	41	2	3	5	14	16	30	4
462	Kinross (incl. Town), .	3227	2649	46	40	86	3	5	8	25	35	60	14
463	Orwell, ...	2569	2399	28	36	64	3	6	9	21	18	39	13
464	Portmoak, . . .	1550	1450	26	18	44	3	1	4	9	12	21	11
	Total,	9626	8731	132	123	255	11	15	26	75	85	160	44
	16. Clackmannan.												
465	Alloa (incl. Town), .	9493	8867	159	159	318	12	8	20	86	91	177	64
466	Clackmannan, . .	5802	4425	86	96	182	9	13	22	49	31	80	43
467	Dollar, ...	1574	1776	25	18	43	–	4	4	15	20	35	10

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
468	Tillicoultry (including Town), . . .	4686	5054	93	94	187	10	13	23	48	53	101	39
	Total,	21555	20122	363	367	730	31	38	69	198	195	393	156
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth, ...	1319	1194	28	21	49	1	1	2	9	9	18	13
470	Alva (incl. Town), .	3204	3283	61	54	115	8	4	12	40	35	75	18
471	Baldernock, . . .	801	718	13	11	24	3	–	3	7	2	9	2
472	Balfron, ...	1900	1517	31	33	64	5	3	8	16	15	31	13
473	Bothkennar, . . .	1179	1722	35	35	70	2	1	3	16	14	30	15
474	Buchanan, . . .	632	705	11	4	15	–	–	–	5	10	15	1
475	Campsie (including Lennoxtown), . . .	6918	6483	126	115	241	10	13	23	74	73	147	47
476	Denny (incl. Town), .	4754	4988	91	94	185	9	11	20	50	59	109	36
477	Drymen, ...	1481	1619	29	25	54	3	4	7	8	11	19	8
478	Dunipace, ...	1472	1731	20	30	50	1	5	6	25	24	49	9
479	FALKIRK—(1) Burgh, .	8752	9030	157	159	316	16	15	31	144	109	253	59
	(2) Landward,	7686	7996	161	138	299	16	9	25	90	77	167	72
480	Fintry, ...	823	685	10	11	21	1	1	2	7	12	19	4
481	Gargunnock, . . .	754	728	14	13	27	2	–	2	2	5	7	4
482	Killearn, ...	1176	1171	18	14	32	2	–	2	7	8	15	7
483	Kilsyth (incl. Town), .	5346	6112	123	123	246	13	18	31	69	75	144	35
484	Kippen, ...	1892	1722	23	27	50	2	7	9	18	18	36	8
485	Larbert, ...	4606	4999	98	94	192	6	4	10	52	47	99	28
486	Muiravonside, . .	2647	2660	44	47	91	3	3	6	20	19	39	5
487	Polmont, ...	3764	4111	97	83	180	11	6	17	41	30	71	22
488	St Ninians (including Bannockburn), . .	7630	6648	102	107	209	10	12	22	63	60	123	51
489	Slamannan, ...	1655	2916	69	68	137	3	1	4	24	14	38	17
490	STIRLING (incl. Burgh),	12401	14012	253	237	490	28	17	45	158	156	314	146
491	Strathblane, . .	1010	1388	38	36	74	7	6	13	13	9	22	9
	Total,	83802	88138	1652	1579	3231	162	141	303	958	891	1849	629
	18. Dumbarton.												
492	Arrochar, ...	562	629	9	4	13	–	–	–	7	3	10	3
493	Bonhill (includ. Alexandria), ...	7819	9059	165	132	297	7	2	9	102	106	208	77
494	Cardross (incl. Renton),	3402	4168	91	68	159	6	9	15	53	66	119	34
495	Cumbernauld, . .	3778	3513	63	81	144	4	10	14	25	27	52	19
496	DUMBARTON (Burgh),	5445	8268	188	164	352	4	3	7	118	122	240	45
497	Kilmaronock, . .	1033	1085	19	11	30	–	3	3	8	3	11	5
498	Kirkintilloch, . .	8426	8179	145	168	313	13	20	33	82	80	162	57
499	Luss, ...	907	831	10	13	23	2	1	3	4	12	16	1
500	New, or East, Kilpatrick,	4286	4910	102	90	192	5	9	14	63	41	104	28
501	Old, or West, Kilpatrick	5921	5577	104	86	190	7	–	7	67	75	142	35
502	Roseneath, . . .	1044	1626	26	14	40	–	–	–	20	16	36	11
503	Row, ...	4372	6334	99	105	204	7	6	13	59	66	125	47
	Total,	46995	54179	1021	936	1957	55	63	118	608	617	1225	362
	19. Argyll. *Mainland.*												
504	Ardchattan, . . .	1525	1381	21	12	33	1	–	1	9	18	27	5
505	Ardnamurchan—												
	(1) Aharacle, . .	c. 1791	1544	25	23	48	1	3	4	5	11	16	4
	(2) Arisaig, . .	c. 1555	1343	20	12	32	–	–	–	9	9	18	6
	(3) Sunart (or Strontian)	c. 875	759	12	9	21	1	2	3	1	10	11	1
	(4) Western District, .	c. 1225	1054	20	9	29	1	1	2	10	16	26	8

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
506	Ballachulish and Corran of Ardgour,	c. 1125	919	18	11	29	1	–	1	7	3	10	7
507	CAMPBELTOWN (incl. Burgh),	9381	8149	136	108	244	9	8	17	82	88	170	40
508	Craignish,	756	618	8	8	16	–	1	1	3	3	6	3
509	Cumlodden,	1095	1033	17	16	33	–	–	–	9	7	16	5
510	Dunoon and Kilmun,	4518	5461	93	83	176	8	4	12	53	47	100	26
511	Glassary,	c. 1860	1769	32	23	55	2	–	2	11	17	28	13
512	Glenorchy and Inishail,	1450	1307	16	13	29	1	–	1	6	11	17	3
513	INVERARAY (including Burgh),	1755	1650	29	15	44	4	1	5	13	23	36	8
514	Inverchaolain,	474	424	9	3	12	–	–	–	4	2	6	4
515	Kilbrandon & Kilchattan,	c. 2571	2053	32	21	53	1	1	2	21	25	46	10
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	c. 930	742	9	3	12	–	–	–	7	12	19	3
	(2) Kilberry,	689	583	6	13	19	–	–	–	5	4	9	–
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	5	5	10	1	2	3	1	4	5	4
	(2) Dalavich,	282	230	4	–	4	–	–	–	1	3	4	–
518	Kilfinan,	1695	1891	22	28	50	2	–	2	18	12	30	4
519	Killean and Kilchenzie,	2219	1890	29	20	49	3	1	4	13	16	29	9
520	Kilmalie,	c. 4110	3353	37	35	72	3	2	5	30	38	68	13
521	Kilmartin,	1144	949	9	20	29	1	1	2	7	5	12	8
522	Kilmodan,	500	433	7	4	11	–	–	–	2	6	8	3
523	Kilmore and Kilbride,	3131	2962	33	34	67	2	1	3	33	21	54	17
524	Kilninver, etc.—												
	(1) Kilninver,	449	314	3	6	9	–	1	1	5	9	14	2
	(2) Kilmelford,	265	486	10	8	18	–	–	–	8	6	14	2
525	Lismore, etc.—												
	(1) Lismore,	c. 1167	1023	20	13	33	2	4	6	14	15	29	6
	(2) Appin,	c. 940	825	11	12	23	–	2	2	2	10	12	3
	(3) Glencoe & Ballachulish,	c. 1510	1324	15	17	32	2	2	4	6	6	12	4
	(4) Duror,	c. 480	423	6	6	12	2	–	2	6	2	8	1
526	Lochgilphead,	c. 3263	3312	57	57	114	1	2	3	37	18	55	20
527	Lochgoilhead & Kilmorich,	834	702	10	14	24	1	2	3	5	9	14	3
528	Morvern,	1547	1226	19	18	37	3	2	5	11	7	18	5
529	Muckairn,	788	729	7	12	19	1	–	1	13	9	22	2
530	North Knapdale,	1666	1327	15	20	35	–	1	1	12	11	23	8
531	Saddell, etc.—												
	(1) Saddell,	791	739	9	11	20	–	1	1	5	5	10	–
	(2) Skipness,	c. 705	533	7	5	12	–	–	–	3	1	4	–
532	Southend,	1406	1214	20	20	40	–	2	2	9	11	20	4
533	South Knapdale,	565	654	9	10	19	1	1	2	6	3	9	–
534	Stralachlan, etc.—												
	(1) Stralachlan,	397	309	1	4	5	–	–	–	3	3	6	2
	(2) Strachur,	518	563	7	7	14	–	1	1	4	6	10	3
535	Tarbert,	c. 1828	1661	38	33	71	–	–	–	18	23	41	2
	Insular.												
536	Bowmore (or Kilarrow),	3469	2701	36	37	73	5	3	8	23	26	49	8
537	Gigha,	547	467	5	5	10	–	–	–	1	3	4	–
538	Iona,	c. 900	743	11	10	21	–	–	–	3	10	13	1
539	Jura, etc.—(1) Jura,	c. 868	858	13	13	26	1	1	2	4	4	8	–
	(2) Colonsay,	837	598	3	6	9	–	–	–	2	3	5	4
540	Kilchoman,	c. 2865	2377	34	36	70	4	3	7	13	21	34	8
541	Kildalton,	c. 2450	2187	38	29	67	2	1	3	25	19	44	7
542	Kilfinichen & Kilvickeon,	c. 2171	1792	27	17	44	4	2	6	18	11	29	12
543	Kilmeny,	1413	1268	22	19	41	2	2	4	16	7	23	1

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
544	Kilninian and Kilmore, .	c. 1890	1641	25	24	49	2	1	3	16	20	36	3
545	Kinlochspelvie, . .	c. 420	428	4	9	13	–	–	–	1	3	4	3
546	Oa, ...	c. 860	769	17	11	28	–	–	–	4	5	9	9
547	Portnahaven, . . .	c. 1277	1059	16	12	28	2	–	2	12	9	21	3
548	Salen, ...	c. 634	604	5	15	20	–	–	–	7	4	11	3
549	Tobermory, . . .	c. 1804	1566	22	20	42	3	–	3	26	26	52	6
550	Torosay, . . .	c. 550	557	10	6	16	1	–	1	4	4	8	5
551	Tyree, etc.—(1) Tyree, .	3709	3217	37	27	64	–	2	2	48	48	96	5
	(2) Coll, .	1109	781	16	7	23	2	–	2	10	13	23	1
	Total,	94042	83859	1254	1104	2358	83	64	147	760	801	1561	350
	20. Bute.												
552	Cumbraes, . . .	1275	1256	16	11	27	–	–	–	14	11	25	13
553	Kilbride, ...	c. 2340	2253	19	20	39	3	2	5	27	16	43	10
554	Kilmory, ...	c. 2724	2515	31	24	55	–	–	–	21	11	32	9
555	Kingarth, . . .	1007	905	14	11	25	1	1	2	8	7	15	4
556	Lochranza, . . .	c. 883	824	8	6	14	–	–	–	5	2	7	–
557	North Bute, . . .	c. 1235	1351	16	16	32	2	2	4	11	9	20	5
558	ROTHESAY (Burgh), .	c. 7144	7227	89	96	185	5	13	18	84	92	176	46
	Total,	16608	16331	193	184	377	11	18	29	170	148	318	87
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Abbey District—(portion of Burgh of PAISLEY), . .	16351	15889	320	304	624	26	28	54	238	245	483	162
	(2) Do. (Landward), .	c. 4867	5670	121	114	235	7	6	13	62	48	110	36
	(3) Johnstone District,	c. 7363	8142	166	164	330	7	11	18	117	101	218	68
560	Cathcart, . .	2916	3782	69	61	130	5	1	6	43	33	76	30
561	Eaglesham, . .	2524	2328	34	31	65	3	2	5	25	21	46	20
562	Eastwood, . . .	9243	11314	213	224	437	20	18	38	138	135	273	85
563	Erskine, ...	1232	1457	30	20	50	1	2	3	5	13	18	15
564	GREENOCK (Burgh)—												
	(1) New, or Middle, .	9414	9446	191	188	379	24	22	46	152	137	289	45
	(2) East, . . .	7704	12135	271	247	518	3	6	9	145	147	292	113
	(3) Old, or West, . .	20318	22313	401	400	801	19	24	43	370	304	674	194
565	Houston and Killellan, .	2753	2490	44	45	89	6	5	11	24	29	53	16
566	Inchinnan, . . .	649	619	9	12	21	–	–	–	5	3	8	3
567	Innerkip—(1) Innerkip, .	c. 1026	1188	12	19	31	–	1	1	8	9	17	7
	(2) Gourock,	c. 1992	2307	41	30	71	1	2	3	30	27	57	14
568	Kilbarchan (incl. Town),	5474	6348	119	122	241	8	6	14	63	77	140	39
569	Kilmalcolm, . . .	1399	1455	18	19	37	–	–	–	17	15	32	10
570	Lochwinnoch, . .	4153	3821	50	57	107	6	5	11	39	46	85	22
571	Mearns, ...	3704	3547	53	61	114	7	5	12	33	38	71	29
572	Neilston (including part of Barrhead), . .	12233	11013	207	166	373	21	20	41	108	113	221	60
573	PAISLEY (Bur., part of)—												
	(1) High, . . .	14643	14900	296	325	621	16	20	36	173	175	348	105
	(2) Low, . . .	7205	6712	136	110	246	9	10	19	122	117	239	55
	(3) Middle, . . .	9904	9926	199	205	404	12	25	37	147	161	308	92
574	PORT-GLASGOW (incl. Burgh), . . .	7017	7294	146	142	288	13	9	22	105	90	195	56
575	RENFREW (incl. Burgh),	3866	4650	80	82	162	7	2	9	30	43	73	31
	Total,	157950	168746	3226	3148	6374	221	230	451	2199	2127	4326	1307

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	22. Ayr.												
576	Ardrossan, . . .	5581	6776	125	115	240	6	12	18	75	86	161	69
577	Auchinleck, . . .	3697	4213	105	95	200	10	5	15	45	38	83	18
578	AYR (incl. Burgh), .	18845	19659	357	321	678	29	31	60	234	257	491	124
579	Ballantrae, . . .	1801	1483	26	19	45	3	2	5	12	6	18	5
580	Barr, ...	907	910	17	10	27	1	1	2	3	4	7	2
581	Beith, ...	6425	5775	112	111	223	12	12	24	61	60	121	38
582	Colmonell, . .	2934	2588	34	48	82	2	2	4	19	14	33	5
583	Coylton, .	1542	1604	25	33	58	3	8	11	11	13	24	11
584	Craigie, . . .	793	730	9	11	20	–	–	–	6	5	11	3
585	Dailly, ...	2413	2050	30	40	70	4	4	8	13	17	30	11
586	Dalmellington, . .	2910	4194	121	95	216	8	8	16	65	47	112	18
587	Dalry, ...	8865	11156	240	242	482	10	16	26	140	116	256	71
588	Dalrymple, . . .	1096	1325	26	28	54	3	2	5	14	12	26	6
589	Dreghorn, . . .	1828	3283	69	72	141	6	3	9	30	32	62	25
590	Dundonald, . . .	4555	4694	64	71	135	4	7	11	40	49	89	38
591	Dunlop, . . .	1115	1038	16	14	30	2	4	6	13	9	22	6
592	Fenwick, . . .	1741	1532	22	21	43	1	3	4	14	18	32	9
593	Galston (incl. Town), .	4392	5254	109	105	214	5	7	12	64	69	133	36
594	Girvan (incl. Town), .	8588	7053	152	131	283	25	23	48	83	90	173	49
595	IRVINE (incl. Burgh), .	8463	8607	150	148	298	12	9	21	112	126	238	76
596	Kilbirnie (incl. Town),	5484	5265	110	108	218	4	8	12	66	65	131	40
597	KILMARNOCK (incl. part of Burgh), . .	21287	23556	439	469	908	40	38	78	327	359	686	231
598	Kilmaurs, . . .	3144	3526	82	53	135	5	1	6	43	42	85	22
599	Kilwinning, . . .	6359	7717	180	150	330	11	9	20	81	89	170	39
600	Kirkmichael, . . .	3262	2823	52	35	87	4	2	6	26	28	54	14
601	Kirkoswald, . . .	2242	2060	37	41	78	4	4	8	14	17	31	12
602	Largs, ...	3715	3620	54	44	98	2	1	3	31	37	68	30
603	Loudoun, . . .	4720	4840	89	83	172	6	6	12	80	72	152	43
604	Mauchline, . . .	2470	2303	36	37	73	3	6	9	17	26	43	22
605	Maybole, . . .	7615	6713	111	115	226	18	19	37	68	61	129	49
606	Monkton and Prestwick,	1960	1937	37	37	74	6	3	9	19	17	36	8
607	Muirkirk, . . .	3423	3270	65	61	126	4	8	12	36	32	68	24
608	New Cumnock, . .	2759	2891	47	43	90	2	3	5	49	37	86	14
609	Ochiltree, . . .	1787	1676	17	18	35	5	1	6	16	10	26	8
610	Old Cumnock, . .	3777	3721	82	64	146	10	5	15	39	40	79	35
611	Riccarton (incl. part of KILMARNOCK Burgh)	4583	5629	126	137	263	7	9	16	63	59	122	39
612	St Quivox and Newton-upon-Ayr, . . .	2231	1870	38	50	88	8	3	11	25	19	44	13
613	Sorn, ...	4174	4042	66	58	124	8	7	15	44	30	74	26
614	Stair, ...	820	743	8	10	18	1	2	3	2	3	5	3
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	151	107	258	13	9	22	104	77	181	28
616	Stewarton (incl. Town),	4572	4449	77	79	156	7	11	18	46	55	101	31
617	Straiton, . . .	1540	1544	26	23	49	2	2	4	14	14	28	9
618	Symington, . . .	902	855	13	9	22	2	–	2	13	8	21	4
619	Tarbolton, . . .	2824	2669	36	45	81	5	3	8	18	15	33	21
620	West Kilbride, . .	2021	1968	30	37	67	6	3	9	16	16	32	6
	Total,	189973	199063	3818	3643	7461	329	322	651	2311	2296	4607	1391
	23. Lanark.												
621	Avondale (incl. Strathaven), ...	6451	6125	117	103	220	7	13	20	54	75	129	75
622	Barony—(1) Maryhill,	*c.* 4007	6734	130	137	267	8	7	15	101	65	166	41
	(2) Springburn,	*c.* 6386	8911	221	183	404	16	20	36	212	208	420	19
	(3) Shettleston,	*c.* 6564	6914	129	130	259	15	6	21	86	89	175	40
623	Biggar, ...	2049	1999	23	32	55	4	8	12	17	17	34	12
624	Blantyre, . . .	2848	3092	54	65	119	5	5	10	43	41	84	24

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
625	Bothwell—												
	(1) Bothwell, . .	c. 5583	7059	156	132	288	6	3	9	81	80	161	36
	(2) Holytown, . .	c. 9700	10844	293	241	534	15	10	25	129	126	255	52
626	Cadder—												
	(1) Western District, .	c. 2550	3023	62	70	132	1	4	5	33	21	54	14
	(2) Eastern District, .	c. 2464	2925	45	49	94	3	1	4	37	21	58	11
627	Cambuslang, . . .	3306	3647	66	69	135	3	1	4	30	23	53	24
628	Cambusnethan, . .	8621	14601	358	343	701	24	18	42	168	141	309	108
629	Carluke (incl. Town), .	6283	6176	134	142	276	14	12	26	48	56	104	42
630	Carmichael, . . .	805	836	12	12	24	1	2	3	11	9	20	3
631	Carmunnock, . . .	710	734	12	15	27	1	–	1	7	9	16	4
632	Carnwath, . . .	3551	3584	68	61	129	8	10	18	31	26	57	28
633	Carstairs, . . .	1066	1345	19	17	36	2	–	2	13	4	17	11
634	Covington & Thankerton,	548	532	8	7	15	1	2	3	3	4	7	5
635	Crawford—												
	(1) Crawford, . .	c. 730	694	12	11	23	–	2	2	6	8	14	9
	(2) Leadhills, . .	c. 940	896	22	15	37	1	3	4	8	14	22	10
636	Crawfordjohn, . .	1111	980	12	21	33	3	2	5	9	12	21	11
637	Culter, ...	472	665	12	7	19	1	1	2	4	4	8	3
638	Dalserf—(1) Larkhall,	c. 2670	3629	79	88	167	5	7	12	49	41	90	30
	(2) Dalserf, .	c. 913	1247	27	26	53	2	2	4	10	9	19	9
639	Dalziel, ...	2262	5438	164	143	307	6	3	9	77	62	139	28
640	Dolphington, . . .	305	260	3	1	4	2	–	2	4	1	5	1
641	Douglas, ...	2611	2490	35	46	81	5	6	11	28	40	68	19
642	Dunsyre, . . .	312	312	5	4	9	–	–	–	2	2	4	2
643	East Kilbride, . .	3760	4064	58	72	130	8	3	11	34	43	77	23
644	GLASGOW (Burgh)—												
	(1) Central, . .	c. 43270	49678	1116	1021	2137	170	174	344	905	957	1862	585
	(2) High, . . .	c. 42005	48119	980	989	1969	82	76	158	1024	930	1954	281
	(3) Bridgeton, . .	c. 38385	45485	990	914	1904	55	50	105	605	679	1284	287
	(4) Calton, . . .	c. 33310	36625	789	735	1524	48	50	98	566	627	1193	567
	(5) Clyde, . . .	c. 32800	29975	603	541	1144	57	51	108	529	578	1107	219
	(6) Blythswood, . .	c. 21405	28697	419	393	812	30	21	51	308	288	596	490
	(7) Milton, . . .	c. 26240	33360	751	637	1388	43	32	75	486	542	1028	214
	(8) Anderston, . .	c. 30035	40945	936	757	1693	69	52	121	521	569	1090	280
	(9) Tradeston, . .	c. 27163	38600	718	731	1449	38	33	71	523	508	1031	361
	(10) Hutchesontown, .	c. 34484	44019	1022	901	1923	61	48	109	643	648	1291	259
645	Glassford, . . .	1955	1938	34	35	69	1	2	3	24	19	43	13
646	Govan (Landward)—												
	(1) Govan, . . .	c. 6238	13725	295	269	564	14	13	27	170	154	324	87
	(2) Partick, . .	c. 7852	14859	276	253	529	6	8	14	131	151	282	125
647	HAMILTON (incl. Burgh),	11740	14047	256	269	525	16	13	29	153	160	313	107
648	LANARK (incl. Burgh),	8243	7891	138	122	260	16	18	34	98	99	197	64
649	Lesmahagow, . . .	7746	9266	204	171	375	18	15	33	107	103	210	67
650	Libberton, . . .	800	836	18	14	32	–	1	1	8	8	16	5
651	New Monkland—												
	(1) Burgh of AIRDRIE,	14435	12922	305	309	614	19	21	40	154	145	299	137
	(2) Landward, . .	8766	7632	157	144	301	15	11	26	91	87	178	36
652	Old Monkland—												
	(1) Western District, .	c. 6646	6932	181	144	325	6	7	13	87	85	172	23
	(2) Middle District, .	c. 13168	15303	361	333	694	11	23	34	162	142	304	110
	(3) Eastern District, .	c. 7519	7308	167	147	314	13	5	18	60	61	121	23
653	Pettinain, . . .	428	407	10	6	16	2	1	3	6	5	11	2
654	RUTHERGLEN (incl. Burgh), . . .	7954	9335	189	164	353	5	6	11	130	101	231	83
655	Shotts, ...	5982	7343	144	143	287	6	7	13	51	52	103	37
656	Stonehouse, . . .	2781	3267	73	71	144	5	6	11	34	34	68	32
657	Symington, . . .	536	528	9	6	15	1	1	2	8	5	13	6
658	Walston, . . .	497	480	10	9	19	3	–	3	6	3	9	3

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
659	Wandell and Lamington,	369	380	6	5	11	–	–	–	3	5	8	[illegible]
660	Wiston and Roberton, .	839	786	12	16	28	2	4	6	4	8	12	[illegible]
	Total,	533169	640444	13505	12491	25996	979	900	1879	8932	9004	17936	[illegible]
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
661	Abercorn, . . .	977	965	14	6	20	3	–	3	12	2	14	[illegible]
662	BATHGATE, . . .	4533	10134	249	221	470	15	8	23	105	102	207	[illegible]
663	BORROWSTOUNNESS, .	5192	5698	165	107	272	6	6	12	53	48	101	[illegible]
664	Carriden, . . .	1724	1821	56	30	86	3	2	5	25	20	45	[illegible]
665	Dalmeny, . . .	768	804	17	11	28	1	2	3	5	2	7	[illegible]
666	Ecclesmachen, . .	289	309	5	5	10	–	–	–	–	2	2	[illegible]
667	Kirkliston, . . .	2029	1907	27	38	65	–	5	5	17	14	31	[illegible]
668	LINLITHGOW—												
	(1) Burgh, . . .	4213	3843	64	58	122	9	9	18	33	34	67	[illegible]
	(2) Landward (St Michael's Dist.), . .	1902	1941	35	29	64	5	3	8	23	13	36	[illegible]
669	Livingstone, . . .	1289	1366	28	28	56	2	3	5	16	11	27	[illegible]
670	QUEENSFERRY (Burgh),	1195	1391	29	16	45	1	1	2	10	22	32	[illegible]
671	Torphichen, . . .	1356	1848	31	30	61	1	3	4	13	9	22	[illegible]
672	Uphall, ...	1331	1507	26	25	51	1	5	6	13	13	26	[illegible]
673	Whitburn, . . .	3792	5511	134	112	246	14	3	17	46	49	95	[illegible]
	Total,	30590	39045	880	716	1596	61	50	111	371	341	712	[illegible]
	25. EDINBURGH.												
674	Borthwick, . . .	1614	1742	40	24	64	3	2	5	11	18	29	[illegible]
675	Carrington, . . .	710	681	10	10	20	1	2	3	3	3	6	[illegible]
676	Cockpen, . . .	3228	2902	44	57	101	2	4	6	23	19	42	[illegible]
677	Colinton, . . .	2676	2656	45	37	82	7	4	11	19	30	49	[illegible]
678	Corstorphine, . . .	1499	1579	24	17	41	–	1	1	15	14	29	[illegible]
679	Cramond, . . .	2547	2695	51	43	94	7	4	11	23	23	46	[illegible]
680	Cranston, . . .	1235	1035	26	17	43	2	2	4	5	7	12	[illegible]
681	Crichton, . . .	1387	1304	27	25	52	2	–	2	8	9	17	[illegible]
682	Currie, ...	2190	2248	42	28	70	3	5	8	16	21	37	[illegible]
683	DALKEITH (incl. Town),	6521	7114	129	105	234	16	4	20	75	62	137	[illegible]
684	Duddingston—												
	(1) Burgh of PORTOBELLO, . . .	3559	4366	61	58	119	5	5	10	41	45	86	[illegible]
	(2) Landward, . .	904	857	12	14	26	1	1	2	10	4	14	[illegible]
685	EDINBURGH (Burgh)—												
	(1) St George (incl. Landward of St Cuthbert), . . .	c. 38540	42068	597	578	1175	41	31	72	511	613	1124	[illegible]
	(2) St Andrew . .	c. 37435	38731	459	474	933	25	28	53	267	351	618	[illegible]
	(3) Canongate (incl. Landward), . .	c. 29230	30169	559	555	1114	24	34	58	619	540	1159	[illegible]
	(4) St Giles, . . .	c. 29245	29679	627	600	1227	131	118	249	350	359	709	[illegible]
	(5) Newington, . .	c. 27198	29797	484	480	964	23	22	45	311	319	630	[illegible]
686	Fala and Soutra, . .	434	382	10	2	12	–	–	–	1	1	2	[illegible]
687	Glencross, . . .	1138	1217	21	15	36	–	–	–	8	7	15	[illegible]
688	Heriot, ...	352	407	4	7	11	–	–	–	1	2	3	[illegible]
689	Inveresk (incl. Burgh of MUSSELBURGH), .	8653	9518	180	140	320	14	16	30	97	122	219	[illegible]
690	Kirknewton and East-Calder, ...	1630	1549	19	23	42	2	2	4	18	16	34	[illegible]

No. of District	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
691	Lasswade, . . .	5821	5688	92	106	198	11	15	26	47	77	124	36
692	LEITH (Burgh)—												
	(1) North Leith, . .	c. 9494	11562	194	169	363	2	9	11	136	147	283	87
	(2) South Leith (incl. Landward), . .	c.22725	24467	492	446	938	25	23	48	369	335	704	199
693	Liberton, . . .	3528	3510	54	52	106	5	6	11	38	39	77	18
694	Mid-Calder, . . .	1474	1389	26	20	46	3	2	5	13	14	27	8
695	Newbattle, . . .	2518	2837	52	55	107	3	2	5	19	28	47	16
696	Newton, ...	1780	1553	22	26	48	4	3	7	8	12	20	9
697	Penicuik, . . .	3003	3249	44	58	102	7	4	11	23	22	45	29
698	Ratho, ...	1718	1659	23	21	44	1	4	5	16	12	28	6
699	Stow, ...	1973	2171	35	40	75	1	8	9	18	7	25	9
700	Temple, ...	1414	1385	30	25	55	2	4	6	15	9	24	10
701	West-Calder, . . .	2120	1927	36	29	65	5	2	7	16	19	35	14
	Total,	259493	274093	4571	4356	8927	378	367	745	3150	3306	6456	2325
	26. Haddington.												
702	Aberlady, . . .	1099	1019	10	12	22	–	1	1	5	10	15	3
703	Athelstaneford, . .	971	902	17	10	27	5	1	6	11	4	15	6
704	Bolton, ...	373	332	2	4	6	–	–	–	5	3	8	1
705	Dirleton, . . .	1634	1540	26	19	45	2	1	3	16	17	33	4
706	DUNBAR (incl. Burgh),	4415	4944	82	85	167	9	5	14	61	63	124	31
707	Garvald, ...	869	891	15	15	30	3	2	5	9	7	16	8
708	Gladsmuir, . . .	1780	1945	52	27	79	3	1	4	26	24	50	5
709	HADDINGTON (incl. Burgh), . . .	5525	5548	101	86	187	5	3	8	77	83	160	53
710	Humbie, ...	925	997	16	14	30	1	1	2	3	4	7	1
711	Innerwick, . . .	1012	937	7	17	24	3	1	4	1	7	8	4
712	Morham, . . .	249	281	5	4	9	–	–	–	2	1	3	–
713	NORTH BERWICK (incl. Burgh), . .	1643	2071	29	31	60	6	1	7	19	26	45	9
714	Oldhamstocks, . .	692	615	11	8	19	1	–	1	6	3	9	–
715	Ormiston, . . .	811	915	13	17	30	–	1	1	5	11	16	2
716	Pencaitland, . . .	1175	1187	18	28	46	3	2	5	8	13	21	8
717	Prestonkirk, . . .	1894	1960	34	25	59	4	2	6	18	12	30	17
718	Prestonpans, . . .	2123	2080	43	30	73	2	1	3	23	14	37	8
719	Salton, ...	697	712	14	5	19	–	–	–	10	7	17	5
720	Spott, ...	595	555	11	7	18	2	–	2	5	5	10	1
721	Stenton, ...	719	692	12	10	22	2	1	3	6	5	11	4
722	Tranent (incl. Town), .	4158	4647	97	105	202	6	9	15	48	58	106	28
723	Whitekirk & Tynninghame	1131	1113	12	13	25	3	1	4	10	7	17	5
724	Whittinghame, . .	671	710	9	10	19	1	1	2	4	1	5	3
725	Yester (or Gifford), .	1202	1033	18	14	32	2	1	3	9	7	16	2
	Total,	36363	37626	654	596	1250	63	36	99	387	392	779	208
	27. Berwick.												
726	Abbey St Bathans, .	155	179	2	–	2	1	–	1	1	–	1	1
727	Ayton, ...	1959	2014	39	37	76	5	4	9	24	19	43	5
728	Bunkle and Preston, .	715	756	20	16	36	1	1	2	2	3	5	3
729	Channelkirk, . . .	728	671	10	10	20	–	2	2	5	8	13	3
730	Chirnside, . . .	1384	1502	22	27	49	3	6	9	12	13	25	6
731	Cockburnspath, . .	1196	1194	19	21	40	1	3	4	6	15	21	4
732	Coldingham, . . .	3188	3241	51	52	103	3	4	7	27	29	56	22
733	Coldstream, . . .	3245	2823	47	38	85	2	3	5	19	23	42	14
734	Cranshaws, . . .	127	134	1	4	5	–	–	–	–	–	–	–
735	Dunse (incl. Town), .	3407	3595	62	44	106	6	2	8	44	39	83	19
736	Earlston, . . .	1819	1825	27	21	48	3	3	6	21	19	40	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
737	Eccles, ...	1892	1861	28	27	55	2	2	4	14	12	26	12
738	Edrom, ...	1474	1592	24	21	45	3	4	7	11	13	24	10
739	Eyemouth, ...	1488	1804	32	38	70	2	2	4	12	16	28	6
740	Fogo, ...	604	559	8	8	16	–	–	–	2	5	7	3
741	Foulden, . . .	430	431	6	4	10	–	–	–	1	1	2	3
742	Gordon, ...	983	931	11	14	25	1	3	4	5	4	9	2
743	Greenlaw, . . .	1378	1370	14	20	34	3	–	3	16	11	27	6
744	Hume, ...	406	420	8	10	18	–	2	2	4	2	6	4
745	Hutton, ...	1102	1067	22	19	41	2	3	5	10	3	13	7
746	Ladykirk, ...	561	564	5	14	19	1	3	4	4	5	9	6
747	Langton, . . .	484	502	9	8	17	1	2	3	3	8	11	3
748	LAUDER (incl. Burgh),	2154	2198	27	23	50	4	2	6	16	18	34	11
749	Legerwood, . . .	587	599	10	14	24	1	1	2	4	6	10	2
750	Longformacus, . .	411	448	8	9	17	1	–	1	3	4	7	3
751	Merton, . . .	692	729	7	9	16	1	3	4	1	5	6	5
752	Mordington, . . .	427	377	6	7	13	–	1	1	4	–	4	5
753	Nenthorn, . . .	441	461	9	5	14	1	–	1	1	4	5	4
754	Polwarth, . . .	331	251	9	1	10	1	–	1	–	–	–	2
755	Swinton, . . .	994	964	21	15	36	3	–	3	6	13	19	1
756	Westruther, . . .	791	786	8	13	21	3	2	5	8	8	16	7
757	Whitsome, . . .	612	640	16	13	29	2	3	5	4	8	12	2
	Total,	36165	36488	588	562	1150	57	61	118	290	314	604	186
	28. Peebles.												
758	Broughton, ...	284	297	3	3	6	–	2	2	1	2	3	2
759	Drumelzier, . . .	244	209	3	5	8	–	–	–	3	2	5	–
760	Eddlestone, . . .	790	753	8	8	16	–	1	1	2	7	9	3
761	Glenholm, . . .	252	198	1	6	7	–	1	1	–	–	–	2
762	Innerleithen, . . .	1236	1823	30	26	56	4	3	7	6	9	15	7
763	Kilbucho, . . .	345	228	2	2	4	1	1	2	3	–	3	2
764	Kirkurd, . . .	326	362	9	4	13	1	–	1	3	2	5	–
765	Lyne, etc.—(1) Lyne, .	95	81	1	2	3	–	–	–	1	2	3	–
	(2) Meggat,	63	53	1	1	2	–	–	–	–	–	–	3
766	Manor, . . .	256	247	4	1	5	–	–	–	1	1	2	1
767	Newlands, . . .	950	987	18	12	30	–	1	1	5	10	15	–
768	PEEBLES (incl. Burgh),	2673	2850	37	39	76	3	4	7	27	25	52	15
769	Skirling, . . .	316	317	3	4	7	1	–	1	3	7	10	2
770	Stobo, ...	478	478	6	9	15	2	–	2	1	2	3	2
771	Traquair, . . .	646	687	13	11	24	4	2	6	5	6	11	3
772	Tweedsmuir, . .	220	196	2	2	4	1	–	1	2	–	2	–
773	West Linton, . .	1630	1534	17	22	39	1	2	3	11	18	29	10
	Total,	10804	11300	158	157	315	18	17	35	74	93	167	52
	29. Selkirk.												
774	Ettrick, . . .	477	454	3	9	12	–	3	3	4	–	4	4
775	Galashiels, . . .	3014	3379	55	56	111	7	8	15	17	40	67	21
776	Kirkhope, . . .	c. 600	555	12	7	19	2	1	3	3	6	9	6
777	Roberton, . . .	670	640	15	7	22	2	1	3	4	5	9	3
778	SELKIRK (incl. Burgh),	4347	4739	86	78	164	11	7	18	35	44	79	28
779	Yarrow, ...	c. 694	643	10	6	16	1	1	2	5	3	8	6
	Total,	9802	10410	181	163	344	23	21	44	78	98	176	68
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum, . .	1554	1511	30	21	51	6	3	9	10	13	23	9
781	Ashkirk, . . .	578	578	12	15	27	2	2	4	2	4	6	6

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
782	Bedrule,	240	222	7	3	10	–	–	–	3	2	5	1
783	Bowden,	981	864	14	13	27	2	–	2	12	6	18	6
784	Castleton,	2130	3688	50	50	100	7	7	14	43	40	83	15
785	Cavers,	1495	1824	28	19	47	2	1	3	10	18	28	12
786	Crailing,	734	673	12	9	21	1	2	3	6	5	11	6
a787	Eckford,	1073	957	9	13	22	1	–	1	6	9	15	7
b787	Edgerston,	c. 373	359	6	5	11	2	1	3	3	4	7	3
788	Ednam,	658	599	6	13	19	1	3	4	3	6	9	4
789	Hawick,	7801	8726	180	192	372	22	24	46	126	149	275	64
790	Hobkirk,	720	771	8	16	24	–	1	1	10	12	22	6
791	Hownam,	252	289	6	7	13	1	–	1	1	1	2	1
792	Jedburgh (part of)—(incl. Burgh),	c. 5220	5011	85	88	173	8	10	18	46	46	92	30
793	Kelso,	5634	5192	80	67	147	3	5	8	45	47	92	30
794	Kirktown,	282	421	6	7	13	–	–	–	5	6	11	4
795	Lilliesleaf,	798	772	14	13	27	–	1	1	4	8	12	7
796	Linton,	630	608	10	10	20	2	3	5	1	3	4	4
797	Makerston,	345	380	7	3	10	–	–	–	2	2	4	–
798	Maxton,	550	497	14	12	26	3	1	4	3	5	8	–
799	Melrose—(1) Melrose,	3592	3557	55	66	121	7	6	13	28	29	57	15
	(2) Ladhope,	3773	4154	70	91	161	4	10	14	44	47	91	35
800	Minto,	467	430	7	3	10	1	–	1	4	1	5	2
801	Morebattle,	997	1031	22	9	31	5	2	7	5	11	16	5
802	Oxnam,	c. 632	592	10	6	16	1	–	1	1	3	4	3
803	Roxburgh,	1141	1178	17	20	37	1	–	1	5	5	10	7
804	St Boswells,	884	865	11	11	22	–	–	–	8	12	20	7
805	Smailholm,	617	554	12	7	19	3	–	3	4	7	11	4
806	Southdean,	c. 765	687	16	7	23	2	1	3	7	2	9	2
807	Sprouston,	1424	1305	22	18	40	1	3	4	9	7	16	4
808	Stitchel,	426	425	4	2	6	–	–	–	1	3	4	–
809	Teviothead,	550	438	10	5	15	3	1	4	3	3	6	3
810	Wilton,	2557	3357	61	87	148	6	9	15	54	57	111	28
811	Yetholm,	1352	1207	18	17	35	4	1	5	18	5	23	9
	Total,	51225	53722	919	925	1844	101	97	198	532	578	1110	339
	31. Dumfries.												
812	Annan (part of)—(incl. Burgh),	c. 5128	5113	95	84	179	15	14	29	53	83	136	27
a813	Applegarth,	918	935	25	11	36	2	1	3	2	6	8	4
b813	Brydekirk,	c. 864	779	9	11	20	1	1	2	7	9	16	1
814	Canonbie,	3163	3219	45	38	83	7	7	14	22	23	45	17
815	Carlaverock,	1418	1248	16	14	30	1	5	6	17	6	23	4
816	Closeburn,	1732	1651	22	31	53	3	5	8	15	11	26	8
817	Cummertrees,	c. 1334	1184	17	23	40	1	4	5	19	16	35	3
818	Dalton,	761	679	8	14	22	2	1	3	2	9	11	1
819	Dornock,	936	856	11	14	25	–	–	–	5	12	17	5
820	Dryfesdale,	2409	2509	45	39	84	5	6	11	24	20	44	11
821	Dumfries (incl. part of Burgh),	12298	13523	262	193	455	39	29	68	187	177	364	101
822	Dunscore,	1578	1554	30	25	55	5	3	8	14	12	26	11
823	Durrisdeer,	1795	1320	25	13	38	1	2	3	14	5	19	11
824	Eskdalemuir,	672	590	6	6	12	1	1	2	5	–	5	5
825	Ewes,	354	356	6	6	12	–	–	–	1	3	4	3
826	Glencairn,	1980	1867	24	32	56	4	7	11	24	14	38	15
827	Graitney (or Gretna),	1830	1620	21	27	48	4	10	14	21	21	42	7
828	Halfmorton,	687	713	14	12	26	1	2	3	8	9	17	3
829	Hoddam,	c. 1705	1568	32	24	56	7	–	7	22	14	36	8
830	Holywood,	1060	1115	25	22	47	1	3	4	8	11	19	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
831	Hutton, ...	836	876	16	22	38	1	5	6	4	11	15	7
832	Johnstone, . . .	1261	1149	19	15	34	4	2	6	7	11	18	8
833	Keir, ...	960	849	9	18	27	3	1	4	10	11	21	7
834	Kirkconnel, . . .	1245	996	21	17	38	7	2	9	11	8	19	7
835	Kirkmahoe, . . .	1553	1462	23	21	44	4	2	6	13	12	25	14
836	Kirkmichael, . . .	1124	1026	15	18	33	1	5	6	4	2	6	7
837	Kirkpatrick-Fleming, .	1829	1925	36	31	67	9	10	19	23	17	40	10
838	Kirkpatrick-Juxta, .	1097	1025	21	15	36	1	2	3	16	11	27	7
839	Langholm, ...	2990	2979	58	47	105	12	3	15	35	49	84	14
840	LOCHMABEN (includ. Burgh), . . .	3127	3087	50	54	104	10	13	23	29	19	48	12
841	Middlebie, . . .	2163	2004	31	39	70	4	6	10	8	19	27	17
842	Moffat, ...	2304	2232	46	25	71	7	4	11	32	15	47	15
843	Morton, ...	2482	2253	34	36	70	1	2	3	28	33	61	12
844	Mousewald, . . .	686	633	11	9	20	2	2	4	5	3	8	1
845	Penpont, . . .	1411	1326	22	23	45	2	4	6	9	10	19	11
846	Ruthwell, . . .	1110	1046	9	8	17	–	1	1	4	8	12	5
847	St Mungo, . . .	645	686	5	13	18	2	2	4	5	4	9	2
848	SANQUHAR (including Burgh), . . .	c. 3155	2758	33	57	90	6	4	10	35	39	74	16
849	Tinwald, . . .	1080	1079	18	19	37	3	7	10	10	9	19	2
850	Torthorwald, . . .	1313	1254	18	14	32	1	3	4	7	11	18	8
851	Tundergarth, . . .	577	507	7	8	15	1	4	5	1	3	4	6
852	Tynron, ...	482	446	8	6	14	–	–	–	4	8	12	1
a853	Wamphray, . . .	523	559	17	4	21	1	–	1	6	5	11	–
b853	Wanlockhead, . .	c. 916	811	16	11	27	4	1	5	6	8	14	1
854	Westerkirk, . . .	658	537	6	3	9	1	1	2	3	8	11	4
	Total,	78149	75904	1287	1172	2459	187	187	374	795	795	1580	446
	32. Kirkcudbright.												
855	Anwoth, ...	900	899	15	15	30	1	3	4	10	7	17	6
856	Balmaclellan, . . .	c. 938	890	14	15	29	3	2	5	7	11	18	6
857	Balmaghie, . . .	1217	1225	12	18	30	6	1	7	17	15	32	6
858	Borgue, ...	1043	1162	12	14	26	3	3	6	6	11	17	6
859	Buittle, ...	1042	1165	19	18	37	1	1	2	13	8	21	5
860	Carsphairn, . . .	855	553	9	5	14	1	–	1	–	1	1	1
861	Colvend, . . .	1398	1366	16	16	32	1	2	3	7	7	14	9
862	Corsock-Bridge, . .	c. 550	544	2	9	11	1	–	1	5	6	11	3
863	Crossmichael, . . .	1362	1536	23	23	46	4	1	5	20	17	37	10
864	Dalbeattie, . . .	c. 1927	2054	44	35	79	4	5	9	26	20	46	14
865	Dalry, ...	1238	1149	20	18	38	3	3	6	7	13	20	2
866	Girthon, ...	1787	1702	31	32	63	4	7	11	23	24	47	10
867	Irongray, ...	918	913	16	13	29	3	2	5	7	6	13	10
868	Kells (incl. Burgh of NEW GALLOWAY),	1091	1170	19	15	34	3	3	6	3	15	18	6
869	Kelton, ...	3186	3436	51	47	98	7	6	13	40	38	78	21
870	Kirkbean, . . .	982	942	6	14	20	1	2	3	5	4	9	7
871	KIRKCUDBRIGHT (including Burgh), . .	3555	3407	52	48	100	8	7	15	32	46	78	15
872	Kirkgunzeon, . . .	734	793	15	11	26	3	1	4	8	4	12	3
873	Kirkmabreck, . . .	2266	1851	52	34	86	10	4	14	19	22	41	13
874	Kirkpatrick-Durham, .	c. 1349	1323	18	19	37	3	–	3	11	20	31	2
875	Lochrutton, . . .	726	677	8	11	19	1	2	3	5	6	11	2
876	Minnigaff, . . .	2054	1804	29	25	54	1	2	3	17	7	24	13
877	New Abbey, . . .	1098	1063	24	17	41	3	2	5	7	10	17	7
878	Parton, ...	c. 547	572	6	8	14	–	1	1	9	5	14	2
879	Rerrick, ...	1725	1738	28	23	51	6	2	8	17	19	36	18

No. of District.	Registration Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
880	Terregles (incl. part of DUMFRIES Burgh), .	566	580	6	6	12	–	1	1	1	5	6	1
881	Tongland, ...	924	892	12	8	20	1	2	3	6	12	18	5
882	Troqueer (incl. part of DUMFRIES Burgh), .	4925	4743	90	91	181	12	14	26	49	54	103	25
883	Twynholm, . . .	782	815	12	12	24	1	–	1	6	7	13	8
884	Urr, ...	c. 1436	1531	27	32	59	3	6	9	14	9	23	18
	Total,	43121	42495	688	652	1340	98	85	183	397	429	826	254
	33. Wigtown.												
885	Glasserton, . . .	1487	1472	29	20	49	4	3	7	10	12	22	10
886	Inch, ...	2579	2460	38	34	72	4	4	8	20	19	39	17
887	Kirkcolm, . . .	2018	1860	22	27	49	1	5	6	18	20	38	7
888	Kirkcowan, . . .	1541	1434	31	22	53	9	7	16	25	23	48	13
889	Kirkinner, . . .	1914	1716	28	21	49	–	2	2	16	12	28	11
890	Kirkmaiden, . . .	2681	2333	41	31	72	8	3	11	7	15	22	7
891	Leswalt, . . .	1703	1417	21	16	37	–	1	1	6	10	16	7
892	Mochrum, . . .	2946	2694	52	37	89	7	8	15	21	25	46	14
893	New Luce, . . .	791	731	8	11	19	1	1	2	3	7	10	2
894	Old Luce (or Glenluce), .	2841	2800	55	47	102	11	7	18	36	38	74	20
895	Penninghame, . .	4155	4061	64	63	127	13	11	24	43	41	84	40
896	Portpatrick, . . .	1963	2189	24	24	48	3	4	7	25	13	38	14
897	Sorbie, ...	1886	1814	36	27	63	3	3	6	9	13	22	11
898	Stoneykirk, . . .	3321	3228	59	49	108	5	7	12	24	28	52	16
899	STRANRAER (Burgh),	5738	6315	104	122	226	20	16	36	65	82	147	54
900	WHITHORN (incl. Burgh)	3001	2934	46	48	94	4	12	16	25	37	62	22
901	WIGTOWN (incl. Burgh)	2824	2637	42	29	71	4	4	8	33	28	61	17
	Total,	43389	42095	700	628	1328	97	98	195	386	423	809	282

SUMMARY.

Districts.	Population. 1851.	Population. 1861.	Total Births, including the Illegitimate. Mal.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem.	Total.	Marriages.
Insular, ...	166,487	160,733	2364	2224	4588	133	114	247	1319	1395	2714	811
Mainland—Rural, . .	1,712,552	1,763,377	30289	28594	58883	3030	2845	5875	16510	16848	33358	10747
Town, ...	1,009,703	1,138,184	21756	20402	42158	1876	1738	3614	15781	16317	32098	9667
SCOTLAND, . .	2,888,742	3,062,294	54409	51220	105629	5039	4697	9736	33610	34560	68170	21225

MARRIAGES registered in SCOTLAND in 1860, and the Number of Persons who signed the Register by Marks.

COUNTY.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholics.	Other Denominations.	Not Stated.	TOTAL.		Males.	Females.	TOTAL.
Shetland	151	9	–	–	1	13	–	174	1	20	70	90
Orkney	77	45	40	–	–	13	5	180	1	2	7	9
Caithness	48	168	–	1	–	14	9	240	–	4	24	28
Sutherland	15	86	–	–	–	–	–	101	–	13	31	44
Ross and Cromarty	51	302	2	1	3	1	–	360	–	137	197	334
Inverness	186	207	13	1	61	2	1	471	–	140	259	399
Nairn	14	23	11	1	–	1	–	50	–	5	18	23
Elgin	101	109	18	1	5	2	–	236	–	4	35	39
Banff	246	97	12	5	25	6	–	391	–	17	51	68
Aberdeen	969	343	67	71	33	59	4	1546	–	39	131	170
Kincardine	174	39	3	10	1	1	–	228	–	3	12	15
Forfar	697	278	217	61	149	70	–	1472	–	163	410	573
Perth	392	229	101	19	29	15	21	806	–	26	64	90
Fife	601	155	176	5	14	10	37	998	–	46	105	151
Kinross	22	6	11	–	–	–	5	44	–	–	6	6
Clackmannan	68	42	39	–	1	1	5	156	–	19	32	51
Stirling	319	113	120	8	49	15	5	629	–	62	141	203
Dumbarton	170	46	53	2	70	11	10	362	–	88	113	201
Argyll	221	78	14	9	13	7	8	350	–	52	101	153
Bute	42	32	1	2	6	2	2	87	–	8	12	20
Renfrew	610	232	184	19	187	67	6	1305	2	184	439	623
Ayr	786	243	163	8	102	65	24	1391	–	207	409	616
Lanark	1531	1117	873	88	800	698	92	5199	6	690	1471	2161
Linlithgow	126	60	48	2	35	4	4	279	–	40	81	121
Edinburgh	1050	493	375	89	176	95	44	2322	3	112	205	317
Haddington	117	43	23	1	21	1	2	208	–	26	47	73
Berwick	100	23	50	–	2	1	10	186	–	2	7	9
Peebles	26	12	10	2	2	–	–	52	–	4	3	7
Selkirk	35	8	22	1	–	2	–	68	–	4	3	7
Roxburgh	180	50	67	3	15	23	–	338	1	18	31	49
Dumfries	252	85	71	1	18	8	9	444	2	13	33	46
Kirkcudbright	171	46	19	2	13	2	1	254	–	16	24	40
Wigtown	157	51	34	1	26	8	5	282	–	25	37	62
SCOTLAND	9705	4870	2837	414	1857	1217	309	21209	16	2189	4609	6798

AGES and CONDITION of Persons married in SCOTLAND in 1860.

Condition combined with Age.		TOTAL.	Ages of Parties at Marriage. Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors and Spinsters.		18157	–	–	3	8	115	429	969	6904	5783	2269	944	409	167	82	28	14	4	1	–	–	–	28
		18157	–	8	62	282	834	1370	1887	7442	4324	1262	445	123	43	19	1	1	–	–	–	–	–	54
Bachelors and Widows.		508	–	–	–	–	2	3	5	82	122	119	75	45	30	18	6	–	1	–	–	–	–	–
		508	–	–	–	–	1	–	1	42	146	130	88	60	24	7	4	2	–	1	–	–	–	2
Widowers and Spinsters.		1738	–	–	–	–	–	–	–	24	172	305	320	352	216	146	110	54	19	10	6	–	–	4
		1738	–	–	2	7	17	22	45	256	395	393	289	165	91	37	6	5	–	–	–	–	–	8
Widowers and Widows.		558	–	–	–	–	–	–	–	1	14	55	78	116	98	83	58	30	12	11	2	–	–	–
		558	–	–	–	–	–	–	–	8	46	88	131	121	96	37	18	8	2	–	–	–	–	3
Condition not stated.	Males.	264	–	–	–	1	1	7	18	94	75	31	13	8	7	2	1	1	3	–	–	–	–	2
	Females.	264	–	–	–	3	12	25	29	104	51	21	8	5	–	1	–	–	1	–	–	–	–	4
TOTAL MALES		21225	–	–	3	9	118	439	992	7105	6166	2779	1430	930	518	331	203	99	39	22	8	–	–	34
TOTAL FEMALES ...		21225	–	8	64	292	864	1417	1962	7852	4962	1894	961	474	254	101	29	16	3	1	–	–	–	71

AGES of MALES married in Scotland in 1860.

	Total Males.	Ages of Males at Marriage. Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland	21225	–	–	3	9	118	439	992	7105	6166	2779	1430	930	518	331	203	99	39	22	8	–	–	34
DIVISIONS.																							
1. Northern	697	–	–	–	1	1	8	27	172	231	114	59	26	22	11	10	7	4	2	1	–	–	1
2. North-Western	831	–	–	–	–	2	2	9	145	296	187	78	61	21	17	5	3	1	2	–	–	–	2
3. North-Eastern	2451	–	–	–	–	14	37	94	718	765	381	199	107	49	40	24	9	4	7	1	–	–	2
4. East-Midland	3476	–	–	–	–	16	68	146	1240	973	431	215	149	94	65	40	22	7	4	2	–	–	4
5. West-Midland	1428	–	–	1	1	9	26	55	443	422	214	118	56	31	20	15	7	1	2	2	–	–	5
6. South-Western	7903	–	–	2	4	56	204	469	2969	2148	866	442	335	183	111	63	32	10	4	1	–	–	4
7. South-Eastern	3118	–	–	–	1	13	65	140	997	927	411	220	140	87	42	35	14	11	1	1	–	–	13
8. Southern	1321	–	–	–	2	7	29	52	421	404	175	99	56	31	25	11	5	1	–	–	–	–	3
COUNTIES.																							
Shetland	175	–	–	–	–	–	3	6	50	61	26	8	4	7	3	4	1	–	–	1	–	–	1
Orkney	181	–	–	–	1	–	1	6	51	60	33	13	5	4	–	2	3	1	1	–	–	–	–
Caithness	240	–	–	–	–	1	2	10	51	89	28	25	12	8	6	2	3	2	1	–	–	–	–
Sutherland	101	–	–	–	–	–	2	5	20	21	27	13	5	3	2	2	–	1	–	–	–	–	–
Ross and Cromarty	360	–	–	–	–	1	1	5	68	135	84	22	20	8	10	2	1	–	2	–	–	–	1
Inverness	471	–	–	–	–	1	1	4	77	161	103	56	41	13	7	3	2	1	–	–	–	–	1

AGES of MALES married in Scotland in 1860.

Nairn	50	–	–	–	–	–	–	–	10	17	8	6	6	2	1	–	–	–		–	–	–	–
Elgin	236	–	–	–	–	–	2	10	71	59	39	20	14	10	6	4	–	–	1	–	–	–	–
Banff	391	–	–	–	–	3	2	19	127	120	58	30	12	6	5	6	–	–	2	–	–	–	1
Aberdeen	1546	–	–	–	–	9	32	55	439	491	244	128	68	26	24	13	8	3	4	1	–	–	1
Kincardine	228	–	–	–	–	2	1	10	71	78	32	15	7	5	4	1	1	1	–	–	–	–	–
Forfar	1472	–	–	–	–	8	28	71	531	402	185	75	60	48	26	23	9	2	2	1	–	–	1
Perth	806	–	–	–	–	4	5	22	246	249	107	73	51	18	13	8	5	3	–	1	–	–	1
Fife	998	–	–	–	–	2	26	40	386	269	124	57	31	25	23	5	6	1	2	–	–	–	1
Kinross	44	–	–	–	–	–	1	–	12	15	4	2	1	2	3	3	–	1	–	–	–	–	–
Clackmannan	156	–	–	–	–	2	8	13	65	38	11	8	6	1	–	1	2	–	–		–	–	1
Stirling	629	–	–	1	–	5	15	24	211	169	94	49	18	14	11	8	3	1	1	2	–	–	3
Dumbarton	362	–	–	–	1	2	9	20	131	104	39	28	16	4	4	3	1	–	–	–	–	–	–
Argyll	350	–	–	–	–	2	–	9	83	120	66	31	17	9	5	2	3	–	1	–	–	–	2
Bute	87	–	–	–	–	–	2	2	18	29	15	10	5	4	–	2	–	–	–	–	–	–	–
Renfrew	1307	–	–	–	–	6	27	68	472	393	142	68	43	37	29	14	4	2	1	–	–	–	1
Ayr	1391	–	–	1	–	15	45	108	538	342	133	76	58	36	18	9	5	4	2	1	–	–	–
Lanark	5205	–	–	1	4	35	132	293	1959	1413	591	298	234	110	64	40	23	4	1	–	–	–	3
Linlithgow	279	–	–	–	–	1	9	27	113	67	31	9	14	4	1	1	1	–	–	–	–	–	1
Edinburgh	2325	–	–	–	1	6	51	95	718	691	313	180	109	70	33	28	11	9	1	1	–	–	8
Haddington	208	–	–	–	–	3	2	10	65	76	24	14	8	2	1	1	–	2	–	–	–	–	–
Berwick	186	–	–	–	–	–	3	5	65	50	30	9	6	5	3	4	2	–	–	–	–	–	4
Peebles	52	–	–	–	–	2	–	3	14	17	6	6	1	2	1	–	–	–	–	–	–	–	–
Selkirk	68	–	–	–	–	1	–	–	22	26	7	2	2	4	3	1	–	–	–	–	–	–	–
Roxburgh	339	–	–	–	–	2	10	12	111	101	45	27	13	8	6	2	1	1	–	–	–	–	–
Dumfries	446	–	–	–	–	1	7	15	145	150	56	31	21	5	12	1	–	–	–	–	–	–	2
Kirkcudbright	254	–	–	–	1	2	6	9	83	77	33	15	10	10	1	4	2	–	–	–	–	–	1
Wigtown	282	–	–	–	1	2	6	16	82	76	41	26	12	8	6	4	2	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1860.

	Total Females	Ages of Females at Marriage.																				Age not stated.
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
Scotland . .	21225	–	8	64	292	864	1417	1962	7852	4962	1894	961	474	254	101	29	16	3	1	–	–	–	71
DIVISIONS.																							
1. Northern . .	697	–	–	–	5	13	28	37	239	217	86	36	14	15	4	1	–	–	–	–	–	–	2
2. North-Western	831	–	–	3	7	16	37	60	259	271	115	42	15	2	1	–	1	–	–	–	–	–	2
3. North-Eastern	2451	–	3	8	34	80	146	197	898	609	276	111	46	24	10	3	2	1	–	–	–	–	3
4. East-Midland .	3476	–	–	5	30	95	198	300	1299	891	312	153	99	49	23	8	1	–	–	–	–	–	13
5. West-Midland .	1428	–	–	8	26	53	77	151	519	351	126	70	24	9	4	2	1	1	–	–	–	–	6
6. South-Western	7903	–	5	27	136	424	658	826	3034	1562	564	323	178	93	40	9	9	–	–	–	–	–	15
7. South-Eastern	3118	–	–	9	34	128	178	265	1139	762	292	152	67	47	13	3	2	1	1	–	–	–	25
8. Southern . .	1321	–	–	4	20	55	95	126	465	299	123	74	31	15	6	3	–	–	–	–	–	–	5
COUNTIES.																							
Shetland . .	175	–	–	–	2	–	4	10	52	68	19	9	5	5	–	–	–	–	–	–	–	–	1
Orkney . .	181	–	–	–	–	8	8	10	70	52	19	5	1	6	1	1	–	–	–	–	–	–	–
Caithness . .	240	–	–	–	2	2	11	13	82	71	30	17	5	3	3	–	–	–	–	–	–	–	1
Sutherland . .	101	–	–	–	1	3	5	4	35	26	18	5	3	1	–	–	–	–	–	–	–	–	–
Ross and Cromarty	360	–	–	1	2	6	17	25	124	108	52	14	7	1	1	–	1	–	–	–	–	–	1
Inverness . .	471	–	–	2	5	10	20	35	135	163	63	28	8	1	–	–	–	–	–	–	–	–	1

AGES of FEMALES married in Scotland in 1860.

Nairn . . .	50	–	–	1	–	–	2	1	20	14	5	5	1	–	1	–	–	–	–	–	–	–	–
Elgin . . .	236	–	–	–	4	7	14	16	86	55	32	14	5	2	–	–	–	–	–	–	–	–	1
Banff . . .	391	–	1	–	3	18	18	37	160	92	35	16	6	2	1	–	2	–	–	–	–	–	–
Aberdeen . .	1546	–	2	7	27	43	96	119	550	385	185	67	33	18	8	3	–	1	–	–	–	–	2
Kincardine . .	228	–	–	–	–	12	16	24	82	63	19	9	1	2	–	–	–	–	–	–	–	–	–
Forfar . .	1472	–	–	2	13	50	92	124	539	373	142	55	38	22	11	6	1	–	–	–	–	–	4
Perth . .	806	–	–	2	9	12	31	61	310	219	75	41	27	9	4	1	–	–	–	–	–	–	5
Fife . . .	998	–	–	1	4	26	60	94	369	260	82	47	30	14	7	1	–	–	–	–	–	–	3
Kinross . .	44	–	–	–	–	3	4	5	13	8	2	5	2	2	–	–	–	–	–	–	–	–	–
Clackmannan .	156	–	–	–	4	4	11	16	68	31	11	5	2	2	1	–	–	–	–	–	–	–	1
Stirling . .	629	–	–	4	13	26	35	81	226	139	48	28	15	6	3	1	–	1	–	–	–	–	3
Dumbarton .	362	–	–	3	10	18	20	40	141	80	30	15	3	–	1	–	–	–	–	–	–	–	1
Argyll . .	350	–	–	1	3	7	19	22	127	100	39	23	4	1	–	1	1	–	–	–	–	–	2
Bute . . .	87	–	–	–	–	2	3	8	25	32	9	4	2	2	–	–	–	–	–	–	–	–	–
Renfrew . .	1307	–	–	3	15	60	89	142	510	278	101	51	32	15	6	1	2	–	–	–	–	–	2
Ayr . . .	1391	–	2	4	28	105	133	134	522	256	85	65	30	16	7	2	–	–	–	–	–	–	2
Lanark . .	5205	–	3	20	93	259	436	550	2002	1028	378	207	116	62	27	6	7	–	–	–	–	–	11
Linlithgow . .	279	–	–	2	5	23	24	34	107	49	12	13	5	4	–	–	–	–	–	–	–	–	1
Edinburgh . .	2325	–	–	7	24	96	135	190	824	571	233	119	53	39	12	2	1	1	–	–	–	–	18
Haddington .	208	–	–	–	2	5	11	20	84	51	19	10	3	1	–	–	–	–	1	–	–	–	1
Berwick . .	186	–	–	–	1	3	5	13	74	59	15	5	3	1	1	–	1		–	–	–	–	5
Peebles . .	52	–	–	–	1	1	2	5	18	17	5	3	–	–	–	–	–	–	–	–	–	–	–
Selkirk . .	68	–	–	–	1	–	1	3	32	15	8	2	3	2	–	1	–	–	–	–	–	–	–
Roxburgh . .	339	–	–	–	5	11	22	38	120	79	30	21	8	3	2	–	–	–	–	–	–	–	–
Dumfries . .	446	–	–	–	7	21	28	28	173	105	38	25	12	2	2	1	–	–	–	–	–	–	4
Kirkcudbright .	254	–	–	1	4	10	19	25	88	57	25	14	4	5	1	–	–	–	–	–	–	–	1
Wigtown . .	282	–	–	3	4	13	26	35	84	58	30	14	7	5	1	2	–	–	–	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1860.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	2888742	3062294	68170	6439	2160	4814	6280	3017	2031	1452	3405	1707	2270	2550	2335
Insular . .	166487	160733	2714	245	55	103	157	68	55	39	89	71	89	98	108
Mainland .	1712552	1763377	33358	3116	959	1986	2390	1191	826	601	1627	956	1249	1235	1099
Towns . .	1009703	1138184	32098	3078	1146	2725	3733	1758	1150	812	1689	680	932	1217	1128
Shetland . .	31078	31670	465	26	10	10	17	8	5	4	9	15	16	23	20
Orkney . .	31455	32395	479	22	7	7	7	7	4	4	14	14	21	17	19
Caithness .	39782	42200	735	56	23	52	47	28	25	9	32	18	26	21	27
Sutherland .	24720	24157	358	22	4	24	13	8	–	4	8	8	18	3	13
Ross & Cromarty	83781	82427	1438	151	35	72	95	42	40	14	41	30	44	48	47
Inverness .	91954	84902	1451	164	34	72	91	32	24	19	36	27	33	46	43
Nairn . .	8076	8347	153	11	1	5	7	4	3	4	5	4	6	4	7
Elgin . .	40532	44218	717	64	24	43	37	18	14	12	24	20	26	20	18
Banff . .	51353	56020	1061	107	28	50	60	44	26	21	50	39	33	30	23
Aberdeen .	213461	223344	4452	329	123	223	339	215	144	101	255	141	176	181	168
Kincardine .	34944	34854	625	41	15	14	23	19	16	14	40	17	30	19	25
Forfar . .	193627	206750	5004	540	161	307	419	220	226	141	291	136	140	169	155
Perth . .	137369	133198	2693	214	61	107	123	61	59	46	118	81	94	106	91
Fife . . .	153789	155021	2945	264	96	188	209	114	64	51	148	72	99	126	89
Kinross . .	9626	8731	160	10	3	5	10	4	6	2	8	9	5	6	1
Clackmannan .	21555	20122	393	50	16	29	24	11	13	5	12	19	16	18	9
Stirling . .	83802	88138	1849	205	49	137	159	65	52	27	80	56	66	67	60
Dumbarton .	46995	54179	1225	99	44	80	141	63	34	25	60	37	52	52	47
Argyll . .	94042	83859	1561	104	29	72	87	44	35	23	60	34	59	49	49
Bute . .	16608	16331	318	19	6	17	21	8	5	5	12	10	12	17	15
Renfrew . .	157950	168746	4326	397	158	377	498	226	129	109	229	121	171	181	136
Ayr . .	189973	199063	4607	429	160	361	437	241	162	107	272	133	188	190	156
Lanark . .	533169	640444	17936	1818	660	1737	2463	1033	625	446	965	372	569	692	670
Linlithgow .	30590	39045	712	74	42	66	79	39	16	12	28	17	24	24	25
Edinburgh .	259498	274093	6456	609	224	469	528	280	165	131	283	111	156	222	226
Haddington .	36363	37626	779	89	23	26	39	32	20	16	48	24	26	23	18
Berwick . .	36165	36488	604	69	10	28	23	13	15	6	27	10	18	17	17
Peebles . .	10804	11300	167	12	5	6	8	6	4	5	7	5	4	3	4
Selkirk . .	9802	10410	176	24	6	13	18	3	–	1	9	4	4	5	6
Roxburgh .	51225	53722	1110	122	25	72	89	44	39	23	64	24	44	33	28
Dumfries . .	78149	75904	1580	157	44	72	97	42	32	34	77	37	43	60	54
Kirkcudbright	43121	42495	826	81	21	40	41	24	14	20	48	31	27	31	36
Wigtown . .	43389	42095	809	60	13	33	31	19	15	11	45	31	24	47	33
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1860.—BOTH SEXES.															
Inverness .	16496	16162	381	32	10	35	37	16	11	5	7	6	5	11	9
Aberdeen .	71973	73900	2193	156	80	129	202	145	102	69	149	74	79	94	75
Arbroath .	17238	17831	307	36	7	15	8	6	3	4	10	6	5	16	14
Dundee . .	80027	91664	2903	293	113	233	326	172	180	113	208	78	77	92	85
Forfar . .	11009	10838	236	34	1	11	10	12	4	3	9	6	3	5	10
Montrose .	16037	15668	347	28	9	9	17	6	12	3	16	9	13	11	8
Perth . .	23835	25293	664	69	25	41	44	17	8	12	26	17	21	30	31
Dunfermline .	13836	13506	320	20	12	27	19	23	7	13	26	10	16	8	6
Kirkcaldy .	10636	11117	210	25	4	13	22	7	1	3	6	3	4	14	7
Stirling . .	12401	14012	311	46	12	20	25	5	6	8	9	9	7	9	3
Greenock .	37436	43894	1255	101	53	109	174	76	48	46	58	39	39	48	34
Paisley . .	48071	47427	1378	140	47	115	146	62	36	28	77	30	59	55	43
Ayr . .	18845	19659	491	46	14	26	42	26	18	6	30	13	18	21	11
Kilmarnock .	21287	23556	686	58	23	64	82	45	22	13	36	14	16	40	29
Glasgow . .	329097	395503	12436	1196	455	1254	1821	779	472	306	645	222	372	488	482
Barony . .	16957	22667	761	64	38	67	95	40	22	12	36	21	23	27	33
Govan . .	14090	28587	606	72	26	59	70	36	20	15	41	9	11	16	25
Hamilton . .	11740	14047	313	43	12	27	27	20	9	7	14	6	11	13	12
Airdrie . .	14435	12922	299	41	10	30	32	5	10	4	14	12	10	10	11
Coatbridge, etc.	13168	15303	304	36	6	35	34	8	9	9	19	11	12	17	9
Edinburgh .	161648	170444	4240	398	137	312	360	187	91	69	154	58	103	155	151
Leith . .	32219	36029	987	98	31	71	105	54	49	46	78	22	18	24	26
Dumfries .	17223	18266	467	46	21	23	35	11	10	18	21	5	10	13	14

DEATHS at Different Ages in SCOTLAND during the YEAR 1860.—BOTH SEXES.

	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	2156	2077	2037	1979	2092	2225	2899	2878	3351	3073	2592	1483	545	164	36	123
Insular . . .	93	80	76	68	95	90	121	140	179	184	171	134	61	25	7	13
Mainland . . .	972	897	843	902	978	1079	1514	1587	2002	1970	1765	1023	375	104	20	92
Towns . . .	1091	1100	1118	1009	1019	1056	1264	1151	1170	919	656	326	109	35	9	18
Shetland . . .	14	10	11	12	15	17	21	24	29	50	44	40	8	6	–	1
Orkney . . .	15	20	16	14	14	16	28	38	41	48	35	36	10	3	1	1
Caithness . . .	19	13	7	17	17	19	38	39	52	40	44	37	17	9	1	2
Sutherland . .	7	7	10	10	14	12	17	23	24	24	33	31	12	6	2	1
Ross and Cromarty .	48	45	27	23	38	37	78	58	100	102	125	55	23	9	9	2
Inverness . . .	48	35	34	35	69	56	61	69	89	78	121	59	48	18	4	6
Nairn . . .	6	2	5	4	4	7	8	5	12	11	17	6	2	1	–	2
Elgin . . .	18	21	27	15	16	25	29	32	56	53	54	35	10	3	–	3
Banff . . .	28	26	21	22	36	24	53	39	71	84	76	46	14	5	–	5
Aberdeen . . .	145	117	117	117	134	145	157	215	247	247	235	115	48	8	3	7
Kincardine .	19	19	13	8	14	24	34	38	42	50	44	27	10	5	–	5
Forfar . . .	165	134	136	156	143	173	251	201	238	224	161	77	20	12	1	7
Perth . . .	69	83	66	74	92	103	167	147	193	203	185	102	36	7	1	4
Fife	88	65	73	85	79	102	132	180	187	189	140	71	23	5	–	6
Kinross . . .	4	2	3	3	3	3	12	18	18	13	2	5	4	–	–	1
Clackmannan . .	9	11	11	10	12	18	16	21	26	18	10	7	2	–	–	–
Stirling . . .	47	47	66	50	66	74	107	72	90	80	62	42	17	4	1	1
Dumbarton . . .	45	34	40	45	36	40	50	49	44	41	31	21	9	2	–	4
Argyll . . .	53	52	43	39	54	60	87	92	103	122	87	65	35	7	2	15
Bute . . .	16	8	18	15	11	13	11	14	23	15	13	7	3	1	–	3
Renfrew . . .	128	133	140	104	125	143	174	170	181	109	105	55	11	9	1	6
Ayr	143	130	127	135	132	123	164	153	196	187	156	86	27	5	4	3
Lanark . . .	605	595	593	550	518	467	608	534	519	408	270	144	45	22	–	8
Linlithgow . .	22	16	17	23	15	28	22	21	40	29	19	10	2	–	–	2
Edinburgh . .	226	259	256	241	253	287	313	304	300	273	192	100	36	3	3	6
Haddington . .	21	31	14	24	34	23	37	44	47	41	34	29	9	–	–	7
Berwick . . .	20	14	22	25	22	19	25	33	55	49	37	21	3	2	–	4
Peebles . . .	1	13	7	4	7	2	13	12	6	12	13	4	3	–	–	1
Selkirk . . .	5	5	2	9	4	3	11	12	10	12	6	3	–	–	–	1
Roxburgh . .	30	34	31	28	30	36	47	43	81	63	48	20	8	3	1	–
Dumfries . . .	45	54	45	41	46	71	67	94	108	92	84	56	21	3	2	2
Kirkcudbright . .	24	21	21	17	13	29	28	35	68	50	50	38	14	3	–	1
Wigtown . . .	23	21	18	24	26	26	33	49	55	56	59	33	15	3	–	6

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1860.—BOTH SEXES.

	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	12	9	14	7	23	16	17	16	22	20	22	8	7	2	1	1
Aberdeen . . .	67	58	65	54	66	77	67	95	105	85	58	27	13	2	–	–
Arbroath . . .	12	7	8	11	16	12	22	17	23	22	14	11	–	2	–	–
Dundee . . .	84	72	78	87	78	89	116	87	94	81	39	17	5	2	–	4
Forfar . . .	10	7	7	7	7	17	15	10	21	14	11	2	–	–	–	–
Montrose . . .	18	17	19	19	10	14	13	23	12	21	22	12	2	2	1	1
Perth . . .	19	21	22	22	29	22	51	33	33	28	25	12	4	1	1	–
Dunfermline . .	6	9	3	12	8	10	17	19	17	15	17	–	–	–	–	–
Kirkcaldy . . .	4	6	6	6	7	10	8	15	17	10	4	7	1	–	–	–
Stirling . . .	8	9	14	9	11	16	17	11	21	20	12	3	4	–	–	–
Greenock . . .	40	46	46	24	46	41	48	37	30	28	24	14	2	1	1	2
Paisley . . .	43	42	44	42	45	47	59	68	70	31	26	16	3	3	–	1
Ayr . . .	15	17	17	18	9	17	16	19	32	21	24	10	3	–	2	–
Kilmarnock . .	29	25	22	17	18	20	23	17	23	23	13	8	4	1	–	1
Glasgow . . .	434	430	444	410	358	336	417	338	307	222	137	72	22	11	–	6
Barony . . .	26	20	25	18	28	20	30	35	34	17	19	9	2	–	–	–
Govan . . .	28	30	23	18	12	18	15	15	17	15	10	3	1	1	–	–
Hamilton . . .	9	9	7	4	8	9	13	10	11	18	5	5	2	2	–	–
Airdrie . . .	9	15	8	8	12	5	10	11	14	7	8	2	–	1	–	–
Coatbridge, etc. .	5	13	8	14	8	11	10	9	12	3	3	2	1	–	–	–
Edinburgh . .	165	178	193	173	181	191	214	203	189	166	125	58	24	3	2	–
Leith . . .	30	39	31	16	25	34	40	39	43	28	21	16	2	–	–	1
Dumfries . . .	18	21	14	13	14	24	26	24	33	24	17	12	7	1	1	1

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1860.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1375479	1449848	33610	3562	1243	2561	3252	1544	1007	711	1754	872	1149	1303	1058
Insular . .	76760	73409	1319	134	35	58	86	36	23	19	43	43	49	59	59
Mainland .	829259	849381	16510	1743	527	1059	1250	611	420	313	840	483	655	660	516
Towns . .	469460	527058	15781	1685	681	1444	1916	897	564	379	871	346	445	584	483
Shetland . .	13145	13041	229	16	9	6	10	6	–	–	5	11	9	16	10
Orkney . .	14350	14921	204	11	3	3	3	2	2	3	2	9	12	10	12
Caithness .	18809	19827	356	32	8	30	23	15	14	3	16	8	12	13	18
Sutherland .	11437	11008	161	10	2	16	5	5	–	1	4	3	10	2	9
Ross & Cromarty	39489	38281	703	83	18	31	44	22	17	8	14	17	25	32	24
Inverness .	42814	39432	710	85	20	35	47	17	12	11	25	13	17	24	18
Nairn . .	3831	3975	70	5	–	2	4	1	1	3	2	3	3	2	5
Elgin . .	19104	20719	336	36	15	23	14	7	5	6	11	9	14	13	6
Banff . .	24034	26377	535	65	12	29	30	30	15	9	34	21	19	13	9
Aberdeen .	100938	105019	2208	202	74	126	184	106	68	49	135	75	84	87	82
Kincardine .	17185	16914	289	21	7	6	12	13	8	6	23	7	13	10	7
Forfar . .	89399	93056	2407	282	94	171	217	114	116	75	155	72	73	80	65
Perth . .	65266	63000	1268	112	35	55	63	26	30	28	55	39	51	59	39
Fife . . .	73305	72363	1473	152	62	104	104	54	31	26	81	37	46	62	42
Kinross . .	4660	4134	75	8	2	3	7	1	2	1	2	2	3	5	–
Clackmannan .	10634	9713	198	31	7	13	13	8	7	2	8	11	11	9	4
Stirling . .	41563	43507	958	117	23	80	82	34	32	15	40	35	36	34	30
Dumbarton .	23340	26418	608	53	19	44	78	34	14	11	34	17	27	29	14
Argyll . .	46197	40772	760	52	19	43	43	17	18	12	33	16	21	32	25
Bute . .	7518	7043	170	16	5	7	11	6	2	3	5	6	8	9	6
Renfrew . .	74224	79121	2199	228	89	203	280	132	71	46	110	64	86	85	53
Ayr . .	92933	96865	2311	238	86	184	227	123	85	56	138	66	95	98	69
Lanark . .	258450	307985	8932	1030	396	915	1248	523	303	205	496	183	267	334	287
Linlithgow .	15137	20230	371	36	30	31	43	17	7	6	18	2	16	13	11
Edinburgh .	119713	126256	3150	320	132	243	280	137	83	67	150	61	78	117	116
Haddington .	17592	17842	387	50	11	18	26	16	8	7	21	13	16	11	12
Berwick . .	17367	17332	290	35	4	17	13	8	4	4	13	2	10	11	5
Peebles . .	5400	5593	74	6	4	4	2	3	1	2	5	2	1	1	1
Selkirk . .	4836	5065	78	13	4	5	9	2	–	–	5	4	2	1	3
Roxburgh .	25002	26565	532	55	10	38	55	20	19	16	28	9	28	17	16
Dumfries .	38922	37244	785	83	27	40	43	21	18	15	39	21	25	32	31
Kirkcudbright	19501	18086	397	47	8	19	18	12	6	12	25	14	17	16	16
Wigtown .	20335	19311	386	32	8	17	14	12	8	3	22	20	14	26	13

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1860.

	1851.	1861.	ALL AGES.	3	6	12	2	3	4	5	10	15	20	25	30
Inverness .	7401	7261	187	15	8	17	17	8	6	3	5	4	2	3	2
Aberdeen .	31746	32554	1087	94	54	80	104	78	44	31	78	38	41	40	29
Arbroath .	7866	7770	147	24	4	9	3	2	1	2	6	3	3	7	5
Dundee . .	36364	40395	1383	139	64	127	165	88	95	62	107	39	36	41	30
Forfar . .	5017	4735	105	18	1	5	8	5	1	1	5	2	1	4	6
Montrose .	7061	6736	168	16	5	4	10	6	6	1	10	5	5	4	4
Perth . .	11282	11564	319	33	13	19	23	9	5	8	8	10	11	15	14
Dunfermline .	6901	6447	147	9	8	16	8	11	3	5	14	5	7	3	3
Kirkcaldy .	4906	5074	94	9	3	7	9	2	–	1	5	3	3	9	1
Stirling . .	5908	6814	158	24	5	11	16	1	4	4	6	6	4	5	2
Greenock .	17905	21567	667	59	31	58	104	45	27	16	29	16	25	23	18
Paisley . .	22608	21913	680	79	26	65	78	32	17	14	35	18	27	23	14
Ayr . .	8675	9094	234	21	7	13	31	13	10	4	8	4	9	9	4
Kilmarnock .	10163	11398	327	35	9	33	43	28	11	5	22	11	5	18	9
Glasgow . .	154930	185556	6110	675	276	651	922	388	226	134	334	112	161	225	206
Barony . .	8547	11221	399	37	23	35	49	19	9	5	20	12	12	18	10
Govan . .	6830	13603	301	44	13	31	30	20	12	6	19	3	6	9	10
Hamilton .	5576	6798	153	28	7	13	8	14	4	4	7	1	5	6	5
Airdrie . .	7333	6242	154	26	6	19	16	1	4	3	6	6	5	4	6
Coatbridge, etc.	7084	8155	162	16	4	18	13	1	3	4	13	6	10	10	6
Edinburgh .	72067	76013	2058	203	85	152	188	89	47	36	84	29	51	83	77
Leith . .	15482	17894	505	50	16	43	58	32	25	22	39	12	10	17	15
Dumfries .	7809	8254	236	31	13	18	13	5	4	8	11	1	6	8	7

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1860.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	994	986	985	974	1073	1066	1397	1337	1437	1352	1053	602	192	55	14	77
Insular	51	39	36	31	38	48	58	70	65	71	74	45	26	11	3	9
Mainland	455	407	420	434	513	519	746	714	900	896	750	450	131	31	7	60
Towns	488	540	529	509	522	499	593	553	472	385	229	107	35	13	4	8
Shetland	9	3	7	4	6	12	10	14	13	20	18	11	1	3	–	–
Orkney	6	11	6	7	5	5	11	18	10	24	14	9	4	1	–	1
Caithness	7	6	4	8	11	10	23	16	23	18	15	13	8	–	1	1
Sutherland	4	4	5	3	8	5	7	7	11	9	11	15	2	2	–	1
Ross and Cromarty	24	22	17	8	20	19	49	26	41	45	50	24	12	4	5	2
Inverness	26	17	18	14	40	22	34	38	39	30	53	22	20	8	–	5
Nairn	2	–	2	3	1	3	3	3	7	4	6	3	–	1	–	1
Elgin	7	11	15	6	6	15	12	11	23	19	25	19	5	1	–	2
Banff	10	16	8	10	17	9	27	23	33	37	34	15	4	2	–	4
Aberdeen	73	55	50	52	64	66	79	101	114	114	92	51	14	4	1	6
Kincardine	8	9	6	4	10	11	15	13	21	20	20	14	1	1	–	3
Forfar	62	51	64	59	76	79	103	94	95	101	62	30	10	4	–	3
Perth	21	30	27	36	44	47	90	59	84	91	77	53	14	1	1	1
Fife	45	28	40	49	36	49	61	83	82	92	67	28	9	1	–	2
Kinross	2	1	1	1	1	2	6	8	7	7	–	2	1	–	–	–
Clackmannan	3	6	2	6	7	9	8	8	11	7	3	4	–	–	–	–
Stirling	21	30	32	23	40	45	54	38	38	35	25	11	6	1	–	1
Dumbarton	21	21	17	23	23	26	21	21	21	10	13	8	6	–	–	3
Argyll	30	31	23	19	25	28	42	48	42	50	36	32	13	1	1	8
Bute	9	4	9	5	5	11	6	7	11	5	7	3	–	1	–	3
Renfrew	69	65	63	48	67	61	83	82	87	49	44	28	2	2	–	2
Ayr	61	63	56	74	67	67	82	70	89	91	72	39	9	2	2	2
Lanark	271	302	294	298	271	223	273	261	215	166	89	56	13	10	–	3
Linlithgow	16	8	7	15	8	14	13	9	21	13	8	6	1	–	–	2
Edinburgh	105	128	127	115	124	128	151	136	115	113	70	35	15	–	2	2
Haddington	11	12	6	8	17	12	18	21	19	19	13	12	3	–	–	7
Berwick	11	4	12	11	13	6	14	14	25	22	16	12	–	1	–	3
Peebles	–	3	4	1	3	1	8	3	5	7	7	–	–	–	–	–
Selkirk	1	–	–	7	2	–	5	3	3	5	3	–	–	–	–	1
Roxburgh	17	15	18	11	13	14	17	20	35	32	25	3	–	1	–	–
Dumfries	23	16	24	26	22	42	36	43	50	43	36	20	7	–	1	1
Kirkcudbright	11	7	11	6	10	14	18	16	27	26	18	13	7	2	–	1
Wigtown	8	7	10	14	11	11	18	23	20	28	24	11	5	1	–	6

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1860.

	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	5	6	8	–	16	7	10	9	10	10	7	5	2	1	–	1
Aberdeen	30	26	32	25	29	42	34	43	43	38	21	8	4	1	–	–
Arbroath	7	3	4	4	10	8	9	7	11	9	2	4	–	–	–	–
Dundee	31	27	32	33	43	39	48	41	34	39	14	6	1	1	–	1
Forfar	4	1	4	1	3	5	6	4	6	9	4	1	–	–	–	–
Montrose	4	8	11	8	5	7	6	12	6	9	8	5	2	1	–	–
Perth	6	12	7	13	16	11	33	15	14	8	10	4	1	–	1	–
Dunfermline	4	5	1	7	4	5	5	7	5	6	6	–	–	–	–	–
Kirkcaldy	1	1	3	2	2	6	4	4	9	4	2	4	–	–	–	–
Stirling	3	5	5	3	6	9	7	7	9	8	6	–	2	–	–	–
Greenock	26	23	25	15	26	18	23	16	16	12	10	5	–	1	–	–
Paisley	22	20	19	19	22	21	28	36	33	14	11	6	–	–	–	1
Ayr	6	8	6	12	6	9	8	9	12	8	14	2	–	–	1	–
Kilmarnock	7	9	10	10	6	7	14	6	8	11	4	2	3	–	–	1
Glasgow	192	221	201	215	183	158	178	161	126	87	42	24	7	3	–	2
Barony	15	8	18	12	16	9	20	22	12	8	5	5	–	–	–	–
Govan	13	17	11	12	6	8	6	9	6	5	4	–	–	1	–	–
Hamilton	4	7	6	2	2	5	6	4	4	5	1	2	1	2	–	–
Airdrie	2	6	3	5	6	4	4	9	7	1	4	–	–	1	–	–
Coatbridge, etc.	2	8	6	10	4	8	7	4	6	2	1	–	–	–	–	–
Edinburgh	78	96	92	87	88	87	103	97	72	68	40	17	3	–	1	–
Leith	14	16	19	6	14	13	22	20	14	13	7	6	1	–	–	1
Dumfries	12	7	6	8	9	13	12	11	9	11	6	1	3	1	1	1

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1860.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1612446	34560	2877	917	2253	3028	1473	1024	741	1651	835	1121	1247	1277
Insular . .	89727	87324	1395	111	20	45	71	32	32	20	46	28	40	39	49
Mainland .	883293	913996	16848	1373	432	927	1140	580	406	288	787	473	594	575	583
Towns . .	540243	611126	16317	1393	465	1281	1817	861	586	433	818	334	487	633	645
Shetland . .	17933	18637	236	10	1	4	7	2	5	4	4	4	7	7	10
Orkney . .	17105	17495	275	11	4	4	4	5	2	1	12	5	9	7	7
Caithness .	20973	22477	379	24	15	22	24	13	11	6	16	10	14	8	9
Sutherland .	13283	13112	197	12	2	8	8	3	–	3	4	5	8	1	4
Ross & Cromarty	44292	44020	735	68	17	41	51	20	23	6	27	13	19	16	23
Inverness .	49140	45447	741	79	14	37	44	15	12	8	11	14	16	22	25
Nairn . .	4245	4374	83	6	1	3	3	3	2	1	3	1	3	2	2
Elgin . .	21758	23496	381	28	9	20	23	11	9	6	13	11	12	7	12
Banff . .	26989	29663	526	42	16	21	30	14	11	12	16	18	14	17	14
Aberdeen .	112528	118135	2244	127	49	97	155	109	76	52	120	66	92	94	86
Kincardine .	17754	17935	336	20	8	8	11	6	8	8	17	10	17	9	18
Forfar . .	104232	113640	2597	258	67	136	202	106	110	66	136	64	67	89	90
Perth . .	71039	70067	1425	102	26	52	60	35	29	18	63	42	43	47	52
Fife . .	80484	82443	1472	112	34	84	105	60	33	25	67	35	53	64	47
Kinross . .	4966	4595	85	2	1	2	3	3	4	1	6	7	2	1	1
Clackmannan .	10921	10408	195	19	9	16	11	3	6	3	4	8	5	9	5
Stirling . .	43298	44766	891	88	26	57	77	31	20	12	40	21	30	33	30
Dumbarton .	23655	27763	617	46	25	36	63	29	20	14	26	20	25	23	33
Argyll . .	47845	43004	801	52	10	29	44	27	17	11	27	18	38	17	24
Bute . .	9090	9145	148	3	1	10	10	2	3	2	7	4	4	8	9
Renfrew . .	83726	89472	2127	169	69	174	218	94	58	63	119	57	85	96	83
Ayr . .	96980	102186	2296	191	74	177	210	118	77	51	134	67	93	92	87
Lanark . .	274419	332451	9004	788	264	822	1215	510	322	241	469	189	302	358	383
Linlithgow .	14895	19015	341	38	12	35	36	22	9	6	10	15	8	11	14
Edinburgh .	140338	147709	3306	289	92	226	248	143	82	64	133	50	78	105	110
Haddington .	18771	19773	392	39	12	8	13	16	12	9	27	11	10	12	6
Berwick . .	18798	19157	314	34	6	11	10	5	11	2	14	8	8	6	12
Peebles . .	5404	5707	93	6	1	2	6	3	3	3	2	3	3	2	3
Selkirk . .	4966	5345	98	11	2	8	9	1	–	1	4	–	2	4	3
Roxburgh .	26223	27147	578	67	15	34	34	24	20	7	36	15	16	16	12
Dumfries .	43040	42254	795	74	17	32	54	21	14	19	38	16	18	28	23
Kirkcudbright	20807	20744	429	34	13	21	23	12	8	8	23	17	10	15	20
Wigtown .	23054	22727	423	28	5	16	17	7	7	8	23	11	10	21	20

FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1860.

Inverness .	9095	8901	194	17	2	18	20	8	5	2	2	2	3	8	7
Aberdeen .	40227	41346	1106	62	26	49	98	67	58	38	71	36	38	54	46
Arbroath .	9372	10061	160	12	3	6	5	4	2	2	4	3	2	9	9
Dundee . .	43663	51269	1520	154	49	106	161	84	85	51	101	39	41	51	55
Forfar . .	5992	6103	131	16	–	6	2	7	3	2	4	4	2	1	4
Montrose .	8976	8932	179	12	4	5	7	–	6	2	6	4	8	7	4
Perth . .	12553	13729	345	36	12	22	21	8	3	4	18	7	10	15	17
Dunfermline .	6935	7059	173	11	4	11	11	12	4	8	12	5	9	5	3
Kirkcaldy .	5730	6043	116	16	1	6	13	5	1	2	1	–	1	5	6
Stirling . .	6493	7198	156	22	7	9	9	4	2	4	3	3	3	4	1
Greenock .	19531	22327	588	42	22	51	70	31	21	30	29	23	14	25	16
Paisley . .	25463	25514	698	61	21	50	68	30	19	14	42	12	32	32	29
Ayr . .	10170	10565	257	25	7	13	11	13	8	2	22	9	9	12	7
Kilmarnock .	11124	12158	359	23	14	31	39	17	11	8	14	3	11	22	20
Glasgow . .	174167	209947	6326	521	179	603	899	391	246	172	311	110	211	263	276
Barony . .	8410	11338	362	27	15	32	46	21	13	7	16	9	11	9	23
Govan . .	7260	14981	305	28	13	28	40	16	8	9	22	6	5	7	15
Hamilton .	6164	7249	160	15	5	14	19	6	5	3	7	5	6	7	7
Airdrie . .	7102	6680	145	15	4	11	16	4	6	1	8	6	5	6	5
Coatbridge, etc.	6084	7148	142	20	2	17	21	7	6	5	6	5	2	7	3
Edinburgh .	89581	94431	2182	195	52	160	172	98	44	33	70	29	52	72	74
Leith . .	16737	18135	482	48	15	28	47	22	24	24	39	10	8	7	11
Dumfries .	9414	10012	231	15	8	5	22	6	6	10	10	4	4	5	7

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1860.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1162	1091	1052	1005	1019	1159	1502	1541	1914	1721	1539	881	353	109	22	46
Insular . . .	42	41	40	37	57	42	63	70	114	113	97	89	35	14	4	4
Mainland . . .	517	490	423	468	465	560	768	873	1102	1074	1015	573	244	73	13	32
Towns . . .	603	560	589	500	497	557	671	598	698	534	427	219	74	22	5	10
Shetland . . .	5	7	4	8	9	5	11	10	16	30	26	29	7	3	–	1
Orkney . . .	9	9	10	7	9	11	17	20	31	21	21	27	6	2	1	–
Caithness . . .	12	7	3	9	6	9	15	23	29	22	29	24	9	9	–	1
Sutherland . .	3	3	5	7	6	7	10	16	13	15	22	16	10	4	2	–
Ross and Cromarty .	24	23	10	15	18	18	29	32	59	57	75	31	11	5	4	–
Inverness . . .	22	18	16	21	29	34	27	31	50	48	68	37	28	10	4	1
Nairn . . .	4	2	3	1	3	4	5	2	5	7	11	3	2	–	–	1
Elgin . . .	11	10	12	9	10	10	17	21	33	34	29	16	5	2	–	1
Banff . . .	18	10	13	12	19	15	26	16	38	47	42	31	10	3	–	1
Aberdeen . . .	72	62	67	65	70	79	78	114	133	133	143	64	34	4	2	1
Kincardine . .	11	10	7	4	·4	13	19	25	21	30	24	13	9	4	–	2
Forfar . . .	103	83	72	97	67	94	148	107	143	123	99	47	10	8	1	4
Perth	48	53	39	38	48	56	77	88	109	112	108	49	22	6	–	3
Fife	43	37	33	36	43	53	71	97	105	97	73	43	14	4	–	4
Kinross . . .	2	1	2	2	2	1	6	10	11	6	2	3	3	–	–	1
Clackmannan . .	6	5	9	4	5	9	8	13	15	11	7	3	2	–	–	–
Stirling . . .	26	17	34	27	26	29	53	34	52	45	37	31	11	3	1	–
Dumbarton . .	24	13	23	22	13	14	29	28	23	31	18	13	3	2	–	1
Argyll . . .	23	21	20	20	29	32	45	44	61	72	51	33	22	6	1	7
Bute	7	4	9	10	6	2	5	7	12	10	6	4	3	–	–	–
Renfrew . . .	59	68	77	56	58	82	91	88	94	60	61	27	9	7	1	4
Ayr	82	67	71	61	65	56	82	83	107	96	84	47	18	3	2	1
Lanark . . .	334	293	299	252	247	244	335	273	304	242	181	88	32	12	–	5
Linlithgow . .	6	8	10	8	7	14	9	12	19	16	11	4	1	–	–	–
Edinburgh . .	121	131	129	126	129	159	162	168	185	160	122	65	21	3	1	4
Haddington . .	10	19	8	16	17	11	19	23	28	22	21	17	6	–	–	–
Berwick . . .	9	10	10	14	9	13	11	19	30	27	21	9	3	1	–	1
Peebles . . .	1	10	3	3	4	1	5	9	1	5	6	4	3	–	–	1
Selkirk . . .	4	5	2	2	2	3	6	9	7	7	3	3	–	–	–	–
Roxburgh . . .	13	19	13	17	17	22	30	23	46	31	23	17	8	2	1	–
Dumfries . . .	22	38	21	15	24	29	31	51	58	49	48	36	14	3	1	1
Kirkcudbright . .	13	14	10	11	3	15	10	19	41	24	32	25	7	1	–	–
Wigtown . . .	15	14	8	10	15	15	15	26	35	28	35	22	10	2	–	–

FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1860.

	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	7	3	6	7	7	9	7	7	12	10	15	3	5	1	1	–
Aberdeen . . .	37	32	33	29	37	35	33	52	62	47	37	19	9	1	–	–
Arbroath . . .	5	4	4	7	6	4	13	10	12	13	12	7	–	2	–	–
Dundee . . .	53	45	46	54	35	50	68	46	60	42	25	11	4	1	–	3
Forfar . . .	6	6	3	6	4	12	9	6	15	5	7	1	–	–	–	–
Montrose . . .	14	9	8	11	5	7	7	11	6	12	14	7	–	1	1	1
Perth . . .	13	9	15	9	13	11	18	18	19	20	15	8	3	1	–	–
Dunfermline . .	2	4	2	5	4	5	12	12	12	9	11	–	–	–	–	–
Kirkcaldy . .	3	5	3	4	5	4	4	11	8	6	2	3	1	–	–	–
Stirling . . .	5	4	9	6	5	7	10	4	12	12	6	3	2	–	–	–
Greenock . . .	14	23	21	9	20	23	25	21	14	16	14	9	2	–	1	2
Paisley . . .	21	22	25	23	23	26	31	32	37	17	15	10	3	3	–	–
Ayr	9	9	11	6	3	8	8	10	20	13	10	8	3	–	1	–
Kilmarnock . .	22	16	12	7	12	13	9	11	15	12	9	6	1	1	–	–
Glasgow . . .	242	209	243	195	175	178	239	177	181	135	95	48	15	8	–	4
Barony . . .	11	12	7	6	12	11	10	13	22	9	14	4	2	–	–	–
Govan . . .	15	13	12	6	6	10	9	6	11	10	6	3	1	–	–	–
Hamilton . . .	5	2	1	2	6	4	7	6	7	13	4	3	1	–	–	–
Airdrie . . .	7	9	5	3	6	1	6	2	7	6	4	2	–	–	–	–
Coatbridge, etc . .	3	5	2	4	4	3	3	5	6	1	2	2	1	–	–	–
Edinburgh . .	87	82	101	86	93	104	111	106	117	98	85	41	16	3	1	–
Leith	16	23	12	10	11	21	18	19	29	15	14	10	1	–	–	–
Dumfries . . .	6	14	8	5	5	11	14	13	14	13	11	11	4	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	68170	465	479	735	358	1438	1451	153	717	1061	4452	625	5004	2693	2945	160
SPECIFIED CAUSES	64487	393	441	692	307	1184	1199	139	665	988	4284	603	4768	2580	2765	155
I. Zymotic Class	14478	48	31	198	34	258	232	23	126	248	1123	142	1300	514	610	28
II. Diseases of Uncer. Seat	2479	15	24	45	22	54	58	7	27	41	178	27	167	134	157	8
III. Tubercular Class	11212	60	62	101	53	127	175	22	105	122	742	86	706	377	400	24
IV. Brain and Nervous Sys.	5206	10	33	33	21	73	69	13	73	101	364	61	414	260	255	15
V. Organs of Circulation	2598	5	10	15	–	17	27	8	36	20	195	19	232	108	104	2
VI. Respiratory Organs	9470	21	48	66	24	107	125	3	58	96	504	57	588	297	329	21
VII. Organs of Digestion	4787	24	34	44	24	54	85	5	45	67	267	45	360	205	198	12
VIII. Urinary Organs	786	1	6	19	7	11	18	4	12	22	87	10	50	34	23	6
IX. Organs of Generation	495	4	5	6	1	18	10	–	2	4	25	4	43	27	19	2
X. Organs of Locomotion	333	8	2	3	1	5	8	–	6	2	25	1	25	12	16	–
XI. Skin, etc.	63	–	–	–	1	1	–	–	1	3	6	1	2	1	3	–
XII. Malformation	149	–	–	–	1	1	–	–	1	2	10	2	15	7	9	–
XIII. Premature Debility	2990	11	12	18	6	35	42	6	24	49	144	22	289	104	133	1
XIV. Atrophy	551	–	5	3	1	9	9	2	4	5	29	3	28	23	17	2
XV. Age	6572	159	136	123	104	332	300	41	108	167	458	99	426	392	377	28
XVI. Sudden Deaths	132	2	–	1	3	3	4	1	–	–	5	1	8	14	13	–
XVII. Violent Deaths	2186	25	33	17	4	79	37	4	37	39	122	23	115	71	102	6
I. Small Pox	1495	6	–	1	1	40	69	7	15	21	73	7	200	105	12	–
Measles	1587	–	–	3	2	5	23	4	8	24	211	5	61	17	35	–
Scarlatina	2927	–	–	37	–	33	2	1	5	37	325	63	339	124	128	11
Diphtheria	480	5	–	1	–	6	4	–	7	21	131	8	57	16	13	–
Hooping Cough	1812	16	4	100	8	76	4	1	15	15	29	2	94	10	103	1
Croup	1005	1	3	–	4	32	37	1	17	24	52	6	118	40	51	2
Thrush	35	–	–	–	–	2	–	–	–	2	1	–	3	2	1	–
Diarrhœa	1095	4	–	11	1	5	10	4	8	12	48	12	74	42	31	2
Dysentery	369	4	2	2	–	6	3	–	5	11	31	2	29	15	22	1
Cholera	46	–	–	–	–	–	–	–	–	–	1	–	1	–	4	–
Influenza	342	4	7	8	2	10	10	1	10	12	25	6	35	26	14	3
Purpura	61	2	–	–	–	–	–	–	1	2	8	1	4	–	2	–
Ague	3	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
Worms	28	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Fever	61	1	–	2	–	–	1	–	1	5	5	–	3	4	1	–
Typhus	2344	5	11	27	9	36	54	3	28	42	123	24	226	87	147	3
Metria	236	–	2	3	–	1	–	1	2	3	14	4	18	7	14	–
Rheumatic Fever	95	–	1	1	4	2	7	–	1	–	8	–	4	4	6	1
Erysipelas	334	–	1	2	2	2	7	–	2	15	31	2	19	13	22	4
Syphilis	96	–	–	–	–	2	–	–	1	1	6	–	13	2	1	–
Noma	23	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–
Hydrophobia	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	85	1	–	1	–	3	5	–	1	–	5	–	3	4	4	–
Dropsy	1052	9	12	21	9	26	29	2	10	13	63	7	71	44	85	4
Abscess	122	–	1	4	1	1	–	–	–	1	9	–	11	12	4	1
Ulcer	35	–	1	2	1	–	2	–	–	–	2	1	2	–	5	–
Fistula	15	1	–	–	–	–	–	–	–	1	–	–	1	–	3	–
Mortification	148	–	–	3	2	2	4	–	3	4	5	–	13	9	4	–
Cancer	1014	4	10	14	9	22	18	5	13	22	92	19	65	65	52	3
Gout	8	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
III. Scrofula	483	6	5	2	3	5	8	1	1	8	53	5	31	24	19	–
Tabes Mesenterica	721	–	2	3	–	3	5	–	2	5	29	4	32	11	26	1
Phthisis	8165	53	49	85	44	112	148	17	89	95	518	63	540	299	280	16
Hydrocephalus	1843	1	6	11	6	7	14	4	13	14	142	14	103	43	75	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	393	1849	1225	1561	318	4326	4607	17936	712	6456	779	604	167	176	1110	1580	826	809
SPECIFIED CAUSES .	356	1733	1137	1369	285	4130	4400	17225	661	6322	724	566	164	172	1088	1465	777	750
Zymotic Class . .	38	385	281	272	39	1028	1143	3948	149	1187	162	80	36	38	259	269	147	102
Uncertain Seat . .	14	74	51	56	10	139	161	478	16	245	43	21	6	5	58	67	39	32
Tubercular Class .	69	284	213	229	71	902	861	3276	109	1117	87	80	26	17	172	247	142	148
Brain, etc. . .	32	137	89	100	30	332	301	1181	42	623	71	70	13	19	107	140	61	63
Heart, etc. . .	15	101	36	37	22	130	137	579	37	390	42	43	16	12	59	65	49	30
Respiratory Organs .	63	210	129	141	30	526	555	3524	114	1163	89	66	14	29	123	180	78	92
Digestive Organs .	32	159	120	89	23	347	333	1262	59	422	47	57	17	18	78	132	61	62
Urinary Organs . .	4	22	8	16	1	36	53	143	9	119	10	8	2	5	10	16	5	9
Generative Organs .	4	14	11	10	1	30	40	124	8	44	7	4	–	–	7	7	5	9
Locomotive Organs .	3	9	5	18	–	16	22	73	5	39	4	–	1	–	3	7	9	5
Skin	–	–	–	1	–	2	4	15	2	9	3	2	–	–	3	–	1	2
Malformation . .	1	3	3	–	–	7	6	38	–	28	–	1	–	2	8	3	1	–
Premature Debility .	29	106	40	38	7	183	199	911	27	298	38	23	2	12	59	64	29	29
Atrophy . . .	3	15	4	13	3	36	37	195	2	53	8	3	–	–	9	14	8	8
Age	39	150	84	280	38	277	356	890	48	398	86	91	25	10	99	199	121	131
Sudden Deaths . .	–	3	–	3	–	5	2	38	1	11	–	–	1	–	2	10	1	–
Violent Deaths .	10	61	63	66	10	134	190	550	33	176	27	17	5	5	32	45	20	28
Small Pox . . .	–	28	46	42	2	179	48	453	14	52	45	11	–	–	15	3	–	–
Measles . . .	1	25	41	7	4	138	49	720	5	96	1	2	4	8	56	10	11	11
Scarlatina . . .	7	57	36	41	3	196	327	494	21	328	46	26	12	3	72	52	73	28
Diphtheria . .	1	4	4	7	5	45	8	38	9	28	8	2	–	1	21	26	2	2
Hooping Cough .	1	60	40	64	7	68	223	652	15	155	–	–	–	–	2	34	8	5
Croup . . .	6	35	23	29	2	91	49	244	10	57	14	4	1	5	12	19	9	7
Thrush . . .	–	–	4	2	–	4	1	10	–	1	–	1	–	–	–	1	–	–
Diarrhœa . . .	2	38	16	11	4	83	89	368	16	115	8	10	–	8	21	26	8	8
Dysentery . . .	3	14	6	5	2	25	34	78	5	40	2	1	1	–	4	9	4	3
Cholera . . .	–	2	2	2	–	5	4	15	–	5	–	–	–	–	3	2	–	–
Influenza . . .	–	9	3	18	1	8	34	39	4	13	4	1	2	–	9	11	4	9
Purpura . . .	1	5	2	1	1	5	3	14	1	6	–	1	–	–	–	1	–	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	4	–	1	8	10	–	1	–	–	–	–	1	1	1	–
Infantile Fever . .	–	5	1	1	–	2	4	16	–	6	1	–	–	–	–	2	–	–
Typhus . . .	12	82	43	27	7	124	205	598	37	200	25	13	9	6	33	60	20	18
Metria . . .	3	7	4	2	1	13	19	67	3	28	2	3	1	5	1	2	3	3
Rheumatic Fever .	–	4	1	2	–	7	7	15	2	10	–	–	1	–	–	2	3	2
Erysipelas . . .	1	8	8	6	–	21	25	75	2	32	5	5	3	2	9	7	1	2
Syphilis . . .	–	1	1	1	–	9	5	35	2	12	1	–	–	–	–	–	–	3
Noma . . .	–	1	–	–	–	4	1	7	3	2	–	–	–	–	–	1	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1
Hæmorrhage . .	–	1	2	1	2	5	7	20	–	7	1	2	–	–	2	5	2	1
Dropsy . . .	7	30	30	35	1	63	69	224	4	56	28	6	4	3	22	36	18	11
Abscess . . .	–	2	6	–	–	4	15	30	2	7	3	–	–	–	2	2	1	3
Ulcer . . .	–	–	–	2	–	1	2	5	–	6	–	–	–	–	1	1	–	1
Fistula . . .	–	–	–	–	–	2	–	5	–	1	–	–	–	–	1	–	–	–
Mortification . .	–	7	3	3	–	7	17	33	2	12	2	1	–	–	3	5	3	1
Cancer . . .	7	34	10	15	7	56	51	161	8	154	9	12	2	2	26	18	15	14
Gout . . .	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1	–	–	1
Scrofula . . .	3	10	5	14	2	36	36	119	15	36	7	2	2	–	7	6	6	6
Tabes Mesenterica .	2	24	7	5	3	53	59	273	6	108	4	4	1	2	17	18	8	4
Phthisis . . .	56	198	162	187	54	631	639	2326	57	736	62	59	19	13	115	196	114	133
Hydrocephalus . .	8	52	39	23	12	182	127	558	31	237	14	15	4	2	33	27	14	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	378	–	5	6	4	5	2	1	8	7	34	2	37	6	23	–
Apoplexy	1144	2	2	3	2	5	10	2	18	13	79	22	92	65	60	4
Paralysis	1560	5	17	14	10	33	36	4	15	34	88	20	97	120	98	6
Delirium Tremens	88	–	–	–	–	1	2	1	1	1	4	–	8	4	3	–
Chorea	9	–	1	–	–	1	–	–	–	–	1	–	1	–	1	–
Epilepsy	224	1	2	–	1	2	3	1	2	3	19	4	22	10	11	–
Tetanus	47	–	–	–	1	9	–	–	2	–	1	–	4	–	2	–
Insanity	54	–	2	–	–	–	3	–	–	3	7	–	7	3	4	1
Convulsions	852	1	1	5	1	9	5	2	9	20	65	6	94	20	19	2
Brain Disease	850	1	3	5	2	8	8	2	18	20	66	7	52	32	34	2
V. Pericarditis	92	–	–	4	–	3	–	–	2	–	7	–	2	5	1	–
Aneurism	88	–	–	–	–	1	–	–	–	–	9	–	8	4	2	–
Heart Disease	2418	5	10	11	–	13	27	8	34	20	179	19	222	99	101	2
VI. Laryngitis	167	1	–	–	–	–	1	–	–	2	16	2	12	12	7	1
Bronchitis	5400	8	13	27	5	29	46	–	37	49	303	28	299	167	197	7
Pleurisy	324	–	2	3	1	9	33	–	1	10	26	3	29	9	14	3
Pneumonia	2416	4	8	24	5	25	21	1	11	22	103	17	166	67	75	6
Asthma	714	6	13	11	12	37	24	2	7	7	31	1	54	27	18	4
Lung Disease	449	2	12	1	1	7	–	–	2	6	25	6	28	15	18	–
VII. Teething	1066	7	2	2	3	4	10	1	9	18	62	4	100	43	41	1
Quinsey	83	–	–	1	–	2	–	1	3	–	6	2	12	7	4	–
Gastritis	140	–	–	3	2	2	1	1	1	1	2	1	8	10	6	–
Enteritis	869	1	3	8	3	7	9	–	7	5	20	5	41	43	25	2
Peritonitis	285	–	6	6	2	5	1	–	2	1	17	3	16	19	10	–
Ascites	112	–	1	2	1	1	6	2	–	2	10	1	5	6	5	–
Ulceration of Intestines	179	1	–	2	–	2	3	–	4	1	14	2	21	4	9	–
Hernia	90	1	1	1	1	1	5	–	–	2	7	–	7	5	3	3
Ileus	268	5	3	3	1	6	12	–	6	10	25	8	25	7	7	1
Intussusception	39	–	–	–	–	1	–	–	–	–	5	–	2	3	–	–
Stricture of Intestines	18	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–
Stomach Disease	761	7	11	5	3	10	26	–	8	13	46	12	50	21	45	2
Pancreas Disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Hepatitis	122	–	–	4	–	3	–	–	–	2	5	–	5	2	5	1
Jaundice	177	–	6	3	1	3	5	–	2	2	19	2	16	6	12	1
Liver Disease	552	2	1	4	7	6	7	–	3	10	27	4	49	29	23	–
Spleen Disease	22	–	–	–	–	1	–	–	–	–	1	1	1	–	1	1
VIII. Nephritis	53	–	–	2	–	–	3	–	–	–	6	–	6	2	–	–
Nephria	165	–	1	5	–	–	3	–	–	–	10	2	13	5	5	2
Ischuria	35	–	–	–	2	–	1	1	–	–	2	–	1	3	2	–
Diabetes	64	–	1	–	–	1	–	–	2	2	9	1	1	2	3	–
Stone	63	–	1	6	3	1	4	–	1	1	15	3	1	–	1	2
Cystitis	40	–	–	1	–	–	1	1	–	1	2	1	1	1	1	–
Stricture of Urethra	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	363	1	3	5	2	9	5	2	9	18	43	3	27	21	11	2
IX. Paramenia	19	–	–	2	–	–	–	–	–	–	3	1	–	–	–	2
Ovarian Dropsy	55	–	–	2	–	2	1	–	–	1	3	–	2	2	2	–
Childbirth	328	4	5	1	–	15	7	–	2	2	15	3	28	16	15	–
Organs of Generation	93	–	–	1	1	1	2	–	–	1	4	–	13	9	2	–
X. Arthritis	14	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–
Rheumatism	150	7	2	2	1	4	7	–	4	2	7	1	10	8	4	–
Joint and Bone Disease	169	1	–	1	–	–	1	–	1	–	17	–	14	4	12	–
XI. Carbuncle	20	–	–	–	1	–	–	–	1	1	1	1	–	–	2	–
Phlegmon	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Skin Disease	35	–	–	–	–	1	–		–	2	4	–	2	–	1	–
XII. Cyanosis	74	–	–	–	–	–	–	–	–	–	3	1	12	4	3	–
Spina Bifida	31	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–
Other Malformations	44	–	–	–	1	1	–	–	1	2	6	1	2	2	3	–
XVII. Intemperance	55	–	–	2	–	1	1	–	2	–	1	–	5	2	1	–
Privation	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	60	–	–	–	–	2	–	–	–	–	3	–	2	–	1	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	47	–	–	2	–	5	4	–	–	–	4	–	2	2	2	–
Poison	50	–	–	–	–	–	–	–	1	–	3	2	3	2	4	–
Burns and Scalds	356	5	6	1	–	7	8	2	5	9	10	6	26	14	16	2
Hanging, etc.	50	–	–	–	–	–	–	–	2	–	1	1	4	1	5	–
Suffocation	79	–	–	–	–	–	–	–	2	3	8	1	7	4	–	–
Drowning	537	13	18	4	2	50	19	–	11	17	26	8	26	16	25	2
Fracture and Contusion	747	6	9	5	1	10	5	1	11	7	50	5	34	23	36	2
Wounds	86	–	–	–	–	3	–	–	1	2	7	–	5	5	6	–
Other Violent Causes	112	1	–	3	1	1	–	1	2	1	9	–	1	2	6	–
Not Specified	3683	72	38	43	51	254	252	14	52	73	168	22	236	113	180	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	Clack-mannan.	Stirling.	Dum-barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith-gow.	Edin-burgh.	Hadding-ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud-bright.	Wigtown.
Cephalitis	4	5	8	5	3	10	32	74	4	51	2	3	–	3	7	12	8	7
Apoplexy	4	25	26	26	14	78	71	250	5	128	12	16	1	3	30	40	17	19
Paralysis	11	51	21	38	7	109	74	271	9	186	34	26	7	8	36	41	21	13
Delirium Tremens	1	1	4	1	–	6	4	17	2	23	–	1	–	–	1	1	–	1
Chorea	–	–	–	1	–	1	–	–	–	1	–	–	–	–	1	–	–	–
Epilepsy	2	9	3	5	–	10	11	47	1	37	3	1	–	2	–	6	2	4
Tetanus	1	3	–	4	–	4	2	9	–	2	1	–	–	–	–	–	1	1
Insanity	–	–	1	2	–	3	1	12	–	3	–	1	–	–	1	–	–	–
Convulsions	3	19	14	9	3	34	46	285	17	93	14	10	1	1	20	10	5	9
Brain Disease	6	24	12	9	5	77	60	216	4	99	5	12	4	2	11	30	7	9
Pericarditis	–	2	1	4	–	2	8	19	–	17	2	1	1	–	6	1	4	–
Aneurism	–	3	1	2	–	4	4	16	–	26	1	–	–	2	3	1	–	1
Heart Disease	15	96	34	31	22	124	125	544	37	347	39	42	15	10	50	63	45	29
Laryngitis	1	3	2	3	–	7	8	44	2	18	3	8	–	1	6	5	1	1
Bronchitis	39	93	57	77	20	335	284	2128	71	724	51	26	9	19	76	99	39	38
Pleurisy	1	3	6	2	–	9	24	55	4	40	4	2	2	2	6	7	6	8
Pneumonia	15	61	50	27	10	125	151	954	30	246	23	23	3	7	28	51	26	31
Asthma	5	28	9	28	–	41	55	189	6	61	7	4	–	–	3	10	5	9
Lung Disease	2	22	5	4	–	9	33	154	1	74	1	3	–	–	4	8	1	5
Teething	12	41	31	14	2	100	57	376	11	69	3	–	1	2	10	12	10	8
Quinsey	–	1	4	1	1	3	5	17	2	4	1	1	–	–	–	4	–	1
Gastritis	–	7	3	–	–	6	17	41	1	15	1	–	–	1	–	2	1	7
Enteritis	3	18	13	9	1	92	71	308	23	44	5	15	4	1	14	30	27	12
Peritonitis	2	9	8	4	1	13	22	77	1	36	3	2	–	1	4	6	3	5
Ascites	4	5	2	5	2	7	11	15	–	10	1	2	–	–	3	2	–	1
Ulceration of Intestines	1	6	3	6	3	10	15	27	–	22	3	6	–	1	8	3	2	–
Hernia	–	5	2	–	–	5	8	14	1	11	2	1	–	1	–	3	–	–
Ileus	–	5	3	4	3	8	16	62	1	19	1	6	1	1	5	10	–	4
Intussusception	–	1	–	2	–	1	3	10	1	6	2	–	–	–	–	2	–	–
Stricture of Intestines	–	–	1	1	–	2	2	2	–	2	–	–	–	–	1	1	1	1
Stomach Disease	4	33	19	17	7	34	50	153	6	83	13	11	4	6	17	24	9	12
Pancreas Disease	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–
Hepatitis	2	3	7	5	1	17	8	23	4	9	2	3	–	1	–	5	2	3
Jaundice	1	3	2	2	–	11	10	32	2	21	3	1	–	–	4	1	3	3
Liver Disease	3	22	20	19	2	37	35	102	5	66	7	8	7	3	12	25	2	5
Spleen Disease	–	–	2	–	–	–	3	3	1	4	–	1	–	–	–	1	1	–
Nephritis	–	2	–	1	–	2	6	16	–	4	1	–	–	–	–	1	–	1
Nephria	–	3	1	2	–	10	7	31	7	48	1	–	–	1	–	5	1	2
Ischuria	–	2	2	3	–	1	5	5	–	4	–	–	–	–	–	–	–	1
Diabetes	2	1	–	1	–	2	6	16	1	7	3	–	–	1	1	1	–	–
Stone	–	–	1	2	–	–	6	6	–	2	1	3	1	–	1	–	1	–
Cystitis	–	1	1	–	–	5	6	10	–	2	1	1	1	–	–	1	–	1
Stricture of Urethra	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	2	13	3	7	1	16	17	58	1	51	3	4	–	3	8	8	3	4
Paramenia	–	1	–	–	–	–	5	2	–	1	–	1	–	–	1	–	–	–
Ovarian Dropsy	1	1	2	2	–	4	5	7	1	10	2	–	–	–	1	–	3	1
Childbirth	3	9	8	7	1	19	22	97	6	23	3	3	–	–	4	3	2	5
Organs of Generation	–	3	1	1	–	7	8	18	1	10	2	–	–	–	1	4	–	3
Arthritis	–	1	1	–	–	1	–	5	–	1	1	–	–	–	–	–	–	–
Rheumatism	1	6	1	15	–	9	7	33	2	6	3	–	1	–	1	1	3	2
Joint Disease	2	2	3	3	–	6	15	35	3	32	–	–	–	–	2	6	6	3
Carbuncle	–	–	–	–	–	1	–	2	–	5	1	–	–	–	3	–	–	1
Phlegmon	–	–	–	1	–	–	1	1	–	1	–	1	–	–	–	–	–	1
Skin Disease	–	–	–	–	–	1	3	12	2	3	2	1	–	–	–	–	1	–
Cyanosis	–	3	1	–	–	3	4	17	–	16	–	–	–	–	6	1	–	–
Spina Bifida	1	–	1	–	–	4	–	10	–	3	–	1	–	2	1	1	1	–
Other Malformations	–	–	1	–	–	–	2	11	–	9	–	–	–	–	1	1	–	–
Intemperance	–	1	1	1	–	3	5	20	1	3	–	–	–	–	–	2	–	3
Privation	–	–	–	–	–	–	–	5	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	5	2	29	–	6	1	2	–	1	1	4	–	–
Neglect	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	4	–	4	4	6	1	1	–	–	2	–	1	1	1	1
Poison	1	1	2	–	–	3	3	14	2	8	–	–	–	–	–	1	–	–
Burns and Scalds	3	9	9	2	1	31	29	92	6	26	8	1	–	–	5	9	2	6
Hanging, etc.	–	2	–	3	–	2	6	10	1	5	2	1	–	–	2	2	–	–
Suffocation	–	–	–	1	–	4	4	27	–	11	–	–	1	1	2	–	1	2
Drowning	3	15	31	33	8	31	28	90	5	18	7	2	1	1	5	7	7	8
Fracture and Contusion	2	26	16	13	1	40	89	210	15	78	5	9	–	1	15	12	7	5
Wounds	–	3	2	1	–	6	11	17	–	6	2	2	1	–	–	3	2	1
Other Violent Causes	1	3	2	8	–	5	9	30	1	13	2	–	–	1	3	4	–	2
Not Specified	37	116	88	192	33	196	207	711	51	134	55	38	3	4	22	115	49	59

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	33610	229	204	356	161	703	710	70	336	535	2208	289	2407	1268	1473	75
SPECIFIED CAUSES . .	31736	186	188	335	139	577	583	63	309	499	2126	277	2291	1220	1380	70
I. Zymotic Class . .	7046	24	13	95	18	111	118	12	51	122	555	65	631	248	313	10
II. Diseases of Uncer. Seat	956	8	10	16	5	24	20	2	6	22	66	10	60	53	63	3
III. Tubercular Class .	5471	31	29	59	27	73	96	11	51	60	380	41	314	177	189	11
IV. Brain and Nervous Sys.	2789	4	15	13	13	45	40	8	33	58	187	26	219	128	147	7
V. Organs of Circulation	1334	2	3	8	–	9	17	4	15	11	105	10	106	54	53	–
VI. Respiratory Organs .	4902	11	18	41	14	60	63	3	35	47	255	29	312	135	181	10
VII. Organs of Digestion	2467	15	14	27	12	26	44	1	25	38	137	20	197	98	102	8
VIII. Urinary Organs .	534	1	4	13	6	9	16	2	7	14	63	7	34	26	14	5
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
X. Organs of Locomotion	166	5	1	1	–	2	3	–	2	–	18	1	9	6	9	–
XI. Skin, etc. . . .	32	–	–	–	–	1	–	–	1	2	2	1	1	–	3	–
XII. Malformation . .	83	–	–	–	1	1	–	–	–	1	9	1	7	5	6	–
XIII. Premature Debility .	1597	7	8	10	3	15	18	2	12	28	81	11	142	57	64	1
XIV. Atrophy . . .	245	–	1	2	–	2	2	1	2	5	14	1	18	11	7	–
XV. Age	2455	57	48	37	37	135	120	14	42	62	160	38	156	169	154	11
XVI. Sudden Deaths . .	65	1	–	1	1	2	–	1	–	–	1	–	5	6	6	–
XVII. Violent Deaths . .	1593	20	24	12	2	62	26	2	27	29	93	16	80	46	69	4
I. Small Pox . . .	784	2	–	1	–	19	34	5	5	14	44	4	93	53	6	–
Measles . . .	800	–	–	2	1	–	15	1	1	13	102	3	28	5	18	–
Scarlatina . . .	1480	–	–	19	–	15	1	1	1	14	165	28	173	60	72	3
Diphtheria . .	237	4	–	1	–	–	1	–	1	11	61	3	25	9	9	–
Hooping Cough .	835	8	2	45	3	29	1	–	5	11	13	1	51	6	52	1
Croup . . .	522	1	2	–	2	19	23	1	13	12	24	4	57	21	28	1
Thrush . . .	18	–	–	–	–	2	–	–	–	1	–	–	2	2	1	–
Diarrhœa . . .	528	3	–	8	1	4	6	1	2	7	23	6	36	18	21	1
Dysentery . . .	178	2	–	–	–	–	–	–	2	5	12	–	17	11	12	–
Cholera . . .	20	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
Influenza . . .	157	2	3	3	1	4	3	1	7	4	12	1	16	14	5	1
Purpura . . .	37	1	–	–	–	–	–	–	–	2	5	1	3	–	–	–
Ague	3	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
Worms . . .	14	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Fever . .	33	–	–	1	–	–	–	–	–	3	2	–	2	2	1	–
Typhus . . .	1111	1	6	15	4	14	27	2	12	16	62	13	103	40	70	1
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	48	–	–	–	3	2	6	–	1	–	4	–	2	1	2	1
Erysipelas . . .	172	–	–	–	2	2	–	–	1	8	21	1	12	6	13	1
Syphilis . . .	56	–	–	–	–	1	–	–	–	–	3	–	8	–	1	–
Noma . . .	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Hydrophobia . .	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage . .	39	1	–	1	–	2	3	–	–	–	3	–	2	1	4	–
Dropsy . . .	433	3	7	7	4	12	9	1	3	8	31	4	28	22	32	1
Abscess . . .	52	–	–	–	–	–	–	–	–	–	4	–	5	7	1	–
Ulcer . . .	14	–	1	–	–	–	1	–	–	–	–	1	–	–	2	–
Fistula . . .	13	1	–	–	–	–	–	–	–	1	–	–	1	–	2	–
Mortification . .	63	–	–	2	1	–	1	–	1	2	2	–	4	6	1	–
Cancer . . .	337	3	2	6	–	10	6	1	2	11	25	5	20	17	21	2
Gout	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
III. Scrofula . . .	271	6	3	1	2	2	5	1	1	3	33	3	20	14	11	–
Tabes Mesenterica .	390	–	1	2	–	1	3	–	1	3	18	2	17	6	13	–
Phthisis . . .	3793	24	23	50	21	65	80	9	40	46	248	28	219	136	122	6
Hydrocephalus . .	1017	1	2	6	4	5	8	1	9	8	81	8	58	21	43	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	198	958	608	760	170	2199	2311	8932	371	3150	387	290	74	78	532	785	397	386
SPECIFIED CAUSES	180	895	561	667	149	2106	2196	8555	345	3088	358	276	71	74	522	729	373	348
Zymotic Class	14	200	146	141	18	531	537	1955	67	564	81	36	14	15	111	126	61	43
Uncertain Seat	2	28	15	24	5	58	66	190	8	81	17	12	2	–	21	27	15	17
Tubercular Class	44	148	107	114	45	437	381	1554	60	573	42	41	6	8	97	130	76	59
Brain, etc.	14	79	46	53	18	183	157	651	27	329	36	32	7	9	61	75	33	36
Heart, etc.	8	57	11	19	13	78	75	273	19	225	25	12	10	7	27	36	21	21
Respiratory Organs	31	116	71	63	12	264	319	1817	70	583	54	40	10	15	59	87	34	43
Digestive Organs	18	93	63	45	12	189	172	641	33	191	22	30	6	8	36	71	38	35
Urinary Organs	2	16	7	12	1	18	37	95	6	75	5	7	1	1	9	12	4	5
Generative Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	5	3	7	–	8	10	34	1	26	1	–	–	–	2	4	4	3
Skin	–	–	–	–	–	1	3	5	1	3	2	1	–	–	3	–	1	1
Malformation	–	1	2	–	–	4	4	21	–	12	–	1	–	1	5	–	1	–
Premature Debility	20	53	17	20	5	110	117	508	12	150	18	12	2	7	26	35	14	12
Atrophy	1	10	2	3	2	16	20	83	1	16	3	2	–	–	5	8	3	4
Age	17	44	27	111	11	104	146	314	18	140	31	35	8	2	33	78	50	46
Sudden Deaths	–	3	–	3	–	4	1	18	1	5	–	–	–	–	–	6	–	–
Violent Deaths	8	42	44	52	7	101	151	395	21	115	21	15	5	1	27	34	18	23
Small Pox	–	14	22	22	1	97	30	243	11	29	22	7	–	–	4	2	–	–
Measles	1	16	26	4	–	74	27	365	1	50	1	2	–	–	27	6	5	6
Scarlatina	3	31	20	19	1	100	159	261	12	184	19	13	4	3	31	23	30	15
Diphtheria	–	–	2	6	5	26	3	21	2	16	4	1	–	1	11	13	–	1
Hooping Cough	–	30	22	30	4	31	102	303	4	62	–	–	–	–	1	14	2	2
Croup	1	18	12	18	1	47	25	120	5	27	10	2	1	3	7	11	4	2
Thrush	–	–	3	1	–	2	–	2	–	1	–	–	–	–	–	1	–	–
Diarrhœa	1	18	10	5	1	39	44	182	9	47	4	3	–	4	5	14	3	2
Dysentery	2	8	3	3	–	12	10	44	4	20	1	–	–	–	3	3	3	1
Cholera	–	2	1	–	–	2	2	7	–	2	–	–	–	–	1	–	–	–
Influenza	–	5	–	10	–	4	13	21	–	6	1	1	2	–	3	8	2	4
Purpura	1	3	2	1	1	2	2	8	1	3	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	4	–	1	3	4	–	–	–	–	–	–	1	–	–	–
Infantile Fever	–	3	1	1	–	1	1	9	–	4	1	–	–	–	–	1	–	–
Typhus	5	43	17	14	4	67	96	299	14	89	13	3	4	3	14	24	9	7
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	4	1	1	–	1	3	5	1	4	–	–	–	–	–	1	3	2
Erysipelas	–	4	4	1	–	16	13	34	–	16	5	3	1	1	3	4	–	–
Syphilis	–	1	–	1	–	7	3	26	–	4	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	2	1	1	3	–	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	1	2	8	–	4	–	2	–	–	1	1	1	1,
Dropsy	1	14	10	15	1	28	28	91	1	22	11	6	2	–	7	13	5	6
Abscess	–	2	1	–	–	2	8	12	1	3	1	–	–	–	–	2	1	2
Ulcer	–	–	–	1	–	–	1	2	–	5	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	2	–	4	–	1	–	–	–	–	1	–	–	–
Mortification	–	3	3	2	–	1	8	14	2	3	1	–	–	–	1	2	2	1
Cancer	1	9	1	6	3	23	19	59	4	41	4	4	–	–	10	9	6	7
Gout	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1	–	–	–
Scrofula	1	6	3	10	2	19	11	64	10	19	4	2	–	–	5	4	4	2
Tabes Mesenterica	2	13	5	3	3	29	28	148	–	64	2	2	–	1	8	8	5	2
Phthisis	35	98	77	88	31	280	279	1048	32	369	26	30	3	6	62	101	58	53
Hydrocephalus	6	31	22	13	9	109	63	294	18	121	10	7	3	1	22	17	9	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—MALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	212	–	3	2	3	1	1	1	5	4	19	1	23	4	9	–
Apoplexy	593	1	1	2	–	4	6	2	9	11	42	9	44	35	36	3
Paralysis	764	3	6	6	7	17	21	3	5	16	38	11	44	52	53	2
Delirium Tremens	78	–	–	–	–	1	2	1	1	1	4	–	7	2	3	–
Chorea	3	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–
Epilepsy	120	–	1	–	1	1	3	–	–	1	8	1	12	3	4	–
Tetanus	23	–	–	–	–	4	–	–	1	–	–	–	1	–	2	–
Insanity	23	–	1	–	–	–	1	–	–	2	2	–	2	1	3	1
Convulsions	489	–	–	–	1	9	1	1	4	12	39	1	53	13	9	1
Brain Disease	484	–	2	3	1	7	5	–	8	11	35	3	33	18	27	–
V. Pericarditis	51	–	–	4	–	1	–	–	1	–	2	–	2	2	1	–
Aneurism	68	–	–	–	–	1	–	–	–	–	8	–	5	2	1	–
Heart Disease	1215	2	3	4	–	7	17	4	14	11	95	10	99	50	51	–
VI. Laryngitis	100	–	–	–	–	–	–	–	–	1	11	–	6	10	4	1
Bronchitis	2637	5	4	18	5	20	23	–	21	21	140	13	162	64	100	3
Pleurisy	192	–	1	2	1	7	22	–	1	6	16	2	16	5	5	2
Pneumonia	1415	2	4	16	3	15	11	1	8	13	62	10	92	37	50	3
Asthma	335	2	3	4	5	14	7	2	4	3	15	–	21	12	8	1
Lung Disease	223	2	6	1	–	4	–	–	1	3	11	4	15	7	14	–
VII. Teething	567	3	–	1	3	1	5	–	3	15	30	1	62	22	26	–
Quinsey	47	–	–	–	–	2	–	–	2	–	2	2	6	6	3	–
Gastritis	67	–	–	1	2	1	–	–	1	–	2	1	6	3	3	–
Enteritis	483	1	1	5	2	3	6	–	5	3	13	3	22	24	11	2
Peritonitis	125	–	4	2	1	1	–	–	–	1	4	2	7	8	4	–
Ascites	48	–	1	1	–	1	3	1	–	–	4	1	3	2	2	–
Ulceration of Intestines	93	1	–	2	–	1	2	–	1	1	8	1	9	2	6	–
Hernia	41	1	1	1	1	1	4	–	–	1	2	–	4	1	1	1
Ileus	149	3	2	3	–	4	5	–	3	6	15	3	16	3	6	1
Intussusception	29	–	–	–	–	–	–	–	–	–	3	–	2	2	–	–
Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stomach Disease	366	5	3	3	–	5	12	–	7	4	27	4	24	5	22	1
Pancreas Disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Hepatitis	59	–	–	3	–	–	–	–	–	2	4	–	1	–	2	1
Jaundice	84	–	1	1	–	2	4	–	1	–	8	–	7	6	7	1
Liver Disease	283	1	1	4	3	3	3	–	2	5	14	2	27	14	8	–
Spleen Disease	13	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1
VIII. Nephritis	34	–	–	2	–	–	2	–	–	–	2	–	5	2	–	–
Nephria	101	–	–	3	–	–	3	–	–	–	3	1	9	2	4	2
Ischuria	29	–	–	–	1	–	1	1	–	–	2	–	–	3	1	–
Diabetes	41	–	1	–	–	–	–	–	–	–	6	1	1	2	3	–
Stone	52	–	1	4	3	1	4	–	–	1	15	2	–	–	1	1
Cystitis	34	–	–	–	–	–	1	1	–	1	2	1	1	1	1	–
Stricture of Urethra	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	240	1	2	4	2	8	4	–	7	12	33	2	18	16	4	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
X. Arthritis	9	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Rheumatism	60	5	1	–	–	2	3	–	1	–	5	1	3	4	–	–
Joint and Bone Disease	97	–	–	1	–	–	–	–	–	–	12	–	5	2	9	–
XI. Carbuncle	14	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Skin Disease	17	–	–	–	–	1	–	–	–	2	–	–	1	–	1	–
XII. Cyanosis	44	–	–	–	–	–	–	–	–	–	3	1	7	2	2	–
Spina Bifida	15	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Other Malformations	24	–	–	–	1	1	–	–	–	1	5	–	–	2	3	–
XVII. Intemperance	37	–	–	2	–	1	–	–	1	–	1	–	4	–	1	–
Privation	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	29	–	–	–	–	2	–	–	–	–	3	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	29	–	–	2	–	3	3	–	–	–	1	–	1	1	2	–
Poison	34	–	–	–	–	–	–	–	1	–	3	2	2	1	3	–
Burns and Scalds	161	1	3	1	–	1	2	1	1	2	4	4	11	6	5	–
Hanging, etc.	37	–	–	–	–	–	–	–	1	–	1	–	4	1	4	–
Suffocation	46	–	–	–	–	–	–	–	2	2	6	–	3	2	–	–
Drowning	449	13	16	3	2	45	17	–	9	16	22	5	23	10	19	2
Fracture and Contusion	614	5	5	3	–	6	4	1	10	6	38	5	26	20	28	2
Wounds	69	–	–	–	–	3	–	–	1	2	6	–	5	3	3	–
Other Violent Causes	84	1	–	1	–	1	–	–	1	1	8	–	–	2	4	–
Not Specified	1874	43	16	21	22	126	127	7	27	36	82	12	116	48	93	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—MALES. (*Continued.*)

DISEASES.	Clack-mannan.	Stirling.	Dum-barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith-gow.	Edin-burgh.	Hadding-ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud-bright.	Wigtown.
Cephalitis	1	3	7	4	3	3	19	40	3	29	1	2	–	2	5	5	5	4
Apoplexy	2	13	12	15	9	41	34	123	3	61	4	7	1	2	23	19	8	11
Paralysis	1	28	12	18	3	54	37	138	7	96	18	9	3	3	17	21	9	6
Delirium Tremens	1	1	3	1	–	6	4	15	2	20	–	1	–	–	–	1	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	6	–	4	–	3	8	29	–	21	1	1	–	1	–	4	1	4
Tetanus	–	2	–	2	–	2	1	6	–	1	–	–	–	–	–	–	1	–
Insanity	–	–	–	–	–	–	1	7	–	1	–	1	–	–	–	–	–	–
Convulsions	2	10	6	6	1	21	23	171	10	54	8	5	1	–	11	6	4	6
Brain Disease	5	16	6	3	2	53	30	122	2	46	4	6	2	1	5	19	5	4
Pericarditis	–	1	–	2	–	–	6	9	–	11	1	–	1	–	3	1	3	–
Aneurism	–	2	–	1	–	4	3	12	–	22	1	–	–	2	2	1	–	1
Heart Disease	8	54	11	16	13	74	66	252	19	192	23	12	9	5	22	34	18	20
Laryngitis	1	2	1	3	–	1	7	23	1	11	3	5	–	1	3	4	1	–
Bronchitis	15	52	27	30	5	160	157	1062	36	341	28	12	6	8	33	43	12	11
Pleurisy	1	2	5	2	–	4	13	35	2	19	3	1	2	2	3	3	4	5
Pneumonia	10	31	31	15	7	78	97	532	25	147	14	16	2	4	16	28	13	22
Asthma	4	18	3	9	–	15	35	97	5	27	5	3	–	–	2	5	3	3
Lung Disease	–	11	4	4	–	6	10	68	1	38	1	3	–	–	2	4	1	2
Teething	7	26	14	8	1	59	33	183	4	34	2	–	1	2	6	7	5	3
Quinsey	–	1	3	1	1	1	3	7	2	1	–	–	–	–	–	3	–	1
Gastritis	–	4	–	–	–	4	11	15	1	5	–	–	–	–	–	1	1	5
Enteritis	2	12	9	6	–	51	38	173	11	23	3	11	1	1	5	13	17	6
Peritonitis	1	4	5	2	–	6	12	36	1	12	2	–	–	–	3	2	2	3
Ascites	1	1	1	3	–	4	4	10	–	3	–	1	–	–	1	–	–	–
Ulceration of Intestines	1	4	–	2	2	3	9	16	–	10	–	3	–	1	3	3	2	–
Hernia	–	2	1	–	–	1	3	6	1	5	1	–	–	1	–	1	–	–
Ileus	–	2	1	1	1	6	10	36	–	9	–	3	–	–	2	6	–	2
Intussusception	–	1	–	–	–	1	3	7	1	5	2	–	–	–	–	2	–	–
Stricture of Intestines	–	–	1	–	–	2	1	1	–	1	–	–	–	–	–	–	1	1
Stomach Disease	2	19	9	9	5	17	23	77	4	31	7	6	2	2	9	11	5	6
Pancreas Disease	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–
Hepatitis	1	1	4	3	–	7	3	13	3	2	1	3	–	–	–	3	1	1
Jaundice	–	1	1	–	–	5	4	12	1	13	–	–	–	–	2	1	3	3
Liver Disease	3	15	13	10	2	21	13	47	3	34	4	2	2	1	5	16	1	4
Spleen Disease	–	–	1	–	–	–	2	2	1	2	–	1	–	–	–	1	–	–
Nephritis	–	1	–	1	–	1	4	11	–	1	–	–	–	–	–	1	–	1
Nephria	–	3	–	1	–	5	5	20	5	31	–	–	–	–	–	3	1	–
Ischuria	–	2	2	3	–	–	5	4	–	3	–	–	–	–	–	–	–	1
Diabetes	1	–	–	–	–	–	4	10	1	6	3	–	–	–	1	1	–	–
Stone	–	–	1	2	–	–	4	5	–	2	1	2	–	–	1	–	1	–
Cystitis	–	1	1	–	–	3	6	8	–	1	1	1	1	–	–	1	–	1
Stricture of Urethra	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	1	9	3	5	1	9	9	36	–	30	–	4	–	1	7	6	2	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	4	–	–	1	–	–	–	–	–	–	–
Rheumatism	1	2	1	7	–	4	3	14	–	–	–	–	–	–	–	–	2	1
Joint Disease	–	2	2	–	–	4	7	16	1	26	–	-	–	–	2	4	2	2
Carbuncle	–	–	–	–	–	1	–	1	–	2	1	–	–	–	3	–	–	1
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	3	4	1	1	1	1	–	–	–	–	1	–
Cyanosis	–	1	–	–	–	3	4	10	–	7	–	–	–	–	4	–	–	–
Spina Bifida	–	–	1	–	–	1	–	5	–	2	–	1	–	1	–	–	1	–
Other Malformations	–	–	1	–	–	–	–	6	–	3	–	–	–	–	1	–	–	–
Intemperance	–	–	1	1	–	2	3	15	–	–	–	–	–	–	–	2	–	3
Privation	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	2	1	12	–	3	1	2	–	–	1	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	2	–	3	4	2	–	–	–	–	2	–	1	1	–	1
Poison	1	–	1	–	–	2	2	10	2	4	–	–	–	–	–	–	–	–
Burns and Scalds	3	4	2	–	–	19	18	42	1	12	3	–	–	–	3	6	2	4
Hanging, etc.	–	2	–	1	–	2	4	6	1	4	1	1	–	–	2	2	–	–
Suffocation	–	–	–	1	–	3	1	14	–	6	–	–	1	1	1	–	1	2
Drowning	3	12	23	31	7	27	23	68	5	13	7	2	1	–	5	6	7	7
Fracture and Contusion	1	19	13	7	–	35	80	184	12	58	5	8	–	–	12	10	6	5
Wounds	–	3	2	1	–	2	9	12	–	6	2	2	1	–	–	3	2	1
Other Violent Causes	–	2	2	8	–	4	6	27	–	9	2	–	–	–	2	3	–	–
Not Specified	18	63	47	93	21	93	115	377	26	62	29	14	3	4	10	56	24	38

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	34560	236	275	379	197	735	741	83	381	526	2244	336	2597	1425	1472	85
SPECIFIED CAUSES	32751	207	253	357	168	607	616	76	356	489	2158	326	2477	1360	1385	85
I. Zymotic Class	7432	24	18	103	16	147	114	11	75	126	568	17	669	266	297	18
II. Diseases of Uncer. Seat	1523	7	14	29	17	30	38	5	21	19	112	17	107	81	94	5
III. Tubercular Class	5741	29	33	42	26	54	79	11	54	62	362	45	392	200	211	13
IV. Brain and Nervous Sys.	2417	6	18	20	8	28	29	5	40	43	177	35	195	132	108	8
V. Organs of Circulation	1264	3	7	7	–	8	10	4	21	9	90	9	126	54	51	2
VI. Respiratory Organs	4568	10	30	25	10	47	62	–	23	49	249	28	276	162	148	11
VII. Organs of Digestion	2320	9	20	17	12	28	41	4	20	29	130	25	163	107	96	4
VIII. Urinary Organs	252	–	2	6	1	2	2	2	5	8	24	3	16	8	9	1
IX. Organs of Generation	493	4	5	6	1	18	10	–	2	4	25	4	43	26	19	2
X. Organs of Locomotion	167	3	1	2	1	3	5	–	4	2	7	–	16	6	7	–
XI. Skin, etc.	31	–	–	–	1	–	–	–	–	1	4	–	1	1	–	–
XII. Malformation	66	–	–	–	–	–	–	–	1	1	1	1	8	2	3	–
XIII. Premature Debility	1393	4	4	8	3	20	24	4	12	21	63	11	147	47	69	–
XIV. Atrophy	306	–	4	1	1	7	7	1	2	–	15	2	10	12	10	2
XV. Age	4117	102	88	86	67	197	180	27	66	105	298	61	270	223	223	17
XVI. Sudden Deaths	67	1	–	–	2	1	4	–	–	–	4	1	3	8	7	–
XVII. Violent Deaths	594	5	9	5	2	17	11	2	10	10	29	7	35	25	33	2
I. Small Pox	711	4	–	–	1	21	35	2	10	7	29	3	107	52	6	–
Measles	787	–	–	1	1	5	8	3	7	11	109	2	33	12	17	–
Scarlatina	1447	–	–	18	–	18	1	–	4	23	160	35	166	64	56	8
Diphtheria	243	1	–	–	–	6	3	–	6	10	70	5	32	7	4	–
Hooping Cough	977	8	2	55	5	47	3	1	10	4	16	1	43	4	51	–
Croup	483	–	1	–	2	13	14	–	4	12	28	2	61	19	23	1
Thrush	17	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Diarrhœa	567	1	–	3	–	1	4	3	6	5	25	6	38	24	10	1
Dysentery	191	2	2	2	–	6	3	–	3	6	19	2	12	4	10	1
Cholera	26	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
Influenza	185	2	4	5	1	6	7	–	3	8	13	5	19	12	9	2
Purpura	24	1	–	–	–	–	–	–	1	–	3	–	1	–	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	28	1	–	1	–	–	1	–	1	2	3	–	1	2	–	–
Typhus	1233	4	5	12	5	22	27	1	16	26	61	11	123	47	77	2
Metria	236	–	2	3	–	1	–	1	2	3	14	4	18	7	14	–
Rheumatic Fever	47	–	1	1	1	–	1	–	–	–	4	–	2	3	4	–
Erysipelas	162	–	1	2	–	–	7	–	1	7	10	1	7	7	9	3
Syphilis	40	–	–	–	–	1	–	–	1	1	3	–	5	2	–	–
Noma	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	46	–	–	–	–	1	2	–	1	–	2	–	1	3	–	–
Dropsy	619	6	5	14	5	14	20	1	7	5	2	3	43	22	53	3
Abscess	70	–	1	4	1	1	–	–	–	1	5	–	6	5	3	1
Ulcer	21	–	–	2	1	–	1	–	–	–	2	–	2	–	3	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	85	–	–	1	1	2	3	–	2	2	3	–	9	3	3	–
Cancer	677	1	8	8	9	12	12	4	11	11	67	14	45	48	31	1
Gout	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
III. Scrofula	212	–	2	1	1	3	3	–	–	5	20	2	11	10	8	–
Tabes Mesenterica	331	–	1	1	–	2	2	–	1	2	11	2	15	5	13	1
Phthisis	4372	29	26	35	23	47	68	8	49	49	270	35	321	163	158	10
Hydrocephalus	826	–	4	5	2	2	6	3	4	6	61	6	45	22	32	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	195	891	617	801	148	2127	2296	9004	341	3306	392	314	93	98	578	795	429	423
SPECIFIED CAUSES	176	838	576	702	136	2024	2204	8670	316	3234	366	290	93	98	566	736	404	402
Zymotic Class	24	185	135	131	21	497	606	1993	82	623	81	44	22	23	148	143	86	59
Uncertain Seat	12	46	36	32	5	81	95	288	8	164	26	9	4	5	37	40	24	15
Tubercular Class	25	136	106	115	26	465	480	1722	49	544	45	39	20	9	75	117	66	89
Brain, etc.	18	58	43	47	12	149	144	530	15	294	35	38	6	10	46	65	28	27
Heart, etc.	7	44	25	18	9	52	62	306	18	165	17	31	6	5	32	29	28	9
Respiratory Organs	32	94	58	78	18	262	236	1707	44	580	35	26	4	14	64	93	44	49
Digestive Organs	14	66	57	44	11	158	161	621	26	231	25	27	11	10	42	61	23	27
Urinary Organs	2	6	1	4	–	18	16	48	3	44	5	1	1	4	1	4	1	4
Generative Organs	4	14	11	10	1	30	40	123	8	44	7	4	–	–	7	7	5	9
Locomotive Organs	2	4	2	11	–	8	12	39	4	13	3	–	1	–	1	3	5	2
Skin	–	–	–	1	–	1	1	10	1	6	1	1	–	–	–	–	–	1
Malformation	1	2	1	–	–	3	2	17	–	16	–	–	–	1	3	3	–	–
Premature Debility	9	53	23	18	2	73	82	403	15	148	20	11	–	5	33	29	15	17
Atrophy	2	5	2	10	1	20	17	112	1	37	5	1	–	–	4	6	5	4
Age	22	106	57	169	27	173	210	576	30	258	55	56	17	8	66	121	71	85
Sudden Deaths	–	–	–	–	–	1	1	20	–	6	–	–	1	–	2	4	1	–
Violent Deaths	2	19	19	14	3	33	39	155	12	61	6	2	–	4	5	11	2	5
Small Pox	–	14	24	20	1	82	18	210	3	23	23	4	–	–	11	1	–	–
Measles	–	9	15	3	4	64	22	355	4	46	–	–	4	8	29	4	6	5
Scarlatina	4	26	16	22	2	96	168	233	9	144	27	13	8	–	41	29	43	13
Diphtheria	1	4	2	1	–	19	5	17	7	12	4	1	–	–	10	13	2	1
Hooping Cough	1	30	18	34	3	37	121	349	11	93	–	–	–	–	1	20	6	3
Croup	5	17	11	11	1	44	24	124	5	30	4	2	–	2	5	8	5	5
Thrush	–	–	1	1	–	2	1	8	–	–	–	1	–	–	–	–	–	–
Diarrhœa	1	20	6	6	3	44	45	186	7	68	4	7	–	4	16	12	5	6
Dysentery	1	6	3	2	2	13	24	34	1	20	1	1	1	–	1	6	1	2
Cholera	–	–	1	2	–	3	2	8	–	3	–	–	–	–	2	2	–	–
Influenza	–	4	3	8	1	4	21	18	4	7	3	–	–	–	6	3	2	5
Purpura	–	2	–	–	–	3	1	6	–	3	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	5	6	–	1	–	–	–	–	–	1	1	–
Infantile Fever	–	2	–	–	–	1	3	7	–	2	–	–	–	–	–	1	–	–
Typhus	7	39	26	13	3	57	109	299	23	111	12	10	5	3	19	36	11	11
Metria	3	7	4	2	1	13	19	67	3	28	2	3	1	5	1	2	3	3
Rheumatic Fever	–	–	–	1	–	6	4	10	1	6	–	–	1	–	–	1	–	–
Erysipelas	1	4	4	5	–	5	12	41	2	16	–	2	2	1	6	3	1	2
Syphilis	–	–	1	–	–	2	2	9	2	8	1	–	–	–	–	–	–	2
Noma	–	1	–	–	–	2	–	6	–	2	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hæmorrhage	–	1	2	1	1	4	5	12	–	3	1	–	–	–	1	4	1	–
Dropsy	6	16	20	20	–	35	41	133	3	34	17	–	2	3	15	23	13	5
Abscess	–	–	5	–	–	2	7	18	1	4	2	–	–	–	2	–	–	1
Ulcer	–	–	–	1	–	1	1	3	–	1	–	–	–	–	1	1	–	1
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	4	–	1	–	6	9	19	–	9	1	1	–	–	2	3	1	–
Cancer	6	25	9	9	4	33	32	102	4	113	5	8	2	2	16	9	9	7
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scrofula	2	4	2	4	–	17	25	55	5	17	3	–	2	–	2	2	2	4
Tabes Mesenterica	–	11	2	2	–	24	31	125	6	44	2	2	1	1	9	10	3	2
Phthisis	21	100	85	99	23	351	360	1278	25	367	36	29	16	7	53	95	56	80
Hydrocephalus	2	21	17	10	3	73	64	264	13	116	4	8	1	1	11	10	5	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—FEMALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	166	–	2	4	1	4	1	–	3	3	15	1	14	2	14	–
Apoplexy	551	1	1	1	2	1	4	–	9	2	37	13	48	30	24	1
Paralysis	796	2	11	8	3	16	15	1	10	18	50	9	53	68	45	4
Delirium Tremens	10	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Chorea	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Epilepsy	104	1	1	–	–	1	–	1	2	2	11	3	10	7	7	–
Tetanus	24	–	–	–	1	5	–	–	1	–	1	–	3	–	–	–
Insanity	31	–	1	–	–	–	2	–	–	1	5	–	5	2	1	–
Convulsions	363	1	1	5	–	–	4	1	5	8	26	5	41	7	10	1
Brain Disease	366	1	1	2	1	1	3	2	10	9	31	4	19	14	7	2
V. Pericarditis	41	–	–	–	–	2	–	–	1	–	5	–	–	3	–	–
Aneurism	20	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–
Heart Disease	1203	3	7	7	–	6	10	4	20	9	84	9	123	49	50	2
VI. Laryngitis	67	1	–	–	–	–	1	–	–	1	5	2	6	2	3	–
Bronchitis	2763	3	9	9	–	9	23	–	16	28	163	15	137	103	97	4
Pleurisy	132	–	1	1	–	2	11	–	–	4	10	1	13	4	9	1
Pneumonia	1001	2	4	8	2	10	10	–	3	9	41	7	74	30	25	3
Asthma	379	4	10	7	7	23	17	–	3	4	16	1	33	15	10	3
Lung Disease	226	–	6	–	1	3	–	–	1	3	14	2	13	8	4	–
VII. Teething	499	4	2	1	–	3	5	1	6	3	32	3	38	21	15	1
Quinsey	36	–	–	1	–	–	–	1	1	–	4	–	6	1	1	–
Gastritis	73	–	–	2	–	1	1	1	–	1	–	–	2	7	3	–
Enteritis	386	–	2	3	1	4	3	–	2	2	7	2	19	19	14	–
Peritonitis	160	–	2	4	1	4	1	–	2	–	13	1	9	11	6	–
Ascites	64	–	–	1	1	–	3	1	–	2	6	–	2	4	3	–
Ulceration of Intestines	86	–	–	–	–	1	1	–	3	–	6	1	12	2	3	–
Hernia	49	–	–	–	–	–	1	–	–	1	5	–	3	4	2	2
Ileus	119	2	1	–	1	2	7	–	3	4	10	5	9	4	1	–
Intussusception	10	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–
Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Stomach Disease	395	2	8	2	3	5	14	–	1	9	19	8	26	16	23	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	63	–	–	1	–	3	–	–	–	–	1	–	4	2	3	–
Jaundice	93	–	5	2	1	1	1	–	1	2	11	2	9	–	5	–
Liver Disease	269	1	–	–	4	3	4	–	1	5	13	2	22	15	15	–
Spleen Disease	9	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
VIII. Nephritis	19	–	–	–	–	–	1	–	–	–	4	–	1	–	–	–
Nephria	64	–	1	2	–	–	–	–	–	–	7	1	4	3	1	–
Ischuria	6	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–
Diabetes	23	–	–	–	–	1	–	–	2	2	3	–	–	–	–	–
Stone	11	–	–	2	–	–	–	–	1	–	–	1	1	–	–	1
Cystitis	6	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	123	–	1	1	–	1	1	2	2	6	10	1	9	5	7	–
IX. Paramenia	19	–	–	2	–	–	–	–	–	–	3	1	–	–	–	2
Ovarian Dropsy	55	–	–	2	–	2	1	–	–	1	3	–	2	2	2	–
Childbirth	328	4	5	1	–	15	7	–	2	2	15	3	28	16	15	–
Organs of Generation	91	–	–	1	1	1	2	–	–	1	4	–	13	8	2	–
X. Arthritis	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	90	2	1	2	1	2	4	–	3	2	2	–	7	4	4	–
Joint and Bone Disease	72	1	–	–	–	–	1	–	1	–	5	–	9	2	3	–
XI. Carbuncle	6	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Skin Disease	18	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–
XII. Cyanosis	30	–	–	–	–	–	–	–	–	–	–	–	5	2	1	–
Spina Bifida	16	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Other Malformations	20	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–
XVII. Intemperance	18	–	–	–	–	–	1	–	1	–	–	–	1	2	–	–
Privation	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	31	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	18	–	–	–	–	2	1	–	–	–	3	–	1	1	–	–
Poison	16	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Burns and Scalds	195	4	3	–	–	6	6	1	4	7	6	2	15	8	11	2
Hanging, etc.	13	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
Suffocation	33	–	–	–	–	–	–	–	–	1	2	1	4	2	–	–
Drowning	88	–	2	1	–	5	2	–	2	1	4	3	3	6	6	–
Fracture and Contusion	133	1	4	2	1	4	1	–	1	1	12	–	8	3	8	–
Wounds	17	–	–	–	–	–	–	–	–	–	1	–	–	2	3	–
Other Violent Causes	28	–	–	2	1	–	–	1	1	–	1	–	1	–	2	–
Not Specified	1809	29	22	22	29	128	125	7	25	37	86	10	120	65	87	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1860.—FEMALES. *(Continued.)*

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	2	1	1	–	7	13	34	1	22	1	1	–	1	2	7	3	3
Apoplexy	2	12	14	11	5	37	37	127	2	67	8	9	–	1	7	21	9	8
Paralysis	10	23	9	20	4	55	37	133	2	90	16	17	4	5	19	20	12	7
Delirium Tremens	–	–	1	–	–	–	–	2	–	3	–	–	–	–	1	–	–	–
Chorea	–	–	–	1	–	1	–	–	–	1	–	–	–	–	1	–	–	–
Epilepsy	–	3	3	1	–	7	3	18	1	16	2	–	–	1	–	2	1	–
Tetanus	1	1	–	2	–	2	1	3	–	1	1	–	–	–	–	–	–	1
Insanity	–	–	1	2	–	3	–	5	–	2	–	–	–	–	1	–	–	–
Convulsions	1	9	8	3	2	13	23	114	7	39	6	5	–	1	9	4	1	3
Brain Disease	1	8	6	6	1	24	30	94	2	53	1	6	2	1	6	11	2	5
Pericarditis	–	1	1	2	–	2	2	10	–	6	1	1	–	–	3	–	1	–
Aneurism	–	1	1	1	–	–	1	4	–	4	–	–	–	–	1	–	–	–
Heart Disease	7	42	23	15	9	50	59	292	18	155	16	30	6	5	28	29	27	9
Laryngitis	–	1	1	–	–	6	1	21	1	7	–	3	–	–	3	1	–	1
Bronchitis	24	41	30	47	15	175	127	1066	35	383	23	14	3	11	43	56	27	27
Pleurisy	–	1	1	–	–	5	11	20	2	21	1	1	–	–	3	4	2	3
Pneumonia	5	30	19	12	3	47	54	422	5	99	9	7	1	3	12	23	13	9
Asthma	1	10	6	19	–	26	20	92	1	34	2	1	–	–	1	5	2	6
Lung Disease	2	11	1	–	–	3	23	86	–	36	–	–	–	–	2	4	–	3
Teething	5	15	17	6	1	41	24	193	7	35	1	–	–	–	4	5	5	5
Quinsey	–	–	1	–	–	2	2	10	–	3	1	1	–	–	–	1	–	–
Gastritis	–	3	3	–	–	2	6	26	–	10	1	–	–	1	–	1	–	2
Enteritis	1	6	4	3	1	41	33	135	12	21	2	4	3	–	9	17	10	6
Peritonitis	1	5	3	2	1	7	10	41	–	24	1	2	–	1	1	4	1	2
Ascites	3	4	1	2	2	3	7	5	–	7	1	1	–	–	2	2	–	1
Ulceration of Intestines	–	2	3	4	1	7	6	11	–	12	3	3	–	–	5	–	–	–
Hernia	–	3	1	–	–	4	5	8	–	6	1	1	–	–	–	2	–	–
Ileus	–	3	2	3	2	2	6	26	1	10	1	3	1	1	3	4	–	2
Intussusception	–	–	–	2	–	–	–	3	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	1	1	–	1	–	–	–	–	1	1	–	–
Stomach Disease	2	14	10	8	2	17	27	76	2	52	6	5	2	4	8	13	4	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	3	2	1	10	5	10	1	7	1	–	–	1	–	2	1	2
Jaundice	1	2	1	2	–	6	6	20	1	8	3	1	–	–	2	–	–	–
Liver Disease	–	7	7	9	–	16	22	55	2	32	3	6	5	2	7	9	1	1
Spleen Disease	–	–	1	–	–	–	1	1	–	2	–	–	–	–	–	–	1	–
Nephritis	–	1	–	–	–	1	2	5	–	3	1	–	–	–	–	–	–	–
Nephria	–	–	1	1	–	5	2	11	2	17	1	–	–	1	–	2	–	2
Ischuria	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Diabetes	1	1	–	1	–	2	2	6	–	1	–	–	–	1	–	–	–	–
Stone	–	–	–	–	–	–	2	1	–	–	–	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	2	–	2	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	4	–	2	–	7	8	22	1	21	3	–	–	2	1	2	1	2
Paramenia	–	1	–	–	–	–	5	2	–	1	–	1	–	–	1	–	–	–
Ovarian Dropsy	1	1	2	2	–	4	5	7	1	10	2	–	–	–	1	–	3	1
Childbirth	3	9	8	7	1	19	22	97	6	23	3	3	–	–	4	3	2	5
Organs of Generation	–	3	1	1	–	7	8	17	1	10	2	–	–	–	1	4	–	3
Arthritis	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	4	–	8	–	5	4	19	2	6	3	–	1	–	1	1	1	1
Joint Disease	2	–	1	3	–	2	8	19	2	6	–	–	–	–	–	2	4	1
Carbuncle	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	1	–	–	1	1	–	1	–	1	–	–	–	–	–	1
Skin Disease	–	–	–	–	–	1	–	8	1	2	1	–	–	–	–	–	–	–
Cyanosis	–	2	1	–	–	–	–	7	–	9	–	–	–	–	2	1	–	–
Spina Bifida	1	–	–	–	–	3	–	5	–	1	–	–	–	1	1	1	–	–
Other Malformations	–	–	–	–	–	–	2	5	–	6	–	–	–	–	–	1	–	–
Intemperance	–	1	–	–	–	1	2	5	1	3	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	3	1	17	–	3	–	–	–	1	–	3	–	–
Neglect	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	2	–	1	–	4	1	1	–	–	–	–	–	–	1	–
Poison	–	1	1	–	–	1	1	4	–	4	–	–	–	–	–	1	–	–
Burns and Scalds	–	5	7	2	1	12	11	50	5	14	5	1	–	–	2	3	–	2
Hanging, etc.	–	–	–	2	–	–	2	4	–	1	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	3	13	–	5	–	–	–	–	1	–	–	–
Drowning	–	3	8	2	1	4	5	22	–	5	–	–	–	1	–	1	–	1
Fracture and Contusion	1	7	3	6	1	5	9	26	3	20	–	1	–	1	1	2	1	–
Wounds	–	–	–	–	–	4	2	5	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	1	3	3	1	4	–	–	–	1	1	1	–	2
Not Specified	19	53	41	99	12	103	92	334	25	72	26	24	–	–	12	59	25	21

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	12436	761	606	4240	2903	2193	1378	1255	987	664
SPECIFIED CAUSES	12129	669	581	4197	2749	2179	1328	1218	957	660
I. Zymotic Class	2830	137	150	667	935	649	296	347	303	134
II. Diseases of Uncertain Seat	319	34	8	162	86	94	48	34	28	26
III. Tubercular Class	2338	102	116	818	411	423	280	265	117	102
IV. Brain and Nervous System	817	55	51	419	218	182	110	102	93	74
V. Organs of Circulation	426	17	25	273	124	88	35	38	50	29
VI. Respiratory Organs	2641	149	91	816	338	307	179	146	153	98
VII. Organs of Digestion	892	36	39	289	172	124	147	83	46	55
VIII. Urinary Organs	96	7	3	89	33	28	10	13	11	7
IX. Organs of Generation	84	5	7	34	19	6	9	8	3	10
X. Organs of Locomotion	49	–	4	28	14	13	6	7	5	1
XI. Skin, etc.	10	1	–	8	1	3	1	1	1	–
XII. Malformation	13	–	6	19	4	6	1	1	2	2
XIII. Premature Debility	632	41	36	196	168	69	57	60	47	39
XIV. Atrophy	144	12	5	36	18	10	14	13	7	8
XV. Age	495	52	19	234	155	123	106	56	55	54
XVI. Sudden Deaths	32	–	–	8	3	1	–	1	1	4
XVII. Violent Deaths	311	21	21	101	50	53	29	43	35	17
I. Small Pox	347	21	28	23	187	45	24	91	10	62
Measles	541	26	16	84	59	131	31	50	–	–
Scarlatina	344	10	23	125	266	249	95	32	172	8
Diphtheria	12	1	2	14	33	50	1	38	9	2
Hooping Cough	545	10	14	102	79	18	33	11	38	–
Croup	145	10	12	35	89	22	28	47	5	9
Thrush	6	–	–	–	1	–	2	2	–	1
Diarrhœa	216	34	14	75	46	20	14	24	13	19
Dysentery	52	3	6	25	20	13	7	8	3	2
Cholera	13	2	–	4	1	1	–	–	1	–
Influenza	24	2	1	8	16	5	–	2	2	2
Purpura	6	2	1	1	2	4	–	4	1	–
Ague	–	–	–	–	1	1	–	–	–	–
Worms	7	–	1	–	–	–	–	–	1	–
Infantile Fever	13	–	–	3	3	4	–	–	–	–
Typhus	408	13	28	113	99	51	37	23	35	21
Metria	51	1	–	18	11	8	7	4	5	1
Rheumatic Fever	8	–	2	4	3	4	2	–	3	1
Erysipelas	58	1	1	22	12	17	11	5	4	4
Syphilis	28	1	1	9	7	6	2	5	1	2
Noma	6	–	–	2	–	–	2	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	1	1	4	2	2	1	1	1	–
Dropsy	148	19	3	30	36	42	28	10	6	5
Abscess	20	3	–	4	9	5	–	2	2	3
Ulcer	2	–	–	3	2	1	1	–	1	–
Fistula	4	–	–	1	1	–	1	1	–	–
Mortification	22	2	–	9	6	1	2	4	2	2
Cancer	108	9	4	110	30	42	14	16	16	16
Gout	–	–	–	1	–	1	1	–	–	–
III. Scrofula	72	9	4	23	12	19	9	9	4	7
Tabes Mesenterica	196	8	11	81	15	22	20	18	11	5
Phthisis	1687	73	72	535	319	276	197	193	71	80
Hydrocephalus	383	12	29	179	65	106	54	45	31	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	381	307	236	347	320	210	314	491	686	313	299	304	467
SPECIFIED CAUSES	370	303	235	339	300	195	307	466	674	292	286	286	429
Zymotic Class	121	44	47	53	86	34	34	89	200	61	51	45	66
Uncertain Seat	17	20	7	8	18	14	11	16	22	12	7	13	12
Tubercular Class	49	52	35	55	33	28	53	92	144	62	52	62	94
Brain, etc.	25	31	19	43	21	21	38	42	53	16	19	20	46
Heart, etc.	8	16	17	18	9	8	39	6	24	8	8	5	26
Respiratory Organs	35	44	42	40	44	26	33	56	102	62	59	48	57
Digestive Organs	31	33	13	38	21	14	29	35	39	11	31	28	35
Urinary Organs	4	1	4	5	1	1	1	2	8	3	2	1	5
Generative Organs	1	3	3	4	2	1	2	3	6	2	4	2	1
Locomotive Organs	2	2	1	3	2	1	2	1	2	–	–	2	2
Skin	–	1	–	–	–	–	–	–	–	1	1	–	–
Malformation	–	–	8	–	–	1	1	2	1	1	–	4	–
Premature Debility	18	19	10	21	14	10	34	21	25	16	8	17	17
Atrophy	5	–	1	–	3	–	5	8	3	4	–	1	6
Age	43	27	22	42	31	30	20	70	29	30	27	8	45
Sudden Deaths	–	2	–	1	4	1	–	–	–	2	–	–	3
Violent Deaths	11	8	6	8	11	5	5	23	16	1	17	30	14
Small Pox	49	2	–	–	1	–	–	1	13	1	1	2	–
Measles	19	1	1	–	16	–	1	3	26	10	7	9	1
Scarlatina	–	–	3	13	36	2	1	39	21	8	2	–	20
Diphtheria	2	–	–	5	–	–	–	2	2	1	–	1	2
Hooping Cough	1	3	4	1	9	17	2	4	48	10	3	1	2
Croup	19	2	3	5	5	3	2	7	6	11	4	7	5
Thrush	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa	5	12	4	5	4	1	19	10	11	12	16	9	15
Dysentery	–	1	–	1	3	2	1	3	5	–	1	2	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	2	–	1	2	–	1	4	3	–	1	–	1
Purpura	–	–	–	–	–	1	–	–	–	–	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	23	20	30	18	6	5	7	11	55	7	11	11	12
Metria	–	–	–	1	1	1	–	–	4	–	2	1	–
Rheumatic Fever	1	–	–	–	–	1	–	1	–	–	–	–	–
Erysipelas	2	1	–	2	1	–	–	–	5	–	1	1	3
Syphilis	–	–	2	1	–	–	–	3	1	1	–	–	–
Noma	–	–	–	–	2	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	1	1	–	1	–	1	–
Dropsy	8	13	2	2	16	6	7	8	10	3	5	5	4
Abscess	–	–	–	–	–	–	–	2	1	1	–	1	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	3	2	–	1	–	1	–	–	4	1	–	–	1
Cancer	5	5	5	5	2	6	3	5	7	6	2	6	6
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	2	2	2	1	1	1	5	3	2	2	4	3
Tabes Mesenterica	–	1	2	2	1	1	4	3	6	1	3	4	6
Phthisis	39	44	23	44	23	25	43	77	110	48	41	36	67
Hydrocephalus	8	5	8	7	8	1	5	7	25	11	6	18	18

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—BOTH SEXES. (*Contd.*

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	50	–	2	31	21	12	3	5	10	1
	Apoplexy	167	11	9	82	42	33	28	19	18	31
	Paralysis	172	24	13	121	42	40	40	29	31	22
	Delirium Tremens	14	–	–	16	5	3	2	1	7	1
	Chorea	–	–	–	1	1	–	–	1	–	–
	Epilepsy	30	4	4	25	10	12	7	2	3	4
	Tetanus	8	1	–	–	–	–	–	–	2	–
	Insanity	7	–	3	3	–	5	2	1	–	2
	Convulsions	212	9	5	71	75	40	3	12	13	6
	Brain Disease	157	6	15	69	22	37	25	32	9	7
V.	Pericarditis	12	1	1	10	2	2	1	–	3	2
	Aneurism	13	1	–	21	5	7	3	–	3	2
	Heart Disease	401	15	24	242	117	79	31	38	44	25
VI.	Laryngitis	33	2	3	12	5	12	2	3	1	6
	Bronchitis	1611	83	47	531	166	204	117	95	81	68
	Pleurisy	31	3	4	23	9	10	4	3	9	3
	Pneumonia	707	44	28	153	115	50	40	34	52	16
	Asthma	136	9	5	42	33	17	14	8	3	2
	Lung Disease	123	8	4	55	10	14	2	3	7	3
VII.	Teething	300	8	11	50	69	48	35	22	7	23
	Quinsey	9	–	3	3	7	4	2	–	1	2
	Gastritis	31	1	2	10	5	1	2	3	3	–
	Enteritis	205	8	8	30	15	6	49	22	5	6
	Peritonitis	48	2	8	27	13	6	5	5	4	3
	Ascites	12	1	–	5	2	6	2	2	1	1
	Ulceration of Intestines	18	1	–	17	5	7	4	–	2	2
	Hernia	9	–	–	7	1	2	3	2	1	2
	Ileus	43	2	1	12	7	4	3	1	1	2
	Intussusception	9	–	–	4	–	–	–	–	–	–
	Stricture of Intestines	1	–	–	2	–	–	2	–	–	–
	Stomach Disease	98	6	3	60	16	18	13	8	10	5
	Pancreas Disease	–	–	–	–	–	–	–	1	–	–
	Hepatitis	14	1	–	5	–	2	12	2	–	–
	Jaundice	23	–	–	9	6	9	7	–	3	–
	Liver Disease	71	6	3	44	26	10	8	15	8	9
	Spleen Disease	1	–	–	4	–	1	–	–	–	–
VIII.	Nephritis	8	–	–	3	6	3	1	1	1	–
	Nephria	27	1	1	42	10	4	4	3	1	–
	Ischuria	2	–	–	3	1	1	1	–	–	–
	Diabetes	13	2	–	5	–	2	–	1	2	1
	Stone	3	1	–	2	1	1	–	–	–	–
	Cystitis	6	1	–	2	–	–	2	–	–	–
	Stricture of Urethra	1	–	–	1	–	–	–	–	–	–
	Kidney Disease	36	2	2	31	15	17	2	8	7	6
IX.	Paramenia	1	–	–	1	–	–	–	–	–	–
	Ovarian Dropsy	5	–	1	9	2	2	1	–	1	–
	Childbirth	69	4	6	16	13	3	6	7	2	6
	Organs of Generation	9	1	–	8	4	1	2	1	–	4
X.	Arthritis	5	–	–	1	1	1	–	1	–	–
	Rheumatism	21	–	3	5	7	3	1	5	–	1
	Joint and Bone Disease	23	–	1	22	6	9	5	1	5	–
XI.	Carbuncle	1	1	–	4	–	1	1	–	1	–
	Phlegmon	1	–	–	1	–	–	–	–	–	–
	Skin Disease	8	–	–	3	1	2	–	1	–	–
XII.	Cyanosis	5	–	3	11	2	2	1	1	1	1
	Spina Bifida	2	–	2	1	1	1	–	–	1	–
	Other Malformations	6	–	1	7	1	3	–	–	–	1
XVII.	Intemperance	16	–	–	2	5	–	1	–	–	2
	Privation	3	2	–	–	–	–	–	–	–	–
	Want of Breast Milk	23	1	–	5	1	3	–	5	1	–
	Neglect	–	–	–	1	–	–	–	–	–	–
	Cold	1	–	–	1	–	–	1	1	–	–
	Poison	10	1	–	4	2	–	–	2	1	1
	Burns and Scalds	46	3	6	16	13	4	9	10	5	3
	Hanging, etc.	7	–	–	3	1	–	–	1	2	1
	Suffocation	18	1	1	8	3	5	2	–	–	2
	Drowning	53	4	6	3	9	10	4	6	8	1
	Fracture and Contusion	102	8	7	46	16	25	7	14	16	7
	Wounds	11	1	1	6	–	2	2	2	–	–
	Other Violent Causes	21	–	–	6	–	4	3	2	2	–
	Not Specified	307	92	25	43	154	14	50	37	30	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	6	2	2	2	3	1	4	4	–	–	2	1
Apoplexy	2	7	7	12	1	7	8	10	8	4	4	6	14
Paralysis	16	11	2	10	11	7	13	11	11	3	9	3	18
Delirium Tremens	–	1	–	–	–	–	1	–	–	–	–	1	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	3	5	1	–	–	2	3	–	–	1	3
Tetanus	–	–	–	1	–	–	–	–	1	–	–	–	–
Insanity	–	–	–	7	–	–	–	–	–	–	–	–	–
Convulsions	4	6	1	–	2	2	6	10	12	4	3	4	1
Brain Disease	3	–	4	6	4	2	9	5	14	5	3	3	8
Pericarditis	–	–	–	–	–	–	–	–	–	1	1	–	1
Aneurism	–	1	–	1	–	–	1	–	1	–	–	–	1
Heart Disease	8	15	17	17	9	8	38	6	23	7	7	5	24
Laryngitis	–	–	–	1	1	–	–	–	1	1	–	–	–
Bronchitis	21	24	26	21	31	16	20	23	66	46	25	28	28
Pleurisy	1	2	3	4	–	2	1	–	4	3	1	1	–
Pneumonia	4	4	9	9	7	5	11	17	21	12	24	15	21
Asthma	9	13	3	–	4	2	1	11	8	–	5	4	5
Lung Disease	–	1	1	5	1	1	–	5	2	–	4	–	3
Teething	9	8	2	4	7	6	15	7	4	5	9	3	5
Quinsey	–	–	1	1	–	–	–	2	–	–	1	–	1
Gastritis	–	1	–	1	1	–	1	2	–	–	1	1	–
Enteritis	1	7	3	5	–	1	1	6	14	3	6	7	7
Peritonitis	–	1	–	1	1	1	2	2	3	–	1	2	2
Ascites	2	–	–	–	1	–	3	2	1	1	–	–	1
Ulceration of Intestines	2	2	–	8	–	–	–	1	3	1	–	3	1
Hernia	2	1	–	4	1	–	–	–	3	–	–	1	–
Ileus	5	3	2	2	2	–	1	2	2	–	3	–	1
Intussusception	–	–	–	1	–	–	–	–	3	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	–	–	1	–	1	–	1
Stomach Disease	5	4	2	5	5	4	4	3	1	–	8	8	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	1	–	–	–	–	–	3	–
Jaundice	3	–	–	3	–	–	–	1	1	–	1	–	1
Liver Disease	2	5	2	3	3	1	2	7	1	1	–	–	9
Spleen Disease	–	–	–	–	–	–	–	–	2	–	–	–	1
Nephritis	–	–	–	–	–	–	–	2	3	–	–	–	1
Nephria	1	–	1	1	–	1	–	–	–	1	–	–	3
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–
Diabetes	–	–	–	1	–	–	1	–	1	–	–	–	–
Stone	2	–	–	–	–	–	–	–	2	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	2	3	1	–	–	–	2	2	1	1	1
Paramenia	–	–	–	–	–	–	–	1	2	–	1	–	–
Ovarian Dropsy	–	–	–	–	–	–	1	–	1	–	–	–	–
Childbirth	1	2	2	3	2	1	1	2	3	2	3	1	1
Organs of Generation	–	1	1	1	–	–	–	–	–	–	–	1	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	1	1	1	–	–	–	–	–
Joint Disease	1	2	1	3	2	–	1	–	2	–	–	2	2
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	–	–	–	1	1	–	–
Cyanosis	–	–	8	–	–	1	1	2	–	1	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	2	–
Other Malformations	–	–	–	–	–	–	–	–	1	–	–	2	–
Intemperance	1	–	–	–	–	–	–	2	–	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	–	–	–	1	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	2	–	–
Poison	–	–	–	–	–	–	–	1	–	–	–	–	1
Burns and Scalds	4	2	3	1	3	2	–	9	2	–	1	12	7
Hanging, etc.	–	1	–	–	2	–	–	–	3	–	–	–	–
Suffocation	–	–	2	–	–	–	–	–	–	–	–	2	–
Drowning	3	1	1	–	1	2	3	2	1	1	–	1	–
Fracture and Contusion	2	2	–	6	4	1	2	4	9	–	12	13	5
Wounds	–	1	–	1	–	–	–	1	–	–	–	1	–
Other Violent Causes	–	–	–	–	1	–	–	4	–	–	1	–	–
Not Specified	11	4	1	8	20	15	7	25	12	21	13	18	38

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6110	399	301	2058	1383	1087	680	667	505	319
SPECIFIED CAUSES . . .	5942	350	291	2043	1309	1080	654	652	486	319
I. Zymotic Class . . .	1389	67	81	309	456	316	152	180	158	63
II. Diseases of Uncertain Seat	128	13	3	52	32	30	22	15	10	10
III. Tubercular Class . .	1092	56	54	436	177	205	137	133	49	50
IV. Brain and Nervous System	461	31	29	219	116	100	61	62	53	39
V. Organs of Circulation .	201	7	14	163	55	53	19	25	29	16
VI. Respiratory Organs .	1318	83	46	402	173	157	96	76	83	47
VII. Organs of Digestion .	448	23	18	130	95	67	67	52	21	26
VIII. Urinary Organs . .	64	6	1	57	23	19	3	7	4	7
IX. Organs of Generation .	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	25	–	1	18	5	8	3	4	4	–
XI. Skin, etc.	3	–	–	2	1	1	1	–	1	–
XII. Malformation . . .	8	–	2	7	1	5	1	1	–	2
XIII. Premature Debility . .	359	20	23	93	72	38	29	41	22	23
XIV. Atrophy	58	5	1	10	11	4	4	9	3	5
XV. Age	166	22	4	77	55	35	39	16	22	20
XVI. Sudden Deaths . .	14	–	–	4	2	–	–	1	1	2
XVII. Violent Deaths . .	207	17	14	64	35	42	20	30	26	9
I. Small Pox	184	14	18	16	88	25	11	51	5	30
Measles	278	15	5	45	26	61	19	24	–	–
Scarlatina	183	6	10	75	138	127	52	14	94	3
Diphtheria	5	–	1	9	14	23	1	23	5	–
Hooping Cough . .	251	4	7	37	44	9	16	4	17	–
Croup	70	4	7	18	40	7	13	23	5	6
Thrush	2	–	–	–	1	–	–	2	–	1
Diarrhœa	113	12	5	30	22	10	7	11	5	10
Dysentery	28	2	5	14	13	4	3	4	1	2
Cholera	6	1	–	1	1	1	–	–	1	–
Influenza	13	2	–	3	7	1	–	1	1	–
Purpura	3	1	1	–	2	2	–	2	–	–
Ague	–	–	–	–	1	1	–	–	–	–
Worms	4	–	–	–	–	–	–	–	–	–
Infantile Fever . .	7	–	–	2	2	2	–	–	–	–
Typhus	186	6	20	44	43	26	18	15	20	11
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	3	–	1	1	2	1	–	–	2	–
Erysipelas	30	–	1	11	10	13	8	3	2	–
Syphilis	22	–	–	3	2	3	2	3	–	–
Noma	1	–	–	–	–	–	2	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	–	1	3	2	2	–	–	–	–
Dropsy	62	7	–	12	16	19	14	6	2	4
Abscess	10	2	–	1	4	2	–	1	2	1
Ulcer	–	–	–	2	–	–	–	–	1	–
Fistula	3	–	–	1	1	–	1	1	–	–
Mortification	9	2	–	3	2	–	–	1	–	2
Cancer	38	2	2	29	7	7	6	6	5	3
Gout	–	–	–	1	–	–	1	–	–	–
III. Scrofula	36	6	2	14	7	14	4	3	1	6
Tabes Mesenterica . .	95	5	8	48	8	14	11	11	4	4
Phthisis	751	38	31	278	125	120	90	88	32	35
Hydrocephalus . . .	210	7	13	96	37	57	32	31	12	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	187	147	105	168	147	94	158	234	327	153	154	162	236
SPECIFIED CAUSES .	180	145	105	165	138	85	157	226	322	138	144	155	213
Zymotic Class . .	61	21	25	22	40	10	17	41	97	30	18	25	25
Uncertain Seat . .	5	9	1	1	3	3	3	10	7	4	3	3	5
Tubercular Class . .	25	23	15	24	16	11	29	39	59	33	22	36	48
Brain, etc. . . .	15	16	7	25	16	13	21	20	31	5	10	11	27
Heart, etc. . . .	7	7	9	11	3	1	22	4	7	5	3	1	11
Respiratory Organs .	17	23	23	24	20	13	18	31	59	28	40	24	29
Digestive Organs . .	14	17	7	21	12	11	17	20	20	5	19	17	20
Urinary Organs . .	4	1	3	3	1	1	–	1	5	1	1	1	4
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	1	2	–	1	2	–	1	–	1	–	–	1	–
Skin	–	–	–	–	–	–	–	–	–	–	1	–	–
Malformation . .	–	–	5	–	–	–	1	2	–	1	–	1	–
Premature Debility .	8	14	2	12	7	5	15	9	14	10	3	6	13
Atrophy . . .	1	–	1	–	1	–	2	5	2	2	–	1	5
Age	16	6	6	15	9	13	6	29	11	11	9	2	16
Sudden Deaths . .	–	1	–	1	2	–	–	–	–	2	–	–	1
Violent Deaths . .	6	5	1	5	6	4	5	15	9	1	15	26	9
Small Pox	25	1	–	–	–	–	–	–	7	1	–	–	–
Measles	13	1	1	–	8	–	1	2	16	3	3	5	–
Scarlatina . . .	–	–	1	8	18	–	1	16	11	3	1	–	8
Diphtheria . . .	–	–	–	2	–	–	–	1	–	1	–	1	2
Hooping Cough . .	–	1	3	1	4	3	1	2	21	6	1	–	–
Croup	12	–	3	2	4	–	1	3	3	6	1	3	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	1	4	3	2	1	1	11	7	7	5	5	7	7
Dysentery . . .	–	1	–	–	1	2	1	1	1	–	1	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	1	–	1	–	–	–	2	–	–	1	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	9	12	12	5	2	2	1	4	28	4	5	8	5
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	1	–	–	–	–	1	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	1	–	–	–	2	–	–	–	1
Syphilis	–	–	2	1	–	–	–	2	1	1	–	–	–
Noma	–	–	–	–	1	–	–	1	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . . .	1	–	–	–	–	–	–	1	–	–	–	1	–
Dropsy	2	5	–	–	2	2	3	5	2	2	2	1	1
Abscess	–	–	–	–	–	–	–	2	1	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–
Mortification . . .	–	1	–	–	–	–	–	–	1	–	–	–	–
Cancer	2	3	1	1	1	–	–	2	3	2	1	1	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	2	2	2	1	–	1	1	2	2	1	2	2
Tabes Mesenterica .	–	1	2	–	1	–	3	3	1	1	–	1	2
Phthisis	21	17	8	16	10	11	21	30	44	26	18	20	32
Hydrocephalus . .	3	3	3	6	4	–	4	5	12	4	3	13	12

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	24	–	1	17	12	10	–	1	6	–
Apoplexy	89	6	5	42	21	19	13	12	8	17
Paralysis	91	12	10	58	21	16	22	16	15	11
Delirium Tremens	12	–	–	15	5	3	2	1	5	–
Chorea	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	3	2	16	4	6	3	–	2	1
Tetanus	6	–	–	–	–	–	–	–	1	–
Insanity	5	–	1	1	–	2	–	–	–	1
Convulsions	127	6	3	40	41	24	2	9	10	3
Brain Disease	89	4	7	30	12	20	19	23	6	6
V. Pericarditis	4	1	1	6	2	–	–	–	3	1
Aneurism	10	1	–	18	3	6	3	–	3	1
Heart Disease	187	5	13	139	50	47	16	25	23	14
VI. Laryngitis	17	1	2	6	2	9	–	–	1	5
Bronchitis	783	44	21	247	88	98	64	45	42	30
Pleurisy	20	2	3	14	6	7	2	2	3	3
Pneumonia	393	25	16	87	65	30	23	22	30	8
Asthma	57	7	2	21	8	9	6	4	2	–
Lung Disease	48	4	2	27	4	4	1	3	5	1
VII. Teething	142	6	6	25	45	25	16	16	4	9
Quinsey	2	–	2	–	3	2	–	–	1	2
Gastritis	13	–	1	3	3	1	1	2	1	–
Enteritis	116	7	1	18	11	3	21	14	3	5
Peritonitis	23	1	3	9	5	2	1	3	2	–
Ascites	7	1	–	3	2	3	1	2	–	1
Ulceration of Intestines	9	1	–	7	2	4	–	–	1	1
Hernia	4	–	–	2	1	1	1	–	1	–
Ileus	27	1	1	5	3	2	3	1	–	1
Intussusception	7	–	–	3	–	–	–	–	–	–
Stricture of Intestines	1	–	–	1	–	–	2	–	–	–
Stomach Disease	49	4	2	23	6	11	6	3	3	1
Pancreas Disease	–	–	–	–	–	–	–	1	–	–
Hepatitis	9	–	–	1	–	2	7	–	–	–
Jaundice	8	–	–	6	1	5	2	–	2	–
Liver Disease	31	2	2	22	13	6	6	10	3	6
Spleen Disease	–	–	–	2	–	–	–	–	–	–
VIII. Nephritis	7	–	–	1	5	2	–	1	–	–
Nephria	18	1	–	27	8	1	2	2	–	–
Ischuria	1	–	–	2	–	1	–	–	–	–
Diabetes	7	2	–	5	–	2	–	–	1	1
Stone	3	1	–	2	–	1	–	–	–	–
Cystitis	5	1	–	1	–	–	1	–	–	–
Stricture of Urethra	1	–	–	1	–	–	–	–	–	–
Kidney Disease	22	1	1	18	10	12	–	4	3	6
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–
X. Arthritis	4	–	–	–	1	1	–	–	–	–
Rheumatism	10	–	1	–	2	1	–	3	–	–
Joint and Bone Disease	11	–	–	18	2	6	3	1	4	–
XI. Carbuncle	1	–	–	1	–	1	1	–	1	–
Phlegmon	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	1	1	–	–	–	–	–
XII. Cyanosis	2	–	2	5	1	2	1	1	–	1
Spina Bifida	2	–	–	1	–	1	–	–	–	–
Other Malformations	4	–	–	1	–	2	–	–	–	1
XVII. Intemperance	13	–	–	–	4	–	–	–	–	–
Privation	1	2	–	–	–	–	–	–	–	–
Want of Breast Milk	10	–	–	3	1	3	–	2	–	–
Neglect	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–
Poison	7	–	–	3	2	–	–	2	–	–
Burns and Scalds	17	1	3	6	6	1	6	5	3	1
Hanging, etc.	3	–	–	2	1	–	–	1	2	1
Suffocation	11	1	–	5	2	3	1	–	–	1
Drowning	41	4	4	1	7	10	3	5	7	1
Fracture and Contusion	80	8	6	32	12	19	6	12	13	5
Wounds	6	1	1	6	–	2	–	2	–	–
Other Violent Causes	18	–	–	6	–	4	3	1	1	–
Not Specified	168	49	10	15	74	7	26	15	19	–

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	3	1	2	1	2	–	3	3	–	–	2	–
Apoplexy	1	2	1	9	1	5	5	4	4	2	1	1	7
Paralysis	11	5	1	6	8	3	6	4	5	1	5	2	9
Delirium Tremens	–	1	–	–	–	–	1	–	–	–	–	1	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	4	1	–	–	1	3	–	–	1	3
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	–	–	–	2	–	–	–	–	–	–	–	–	–
Convulsions	1	5	–	–	1	2	2	4	9	1	2	2	1
Brain Disease	2	–	3	2	4	1	7	4	6	1	2	2	6
Pericarditis	–	–	–	–	–	–	–	–	–	1	–	–	1
Aneurism	–	1	–	1	–	–	1	–	1	–	–	–	1
Heart Disease	7	6	9	10	3	1	21	4	6	4	3	1	9
Laryngitis	–	–	–	1	1	–	–	–	1	–	–	–	–
Bronchitis	11	13	14	13	13	6	12	13	41	21	14	16	13
Pleurisy	1	1	2	–	–	1	1	–	2	1	1	1	–
Pneumonia	3	2	4	7	4	4	5	9	12	6	17	4	11
Asthma	2	6	3	–	1	1	–	8	3	–	4	3	4
Lung Disease	–	1	–	3	1	1	–	1	–	–	4	–	1
Teething	4	4	–	3	5	5	10	4	2	3	7	–	2
Quinsey	–	–	1	–	–	–	–	1	–	–	–	–	1
Gastritis	–	1	–	1	1	–	1	1	–	–	–	1	–
Enteritis	–	3	3	–	–	1	1	5	8	–	4	4	4
Peritonitis	–	1	–	1	–	–	1	–	1	–	–	1	–
Ascites	1	–	–	–	–	–	–	1	–	1	–	–	–
Ulceration of Intestines	1	1	–	5	–	–	–	1	2	1	–	3	1
Hernia	1	–	–	3	1	–	–	–	1	–	–	1	–
Ileus	2	–	2	1	1	–	–	2	1	–	2	–	–
Intussusception	–	–	–	1	–	–	–	–	3	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	3	–	4	3	4	3	3	–	–	5	6	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	1	–
Jaundice	2	–	–	1	–	–	–	–	–	–	1	–	1
Liver Disease	1	4	–	1	1	1	1	2	1	–	–	–	7
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	1
Nephritis	–	–	–	–	–	–	–	1	3	–	–	–	1
Nephria	1	–	–	–	–	1	–	–	–	–	–	–	2
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	2	2	1	–	–	–	1	1	–	1	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	2	–	1	2	–	1	–	1	–	–	1	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	1	–	–
Cyanosis	–	–	5	–	–	–	1	2	–	1	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	1	–	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	1	–	–
Poison	–	–	–	–	–	–	–	1	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	2	–	5	–	–	–	10	5
Hanging, etc.	–	1	–	–	1	–	–	–	1	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	1	–
Drowning	2	1	1	–	–	2	3	2	–	1	–	1	–
Fracture and Contusion	2	1	–	4	4	–	2	2	8	–	12	13	3
Wounds	–	1	–	1	–	–	–	1	–	–	–	1	–
Other Violent Causes	–	–	–	–	1	–	–	3	–	–	1	–	–
Not Specified	7	2	–	3	9	9	1	8	5	15	10	7	23

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6326	362	305	2182	1520	1106	698	588	482	345
SPECIFIED CAUSES . . .	6187	319	290	2154	1440	1099	674	566	471	341
I. Zymotic Class . . .	1441	70	69	358	479	333	144	167	145	71
II. Diseases of Uncertain Seat	191	21	5	110	54	64	26	19	18	16
III. Tubercular Class . .	1246	46	62	382	234	218	143	132	68	52
IV. Brain and Nervous System	356	24	22	200	102	82	49	40	40	35
V. Organs of Circulation .	225	10	11	110	69	35	16	13	21	13
VI. Respiratory Organs . .	1323	66	45	414	165	150	83	70	70	51
VII. Organs of Digestion .	444	13	21	159	77	57	80	31	25	29
VIII. Urinary Organs . .	32	1	2	32	10	9	7	6	7	–
IX. Organs of Generation .	83	5	7	34	19	6	9	8	3	10
X. Organs of Locomotion .	24	–	3	10	9	5	3	3	1	1
XI. Skin, etc.	7	1	–	6	–	2	–	1	–	–
XII. Malformation . . .	5	–	4	12	3	1	–	–	2	–
XIII. Premature Debility . .	273	21	13	103	96	31	28	19	25	16
XIV. Atrophy	86	7	4	26	7	6	10	4	4	3
XV. Age	329	30	15	157	100	88	67	40	33	34
XVI. Sudden Deaths . .	18	–	–	4	1	1	–	–	–	2
XVII. Violent Deaths . .	104	4	7	37	15	11	9	13	9	8
I. Small Pox . . .	163	7	10	7	99	20	13	40	5	32
Measles	263	11	11	39	33	70	12	26	–	–
Scarlatina . . .	161	4	13	50	128	122	43	18	78	5
Diphtheria . . .	7	1	1	5	19	27	–	15	4	2
Hooping Cough . .	294	6	7	65	35	9	17	7	21	–
Croup	75	6	5	17	49	15	15	24	–	3
Thrush	4	–	–	–	–	–	2	–	–	–
Diarrhœa	103	22	9	45	24	10	7	13	8	9
Dysentery . . .	24	1	1	11	7	9	4	4	2	–
Cholera	7	1	–	3	–	–	–	–	–	–
Influenza	11	–	1	5	9	4	–	1	1	2
Purpura	3	1	–	1	–	2	–	2	1	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	3	–	1	–	–	–	–	–	1	–
Infantile Fever . .	6	–	–	1	1	2	–	–	–	–
Typhus	222	7	8	69	56	25	19	8	15	10
Metria	51	1	–	18	11	8	7	4	5	1
Rheumatic Fever . .	5	–	1	3	1	3	2	–	1	1
Erysipelas . . .	28	1	–	11	2	4	3	2	2	4
Syphilis	6	1	1	6	5	3	–	2	1	2
Noma	5	–	–	2	–	–	–	1	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	9	1	–	1	–	–	1	1	1	–
Dropsy	86	12	3	18	20	23	14	4	4	1
Abscess	10	1	–	3	5	3	–	1	–	2
Ulcer	2	–	–	1	2	1	1	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–
Mortification . . .	13	–	–	6	4	1	2	3	2	–
Cancer	70	7	2	81	23	35	8	10	11	13
Gout	–	–	–	–	–	1	–	–	–	–
III. Scrofula	36	3	2	9	5	5	5	6	3	1
Tabes Mesenterica . .	101	3	3	33	7	8	9	7	7	1
Phthisis	936	35	41	257	194	156	107	105	39	45
Hydrocephalus . . .	173	5	16	83	28	49	22	14	19	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	194	160	131	179	173	116	156	257	359	160	145	142	231
SPECIFIED CAUSES .	190	158	130	174	162	110	150	240	352	154	142	131	216
Zymotic Class . .	60	23	22	31	46	24	17	48	103	31	33	20	41
Uncertain Seat .	12	11	6	7	15	11	8	6	15	8	4	10	7
Tubercular Class	24	29	20	31	17	17	24	53	85	29	30	26	46
Brain, etc. . . .	10	15	12	18	5	8	17	22	22	11	9	9	19
Heart, etc. . . .	1	9	8	7	6	7	17	2	17	3	5	4	15
Respiratory Organs .	18	21	19	16	24	13	15	25	43	34	19	24	28
Digestive Organs . .	17	16	6	17	9	3	12	15	19	6	12	11	15
Urinary Organs . .	–	–	1	2	–	–	1	1	3	2	1	–	1
Generative Organs .	1	3	3	4	2	1	2	3	6	2	4	2	1
Locomotive Organs .	1	–	1	2	–	1	1	1	1	–	–	1	2
Skin	–	1	–	–	–	–	–	–	–	1	–	–	–
Malformation . .	–	–	3	–	–	1	–	–	1	–	–	3	–
Premature Debility .	10	5	8	9	7	5	19	12	11	6	5	11	4
Atrophy . . .	4	–	–	–	2	–	3	3	1	2	–	–	1
Age	27	21	16	27	22	17	14	41	18	19	18	6	29
Sudden Deaths . .	–	1	–	–	2	1	–	–	–	–	–	–	2
Violent Deaths . .	5	3	5	3	5	1	–	8	7	–	2	4	5
Small Pox . . .	24	1	–	–	1	–	–	1	6	–	1	2	–
Measles	6	–	–	–	8	–	–	1	10	7	4	4	1
Scarlatina . . .	–	–	2	5	18	2	–	23	10	5	1	–	12
Diphtheria . . .	2	–	–	3	–	–	–	1	2	–	–	–	–
Hooping Cough . .	1	2	1	–	5	14	1	2	27	4	2	1	2
Croup	7	2	–	3	1	3	1	4	3	5	3	4	4
Thrush	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa . . .	4	8	1	3	3	–	8	3	4	7	11	2	8
Dysentery . . .	–	–	–	1	2	–	–	2	4	–	–	1	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	1	–	–	2	–	1	2	3	–	–	–	1
Purpura	–	–	–	–	–	1	–	–	–	–	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	14	8	18	13	4	3	6	7	27	3	6	3	7
Metria	–	–	–	1	1	1	–	–	4	–	2	1	–
Rheumatic Fever . .	–	–	–	–	–	–	–	1	–	–	–	–	–
Erysipelas . . .	2	1	–	2	–	–	–	–	3	–	1	1	2
Syphilis	–	–	–	–	–	–	–	1	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	1	–	–	1	–	–	–
Dropsy	6	8	2	2	14	4	4	3	8	1	3	4	3
Abscess	–	–	–	–	–	–	–	–	–	1	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	3	1	–	1	–	1	–	–	3	1	–	–	1
Cancer	3	2	4	4	1	6	3	3	4	4	1	5	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	1	–	4	1	–	1	2	1
Tabes Mesenterica .	–	–	–	2	–	1	1	–	5	–	3	3	4
Phthisis	18	27	15	28	13	14	22	47	66	22	23	16	35
Hydrocephalus . .	5	2	5	1	4	1	1	2	13	7	3	5	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—FEMALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	26	–	1	14	9	2	3	4	4	1
Apoplexy	78	5	4	40	21	14	15	7	10	14
Paralysis	81	12	3	63	21	24	18	13	16	11
Delirium Tremens	2	–	–	1	–	–	–	–	2	1
Chorea	–	–	–	1	1	–	–	1	–	–
Epilepsy	12	1	2	9	6	6	4	2	1	3
Tetanus	2	1	–	–	–	–	–	–	1	–
Insanity	2	–	2	2	–	3	2	1	–	1
Convulsions	85	3	2	31	34	16	1	3	3	3
Brain Disease	68	2	8	39	10	17	6	9	3	1
V. Pericarditis	8	–	–	4	–	2	1	–	–	1
Aneurism	3	–	–	3	2	1	–	–	–	1
Heart Disease	214	10	11	103	67	32	15	13	21	11
VI. Laryngitis	16	1	1	6	3	3	2	3	–	1
Bronchitis	828	39	26	284	78	106	53	50	39	38
Pleurisy	11	1	1	9	3	3	2	1	6	–
Pneumonia	314	19	12	66	50	20	17	12	22	8
Asthma	79	2	3	21	25	8	8	4	1	2
Lung Disease	75	4	2	28	6	10	1	–	2	2
VII. Teething	158	2	5	25	24	23	19	6	3	14
Quinsey	7	–	1	3	4	2	2	–	–	–
Gastritis	18	1	1	7	2	–	1	1	2	–
Enteritis	89	1	7	12	4	3	28	8	2	1
Peritonitis	25	1	5	18	8	4	4	2	2	3
Ascites	5	–	–	2	–	3	1	–	1	–
Ulceration of Intestines	9	–	–	10	3	3	4	–	1	1
Hernia	5	–	–	5	–	1	2	2	–	2
Ileus	16	1	–	7	4	2	–	–	1	1
Intussusception	2	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–
Stomach Disease	49	2	1	37	10	7	7	5	7	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	1	–	4	–	–	5	2	–	–
Jaundice	15	–	–	3	5	4	5	–	1	–
Liver Disease	40	4	1	22	13	4	2	5	5	3
Spleen Disease	1	–	–	2	–	1	–	–	–	–
VIII. Nephritis	1	–	–	2	1	1	1	–	1	–
Nephria	9	–	1	15	2	3	2	1	1	–
Ischuria	1	–	–	1	1	–	1	–	–	–
Diabetes	6	–	–	–	–	–	–	1	1	–
Stone	–	–	–	–	1	–	–	–	–	–
Cystitis	1	–	–	1	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	1	1	13	5	5	2	4	4	–
IX. Paramenia	1	–	–	1	–	–	–	–	–	–
Ovarian Dropsy	5	–	1	9	2	2	1	–	1	–
Childbirth	69	4	6	16	13	3	6	7	2	6
Organs of Generation	8	1	–	8	4	1	2	1	–	4
X. Arthritis	1	–	–	1	–	–	–	1	–	–
Rheumatism	11	–	2	5	5	2	1	2	–	1
Joint and Bone Disease	12	–	1	4	4	3	2	–	1	–
XI. Carbuncle	–	1	–	3	–	–	–	–	–	–
Phlegmon	1	–	–	1	–	–	–	–	–	–
Skin Disease	6	–	–	2	–	2	–	1	–	–
XII. Cyanosis	3	–	1	6	1	–	–	–	1	–
Spina Bifida	–	–	2	–	1	–	–	–	1	–
Other Malformations	2	–	1	6	1	1	–	–	–	–
XVII. Intemperance	3	–	–	2	1	–	1	–	–	2
Privation	2	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	1	–	2	–	–	–	3	1	–
Neglect	–	–	–	1	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	1	–	–
Poison	3	1	–	1	–	–	–	–	1	1
Burns and Scalds	29	2	3	10	7	3	3	5	2	2
Hanging, etc.	4	–	–	1	–	–	–	–	–	–
Suffocation	7	–	1	3	1	2	1	–	–	1
Drowning	12	–	2	2	2	–	1	1	1	–
Fracture and Contusion	22	–	1	14	4	6	1	2	3	2
Wounds	5	–	–	–	–	–	2	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	1	1	–
Not Specified	139	43	15	28	80	7	24	22	11	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1860.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	3	1	–	1	1	1	1	1	–	–	–	1
Apoplexy	1	5	6	3	–	2	3	6	4	2	3	5	7
Paralysis	5	6	1	4	3	4	7	7	6	2	4	1	9
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	1	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	5	–	–	–	–	–	–	–	–	–
Convulsions	3	1	1	–	1	–	4	6	3	3	1	2	–
Brain Disease	1	–	1	4	–	1	2	1	8	4	1	1	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	9	8	7	6	7	17	2	17	3	4	4	15
Laryngitis	–	–	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	10	11	12	8	18	10	8	10	25	25	11	12	15
Pleurisy	–	1	1	4	–	1	–	–	2	2	–	–	–
Pneumonia	1	2	5	2	3	1	6	8	9	6	7	11	10
Asthma	7	7	–	–	3	1	1	3	5	–	1	1	1
Lung Disease	–	–	1	2	–	–	–	4	2	–	–	–	2
Teething	5	4	2	1	2	1	5	3	2	2	2	3	3
Quinsey	–	–	–	1	–	–	–	1	–	–	1	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	1	–	–
Enteritis	1	4	–	5	–	–	–	1	6	3	2	3	3
Peritonitis	–	–	–	–	1	1	1	2	2	–	1	1	2
Ascites	1	–	–	–	1	–	3	1	1	–	–	–	1
Ulceration of Intestines	1	1	–	3	–	–	–	–	1	–	–	–	–
Hernia	1	1	–	1	–	–	–	–	2	–	–	–	–
Ileus	3	3	–	1	1	–	1	–	1	–	1	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	–	–	1	–	1	–	1
Stomach Disease	3	1	2	1	2	–	1	–	1	–	3	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	2	–
Jaundice	1	–	–	2	–	–	–	1	1	–	–	–	–
Liver Disease	1	1	2	2	2	–	1	5	–	1	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–
Nephria	–	–	1	1	–	–	–	–	–	1	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	1	–	1	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	1	1	1	–	–
Paramenia	–	–	–	–	–	–	–	1	2	–	1	–	–
Ovarian Dropsy	–	–	–	–	–	–	1	–	1	–	–	–	–
Childbirth	1	2	2	3	2	1	1	2	3	2	3	1	1
Organs of Generation	–	1	1	1	–	–	–	–	–	–	–	1	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	1	1	–	–	–	–	–
Joint Disease	1	–	1	2	–	–	–	–	1	–	–	1	2
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	–	–	–	1	–	–	–
Cyanosis	–	–	3	–	–	1	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Malformations	–	–	–	–	–	–	–	–	1	–	–	2	–
Intemperance	1	–	–	–	–	–	–	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	–	–	–	1	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	1	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	3	1	3	1	3	–	–	4	2	–	1	2	2
Hanging, etc.	–	–	–	–	1	–	–	–	2	–	–	–	–
Suffocation	–	–	2	–	–	–	–	–	–	–	–	1	–
Drowning	1	–	–	–	1	–	–	–	1	–	–	–	–
Fracture and Contusion	–	1	–	2	–	1	–	2	1	–	–	–	2
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Specified	4	2	1	5	11	6	6	17	7	6	3	11	15

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30	
ALL CAUSES	68170	6439	2160	4814	6280	3017	2031	1452	3405	1707	2270	2550	2335	
SPECIFIED CAUSES	64487	5305	1850	4447	5918	2892	1953	1393	3250	1592	2199	2470	2254	
I. Zymotic Class	14478	646	501	1488	2623	1591	1211	822	1595	494	419	415	313	
II. Diseases of Uncertain Seat	2479	37	13	25	43	31	21	26	70	30	44	40	56	
III. Tubercular Class	11212	166	248	684	887	425	260	201	775	539	1074	1278	1067	
IV. Brain and Nervous System	5206	346	147	238	243	140	79	61	191	117	139	106	136	
V. Organs of Circulation	2598	13	5	9	11	1	4	5	44	59	103	93	102	
VI. Respiratory Organs	9470	712	532	1182	1175	457	234	147	254	82	113	152	151	
VII. Organs of Digestion	4787	428	222	623	669	112	44	44	102	74	97	125	138	
VIII. Urinary Organs	786	5	1	–	10	7	16	7	27	19	17	31	40	
IX. Organs of Generation	495	1	–	1	1	–	–	–	–	2	12	57	90	
X. Organs of Locomotion	333	–	–	3	7	6	1	9	19	28	32	17	17	
XI. Skin, etc.	63	5	4	10	2	1	1	1	3	–	1	2	1	
XII. Malformation	149	126	9	8	–	2	–	1	2	–	1	–	–	
XIII. Premature Debility	2990	2707	134	149	–	–	–	–	–	–	–	–	·	
XIV. Atrophy	551	–	–	1	162	42	25	13	36	14	11	10	14	
XV. Age	6572	–	–	–	–	–	–	–	–	–	–	–	–	
XVI. Sudden Deaths	132	15	2	6	1	–	3	1	4	1	4	1	1	
XVII. Violent Deaths	2186	98	32	20	84	77	54	55	128	133	132	143	128	
I. Small Pox	1495	90	112	220	217	156	129	67	149	41	40	71	58	
Measles	1587	32	30	260	649	271	137	78	100	9	6	5	2	
Scarlatina	2927	20	25	172	471	456	434	342	673	156	76	26	23	
Diphtheria	480	12	10	28	77	52	55	51	89	41	21	8	6	
Hooping Cough	1812	113	115	442	563	243	152	79	99	5	–	–	1	
Croup	1005	54	32	96	263	195	168	87	100	7	–	1	–	
Thrush	35	19	3	5	5	1	–	–	–	–	–	–	–	
Diarrhœa	1095	138	84	126	194	50	17	8	27	13	16	20	12	
Dysentery	369	6	11	26	29	7	2	3	9	7	7	17	11	
Cholera	46	3	4	4	8	3	2	1	3	1	2	–	2	
Influenza	342	16	9	18	15	4	1	3	8	5	3	2	2	
Purpura	61	1	1	4	3	3	2	3	3	1	4	5	3	
Ague	3	–	–	–	–	–	–	–	–	–	–	–	–	
Worms	28	–	–	1	1	4	6	6	5	4	–	1	–	
Infantile Fever	61	5	4	22	12	10	4	2	2	–	–	–	–	
Typhus	2344	16	18	41	103	129	92	85	302	189	198	178	112	
Metria	236	–	–	–	–	–	–	–	–	–	14	56	64	
Rheumatic Fever	95	–	–	–	–	–	–	1	13	6	15	12	7	
Erysipelas	334	85	11	14	10	4	4	5	10	8	14	12	8	
Syphilis	96	35	32	9	2	–	–	–	–	–	3	1	2	
Noma	23	1	–	–	1	3	6	1	2	–	–	–	–	
Hydrophobia	4	–	–	–	–	–	–	–	1	1	–	–	–	
II. Hæmorrhage	85	9	2	1	1	–	–	3	1	–	8	6	8	
Dropsy	1052	5	4	8	15	22	14	18	53	21	16	16	18	
Abscess	122	8	5	6	12	4	1	1	9	4	8	7	7	
Ulcer	35	4	1	3	2	–	1	–	–	–	1	–	–	
Fistula	15	–	–	–	–	–	–	1	–	–	1	1	1	
Mortification	148	7	–	6	8	3	1	1	3	–	3	2	6	
Cancer	1014	4	1	1	5	2	3	2	4	5	7	8	16	
Gout	8	–	–	–	–	–	1	–	–	–	–	–	–	
III. Scrofula	483	14	12	22	35	21	11	11	52	63	54	44	34	
Tabes Mesenterica	721	63	43	90	171	90	42	29	94	35	17	14	9	
Phthisis	8165	24	55	132	229	125	98	70	356	387	987	1217	1018	
Hydrocephalus	1843	65	138	440	452	189	109	91	273	54	16	3	6	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	2156	2077	2037	1979	2092	2225	2899	2878	3351	3073	2592	1483	545	164	36	123
Specified Causes	2063	2003	1960	1906	1992	2108	2708	2878	3350	3073	2592	1483	545	164	36	103
Zymotic Class	270	225	206	193	183	195	228	218	246	191	119	56	17	1	–	12
Uncertain Seat	64	108	133	166	186	191	284	251	250	207	127	60	14	2	–	–
Tubercular Class	829	673	562	423	345	287	213	127	76	43	12	9	–	–	–	9
Brain, etc.	159	167	179	205	236	290	414	429	442	385	238	91	23	3	–	2
Heart, etc.	117	161	166	170	185	245	282	291	251	168	76	25	1	4	–	7
Respiratory Organs	194	206	273	330	386	405	563	558	552	425	240	109	26	6	–	6
Digestive Organs	135	151	174	186	228	228	276	241	247	138	77	19	1	1	1	6
Urinary Organs	39	41	40	38	52	45	71	78	81	63	37	15	6	–	–	–
Generative Organs	88	80	58	28	19	14	14	11	10	6	3	–	–	–	–	–
Locomotive Organs	13	14	14	16	13	17	22	25	21	24	10	4	1	–	–	–
Skin	4	3	1	1	3	5	5	2	2	5	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	16	20	18	40	54	74	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	224	559	1098	1363	1618	1077	448	144	35	6
Sudden Deaths	3	5	7	6	8	11	16	16	11	9	1	–	–	–	–	–
Violent Deaths	132	149	129	104	94	101	96	72	63	46	34	17	8	3	–	54
Small Pox	44	26	21	18	12	10	5	3	3	–	–	–	–	–	–	3
Measles	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Scarlatina	14	11	10	7	2	3	1	2	–	–	1	–	–	–	–	2
Diphtheria	3	7	6	2	2	1	3	2	2	1	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Thrush	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	15	18	21	23	22	53	43	61	60	34	17	9	1	–	1
Dysentery	13	14	11	16	17	19	29	29	36	24	20	5	1	–	–	–
Cholera	–	3	2	–	1	1	–	3	2	–	1	–	–	–	–	–
Influenza	5	2	2	10	7	17	20	31	51	52	33	20	5	–	–	1
Purpura	2	2	4	2	5	4	2	2	3	2	–	–	–	–	–	–
Ague	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	100	90	97	99	97	96	88	80	68	30	23	10	1	–	–	2
Metria	50	39	12	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	3	5	1	5	4	7	4	3	1	1	–	–	–	–	–
Erysipelas	12	11	10	14	11	14	17	17	13	19	6	3	1	–	–	1
Syphilis	3	–	4	1	–	3	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	1	1	3	2	–	–	–	–	–	–
Hydrophobia	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	8	5	7	2	5	6	1	–	3	4	–	1	–	–	–
Dropsy	26	37	35	42	74	57	122	110	126	112	64	29	7	1	–	–
Abscess	10	4	6	5	5	1	6	3	4	2	3	1	–	–	–	–
Ulcer	–	2	1	–	3	–	4	3	3	5	2	–	–	–	–	–
Fistula	1	2	–	1	1	2	2	–	–	2	–	–	–	–	–	–
Mortification	2	3	2	3	4	7	11	10	15	19	19	11	2	–	–	–
Cancer	21	52	83	108	97	119	130	122	101	64	35	19	4	1	–	–
Gout	–	–	1	–	–	–	3	2	1	–	–	–	–	–	–	–
Scrofula	20	18	12	11	9	9	14	9	3	4	–	–	–	–	–	1
Tabes Mesenterica	6	3	4	2	2	1	3	1	1	1	–	–	–	–	–	–
Phthisis	799	651	545	409	334	277	196	117	72	38	12	9	–	–	–	8
Hydrocephalus	4	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES. (*Contd.*)

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	378	7	8	41	48	19	17	16	42	26	31	27	23
Apoplexy	1144	8	9	15	16	14	12	3	25	12	15	17	32
Paralysis	1560	–	–	–	2	–	–	–	4	6	8	11	13
Delirium Tremens	88	–	–	–	–	–	–	–	–	–	–	5	6
Chorea	9	–	–	–	1	–	–	–	4	2	–	1	–
Epilepsy	224	–	–	–	–	1	1	1	8	18	29	20	23
Tetanus	47	17	3	1	4	–	1	1	1	3	3	–	1
Insanity	54	–	–	–	–	–	–	–	–	–	2	1	5
Convulsions	852	297	119	142	129	74	27	21	39	2	–	–	–
Brain Disease	850	17	8	39	43	32	21	19	68	48	51	24	33
V. Pericarditis	92	1	–	1	2	1	1	2	11	7	13	5	5
Aneurism	88	–	–	–	–	–	–	–	–	1	–	–	2
Heart Disease	2418	12	5	8	9	–	3	3	33	51	90	88	95
VI. Laryngitis	167	4	6	18	21	10	14	11	16	2	1	5	6
Bronchitis	5400	477	356	809	756	288	123	81	126	28	22	35	48
Pleurisy	324	17	4	9	13	6	5	3	14	8	12	15	15
Pneumonia	2416	197	157	328	354	138	84	47	81	33	51	72	57
Asthma	714	–	2	–	2	1	–	–	–	1	1	4	6
Lung Disease	449	17	7	18	29	14	8	5	17	10	26	21	19
VII. Teething	1066	4	55	442	512	47	4	1	1	–	–	–	–
Quinsey	83	9	6	10	11	11	4	9	7	3	–	1	1
Gastritis	140	8	3	8	7	4	–	3	8	1	5	11	4
Enteritis	869	228	96	92	89	21	17	12	32	14	23	21	22
Peritonitis	285	13	6	3	4	6	3	4	14	11	15	22	23
Ascites	112	1	–	1	1	–	–	1	4	4	6	5	8
Ulceration of Intestines	179	6	5	3	6	3	1	–	1	7	7	10	11
Hernia	90	3	2	1	1	1	–	–	–	–	–	–	1
Ileus	268	22	10	9	3	1	1	2	6	8	5	8	12
Intussusception	39	1	5	3	–	–	–	1	1	3	1	2	1
Stricture of Intestines	18	2	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	761	65	28	44	24	13	11	8	10	9	18	17	20
Pancreas Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	122	1	–	1	2	–	–	1	1	4	3	4	5
Jaundice	177	46	5	1	6	–	1	–	4	–	1	2	5
Liver Disease	552	19	1	5	3	2	2	2	12	10	12	20	25
Spleen Disease	22	–	–	–	–	3	–	–	1	–	1	1	–
VIII. Nephritis	53	–	–	–	5	–	3	3	3	2	2	4	4
Nephria	165	1	–	–	–	4	5	2	6	6	4	11	13
Ischuria	35	1	–	–	–	–	–	–	–	–	–	1	1
Diabetes	64	–	–	–	1	–	1	1	2	3	–	6	5
Stone	63	1	1	–	–	–	1	1	–	1	–	–	–
Cystitis	40	–	–	–	–	–	–	–	–	–	2	2	3
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	363	2	–	–	4	3	6	–	16	7	9	7	14
IX. Paramenia	19	–	–	–	–	–	–	–	–	2	3	2	–
Ovarian Dropsy	55	–	–	–	–	–	–	–	–	–	1	2	3
Childbirth	328	–	–	–	–	–	–	–	–	–	7	50	81
Organs of Generation	93	1	–	1	1	–	–	–	–	–	1	3	6
X. Arthritis	14	–	–	–	2	–	–	–	2	2	1	1	–
Rheumatism	150	–	–	1	1	1	–	1	1	3	5	1	6
Joint and Bone Disease	169	–	–	2	4	5	1	8	16	23	26	15	11
XI. Carbuncle	20	1	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	8	–	–	–	1	1	–	–	–	–	–	–	1
Skin Disease	35	4	4	9	1	–	1	1	3	–	1	2	–
XII. Cyanosis	74	63	3	5	–	2	–	–	1	–	–	–	–
Spina Bifida	31	24	4	3	–	–	–	–	–	–	–	–	–
Other Malformations	44	39	2	–	–	–	–	1	1	–	1	–	–
XVII. Intemperance	55	–	–	–	–	–	–	–	–	–	–	3	5
Privation	6	–	–	–	2	–	–	–	1	–	1	–	–
Want of Breast Milk	60	42	10	6	2	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	47	1	1	1	–	–	–	1	1	1	2	3	1
Poison	50	3	1	2	1	3	1	–	1	–	2	3	5
Burns and Scalds	356	1	2	6	46	46	45	35	46	18	11	3	4
Hanging, etc.	50	–	–	–	–	–	–	–	–	2	–	4	2
Suffocation	79	26	13	1	5	2	–	–	3	2	4	5	2
Drowning	537	–	1	2	19	17	3	5	32	34	43	57	47
Fracture and Contusion	747	1	3	2	9	8	5	9	40	63	56	49	55
Wounds	86	1	–	–	–	1	–	2	1	8	7	9	2
Other Violent Causes	112	22	1	–	–	–	–	3	3	5	6	7	5
Not Specified	3683	1134	310	367	362	125	78	59	155	115	71	80	81

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	15	10	14	7	3	6	8	3	2	2	2	1	–	–	–	–
Apoplexy	27	36	34	61	76	96	143	148	137	114	63	19	9	2	–	1
Paralysis	27	36	57	67	85	115	193	206	256	240	159	64	11	–	–	–
Delirium Tremens	10	15	17	13	8	3	4	5	1	–	1	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	26	19	21	8	13	10	12	3	6	4	–	1	–	–	–	–
Tetanus	2	–	3	1	3	–	2	–	–	1	–	–	–	–	–	–
Insanity	6	4	4	5	3	5	8	6	2	1	1	1	–	–	–	–
Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	44	47	29	43	45	55	44	58	38	23	12	5	3	1	–	–
Pericarditis	1	5	6	5	6	4	4	8	3	1	–	–	–	–	–	–
Aneurism	6	12	21	7	10	12	6	5	5	–	1	–	–	–	–	–
Heart Disease	110	144	139	158	169	229	272	278	243	167	75	25	1	4	–	7
Laryngitis	3	11	7	9	5	5	1	3	3	6	–	–	–	–	–	–
Bronchitis	63	77	107	132	160	198	300	312	346	264	175	86	23	6	–	2
Pleurisy	9	12	14	16	22	18	21	25	28	21	12	4	–	–	–	1
Pneumonia	73	73	87	86	84	81	91	86	70	51	21	9	2	–	–	3
Asthma	20	20	27	61	77	83	105	100	90	75	29	9	1	–	–	–
Lung Disease	26	13	31	26	38	20	45	32	15	8	3	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	3	1	2	1	2	1	1	–	–	–	–	–	–	–
Gastritis	4	3	8	9	11	7	9	10	12	4	1	–	–	–	–	–
Enteritis	14	18	19	11	22	14	28	27	21	15	8	2	–	1	–	2
Peritonitis	25	21	22	19	12	12	12	13	12	8	3	2	–	–	–	–
Ascites	4	7	4	5	17	9	8	8	5	8	5	–	–	–	1	–
Ulceration of Intestines	13	12	19	13	15	9	10	11	10	3	3	1	–	–	–	–
Hernia	3	5	1	4	4	10	11	10	15	10	4	3	–	–	–	1
Ileus	11	15	12	16	14	15	24	15	23	16	16	3	1	–	–	–
Intussusception	1	2	3	3	4	1	3	–	3	1	–	–	–	–	–	–
Stricture of Intestines	2	–	–	1	1	2	–	4	3	1	1	–	–	–	–	–
Stomach Disease	23	26	36	40	52	61	65	62	66	37	22	3	–	–	–	1
Pancreas Disease	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Hepatitis	4	9	11	7	14	13	15	16	8	1	2	–	–	–	–	–
Jaundice	4	3	1	10	9	5	22	13	18	11	6	2	–	–	–	2
Liver Disease	25	29	32	43	49	69	66	47	48	22	6	3	–	–	–	–
Spleen Disease	1	1	2	4	2	–	1	3	1	1	–	–	–	–	–	–
Nephritis	2	1	3	3	2	2	3	5	1	1	2	2	–	–	–	–
Nephria	16	20	13	14	9	7	19	6	5	3	1	–	–	–	–	–
Ischuria	–	–	1	1	2	5	2	2	7	6	4	2	–	–	–	–
Diabetes	6	2	7	7	10	4	3	4	1	1	–	–	–	–	–	–
Stone	1	2	–	–	1	1	8	8	15	17	3	2	–	–	–	–
Cystitis	–	3	–	1	1	3	1	10	5	4	4	1	–	–	–	–
Stricture of Urethra	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Kidney Disease	14	13	16	12	26	22	34	43	47	31	23	8	6	–	–	–
Paramenia	1	3	2	3	1	1	–	1	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	6	6	5	10	4	3	4	5	2	–	–	–	–	–	–
Childbirth	75	66	40	9	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	8	5	10	11	8	9	11	6	5	4	3	–	–	–	–	–
Arthritis	–	–	2	–	–	–	1	1	1	1	–	–	–	–	–	–
Rheumatism	4	4	6	10	11	12	13	22	15	21	7	4	1	–	–	–
Joint Disease	9	10	6	6	2	5	8	2	5	2	3	–	–	–	–	–
Carbuncle	1	1	–	1	1	3	5	1	2	2	–	1	–	–	–	–
Phlegmon	1	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Skin Disease	2	2	–	–	1	1	–	1	–	2	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	7	6	10	6	1	4	4	6	2	1	–	–	–	–	–	–
Privation	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	2	5	5	4	3	5	2	1	5	1	–	–	–	–	1
Poison	5	1	3	4	2	4	2	3	3	–	–	–	–	–	–	1
Burns and Scalds	3	7	12	8	4	9	9	7	8	7	9	6	3	1	–	–
Hanging, etc.	4	5	5	3	4	7	5	4	3	–	1	–	–	–	–	1
Suffocation	2	–	3	1	3	1	–	1	–	3	1	–	–	–	–	1
Drowning	41	46	34	26	27	22	23	12	10	3	1	–	–	–	–	32
Fracture and Contusion	58	56	43	41	38	42	35	30	35	26	19	10	4	2	–	8
Wounds	5	7	9	6	8	5	8	4	–	–	2	–	–	–	–	1
Other Violent Causes	6	19	5	4	3	3	4	3	1	1	–	1	1	–	–	9
Not Specified	93	74	77	73	100	117	191	–	1	–	–	–	–	–	–	20

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	33610	3562	1243	2561	3252	1544	1007	711	1754	872	1149	1303	1058
SPECIFIED CAUSES . . .	31736	2927	1081	2351	3091	1475	964	681	1677	810	1113	1268	1025
I. Zymotic Class . . .	7046	362	283	742	1323	797	607	398	770	220	188	179	127
II. Diseases of Uncertain Seat	956	13	7	13	24	12	10	14	40	22	23	23	17
III. Tubercular Class . .	5471	89	133	377	481	221	129	102	403	247	506	666	471
IV. Brain and Nervous System	2789	203	81	131	143	70	45	30	119	65	72	54	73
V. Organs of Circulation .	1334	5	3	5	7	–	1	3	26	22	53	45	46
VI. Respiratory Organs . .	4902	407	341	644	626	243	109	67	132	45	65	82	73
VII. Organs of Digestion . .	2467	255	137	348	352	61	19	20	57	43	49	56	67
VIII. Urinary Organs . .	534	4	–	–	5	5	11	5	15	15	9	15	20
IX. Organs of Generation .	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	166	–	–	1	4	3	1	3	14	16	23	7	10
XI. Skin, etc.	32	2	2	4	2	–	1	1	1	–	–	1	–
XII. Malformation . .	83	69	7	4	–	1	–	–	1	–	1	–	–
XIII. Premature Debility . .	1597	1459	69	69	–	–	–	–	–	–	–	–	–
XIV. Atrophy	245	–	–	–	79	23	11	6	20	4	7	6	6
XV. Age	2455	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	65	9	–	3	–	–	1	1	1	–	4	1	1
XVII. Violent Deaths . . .	1592	50	18	10	45	39	19	31	78	111	113	133	114
I. Small Pox	784	51	67	101	111	78	67	35	77	16	20	40	36
Measles	800	18	14	132	336	133	75	30	54	4	–	2	1
Scarlatina	1480	12	14	84	255	236	227	182	319	75	31	10	11
Diphtheria	237	7	8	17	41	29	26	27	36	18	7	3	3
Hooping Cough . . .	835	61	54	215	252	113	65	32	41	2	–	–	–
Croup	522	30	22	58	133	95	87	40	50	4	–	1	–
Thrush	18	10	2	3	2	–	–	–	–	–	–	–	–
Diarrhœa	528	72	48	65	100	31	5	6	15	6	9	8	5
Dysentery	178	5	5	13	19	2	1	1	6	4	3	11	6
Cholera	20	1	3	2	1	2	1	1	–	1	1	–	1
Influenza	157	10	7	9	7	2	1	2	4	4	2	2	1
Purpura	37	1	–	1	2	2	2	1	2	–	3	4	1
Ague	3	–	–	–	–	–	–	–	–	–	–	–	–
Worms	14	–	–	–	1	1	2	3	2	4	–	1	–
Infantile Fever . . .	33	2	1	11	8	5	3	2	1	–	–	–	–
Typhus	1111	10	13	21	51	67	42	34	150	78	93	87	55
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . . .	48	–	–	–	–	–	–	–	8	–	9	5	3
Erysipelas	172	48	6	7	3	–	1	2	4	3	9	4	3
Syphilis	56	24	19	3	1	–	–	–	–	–	1	1	1
Noma	10	–	–	–	–	1	2	–	1	–	–	–	–
Hydrophobia	3	–	–	–	–	–	–	–	–	1	–	–	–
II. Hæmorrhage	39	1	1	–	1	–	–	3	1	–	5	–	1
Dropsy	433	1	3	5	11	10	8	9	31	16	10	8	5
Abscess	52	4	2	4	5	–	–	1	5	3	3	6	–
Ulcer	14	1	–	2	–	–	–	–	–	–	1	–	–
Fistula	13	–	–	–	–	–	–	1	–	–	1	1	1
Mortification . . .	63	5	–	2	4	2	–	–	1	–	1	1	2
Cancer	337	1	1	–	3	–	2	–	2	3	2	7	8
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	271	7	5	7	21	15	7	3	33	35	32	33	23
Tabes Mesenterica . .	390	31	21	53	92	50	22	19	49	21	13	5	2
Phthisis	3793	13	29	72	114	57	42	33	173	161	451	626	442
Hydrocephalus . . .	1017	38	78	245	254	99	58	47	148	30	10	2	4

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	994	986	985	974	1073	1066	1397	1337	1437	1352	1053	602	192	55	14	77
SPECIFIED CAUSES .	956	956	951	946	1027	1018	1310	1337	1437	1352	1053	602	192	55	14	67
Zymotic Class . .	102	91	92	88	98	90	107	106	101	86	55	22	6	1	–	5
Uncertain Seat .	26	35	32	48	58	68	112	97	104	85	44	22	7	–	–	–
Tubercular Class . .	361	285	258	199	163	132	106	65	38	23	5	4	–	–	–	7
Brain, etc. . . .	87	107	112	118	132	152	227	220	216	169	108	40	12	1	–	2
Heart, etc. . . .	59	83	108	85	103	113	144	141	133	94	38	14	–	1	–	2
Respiratory Organs .	110	109	139	188	226	196	266	252	230	188	97	49	14	2	–	2
Digestive Organs . .	53	77	86	87	104	116	124	117	124	63	37	10	1	1	–	3
Urinary Organs . .	24	20	21	23	37	29	53	56	65	51	32	14	5	–	–	–
Generative Organs .	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Locomotive Organs .	6	7	7	6	4	8	11	9	8	13	4	1	–	–	–	–
Skin	–	2	–	1	1	4	4	1	1	3	–	1	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	6	8	6	18	19	26	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	78	210	376	551	616	418	144	47	14	1
Sudden Deaths . .	2	1	2	3	5	4	7	11	4	4	1	–	–	–	–	–
Violent Deaths . .	120	131	88	82	77	80	71	52	37	21	15	7	3	2	–	45
Small Pox . . .	25	15	13	7	9	9	3	2	–	–	–	–	–	–	–	2
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	3	8	4	2	2	2	1	2	–	–	–	–	–	–	–	–
Diphtheria . . .	1	2	4	–	2	1	1	2	–	1	–	1	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	1	7	4	8	11	5	19	22	28	24	20	5	3	1	–	–
Dysentery . . .	9	6	6	6	8	5	15	15	13	10	7	1	1	–	–	–
Cholera	–	1	2	–	–	–	–	2	1	–	–	–	–	–	–	–
Influenza . . .	3	2	2	4	3	4	5	16	21	22	13	10	1	–	–	–
Purpura . . .	2	1	3	1	2	3	–	2	3	1	–	–	–	–	–	–
Ague	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	47	42	43	47	50	47	46	32	26	13	12	4	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	3	1	2	1	2	3	5	4	1	1	–	–	–	–	–	–
Erysipelas . . .	6	5	5	11	8	7	11	5	6	12	3	1	1	–	–	1
Syphilis	1	–	2	–	–	3	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	1	1	2	–	–	–	–	–	–
Hydrophobia . .	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	2	3	3	3	2	3	5	–	–	2	2	–	1	–	–	–
Dropsy	11	13	10	11	25	18	48	42	56	47	22	9	4	–	–	–
Abscess . . .	5	3	1	2	2	–	3	1	–	–	1	1	–	–	–	–
Ulcer	–	1	–	–	1	–	2	2	2	1	1	–	–	–	–	–
Fistula	1	2	–	1	–	1	2	–	–	2	–	–	–	–	–	–
Mortification . .	–	2	–	–	3	4	7	4	8	9	6	2	–	–	–	–
Cancer	7	11	17	31	25	42	43	47	37	24	12	10	2	–	–	–
Gout	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–
Scrofula . . .	7	13	6	5	1	5	6	3	1	2	–	–	–	–	–	1
Tabes Mesenterica .	4	1	2	–	1	–	2	1	–	1	–	–	–	–	–	–
Phthisis	348	270	250	193	161	127	98	61	37	20	5	4	–	–	–	6
Hydrocephalus . .	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	212	5	2	23	25	13	9	6	32	13	12	13	15
Apoplexy	593	4	5	9	8	8	9	2	10	7	6	9	11
Paralysis	764	–	–	–	–	–	–	–	2	2	5	5	8
Delirium Tremens	78	–	–	–	–	–	–	–	–	–	–	5	6
Chorea	3	–	–	–	1	–	–	–	1	1	–	–	–
Epilepsy	120	–	–	–	–	1	–	1	6	13	16	7	12
Tetanus	23	7	3	1	–	–	–	–	–	3	2	–	–
Insanity	23	–	–	–	–	–	–	–	–	–	2	–	3
Convulsions	489	178	66	83	80	33	13	13	21	1	–	–	–
Brain Disease	484	9	5	15	29	15	14	8	47	25	29	15	18
V. Pericarditis	51	–	–	–	–	–	1	1	7	3	5	3	3
Aneurism	68	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	1215	5	3	5	7	–	–	2	19	19	48	42	41
VI. Laryngitis	100	2	5	11	16	6	3	7	9	1	–	3	4
Bronchitis	2637	266	229	437	398	152	60	34	53	13	11	14	19
Pleurisy	192	10	2	5	10	4	3	3	9	6	7	10	10
Pneumonia	1415	119	99	187	188	74	39	21	53	17	28	41	32
Asthma	335	–	1	–	1	1	–	–	–	1	1	3	1
Lung Disease	223	10	5	4	13	6	4	2	8	7	18	11	7
VII. Teething	567	1	28	247	264	25	–	1	1	–	–	–	–
Quinsey	47	6	3	7	7	7	1	4	6	–	–	1	–
Gastritis	67	4	2	2	4	–	–	1	5	1	2	5	1
Enteritis	483	130	61	50	51	13	12	5	16	8	13	13	12
Peritonitis	125	12	5	1	1	4	1	3	7	7	8	3	7
Ascites	48	1	–	–	–	–	–	–	2	3	2	2	3
Ulceration of Intestines	93	5	3	3	3	2	–	–	–	2	2	4	7
Hernia	41	3	1	–	1	1	–	–	–	–	–	–	1
Ileus	149	13	9	5	2	–	–	1	4	4	2	6	7
Intussusception	29	1	5	2	–	–	–	1	1	3	1	2	–
Stricture of Intestines	9	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	366	39	15	25	12	7	4	3	2	5	9	6	11
Pancreas Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	59	1	–	1	1	–	–	–	–	3	2	2	4
Jaundice	84	26	4	1	3	–	–	–	3	–	1	–	2
Liver Disease	283	12	1	4	3	1	1	1	9	7	6	11	12
Spleen Disease	13	–	–	–	–	1	–	–	1	–	1	1	–
VIII. Nephritis	34	–	–	–	3	–	3	1	2	1	1	4	1
Nephria	101	1	–	–	–	3	3	2	3	4	2	5	9
Ischuria	29	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	41	–	–	–	1	–	1	1	2	3	–	2	3
Stone	52	1	–	–	–	–	1	1	–	1	–	–	–
Cystitis	34	–	–	–	–	–	–	–	–	–	2	2	2
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	240	1	–	–	1	2	3	–	8	6	4	2	5
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	9	–	–	–	1	–	–	–	1	2	1	1	–
Rheumatism	60	–	–	–	1	–	–	–	–	1	4	–	4
Joint and Bone Disease	97	–	–	1	2	3	1	3	13	13	18	6	6
XI. Carbuncle	14	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	17	2	2	4	1	–	1	1	1	–	–	1	–
XII. Cyanosis	44	37	3	3	–	1	–	–	–	–	–	–	–
Spina Bifida	15	12	2	1	–	–	–	–	–	–	–	–	–
Other Malformations	24	20	2	–	–	–	–	–	1	–	1	–	–
XVII. Intemperance	37	–	–	–	–	–	–	–	–	–	–	3	4
Privation	3	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	29	21	5	2	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	29	–	1	–	–	–	–	1	1	1	1	2	1
Poison	34	1	1	–	1	1	1	–	1	–	1	2	4
Burns and Scalds	161	1	1	4	27	19	15	19	18	11	9	3	2
Hanging, etc.	37	–	–	–	–	–	–	–	–	2	–	4	1
Suffocation	46	11	7	1	3	1	–	–	2	1	1	5	2
Drowning	449	–	1	1	8	13	1	4	27	29	38	50	43
Fracture and Contusion	614	1	2	2	4	4	2	5	26	56	51	48	51
Wounds	69	1	–	–	–	1	–	1	1	6	7	9	1
Other Violent Causes	84	14	–	–	–	–	–	1	2	5	5	7	5
Not Specified	1874	635	162	210	161	69	43	30	77	62	36	35	33

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	5	11	5	1	4	6	2	–	–	1	–	–	–	–	–
Apoplexy	15	26	19	32	39	56	77	74	72	51	31	7	5	–	–	1
Paralysis	13	23	38	41	46	55	98	102	117	108	67	27	7	–	–	–
Delirium Tremens	8	14	15	9	8	3	4	4	1	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	6	14	5	8	3	8	1	2	2	–	1	–	–	–	–
Tetanus	1	–	2	–	2	–	2	–	–	–	–	–	–	–	–	–
Insanity	2	1	2	2	1	–	4	3	1	–	1	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	25	32	11	24	27	31	28	34	23	8	7	4	–	1	–	–
Pericarditis	1	3	4	1	5	4	2	5	3	–	–	–	–	–	–	–
Aneurism	5	11	16	7	6	9	5	4	3	–	–	–	–	–	–	–
Heart Disease	53	69	88	77	92	100	137	132	127	94	38	14	–	1	–	2
Laryngitis	–	5	5	6	4	3	–	2	2	6	–	–	–	–	–	–
Bronchitis	29	39	45	60	89	82	118	126	137	110	68	35	11	2	–	–
Pleurisy	7	4	7	11	14	7	16	12	14	12	6	3	–	–	–	–
Pneumonia	49	46	51	57	58	55	60	56	39	27	10	5	2	–	–	2
Asthma	9	9	15	41	40	39	52	40	33	28	13	6	1	–	–	–
Lung Disease	16	6	16	13	21	10	20	16	5	5	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	2	–	1	1	–	–	1	–	–	–	–	–	–	–
Gastritis	1	2	5	7	3	5	3	5	7	2	–	–	–	–	–	–
Enteritis	7	8	11	4	12	6	14	11	10	8	4	2	–	1	–	1
Peritonitis	4	9	8	8	8	8	3	6	6	4	1	1	–	–	–	–
Ascites	2	3	2	3	5	4	6	3	2	2	3	–	–	–	–	–
Ulceration of Intestines	6	7	9	3	12	5	5	7	4	2	1	1	–	–	–	–
Hernia	2	–	1	–	1	3	5	4	9	5	3	1	–	–	–	–
Ileus	6	10	6	7	8	9	12	8	13	8	7	1	1	–	–	–
Intussusception	1	2	2	2	1	1	3	–	1	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	2	–	2	2	–	1	–	–	–	–	–
Stomach Disease	8	12	14	18	21	31	29	34	33	15	12	1	–	–	–	–
Pancreas Disease	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Hepatitis	2	5	9	4	4	5	4	7	4	–	1	–	–	–	–	–
Jaundice	–	1	–	5	4	3	9	6	6	6	1	1	–	–	–	2
Liver Disease	12	18	15	23	24	33	30	21	24	10	3	2	–	–	–	–
Spleen Disease	–	–	1	3	–	–	1	2	1	1	–	–	–	–	–	–
Nephritis	1	–	2	1	1	2	3	3	1	1	1	2	–	–	–	–
Nephria	9	12	8	8	5	5	11	4	3	3	1	–	–	–	–	–
Ischuria	–	–	–	1	2	3	2	2	7	5	4	2	–	–	–	–
Diabetes	5	–	4	5	8	1	2	2	1	–	–	–	–	–	–	–
Stone	1	–	–	–	1	–	8	7	13	14	3	1	–	–	–	–
Cystitis	–	2	–	1	1	3	–	8	5	3	4	1	–	–	–	–
Stricture of Urethra	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Kidney Disease	8	6	7	7	18	14	26	30	35	25	19	8	5	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Arthritis	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Rheumatism	2	2	2	3	3	4	6	7	5	12	3	1	–	–	–	–
Joint Disease	4	5	4	3	1	4	4	2	3	–	1	–	–	–	–	–
Carbuncle	–	1	–	1	1	3	4	1	1	1	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	6	3	4	2	1	4	4	5	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	2	5	1	1	4	2	–	3	1	–	–	–	–	–
Poison	5	–	1	3	2	3	2	3	2	–	–	–	–	–	–	–
Burns and Scalds	2	5	6	2	–	6	2	3	1	1	2	1	–	1	–	–
Hanging, etc.	4	4	1	3	4	2	4	3	3	–	1	–	–	–	–	1
Suffocation	2	–	2	–	3	1	–	1	–	2	–	–	–	–	–	1
Drowning	35	44	27	22	23	22	13	8	8	1	–	–	–	–	–	31
Fracture and Contusion	55	52	37	38	35	33	33	22	21	13	9	6	2	1	–	5
Wounds	5	6	5	4	6	4	6	3	–	–	2	–	–	–	–	1
Other Violent Causes	5	16	3	3	2	3	2	2	1	1	–	–	1	–	–	6
Not Specified	38	30	34	28	46	48	87	–	–	–	–	–	–	–	–	10

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	34560	2877	917	2253	3028	1473	1024	741	1651	835	1121	1247	1277
Specified Causes	32751	2378	769	2096	2827	1417	989	712	1573	782	1086	1202	1229
I. Zymotic Class	7432	284	218	746	1300	794	604	424	825	274	231	236	186
II. Diseases of Uncertain Seat	1523	24	6	12	19	19	11	12	30	8	21	17	39
III. Tubercular Class	5741	77	115	307	406	204	131	99	372	292	568	612	596
IV. Brain and Nervous System	2417	143	66	107	100	70	34	31	72	52	67	52	63
V. Organs of Circulation	1264	8	2	4	4	1	3	2	18	37	50	48	56
VI. Respiratory Organs	4568	305	191	538	549	214	125	80	122	37	48	70	78
VII. Organs of Digestion	2320	173	85	275	317	51	25	24	45	31	48	69	71
VIII. Urinary Organs	252	1	1	–	5	2	5	2	12	4	8	16	20
IX. Organs of Generation	493	1	–	1	1	–	–	–	–	2	12	57	90
X. Organs of Locomotion	167	–	–	2	3	3	–	6	5	12	9	10	7
XI. Skin, etc.	31	3	2	6	–	1	–	–	2	–	1	1	1
XII. Malformation	66	57	2	4	–	1	–	1	1	–	–	–	–
XIII. Premature Debility	1393	1248	65	80	–	–	–	–	–	–	–	–	–
XIV. Atrophy	306	–	–	1	83	19	14	7	16	10	4	4	8
XV. Age	4117	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	67	6	2	3	1	–	2	–	3	1	–	–	–
XVII. Violent Deaths	594	48	14	10	39	38	35	24	50	22	19	10	14
I. Small Pox	711	39	45	119	106	78	62	32	72	25	20	31	22
Measles	787	14	16	128	313	138	62	48	46	5	6	3	1
Scarlatina	1447	8	11	88	216	220	207	160	354	81	45	16	12
Diphtheria	243	5	2	11	36	23	29	24	53	23	14	5	3
Hooping Cough	977	52	61	227	311	130	87	47	58	3	–	–	1
Croup	483	24	10	38	130	100	81	47	50	3	–	–	–
Thrush	17	9	1	2	3	1	–	–	–	–	–	–	–
Diarrhœa	567	66	36	61	94	19	12	2	12	7	7	12	7
Dysentery	191	1	6	13	10	5	1	2	3	3	4	6	5
Cholera	26	2	1	2	7	1	1	–	3	–	1	–	1
Influenza	185	6	2	9	8	2	–	1	4	1	1	–	1
Purpura	24	–	1	3	1	1	–	2	1	1	1	1	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	14	–	–	1	–	3	4	3	3	–	–	–	–
Infantile Fever	28	3	3	11	4	5	1	–	1	–	–	–	–
Typhus	1233	6	5	20	52	62	50	51	152	111	105	91	57
Metria	236	–	–	–	–	–	–	–	–	–	14	56	64
Rheumatic Fever	47	–	–	–	–	–	–	1	5	6	6	7	4
Erysipelas	162	37	5	7	7	4	3	3	6	5	5	8	5
Syphilis	40	11	13	6	1	–	–	–	–	–	2	–	1
Noma	13	1	–	–	1	2	4	1	1	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	1	–	–	–	–
II. Hæmorrhage	46	8	1	1	–	–	–	–	–	–	3	6	7
Dropsy	619	4	1	3	4	12	6	9	22	5	6	8	13
Abscess	70	4	3	2	7	4	1	–	4	1	5	1	7
Ulcer	21	3	1	1	2	–	1	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	85	2	–	4	4	1	1	1	2	–	2	1	4
Cancer	677	3	–	1	2	2	1	2	2	2	5	1	8
Gout	3	–	–	–	–	–	1	–	–	–	–	–	–
III. Scrofula	212	7	7	15	14	6	4	8	19	28	22	11	11
Tabes Mesenterica	331	32	22	37	79	40	20	10	45	14	4	9	7
Phthisis	4372	11	26	60	115	68	56	37	183	226	536	591	576
Hydrocephalus	826	27	60	195	198	90	51	44	125	24	6	1	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	1162	1091	1052	1005	1019	1159	1502	1541	1914	1721	1539	881	353	109	22	46
SPECIFIED CAUSES .	1107	1047	1009	960	965	1090	1398	1541	1913	1721	1539	881	353	109	22	36
Zymotic Class . .	168	134	114	105	85	105	121	112	145	105	64	34	11	–	–	7
Uncertain Seat . .	38	73	101	118	128	123	172	154	146	122	83	38	7	2	–	–
Tubercular Class . .	468	388	304	224	182	155	107	62	38	20	7	5	–	–	–	2
Brain, etc. . . .	72	60	67	87	104	138	187	209	226	216	130	51	11	2	–	–
Heart, etc. . . .	58	78	58	85	82	132	138	150	118	74	38	11	1	3	–	5
Respiratory Organs .	84	97	134	142	160	209	297	306	322	237	143	60	12	4	–	4
Digestive Organs . .	82	74	88	99	124	112	152	124	123	75	40	9	–	–	1	3
Urinary Organs . .	15	21	19	15	15	16	18	22	16	12	5	1	1	–	–	–
Generative Organs .	88	80	58	28	19	14	14	11	10	5	2	–	–	–	–	–
Locomotive Organs .	7	7	7	10	9	9	11	16	13	11	6	3	1	–	–	–
Skin	4	1	1	–	2	1	1	1	1	2	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	10	12	12	22	35	48	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	146	349	722	812	1002	659	304	97	21	5
Sudden Deaths . .	1	4	5	3	3	7	9	5	7	5	–	–	–	–	–	–
Violent Deaths . .	12	18	41	22	17	21	25	20	26	25	19	10	5	1	–	9
Small Pox . . .	19	11	8	11	3	1	2	1	3	–	–	–	–	–	–	1
Measles	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Scarlatina . . .	11	3	6	5	–	1	–	–	–	–	1	–	–	–	–	2
Diphtheria . . .	2	5	2	2	–	–	2	–	2	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	11	8	14	13	12	17	34	21	33	36	14	12	6	–	–	1
Dysentery . . .	4	8	5	10	9	14	14	14	23	14	13	4	–	–	–	–
Cholera	–	2	–	–	1	1	–	1	1	–	1	–	–	–	–	–
Influenza . . .	2	–	–	6	4	13	15	15	30	30	20	10	4	–	–	1
Purpura . . .	–	1	1	1	3	1	2	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	53	48	54	52	47	49	42	48	42	17	11	6	1	–	–	1
Metria	50	39	12	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	4	2	3	–	3	1	2	–	2	–	1	–	–	–	–	–
Erysipelas . . .	6	6	5	3	3	7	6	12	7	7	3	2	–	–	–	–
Syphilis	2	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	2	5	2	4	–	2	1	1	–	1	2	–	–	–	–	–
Dropsy	15	24	25	31	49	39	74	68	70	65	42	20	3	1	–	–
Abscess . . .	5	1	5	3	3	1	3	2	4	2	2	–	–	–	–	–
Ulcer	–	1	1	–	2	–	2	1	1	4	1	–	–	–	–	–
Fistula	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Mortification . . .	2	1	2	3	1	3	4	6	7	10	13	9	2	–	–	–
Cancer	14	41	66	77	72	77	87	75	64	40	23	9	2	1	–	–
Gout	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Scrofula . . .	13	5	6	6	8	4	8	6	2	2	–	–	–	–	–	–
Tabes Mesenterica .	2	2	2	2	1	1	1	–	1	–	–	–	–	–	–	–
Phthisis . . .	451	381	295	216	173	150	98	56	35	18	7	5	–	–	–	2
Hydrocephalus . .	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	166	2	6	18	23	6	8	10	10	13	19	14	8
Apoplexy	551	4	4	6	8	6	3	1	15	5	9	8	21
Paralysis	796	–	–	–	2	–	–	–	2	4	3	6	5
Delirium Tremens	10	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	6	–	–	–	–	–	–	–	3	1	–	1	–
Epilepsy	104	–	–	–	–	–	1	–	2	5	13	13	11
Tetanus	24	10	–	–	4	–	1	1	1	–	1	–	1
Insanity	31	–	–	–	–	–	–	–	–	–	–	1	2
Convulsions	363	119	53	59	49	41	14	8	18	1	–	–	–
Brain Disease	366	8	3	24	14	17	7	11	21	23	22	9	15
V. Pericarditis	41	1	–	1	2	1	–	1	4	4	8	2	2
Aneurism	20	–	–	–	–	–	–	–	–	1	–	–	–
Heart Disease	1203	7	2	3	2	–	3	1	14	32	42	46	54
VI. Laryngitis	67	2	1	7	5	4	11	4	7	1	1	2	2
Bronchitis	2763	211	127	372	358	136	63	47	73	15	11	21	29
Pleurisy	132	7	2	4	3	2	2	–	5	2	5	5	5
Pneumonia	1001	78	58	141	166	64	45	26	28	16	23	31	25
Asthma	379	–	1	–	1	–	–	–	–	–	–	1	5
Lung Disease	226	7	2	14	16	8	4	3	9	3	8	10	12
VII. Teething	499	3	27	195	248	22	4	–	–	–	–	–	–
Quinsey	36	3	3	3	4	4	3	5	1	3	–	–	1
Gastritis	73	4	1	6	3	4	–	2	3	–	3	6	3
Enteritis	386	98	35	42	38	8	5	7	16	6	10	8	10
Peritonitis	160	1	1	2	3	2	2	1	7	4	7	19	16
Ascites	64	–	–	1	1	–	–	1	2	1	4	3	5
Ulceration of Intestines	86	1	2	–	3	1	1	–	1	5	5	6	4
Hernia	49	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	119	9	1	4	1	1	1	1	2	4	3	2	5
Intussusception	10	–	–	1	–	–	–	–	–	–	–	–	1
Stricture of Intestines	9	1	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	395	26	13	19	12	6	7	5	8	4	9	11	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	63	–	–	–	1	–	–	1	1	1	1	2	1
Jaundice	93	20	1	–	3	–	1	–	1	–	–	2	3
Liver Disease	269	7	–	1	–	1	1	1	3	3	6	9	13
Spleen Disease	9	–	–	–	–	2	–	–	–	–	–	–	–
VIII. Nephritis	19	–	–	–	2	–	–	2	1	1	1	–	3
Nephria	64	–	–	–	–	1	2	–	3	2	2	6	4
Ischuria	6	–	–	–	–	–	–	–	–	–	–	1	1
Diabetes	23	–	–	–	–	–	–	–	–	–	–	4	2
Stone	11	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	123	1	–	–	3	1	3	–	8	1	5	5	9
IX. Paramenia	19	–	–	–	–	–	–	–	–	2	3	2	–
Ovarian Dropsy	55	–	–	–	–	–	–	–	–	–	1	2	3
Childbirth	328	–	–	–	–	–	–	–	–	–	7	50	81
Organs of Generation	91	1	–	1	1	–	–	–	–	–	1	3	6
X. Arthritis	5	–	–	–	1	–	–	–	1	–	–	–	–
Rheumatism	90	–	–	1	–	1	–	1	1	2	1	1	2
Joint and Bone Disease	72	–	–	1	2	2	–	5	3	10	8	9	5
XI. Carbuncle	6	1	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	7	–	–	–	–	1	–	–	–	–	–	–	1
Skin Disease	18	2	2	5	–	–	–	–	2	–	1	1	–
XII. Cyanosis	30	26	–	2	–	1	–	–	1	–	–	–	–
Spina Bifida	16	12	2	2	–	–	–	–	–	–	–	–	–
Other Malformations	20	19	–	–	–	–	–	1	–	–	–	–	–
XVII. Intemperance	18	–	–	–	–	–	–	–	–	–	–	–	1
Privation	3	–	–	–	1	–	–	–	1	–	1	–	–
Want of Breast Milk	31	21	5	4	1	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	18	1	–	1	–	–	–	–	–	–	1	1	–
Poison	16	2	–	2	–	2	–	–	–	–	1	1	1
Burns and Scalds	195	–	1	2	19	27	30	16	28	7	2	–	2
Hanging, etc.	13	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	33	15	6	–	2	1	–	–	1	1	3	–	–
Drowning	88	–	–	1	11	4	2	1	5	5	5	7	4
Fracture and Contusion	133	–	1	–	5	4	3	4	14	7	5	1	4
Wounds	17	–	–	–	–	–	–	1	–	2	–	–	1
Other Violent Causes	28	8	1	–	–	–	–	2	1	–	1	–	–
Not Specified	1809	499	148	157	201	56	35	29	78	53	35	45	48

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	5	3	2	2	2	2	1	2	2	1	1	–	–	–	–
Apoplexy	12	10	15	29	37	40	66	74	65	63	32	12	4	2	–	–
Paralysis	14	13	19	26	39	60	95	104	139	132	92	37	4	–	–	–
Delirium Tremens	2	1	2	4	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	13	7	3	5	7	4	2	4	2	–	–	–	–	–	–
Tetanus	1	–	1	1	1	–	–	–	–	1	–	–	–	–	–	–
Insanity	4	3	2	3	2	5	4	3	1	1	–	–	–	–	–	–
Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	19	15	18	19	18	24	16	24	15	15	5	1	3	–	–	–
Pericarditis	–	2	2	4	1	–	2	3	–	1	–	–	–	–	–	–
Aneurism	1	1	5	–	4	3	1	1	2	–	1	–	–	–	–	–
Heart Disease	57	75	51	81	77	129	135	146	116	73	37	11	1	3	–	5
Laryngitis	3	6	2	3	1	2	1	1	1	–	–	–	–	–	–	–
Bronchitis	34	38	62	72	71	116	182	186	209	154	107	51	12	4	–	2
Pleurisy	2	8	7	5	8	11	5	13	14	9	6	1	–	–	–	1
Pneumonia	24	27	36	29	26	26	31	30	31	24	11	4	–	–	–	1
Asthma	11	11	12	20	37	44	53	60	57	47	16	3	–	–	–	–
Lung Disease	10	7	15	13	17	10	25	16	10	3	3	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–
Gastritis	3	1	3	2	8	2	6	5	5	2	1	–	–	–	–	–
Enteritis	7	10	8	7	10	8	14	16	11	7	4	–	–	–	–	1
Peritonitis	21	12	14	11	4	4	9	7	6	4	2	1	–	–	–	–
Ascites	2	4	2	2	12	5	2	5	3	6	2	–	–	–	1	–
Ulceration of Intestines	7	5	10	10	3	4	5	4	6	1	2	–	–	–	–	–
Hernia	1	5	–	4	3	7	6	6	6	5	1	2	–	–	–	1
Ileus	5	5	6	9	6	6	12	7	10	8	9	2	–	–	–	–
Intussusception	–	–	1	1	3	–	–	–	2	1	–	–	–	–	–	–
Stricture of Intestines	1	–	–	1	1	–	–	2	1	1	–	–	–	–	–	–
Stomach Disease	15	14	22	22	31	30	36	28	33	22	10	2	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	4	2	3	10	8	11	9	4	1	1	–	–	–	–	–
Jaundice	4	2	1	5	5	2	13	7	12	5	5	1	–	–	–	–
Liver Disease	13	11	17	20	25	36	36	26	24	12	3	1	–	–	–	–
Spleen Disease	1	1	1	1	2	–	–	1	–	–	–	–	–	–	–	–
Nephritis	1	1	1	2	1	–	–	2	–	–	1	–	–	–	–	–
Nephria	7	8	5	6	4	2	8	2	2	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–
Diabetes	1	2	3	2	2	3	1	2	–	1	–	–	–	–	–	–
Stone	–	2	–	–	–	1	–	1	2	3	–	1	–	–	–	–
Cystitis	–	1	–	–	–	–	1	2	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	7	9	5	8	8	8	13	12	6	4	–	1	–	–	–
Paramenia	1	3	2	3	1	1	–	1	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	6	6	5	10	4	3	4	5	2	–	–	–	–	–	–
Childbirth	75	66	40	9	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	8	5	10	11	8	9	11	6	5	3	2	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Rheumatism	2	2	4	7	8	8	7	15	10	9	4	3	1	–	–	–
Joint Disease	5	5	2	3	1	1	4	–	2	2	2	–	–	–	–	–
Carbuncle	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Phlegmon	1	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Skin Disease	2	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	3	6	4	–	–	–	1	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	3	–	3	2	1	–	1	2	–	–	–	–	–	1
Poison	–	1	2	1	–	1	–	–	1	–	–	–	–	–	–	1
Burns and Scalds	1	2	6	6	4	3	7	4	7	6	7	5	3	–	–	–
Hanging, etc.	–	1	4	–	–	5	1	1	–	–	–	–	–	–	–	–
Suffocation	–	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–
Drowning	6	2	7	4	4	–	10	4	2	2	1	–	–	–	–	1
Fracture and Contusion	3	4	6	3	3	9	2	8	14	13	10	4	2	1	–	3
Wounds	–	1	4	2	2	1	2	1	–	–	–	–	–	–	–	–
Other Violent Causes	1	3	2	1	1	–	2	1	–	–	–	1	–	–	–	3
Not Specified	55	44	43	45	54	69	104	–	1	–	–	–	–	–	–	10

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2714	245	55	103	157	68	55	39	89	71	89	98	108
SPECIFIED CAUSES	2257	131	34	69	112	45	40	32	72	57	78	86	93
I. Zymotic Class	387	29	14	45	61	24	30	17	27	18	15	13	12
II. Diseases of Uncertain Seat	104	–	1	–	–	–	1	–	2	–	2	1	2
III. Tubercular Class	343	2	4	4	18	8	1	6	17	15	37	38	35
IV. Brain and Nervous System	137	12	3	4	3	3	2	–	7	4	4	4	5
V. Organs of Circulation	49	–	–	–	1	–	–	–	1	3	–	–	1
VI. Respiratory Organs	198	21	6	7	8	3	3	1	6	2	5	4	2
VII. Organs of Digestion	138	7	4	5	12	4	1	1	5	4	1	6	9
VIII. Urinary Organs	23	1	–	–	–	–	–	–	–	–	–	1	1
IX. Organs of Generation	23	–	–	–	–	–	–	–	–	–	2	–	6
X. Organs of Locomotion	21	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	64	58	2	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	5	1	–	–	–	–	–	1	–
XV. Age	601	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	7	1	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	147	–	–	–	4	2	2	7	7	11	12	17	19
I. Small Pox	29	2	1	3	2	2	2	1	1	1	2	3	3
Measles	5	–	–	–	2	–	2	–	1	–	–	–	–
Scarlatina	52	1	1	4	9	5	13	5	8	2	1	–	2
Diphtheria	16	1	–	3	2	2	1	1	2	2	–	1	–
Hooping Cough	82	10	5	21	25	7	5	2	5	2	–	–	–
Croup	52	10	3	9	13	5	5	4	2	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	–	–	2	3	–	–	–	–	–	3	1	–
Dysentery	11	–	–	1	–	–	–	–	–	–	1	1	1
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	38	4	2	2	4	1	–	3	1	3	1	–	–
Purpura	4	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	–	1	–	1	–
Infantile Fever	2	–	–	–	–	–	1	–	1	–	–	–	–
Typhus	59	–	–	–	–	2	–	1	4	4	7	5	5
Metria	5	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	5	–	–	–	–	–	–	–	–	2	–	–	–
Erysipelas	5	–	–	–	1	–	1	–	1	1	–	–	–
Syphilis	2	–	2	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	49	–	–	–	–	–	–	–	2	–	–	1	1
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	5	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	37	–	1	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	21	1	1	–	1	1	–	–	3	1	1	3	2
Tabes Mesenterica	11	–	1	1	3	1	–	1	2	–	1	1	–
Phthisis	285	1	1	3	5	2	1	2	6	13	33	34	33
Hydrocephalus	26	–	1	–	9	4	–	3	6	1	2	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	93	80	76	68	95	90	121	140	179	184	171	134	61	25	7	13
SPECIFIED CAUSES	74	71	62	59	76	69	87	140	179	184	171	134	61	25	7	9
Zymotic Class	5	5	9	11	9	5	6	9	6	9	5	1	1	–	–	1
Uncertain Seat	6	6	6	7	11	6	7	14	11	9	2	8	2	–	–	–
Tubercular Class	24	25	24	15	10	15	9	19	6	5	4	1	–	–	–	1
Brain, etc.	6	3	2	5	11	2	7	11	16	10	10	2	1	–	–	–
Heart, etc.	1	3	4	2	4	8	1	5	6	5	4	–	–	–	–	–
Respiratory Organs	9	3	5	6	11	11	21	15	18	21	3	4	1	1	–	1
Digestive Organs	7	4	1	4	11	7	12	11	10	6	4	–	–	–	1	1
Urinary Organs	3	–	2	–	–	1	4	3	2	3	1	1	–	–	–	–
Generative Organs	5	5	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	1	1	2	3	1	2	–	6	2	1	–	–	–	–
Skin	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	1	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	15	45	99	107	133	115	56	24	6	1
Sudden Deaths	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–
Violent Deaths	7	17	6	5	3	5	4	5	3	3	3	1	–	–	–	4
Small Pox	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	2	–	1	–	2	1	–	1	–	–	–
Dysentery	–	–	1	–	–	–	–	1	1	3	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	2	2	1	1	2	3	3	3	–	–	–	–	–
Purpura	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	5	7	7	2	3	3	1	–	–	1	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	1	1	1	–	–	–	–	–	–	–	1	–	–	–
Dropsy	3	2	2	3	7	1	5	3	7	6	–	5	1	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Cancer	2	2	2	2	2	5	2	8	4	1	2	3	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	23	22	22	15	10	14	9	19	6	5	4	1	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	–	1	–	–	1	–	–	–	1	1	1
Apoplexy	24	–	–	–	–	–	–	–	2	1	–	1	1
Paralysis	60	–	–	–	–	–	–	–	1	1	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	1	–	–	–	1	–	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	1	2	1	1	1
Tetanus	8	7	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	15	5	2	3	1	3	–	–	1	–	–	–	–
Brain Disease	9	–	–	–	1	–	1	–	1	–	1	1	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	48	–	–	–	1	–	–	–	1	3	–	–	1
VI. Laryngitis	3	1	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	68	2	2	3	4	2	1	–	2	–	2	–	–
Pleurisy	33	14	2	2	3	1	–	–	1	1	–	1	1
Pneumonia	36	4	2	1	1	–	2	1	2	–	1	1	1
Asthma	43	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	15	–	–	1	–	–	–	–	–	1	2	2	–
VII. Teething	15	–	–	4	10	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	14	1	1	1	–	1	–	–	1	–	–	2	–
Peritonitis	9	–	–	–	–	2	–	1	–	–	–	–	3
Ascites	11	–	–	–	–	–	–	–	–	–	–	2	1
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	2	1	1	–
Hernia	3	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	15	1	1	–	1	–	–	–	–	–	–	–	3
Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	38	3	1	–	–	–	–	–	1	–	–	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	9	1	–	–	–	–	1	–	2	–	–	–	–
Liver Disease	11	1	–	–	–	–	–	–	1	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	4	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	20	–	–	–	–	–	–	–	–	–	1	–	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	20	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	18	–	–	–	4	2	2	5	3	–	–	1	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	98	–	–	–	–	–	–	1	4	7	9	14	19
Fracture and Contusion	23	–	–	–	–	–	–	1	–	4	3	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	457	114	21	34	45	23	15	7	17	14	11	12	15

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	3	3	1	1	4	2	1	2	–	–	–	–	–
Paralysis	2	–	1	1	6	1	5	7	13	9	8	2	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	2	4	2	4	8	1	5	6	5	4	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	2	1	2	2	4	11	3	7	7	3	3	1	1	–	–
Pleurisy	–	–	–	1	1	–	1	–	1	2	–	1	–	–	–	–
Pneumonia	3	1	–	2	2	1	3	3	1	3	–	–	–	–	–	1
Asthma	1	–	3	–	4	5	5	9	8	8	–	–	–	–	–	–
Lung Disease	1	–	1	1	2	1	1	–	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	2	–	–	1	3	–	1	–	–	–	–	–
Peritonitis	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	1	–	1	–	1	2	1	–	–	–	1	–
Ulceration of Intestines	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	1	–	1	2	1	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	2	–	2	4	4	2	6	5	1	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	1
Liver Disease	1	–	–	–	1	–	4	1	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	1	1	2	1	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	1	2	3	1	2	–	6	2	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	16	4	3	2	2	3	2	–	1	1	–	–	–	–	3
Fracture and Contusion	–	–	2	–	–	3	1	3	3	–	1	1	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	19	9	14	9	19	21	34	–	–	–	–	–	–	–	–	4

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1319	134	35	58	86	36	23	19	43	43	49	59	59
SPECIFIED CAUSES . . .	1084	71	23	37	59	19	15	15	35	34	44	56	52
I. Zymotic Class . . .	195	15	10	28	28	11	15	8	14	10	5	9	5
II. Diseases of Uncertain Seat	47	–	1	–	–	–	–	–	1	–	1	1	1
III. Tubercular Class . .	178	–	3	2	11	5	–	3	9	5	18	22	21
IV. Brain and Nervous System	77	8	1	3	2	1	–	–	3	3	3	1	3
V. Organs of Circulation .	26	–	–	–	1	–	–	–	–	–	–	–	–
VI. Respiratory Organs . .	86	10	3	2	5	1	–	–	3	2	4	3	–
VII. Organs of Digestion . .	75	5	4	2	7	1	–	1	2	4	1	3	2
VIII. Urinary Organs . .	19	1	–	–	–	–	–	–	–	–	–	1	–
IX. Organs of Generation .	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	9	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	33	32	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy . . .	5	–	–	–	3	–	–	–	–	–	–	–	–
XV. Age	215	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	3	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths . .	116	–	–	–	2	–	–	3	3	10	12	16	19
I. Small Pox	12	1	1	1	1	1	2	1	–	1	1	1	–
Measles	1	–	–	–	–	–	–	–	1	–	–	–	–
Scarlatina	27	–	1	2	6	2	5	2	5	2	–	–	1
Diphtheria	14	1	–	3	1	1	1	1	2	2	–	1	–
Hooping Cough . .	36	4	3	11	11	1	3	–	2	1	–	–	–
Croup	35	7	2	8	6	4	4	2	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	–	–	1	2	–	–	–	–	–	2	1	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	19	1	2	2	1	1	–	2	1	2	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	–	1	–	1	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	29	–	–	–	–	1	–	–	2	1	2	4	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	3	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	4	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	21	–	–	–	–	–	–	–	1	–	–	1	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	15	–	1	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	–	–	1	1	–	–	3	1	1	3	2
Tabes Mesenterica . .	8	–	1	1	3	1	–	–	1	–	–	1	–
Phthisis	137	–	1	1	1	–	–	–	2	3	17	18	19
Hydrocephalus . .	17	–	1	–	6	3	–	3	3	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	51	39	36	31	38	48	58	70	65	71	74	45	26	11	3	9
SPECIFIED CAUSES	45	36	31	29	30	37	44	70	65	71	74	45	26	11	3	7
Zymotic Class	4	1	2	6	4	2	4	4	2	5	1	–	1	–	–	1
Uncertain Seat	1	2	1	2	6	1	3	10	5	6	–	3	2	–	–	–
Tubercular Class	18	9	13	6	3	9	2	9	4	2	2	1	–	–	–	1
Brain, etc.	4	2	2	3	6	1	3	7	9	5	6	–	1	–	–	–
Heart, etc.	1	2	3	1	2	4	1	4	2	3	2	–	–	–	–	–
Respiratory Organs	4	1	3	3	1	6	8	8	5	8	2	2	1	–	–	1
Digestive Organs	3	3	–	2	5	5	9	5	5	2	3	–	–	–	–	1
Urinary Organs	2	–	2	–	–	1	4	2	2	3	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	–	2	1	–	–	3	–	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	18	30	33	58	36	21	11	3	–
Sudden Deaths	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths	7	16	5	5	3	3	4	2	1	1	–	1	–	–	–	3
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	2	1	3	–	–	–	–	–	–
Purpura	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	–	5	3	1	2	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Dropsy	1	1	–	1	3	–	1	1	2	5	–	2	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Cancer	–	–	–	–	1	1	2	6	3	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	18	8	11	6	3	8	2	9	4	2	2	1	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	ALL AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	1	–	–	–	–	–	–	1	–	1
Apoplexy	15	–	–	–	–	–	–	–	–	1	–	–	1
Paralysis	30	–	–	–	–	–	–	–	–	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	1	–	–	–	1	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	1	2	–	–	1
Tetanus	4	3	1	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	9	5	–	2	–	1	–	–	1	–	–	–	–
Brain Disease	5	–	–	–	1	–	–	–	–	–	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	25	–	–	–	1	–	–	–	–	–	–	–	–
VI. Laryngitis	1	–	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	23	–	1	1	1	–	–	–	–	–	1	–	–
Pleurisy	21	8	1	1	3	1	–	–	1	1	–	1	–
Pneumonia	18	2	1	–	1	–	–	–	1	–	1	1	–
Asthma	14	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	9	–	–	–	–	–	–	–	–	1	2	1	–
VII. Teething	7	–	–	2	5	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	–	1	–	–	–	–	–	–	–	–	1	–
Peritonitis	5	–	–	–	–	1	–	1	–	–	–	–	1
Ascites	5	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	2	1	–	–
Hernia	3	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	9	–	1	–	1	–	–	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	19	3	1	–	–	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	3	1	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	8	1	–	–	–	–	–	–	1	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	4	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	9	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	2	–	–	2	–	–	–	1	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	93	–	–	–	–	–	–	1	3	7	9	13	19
Fracture and Contusion	13	–	–	–	–	–	–	–	–	3	3	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	235	63	12	21	27	17	8	4	8	9	5	3	7

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	2	2	1	–	3	2	–	2	–	–	–	–	–
Paralysis	1	–	1	–	4	–	3	4	6	5	4	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	3	1	2	4	1	4	2	3	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	–	–	–	3	3	2	1	2	2	2	1	–	–	–
Pleurisy	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–
Pneumonia	1	–	–	1	1	–	2	2	1	2	–	–	–	–	–	1
Asthma	–	–	2	–	–	2	2	4	2	2	–	–	–	–	–	–
Lung Disease	1	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	2	–	–	1	2	–	1	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	1	1	–	1	–	1	1	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	1	2	3	1	3	2	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	1	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	1	–	2	1	–	–	3	–	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	16	4	3	2	2	3	–	–	1	–	–	–	–	–	3
Fracture and Contusion	–	–	1	–	–	1	1	2	1	–	–	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	3	5	2	8	11	14	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1395	111	20	45	71	32	32	20	46	28	40	39	49
SPECIFIED CAUSES	1173	60	11	32	53	26	25	17	37	23	34	30	41
I. Zymotic Class	192	14	4	17	33	13	15	9	13	8	10	4	7
II. Diseases of Uncertain Seat	57	–	–	–	–	–	1	–	1	–	1	–	1
III. Tubercular Class	165	2	1	2	7	3	1	3	8	10	19	16	14
IV. Brain and Nervous System	60	4	2	1	1	2	2	–	4	1	1	3	2
V. Organs of Circulation	23	–	–	–	–	–	–	–	1	3	–	–	1
VI. Respiratory Organs	112	11	3	5	3	2	3	1	3	–	1	1	2
VII. Organs of Digestion	63	2	–	3	5	3	1	–	3	–	–	3	7
VIII. Urinary Organs	4	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	23	–	–	–	–	–	–	–	–	–	2	–	6
X. Organs of Locomotion	12	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	31	26	1	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	2	1	–	–	–	–	–	1	–
XV. Age	386	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	31	–	–	–	2	2	2	4	4	1	–	1	–
I. Small Pox	17	1	–	2	1	1	–	–	1	–	1	2	3
Measles	4	–	–	–	2	–	2	–	–	–	–	–	–
Scarlatina	25	1	–	2	3	3	8	3	3	–	1	–	1
Diphtheria	2	–	–	–	1	1	–	–	–	–	–	–	–
Hooping Cough	46	6	2	10	14	6	2	2	3	1	–	–	–
Croup	17	3	1	1	7	1	1	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	–	–	1	1	–	–	–	–	–	1	–	–
Dysentery	9	–	–	1	–	–	–	–	–	–	1	–	1
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	19	3	–	–	3	–	–	1	–	1	1	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	–	–	1	–	1	–	–	–	–
Typhus	30	–	–	–	–	1	–	1	2	3	5	1	1
Metria	5	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	2	–	–	–
Erysipelas	5	–	–	–	1	–	1	–	1	1	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	28	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	1	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	–	–	–	–	–	1	1	–	1	–	–
Phthisis	148	1	–	2	4	2	1	2	4	10	16	16	14
Hydrocephalus	9	–	–	–	3	1	–	–	3	–	2	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	42	41	40	37	57	42	63	70	114	113	97	89	35	14	4	4
SPECIFIED CAUSES	29	35	31	30	46	32	43	70	114	113	97	89	35	14	4	2
Zymotic Class	1	4	7	5	5	3	2	5	4	4	4	1	–	–	–	–
Uncertain Seat	5	4	5	5	5	5	4	4	6	3	2	5	–	–	–	–
Tubercular Class	6	16	11	9	7	6	7	10	2	3	2	–	–	–	–	–
Brain, etc.	2	1	–	2	5	1	4	4	7	5	4	2	–	–	–	–
Heart, etc.	–	1	1	1	2	4	–	1	4	2	2	–	–	–	–	–
Respiratory Organs	5	2	2	3	10	5	13	7	13	13	1	2	–	1	–	–
Digestive Organs	4	1	1	2	6	2	3	6	5	4	1	–	–	–	1	–
Urinary Organs	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Generative Organs	5	5	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	2	1	–	2	–	3	2	–	–	–	–	–
Skin	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	27	69	74	75	79	35	13	3	1
Sudden Deaths	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Violent Deaths	–	1	1	–	–	2	–	3	2	2	3	–	–	–	–	1
Small Pox	–	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	1	1	2	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	2	1	1	1	–	2	–	3	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	5	2	4	1	1	2	–	–	–	1	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	2	2	4	1	4	2	5	1	–	3	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	2	2	2	2	1	4	–	2	1	1	2	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	14	11	9	7	6	7	10	2	3	2	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	1	–	–	–	–	1	–
Apoplexy	9	–	–	–	–	–	–	–	2	–	–	1	–
Paralysis	30	–	–	–	–	–	–	–	–	1	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	4	4	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	–	2	1	1	2	–	–	–	–	–	–	–
Brain Disease	4	–	–	–	–	–	1	–	1	–	–	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	–	–	–	–	–	1	3	–	–	1
VI. Laryngitis	2	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	45	2	1	2	3	2	1	–	2	–	1	–	–
Pleurisy	12	6	1	1	–	–	–	–	–	–	–	–	1
Pneumonia	18	2	1	1	–	–	2	1	1	–	–	–	1
Asthma	29	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	–	–	1	–	–	–	–	–	–	–	1	–
VII. Teething	8	–	–	2	5	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	6	1	–	1	–	1	–	–	1	–	–	1	–
Peritonitis	4	–	–	–	–	1	–	–	–	–	–	–	2
Ascites	6	–	–	–	–	–	–	–	–	–	–	1	1
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	1	–	–	–	–	–	–	–	–	–	–	2
Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	19	–	–	–	–	–	–	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	–	–	–	–	–	1	–	1	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	20	–	–	–	–	–	–	–	–	–	1	–	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	11	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	–	–	2	2	2	3	3	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	1	–	–	1	–
Fracture and Contusion	10	–	–	–	–	–	–	1	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	222	51	9	13	18	6	7	3	9	5	6	9	8

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy . . .	1	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–
Paralysis . . .	1	–	–	1	2	1	2	3	7	4	4	2	–	–	–	–
Delirium Tremens .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity . . .	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pericarditis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease . .	–	1	1	1	2	4	–	1	4	2	2	–	–	–	–	–
Laryngitis . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis . . .	1	1	1	2	2	1	8	1	6	5	1	1	–	1	–	–
Pleurisy . . .	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
Pneumonia . . .	2	1	–	1	1	1	1	1	–	1	–	–	–	–	–	–
Asthma	1	–	1	–	4	3	3	5	6	6	–	–	–	–	–	–
Lung Disease . .	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Teething . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis . . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Intussusception . .	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease . .	3	1	–	1	2	1	1	3	3	1	1	–	–	–	–	–
Pancreas Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice . . .	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Liver Disease . .	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Spleen Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease . .	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Paramenia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth . . .	5	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism . . .	–	–	1	–	2	1	–	2	–	3	2	–	–	–	–	–
Joint Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds . .	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc. . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	2	–	1	2	–	1	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified . .	13	6	9	7	11	10	20	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	33358	3116	959	1986	2390	1191	826	601	1627	956	1249	1235	1099
SPECIFIED CAUSES	31081	2378	760	1760	2187	1120	783	567	1528	882	1204	1190	1046
I. Zymotic Class	6712	308	222	612	1043	669	492	333	793	314	265	204	147
II. Diseases of Uncertain Seat	1359	21	9	15	18	11	6	10	28	14	23	18	32
III. Tubercular Class	5086	62	95	277	332	151	99	85	332	265	536	632	527
IV. Brain and Nervous System	2554	141	44	109	87	55	37	27	85	65	80	56	59
V. Organs of Circulation	1252	7	2	5	4	1	2	3	21	32	57	37	37
VI. Respiratory Organs	3706	265	204	393	344	126	76	48	111	39	58	55	53
VII. Organs of Digestion	2408	222	106	267	247	37	20	21	50	41	58	59	64
VIII. Urinary Organs	428	3	–	–	2	–	8	4	13	12	8	10	19
IX. Organs of Generation	253	1	–	–	1	–	–	–	–	2	6	30	36
X. Organs of Locomotion	165	–	–	–	3	1	–	3	5	12	17	9	5
XI. Skin, etc.	33	2	3	5	1	1	1	1	1	–	–	–	–
XII. Malformation	77	63	5	5	–	–	–	1	2	–	1	–	–
XIII. Premature Debility	1351	1231	56	64	–	–	–	–	–	–	–	–	–
XIV. Atrophy	234	–	–	–	51	19	8	2	17	7	8	2	7
XV. Age	4198	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	62	8	1	2	–	–	2	–	2	1	2	–	–
XVII. Violent Deaths	1203	44	13	6	54	49	32	29	68	78	85	78	60
I. Small Pox	558	47	50	60	61	56	38	18	45	24	28	28	21
Measles	550	12	11	95	229	86	41	21	35	7	4	2	1
Scarlatina	1406	11	9	75	218	200	195	149	344	94	52	12	13
Diphtheria	287	4	7	12	31	30	29	31	62	32	21	4	4
Hooping Cough	775	66	58	193	235	88	55	25	52	2	–	–	1
Croup	472	20	14	49	103	103	83	41	55	4	–	–	–
Thrush	21	15	1	–	4	–	–	–	–	–	–	–	–
Diarrhœa	481	48	34	52	79	26	4	3	10	6	8	9	5
Dysentery	195	1	5	10	9	5	1	3	6	6	4	7	4
Cholera	23	2	1	1	4	1	1	–	–	–	1	–	2
Influenza	227	10	4	11	5	2	–	–	5	2	2	2	1
Purpura	33	–	1	2	2	3	–	–	3	–	3	4	3
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	17	–	–	1	–	2	4	4	3	3	–	–	–
Infantile Fever	35	4	3	11	9	2	3	2	1	–	–	–	–
Typhus	1241	13	11	28	50	63	35	35	156	125	122	95	56
Metria	115	–	–	–	–	–	–	–	–	–	4	26	29
Rheumatic Fever	60	–	–	–	–	–	–	–	8	3	10	9	3
Erysipelas	178	47	7	8	3	2	1	1	6	5	5	6	4
Syphilis	24	8	6	4	1	–	–	–	–	–	1	–	–
Noma	9	–	–	–	–	–	2	–	1	–	–	–	–
Hydrophobia	4	–	–	–	–	–	–	–	1	1	–	–	–
II. Hæmorrhage	45	3	2	1	–	–	–	3	1	–	4	4	5
Dropsy	587	3	3	2	9	7	3	6	19	11	6	7	12
Abscess	67	7	4	4	3	1	1	1	3	2	4	2	5
Ulcer	20	2	–	2	1	–	–	–	–	–	1	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	81	5	–	5	4	2	–	–	2	–	2	1	2
Cancer	549	1	–	1	1	1	2	–	3	1	6	4	7
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	264	6	9	14	13	7	4	4	28	35	20	22	24
Tabes Mesenterica	289	22	16	31	78	32	16	9	36	22	5	8	3
Phthisis	3757	10	17	46	69	40	37	25	136	178	503	599	497
Hydrocephalus	776	24	53	186	172	72	42	47	132	30	8	3	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	972	897	843	902	978	1079	1514	1587	2002	1970	1765	1023	375	104	20	92
SPECIFIED CAUSES .	918	856	804	860	918	1006	1388	1587	2001	1970	1765	1023	375	104	20	81
Zymotic Class . .	135	107	94	86	83	116	123	126	168	132	79	42	10	1	–	8
Uncertain Seat . .	25	44	59	79	80	98	180	150	160	131	100	36	11	1	–	–
Tubercular Class . .	375	307	221	206	171	132	113	71	48	29	8	7	–	–	–	5
Brain, etc. . . .	72	57	70	91	105	131	204	232	261	241	158	69	15	2	–	1
Heart, etc. . . .	44	55	45	68	81	115	145	158	152	108	47	16	–	4	–	6
Respiratory Organs .	67	76	89	115	146	155	222	260	275	261	166	74	21	3	–	4
Digestive Organs . .	56	78	93	98	123	128	163	153	159	89	57	14	1	1	–	3
Urinary Organs . .	9	14	16	18	28	21	39	50	64	47	26	13	4	–	–	–
Generative Organs .	46	41	31	12	10	9	10	7	5	3	3	–	–	–	–	–
Locomotive Organs .	5	6	5	7	6	9	13	18	16	14	7	3	1	–	–	–
Skin	4	1	1	–	1	2	3	1	1	3	–	1	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	10	9	6	24	28	35	–	–	–	–	–	–	–	–	–	1
Age . . .	–	–	–	–	–	–	104	319	645	876	1095	735	309	90	20	5
Sudden Deaths . .	–	2	2	4	3	5	5	7	9	6	1	–	–	–	–	–
Violent Deaths . .	70	59	72	52	53	50	64	35	38	30	18	13	3	2	–	48
Small Pox . . .	22	13	8	10	7	10	5	2	2	–	–	–	–	–	–	3
Measles . . .	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scarlatina . . .	8	3	8	7	2	3	1	–	–	–	1	–	–	–	–	1
Diphtheria . . .	1	4	4	1	1	1	2	2	2	1	–	1	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	2	7	9	7	10	11	20	17	36	37	23	11	5	1	–	1
Dysentery . . .	7	6	4	7	6	11	19	20	22	15	12	4	1	–	–	–
Cholera . . .	–	1	2	–	1	–	–	3	2	–	1	–	–	–	–	–
Influenza . . .	5	–	1	5	1	11	8	26	41	40	25	17	2	–	–	1
Purpura . . .	–	–	1	–	3	1	1	2	3	1	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	49	43	41	43	42	56	49	43	45	20	11	8	1	–	–	1
Metria . . .	28	21	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	3	2	3	1	4	3	3	3	3	1	1	–	–	–	–	–
Erysipelas . . .	6	6	3	5	6	6	12	8	9	15	5	1	1	–	–	–
Syphilis . . .	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	3	2	–	–	–	–	–	–
Hydrophobia . .	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	2	4	1	4	1	–	5	1	–	2	2	–	–	–	–	–
Dropsy	9	14	18	21	29	29	78	68	83	74	52	17	6	1	–	–
Abscess . . .	5	3	2	2	1	1	5	2	3	2	3	1	–	–	–	–
Ulcer	–	–	–	–	2	–	3	1	3	4	1	–	–	–	–	–
Fistula	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	1	–	1	1	5	3	4	12	9	16	4	2	–	–	–
Cancer	8	20	38	51	46	62	84	72	58	40	26	14	3	–	–	–
Gout	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–
Scrofula . . .	13	12	9	8	6	6	11	5	3	4	–	–	–	–	–	1
Tabes Mesenterica .	2	2	2	1	–	–	3	–	–	1	–	–	–	–	–	–
Phthisis . . .	358	292	210	196	165	126	99	66	45	24	8	7	–	–	–	4
Hydrocephalus . .	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES. *(Continued.)*

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	208	5	4	20	21	10	10	5	23	18	22	15	14
Apoplexy	590	1	2	7	1	8	4	–	6	6	8	10	16
Paralysis	841	–	–	–	1	–	–	–	2	2	6	7	3
Delirium Tremens	35	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	4	–	–	–	–	–	–	–	2	1	–	–	–
Epilepsy	97	–	–	–	–	1	–	–	5	9	15	12	9
Tetanus	26	–	4	1	1	6	–	1	1	1	2	–	1
Insanity	21	–	–	–	–	–	–	–	–	–	1	1	1
Convulsions	336	118	34	64	47	26	15	13	19	–	–	–	–
Brain Disease	396	11	3	17	13	10	8	8	27	28	26	10	15
V. Pericarditis	55	–	–	–	1	1	–	2	6	5	7	1	1
Aneurism	27	–	–	–	–	–	–	–	–	1	–	–	1
Heart Disease	1170	7	2	5	3	–	2	1	15	26	50	36	35
VI. Laryngitis	81	1	3	4	10	5	7	7	9	2	1	3	2
Bronchitis	1954	182	143	263	223	73	33	26	47	11	12	14	15
Pleurisy	170	–	2	4	3	3	4	–	9	5	7	5	5
Pneumonia	982	73	53	110	102	39	30	15	38	17	28	24	19
Asthma	337	–	1	–	1	–	–	–	–	–	1	1	2
Lung Disease	182	9	2	12	5	6	2	–	8	4	9	8	10
VII. Teething	394	2	23	178	176	13	1	–	1	–	–	–	–
Quinsey	45	4	3	6	6	5	3	4	4	1	–	1	–
Gastritis	72	6	2	4	2	1	–	2	4	1	3	4	1
Enteritis	440	117	43	48	35	6	6	5	17	10	15	10	10
Peritonitis	139	5	6	1	4	1	1	–	7	4	10	8	11
Ascites	58	1	–	1	1	–	–	–	2	2	2	2	3
Ulceration of Intestines	96	3	3	2	2	2	–	–	1	3	4	4	5
Hernia	48	2	1	–	1	1	–	–	–	–	–	–	–
Ileus	154	9	1	4	–	1	1	1	3	7	3	4	7
Intussusception	20	–	2	1	–	–	–	–	1	2	1	1	1
Stricture of Intestines	9	1	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	432	30	18	17	17	4	6	7	4	6	9	10	9
Pancreas Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	79	1	–	–	1	–	–	1	–	2	3	4	2
Jaundice	101	27	3	1	2	–	–	–	1	–	1	–	3
Liver Disease	305	14	1	4	–	2	2	1	4	3	6	10	12
Spleen Disease	13	–	–	–	–	1	–	–	1	–	1	–	–
VIII. Nephritis	22	–	–	–	–	–	1	2	–	1	–	1	3
Nephria	60	–	–	–	–	–	2	–	4	5	2	3	5
Ischuria	24	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	34	–	–	–	–	–	1	1	2	1	–	4	4
Stone	47	–	–	–	–	–	–	1	–	1	–	–	–
Cystitis	27	–	–	–	–	–	–	–	–	–	2	–	2
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	213	2	–	–	2	–	4	–	7	4	4	2	5
IX. Paramenia	13	–	–	–	–	–	–	–	–	2	2	2	–
Ovarian Dropsy	31	–	–	–	–	–	–	–	–	–	1	2	–
Childbirth	152	–	–	–	–	–	–	–	–	–	3	24	33
Organs of Generation	57	1	–	–	1	–	–	–	–	–	–	2	3
X. Arthritis	5	–	–	–	–	–	–	–	1	–	1	–	–
Rheumatism	80	–	–	–	–	–	–	1	–	1	2	1	1
Joint and Bone Disease	80	–	–	–	3	1	–	2	4	11	14	8	4
XI. Carbuncle	11	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	5	–	–	–	1	1	–	–	–	–	–	–	–
Skin Disease	17	2	3	4	–	–	1	1	1	–	–	–	–
XII. Cyanosis	34	30	1	2	–	–	–	–	1	–	–	–	–
Spina Bifida	21	16	2	3	–	–	–	–	–	–	–	–	–
Other Malformations	22	17	2	–	–	–	–	1	1	–	1	–	–
XVII. Intemperance	24	–	–	–	–	–	–	–	–	–	–	–	3
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	18	16	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	36	–	1	–	–	–	–	1	1	1	2	–	1
Poison	27	2	1	1	–	1	–	–	1	–	–	3	3
Burns and Scalds	177	–	2	3	24	29	26	16	20	9	6	1	1
Hanging, etc.	27	–	–	–	–	–	–	–	–	2	–	3	2
Suffocation	34	11	6	–	4	1	–	–	–	1	–	3	2
Drowning	319	–	–	–	18	15	3	4	22	24	27	30	20
Fracture and Contusion	416	–	1	1	7	3	3	4	21	32	41	29	26
Wounds	57	1	–	–	–	–	–	2	1	6	6	7	1
Other Violent Causes	67	14	1	–	–	–	–	2	2	3	3	2	1
Not Specified	2277	738	199	226	203	71	43	34	99	74	45	45	53

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	4	4	4	3	4	6	–	2	2	2	1	–	–	–	–
Apoplexy	12	13	14	30	30	44	73	83	86	72	41	12	8	2	–	1
Paralysis	8	7	21	30	32	48	93	114	153	153	107	50	4	–	–	–
Delirium Tremens	7	2	7	6	3	2	3	3	–	–	1	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	7	8	1	7	4	4	2	2	1	–	1	–	–	–	–
Tetanus	1	–	3	–	2	–	1	–	–	1	–	–	–	–	–	–
Insanity	1	2	1	2	–	3	3	4	–	1	–	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	24	22	12	18	28	26	21	26	18	11	7	4	3	–	–	–
Pericarditis	1	3	4	4	5	2	2	7	2	1	–	–	–	–	–	–
Aneurism	1	1	4	1	4	5	3	3	2	–	1	–	–	–	–	–
Heart Disease	42	51	37	63	72	108	140	148	148	107	46	16	–	4	–	6
Laryngitis	1	6	4	2	4	2	–	3	1	4	–	–	–	–	–	–
Bronchitis	12	18	26	33	39	58	87	138	156	156	113	53	18	3	–	2
Pleurisy	5	9	3	6	12	13	13	12	18	17	11	3	–	–	–	1
Pneumonia	35	29	36	41	45	41	55	48	42	32	18	9	2	–	–	1
Asthma	7	7	10	25	31	36	48	41	49	47	21	8	1	–	–	–
Lung Disease	7	7	10	8	15	5	19	18	9	5	3	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	2	1	1	–	2	1	1	–	–	–	–	–	–	–
Gastritis	–	2	1	4	4	3	6	7	11	3	1	–	–	–	–	–
Enteritis	8	14	9	3	11	8	14	21	9	12	4	2	–	1	–	2
Peritonitis	11	9	19	11	6	6	7	7	6	4	3	1	–	–	–	–
Ascites	1	3	3	3	8	8	4	4	2	4	4	–	–	–	–	–
Ulceration of Intestines	6	8	9	6	9	6	6	6	7	2	1	1	–	–	–	–
Hernia	–	1	–	1	1	5	8	5	11	7	2	2	–	–	–	–
Ileus	4	9	8	4	12	10	12	8	17	10	15	3	1	–	–	–
Intussusception	–	1	2	3	2	1	1	–	1	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	1	–	3	1	–	1	–	–	–	–	–
Stomach Disease	7	12	19	28	30	35	39	39	41	26	17	2	–	–	–	–
Pancreas Disease	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	3	4	7	6	4	7	12	13	7	1	1	–	–	–	–	–
Jaundice	2	1	1	3	6	3	13	9	11	8	4	1	–	–	–	1
Liver Disease	11	13	20	23	28	35	38	29	32	11	4	2	–	–	–	–
Spleen Disease	1	1	1	2	1	–	1	1	1	1	–	–	–	–	–	–
Nephritis	1	–	1	1	1	1	1	2	1	1	2	2	–	–	–	–
Nephria	2	4	4	4	1	4	11	4	2	2	1	–	–	–	–	–
Ischuria	–	–	1	1	2	3	1	2	7	4	2	–	–	–	–	–
Diabetes	1	1	1	6	4	2	2	3	–	1	–	–	–	–	–	–
Stone	–	2	–	–	–	–	5	7	12	14	3	2	–	–	–	–
Cystitis	–	3	–	–	1	2	1	5	3	3	4	1	–	–	–	–
Stricture of Urethra	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	4	9	6	18	9	18	27	39	22	14	8	4	–	–	–
Paramenia	–	1	1	2	1	1	–	1	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	3	2	3	5	3	2	3	2	1	–	–	–	–	–	–
Childbirth	36	32	22	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	6	5	6	5	4	5	8	3	3	2	3	–	–	–	–	–
Arthritis	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Rheumatism	1	2	1	3	5	7	8	15	11	12	5	3	1	–	–	–
Joint Disease	4	4	4	4	1	2	4	2	5	1	2	–	–	–	–	–
Carbuncle	1	1	–	–	1	1	3	1	1	–	–	1	–	–	–	–
Phlegmon	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	2	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	2	2	1	1	2	2	4	2	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	5	3	4	3	5	2	1	3	1	–	–	–	–	1
Poison	2	1	–	1	1	3	2	1	3	–	–	–	–	–	–	1
Burns and Scalds	–	1	4	2	1	4	4	4	4	5	5	5	1	–	–	–
Hanging, etc.	4	2	2	2	1	2	2	1	2	–	1	–	–	–	–	1
Suffocation	1	–	–	–	1	–	–	–	–	2	1	–	–	–	–	1
Drowning	19	16	22	12	18	10	15	6	8	1	–	–	–	–	–	29
Fracture and Contusion	32	23	30	25	18	21	26	14	18	17	9	7	1	2	–	5
Wounds	3	4	5	4	5	4	5	1	–	–	1	–	–	–	–	1
Other Violent Causes	4	10	2	2	3	1	3	2	–	1	–	1	1	–	–	9
Not Specified	54	41	39	42	60	73	126	–	1	–	–	–	–	–	–	11

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	16510	1743	527	1059	1250	611	420	313	840	483	655	660	516
SPECIFIED CAUSES . . .	15353	1326	425	933	1161	574	394	295	791	442	632	636	496
I. Zymotic Class . . .	3248	177	118	307	547	319	249	172	373	138	121	90	57
II. Diseases of Uncertain Seat	537	7	4	9	10	6	3	9	14	9	8	10	10
III. Tubercular Class . .	2524	34	44	159	176	81	49	41	171	128	268	355	243
IV. Brain and Nervous System	1324	82	23	57	49	32	22	15	52	31	41	24	28
V. Organs of Circulation .	635	2	2	3	2	–	–	2	12	14	29	16	21
VI. Respiratory Organs . .	1986	158	130	205	187	75	38	24	65	20	33	27	31
VII. Organs of Digestion .	1245	130	66	148	130	25	9	10	34	22	30	29	32
VIII. Urinary Grgans . .	298	2	–	–	1	–	5	2	7	9	5	5	13
IX. Organs of Generation .	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	80	–	–	–	1	–	–	–	4	6	14	2	4
XI. Skin, etc.	22	2	2	2	1	–	1	1	1	–	–	–	–
XII. Malformation . . .	46	38	4	2	–	–	–	–	1	–	1	–	–
XIII. Premature Debility . .	726	665	25	36	–	–	–	–	–	–	–	–	–
XIV. Atrophy	110	–	–	–	29	9	3	2	10	1	5	2	6
XV. Age	1635	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	31	5	–	1	–	–	1	–	1	–	2	–	–
XVII. Violent Deaths . . .	905	24	7	4	28	27	14	17	46	64	75	76	51
I. Small Pox	296	28	29	27	34	20	18	12	29	10	13	15	12
Measles	273	8	3	47	128	41	19	8	16	3	–	–	–
Scarlatina	684	6	4	30	108	101	105	81	158	46	20	5	5
Diphtheria	135	3	5	7	18	15	17	15	22	13	7	2	2
Hooping Cough . . .	367	41	25	98	113	38	25	8	18	1	–	–	–
Croup	255	13	10	33	58	46	45	23	26	1	–	–	–
Thrush	11	7	1	–	2	–	–	–	–	–	–	–	–
Diarrhœa	232	22	19	27	45	19	1	3	8	4	3	3	2
Dysentery	90	1	3	6	6	2	1	1	3	4	2	6	3
Cholera	9	1	–	1	–	–	–	–	–	–	–	–	1
Influenza	105	8	3	6	2	–	–	–	2	2	2	2	–
Purpura	23	–	–	1	2	2	–	–	2	–	3	3	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	–	1	1	2	1	3	–	–	–
Infantile Fever . . .	19	2	1	4	5	1	3	2	1	–	–	–	–
Typhus	596	9	7	15	25	33	12	16	79	49	61	49	27
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . . .	33	–	–	–	–	–	–	–	4	–	7	4	2
Erysipelas	90	24	3	4	–	–	1	1	3	1	3	1	2
Syphilis	13	4	5	1	1	–	–	–	–	–	–	–	–
Noma	5	–	–	–	–	–	1	–	1	–	–	–	–
Hydrophobia	3	–	–	–	–	–	–	–	–	1	–	–	–
II. Hæmorrhage	18	–	1	–	–	–	–	3	1	–	1	–	1
Dropsy	243	1	2	2	7	4	1	5	9	6	2	4	3
Abscess	25	3	1	3	–	–	–	1	1	2	1	2	–
Ulcer	8	–	–	2	–	–	–	–	–	–	1	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	39	3	–	2	2	2	–	–	1	–	1	1	1
Cancer	197	–	–	–	1	–	2	–	2	1	2	3	4
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	143	5	4	5	7	3	3	2	17	21	11	15	18
Tabes Mesenterica . .	159	7	6	22	44	18	9	7	18	12	5	4	–
Phthisis	1794	8	9	26	33	20	14	9	63	74	247	334	224
Hydrocephalus . . .	428	14	25	106	92	40	23	23	73	21	5	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	455	407	420	434	513	519	746	714	900	896	750	450	131	31	7	60
SPECIFIED CAUSES .	435	389	403	423	484	491	690	714	900	896	750	450	131	31	7	54
Zymotic Class . .	52	40	42	37	47	53	54	61	68	56	43	19	4	1	–	3
Uncertain Seat . .	13	17	14	21	26	44	73	53	67	55	36	15	4	–	–	–
Tubercular Class . .	169	126	100	93	86	58	61	33	23	18	3	2	–	–	–	3
Brain, etc. . . .	33	38	47	51	57	68	98	113	133	116	69	36	8	–	–	1
Heart, etc. . . .	26	22	30	30	42	46	77	81	76	63	27	9	–	1	–	2
Respiratory Organs .	46	37	56	75	95	80	126	125	124	114	67	35	11	1	–	1
Digestive Organs . .	24	40	46	47	56	65	75	64	81	42	28	8	1	1	–	2
Urinary Organs . .	5	8	7	9	19	14	27	34	51	37	23	12	3	–	–	–
Generative Organs .	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Locomotive Organs .	2	3	2	1	1	4	8	9	6	9	4	–	–	–	–	–
Skin	–	1	–	–	1	2	3	1	1	2	–	1	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	4	5	3	10	8	13	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	37	111	240	367	439	308	99	26	7	1
Sudden Deaths . .	–	–	1	1	3	2	3	4	4	2	1	–	–	–	–	–
Violent Deaths . .	61	52	55	48	43	42	48	25	26	15	9	5	1	1	–	41
Small Pox . . .	12	8	6	4	4	9	3	1	–	–	–	–	–	–	–	2
Measles . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	2	2	4	2	2	2	1	–	–	–	–	–	–	–	–	–
Diphtheria . . .	1	–	2	–	1	1	–	2	–	1	–	1	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	2	2	2	6	2	5	9	15	13	15	3	1	1	–	–
Dysentery . . .	6	1	1	1	2	2	9	10	6	6	6	1	1	–	–	–
Cholera . . .	–	1	2	–	–	–	–	2	1	–	–	–	–	–	–	–
Influenza . . .	3	–	1	2	–	3	1	13	19	14	12	9	1	–	–	–
Purpura . . .	–	–	1	–	1	1	–	2	3	1	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	24	22	18	21	23	24	26	16	18	10	7	4	–	–	–	1
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	1	1	2	1	2	3	1	3	1	1	–	–	–	–	–	–
Erysipelas . . .	3	3	1	4	6	3	7	3	4	8	3	1	1	–	–	–
Syphilis . . .	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Hydrophobia . .	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	2	1	–	1	1	–	4	–	–	2	–	–	–	–	–	–
Dropsy . . .	4	6	6	6	11	11	34	25	37	31	18	5	3	–	–	–
Abscess . . .	3	2	1	–	–	–	3	–	–	–	1	1	–	–	–	–
Ulcer	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–	–
Fistula . . .	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	4	3	1	6	5	6	1	–	–	–	–
Cancer . . .	3	6	7	14	13	29	27	26	21	16	11	8	1	–	–	–
Gout	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Scrofula . . .	5	9	3	4	–	2	4	1	1	2	–	–	–	–	–	1
Tabes Mesenterica .	2	1	1	–	–	–	2	–	–	1	–	–	–	–	–	–
Phthisis . . .	161	115	96	88	86	56	55	32	22	15	3	2	–	–	–	2
Hydrocephalus . .	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	118	4	2	11	11	8	5	3	18	8	10	7	9
Apoplexy	303	1	1	4	1	5	3	–	3	2	3	5	6
Paralysis	396	–	–	–	–	–	–	–	1	–	4	3	2
Delirium Tremens	31	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	46	–	–	–	–	1	–	–	3	6	8	3	3
Tetanus	11	2	1	1	–	–	–	–	–	1	1	–	–
Insanity	10	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	185	69	17	35	29	11	7	8	9	–	–	–	–
Brain Disease	223	6	2	6	8	7	7	4	18	13	14	5	8
V. Pericarditis	31	–	–	–	–	–	–	1	4	2	3	–	1
Aneurism	17	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	587	2	2	3	2	–	–	1	8	12	26	16	19
VI. Laryngitis	53	–	3	3	8	5	3	4	6	1	–	3	1
Bronchitis	952	106	87	134	117	43	17	11	19	4	5	4	8
Pleurisy	98	–	1	1	1	2	2	–	6	3	6	3	4
Pneumonia	610	47	37	64	57	23	15	9	30	9	13	12	12
Asthma	170	–	–	–	1	–	–	–	–	–	1	–	1
Lung Disease	103	5	2	3	3	2	1	–	4	3	8	5	5
VII. Teething	217	–	13	100	94	9	–	–	1	–	–	–	–
Quinsey	31	2	1	5	5	4	1	4	4	–	–	1	–
Gastritis	35	3	1	1	1	–	–	1	3	1	1	2	–
Enteritis	243	68	29	23	18	5	4	2	10	5	9	6	4
Peritonitis	66	4	5	1	1	1	1	–	4	2	6	2	3
Ascites	20	1	–	–	–	–	–	–	1	1	–	1	1
Ulceration of Intestines	48	3	2	2	1	2	–	–	–	–	1	2	4
Hernia	21	2	–	–	1	1	–	–	–	–	–	–	–
Ileus	85	5	1	2	–	–	–	–	2	4	1	3	6
Intussusception	15	–	2	1	–	–	–	–	1	2	1	1	–
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	203	16	9	9	8	1	2	3	2	4	3	3	5
Pancreas Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	37	1	–	–	–	–	–	–	–	1	2	2	2
Jaundice	52	16	2	1	1	–	–	–	1	–	1	–	1
Liver Disease	155	9	1	3	–	1	1	–	4	2	4	6	6
Spleen Disease	9	–	–	–	–	1	–	–	1	–	1	–	–
VIII. Nephritis	11	–	–	–	–	–	1	–	–	–	–	1	1
Nephria	35	–	–	–	–	–	1	–	2	4	1	1	4
Ischuria	22	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	21	–	–	–	–	–	1	1	2	1	–	2	3
Stone	38	–	–	–	–	–	–	1	–	1	–	–	–
Cystitis	24	–	–	–	–	–	–	–	–	–	2	–	2
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	146	1	–	–	1	–	2	–	3	3	2	1	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	3	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	33	–	–	–	–	–	–	–	–	1	1	–	1
Joint and Bone Disease	44	–	–	–	1	–	–	–	4	5	12	2	3
XI. Carbuncle	9	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	12	2	2	2	–	–	1	1	1	–	–	–	–
XII. Cyanosis	20	18	1	1	–	–	–	–	–	–	–	–	–
Spina Bifida	10	8	1	1	–	–	–	–	–	–	–	–	–
Other Malformations	16	12	2	–	–	–	–	–	1	–	1	–	–
XVII. Intemperance	17	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	8	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	24	–	1	–	–	–	–	1	1	1	1	–	1
Poison	19	1	1	–	–	–	–	–	1	–	–	2	2
Burns and Scalds	83	–	1	2	15	13	12	8	9	5	5	1	1
Hanging, etc.	23	–	–	–	–	–	–	–	–	2	–	3	1
Suffocation	20	5	2	–	2	1	–	–	–	–	–	3	2
Drowning	260	–	–	–	7	11	1	3	19	19	24	29	17
Fracture and Contusion	357	–	1	1	4	2	1	3	14	29	37	29	24
Wounds	47	1	–	–	–	–	–	1	1	5	6	7	–
Other Violent Causes	45	9	–	–	–	–	–	1	1	3	2	2	1
Not Specified	1157	417	102	126	89	37	26	18	49	41	23	24	20

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	3	4	3	1	2	4	–	–	–	1	–	–	–	–	–
Apoplexy	7	9	11	16	14	25	35	41	45	36	17	7	5	–	–	1
Paralysis	1	5	11	16	16	22	38	52	77	74	47	24	3	–	–	–
Delirium Tremens	5	2	7	4	3	2	3	3	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	2	6	–	4	–	2	1	1	1	–	1	–	–	–	–
Tetanus	–	–	2	–	2	–	1	–	–	–	–	–	–	–	–	–
Insanity	1	–	1	1	–	–	2	3	–	–	–	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	11	17	5	11	17	17	13	13	10	5	3	3	–	–	–	–
Pericarditis	1	1	3	–	4	2	2	5	2	–	–	–	–	–	–	–
Aneurism	–	1	3	1	2	3	3	2	1	–	–	–	–	–	–	–
Heart Disease	25	20	24	29	36	41	72	74	73	63	27	9	–	1	–	2
Laryngitis	–	2	3	–	4	1	–	2	–	4	–	–	–	–	–	–
Bronchitis	8	9	13	18	22	21	40	60	67	64	45	21	8	1	–	–
Pleurisy	4	3	1	4	10	5	10	5	8	11	5	3	–	–	–	–
Pneumonia	26	17	24	31	30	29	39	29	26	15	8	5	2	–	–	1
Asthma	4	4	7	17	18	21	26	18	20	16	9	6	1	–	–	–
Lung Disease	4	2	8	5	11	3	11	11	3	4	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	2	1	3	2	1	2	2	6	2	–	–	–	–	–	–
Enteritis	4	6	5	2	7	4	8	8	3	7	2	2	–	1	–	1
Peritonitis	3	5	4	6	4	4	2	2	2	2	1	1	–	–	–	–
Ascites	–	–	2	1	1	4	3	1	–	1	2	–	–	–	–	–
Ulceration of Intestines	3	5	3	–	6	3	2	3	3	2	–	1	–	–	–	–
Hernia	–	–	–	–	–	1	3	2	7	2	1	1	–	–	–	–
Ileus	3	5	4	1	7	6	8	3	9	6	7	1	1	–	–	–
Intussusception	–	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–
Stomach Disease	3	4	7	13	14	16	18	19	24	10	10	–	–	–	–	–
Pancreas Disease	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	2	3	5	3	–	3	3	6	3	–	1	–	–	–	–	–
Jaundice	–	1	–	1	3	2	6	4	4	5	1	1	–	–	–	1
Liver Disease	4	8	10	13	10	19	18	13	16	4	2	1	–	–	–	–
Spleen Disease	–	–	1	2	–	–	1	–	1	1	–	–	–	–	–	–
Nephritis	–	–	1	–	–	1	1	–	1	1	1	2	–	–	–	–
Nephria	1	3	2	2	–	3	5	2	1	2	1	–	–	–	–	–
Ischuria	–	–	–	1	2	2	1	2	7	4	2	–	–	–	–	–
Diabetes	1	–	–	4	4	–	1	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	5	6	10	11	3	1	–	–	–	–
Cystitis	–	2	–	–	1	2	–	4	3	3	4	1	–	–	–	–
Stricture of Urethra	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	3	4	2	11	6	14	19	29	16	12	8	3	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Arthritis	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Rheumatism	–	1	–	–	1	2	5	7	3	8	3	–	–	–	–	–
Joint Disease	2	2	2	1	–	2	2	2	3	–	1	–	–	–	–	–
Carbuncle	–	1	–	–	1	1	3	1	1	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	3	1	2	–	1	2	2	3	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	2	3	1	1	4	2	–	3	1	–	–	–	–	–
Poison	2	–	–	1	1	3	2	1	2	–	–	–	–	–	–	–
Burns and Scalds	–	1	2	1	–	2	–	2	–	1	1	1	–	–	–	–
Hanging, etc.	4	2	1	2	1	1	1	1	2	–	1	–	–	–	–	1
Suffocation	1	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1
Drowning	15	15	16	11	15	10	8	5	7	–	–	–	–	–	–	28
Fracture and Contusion	29	23	27	25	18	19	25	10	14	8	5	4	–	1	–	4
Wounds	3	3	4	3	3	3	5	–	–	–	1	–	–	–	–	1
Other Violent Causes	3	7	1	2	2	1	1	1	–	1	–	–	1	–	–	6
Not Specified	20	18	17	11	29	28	56	–	–	–	–	–	–	–	–	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	ALL AGES.	FEMALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	16848	1373	432	927	1140	580	406	288	787	473	594	575	583
SPECIFIED CAUSES	15728	1052	335	827	1026	546	389	272	737	440	572	554	550
I. Zymotic Class	3464	131	104	305	496	350	243	161	420	176	144	114	90
II. Diseases of Uncertain Seat	822	14	5	6	8	5	3	1	14	5	15	8	22
III. Tubercular Class	2562	28	51	118	156	70	50	44	161	137	268	277	284
IV. Brain and Nervous System	1230	59	21	52	38	23	15	12	33	34	39	32	31
V. Organs of Circulation	617	5	–	2	2	1	2	1	9	18	28	21	16
VI. Respiratory Organs	1720	107	74	188	157	51	38	24	46	19	25	28	22
VII. Organs of Digestion	1163	92	40	119	117	12	11	11	16	19	28	30	32
VIII. Urinary Organs	130	1	–	–	1	–	3	2	6	3	3	5	6
IX. Organs of Generation	252	1	–	–	1	–	–	–	–	2	6	30	36
X. Organs of Locomotion	85	–	–	–	2	1	–	3	1	6	3	7	1
XI. Skin, etc.	11	–	1	3	–	1	–	–	–	–	–	–	–
XII. Malformation	31	25	1	3	–	–	–	1	1	–	–	–	–
XIII. Premature Debility	625	566	31	28	–	–	–	–	–	–	–	–	–
XIV. Atrophy	124	–	–	–	22	10	5	–	7	6	3	–	1
XV. Age	2563	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	31	3	1	1	–	–	1	–	1	1	–	–	–
XVII. Violent Deaths	298	20	6	2	26	22	18	12	22	14	10	2	9
I. Small Pox	262	19	21	33	27	36	20	6	16	14	15	13	9
Measles	277	4	8	48	101	45	22	13	19	4	4	2	1
Scarlatina	722	5	5	45	110	99	90	68	186	48	32	7	8
Diphtheria	152	1	2	5	13	15	12	16	40	19	14	2	2
Hooping Cough	408	25	33	95	122	50	30	17	34	1	–	–	1
Croup	217	7	4	16	45	57	38	18	29	3	–	–	–
Thrush	10	8	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa	249	26	15	25	34	7	3	–	2	2	5	6	3
Dysentery	105	–	2	4	3	3	–	2	3	2	2	1	1
Cholera	14	1	1	–	4	1	1	–	–	–	1	–	1
Influenza	122	2	1	5	3	2	–	–	3	–	–	–	1
Purpura	10	–	1	1	–	1	–	–	1	–	–	1	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	9	–	–	1	–	1	3	2	2	–	–	–	–
Infantile Fever	16	2	2	7	4	1	–	–	–	–	–	–	–
Typhus	645	4	4	13	25	30	23	19	77	76	61	46	29
Metria	115	–	–	–	–	–	–	–	–	–	4	26	29
Rheumatic Fever	27	–	–	–	–	–	–	–	4	3	3	5	1
Erysipelas	88	23	4	4	3	2	–	–	3	4	2	5	2
Syphilis	11	4	1	3	–	–	–	–	–	–	1	–	–
Noma	4	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	1	–	–	–	–
II. Hæmorrhage	27	3	1	1	–	–	–	–	–	–	3	4	4
Dropsy	344	2	1	–	2	3	2	1	10	5	4	3	9
Abscess	42	4	3	1	3	1	1	–	2	–	3	–	5
Ulcer	12	2	–	–	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	42	2	–	3	2	–	–	–	1	–	1	–	1
Cancer	352	1	–	1	–	1	–	–	1	–	4	1	3
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	121	1	5	9	6	4	1	2	11	14	9	7	6
Tabes Mesenterica	130	15	10	9	34	14	7	2	18	10	–	4	3
Phthisis	1963	2	8	20	36	20	23	16	73	104	256	265	273
Hydrocephalus	348	10	28	80	80	32	19	24	59	9	3	1	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	517	490	423	468	465	560	768	873	1102	1074	1015	573	244	73	13	32
SPECIFIED CAUSES	483	467	401	437	434	515	698	873	1101	1074	1015	573	244	73	13	27
Zymotic Class	83	67	52	49	36	63	69	65	100	76	36	23	6	–	–	5
Uncertain Seat	12	27	45	58	54	54	107	97	93	76	64	21	7	1	–	–
Tubercular Class	206	181	121	113	85	74	52	38	25	11	5	5	–	–	–	2
Brain, etc.	39	19	23	40	48	63	106	119	128	125	89	33	7	2	–	–
Heart, etc.	18	33	15	38	39	69	68	77	76	45	20	7	–	3	–	4
Respiratory Organs	21	39	33	40	51	75	96	135	151	147	99	39	10	2	–	3
Digestive Organs	32	38	47	51	67	63	88	89	78	47	29	6	–	–	–	1
Urinary Organs	4	6	9	9	9	7	12	16	13	10	3	1	1	–	–	–
Generative Organs	46	41	31	12	10	9	10	7	5	3	2	–	–	–	–	–
Locomotive Organs	3	3	3	6	5	5	5	9	10	5	3	3	1	–	–	–
Skin	4	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	4	3	14	20	22	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	67	208	405	509	656	427	210	64	13	4
Sudden Deaths	–	2	1	3	–	3	2	3	5	4	–	–	–	–	–	–
Violent Deaths	9	7	17	4	10	8	16	10	12	15	9	8	2	1	–	7
Small Pox	10	5	2	6	3	1	2	1	2	–	–	–	–	–	–	1
Measles	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scarlatina	6	1	4	5	–	1	–	–	–	–	1	–	–	–	–	1
Diphtheria	–	4	2	1	–	–	2	–	2	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	5	7	5	4	9	15	8	21	24	8	8	4	–	–	1
Dysentery	1	5	3	6	4	9	10	10	16	9	6	3	–	–	–	–
Cholera	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
Influenza	2	–	–	3	1	8	7	13	22	26	13	8	1	–	–	1
Purpura	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	21	23	22	19	32	23	27	27	10	4	4	1	–	–	–
Metria	28	21	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	1	–	2	–	2	–	2	–	1	–	–	–	–	–
Erysipelas	3	3	2	1	–	3	5	5	5	7	2	–	–	–	–	–
Syphilis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	1	3	–	–	1	1	–	–	2	–	–	–	–	–
Dropsy	5	8	12	15	18	18	44	43	46	43	34	12	3	1	–	–
Abscess	2	1	1	2	1	1	2	2	3	2	2	–	–	–	–	–
Ulcer	–	–	–	–	1	–	2	1	1	3	1	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	1	1	1	–	3	6	4	10	3	2	–	–	–
Cancer	5	14	31	37	33	33	57	46	37	24	15	6	2	–	–	–
Gout	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Scrofula	8	3	6	4	6	4	7	4	2	2	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	197	177	114	108	79	70	44	34	23	9	5	5	–	–	–	2
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	90	1	2	9	10	2	5	2	5	10	12	8	5
Apoplexy	287	–	1	3	–	3	1	–	3	4	5	5	10
Paralysis	445	–	–	–	1	–	–	–	1	2	2	4	1
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	2	–	–	–	–
Epilepsy	51	–	–	–	–	–	–	–	2	3	7	9	6
Tetanus	15	4	–	–	4	–	–	1	1	–	1	–	1
Insanity	11	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	151	49	17	29	18	15	8	5	10	–	–	–	–
Brain Disease	173	5	1	11	5	3	1	4	9	15	12	5	7
V. Pericarditis	24	–	–	–	1	1	–	1	2	3	4	1	–
Aneurism	10	–	–	–	–	–	–	–	–	1	–	–	–
Heart Disease	583	5	–	2	1	–	2	–	7	14	24	20	16
VI. Laryngitis	28	1	–	1	2	–	4	3	3	1	1	–	1
Bronchitis	1002	76	56	129	106	30	16	15	28	7	7	10	7
Pleurisy	72	–	1	3	2	1	2	–	3	2	1	2	1
Pneumonia	372	26	16	46	45	16	15	6	8	8	15	12	7
Asthma	167	–	1	–	–	–	–	–	–	–	–	1	1
Lung Disease	79	4	–	9	2	4	1	–	4	1	1	3	5
VII. Teething	177	2	10	78	82	4	1	–	–	–	–	–	–
Quinsey	14	2	2	1	1	1	2	–	–	1	–	–	–
Gastritis	37	3	1	3	1	1	–	1	1	–	2	2	1
Enteritis	197	49	14	25	17	1	2	3	7	5	6	4	6
Peritonitis	73	1	1	–	3	–	–	–	3	2	4	6	8
Ascites	38	–	–	1	1	–	–	–	1	1	2	1	2
Ulceration of Intestines	48	–	1	–	1	–	–	–	1	3	3	2	1
Hernia	27	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	69	4	–	2	–	1	1	1	1	3	2	1	1
Intussusception	5	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	4	1	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	229	14	9	8	9	3	4	4	2	2	6	7	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	42	–	–	–	1	–	–	1	–	1	1	2	–
Jaundice	49	11	1	–	1	–	–	–	–	–	–	–	2
Liver Disease	150	5	–	1	–	1	1	1	–	1	2	4	6
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	11	–	–	–	–	–	–	2	–	1	–	–	2
Nephria	25	–	–	–	–	–	1	–	2	1	1	2	1
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	13	–	–	–	–	–	–	–	–	–	–	2	1
Stone	9	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	67	1	–	–	1	–	2	–	4	1	2	1	2
IX. Paramenia	13	–	–	–	–	–	–	–	–	2	2	2	–
Ovarian Dropsy	31	–	–	–	–	–	–	–	–	–	1	2	–
Childbirth	152	–	–	–	–	–	–	–	–	–	3	24	33
Organs of Generation	56	1	–	–	1	–	–	–	–	–	–	2	3
X. Arthritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	47	–	–	–	–	–	–	1	–	–	1	1	–
Joint and Bone Disease	36	–	–	–	2	1	–	2	–	6	2	6	1
XI. Carbuncle	2	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	4	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	5	–	1	2	–	–	–	–	–	–	–	–	–
XII. Cyanosis	14	12	–	1	–	–	–	–	1	–	–	–	–
Spina Bifida	11	8	1	2	–	–	–	–	–	–	–	–	–
Other Malformations	6	5	–	–	–	–	–	1	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	8	8	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	12	–	–	–	–	–	–	–	–	–	1	–	–
Poison	8	1	–	1	–	1	–	–	–	–	–	1	1
Burns and Scalds	94	–	1	1	9	16	14	8	11	4	1	–	–
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	14	6	4	–	2	–	–	–	–	1	–	–	–
Drowning	59	–	–	–	11	4	2	1	3	5	3	1	3
Fracture and Contusion	59	–	–	–	3	1	2	1	7	3	4	–	2
Wounds	10	–	–	–	–	–	–	1	–	1	–	–	1
Other Violent Causes	22	5	1	–	–	–	–	1	1	–	1	–	–
Not Specified	1120	321	97	100	114	34	17	16	50	33	22	21	33

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES. *(Continued.)*

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	1	–	1	2	2	2	–	2	2	1	1	–	–	–	–
Apoplexy	5	4	3	14	16	19	38	42	41	36	24	5	3	2	–	–
Paralysis	7	2	10	14	16	26	55	62	76	79	60	26	1	–	–	–
Delirium Tremens	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	5	2	1	3	4	2	1	1	–	–	–	–	–	–	–
Tetanus	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	2	–	1	–	3	1	1	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	13	5	7	7	11	9	8	13	8	6	4	1	3	–	–	–
Pericarditis	–	2	1	4	1	–	–	2	–	1	–	–	–	–	–	–
Aneurism	1	–	1	–	2	2	–	1	1	–	1	–	–	–	–	–
Heart Disease	17	31	13	34	36	67	68	74	75	44	19	7	–	3	–	4
Laryngitis	1	4	1	2	–	1	–	1	1	–	–	–	–	–	–	–
Bronchitis	4	9	13	15	17	37	47	78	89	92	68	32	10	2	–	2
Pleurisy	1	6	2	2	2	8	3	7	10	6	6	–	–	–	–	1
Pneumonia	9	12	12	10	15	12	16	19	16	17	10	4	–	–	–	–
Asthma	3	3	3	8	13	15	22	23	29	31	12	2	–	–	–	–
Lung Disease	3	5	2	3	4	2	8	7	6	1	3	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	2	2	4	5	5	1	1	–	–	–	–	–
Enteritis	4	8	4	1	4	4	6	13	6	5	2	–	–	–	–	1
Peritonitis	8	4	6	5	2	2	5	5	4	2	2	–	–	–	–	–
Ascites	1	3	1	2	7	4	1	3	2	3	2	–	–	–	–	–
Ulceration of Intestines	3	3	6	6	3	3	4	3	4	–	1	–	–	–	–	–
Hernia	–	1	–	1	1	4	5	3	4	5	1	1	–	–	–	–
Ileus	1	4	4	3	5	4	4	5	8	4	8	2	–	–	–	–
Intussusception	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Stomach Disease	4	8	12	15	16	19	21	20	17	16	7	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	2	3	4	4	9	7	4	1	–	–	–	–	–	–
Jaundice	2	–	1	2	3	1	7	5	7	3	3	–	–	–	–	–
Liver Disease	7	5	10	10	18	16	20	16	16	7	2	1	–	–	–	–
Spleen Disease	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	1	–	–	2	–	–	1	–	–	–	–	–
Nephria	1	1	2	2	1	1	6	2	1	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	1	2	–	2	1	2	–	1	–	–	–	–	–	–
Stone	–	2	–	–	–	–	–	1	2	3	–	1	–	–	–	–
Cystitis	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	5	4	7	3	4	8	10	6	2	–	1	–	–	–
Paramenia	–	1	1	2	1	1	–	1	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	3	2	3	5	3	2	3	2	1	–	–	–	–	–	–
Childbirth	36	32	22	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	6	5	6	5	4	5	8	3	3	2	2	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	1	1	1	3	4	5	3	8	8	4	2	3	1	–	–	–
Joint Disease	2	2	2	3	1	–	2	–	2	1	1	–	–	–	–	–
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	1	–	–	–	1	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	3	–	3	2	1	–	1	–	–	–	–	–	–	1
Poison	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1
Burns and Scalds	–	–	2	1	1	2	4	2	4	4	4	4	1	–	–	–
Hanging, etc.	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Drowning	4	1	6	1	3	–	7	1	1	1	–	–	–	–	–	1
Fracture and Contusion	3	–	3	–	–	2	1	4	4	9	4	3	1	1	–	1
Wounds	–	1	1	1	2	1	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	1	3	1	–	1	–	2	1	–	–	–	1	–	–	–	3
Not Specified	34	23	22	31	31	45	70	–	1	–	–	–	–	–	–	5

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	ALL AGES.	BOTH SEXES. — AGE UNDER — MONTHS. 3	MONTHS. 6	MONTHS. 12	2	3	4	5	10	15	20	25	30
All Causes	32098	3078	1146	2725	3733	1758	1150	812	1689	680	932	1217	1128
Specified Causes . . .	31149	2796	1056	2618	3619	1727	1130	794	1650	653	917	1194	1115
I. Zymotic Class . . .	7379	309	265	831	1519	898	689	472	775	162	139	198	154
II. Diseases of Uncertain Seat	1016	16	3	10	25	20	14	16	40	16	19	21	22
III. Tubercular Class . .	5783	102	149	403	537	266	160	110	426	259	501	608	505
IV. Brain and Nervous System	2515	193	100	125	153	82	40	34	99	48	55	46	72
V. Organs of Circulation .	1297	6	3	4	6	–	2	2	22	24	46	56	64
VI. Respiratory Organs . .	5566	426	322	782	823	328	155	98	137	41	50	93	96
VII. Organs of Digestion .	2241	199	112	351	410	71	23	22	47	29	38	60	65
VIII. Urinary Organs . .	335	1	1	–	8	7	8	3	14	7	9	20	20
IX. Organs of Generation .	219	–	–	1	–	–	–	–	–	–	4	27	48
X. Organs of Locomotion .	147	–	–	3	4	5	1	6	14	16	15	7	12
XI. Skin, etc.	29	3	1	5	1	–	–	–	2	–	1	2	1
XII. Malformation . . .	72	63	4	3	–	2	–	–	–	–	–	–	–
XIII. Premature Debility . .	1575	1418	76	81	–	–	–	–	–	–	–	–	–
XIV. Atrophy	303	–	–	1	106	22	17	11	19	7	3	7	7
XV. Age	1773	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	63	6	1	4	1	–	1	1	2	–	2	1	–
XVII. Violent Deaths . .	836	54	19	14	26	26	20	19	53	44	35	48	49
I. Small Pox	908	41	61	157	154	98	89	48	103	16	10	40	34
Measles	1032	20	19	165	418	185	94	57	64	2	2	3	1
Scarlatina	1469	8	15	93	244	251	226	188	321	60	23	14	8
Diphtheria	177	7	3	13	44	20	25	19	25	7	–	3	2
Hooping Cough . . .	955	37	52	228	303	148	92	52	42	1	–	–	–
Croup	481	24	15	38	147	87	80	42	43	3	–	1	–
Thrush	13	3	2	5	1	1	–	–	–	–	–	–	–
Diarrhœa	598	90	50	72	112	24	13	5	17	7	5	10	7
Dysentery	163	5	6	15	20	2	1	–	3	1	2	9	6
Cholera	22	1	3	3	4	2	1	1	2	1	1	–	–
Influenza	77	2	3	5	6	1	1	–	2	–	–	–	1
Purpura	24	1	–	2	1	–	2	3	–	1	1	1	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	9	–	–	–	1	2	2	2	2	–	–	–	–
Infantile Fever . . .	24	1	1	11	3	8	–	–	–	–	–	–	–
Typhus	1044	3	7	13	53	64	57	49	142	60	69	78	51
Metria	116	–	–	–	–	–	–	–	–	–	10	29	34
Rheumatic Fever . . .	30	–	–	–	–	–	–	1	5	1	5	3	4
Erysipelas	151	38	4	6	6	2	2	4	3	2	9	6	4
Syphilis	70	27	24	5	1	–	–	–	–	–	2	1	2
Noma	14	1	–	–	1	3	4	1	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	33	6	–	–	1	–	–	–	–	–	3	2	3
Dropsy	416	2	1	6	6	15	11	12	32	10	10	8	5
Abscess	54	1	1	2	9	3	–	–	6	2	4	5	2
Ulcer	10	2	1	1	1	–	–	–	–	–	–	–	–
Fistula	9	–	–	–	–	–	–	1	–	–	1	1	–
Mortification . . .	63	2	–	1	4	1	1	1	1	–	–	1	4
Cancer	428	3	–	–	4	1	1	2	1	4	1	4	8
Gout	3	–	–	–	–	–	1	–	–	–	–	–	–
III. Scrofula	198	7	2	8	21	13	7	7	21	27	33	19	8
Tabes Mesenterica . .	421	41	26	58	90	57	26	19	56	13	11	5	6
Phthisis	4123	13	37	83	155	83	60	43	214	196	451	584	488
Hydrocephalus . . .	1041	41	84	254	271	113	67	41	135	23	6	–	3

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1091	1100	1118	1009	1019	1056	1264	1151	1170	919	656	326	109	35	9	18
SPECIFIED CAUSES	1071	1076	1094	987	998	1033	1233	1151	1170	919	656	326	109	35	9	13
Zymotic Class	130	113	103	96	91	74	99	83	72	50	35	13	6	–	–	3
Uncertain Seat	33	58	68	80	95	87	97	87	79	67	25	16	1	1	–	–
Tubercular Class	430	341	317	202	164	140	91	37	22	9	–	1	–	–	–	3
Brain, etc.	81	107	107	109	120	157	203	186	165	134	70	20	7	1	–	1
Heart, etc.	72	103	117	100	100	122	136	128	93	55	25	9	1	–	–	1
Respiratory Organs	118	127	179	209	229	239	320	283	259	143	71	31	4	2	–	1
Digestive Organs	72	69	80	84	94	93	101	77	78	43	16	5	–	–	–	2
Urinary Organs	27	27	22	20	24	23	28	25	15	13	10	1	2	–	–	–
Generative Organs	37	34	26	14	8	4	4	4	5	3	–	–	–	–	–	–
Locomotive Organs	7	8	8	8	5	5	8	5	5	4	1	–	–	–	–	–
Skin	–	2	–	1	1	3	2	1	1	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	11	11	15	25	35	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	105	195	354	380	390	227	83	30	9	–
Sudden Deaths	3	3	5	2	4	5	11	8	–	3	–	–	–	–	–	–
Violent Deaths	55	73	51	47	38	46	28	32	22	13	13	3	5	1	–	2
Small Pox	21	11	12	7	5	–	–	1	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	8	2	–	–	–	–	1	–	–	–	–	–	–	–	1
Diphtheria	2	2	2	1	1	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Thrush	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	8	9	14	13	9	33	25	25	21	10	6	3	–	–	–
Dysentery	6	8	6	9	11	8	10	8	13	6	7	1	–	–	–	–
Cholera	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	2	1	3	4	5	11	3	7	9	5	3	3	–	–	–
Purpura	2	2	1	1	2	3	1	–	–	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	47	51	49	48	38	36	34	22	10	12	1	–	–	–	1
Metria	21	16	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	2	–	1	1	2	1	–	–	–	–	–	–	–	–
Erysipelas	6	5	7	9	5	8	5	8	4	4	1	2	–	–	–	1
Syphilis	3	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	3	3	2	–	5	1	–	–	1	2	–	–	–	–	–
Dropsy	14	21	15	18	38	27	39	39	36	32	12	7	–	–	–	–
Abscess	5	1	3	3	4	–	1	1	1	–	–	–	–	–	–	–
Ulcer	–	1	1	–	1	–	1	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	1	1	2	–	–	2	–	–	–	–	–	–
Mortification	2	2	2	2	2	2	8	5	3	9	3	7	–	–	–	–
Cancer	11	30	43	55	49	52	44	42	39	23	7	2	1	1	–	–
Gout	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	6	3	1	3	3	2	3	4	–	–	–	–	–	–	–	–
Tabes Mesenterica	4	1	2	1	2	1	–	1	1	–	–	–	–	–	–	–
Phthisis	418	337	313	198	159	137	88	32	21	9	–	1	–	–	–	3
Hydrocephalus	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	162	2	4	20	27	9	6	11	19	8	8	11	8
Apoplexy	530	7	7	8	15	6	8	3	17	5	7	6	15
Paralysis	659	–	–	–	1	–	–	–	1	3	1	4	9
Delirium Tremens	53	–	–	–	–	–	–	–	–	–	–	4	6
Chorea	3	–	–	–	–	–	–	–	1	1	–	1	–
Epilepsy	119	–	–	–	–	–	1	1	2	7	13	7	13
Tetanus	13	4	1	–	–	–	1	–	–	2	1	–	–
Insanity	30	–	–	–	–	–	–	–	–	–	1	–	4
Convulsions	501	174	83	75	81	45	12	8	19	2	–	–	–
Brain Disease	445	6	5	22	29	22	12	11	40	20	24	13	17
V. Pericarditis	37	1	–	1	1	–	1	–	5	2	6	4	4
Aneurism	60	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	1200	5	3	3	5	–	1	2	17	22	40	52	59
VI. Laryngitis	83	2	3	14	11	5	7	4	6	–	–	2	4
Bronchitis	3378	293	211	543	529	213	89	55	77	17	8	21	33
Pleurisy	121	3	–	3	7	2	1	3	4	2	5	9	9
Pneumonia	1398	120	102	217	251	99	52	31	41	16	22	47	37
Asthma	334	–	1	–	1	1	–	–	–	1	–	3	4
Lung Disease	252	8	5	5	24	8	6	5	9	5	15	11	9
VII. Teething	657	2	32	260	326	33	3	1	–	–	–	–	–
Quinsey	37	5	3	4	4	6	1	5	3	2	–	–	1
Gastritis	66	2	1	4	5	3	–	1	4	–	2	7	2
Enteritis	415	110	52	43	54	14	11	7	14	4	8	9	12
Peritonitis	137	8	–	2	–	3	2	3	7	7	5	14	9
Ascites	43	–	–	–	–	–	–	1	2	2	4	1	4
Ulceration of Intestines	77	3	2	1	4	1	1	–	–	2	2	5	6
Hernia	39	1	–	1	–	–	–	–	–	–	–	–	1
Ileus	99	12	8	5	2	–	–	1	3	1	2	4	2
Intussusception	17	1	3	2	–	–	–	1	–	1	–	1	–
Stricture of Intestines	9	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	291	32	9	27	7	9	5	1	5	3	9	6	10
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	41	–	–	1	1	–	–	–	1	1	–	–	3
Jaundice	67	18	2	–	4	–	–	–	1	–	–	2	2
Liver Disease	236	4	–	1	3	–	–	1	7	6	6	10	13
Spleen Disease	9	–	–	–	–	2	–	–	–	–	–	1	–
VIII. Nephritis	29	–	–	–	5	–	2	1	3	1	2	3	1
Nephria	101	1	–	–	–	4	3	2	2	1	2	8	8
Ischuria	9	–	–	–	–	–	–	–	–	–	–	1	1
Diabetes	29	–	–	–	1	–	–	–	–	2	–	2	1
Stone	12	–	1	–	–	–	1	–	–	–	–	–	–
Cystitis	12	–	–	–	–	–	–	–	–	–	–	1	1
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	141	–	–	–	2	3	2	–	9	3	5	5	8
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	23	–	–	–	–	–	–	–	–	–	–	–	3
Childbirth	156	–	–	–	–	–	–	–	–	–	3	26	42
Organs of Generation	34	–	–	1	–	–	–	–	–	–	–	1	3
X. Arthritis	9	–	–	–	2	–	–	–	1	2	–	1	–
Rheumatism	50	–	–	1	1	1	–	–	1	2	3	–	5
Joint and Bone Disease	88	–	–	2	1	4	1	6	12	12	12	6	7
XI. Carbuncle	9	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	18	2	1	5	1	–	–	–	2	–	1	2	–
XII. Cyanosis	40	33	2	3	–	2	–	–	–	–	–	–	–
Spina Bifida	10	8	2	–	–	–	–	–	–	–	–	–	–
Other Malformations	22	22	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	31	–	–	–	–	–	–	–	–	–	–	3	2
Privation	5	–	–	–	1	–	–	–	1	–	1	–	–
Want of Breast Milk	42	26	9	5	2	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	7	1	–	1	–	–	–	–	–	–	–	2	–
Poison	23	1	–	1	1	2	1	–	–	–	2	–	2
Burns and Scalds	161	1	–	3	18	15	17	14	23	9	5	1	3
Hanging, etc.	21	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	44	15	7	1	1	1	–	–	3	1	4	2	–
Drowning	120	–	1	2	1	2	–	–	6	3	7	13	8
Fracture and Contusion	308	1	2	1	2	5	2	4	19	27	12	20	29
Wounds	29	–	–	–	–	1	–	–	–	2	1	2	1
Other Violent Causes	44	8	–	–	–	–	–	1	1	2	3	4	4
Not Specified	949	282	90	107	114	31	20	18	39	27	15	23	13

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	6	9	3	–	2	2	3	–	–	–	–	–	–	–	–
Apoplexy	14	22	20	28	43	51	69	61	49	41	20	7	1	–	–	–
Paralysis	17	29	35	36	47	66	95	85	90	78	44	12	6	–	–	–
Delirium Tremens	3	13	10	7	5	1	1	2	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	17	10	13	7	6	6	8	1	4	3	–	–	–	–	–	–
Tetanus	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Insanity	5	2	3	3	2	2	4	2	1	–	1	–	–	–	–	–
Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	19	25	17	24	16	29	23	32	20	12	5	1	–	1	–	–
Pericarditis	–	2	2	1	1	2	2	1	1	–	–	–	–	–	–	–
Aneurism	5	10	17	6	6	7	3	2	3	–	–	–	–	–	–	–
Heart Disease	67	91	98	93	93	113	131	125	89	55	25	9	1	–	–	1
Laryngitis	1	5	3	7	1	3	1	–	2	2	–	–	–	–	–	–
Bronchitis	48	57	80	97	119	136	202	171	183	101	59	30	4	2	–	–
Pleurisy	4	3	11	9	9	5	7	13	9	2	1	–	–	–	–	–
Pneumonia	35	43	51	43	37	39	33	35	27	16	3	–	–	–	–	1
Asthma	12	13	14	36	42	42	52	50	33	20	8	1	–	–	–	–
Lung Disease	18	6	20	17	21	14	25	14	5	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	3	1	7	5	7	4	3	3	1	1	–	–	–	–	–	–
Enteritis	6	4	10	8	9	6	14	5	9	3	3	–	–	–	–	–
Peritonitis	14	11	12	7	6	6	4	6	6	4	–	1	–	–	–	–
Ascites	3	4	–	2	8	1	3	4	2	2	–	–	–	–	–	–
Ulceration of Intestines	7	4	10	7	5	3	4	4	3	1	2	–	–	–	–	–
Hernia	3	4	1	3	3	4	2	5	4	3	2	1	–	–	–	1
Ileus	5	5	4	11	2	4	10	6	6	5	1	–	–	–	–	–
Intussusception	1	1	1	–	–	–	2	–	2	1	–	–	–	–	–	–
Stricture of Intestines	1	–	–	1	1	1	–	1	2	1	–	–	–	–	–	–
Stomach Disease	13	12	17	10	18	22	24	17	20	10	3	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	1	5	4	1	10	5	3	3	1	–	1	–	–	–	–	–
Jaundice	2	2	–	7	3	2	8	3	6	2	2	1	–	–	–	–
Liver Disease	13	16	12	20	20	34	24	17	16	10	2	1	–	–	–	–
Spleen Disease	–	–	1	2	1	–	–	2	–	–	–	–	–	–	–	–
Nephritis	–	1	2	2	1	1	1	3	–	–	–	–	–	–	–	–
Nephria	13	16	8	10	8	3	8	1	2	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	2	–	–	–	2	2	1	–	–	–	–
Diabetes	5	1	5	1	6	2	1	1	1	–	–	–	–	–	–	–
Stone	1	–	–	–	1	1	2	1	3	1	–	–	–	–	–	–
Cystitis	–	–	–	1	–	1	–	5	2	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Kidney Disease	8	9	7	6	8	12	15	14	7	8	8	–	2	–	–	–
Paramenia	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	3	4	2	4	1	1	1	3	1	–	–	–	–	–	–
Childbirth	34	29	17	5	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	4	6	4	3	3	3	2	2	–	–	–	–	–	–
Arthritis	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	2	2	4	6	4	2	4	5	4	3	–	–	–	–	–	–
Joint Disease	5	6	2	2	1	3	4	–	–	1	1	–	–	–	–	–
Carbuncle	–	–	–	1	–	2	2	–	1	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	3	4	8	5	–	2	2	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	3	3	1	1	–	2	–	–	–	–	–	–	–	–
Burns and Scalds	3	6	8	6	3	5	5	3	4	2	3	1	2	1	–	–
Hanging, etc.	–	2	3	–	3	5	3	3	1	–	–	–	–	–	–	–
Suffocation	1	–	3	1	1	1	–	1	–	1	–	–	–	–	–	–
Drowning	15	14	8	11	7	10	5	4	2	1	–	–	–	–	–	–
Fracture and Contusion	26	33	11	16	20	18	8	13	14	9	9	2	3	–	–	2
Wounds	2	3	4	2	3	1	3	3	–	–	1	–	–	–	–	–
Other Violent Causes	2	9	3	2	–	2	1	1	1	–	–	–	–	–	–	–
Not Specified	20	24	24	22	21	23	31	–	–	–	–	–	–	–	–	5

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15781	1685	681	1444	1916	897	564	379	871	346	445	584	483
SPECIFIED CAUSES	15299	1530	633	1381	1871	882	555	371	851	334	437	576	477
I. Zymotic Class	3603	170	155	407	748	467	343	218	383	72	62	80	65
II. Diseases of Uncertain Seat	372	6	2	4	14	6	7	5	25	13	14	12	6
III. Tubercular Class	2769	55	86	216	294	135	80	58	223	114	220	289	207
IV. Brain and Nervous System	1388	113	57	71	92	37	23	15	64	31	28	29	42
V. Organs of Circulation	673	3	1	2	4	–	1	1	14	8	24	29	25
VI. Respiratory Organs	2830	239	208	437	434	167	71	43	64	23	28	52	42
VII. Organs of Digestion	1147	120	67	198	215	35	10	9	21	17	18	24	33
VIII. Urinary Organs	217	1	–	–	4	5	6	3	8	6	4	9	7
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	77	–	–	1	3	3	1	3	10	10	9	5	6
XI. Skin, etc.	10	–	–	2	1	–	–	–	–	–	–	1	–
XII. Malformation	37	31	3	2	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	838	762	43	33	–	–	–	–	–	–	–	–	–
XIV. Atrophy	130	–	–	–	47	14	8	4	10	3	2	4	–
XV. Age	605	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	31	4	–	2	–	–	–	1	–	–	2	1	–
XVII. Violent Deaths	571	26	11	6	15	12	5	11	29	37	26	41	44
I. Small Pox	476	22	37	73	76	57	47	22	48	5	6	24	24
Measles	526	10	11	85	208	92	56	22	37	1	–	2	1
Scarlatina	769	6	9	52	141	133	117	99	156	27	11	5	5
Diphtheria	88	3	3	7	22	13	8	11	12	3	–	–	1
Hooping Cough	432	16	26	106	128	74	37	24	21	–	–	–	–
Croup	232	10	10	17	69	45	38	15	23	3	–	1	–
Thrush	6	2	1	3	–	–	–	–	–	–	–	–	–
Diarrhœa	286	50	29	37	53	12	4	3	7	2	4	4	3
Dysentery	86	4	2	7	13	–	–	–	3	–	1	4	3
Cholera	11	–	3	1	1	2	1	1	–	1	1	–	–
Influenza	33	1	2	1	4	1	1	–	1	–	–	–	1
Purpura	11	1	–	–	–	–	2	1	–	–	–	1	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	–	1	1	1	–	–	–	–
Infantile Fever	14	–	–	7	3	4	–	–	–	–	–	–	–
Typhus	486	1	6	6	26	33	30	18	69	28	30	34	24
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	12	–	–	–	–	–	–	–	4	–	2	1	1
Erysipelas	82	24	3	3	3	–	–	1	1	2	6	3	1
Syphilis	42	20	13	2	–	–	–	–	–	–	1	1	1
Noma	5	–	–	–	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	17	1	–	–	1	–	–	–	–	–	3	–	–
Dropsy	169	–	1	3	4	6	7	4	21	10	8	3	1
Abscess	27	1	1	1	5	–	–	–	4	1	2	4	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	8	–	–	–	–	–	–	1	–	–	1	1	–
Mortification	21	2	–	–	2	–	–	–	–	–	–	–	1
Cancer	125	1	–	–	2	–	–	–	–	2	–	4	4
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	112	2	1	2	13	11	4	1	13	13	20	15	3
Tabes Mesenterica	223	24	14	30	45	31	13	12	30	9	8	–	2
Phthisis	1862	5	19	45	80	37	28	24	108	84	187	274	199
Hydrocephalus	572	24	52	139	156	56	35	21	72	8	5	–	3

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	488	540	529	509	522	499	593	553	472	385	229	107	35	13	4	8
SPECIFIED CAUSES .	476	531	517	494	513	490	576	553	472	385	229	107	35	13	4	6
Zymotic Class . .	46	50	48	45	47	35	49	41	31	25	11	3	1	–	–	1
Uncertain Seat . .	12	16	17	25	26	23	36	34	32	24	8	4	1	–	–	–
Tubercular Class	174	150	145	100	74	65	43	23	11	3	–	1	–	–	–	3
Brain, etc. . .	50	67	63	64	69	83	126	100	74	48	33	4	3	1	–	1
Heart, etc. . . .	32	59	75	54	59	63	66	56	55	28	9	5	–	–	–	–
Respiratory Organs .	60	71	80	110	130	110	132	119	101	66	28	12	2	1	–	–
Digestive Organs . .	26	34	40	38	43	46	40	48	38	19	6	2	–	–	–	–
Urinary Organs . .	17	12	12	14	18	14	22	20	12	11	9	1	2	–	–	–
Generative Organs .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Locomotive Organs .	3	4	5	4	3	2	2	–	2	1	–	–	–	–	–	–
Skin	–	1	–	1	–	2	1	–	–	1	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	2	3	3	8	11	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	36	81	106	151	119	74	24	10	4	–
Sudden Deaths . .	2	1	1	2	2	1	4	6	–	2	–	–	–	–	–	–
Violent Deaths . .	52	63	28	29	31	35	19	25	10	5	6	1	2	1	–	1
Small Pox . . .	12	7	7	3	5	–	–	1	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	1	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria . . .	–	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	1	5	2	6	5	2	14	13	13	10	4	2	1	–	–	–
Dysentery . . .	3	5	5	5	6	3	6	5	7	3	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	2	1	2	2	1	4	1	1	5	1	1	–	–	–	–
Purpura . . .	2	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	20	25	21	24	22	18	15	7	3	5	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Erysipelas . . .	3	2	4	7	2	4	4	2	2	4	–	–	–	–	–	1
Syphilis	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	2	2	2	–	3	1	–	–	–	2	–	–	–	–	–
Dropsy	6	6	4	4	11	7	13	16	17	11	4	2	–	–	–	–
Abscess	2	1	–	2	2	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–
Mortification . .	–	2	–	–	2	–	4	2	2	3	–	1	–	–	–	–
Cancer	4	5	10	17	11	12	14	15	13	8	1	1	1	–	–	–
Gout	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula . . .	2	3	1	1	1	2	2	2	–	–	–	–	–	–	–	–
Tabes Mesenterica .	2	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Phthisis	169	147	143	99	72	63	41	20	11	3	–	1	–	–	–	3
Hydrocephalus . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	88	1	–	11	14	5	4	3	14	5	1	6	5
Apoplexy	275	3	4	5	7	3	6	2	7	4	3	4	4
Paralysis	338	–	–	–	–	–	–	–	1	2	–	2	6
Delirium Tremens	47	–	–	–	–	–	–	–	–	–	–	4	6
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	69	–	–	–	–	–	–	1	2	5	8	4	8
Tetanus	8	2	1	–	–	–	–	–	–	2	1	–	–
Insanity	12	–	–	–	–	–	–	–	–	–	1	–	3
Convulsions	295	104	49	46	51	21	6	5	11	1	–	–	–
Brain Disease	256	3	3	9	20	8	7	4	29	12	14	9	10
V. Pericarditis	20	–	–	–	–	–	1	–	3	1	2	3	2
Aneurism	50	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	603	3	1	2	4	–	–	1	11	7	22	26	22
VI. Laryngitis	46	2	2	8	8	1	–	3	2	–	–	–	3
Bronchitis	1662	160	141	302	280	109	43	23	34	9	5	10	11
Pleurisy	73	2	–	3	6	1	1	3	2	2	1	6	6
Pneumonia	787	70	61	123	130	51	24	12	22	8	14	28	20
Asthma	151	–	1	–	–	1	–	–	–	1	–	3	–
Lung Disease	111	5	3	1	10	4	3	2	4	3	8	5	2
VII. Teething	343	1	15	145	165	16	–	1	–	–	–	–	–
Quinsey	15	4	2	2	1	3	–	–	2	–	–	–	–
Gastritis	31	1	1	1	3	–	–	–	2	–	1	3	1
Enteritis	232	62	31	27	33	8	8	3	6	3	4	6	8
Peritonitis	54	8	–	–	–	2	–	2	3	5	2	1	3
Ascites	23	–	–	–	–	–	–	–	1	2	2	–	2
Ulceration of Intestines	40	2	1	1	2	–	–	–	–	–	–	2	3
Hernia	17	1	–	–	–	–	–	–	–	–	–	–	1
Ileus	55	8	7	3	1	–	–	1	2	–	1	3	–
Intussusception	14	1	3	1	–	–	–	1	–	1	–	1	–
Stricture of Intestines	4	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	144	20	5	16	4	6	2	–	–	1	6	2	6
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	21	–	–	1	1	–	–	–	–	1	–	–	2
Jaundice	29	9	2	–	2	–	–	–	1	–	–	–	1
Liver Disease	120	2	–	1	3	–	–	1	4	4	2	5	6
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	21	–	–	–	3	–	2	1	2	1	1	3	–
Nephria	63	1	–	–	–	3	2	2	1	–	1	4	5
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	19	–	–	–	1	–	–	–	–	2	–	–	–
Stone	10	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	88	–	–	–	–	2	1	–	5	3	2	1	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	6	–	–	–	1	–	–	–	1	2	–	1	–
Rheumatism	18	–	–	–	1	–	–	–	–	–	3	–	3
Joint and Bone Disease	53	–	–	1	1	3	1	3	9	8	6	4	8
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	–	–	2	1	–	–	–	–	–	–	1	–
XII. Cyanosis	24	19	2	2	–	1	–	–	–	–	–	–	–
Spina Bifida	5	4	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	8	8	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	3	2
Privation	3	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	19	13	4	1	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	1	–
Poison	15	–	–	–	1	1	1	–	–	–	1	–	2
Burns and Scalds	73	1	–	2	10	6	3	9	9	6	4	1	1
Hanging, etc.	13	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	25	6	5	1	1	–	–	–	2	1	1	2	–
Drowning	96	–	1	1	1	2	–	–	5	3	5	8	7
Fracture and Contusion	244	1	1	1	–	2	1	2	12	24	11	19	27
Wounds	22	–	–	–	–	1	–	–	–	1	1	2	1
Other Violent Causes	38	5	–	–	–	–	–	–	1	2	3	4	4
Not Specified	482	155	48	63	45	15	9	8	20	12	8	8	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	6	2	–	2	2	2	–	–	–	–	–	–	–	–
Apoplexy	8	16	8	14	23	30	42	30	25	15	12	–	–	–	–	–
Paralysis	11	18	26	25	26	33	57	46	34	29	16	3	3	–	–	–
Delirium Tremens	3	12	8	5	5	1	1	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	3	8	5	4	3	6	–	1	1	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	1	1	1	1	1	–	2	–	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	13	15	6	12	10	14	15	21	13	3	4	1	–	1	–	–
Pericarditis	–	2	1	1	1	2	–	–	1	–	–	–	–	–	–	–
Aneurism	5	9	13	6	4	6	2	2	2	–	–	–	–	–	–	–
Heart Disease	27	48	61	47	54	55	64	54	52	28	9	5	–	–	–	–
Laryngitis	–	3	2	6	–	2	–	–	2	2	–	–	–	–	–	–
Bronchitis	19	29	32	42	67	58	75	64	69	44	21	12	2	1	–	–
Pleurisy	3	1	6	6	4	2	5	7	5	–	1	–	–	–	–	–
Pneumonia	22	29	27	25	27	26	19	25	12	10	2	–	–	–	–	–
Asthma	5	5	6	24	22	16	24	18	11	10	4	–	–	–	–	–
Lung Disease	11	4	7	7	10	6	9	5	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	4	4	1	4	1	3	1	–	–	–	–	–	–	–
Enteritis	3	2	6	2	3	2	6	2	5	1	1	–	–	–	–	–
Peritonitis	1	3	4	2	4	4	–	4	4	2	–	–	–	–	–	–
Ascites	2	3	–	2	4	–	2	2	1	–	–	–	–	–	–	–
Ulceration of Intestines	3	2	6	3	5	2	3	3	1	–	1	–	–	–	–	–
Hernia	2	–	1	–	1	1	1	2	2	3	2	–	–	–	–	–
Ileus	2	4	2	5	1	2	3	5	4	1	–	–	–	–	–	–
Intussusception	1	1	1	–	–	–	2	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Stomach Disease	5	7	7	4	5	12	10	12	7	5	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	–	2	4	1	4	2	1	1	1	–	–	–	–	–	–	–
Jaundice	–	–	–	4	1	1	3	2	2	1	–	–	–	–	–	–
Liver Disease	7	10	5	10	14	14	8	8	8	6	1	1	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Nephritis	–	–	1	1	1	1	1	3	–	–	–	–	–	–	–	–
Nephria	8	9	5	6	5	2	6	1	1	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	1	2	1	–	–	–	–
Diabetes	4	–	3	1	4	1	1	1	1	–	–	–	–	–	–	–
Stone	1	–	–	–	1	–	2	1	3	1	–	–	–	–	–	–
Cystitis	–	–	–	1	–	1	–	4	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Kidney Disease	4	3	3	5	7	7	11	10	5	8	7	–	2	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	2	2	2	–	–	–	2	1	–	–	–	–	–	–
Joint Disease	2	3	2	2	1	2	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	2	1	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	3	2	2	2	–	2	2	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	1	2	1	–	–	2	–	–	–	–	–	–	–	–
Burns and Scalds	2	4	4	1	–	4	2	1	1	–	1	–	–	1	–	–
Hanging, etc.	–	2	–	–	3	1	3	2	1	–	–	–	–	–	–	–
Suffocation	1	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Drowning	13	13	7	8	6	10	2	3	1	–	–	–	–	–	–	–
Fracture and Contusion	26	29	9	13	17	13	7	10	6	5	4	1	2	–	–	–
Wounds	2	3	1	1	3	1	1	3	–	–	1	–	–	–	–	–
Other Violent Causes	2	9	2	1	–	2	1	1	1	–	–	–	–	–	–	–
Not Specified	12	9	12	15	9	9	17	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	16317	1393	465	1281	1817	861	586	433	818	334	487	633	645
SPECIFIED CAUSES	15850	1266	423	1237	1748	845	575	423	799	319	480	618	638
I. Zymotic Class	3776	139	110	424	771	431	346	254	392	90	77	118	89
II. Diseases of Uncertain Seat	644	10	1	6	11	14	7	11	15	3	5	9	16
III. Tubercular Class	3014	47	63	187	243	131	80	52	203	145	281	319	298
IV. Brain and Nervous System	1127	80	43	54	61	45	17	19	35	17	27	17	30
V. Organs of Circulation	624	3	2	2	2	–	1	1	8	16	22	27	39
VI. Respiratory Organs	2736	187	114	345	389	161	84	55	73	18	22	41	54
VII. Organs of Digestion	1094	79	45	153	195	36	13	13	26	12	20	36	32
VIII. Urinary Organs	118	–	1	–	4	2	2	–	6	1	5	11	13
IX. Organs of Generation	218	–	–	1	–	–	–	–	–	–	4	27	48
X. Organs of Locomotion	70	–	–	2	1	2	–	3	4	6	6	2	6
XI. Skin, etc.	19	3	1	3	–	–	–	–	2	–	1	1	1
XII. Malformation	35	32	1	1	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	737	656	33	48	–	–	–	–	–	–	–	–	–
XIV. Atrophy	173	–	–	1	59	8	9	7	9	4	1	3	7
XV. Age	1168	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	32	2	1	2	1	–	1	–	2	–	–	–	–
XVII. Violent Deaths	265	28	8	8	11	14	15	8	24	7	9	7	5
I. Small Pox	432	19	24	84	78	41	42	26	55	11	4	16	10
Measles	506	10	8	80	210	93	38	35	27	1	2	1	–
Scarlatina	700	2	6	41	103	118	109	89	165	33	12	9	3
Diphtheria	89	4	–	6	22	7	17	8	13	4	–	3	1
Hooping Cough	523	21	26	122	175	74	55	28	21	1	–	–	–
Croup	249	14	5	21	78	42	42	27	20	–	–	–	–
Thrush	7	1	1	2	1	1	–	–	–	–	–	–	–
Diarrhœa	312	40	21	35	59	12	9	2	10	5	1	6	4
Dysentery	77	1	4	8	7	2	1	–	–	1	1	5	3
Cholera	11	1	–	2	3	–	–	–	2	–	–	–	–
Influenza	44	1	1	4	2	–	–	–	1	–	–	–	–
Purpura	13	–	–	2	1	–	–	2	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	2	1	1	1	–	–	–	–
Infantile Fever	10	1	1	4	–	4	–	–	–	–	–	–	–
Typhus	558	2	1	7	27	31	27	31	73	32	39	44	27
Metria	116	–	–	–	–	–	–	–	–	–	10	29	34
Rheumatic Fever	18	–	–	–	–	–	–	1	1	1	3	2	3
Erysipelas	69	14	1	3	3	2	2	3	2	–	3	3	3
Syphilis	28	7	11	3	1	–	–	–	–	–	1	–	1
Noma	9	1	–	–	1	2	3	1	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	5	–	–	–	–	–	–	–	–	–	2	3
Dropsy	247	2	–	3	2	9	4	8	11	–	2	5	4
Abscess	27	–	–	1	4	3	–	–	2	1	2	1	2
Ulcer	7	1	1	1	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	42	–	–	1	2	1	1	1	1	–	–	1	3
Cancer	303	2	–	–	2	1	1	2	1	2	1	–	4
Gout	1	–	–	–	–	–	1	–	–	–	–	–	–
III. Scrofula	86	5	1	6	8	2	3	6	8	14	13	4	5
Tabes Mesenterica	198	17	12	28	45	26	13	7	26	4	3	5	4
Phthisis	2261	8	18	38	75	46	32	19	106	112	264	310	289
Hydrocephalus	469	17	32	115	115	57	32	20	63	15	1	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	603	560	589	500	497	557	671	598	698	534	427	219	74	22	5	10
SPECIFIED CAUSES .	595	545	577	493	485	543	657	598	698	534	427	219	74	22	5	7
Zymotic Class . .	84	63	55	51	44	39	50	42	41	25	24	10	5	–	–	2
Uncertain Seat . .	21	42	51	55	69	64	61	53	47	43	17	12	–	1	–	–
Tubercular Class . .	256	191	172	102	90	75	48	14	11	6	–	–	–	–	–	–
Brain, etc. . . .	31	40	44	45	51	74	77	86	91	86	37	16	4	–	–	–
Heart, etc. . . .	40	44	42	46	41	59	70	72	38	27	16	4	1	–	–	1
Respiratory Organs .	58	56	99	99	99	129	188	164	158	77	43	19	2	1	–	1
Digestive Organs . .	46	35	40	46	51	47	61	29	40	24	10	3	–	–	–	2
Urinary Organs . .	10	15	10	6	6	9	6	5	3	2	1	–	–	–	–	–
Generative Organs .	37	34	26	14	8	4	4	4	5	2	–	–	–	–	–	–
Locomotive Organs .	4	4	3	4	2	3	6	5	3	3	1	–	–	–	–	–
Skin	–	1	–	–	1	1	1	1	1	1	–	–	–	–	–	–
Malformation . .	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	4	8	8	7	14	24	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	69	114	248	229	271	153	59	20	5	–
Sudden Deaths . .	1	2	4	–	2	4	7	2	–	1	–	–	–	–	–	–
Violent Deaths . .	3	10	23	18	7	11	9	7	12	8	7	2	3	–	–	1
Small Pox . . .	9	4	5	4	–	–	–	–	–	–	–	–	–	–	–	–
Measles . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1
Diphtheria . . .	2	1	–	1	–	–	–	–	–	–	–		–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	9	3	7	8	8	7	19	12	12	11	6	4	2	–	–	–
Dysentery . . .	3	3	1	4	5	5	4	3	6	3	6	1	–	–	–	–
Cholera	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	1	2	4	7	2	6	4	4	2	3	–	–	–
Purpura . . .	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	27	26	28	24	16	18	19	15	7	7	1	–	–	–	1
Metria	21	16	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	2	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	3	3	3	2	3	4	1	6	2	–	1	2	–	–	–	–
Syphilis	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . . .	1	1	1	–	–	2	–	–	–	1	–	–	–	–	–	–
Dropsy	8	15	11	14	27	20	26	23	19	21	8	5	–	–	–	–
Abscess	3	–	3	1	2	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	2	–	2	2	–	2	4	3	1	6	3	6	–	–	–	–
Cancer	7	25	33	38	38	40	30	27	26	15	6	1	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	4	–	–	2	2	–	1	2	–	–	–	–	–	–	–	–
Tabes Mesenterica .	2	1	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Phthisis	249	190	170	99	87	74	47	12	10	6	–	–	–	–	–	–
Hydrocephalus . .	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	74	1	4	9	13	4	2	8	5	3	7	5	3
Apoplexy	255	4	3	3	8	3	2	1	10	1	4	2	11
Paralysis	321	–	–	–	1	–	–	–	–	1	1	2	3
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	1	–	1	–
Epilepsy	50	–	–	–	–	–	1	–	–	2	5	3	5
Tetanus	5	2	–	–	–	–	1	–	–	–	–	–	–
Insanity	18	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	206	70	34	29	30	24	6	3	8	1	–	–	–
Brain Disease	189	3	2	13	9	14	5	7	11	8	10	4	7
V. Pericarditis	17	1	–	1	1	–	–	–	2	1	4	1	2
Aneurism	10	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	597	2	2	1	1	–	1	1	6	15	18	26	37
VI. Laryngitis	37	–	1	6	3	4	7	1	4	–	–	2	1
Bronchitis	1716	133	70	241	249	104	46	32	43	8	3	11	22
Pleurisy	48	1	–	–	1	1	–	–	2	–	4	3	3
Pneumonia	611	50	41	94	121	48	28	19	19	8	8	19	17
Asthma	183	–	–	–	1	–	–	–	–	–	–	–	4
Lung Disease	141	3	2	4	14	4	3	3	5	2	7	6	7
VII. Teething	314	1	17	115	161	17	3	–	–	–	–	–	–
Quinsey	22	1	1	2	3	3	1	5	1	2	–	–	1
Gastritis	35	1	–	3	2	3	–	1	2	–	1	4	1
Enteritis	183	48	21	16	21	6	3	4	8	1	4	3	4
Peritonitis	83	–	–	2	–	1	2	1	4	2	3	13	6
Ascites	20	–	–	–	–	–	–	1	1	–	2	1	2
Ulceration of Intestines	37	1	1	–	2	1	1	–	–	2	2	3	3
Hernia	22	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	44	4	1	2	1	–	–	–	1	1	1	1	2
Intussusception	3	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	147	12	4	11	3	3	3	1	5	2	3	4	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	20	–	–	–	–	–	–	–	1	–	–	–	1
Jaundice	38	9	–	–	2	–	–	–	–	–	–	2	1
Liver Disease	116	2	–	–	–	–	–	–	3	2	4	5	7
Spleen Disease	5	–	–	–	–	2	–	–	–	–	–	–	–
VIII. Nephritis	8	–	–	–	2	–	–	–	1	–	1	–	1
Nephria	38	–	–	–	–	1	1	–	1	1	1	4	3
Ischuria	4	–	–	–	–	–	–	–	–	–	–	1	1
Diabetes	10	–	–	–	–	–	–	–	–	–	–	2	1
Stone	2	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	53	–	–	–	2	1	1	–	4	–	3	4	6
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	23	–	–	–	–	–	–	–	–	–	–	–	3
Childbirth	156	–	–	–	–	–	–	–	–	–	3	26	42
Organs of Generation	33	–	–	1	–	–	–	–	–	–	–	1	3
X. Arthritis	3	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	32	–	–	1	–	1	–	–	1	2	–	–	2
Joint and Bone Disease	35	–	–	1	–	1	–	3	3	4	6	2	4
XI. Carbuncle	4	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	13	2	1	3	–	–	–	–	2	–	1	1	–
XII. Cyanosis	16	14	–	1	–	1	–	–	–	–	–	–	–
Spina Bifida	5	4	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	14	14	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	11	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	–	1	–	1	–	–
Want of Breast Milk	23	13	5	4	1	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	4	1	–	1	–	–	–	–	–	–	–	1	–
Poison	8	1	–	1	–	1	–	–	–	–	1	–	–
Burns and Scalds	88	–	–	1	8	9	14	5	14	3	1	–	2
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	19	9	2	–	–	1	–	–	1	–	3	–	–
Drowning	24	–	–	1	–	–	–	–	1	–	2	5	1
Fracture and Contusion	64	–	1	–	2	3	1	2	7	3	1	1	2
Wounds	7	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Causes	6	3	–	–	–	–	–	1	–	–	–	–	–
Not Specified	467	127	42	44	69	16	11	10	19	15	7	15	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	4	3	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	6	6	12	14	20	21	27	31	24	26	8	7	1	–	–	–
Paralysis	6	11	9	11	21	33	38	39	56	49	28	9	3	–	–	–
Delirium Tremens	–	1	2	2	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	7	5	2	2	3	2	1	3	2	–	–	–	–	–	–
Tetanus	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	1	2	2	1	2	2	2	1	–	–	–	–	–	–	–
Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	10	11	12	6	15	8	11	7	9	1	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–
Aneurism	–	1	4	–	2	1	1	–	1	–	–	–	–	–	–	–
Heart Disease	40	43	37	46	39	58	67	71	37	27	16	4	1	–	–	1
Laryngitis	1	2	1	1	1	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	29	28	48	55	52	78	127	107	114	57	38	18	2	1	–	–
Pleurisy	1	2	5	3	5	3	2	6	4	2	–	–	–	–	–	–
Pneumonia	13	14	24	18	10	13	14	10	15	6	1	–	–	–	–	1
Asthma	7	8	8	12	20	26	28	32	22	10	4	1	–	–	–	–
Lung Disease	7	2	13	10	11	8	16	9	3	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	1	3	1	6	–	2	–	–	1	–	–	–	–	–	–
Enteritis	3	2	4	6	6	4	8	3	4	2	2	–	–	–	–	–
Peritonitis	13	8	8	5	2	2	4	2	2	2	–	1	–	–	–	–
Ascites	1	1	–	–	4	1	1	2	1	2	–	–	–	–	–	–
Ulceration of Intestines	4	2	4	4	–	1	1	1	2	1	1	–	–	–	–	–
Hernia	1	4	–	3	2	3	1	3	2	–	–	1	–	–	–	1
Ileus	3	1	2	6	1	2	7	1	2	4	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stricture of Intestines	1	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–
Stomach Disease	8	5	10	6	13	10	14	5	13	5	2	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	3	–	–	6	3	2	2	–	–	1	–	–	–	–	–
Jaundice	2	2	–	3	2	1	5	1	4	1	2	1	–	–	–	–
Liver Disease	6	6	7	10	6	20	16	9	8	4	1	–	–	–	–	–
Spleen Disease	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	7	3	4	3	1	2	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Diabetes	1	1	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	6	4	1	1	5	4	4	2	–	1	–	–	–	–	–
Paramenia	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	3	4	2	4	1	1	1	3	1	–	–	–	–	–	–
Childbirth	34	29	17	5	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	4	6	4	3	3	3	2	1	–	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	1	1	2	4	2	2	4	5	2	2	–	–	–	–	–	–
Joint Disease	3	3	–	–	–	1	2	–	–	1	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	6	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	4	5	3	1	3	2	3	2	2	1	2	–	–	–
Hanging, etc.	–	–	3	–	–	4	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	2	1	1	3	1	–	3	1	1	1	–	–	–	–	–	–
Fracture and Contusion	–	4	2	3	3	5	1	3	8	4	5	1	1	–	–	1
Wounds	–	–	3	1	–	–	2	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	15	12	7	12	14	14	–	–	–	–	–	–	–	–	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	12436	1196	455	1254	1821	779	472	306	645	222	372	488	482
Specified Causes	12129	1105	424	1228	1787	770	468	302	633	214	366	482	477
I. Zymotic Class	2830	119	102	385	682	354	255	164	261	40	45	83	71
II. Diseases of Uncertain Seat	319	7	2	3	9	5	5	5	15	4	7	11	11
III. Tubercular Class	2338	48	49	162	248	115	76	50	163	87	206	238	211
IV. Brain and Nervous System	817	67	42	51	78	39	12	11	44	14	16	9	21
V. Organs of Circulation	426	3	1	2	5	–	1	1	8	7	22	22	28
VI. Respiratory Organs	2641	163	154	430	481	194	90	49	84	21	20	44	49
VII. Organs of Digestion	892	82	48	143	220	31	14	13	22	10	20	31	26
VIII. Urinary Organs	96	–	–	–	1	3	2	–	4	1	5	9	6
IX. Organs of Generation	84	–	–	–	–	–	–	–	–	–	3	12	24
X. Organs of Locomotion	49	–	–	1	1	2	–	2	3	9	6	2	5
XI. Skin, etc.	10	–	–	2	–	–	–	–	2	–	1	1	–
XII. Malformation	13	12	–	–	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	632	572	19	41	–	–	–	–	–	–	–	–	–
XIV. Atrophy	144	–	–	–	49	16	5	4	12	3	2	3	4
XV. Age	495	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	32	4	–	2	–	–	1	1	1	–	1	–	–
XVII. Violent Deaths	311	28	7	6	13	10	7	2	14	18	12	17	21
I. Small Pox	347	19	26	70	60	38	30	12	36	4	1	18	15
Measles	541	11	5	87	232	94	50	34	25	–	2	1	–
Scarlatina	344	3	5	29	57	68	59	35	70	10	3	–	3
Diphtheria	12	–	–	2	1	–	–	1	5	1	–	–	1
Hooping Cough	545	16	25	129	179	77	56	32	31	–	–	–	–
Croup	145	5	3	9	46	27	30	16	9	–	–	–	–
Thrush	6	2	1	2	1	–	–	–	–	–	–	–	–
Diarrhœa	216	32	18	33	50	12	1	3	11	–	1	5	1
Dysentery	52	–	2	3	7	–	–	–	–	–	–	3	3
Cholera	13	–	1	1	4	1	1	1	1	–	1	–	–
Influenza	24	–	2	3	3	–	–	–	1	–	–	–	1
Purpura	6	–	–	–	1	–	1	1	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	7	–	–	–	1	1	2	1	2	–	–	–	–
Infantile Fever	13	–	1	7	2	3	–	–	–	–	–	–	–
Typhus	408	2	1	6	34	30	22	26	68	24	29	35	28
Metria	51	–	–	–	–	–	–	–	–	–	4	17	15
Rheumatic Fever	8	–	–	–	–	–	–	–	1	–	2	1	1
Erysipelas	58	17	2	2	3	1	1	2	–	–	2	3	2
Syphilis	28	11	10	2	1	–	–	–	–	–	–	–	1
Noma	6	1	–	–	–	2	2	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	4	–	–	–	–	–	–	–	–	1	–	2
Dropsy	148	2	1	2	2	3	5	4	11	3	4	7	3
Abscess	20	–	1	–	3	1	–	–	3	1	2	2	1
Ulcer	2	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	22	–	–	1	2	1	–	1	1	–	–	–	3
Cancer	108	1	–	–	1	–	–	–	–	–	–	2	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	72	4	–	2	4	6	4	4	7	13	14	5	3
Tabes Mesenterica	196	22	9	26	46	30	9	10	27	4	4	4	2
Phthisis	1687	10	12	39	77	38	35	22	93	68	186	229	204
Hydrocephalus	383	12	28	95	121	41	28	14	36	2	2	–	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	434	430	444	410	358	336	417	338	307	222	137	72	22	11	–	6
Specified Causes	430	417	431	400	350	328	405	338	307	222	137	72	22	11	–	3
Zymotic Class	40	41	31	25	27	28	22	27	14	7	6	1	–	–	–	–
Uncertain Seat	10	25	27	27	39	27	23	17	17	16	3	2	1	1	–	–
Tubercular Class	185	137	127	87	60	42	25	12	6	3	–	–	–	–	–	1
Brain, etc.	22	33	39	41	39	37	67	49	43	26	13	1	2	–	–	1
Heart, etc.	32	31	35	50	31	31	42	34	16	17	6	1	–	–	–	–
Respiratory Organs	69	63	91	97	93	95	131	95	69	33	18	7	–	–	–	1
Digestive Organs	15	23	36	31	29	27	27	16	15	8	4	1	–	–	–	–
Urinary Organs	7	6	6	8	5	8	11	6	7	–	–	1	–	–	–	–
Generative Organs	13	10	13	4	1	–	1	–	1	2	–	–	–	–	–	–
Locomotive Organs	2	3	2	2	1	1	2	1	1	3	–	–	–	–	–	–
Skin	–	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	6	4	9	9	16	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	41	64	114	104	86	58	18	10	–	–
Sudden Deaths	2	1	3	1	2	–	8	4	–	1	–	–	–	–	–	–
Violent Deaths	31	36	17	18	14	15	5	13	4	1	1	–	1	–	–	–
Small Pox	6	5	5	–	1	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	2	3	6	5	5	5	9	6	3	1	–	–	–	–	–
Dysentery	2	4	1	4	5	4	4	4	3	1	2	–	–	–	–	–
Cholera	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	1	1	2	4	2	–	1	1	1	–	–	–	–
Purpura	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	20	12	10	12	11	7	8	4	1	2	–	–	–	–	–
Metria	7	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	4	3	4	1	3	2	3	1	1	–	–	–	–	–	–
Syphilis	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	2	–	–	3	–	–	–	–	–	–	–	–	–	–
Dropsy	6	9	7	9	22	11	10	7	9	7	2	2	–	–	–	–
Abscess	2	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Mortification	–	2	1	2	1	1	3	–	1	1	1	–	–	–	–	–
Cancer	1	12	15	15	15	11	8	10	6	7	–	–	1	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	179	136	125	87	59	42	25	11	6	3	–	–	–	–	–	1
Hydrocephalus	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	50	1	–	6	6	3	2	6	9	3	4	–	2
Apoplexy	167	3	4	4	10	1	3	–	6	3	1	3	8
Paralysis	172	–	–	–	1	–	–	–	1	–	–	1	2
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	2	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	30	–	–	–	–	–	–	–	–	4	3	–	2
Tetanus	8	2	1	–	–	–	–	–	–	1	1	–	–
Insanity	7	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	212	56	34	35	47	23	3	2	10	–	–	–	–
Brain Disease	157	5	3	6	14	12	4	3	18	3	7	3	5
V. Pericarditis	12	–	–	1	1	–	–	–	3	–	4	1	–
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	401	3	1	1	4	–	1	1	5	7	18	21	28
VI. Laryngitis	33	1	1	5	7	2	4	1	3	–	–	1	1
Bronchitis	1611	111	94	295	306	122	54	33	46	8	3	15	17
Pleurisy	31	–	–	–	2	–	–	1	1	2	1	1	2
Pneumonia	707	48	58	129	152	63	30	12	27	8	7	20	23
Asthma	136	–	–	–	–	1	–	–	–	–	–	2	1
Lung Disease	123	3	1	1	14	6	2	2	7	3	9	5	5
VII. Teething	300	–	9	104	168	17	2	–	–	–	–	–	–
Quinsey	9	–	–	1	1	1	1	2	2	1	–	–	–
Gastritis	31	1	1	3	4	2	–	–	2	–	1	3	–
Enteritis	205	51	27	21	36	4	7	5	8	3	5	3	8
Peritonitis	48	3	–	–	–	–	–	3	1	4	2	7	3
Ascites	12	–	–	–	–	–	–	–	2	1	1	1	1
Ulceration of Intestines	18	1	–	–	2	–	–	–	–	–	1	1	2
Hernia	9	1	–	–	–	–	–	–	–	–	–	–	1
Ileus	43	6	5	3	2	–	–	1	2	–	1	2	1
Intussusception	9	1	1	–	–	–	–	–	–	–	–	1	–
Stricture of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	98	11	4	10	2	6	4	1	2	1	6	6	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	14	–	–	1	1	–	–	–	–	–	–	–	2
Jaundice	23	4	1	–	3	–	–	–	–	–	–	1	1
Liver Disease	71	2	–	–	1	–	–	1	3	–	3	6	5
Spleen Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
VIII. Nephritis	8	–	–	–	–	–	–	–	–	–	1	1	–
Nephria	27	–	–	–	–	1	–	–	1	–	1	3	3
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	13	–	–	–	1	–	–	–	–	1	–	2	–
Stone	3	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	–	1	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	36	–	–	–	–	2	1	–	3	–	3	2	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	69	–	–	–	–	–	–	–	–	–	2	12	22
Organs of Generation	9	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	5	–	–	–	1	–	–	–	1	2	–	–	–
Rheumatism	21	–	–	1	–	–	–	–	1	2	2	–	3
Joint and Bone Disease	23	–	1	–	–	2	–	2	1	5	4	2	2
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	8	–	–	2	–	–	–	–	2	–	1	1	–
XII. Cyanosis	5	4	–	–	–	1	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	6	6	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	16	–	–	–	–	–	–	–	–	–	–	3	2
Privation	3	–	–	–	1	–	–	–	1	–	1	–	–
Want of Breast Milk	23	15	4	2	2	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	10	1	–	–	1	1	1	–	–	–	–	–	1
Burns and Scalds	46	–	–	2	9	6	5	2	4	3	1	–	1
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	18	5	2	–	–	1	–	–	2	1	3	1	–
Drowning	53	–	–	2	–	1	–	–	2	–	2	5	3
Fracture and Contusion	102	–	1	–	–	1	1	–	4	11	5	5	13
Wounds	11	–	–	–	–	–	–	–	–	2	–	1	–
Other Violent Causes	21	6	–	–	–	–	–	–	1	1	–	2	1
Not Specified	307	91	31	26	34	9	4	4	12	8	6	6	5

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	4	1	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	8	8	10	14	18	22	19	10	3	5	1	–	–	–	–
Paralysis	6	8	14	13	14	14	27	16	26	21	6	–	2	–	–	–
Delirium Tremens	–	6	2	1	–	–	–	2	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	3	3	3	1	2	3	–	1	–	–	–	–	–	–	–
Tetanus	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	1	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	4	7	7	11	9	2	12	12	6	2	2	–	–	–	–	–
Pericarditis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	2	4	–	3	1	1	–	1	–	–	–	–	–	–	–
Heart Disease	31	29	30	49	28	30	41	34	15	17	6	1	–	–	–	–
Laryngitis	–	1	–	2	1	1	1	–	1	–	–	–	–	–	–	–
Bronchitis	30	29	44	58	52	57	85	61	48	23	13	7	–	–	–	–
Pleurisy	1	–	5	1	4	1	2	2	3	2	–	–	–	–	–	–
Pneumonia	18	20	24	16	12	10	9	8	8	2	2	–	–	–	–	1
Asthma	10	8	7	14	16	19	21	21	8	5	3	–	–	–	–	–
Lung Disease	10	5	11	6	8	7	13	3	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	3	1	4	1	2	–	1	–	–	–	–	–	–	–
Enteritis	1	1	5	3	4	3	3	1	2	2	2	–	–	–	–	–
Peritonitis	3	5	4	4	3	2	–	1	2	1	–	–	–	–	–	–
Ascites	1	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	4	1	1	–	1	2	1	–	–	–	–	–	–	–
Hernia	–	1	–	1	–	2	–	2	–	1	–	–	–	–	–	–
Ileus	–	2	1	6	2	–	5	1	1	2	–	–	–	–	–	–
Intussusception	1	1	1	–	–	–	–	–	2	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	5	8	4	4	9	3	4	–	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	3	1	1	–	2	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	3	2	–	2	1	2	–	1	1	–	–	–	–
Liver Disease	1	4	7	6	6	9	9	4	4	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	2	1	1	1	–	–	–	–	–	–	–	–	–
Nephria	4	2	1	3	1	1	5	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Diabetes	2	1	2	–	1	2	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	2	3	2	3	4	2	3	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–
Childbirth	12	10	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	3	1	–	1	–	–	1	–	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	1	2	1	–	2	1	1	2	–	–	–	–	–	–
Joint Disease	1	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	3	1	3	–	1	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	4	1	2	–	2	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	1	2	–	1	2	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Drowning	12	10	4	5	3	1	2	1	–	–	–	–	–	–	–	–
Fracture and Contusion	12	16	1	6	6	10	–	6	3	–	–	–	1	–	–	–
Wounds	1	–	3	1	2	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	1	5	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Not Specified	4	13	13	10	8	8	12	–	–	–	–	–	–	–	–	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
		AGE UNDER											
	ALL AGES.	MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	6110	675	276	651	922	388	226	134	334	112	161	225	206
SPECIFIED CAUSES . . .	5942	625	258	635	909	382	225	132	328	106	156	223	203
I. Zymotic Class . . .	1389	68	57	195	331	175	129	71	137	12	18	36	32
II. Diseases of Uncertain Seat	128	1	2	2	4	1	3	2	8	3	5	6	2
III. Tubercular Class . .	1092	21	30	83	135	54	36	23	85	38	82	109	88
IV. Brain and Nervous System	461	40	24	30	43	16	8	5	31	9	5	5	13
V. Organs of Circulation .	201	2	–	–	3	–	–	1	4	3	12	10	11
VI. Respiratory Organs . .	1318	89	100	235	251	104	41	19	40	10	9	27	21
VII. Organs of Digestion .	448	44	31	75	112	15	6	7	9	8	8	10	14
VIII. Urinary Organs . .	64	–	–	–	1	2	1	–	3	1	3	4	2
IX. Organs of Generation .	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	25	–	–	–	–	1	–	1	1	6	4	2	3
XI. Skin, etc.	3	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	8	8	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	359	336	11	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	58	–	–	–	20	11	–	1	4	2	1	1	–
XV. Age	166	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	14	2	–	–	–	–	–	1	–	–	1	–	–
XVII. Violent Deaths . .	207	14	3	2	9	3	1	1	6	14	8	13	17
I. Small Pox	184	11	15	32	28	20	15	6	19	2	1	12	12
Measles	278	6	2	48	112	46	30	13	21	–	–	–	–
Scarlatina	183	2	4	16	32	35	34	18	36	3	1	–	2
Diphtheria	5	–	–	1	–	–	–	–	2	–	–	–	1
Hooping Cough . .	251	6	9	63	84	38	19	15	17	–	–	–	–
Croup	70	3	–	5	22	14	13	8	5	–	–	–	–
Thrush	2	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	113	18	12	19	27	5	1	1	5	–	1	1	–
Dysentery	28	–	2	1	4	–	–	–	–	–	–	2	2
Cholera	6	–	1	–	1	1	1	1	–	–	1	–	–
Influenza	13	–	2	–	2	–	–	–	–	–	–	–	1
Purpura	3	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	–	1	1	1	–	–	–	–
Infantile Fever . .	7	–	–	4	2	1	–	–	–	–	–	–	–
Typhus	186	–	1	3	14	15	13	8	30	7	12	18	13
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	3	–	–	–	–	–	–	–	1	–	1	1	–
Erysipelas	30	11	2	–	2	–	–	–	–	–	1	2	1
Syphilis	22	10	7	2	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	6	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	62	–	1	2	2	1	3	2	5	3	3	2	1
Abscess	10	–	1	–	1	–	–	–	3	–	1	2	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	9	–	–	–	1	–	–	–	–	–	–	–	1
Cancer	38	1	–	–	–	–	–	–	–	–	–	2	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	36	–	–	–	2	5	3	–	4	7	7	5	1
Tabes Mesenterica . .	95	11	5	14	19	15	5	6	12	3	4	–	–
Phthisis	751	3	5	21	43	15	13	12	49	27	70	104	85
Hydrocephalus . .	210	7	20	48	71	19	15	5	20	1	1	–	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	192	221	201	215	183	158	178	161	126	87	42	24	7	3	–	2
SPECIFIED CAUSES .	189	214	193	206	179	156	171	161	126	87	42	24	7	3	–	2
Zymotic Class . .	13	19	17	13	16	14	9	14	7	5	–	1	–	–	–	–
Uncertain Seat . .	4	10	7	9	12	10	12	9	7	7	1	–	1	–	–	–
Tubercular Class . .	73	62	56	50	29	19	8	7	2	1	–	–	–	–	–	1
Brain, etc. . . .	14	22	24	21	23	22	42	25	23	10	5	–	–	–	–	1
Heart, etc. . . .	13	15	21	25	16	14	16	16	9	9	1	–	–	–	–	–
Respiratory Organs .	29	32	37	51	50	41	51	39	23	11	5	3	–	–	–	–
Digestive Organs . .	6	13	18	15	15	15	7	8	8	2	2	–	–	–	–	–
Urinary Organs . .	5	4	4	4	4	5	8	6	6	–	–	1	–	–	–	–
Generative Organs .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Locomotive Organs .	1	2	1	–	1	–	–	–	1	1	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	1	2	1	5	3	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	23	38	38	28	19	5	3	–	–
Sudden Deaths . .	1	1	–	1	–	–	3	3	–	1	–	–	–	–	–	–
Violent Deaths . .	29	31	7	12	10	10	3	11	2	–	–	–	1	–	–	–
Small Pox . . .	3	3	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	2	2	3	2	1	–	6	4	3	–	–	–	–	–	–
Dysentery . .	1	2	1	1	3	2	3	2	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	1	1	1	1	2	1	–	–	–	1	–	–	–	–
Purpura . . .	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	10	5	6	7	8	3	4	1	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	1	2	3	2	1	–	1	–	–	1	–	–	–	–	–	–
Syphilis	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	2	2	2	3	7	5	5	3	4	3	1	–	–	–	–	–
Abscess . . .	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Mortification . .	–	2	–	–	1	–	2	–	1	1	–	–	–	–	–	–
Cancer	1	4	3	5	4	3	4	6	2	2	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	71	61	55	50	29	19	8	7	2	1	–	–	–	–	–	1
Hydrocephalus . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	24	–	–	2	3	1	1	3	7	1	1	–	1
Apoplexy	89	1	3	2	4	–	2	–	3	3	–	2	4
Paralysis	91	–	–	–	–	–	–	–	1	–	–	–	2
Delirium Tremens	12	–	–	–	–	–	–	–	–	–	–	2	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	–	–	–	–	–	–	–	–	3	1	–	1
Tetanus	6	1	1	–	–	–	–	–	–	1	1	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	127	35	19	24	27	10	2	1	8	–	–	–	–
Brain Disease	89	3	1	2	9	5	3	1	12	1	2	1	3
V. Pericarditis	4	–	–	–	–	–	–	–	2	–	1	–	–
Aneurism	10	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	187	2	–	–	3	–	–	1	2	3	11	10	11
VI. Laryngitis	17	1	1	3	6	–	–	1	–	–	–	–	1
Bronchitis	783	60	61	161	159	68	26	12	19	3	2	7	5
Pleurisy	20	–	–	–	2	–	–	1	1	2	1	1	2
Pneumonia	393	27	37	71	81	31	15	4	17	3	2	15	11
Asthma	57	–	–	–	–	1	–	–	–	–	–	2	–
Lung Disease	48	1	1	–	3	4	–	1	3	2	4	2	2
VII. Teething	142	–	3	53	78	8	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	–	–	–	1	–	–	–	–
Gastritis	13	1	1	–	3	–	–	–	1	–	–	2	–
Enteritis	116	24	19	14	23	3	5	3	3	3	2	1	4
Peritonitis	23	3	–	–	–	–	–	2	–	4	1	–	2
Ascites	7	–	–	–	–	–	–	–	1	1	–	–	1
Ulceration of Intestines	9	1	–	–	–	–	–	–	–	–	–	–	1
Hernia	4	1	–	–	–	–	–	–	–	–	–	–	1
Ileus	27	4	4	1	1	–	–	1	2	–	1	2	–
Intussusception	7	1	1	–	–	–	–	–	–	–	–	1	–
Stricture of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	49	6	2	6	2	4	1	–	–	–	3	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	–	–	1	1	–	–	–	–	–	–	–	2
Jaundice	8	2	1	–	2	–	–	–	–	–	–	–	–
Liver Disease	31	–	–	–	1	–	–	1	1	–	1	2	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	7	–	–	–	–	–	–	–	–	–	1	1	–
Nephria	18	–	–	–	–	1	–	–	1	–	–	2	2
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	7	–	–	–	1	–	–	–	–	1	–	–	–
Stone	3	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	22	–	–	–	–	1	–	–	2	–	2	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X Arthritis	4	–	–	–	–	–	–	–	1	2	–	–	–
Rheumatism	10	–	–	–	–	–	–	–	–	–	2	–	3
Joint and Bone Disease	11	–	–	–	–	1	–	1	–	4	2	2	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	4	4	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	13	–	–	–	–	–	–	–	–	–	–	3	2
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	10	7	2	–	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	–	–	–	1	–	1	–	–	–	–	–	1
Burns and Scalds	17	–	–	1	6	2	–	1	1	2	1	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	3	1	–	–	–	–	–	1	1	1	1	–
Drowning	41	–	–	1	–	1	–	–	1	–	2	2	2
Fracture and Contusion	80	–	–	–	–	–	–	–	2	9	4	4	11
Wounds	6	–	–	–	–	–	–	–	–	1	–	1	–
Other Violent Causes	18	4	–	–	–	–	–	–	1	1	–	2	1
Not Specified	168	50	18	16	13	6	1	2	6	6	5	2	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	6	4	4	8	12	13	7	7	–	1	–	–	–	–	–
Paralysis	3	4	10	8	8	9	15	9	11	9	2	–	–	–	–	–
Delirium Tremens	–	5	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	1	3	2	1	–	3	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	2	6	3	5	5	1	8	8	5	1	2	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	2	4	–	2	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	12	13	17	24	14	14	16	16	8	9	1	–	–	–	–	–
Laryngitis	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	11	13	15	25	31	23	32	25	12	7	3	3	–	–	–	–
Pleurisy	–	–	3	–	1	–	2	1	3	–	–	–	–	–	–	–
Pneumonia	10	12	13	12	10	7	4	5	4	1	1	–	–	–	–	–
Asthma	4	4	1	9	5	8	9	7	3	3	1	–	–	–	–	–
Lung Disease	4	3	5	3	3	2	4	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Enteritis	1	–	4	1	2	2	1	–	–	–	1	–	–	–	–	–
Peritonitis	1	1	2	2	2	1	–	–	2	–	–	–	–	–	–	–
Ascites	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	1	1	1	–	–	2	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ileus	–	2	–	3	1	–	3	–	1	1	–	–	–	–	–	–
Intussusception	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	3	3	1	2	6	2	3	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	4	3	2	5	5	1	1	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–
Nephria	2	2	1	1	1	–	4	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diabetes	2	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	1	2	2	3	2	2	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	2	–	2	–	1	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Drowning	11	9	3	4	2	1	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	12	14	1	5	5	7	–	4	1	–	–	–	1	–	–	–
Wounds	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	1	5	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Not Specified	3	7	8	9	4	2	7	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	6326	521	179	603	899	391	246	172	311	110	211	263	276
SPECIFIED CAUSES	6187	480	166	593	878	388	243	170	305	108	210	259	274
I. Zymotic Class	1441	51	45	190	351	179	126	93	124	28	27	47	39
II. Diseases of Uncertain Seat	191	6	–	1	5	4	2	3	7	1	2	5	9
III. Tubercular Class	1246	27	19	79	113	61	40	27	78	49	124	129	123
IV. Brain and Nervous System	356	27	18	21	35	23	4	6	13	5	11	4	8
V. Organs of Circulation	225	1	1	2	2	–	1	–	4	4	10	12	17
VI. Respiratory Organs	1323	74	54	195	230	90	49	30	44	11	11	17	28
VII. Organs of Digestion	444	38	17	68	108	16	8	6	13	2	12	21	12
VIII. Urinary Organs	32	–	–	–	–	1	1	–	1	–	2	5	4
IX. Organs of Generation	83	–	–	–	–	–	–	–	–	–	3	12	24
X. Organs of Locomotion	24	–	–	1	1	1	–	1	2	3	2	–	2
XI. Skin, etc.	7	–	–	1	–	–	–	–	2	–	1	1	–
XII. Malformation	5	4	–	–	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	273	236	8	29	–	–	–	–	–	–	–	–	–
XIV. Atrophy	86	–	–	–	29	5	5	3	8	1	1	2	4
XV. Age	329	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	18	2	–	2	–	–	1	–	1	–	–	–	–
XVII. Violent Deaths	104	14	4	4	4	7	6	1	8	4	4	4	4
I. Small Pox	163	8	11	38	32	18	15	6	17	2	–	6	3
Measles	263	5	3	39	120	48	20	21	4	–	2	1	–
Scarlatina	161	1	1	13	25	33	25	17	34	7	2	–	1
Diphtheria	7	–	–	1	1	–	–	1	3	1	–	–	–
Hooping Cough	294	10	16	66	95	39	37	17	14	–	–	–	–
Croup	75	2	3	4	24	13	17	8	4	–	–	–	–
Thrush	4	1	1	1	1	–	–	–	–	–	–	–	–
Diarrhœa	103	14	6	14	23	7	–	2	6	–	–	4	1
Dysentery	24	–	–	2	3	–	–	–	–	–	–	1	1
Cholera	7	–	–	1	3	–	–	–	1	–	–	–	–
Influenza	11	–	–	3	1	–	–	–	1	–	–	–	–
Purpura	3	–	–	–	1	–	–	1	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	1	1	–	1	–	–	–	–
Infantile Fever	6	–	1	3	–	2	–	–	–	–	–	–	–
Typhus	222	2	–	3	20	15	9	18	38	17	17	17	15
Metria	51	–	–	–	–	–	–	–	–	–	4	17	15
Rheumatic Fever	5	–	–	–	–	–	–	–	–	–	1	–	1
Erysipelas	28	6	–	2	1	1	1	2	–	–	1	1	1
Syphilis	6	1	3	–	1	–	–	–	–	–	–	–	1
Noma	5	1	–	–	–	2	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	4	–	–	–	–	–	–	–	–	–	–	2
Dropsy	86	2	–	–	–	2	2	2	6	–	1	5	2
Abscess	10	–	–	–	2	1	–	–	–	1	1	–	1
Ulcer	2	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	13	–	–	1	1	1	–	1	1	–	–	–	2
Cancer	70	–	–	–	1	–	–	–	–	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	36	4	–	2	2	1	1	4	3	6	7	–	2
Tabes Mesenterica	101	11	4	12	27	15	4	4	15	1	–	4	2
Phthisis	936	7	7	18	34	23	22	10	44	41	116	125	119
Hydrocephalus	173	5	8	47	50	22	13	9	16	1	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	242	209	243	195	175	178	239	177	181	135	95	48	15	8	–	4
SPECIFIED CAUSES	241	203	238	194	171	172	234	177	181	135	95	48	15	8	–	1
Zymotic Class	27	22	14	12	11	14	13	13	7	2	6	–	–	–	–	–
Uncertain Seat	6	15	20	18	27	17	11	8	10	9	2	2	–	1	–	–
Tubercular Class	112	75	71	37	31	23	17	5	4	2	–	–	–	–	–	–
Brain, etc.	8	11	15	20	16	15	25	24	20	16	8	1	2	–	–	–
Heart, etc.	19	16	14	25	15	17	26	18	7	8	5	1	–	–	–	–
Respiratory Organs	40	31	54	46	43	54	80	56	46	22	13	4	–	–	–	1
Digestive Organs	9	10	18	16	14	12	20	8	7	6	2	1	–	–	–	–
Urinary Organs	2	2	2	4	1	3	3	–	1	–	–	–	–	–	–	–
Generative Organs	13	10	13	4	1	–	1	–	1	1	–	–	–	–	–	–
Locomotive Organs	1	1	1	2	–	1	2	1	–	2	–	–	–	–	–	–
Skin	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	4	3	4	6	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	29	41	76	66	58	39	13	7	–	–
Sudden Deaths	1	–	3	–	2	–	5	1	–	–	–	–	–	–	–	–
Violent Deaths	2	5	10	6	4	5	2	2	2	1	1	–	–	–	–	–
Small Pox	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	–	1	3	3	4	5	3	2	–	1	–	–	–	–	–
Dysentery	1	2	–	3	2	2	1	2	1	1	2	–	–	–	–	–
Cholera	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	2	1	–	1	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	10	7	4	5	3	4	4	3	–	2	–	–	–	–	–
Metria	7	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	2	–	2	–	3	1	3	1	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Dropsy	4	7	5	6	15	6	5	4	5	4	1	2	–	–	–	–
Abscess	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	2	–	1	1	–	–	–	1	–	–	–	–	–
Cancer	–	8	12	10	11	8	4	4	4	5	–	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	108	75	70	37	30	23	17	4	4	2	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	26	1	–	4	3	2	1	3	2	2	3	–	1
Apoplexy	78	2	1	2	6	1	1	–	3	–	1	1	4
Paralysis	81	–	–	–	1	–	–	–	–	–	–	1	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	–	–	–	–	–	–	–	–	1	2	–	1
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	85	21	15	11	20	13	1	1	2	–	–	–	–
Brain Disease	68	2	2	4	5	7	1	2	6	2	5	2	2
V. Pericarditis	8	–	–	1	1	–	–	–	1	–	3	1	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	214	1	1	1	1	–	1	–	3	4	7	11	17
VI. Laryngitis	16	–	–	2	1	2	4	–	3	–	–	1	–
Bronchitis	828	51	33	134	147	54	28	21	27	5	1	8	12
Pleurisy	11	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	314	21	21	58	71	32	15	8	10	5	5	5	12
Asthma	79	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	75	2	–	1	11	2	2	1	4	1	5	3	3
VII. Teething	158	–	6	51	90	9	2	–	–	–	–	–	–
Quinsey	7	–	–	1	–	1	1	2	1	1	–	–	–
Gastritis	18	–	–	3	1	2	–	–	1	–	1	1	–
Enteritis	89	27	8	7	13	1	2	2	5	–	3	2	4
Peritonitis	25	–	–	–	–	–	–	1	1	–	1	7	1
Ascites	5	–	–	–	–	–	–	–	1	–	1	1	–
Ulceration of Intestines	9	–	–	–	2	–	–	–	–	–	1	1	1
Hernia	5	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	16	2	1	2	1	–	–	–	–	–	–	–	1
Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	49	5	2	4	–	2	3	1	2	1	3	4	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	15	2	–	–	1	–	–	–	–	–	–	1	1
Liver Disease	40	2	–	–	–	–	–	–	2	–	2	4	3
Spleen Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	9	–	–	–	–	–	–	–	–	–	1	1	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	–	–	–	–	–	–	–	2	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	–	–	–	–	1	1	–	1	–	1	2	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	69	–	–	–	–	–	–	–	–	–	2	12	22
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	11	–	–	1	–	–	–	–	1	2	–	–	–
Joint and Bone Disease	12	–	–	–	–	1	–	1	1	1	2	–	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	–	–	1	–	–	–	–	2	–	–	1	–
XII. Cyanosis	3	2	–	–	–	1	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	–	1	–	1	–	–
Want of Breast Milk	13	8	2	2	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	3	1	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	29	–	–	1	3	4	5	1	3	1	–	–	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	2	1	–	–	1	–	–	1	–	2	–	–
Drowning	12	–	–	1	–	–	–	–	1	–	–	3	1
Fracture and Contusion	22	–	1	–	–	1	1	–	2	2	1	1	2
Wounds	5	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Causes	3	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	139	41	13	10	21	3	3	2	6	2	1	4	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1860.—FEMALES. *(Continued.)*

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	4	6	6	6	9	12	3	3	4	1	–	–	–	–
Paralysis	3	4	4	5	6	5	12	7	15	12	4	–	2	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	2	–	1	–	2	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	4	6	4	1	4	4	1	1	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	19	16	13	25	14	16	25	18	7	8	5	1	–	–	–	–
Laryngitis	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	19	16	29	33	21	34	53	36	36	16	10	4	–	–	–	–
Pleurisy	1	–	2	1	3	1	–	1	–	2	–	–	–	–	–	–
Pneumonia	8	8	11	4	2	3	5	3	4	1	1	–	–	–	–	1
Asthma	6	4	6	5	11	11	12	14	5	2	2	–	–	–	–	–
Lung Disease	6	2	6	3	5	5	9	2	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	2	–	3	–	2	–	–	–	–	–	–	–	–	–
Enteritis	–	1	1	2	2	1	2	1	2	2	1	–	–	–	–	–
Peritonitis	2	4	2	2	1	1	–	1	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	1	3	1	–	2	1	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	2	5	3	2	3	1	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	1	2	–	2	–	2	–	1	1	–	–	–	–
Liver Disease	1	–	4	4	1	4	8	3	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	1	–	–	2	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–
Childbirth	12	10	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	3	1	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	2	–	–	2	1	–	1	–	–	–	–	–	–
Joint Disease	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	2	1	2	–	1	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	1	1	3	–	2	2	–	–	–	–	–	–	–
Wounds	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	6	5	1	4	6	5	–	–	–	–	–	–	–	–	3

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
		Months 3	Months 6	Months 12	2	3	4	5	10	15	20	25	30
All Causes	1367	136	64	126	165	76	42	27	77	30	34	43	58
Specified Causes	1250	119	52	106	147	66	39	26	68	27	30	41	57
I. Zymotic Class	287	16	18	31	72	32	25	9	31	8	4	1	2
II. Diseases of Uncertain Seat	42	1	–	–	–	2	–	–	–	–	–	–	–
III. Tubercular Class	218	5	4	20	17	11	6	5	21	8	17	23	25
IV. Brain and Nervous System	106	3	3	4	5	2	3	2	2	2	1	3	7
V. Organs of Circulation	42	–	–	–	1	–	–	–	–	1	2	2	3
VI. Respiratory Organs	240	20	13	28	34	14	4	7	8	2	1	8	9
VII. Organs of Digestion	75	5	4	14	7	4	1	2	–	2	2	2	3
VIII. Urinary Organs	10	–	–	–	1	–	–	–	–	–	1	–	–
IX. Organs of Generation	12	–	–	1	–	–	–	–	–	–	1	–	3
X. Organs of Locomotion	4	–	–	–	–	1	–	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	6	4	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	77	64	7	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	–	–	9	–	–	1	–	–	–	–	1
XV. Age	71	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	42	–	2	1	1	–	–	–	6	4	1	2	4
I. Small Pox	49	4	7	9	10	3	2	1	6	1	1	1	–
Measles	42	1	1	–	20	11	5	–	4	–	–	–	–
Scarlatina	33	–	–	4	9	7	6	2	5	–	–	–	–
Diphtheria	3	–	–	–	1	–	1	1	–	–	–	–	–
Hooping Cough	24	2	2	3	7	6	2	2	–	–	–	–	–
Croup	22	1	1	4	8	1	2	2	2	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	48	5	5	6	12	1	1	–	2	2	1	–	1
Dysentery	9	1	–	2	2	–	–	–	–	–	–	–	–
Cholera	2	–	–	1	–	–	–	–	1	–	–	–	–
Influenza	3	–	–	–	1	–	–	–	1	–	–	–	–
Purpura	3	1	–	1	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	1	1	2	5	1	8	4	2	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	2	–	–	–	–
Erysipelas	2	–	1	–	1	–	–	–	–	–	–	–	–
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	22	–	–	–	–	2	–	–	–	–	–	–	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	1	–	1	–	1	–	1	3	–	1	1	1
Tabes Mesenterica	19	–	–	3	5	4	2	–	4	1	–	–	–
Phthisis	145	–	2	2	3	2	2	3	10	7	15	22	24
Hydrocephalus	41	4	2	14	9	4	2	1	4	–	1	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	54	50	48	36	40	38	45	50	51	32	29	12	3	1	–	–
Specified Causes	53	48	45	33	36	36	43	50	51	32	29	12	3	1	–	–
Zymotic Class	5	4	4	2	4	–	5	4	4	1	4	1	–	–	–	–
Uncertain Seat	4	2	4	5	3	1	2	7	8	2	1	–	–	–	–	–
Tubercular Class	19	11	8	3	4	4	4	1	1	1	–	–	–	–	–	–
Brain, etc.	6	9	6	5	2	10	10	10	5	5	1	–	–	–	–	–
Heart, etc.	2	5	5	2	4	3	1	3	7	1	–	–	–	–	–	–
Respiratory Organs	7	8	7	7	10	12	13	11	10	4	2	1	–	–	–	–
Digestive Organs	5	–	3	3	5	3	5	2	1	2	–	–	–	–	–	–
Urinary Organs	–	1	3	1	–	1	–	1	1	–	–	–	–	–	–	–
Generative Organs	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	11	14	13	20	10	3	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	2	1	4	3	1	3	–	–	3	1	–	–	1	–	–
Small Pox	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	2	–	3	2	3	1	–	1	–	–	–	–
Dysentery	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	3	–	1	–	2	2	1	–	2	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	2	1	1	1	1	6	4	1	1	–	–	–	–	–
Abscess	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	–	1	4	1	–	1	1	4	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	11	8	3	4	4	3	1	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Apoplexy	20	–	–	1	1	1	1	1	–	–	1	1	1
Paralysis	37	–	–	–	–	–	–	–	–	–	–	–	2
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	1	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	14	3	3	2	2	1	1	–	2	–	–	–	–
Brain Disease	21	–	–	1	2	–	–	1	–	1	–	2	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	39	–	–	–	1	–	–	–	–	–	2	2	3
VI. Laryngitis	5	–	–	–	1	–	1	–	1	–	–	–	1
Bronchitis	130	11	7	18	18	7	2	1	2	2	–	–	6
Pleurisy	7	1	–	2	1	–	–	–	–	–	–	1	–
Pneumonia	72	7	4	8	14	7	1	4	4	–	1	7	1
Asthma	14	–	1	–	–	–	–	–	–	–	–	–	–
Lung Disease	12	1	1	–	–	–	–	2	1	–	–	–	1
VII. Teething	19	–	1	13	4	1	–	–	–	–	–	–	–
Quinsey	3	–	–	–	–	2	–	1	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	16	1	3	–	1	1	1	–	–	–	1	1	–
Peritonitis	10	1	–	–	–	–	–	–	–	–	–	1	2
Ascites	1	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	2	–	–	–	–	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	1	–	1	–	–	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	1	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	1	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	1	–	3
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	1	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	2	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	2	1	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	1	–	–	–	4	3	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	–	–	–	–	–	–	–	1	–
Drowning	10	–	1	–	–	–	–	–	–	–	–	1	2
Fracture and Contusion	15	–	–	–	–	–	–	–	2	1	1	–	2
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	117	17	12	20	18	10	3	1	9	3	4	2	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	1	–	–	2	2	1	3	–	–	–	–	–	–
Paralysis	3	4	2	4	1	4	6	5	3	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	2	–	1	1	1	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	–	–	–	5	1	2	–	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	4	5	1	4	3	1	3	7	1	–	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	4	4	1	7	9	10	6	9	2	2	1	–	–	–	–
Pleurisy	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	4	1	2	1	–	1	1	1	–	–	–	–	–	–	–
Asthma	–	–	2	2	–	3	2	2	–	2	–	–	–	–	–	–
Lung Disease	2	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	1	–	–	1	–	1	3	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	3	–	2	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	–	–	1	2	1	–	1	–	–	1	–	–	–	–	–	–
Fracture and Contusion	2	1	–	2	2	–	–	–	–	1	1	–	–	–	–	–
Wounds	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	2	3	3	4	2	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	700	81	36	66	79	39	21	11	39	15	18	27	20
SPECIFIED CAUSES	641	69	29	56	75	36	18	10	36	14	16	26	20
I. Zymotic Class	148	10	8	14	33	20	14	4	15	5	1	1	–
II. Diseases of Uncertain Seat	16	1	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	110	2	2	10	10	7	2	2	11	4	11	14	7
IV. Brain and Nervous System	60	3	3	2	4	–	1	1	1	–	–	2	4
V. Organs of Circulation	21	–	–	–	1	–	–	–	–	1	1	1	–
VI. Respiratory Organs	129	10	9	18	18	6	–	2	6	1	–	5	5
VII. Organs of Digestion	41	5	3	8	5	3	1	–	–	1	2	1	–
VIII. Urinary Organs	7	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	43	36	3	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	4	–	–	1	–	–	–	–	–
XV. Age	26	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	31	–	1	–	–	–	–	–	3	2	1	2	4
I. Small Pox	32	2	5	5	6	3	1	–	4	1	–	1	–
Measles	20	1	–	–	9	6	3	–	1	–	–	–	–
Scarlatina	16	–	–	–	4	5	4	1	2	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	1	–	–	–	–	–
Hooping Cough	11	2	–	1	3	3	1	1	–	–	–	–	–
Croup	11	1	1	3	1	1	2	–	1	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	17	2	2	2	5	–	–	–	1	1	1	–	–
Dysentery	7	1	–	1	2	–	–	–	–	–	–	–	–
Cholera	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	1	–	–	–	1	–	–	–	–
Purpura	2	1	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	–	–	1	1	2	2	1	4	2	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	1	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	–	–	1	–	–	3	–	1	1	1
Tabes Mesenterica	13	–	–	1	4	3	1	–	4	–	–	–	–
Phthisis	69	–	2	1	1	–	1	2	3	4	9	13	6
Hydrocephalus	20	2	–	8	5	3	–	–	1	–	1	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	28	25	29	24	22	17	26	31	18	13	9	5	–	1	–	–
SPECIFIED CAUSES	27	24	26	21	21	15	25	31	18	13	9	5	–	1	–	–
Zymotic Class	4	4	1	2	2	–	2	3	2	1	2	–	–	–	–	–
Uncertain Seat	2	1	1	2	1	–	–	4	3	1	–	–	–	–	–	–
Tubercular Class	10	4	4	–	3	2	3	1	1	–	–	–	–	–	–	–
Brain, etc.	3	5	3	5	2	4	8	7	1	1	–	–	–	–	–	–
Heart, etc.	–	3	4	2	2	1	1	1	2	1	–	–	–	–	–	–
Respiratory Organs	4	5	5	4	6	4	7	7	4	1	1	1	–	–	–	–
Digestive Organs	2	–	2	2	2	2	1	–	–	1	–	–	–	–	–	–
Urinary Organs	–	–	3	1	–	1	–	1	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	7	4	6	5	4	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	2	1	3	3	1	3	–	–	1	1	–	–	1	–	–
Small Pox	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Dysentery	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	1	–	1	–	2	2	1	–	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	1	–	–	–	–	4	1	–	–	–	–	–	–	–
Abscess	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Cancer	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	4	4	–	3	2	3	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	11	–	–	1	–	–	1	1	–	–	–	1	–
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	2
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	9	3	3	–	2	–	–	–	1	–	–	–	–
Brain Disease	11	–	–	1	2	–	–	–	–	–	–	1	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	18	–	–	–	1	–	–	–	–	–	1	1	–
VI. Laryngitis	3	–	–	–	1	–	–	–	1	–	–	–	1
Bronchitis	65	3	6	10	11	2	–	1	1	1	–	–	3
Pleurisy	5	1	–	2	–	–	–	–	–	–	–	1	–
Pneumonia	41	5	2	6	6	4	–	1	3	–	–	4	1
Asthma	9	–	1	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	1	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	12	–	1	8	2	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	2	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	1	2	–	1	–	1	–	–	–	1	1	–
Peritonitis	4	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	2	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	1	–	–	–	–	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	–	–	–	2	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	1	–
Drowning	8	–	1	–	–	–	–	–	–	–	–	1	2
Fracture and Contusion	14	–	–	–	–	–	–	–	1	1	1	–	2
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	59	12	7	10	4	3	3	1	3	1	2	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	1	–	–	2	1	–	1	–	–	–	–	–	–
Paralysis	2	3	1	4	1	1	4	4	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	4	1	2	1	1	1	2	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	2	1	3	3	5	3	4	1	1	1	–	–	–	–
Pleurisy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	3	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Asthma	–	–	2	1	–	1	2	2	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	–	2	2	–	–	–	–	1	1	–	–	–	–	–
Wounds	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	3	3	1	2	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	667	55	28	60	86	37	21	16	38	15	16	16	38
SPECIFIED CAUSES	609	50	23	50	72	30	21	16	32	13	14	15	37
I. Zymotic Class	139	6	10	17	39	12	11	5	16	3	3	–	2
II. Diseases of Uncertain Seat	26	–	–	–	–	2	–	–	–	–	–	–	–
III. Tubercular Class	108	3	2	10	7	4	4	3	10	4	6	9	18
IV. Brain and Nervous System	46	–	–	2	1	2	2	1	1	2	1	1	3
V. Organs of Circulation	21	–	–	–	–	–	–	–	–	–	1	1	3
VI. Respiratory Organs	111	10	4	10	16	8	4	5	2	1	1	3	4
VII. Organs of Digestion	34	–	1	6	2	1	–	2	–	1	–	1	3
VIII. Urinary Organs	3	–	–	–	1	–	–	–	–	–	1	–	–
IX. Organs of Generation	12	–	–	1	–	–	–	–	–	–	1	–	3
X. Organs of Locomotion	3	–	–	–	–	1	–	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	2	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	34	28	4	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	5	–	–	–	–	–	–	–	1
XV. Age	45	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	11	–	1	1	1	–	–	–	3	2	–	–	–
I. Small Pox	17	2	2	4	4	–	1	1	2	–	1	–	–
Measles	22	–	1	–	11	5	2	–	3	–	–	–	–
Scarlatina	17	–	–	4	5	2	2	1	3	–	–	–	–
Diphtheria	2	–	–	–	1	–	1	–	–	–	–	–	–
Hooping Cough	13	–	2	2	4	3	1	1	–	–	–	–	–
Croup	11	–	–	1	7	–	–	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	31	3	3	4	7	1	1	–	1	1	–	–	1
Dysentery	2	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	–	–	–	–	–	3	–	4	2	2	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	1	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	15	–	–	–	–	2	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	1	–	1	–	–	–	1	–	–	–	–	–
Tabes Mesenterica	6	–	–	2	1	1	1	–	–	1	–	–	–
Phthisis	76	–	–	1	2	2	1	1	7	3	6	9	18
Hydrocephalus	21	2	2	6	4	1	2	1	3	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	26	25	19	12	18	21	19	19	33	19	20	7	3	–	–	–
SPECIFIED CAUSES	26	24	19	12	15	21	18	19	33	19	20	7	3	–	–	–
Zymotic Class	1	–	3	–	2	–	3	1	2	–	2	1	–	–	–	–
Uncertain Seat	2	1	3	3	2	1	2	3	5	1	1	–	–	–	–	–
Tubercular Class	9	7	4	3	1	2	1	–	–	1	–	–	–	–	–	–
Brain, etc.	3	4	3	–	–	6	2	3	4	4	1	–	–	–	–	–
Heart, etc.	2	2	1	–	2	2	–	2	5	–	–	–	–	–	–	–
Respiratory Organs	3	3	2	3	4	8	6	4	6	3	1	–	–	–	–	–
Digestive Organs	3	–	1	1	3	1	4	2	1	1	–	–	–	–	–	–
Urinary Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	4	10	7	15	6	3	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	2	–	3	1	2	–	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	1	1	1	1	1	2	3	1	1	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	1	2	1	–	1	1	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	7	4	3	1	2	–	–	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Apoplexy	9	–	–	–	1	1	–	–	–	–	1	–	1
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	1	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	–	–	2	–	1	1	–	1	–	–	–	–
Brain Disease	10	–	–	–	–	–	–	1	–	1	–	1	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	21	–	–	–	–	–	–	–	–	–	1	1	3
VI. Laryngitis	2	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	65	8	1	8	7	5	2	–	1	1	–	–	3
Pleurisy	2	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	31	2	2	2	8	3	1	3	1	–	1	3	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	–	1	–	–	–	–	2	–	–	–	–	1
VII. Teething	7	–	–	5	2	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	8	–	1	–	–	1	–	–	–	–	–	–	–
Peritonitis	6	–	–	–	–	–	–	–	–	–	–	1	2
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	1	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	1	–	3
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	1	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	2	1	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	1	–	–	–	2	2	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	58	5	5	10	14	7	–	–	6	2	2	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	–	–	1	1	2	–	–	–	–	–	–
Paralysis	1	1	1	–	–	3	2	1	3	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	–	–	–	3	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	1	–	2	2	–	2	5	–	–	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	2	–	4	6	5	3	5	1	1	–	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	1	–	2	–	–	–	2	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	1	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	4240	398	137	312	360	187	91	69	154	58	103	155	151
SPECIFIED CAUSES . . .	4197	380	134	310	356	187	90	69	154	56	103	153	150
I. Zymotic Class . . .	667	25	31	75	112	75	47	29	59	11	18	18	18
II. Diseases of Uncertain Seat	162	2	–	2	3	2	1	1	2	4	1	3	4
III. Tubercular Class . .	818	18	28	66	72	42	15	12	42	24	53	80	70
IV. Brain and Nervous System	419	133	9	24	26	11	4	8	12	2	5	4	9
V. Organs of Circulation .	273	2	1	–	–	–	–	–	5	4	4	12	11
VI. Respiratory Organs . .	816	73	37	97	98	38	19	8	14	1	7	16	10
VII. Organs of Digestion . .	289	24	12	33	25	14	1	3	3	3	6	8	9
VIII. Urinary Organs . .	89	1	–	–	–	1	2	1	2	1	1	3	5
IX. Organs of Generation .	34	–	–	–	–	–	–	–	–	–	–	2	7
X. Organs of Locomotion .	28	–	–	1	1	1	1	2	4	–	1	3	1
XI. Skin, etc.	8	–	–	2	–	–	–	–	–	–	–	1	1
XII. Malformation . . .	19	18	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	196	176	12	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	36	–	–	–	17	–	–	3	–	1	–	–	1
XV. Age	234	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . .	8	–	–	1	1	–	–	–	–	–	1	–	–
XVII. Violent Deaths . . .	101	8	3	1	1	3	–	2	11	5	6	3	4
I. Small Pox	23	–	4	4	3	3	–	1	5	–	–	1	1
Measles	84	3	1	16	33	16	4	3	5	–	–	1	–
Scarlatina	125	2	–	7	17	24	17	14	35	2	4	1	2
Diphtheria	14	–	1	1	4	–	3	2	–	–	–	1	–
Hooping Cough . .	102	3	8	30	27	16	9	4	5	–	–	–	–
Croup	35	2	–	3	11	8	6	1	2	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	75	7	10	7	13	2	–	–	–	2	1	–	3
Dysentery	25	2	1	1	2	–	–	–	1	–	1	–	2
Cholera	4	1	1	1	–	–	–	–	–	–	–	–	–
Influenza	8	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . . .	3	–	–	1	–	2	–	–	–	–	–	–	–
Typhus	113	–	2	–	1	3	6	4	6	6	7	8	2
Metria	18	–	–	–	–	–	–	–	–	–	2	3	4
Rheumatic Fever . .	4	–	–	–	–	–	–	–	–	–	–	1	1
Erysipelas	22	1	1	2	–	1	1	–	–	–	2	2	2
Syphilis	9	3	2	1	–	–	–	–	–	–	1	–	1
Noma	2	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	4	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	30	–	–	1	1	2	1	–	1	1	–	1	–
Abscess	4	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	9	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	110	1	–	–	1	–	–	1	1	3	1	1	4
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	23	1	–	–	4	3	–	–	1	3	3	4	–
Tabes Mesenterica . .	81	11	7	16	14	9	3	4	7	2	–	–	1
Phthisis	535	–	2	7	9	7	2	1	11	18	49	76	68
Hydrocephalus . . .	179	6	19	43	45	23	10	7	23	1	1	–	1

CASUES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	165	178	193	173	181	191	214	203	189	166	125	58	24	3	2	–
Specified Causes	162	177	192	171	181	190	212	203	189	166	125	58	24	3	2	–
Zymotic Class	19	12	15	13	13	10	15	14	18	7	7	5	1	–	–	–
Uncertain Seat	7	9	10	18	13	14	21	16	13	9	6	1	–	–	–	–
Tubercular Class	63	57	59	34	30	27	15	5	4	2	–	–	–	–	–	–
Brain, etc.	15	20	25	21	19	29	32	33	26	33	14	4	1	–	–	–
Heart, etc.	11	18	27	21	25	32	29	31	20	6	8	5	1	–	–	–
Respiratory Organs	14	17	26	32	41	40	57	56	47	36	19	11	1	1	–	–
Digestive Organs	14	15	11	12	16	16	23	10	21	8	1	1	–	–	–	–
Urinary Organs	8	11	5	8	14	8	6	6	2	1	3	–	–	–	–	–
Generative Organs	3	6	3	3	3	2	2	1	1	1	–	–	–	–	–	–
Locomotive Organs	2	2	1	–	2	1	2	–	2	1	–	–	–	–	–	–
Skin	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	3	3	1	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	25	28	56	65	30	18	2	2	–
Sudden Deaths	–	1	–	–	1	–	–	1	–	2	–	–	–	–	–	–
Violent Deaths	4	8	7	6	3	6	1	5	6	3	2	1	2	–	–	–
Small Pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	1	–	1	2	6	5	6	3	1	2	1	–	–	–
Dysentery	1	–	1	2	2	1	1	–	5	1	1	–	–	–	–	–
Cholera	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	1	1	1	–	–	–	2	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	4	10	9	7	4	6	7	7	3	3	1	–	–	–	–
Metria	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	2	1	2	1	2	1	–	–	–	–	–	1	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
Dropsy	–	1	1	2	–	3	5	5	2	2	–	1	–	–	–	–
Abscess	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	1	2	1	–	3	–	–	–	–	–	–
Cancer	4	7	8	15	13	10	12	10	11	4	3	–	–	–	–	–
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Phthisis	60	56	58	33	23	26	14	4	4	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	31	–	2	6	7	2	–	2	1	1	1	1	1
Apoplexy	82	2	–	1	2	–	–	2	–	–	1	–	2
Paralysis	121	–	–	–	–	–	–	–	–	1	1	–	1
Delirium Tremens	16	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	25	–	–	–	–	–	–	–	2	–	1	1	3
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	71	31	7	12	12	4	2	1	2	–	–	–	–
Brain Disease	69	–	–	5	5	5	2	3	6	–	1	1	1
V. Pericarditis	10	–	–	–	–	–	–	–	1	–	1	1	2
Aneurism	21	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	242	2	1	–	–	–	–	–	4	4	3	11	8
VI. Laryngitis	12	–	1	3	–	–	–	–	2	–	–	–	–
Bronchitis	531	53	23	76	74	31	13	7	10	1	1	4	3
Pleurisy	23	–	–	1	–	–	–	–	–	–	1	2	1
Pneumonia	153	17	13	15	19	7	4	1	2	–	4	8	4
Asthma	42	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	55	3	–	2	5	–	2	–	–	–	1	2	2
VII. Teething	50	–	4	21	19	6	–	–	–	–	–	–	–
Quinsey	3	1	–	–	–	1	–	1	–	–	–	–	–
Gastritis	10	1	–	1	1	1	–	–	–	–	1	1	–
Enteritis	30	9	3	5	2	2	–	–	1	1	–	1	–
Peritonitis	27	1	–	1	–	1	–	–	1	–	2	2	3
Ascites	5	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	17	–	–	–	1	1	1	–	–	1	–	1	–
Hernia	7	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	12	3	2	1	–	–	–	–	–	–	1	–	–
Intussusception	4	–	–	2	–	–	–	1	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	60	8	3	1	2	1	–	–	–	–	–	–	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	1	–	–	–	–
Jaundice	9	–	–	–	–	–	–	–	–	–	–	1	1
Liver Disease	44	1	–	1	–	–	–	–	–	1	2	1	1
Spleen Disease	4	–	–	–	–	1	–	–	–	–	–	1	–
VIII. Nephritis	3	–	–	–	–	–	–	1	–	–	1	–	–
Nephria	42	1	–	–	–	1	1	–	1	–	–	2	2
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	5	–	–	–	–	–	–	–	–	1	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	31	–	–	–	–	–	1	–	1	–	–	1	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	16	–	–	–	–	–	–	–	–	–	–	2	4
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	22	–	–	1	1	1	1	2	4	–	1	3	1
XI. Carbuncle	4	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	3	–	–	2	–	–	–	–	–	–	–	1	–
XII. Cyanosis	11	11	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	7	7	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	1	1	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	16	–	–	–	1	–	–	2	3	–	2	–	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	8	2	2	–	–	–	–	–	1	–	1	–	–
Drowning	3	–	–	–	–	–	–	–	–	1	–	–	–
Fracture and Contusion	46	1	–	–	–	1	–	–	7	3	1	1	2
Wounds	6	–	–	–	–	1	–	–	–	–	1	–	1
Other Violent Causes	6	1	–	–	–	–	–	–	–	1	1	1	–
Not Specified	43	18	3	2	4	–	1	–	–	2	–	2	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	2	4	5	5	5	6	11	13	6	9	4	2	–	–	–	–
Paralysis	3	5	7	7	10	12	14	15	15	17	10	2	1	–	–	–
Delirium Tremens	1	5	1	3	2	1	1	–	1	–	–	–	–		–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	3	4	3	–	1	1	–	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	2	5	2	2	8	3	5	3	6	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–
Aneurism	2	2	8	2	2	3	1	–	–	–	–	–	–	–	–	–
Heart Disease	9	16	19	19	23	27	27	30	19	6	8	5	1	–	–	–
Laryngitis	–	1	2	–	–	1	–	–	1	1	–	–	–	–	–	–
Bronchitis	5	6	11	12	18	22	34	35	35	28	16	11	1	1	–	–
Pleurisy	2	2	2	3	1	–	3	5	–	–	–	–	–	–	–	–
Pneumonia	3	6	7	7	9	8	6	6	4	3	–	–	–	–	–	–
Asthma	1	1	1	5	5	4	6	8	5	3	3	–	–	–	–	–
Lung Disease	3	1	3	5	8	5	8	2	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	1	1	–	–	–	1	–	3	–	–	–	–	–	–	–
Peritonitis	5	3	3	–	–	4	1	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	3	3	2	1	1	–	1	–	–	–	–	–	–	–
Hernia	2	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	2	3	2	2	7	2	8	3	7	4	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	1	–	–	2	1	2	–	–	–	–	–	–	–
Liver Disease	3	3	2	3	1	7	7	3	5	2	–	1	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	10	3	6	5	1	2	1	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	1	1	2	4	5	3	3	1	1	2	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	1	2	1	1	–	1	–	–	–	–	–	–	–
Childbirth	3	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	1	1	1	1	1	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Joint Disease	1	1	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	1	–	2	–	2	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Fracture and Contusion	3	4	2	3	2	1	1	1	5	3	2	1	2	–	–	–
Wounds	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	1	1	2	–	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	MONTHS. 6	MONTHS. 12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2058	203	85	152	188	89	47	36	84	29	51	83	77
SPECIFIED CAUSES	2043	197	83	152	186	89	47	36	84	29	51	81	76
I. Zymotic Class	309	13	22	27	55	39	23	18	31	6	10	6	8
II. Diseases of Uncertain Seat	52	1	–	2	2	–	–	–	–	2	–	2	3
III. Tubercular Class	436	13	19	31	38	18	11	7	26	11	24	45	41
IV. Brain and Nervous System	219	18	3	15	17	4	1	3	7	2	3	3	4
V. Organs of Circulation	163	1	1	–	–	–	–	–	3	1	–	9	6
VI. Respiratory Organs	402	43	22	53	51	18	9	3	6	1	5	7	4
VII. Organs of Digestion	130	13	6	18	16	5	–	1	2	1	3	3	4
VIII. Urinary Organs	57	1	–	–	–	1	2	1	–	1	–	–	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	18	–	–	1	1	1	1	1	2	–	1	2	1
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	1	–
XII. Malformation	7	6	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	93	83	6	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	6	–	–	1	–	–	–	–	–
XV. Age	77	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	1	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	64	5	3	–	–	3	–	1	7	4	4	3	3
I. Small Pox	16	–	4	2	3	2	–	–	3	–	–	–	1
Measles	45	1	1	7	19	9	3	–	3	–	–	1	–
Scarlatina	75	2	–	3	10	14	9	12	19	1	3	–	2
Diphtheria	9	–	1	–	3	–	2	2	–	–	–	–	–
Hooping Cough	37	1	6	8	9	6	3	3	1	–	–	–	–
Croup	18	–	–	1	6	5	3	–	1	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	30	4	5	2	3	1	–	–	–	–	1	–	2
Dysentery	14	2	–	1	2	–	–	–	1	–	1	–	1
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	3	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	1	–	1	–	–	–	–	–	–	–
Typhus	44	–	2	–	–	1	3	1	3	4	4	4	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	11	1	1	2	–	–	–	–	–	–	1	1	–
Syphilis	3	1	1	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	1	–	–	–	–	–	1	–	1	–
Abscess	1	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	29	–	–	–	1	–	–	–	–	1	–	1	3
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	1	–	–	2	2	–	–	1	1	1	3	–
Tabes Mesenterica	48	8	5	6	10	3	1	3	5	2	–	–	1
Phthisis	278	–	2	3	4	4	2	1	6	8	22	42	39
Hydrocephalus	96	4	12	22	22	9	8	3	14	–	1	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	78	96	92	87	88	87	103	97	72	68	40	17	8	–	1	–
SPECIFIED CAUSES .	77	96	92	87	88	87	102	97	72	68	40	17	8	–	1	–
Zymotic Class . .	5	2	4	7	6	2	6	6	8	1	4	–	–	–	–	–
Uncertain Seat . .	2	2	2	4	4	2	7	6	5	1	4	1	–	–	–	–
Tubercular Class . .	30	34	32	17	12	12	10	3	1	1	–	–	–	–	–	–
Brain, etc. . . .	10	14	12	14	10	15	20	21	8	10	5	–	–	–	–	–
Heart, etc. . . .	7	15	19	12	15	20	17	12	14	3	3	5	–	–	–	–
Respiratory Organs .	10	12	11	17	20	19	23	23	18	19	6	2	–	–	–	–
Digestive Organs . .	3	4	5	6	6	4	11	8	8	2	–	1	–	–	–	–
Urinary Organs . .	4	7	2	6	11	6	4	5	–	1	3	–	–	–	–	–
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	1	1	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Skin . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	10	9	28	14	7	7	–	1	–
Sudden Deaths . .	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths . .	4	5	4	2	2	5	1	3	1	1	1	1	1	–	–	–
Small Pox . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	1	–	–	1	–	3	2	4	–	1	–	–	–	–	–
Dysentery . . .	–	–	–	2	1	–	–	–	2	1	–	–	–	–	–	–
Cholera . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	–	3	3	3	1	2	2	2	–	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas . . .	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
Dropsy	–	1	–	1	–	–	2	2	2	–	–	1	–	–	–	–
Abscess . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Cancer	2	1	1	3	4	2	2	3	3	1	1	–	–	–	–	–
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Phthisis . . .	28	33	31	17	11	12	9	2	1	1	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.		MALES.												
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	17	–	–	5	3	1	–	–	–	1	–	1	1
	Apoplexy	42	1	–	1	1	–	–	1	–	–	1	–	–
	Paralysis	58	–	–	–	–	–	–	–	–	1	–	–	–
	Delirium Tremens	15	–	–	–	–	–	–	–	–	–	–	1	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	16	–	–	–	–	–	–	–	2	–	1	–	2
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
	Convulsions	40	17	3	8	9	2	–	–	1	–	–	–	–
	Brain Disease	30	–	–	1	4	1	1	2	4	–	1	1	–
V.	Pericarditis	6	–	–	–	–	–	–	–	1	–	–	1	1
	Aneurism	18	–	–	–	–	–	–	–	–	–	–	–	1
	Heart Disease	139	1	1	–	–	–	–	–	2	1	–	8	4
VI.	Laryngitis	6	–	–	–	–	–	–	–	1	–	–	–	–
	Bronchitis	247	29	15	42	39	16	6	3	5	1	–	2	1
	Pleurisy	14	–	–	1	–	–	–	–	–	–	–	1	–
	Pneumonia	87	11	7	9	9	2	2	–	–	–	4	3	3
	Asthma	21	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	27	3	–	1	3	–	1	–	–	–	1	1	–
VII.	Teething	25	–	1	10	13	1	–	–	–	–	–	–	–
	Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	3	–	–	1	–	–	–	–	–	–	1	–	–
	Enteritis	18	6	1	3	1	2	–	–	1	–	–	–	–
	Peritonitis	9	1	–	–	–	1	–	–	1	–	1	1	–
	Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	7	–	–	–	1	–	–	–	–	–	–	–	–
	Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	5	1	2	1	–	–	–	–	–	–	–	–	–
	Intussusception	3	–	–	1	–	–	–	1	–	–	–	–	–
	Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	23	4	2	1	1	1	–	–	–	–	–	–	3
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	6	–	–	–	–	–	–	–	–	–	–	–	1
	Liver Disease	22	1	–	1	–	–	–	–	–	1	1	1	–
	Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	1	–
VIII.	Nephritis	1	–	–	–	–	–	–	1	–	–	–	–	–
	Nephria	27	1	–	–	–	1	1	–	–	–	–	–	2
	Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	5	–	–	–	–	–	–	–	–	1	–	–	–
	Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	18	–	–	–	–	–	1	–	–	–	–	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
	Joint and Bone Disease	18	–	–	1	1	1	1	1	2	–	1	2	1
XI.	Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XII.	Cyanosis	5	5	–	–	–	–	–	–	–	–	–	–	–
	Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
	Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	3	–	–	–	–	1	–	–	–	–	–	–	–
	Burns and Scalds	6	–	–	–	–	–	–	1	1	–	1	–	–
	Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	1	–
	Suffocation	5	1	2	–	–	–	–	–	1	–	–	–	–
	Drowning	1	–	–	–	–	–	–	–	–	1	–	–	–
	Fracture and Contusion	32	1	–	–	–	1	–	–	5	2	1	1	2
	Wounds	6	–	–	–	–	1	–	–	–	–	1	–	1
	Other Violent Causes	6	1	–	–	–	–	–	–	–	1	1	1	–
	Not Specified	15	6	2	–	2	–	–	–	–	–	–	2	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	3	1	2	3	2	8	9	2	4	2	–	–	–	–	–
Paralysis	2	4	6	6	3	4	8	10	5	6	3	–	–	–	–	–
Delirium Tremens	1	5	–	3	2	1	1	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	1	2	2	–	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	1	–	2	6	1	2	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Aneurism	2	2	6	2	1	3	1	–	–	–	–	–	–	–	–	–
Heart Disease	5	13	13	10	14	15	16	12	13	3	3	5	–	–	–	–
Laryngitis	–	1	1	–	–	1	–	–	1	1	–	–	–	–	–	–
Bronchitis	2	5	5	5	8	8	12	11	11	15	4	2	–	–	–	–
Pleurisy	2	–	–	3	1	–	2	4	–	–	–	–	–	–	–	–
Pneumonia	2	4	5	3	6	6	2	5	2	2	–	–	–	–	–	–
Asthma	1	1	–	4	1	2	4	3	2	1	2	–	–	–	–	–
Lung Disease	3	1	–	2	4	2	3	–	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	1	2	–	2	2	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	2	–	2	–	–	–	–	–	–	–
Liver Disease	2	1	1	2	1	–	3	3	2	1	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	7	2	4	3	1	1	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	2	3	3	2	3	–	1	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	1	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	3	2	2	1	1	1	1	1	1	1	1	1	–	–	–
Wounds	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2182	195	52	160	172	98	44	33	70	29	52	72	74
SPECIFIED CAUSES	2154	183	51	158	170	98	43	33	70	27	52	72	74
I. Zymotic Class . . .	358	12	9	48	57	36	24	11	28	5	8	12	10
II. Diseases of Uncertain Seat	110	1	–	–	1	2	1	1	2	2	1	1	1
III. Tubercular Class . .	382	5	9	35	34	24	4	5	16	13	29	35	29
IV. Brain and Nervous System	200	15	6	9	9	7	3	5	5	–	2	1	5
V. Organs of Circulation .	110	1	–	–	–	–	–	–	2	3	4	3	5
VI. Respiratory Organs . .	414	30	15	44	47	20	10	5	8	–	2	9	6
VII. Organs of Digestion . .	159	11	6	15	9	9	1	2	1	2	3	5	5
VIII. Urinary Organs . .	32	–	–	–	–	–	–	–	2	–	1	3	3
IX. Organs of Generation .	34	–	–	–	–	–	–	–	–	–	–	2	7
X. Organs of Locomotion .	10	–	–	–	–	–	–	1	2	–	–	1	–
XI. Skin, etc.	6	–	–	2	–	–	–	–	–	–	–	–	1
XII. Malformation . . .	12	12	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	103	93	6	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	26	–	–	–	11	–	–	2	–	1	–	–	1
XV. Age	157	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . . .	4	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths . . .	37	3	–	1	1	–	–	1	4	1	2	–	1
I. Small Pox	7	–	–	2	–	1	–	1	2	–	–	1	–
Measles	39	2	–	9	14	7	1	3	2	–	–	–	–
Scarlatina	50	–	–	4	7	10	8	2	16	1	1	1	–
Diphtheria	5	–	–	1	1	–	1	–	–	–	–	1	–
Hooping Cough . .	65	2	2	22	18	10	6	1	4	–	–	–	–
Croup	17	2	–	2	5	3	3	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	45	3	5	5	10	1	–	–	–	2	–	–	1
Dysentery	11	–	1	–	–	–	–	–	–	–	–	–	1
Cholera	3	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . . .	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	69	–	–	–	1	2	3	3	3	2	3	4	1
Metria	18	–	–	–	–	–	–	–	–	–	2	3	4
Rheumatic Fever . .	3	–	–	–	–	–	–	–	–	–	–	1	1
Erysipelas	11	–	–	–	–	1	1	–	–	–	1	1	2
Syphilis	6	2	1	1	–	–	–	–	–	–	1	–	–
Noma	2	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	1	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	18	–	–	–	1	2	1	–	1	–	–	–	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	6	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	81	1	–	–	–	–	–	1	1	2	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	2	1	–	–	–	2	2	1	–
Tabes Mesenterica . .	33	3	2	10	4	6	2	1	2	–	–	–	–
Phthisis	257	–	–	4	5	3	–	–	5	10	27	34	29
Hydrocephalus . . .	83	2	7	21	23	14	2	4	9	1	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	87	82	101	86	93	104	111	106	117	98	85	41	16	3	1	–
SPECIFIED CAUSES	85	81	100	84	93	103	110	106	117	98	85	41	16	3	1	–
Zymotic Class	14	10	11	6	7	8	9	8	10	6	3	5	1	–	–	–
Uncertain Seat	5	7	8	14	9	12	14	10	8	8	2	–	–	–	–	–
Tubercular Class	33	23	27	17	18	15	5	2	3	1	–	–	–	–	–	–
Brain, etc.	5	6	13	7	9	14	12	12	18	23	9	4	1	–	–	–
Heart, etc.	4	3	8	9	10	12	12	19	6	3	5	–	1	–	–	–
Respiratory Organs	4	5	15	15	21	21	34	33	29	17	13	9	1	1	–	–
Digestive Organs	11	11	6	6	10	12	12	2	13	6	1	–	–	–	–	–
Urinary Organs	4	4	3	2	3	2	2	1	2	–	–	–	–	–	–	–
Generative Organs	3	6	3	3	3	2	2	1	1	1	–	–	–	–	–	–
Locomotive Organs	1	1	–	–	1	–	–	–	2	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	3	1	1	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	15	19	28	51	23	11	2	1	–
Sudden Deaths	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Violent Deaths	–	3	3	4	1	1	–	2	5	2	1	–	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	–	–	2	3	3	2	3	–	2	1	–	–	–
Dysentery	1	–	1	–	1	1	1	–	3	–	1	–	–	–	–	–
Cholera	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	1	–	–	–	1	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	7	6	4	3	4	5	5	3	1	1	–	–	–	–
Metria	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	3	3	3	–	2	–	–	–	–	–	–
Abscess	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–
Cancer	2	6	7	12	9	8	10	7	8	3	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis	32	23	27	16	17	14	5	2	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	14	–	2	1	4	1	–	2	1	–	1	–	–
Apoplexy	40	1	–	–	1	–	–	1	–	–	–	–	2
Paralysis	63	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	31	14	4	4	3	2	2	1	1	–	–	–	–
Brain Disease	39	–	–	4	1	4	1	1	2	–	–	–	1
V. Pericarditis	4	–	–	–	–	–	–	–	–	–	1	–	1
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	103	1	–	–	–	–	–	–	2	3	3	3	4
VI. Laryngitis	6	–	1	3	–	–	–	–	1	–	–	–	–
Bronchitis	284	24	8	34	35	15	7	4	5	–	1	2	2
Pleurisy	9	–	–	–	–	–	–	–	–	–	1	1	1
Pneumonia	66	6	6	6	10	5	2	1	2	–	–	5	1
Asthma	21	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	28	–	–	1	2	–	1	–	–	–	–	1	2
VII. Teething	25	–	3	11	6	5	–	–	–	–	–	–	–
Quinsey	3	1	–	–	–	1	–	1	–	–	–	–	–
Gastritis	7	1	–	–	1	1	–	–	–	–	–	1	–
Enteritis	12	3	2	2	1	–	–	–	–	1	–	1	–
Peritonitis	18	–	–	1	–	–	–	–	–	–	1	1	3
Ascites	2	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	10	–	–	–	–	1	1	–	–	1	–	1	–
Hernia	5	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	2	–	–	–	–	–	–	–	–	1	–	–
Intussusception	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	37	4	1	–	1	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	1	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	22	–	–	–	–	–	–	–	–	–	1	–	1
Spleen Disease	2	–	–	–	–	1	–		–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	15	–	–	–	–	–	–	–	1	–	–	2	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	–	–	–	–	–	–	–	1	–	–	1	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	16	–	–	–	–	–	–	–	–	–	–	2	4
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	1	2	–	–	1	–
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	2	–	–	2	–	–	–	–	–	–	–	–	–
XII. Cyanosis	6	6	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	6	6	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	–	–	–	1	–	–	1	2	–	1	–	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	14	–	–	–	–	–	–	–	2	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	28	12	1	2	2	–	1	–	–	2	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	4	3	2	4	3	4	4	5	2	2	–	–	–	–
Paralysis	1	1	1	1	7	8	6	5	10	11	7	2	1	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	2	1	–	–	–	–	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	4	2	–	2	2	3	3	6	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Aneurism	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	3	6	9	9	12	11	18	6	3	5	–	1	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	6	7	10	14	22	24	24	13	12	9	1	1	–	–
Pleurisy	–	2	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Pneumonia	1	2	2	4	3	2	4	1	2	1	–	–	–	–	–	–
Asthma	–	–	1	1	4	2	2	5	3	2	1	–	–	–	–	–
Lung Disease	–	–	3	3	4	3	5	2	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	5	2	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	1	2	–	1	–	–	1	–	–	–	–	–	–	–
Hernia	1	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	1	1	5	2	6	1	6	3	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	1	2	1	1	–	7	4	–	3	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	3	1	2	2	–	1	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	1	–	1	2	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	1	2	1	1	–	1	–	–	–	–	–	–	–
Childbirth	3	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	1	1	1	1	1	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	1	1	–	–	–	4	2	1	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2903	293	113	233	326	172	180	113	208	78	77	92	85
SPECIFIED CAUSES	2749	268	104	213	299	164	172	109	199	72	75	86	82
I. Zymotic Class	935	32	23	101	158	113	132	78	138	28	9	16	7
II. Diseases of Uncertain Seat	86	4	1	–	4	2	1	4	5	1	2	1	2
III. Tubercular Class	411	5	22	20	33	15	10	12	28	25	37	43	35
IV. Brain and Nervous System	218	38	13	9	10	9	7	1	9	5	10	7	6
V. Organs of Circulation	124	–	–	1	–	–	–	–	3	2	4	4	6
VI. Respiratory Organs	338	20	20	42	45	16	12	10	6	5	4	5	5
VII. Organs of Digestion	172	9	14	34	37	3	2	–	4	–	1	3	8
VIII. Urinary Organs	33	–	–	–	1	2	2	2	–	2	1	4	5
IX. Organs of Generation	19	–	–	–	–	–	–	–	–	–	–	–	4
X. Organs of Locomotion	14	–	–	–	1	–	–	1	1	–	3	–	3
XI. Skin, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	168	154	10	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	18	–	–	–	6	1	2	–	1	1	–	–	–
XV. Age	155	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	50	1	1	1	4	3	4	1	4	3	4	3	1
I. Small Pox	187	4	5	28	35	23	35	13	27	5	–	3	3
Measles	59	1	–	6	20	12	8	5	6	1	–	–	–
Scarlatina	266	2	4	20	39	33	47	28	68	13	4	–	–
Diphtheria	33	–	–	5	6	5	6	5	6	–	–	–	–
Hooping Cough	79	6	5	20	21	16	5	6	–	–	–	–	–
Croup	89	6	2	6	22	14	17	12	9	–	–	1	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	46	6	4	5	8	2	5	–	2	1	–	2	–
Dysentery	20	1	1	4	2	1	–	–	1	–	–	1	–
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–
Influenza	16	–	–	2	1	1	1	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	1	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	3	1	–	1	1	–	–	–	–	–	–	–	–
Typhus	99	–	–	1	3	6	8	8	18	6	4	7	3
Metria	11	–	–	–	–	–	–	–	–	–	1	2	1
Rheumatic Fever	3	–	–	–	–	–	–	–	1	1	–	–	–
Erysipelas	12	3	–	1	–	–	–	–	–	–	–	–	–
Syphilis	7	2	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	36	–	–	–	1	1	1	3	4	1	–	–	–
Abscess	9	1	–	–	3	1	–	–	1	–	1	1	–
Ulcer	2	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	2	–	–	–	–	–	–	–	–	–	–	1
Cancer	30	1	–	–	–	–	–	1	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	1	2	2	1	–	–	2	1	–	2	–
Tabes Mesenterica	15	–	3	2	2	1	2	1	3	–	1	–	–
Phthisis	319	1	6	3	15	8	5	6	18	22	35	41	35
Hydrocephalus	65	4	12	13	14	5	3	5	5	2	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes . . .	84	72	78	87	78	89	116	87	94	81	39	17	5	2	–	4
Specified Causes .	80	69	77	87	70	85	109	87	94	81	39	17	5	2	–	4
Zymotic Class . .	15	15	7	15	9	7	10	6	7	6	1	–	–	–	–	2
Uncertain Seat . .	2	4	4	5	5	10	7	9	4	8	1	–	–	–	–	–
Tubercular Class . .	30	21	18	19	11	8	14	2	1	–	–	1	–	–	–	1
Brain, etc. . . .	7	5	6	10	12	8	12	9	14	6	4	1	–	–	–	–
Heart, etc. . . .	6	11	14	6	6	13	17	7	14	9	1	–	–	–	–	–
Respiratory Organs .	7	7	11	18	15	22	24	21	16	3	3	1	–	–	–	–
Digestive Organs . .	7	4	6	10	5	4	3	7	3	5	1	1	–	–	–	1
Urinary Organs . .	1	–	–	1	–	2	1	3	–	3	3	–	–	–	–	–
Generative Organs .	4	2	4	1	1	2	–	–	1	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	1	–	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	18	18	33	41	25	13	5	2	–	–
Sudden Deaths . .	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths . .	1	–	6	1	3	4	2	2	1	–	–	–	–	–	–	–
Small Pox . . .	4	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	1	–	1	3	1	–	2	1	–	2	–	–	–	–	–	–
Dysentery . . .	–	1	–	1	2	1	1	2	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	1	2	1	3	–	3	1	–	–	–	–	–	–
Purpura . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	4	3	7	3	4	3	2	1	1	1	–	–	–	–	1
Metria	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	2	–	1	–	1	2	2	–	–	–	–	–	–
Syphilis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	1	3	4	4	4	1	5	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Cancer	–	4	3	4	1	5	2	2	3	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	30	21	17	18	11	8	14	2	1	–	–	1	–	–	–	1
Hydrocephalus . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.		BOTH SEXES.												
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	21	–	1	2	3	2	1	–	3	1	1	3	1
	Apoplexy	42	–	–	–	–	1	2	–	5	1	1	1	–
	Paralysis	42	–	–	–	–	–	–	–	–	–	–	1	1
	Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	1
	Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
	Epilepsy	10	–	–	–	–	–	–	–	–	–	4	1	–
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	75	38	12	7	7	6	3	1	–	1	–	–	–
	Brain Disease	22	–	–	–	–	–	1	–	1	1	4	1	3
V.	Pericarditis	2	–	–	–	–	–	–	–	–	–	–	1	–
	Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	117	–	–	1	–	–	–	–	3	2	4	3	6
VI.	Laryngitis	5	–	–	1	1	–	2	1	–	–	–	–	–
	Bronchitis	166	11	13	29	23	9	5	1	2	–	–	–	2
	Pleurisy	9	–	–	–	2	1	–	1	1	–	–	1	–
	Pneumonia	115	9	7	11	19	6	5	7	2	4	3	4	1
	Asthma	33	–	–	–	–	–	–	–	–	–	–	–	2
	Lung Disease	10	–	–	1	–	–	–	–	1	1	1	–	–
VII.	Teething	69	–	7	27	33	2	–	–	–	–	–	–	–
	Quinsey	7	1	2	2	2	–	–	–	–	–	–	–	–
	Gastritis	5	–	–	–	–	–	–	–	–	–	–	–	1
	Enteritis	15	3	4	1	2	–	1	–	–	–	–	1	1
	Peritonitis	13	1	–	1	–	1	1	–	1	–	–	1	–
	Ascites	2	–	–	–	–	–	–	–	–	–	1	–	1
	Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	2
	Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	7	–	–	–	–	–	–	–	–	–	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	16	1	–	3	–	–	–	–	2	–	–	–	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	6	3	1	–	–	–	–	–	–	–	–	–	–
	Liver Disease	26	–	–	–	–	–	–	–	1	–	–	1	2
	Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	6	–	–	–	1	–	1	–	–	1	–	2	–
	Nephria	10	–	–	–	–	2	1	2	–	–	1	1	2
	Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	15	–	–	–	–	–	–	–	–	1	–	1	3
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	13	–	–	–	–	–	–	–	–	–	–	–	4
	Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	1	–	–	–	1	–	–	–	–	–	–	–	–
	Rheumatism	7	–	–	–	–	–	–	–	–	–	1	–	2
	Joint and Bone Disease	6	–	–	–	–	–	–	1	1	–	2	–	1
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XII.	Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
	Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
	Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	2	–	–	–	–	–	–	–	–	–	–	–	1
	Burns and Scalds	13	–	–	–	3	3	4	1	1	–	–	–	–
	Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	3	–	–	1	1	–	–	–	–	–	–	–	–
	Drowning	9	–	–	–	–	–	–	–	1	1	3	–	–
	Fracture and Contusion	16	–	1	–	–	–	–	–	2	2	1	3	–
	Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
	Not Specified	154	25	9	20	27	8	8	4	9	6	2	6	3

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	3	5	3	7	6	4	2	–	–	–	–	–	–
Paralysis	3	4	–	4	4	3	4	3	8	2	4	1	–	–	–	–
Delirium Tremens	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	3	1	1	–	–	2	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	10	12	6	4	12	17	7	14	9	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	3	3	11	6	9	12	11	8	2	3	1	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Pneumonia	2	2	5	5	2	8	7	3	3	–	–	–	–	–	–	–
Asthma	1	2	1	2	5	5	4	6	4	1	–	–	–	–	–	–
Lung Disease	2	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	1	–	–	2	–	2	–	1	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	2	1	–	1	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	1	–	1	2	1	1	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	3	1	6	3	1	–	1	3	3	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	1	1	2	–	2	3	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Fracture and Contusion	–	–	2	–	1	2	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	3	1	–	8	4	7	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	MONTHS. 6	1	2	3	4	5	10	15	20	25	30
ALL CAUSES	1383	139	64	127	165	88	95	62	107	39	36	41	30
SPECIFIED CAUSES	1309	125	58	113	156	83	92	61	101	38	36	39	29
I. Zymotic Class	456	17	11	44	73	54	70	42	70	15	2	8	4
II. Diseases of Uncertain Seat	32	3	–	–	3	1	1	1	4	1	1	–	–
III. Tubercular Class	177	3	12	13	19	8	4	8	12	11	19	15	9
IV. Brain and Nervous System	116	20	5	5	8	5	6	1	5	1	5	3	3
V. Organs of Circulation	55	–	–	1	–	–	–	–	3	–	1	2	1
VI. Respiratory Organs	173	12	13	23	25	9	5	6	2	4	2	3	2
VII. Organs of Digestion	95	4	9	23	21	2	1	–	1	–	1	1	5
VIII. Urinary Organs	23	–	–	–	–	1	2	2	–	2	1	4	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	1	–	–	–	1	–	1	–	1
XI. Skin, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	72	63	7	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	3	1	2	–	1	1	–	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	35	1	1	1	3	2	1	1	2	3	3	3	1
I. Small Pox	88	1	3	9	13	13	19	8	14	1	–	1	3
Measles	26	1	–	3	9	4	5	2	2	–	–	–	–
Scarlatina	138	1	2	11	18	14	27	18	34	8	–	–	–
Diphtheria	14	–	–	2	2	3	2	3	2	–	–	–	–
Hooping Cough	44	5	2	11	10	9	4	3	–	–	–	–	–
Croup	40	2	1	3	11	7	7	3	5	–	–	1	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	22	4	2	1	4	1	2	–	1	1	–	2	–
Dysentery	13	–	–	1	2	–	–	–	1	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–
Influenza	7	–	–	1	–	1	1	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	1	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	1	1	–	–	–	–	–	–	–	–
Typhus	43	–	–	–	3	2	3	4	10	4	2	4	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	10	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	16	–	–	–	1	1	1	1	4	1	–	–	–
Abscess	4	1	–	–	2	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	2	–	–	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	1	–	1	1	–	–	1	–	–	2	–
Tabes Mesenterica	8	–	1	2	1	–	2	1	1	–	–	–	–
Phthisis	125	1	4	2	7	5	1	4	9	9	18	13	9
Hydrocephalus	37	2	6	9	10	2	1	3	1	2	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	31	27	32	33	43	39	48	41	34	39	14	6	1	1	–	1
SPECIFIED CAUSES	29	27	32	33	39	38	43	41	34	39	14	6	1	1	–	1
Zymotic Class	6	8	1	8	5	3	4	3	3	5	–	–	–	–	–	–
Uncertain Seat	1	–	–	2	1	2	2	3	1	5	–	–	–	–	–	–
Tubercular Class	9	6	6	5	6	4	5	–	1	–	–	1	–	–	–	1
Brain, etc.	5	3	4	6	6	6	6	6	5	1	1	–	–	–	–	–
Heart, etc.	–	5	8	2	5	6	6	3	7	4	1	–	–	–	–	–
Respiratory Organs	5	3	4	5	9	12	10	8	7	1	3	–	–	–	–	–
Digestive Organs	2	2	5	3	3	1	–	5	1	4	1	–	–	–	–	–
Urinary Organs	1	–	–	1	–	–	1	1	–	2	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	9	8	17	6	5	1	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Violent Deaths	–	–	3	–	3	3	1	2	1	–	–	–	–	–	–	–
Small Pox	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–
Dysentery	–	1	–	1	2	1	1	2	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	1	3	–	1	–	–	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	2	–	1	–	1	2	2	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	1	–	1	1	–	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	2	–	1	1	1	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	6	6	4	6	4	5	–	1	–	–	1	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	–	–	1	3	1	1	–	2	1	–	1	–
Apoplexy	21	–	–	–	–	1	2	–	2	–	1	–	–
Paralysis	21	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	2	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	41	20	5	4	5	3	3	1	–	–	–	–	–
Brain Disease	12	–	–	–	–	–	–	–	1	–	2	1	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	50	–	–	1	–	–	–	–	3	–	1	1	1
VI. Laryngitis	2	–	–	1	–	–	–	1	–	–	–	–	–
Bronchitis	88	7	6	18	16	5	4	–	1	–	–	–	1
Pleurisy	6	–	–	–	2	–	–	1	1	–	–	1	–
Pneumonia	65	5	7	4	7	4	1	4	–	3	2	2	1
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
VII. Teething	45	–	5	19	19	2	–	–	–	–	–	–	–
Quinsey	3	1	1	1	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	11	2	2	1	2	–	1	–	–	–	–	1	1
Peritonitis	5	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	1	–	1
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	–	2	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	13	–	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	5	–	–	–	–	–	1	–	–	1	–	2	–
Nephria	8	–	–	–	–	1	1	2	–	–	1	1	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	10	–	–	–	–	–	–	–	–	1	–	1	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	6	–	–	–	2	2	1	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	1	1	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	1	1	2	–	–
Fracture and Contusion	12	–	1	–	–	–	–	–	1	2	1	3	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	74	14	6	14	9	5	3	1	6	1	–	2	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	3	2	2	3	4	1	–	–	–	–	–	–	–
Paralysis	3	3	–	2	1	2	3	2	3	–	1	–	–	–	–	–
Delirium Tremens	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	5	7	2	3	5	6	3	7	4	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	–	2	4	5	4	5	4	1	3	–	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	2	2	2	2	6	5	2	2	–	–	–	–	–	–	–
Asthma	–	–	1	1	3	1	–	1	1	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	2	2	–	–	1	1	3	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	1	–	–	2	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	–	–	4	1	5	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1520	154	49	106	161	84	85	51	101	39	41	51	55
SPECIFIED CAUSES	1440	143	46	100	143	81	80	48	98	34	39	47	53
I. Zymotic Class	479	15	12	57	85	59	62	36	68	13	7	8	3
II. Diseases of Uncertain Seat	54	1	1	–	1	1	–	3	1	–	1	1	2
III. Tubercular Class	234	2	10	7	14	7	6	4	16	14	18	28	26
IV. Brain and Nervous System	102	18	8	4	2	4	1	–	4	4	5	4	3
V. Organs of Circulation	69	–	–	–	–	–	–	–	–	2	3	2	5
VI. Respiratory Organs	165	8	7	19	20	7	7	4	4	1	2	2	3
VII. Organs of Digestion	77	5	5	11	16	1	1	–	3	–	–	2	3
VIII. Urinary Organs	10	–	–	–	1	1	–	–	–	–	–	–	2
IX. Organs of Generation	19	–	–	–	–	–	–	–	–	–	–	–	4
X. Organs of Locomotion	9	–	–	–	–	–	–	1	–	–	2	–	2
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	96	91	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	3	–	–	–	–	–	–	–	–
XV. Age	100	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	15	–	–	–	1	1	3	–	2	–	1	–	–
I. Small Pox	99	3	2	19	22	10	16	5	13	4	–	2	–
Measles	33	–	–	3	11	8	3	3	4	1	–	–	–
Scarlatina	128	1	2	9	21	19	20	10	34	5	4	–	–
Diphtheria	19	–	–	3	4	2	4	2	4	–	–	–	–
Hooping Cough	35	1	3	9	11	7	1	3	–	–	–	–	–
Croup	49	4	1	3	11	7	10	9	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	2	2	4	4	1	3	–	1	–	–	–	–
Dysentery	7	1	1	3	–	1	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	9	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	1	–	–	–	–	–	–	–	–	–	–	–
Typhus	56	–	–	1	–	4	5	4	8	2	2	3	2
Metria	11	–	–	–	–	–	–	–	–	–	1	2	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	2	1	–	1	–	–	–	–	–	–	–	–	–
Syphilis	5	1	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	20	–	–	–	–	–	–	2	–	–	–	–	–
Abscess	5	–	–	–	1	1	–	–	1	–	1	1	–
Ulcer	2	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	23	1	–	–	–	–	–	1	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	2	1	–	–	–	1	1	–	–	–
Tabes Mesenterica	7	–	2	–	1	1	–	–	2	–	1	–	–
Phthisis	194	–	2	1	8	3	4	2	9	13	17	28	26
Hydrocephalus	28	2	6	4	4	3	2	2	4	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	53	45	46	54	35	50	68	46	60	42	25	11	4	1	–	3
SPECIFIED CAUSES	51	42	45	54	31	47	66	46	60	42	25	11	4	1	–	3
Zymotic Class	9	7	6	7	4	4	6	3	4	1	1	–	–	–	–	2
Uncertain Seat	1	4	4	3	4	8	5	6	3	3	1	–	–	–	–	–
Tubercular Class	21	15	12	14	5	4	9	2	–	–	–	–	–	–	–	–
Brain, etc.	2	2	2	4	6	2	6	3	9	5	3	1	–	–	–	–
Heart, etc.	6	6	6	4	1	7	11	4	7	5	–	–	–	–	–	–
Respiratory Organs	2	4	7	13	6	10	14	13	9	2	–	1	–	–	–	–
Digestive Organs	5	2	1	7	2	3	3	2	2	1	–	1	–	–	–	1
Urinary Organs	–	–	–	–	–	2	–	2	–	1	1	–	–	–	–	–
Generative Organs	4	2	4	1	1	2	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	9	25	24	19	8	4	1	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Small Pox	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	2	–	–	1	1	–	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	2	4	3	3	3	2	1	–	1	–	–	–	–	1
Metria	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	1	1	2	4	3	3	1	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Cancer	–	4	3	2	1	4	1	1	2	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	21	15	11	14	5	4	9	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	1	1	–	1	–	–	1	–	1	2	1
Apoplexy	21	–	–	–	–	–	–	–	3	1	–	1	–
Paralysis	21	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	2	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	34	18	7	3	2	3	–	–	–	1	–	–	–
Brain Disease	10	–	–	–	–	–	1	–	–	1	2	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	67	–	–	–	–	–	–	–	–	2	3	2	5
VI. Laryngitis	3	–	–	–	1	–	2	–	–	–	–	–	–
Bronchitis	78	4	7	11	7	4	1	1	1	–	–	–	1
Pleurisy	3	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	50	4	–	7	12	2	4	3	2	1	1	2	–
Asthma	25	–	–	–	–	–	–	–	–	–	–	–	2
Lung Disease	6	–	–	1	–	–	–	–	1	–	1	–	–
VII. Teething	24	–	2	8	14	–	–	–	–	–	–	–	–
Quinsey	4	–	1	1	2	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	4	1	2	–	–	–	–	–	–	–	–	–	–
Peritonitis	8	–	–	1	–	1	1	–	1	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	1	–	1	–	–	–	–	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	13	–	–	–	–	–	–	–	–	–	–	1	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	1	–	–	–	–	–	–	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	13	–	–	–	–	–	–	–	–	–	–	–	4
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	2
Joint and Bone Disease	4	–	–	–	–	–	–	1	–	–	2	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	1	1	3	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	4	–	–	–	–	–	–	–	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	80	11	3	6	18	3	5	3	3	5	2	4	2

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	3	1	4	2	3	2	–	–	–	–	–	–
Paralysis	–	1	–	2	3	1	1	1	5	2	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	1	2	–	–	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	5	5	4	1	7	11	4	7	5	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	3	9	2	4	8	6	4	1	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Pneumonia	–	–	3	3	–	2	2	1	1	–	–	–	–	–	–	–
Asthma	1	2	–	1	2	4	4	5	3	1	–	–	–	–	–	–
Lung Disease	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	–	4	1	1	–	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generatio	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	3	1	–	4	3	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2193	156	80	129	202	145	102	69	149	74	79	94	75
Specified Causes	2179	155	78	129	202	145	102	69	148	72	79	92	74
I. Zymotic Class	649	21	22	52	113	94	69	53	76	23	25	25	15
II. Diseases of Uncertain Seat	94	–	–	1	1	4	2	1	7	3	1	–	1
III. Tubercular Class	423	6	13	32	34	21	18	3	46	25	35	49	37
IV. Brain and Nervous System	182	17	10	3	4	5	5	2	7	12	6	4	6
V. Organs of Circulation	88	–	–	–	–	–	–	1	2	1	2	3	2
VI. Respiratory Organs	307	28	21	16	23	12	7	5	3	–	4	7	6
VII. Organs of Digestion	124	9	8	20	21	4	1	1	1	2	3	–	3
VIII. Urinary Organs	28	–	–	–	2	–	–	–	3	1	–	–	2
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	1	–
X. Organs of Locomotion	13	–	–	–	–	–	–	–	2	2	2	1	–
XI. Skin, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	6	5	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	69	64	2	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	1	–	2	–	–	–	–	–
XV. Age	123	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	53	5	2	1	1	4	–	1	1	3	1	2	2
I. Small Pox	45	4	3	4	3	5	–	3	4	2	2	4	4
Measles	131	–	8	25	46	22	12	6	10	–	–	1	1
Scarlatina	249	–	3	13	39	45	37	35	43	12	8	6	2
Diphtheria	50	4	–	3	10	8	6	2	9	4	–	2	1
Hooping Cough	18	1	1	1	6	1	6	2	–	–	–	–	–
Croup	22	2	–	–	5	4	5	3	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	2	1	2	1	1	1	1	–	–	–	1	1
Dysentery	13	–	–	1	2	–	–	–	1	1	1	3	–
Cholera	1	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	5	1	1	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	–	–	–	–	–	–	–	1	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	4	–	–	2	–	2	–	–	–	–	–	–	–
Typhus	51	–	2	–	1	5	2	–	6	2	8	5	1
Metria	8	–	–	–	–	–	–	–	–	–	1	1	4
Rheumatic Fever	4	–	–	–	–	–	–	1	–	–	2	–	1
Erysipelas	17	5	–	–	–	–	–	–	–	2	2	1	–
Syphilis	6	2	3	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	42	–	–	–	–	3	1	1	6	3	–	–	1
Abscess	5	–	–	–	1	1	–	–	1	–	1	–	–
Ulcer	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	42	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	1	–	–	–	–	–	–
III. Scrofula	19	–	–	2	3	1	2	–	4	2	2	2	–
Tabes Mesenterica	22	1	–	2	5	5	4	–	2	1	–	–	1
Phthisis	276	–	6	5	4	3	5	–	19	16	33	47	36
Hydrocephalus	106	5	7	23	22	12	7	3	21	6	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	67	58	65	54	66	77	67	95	105	85	58	27	13	2	–	–
Specified Causes	66	58	64	53	66	76	66	95	105	85	58	27	13	2	–	–
Zymotic Class	7	8	10	6	5	2	2	9	6	5	–	1	–	–	–	–
Uncertain Seat	3	3	6	6	11	10	9	6	7	7	3	2	–	–	–	–
Tubercular Class	28	16	23	3	12	17	–	4	1	–	–	–	–	–	–	–
Brain, etc.	9	8	6	8	5	7	9	12	11	14	6	2	3	1	–	–
Heart, etc.	2	10	4	5	8	7	11	11	8	7	3	1	–	–	–	–
Respiratory Organs	5	3	6	9	14	18	17	28	36	19	15	4	1	–	–	–
Digestive Organs	4	3	3	8	6	5	8	9	4	1	–	–	–	–	–	–
Urinary Organs	3	3	2	–	1	2	3	1	1	2	2	–	–	–	–	–
Generative Organs	1	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	2	–	1	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	9	26	28	28	17	9	1	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	3	2	2	3	5	1	2	5	2	1	–	–	–	–	–
Small Pox	1	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	2	2	3	1	–	–	–	–	–	–
Dysentery	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Purpura	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	5	3	2	1	–	6	–	1	–	–	–	–	–	–
Metria	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	1	–	1	–	1	–	–	–	1	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	–	–	3	4	3	1	5	4	2	2	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	2	1	6	5	7	5	6	5	2	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	28	15	23	3	11	17	–	4	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	1	–	–	1	–	2	–	1	–	–	2	–
Apoplexy	33	–	–	–	–	–	–	–	–	–	2	–	1
Paralysis	40	–	–	–	–	–	–	–	–	1	–	–	2
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	–	–	–	–	–	–	–	–	3	1	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	40	16	10	3	1	3	2	1	3	1	–	–	–
Brain Disease	37	–	–	–	2	2	1	1	3	7	2	1	–
V. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	–	1
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	79	–	–	–	–	–	–	1	1	1	2	3	1
VI. Laryngitis	12	1	1	3	–	1	–	2	–	–	–	1	1
Bronchitis	204	16	14	12	17	9	4	1	2	–	1	1	2
Pleurisy	10	–	–	–	–	–	–	1	1	–	1	1	1
Pneumonia	50	10	6	1	6	1	2	–	–	–	–	2	2
Asthma	17	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	14	1	–	–	–	1	1	1	–	–	2	2	–
VII. Teething	48	–	7	16	20	3	1	1	–	–	–	–	–
Quinsey	4	1	–	1	–	–	–	–	–	1	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	6	–	–	–	–	–	–	–	–	–	1	–	1
Ascites	6	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	7	2	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	1	1	2	–	1	–	–	–	–	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	9	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	1	1	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	2	–	–	–	1	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	17	–	–	–	–	–	–	–	2	1	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	1	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	9	–	–	–	–	–	–	–	–	2	2	2	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	1	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	1	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	1	–	–	–	–	–	–	–	–	–	–
Drowning	10	–	–	–	–	1	–	–	–	–	–	–	1
Fracture and Contusion	25	–	–	1	1	2	–	1	–	3	–	2	1
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	–	–	–	–	–	–	–	1	–	–
Not Specified	14	1	2	–	–	–	–	–	1	2	–	2	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	3	1	2	–	3	2	3	5	7	2	–	1	–	–	–
Paralysis	1	–	1	2	4	1	6	5	4	5	4	2	2	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	4	2	2	1	3	–	2	–	2	–	–	–	1	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	3	–	2	–	–	–	1	1	–	–	–	–	–	–	–
Heart Disease	2	7	4	3	8	7	11	10	7	7	3	1	–	–	–	–
Laryngitis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	–	3	8	10	11	23	29	16	14	4	1	–	–	–
Pleurisy	–	–	1	2	–	1	–	1	–	–	–	–	–	–	–	–
Pneumonia	2	–	2	2	1	3	3	2	3	1	1	–	–	–	–	–
Asthma	–	–	1	–	5	3	3	–	3	2	–	–	–	–	–	–
Lung Disease	–	–	2	1	–	–	–	2	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	1	–	2	2	1	1	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	1	1	2	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	1	–	1	1	2	1	1	1	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	1	2	1	3	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	1	–	2	1	–	2	4	2	–	–	–	–	–	–
Wounds	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1087	94	54	80	104	78	44	31	78	38	41	40	29
SPECIFIED CAUSES	1080	93	52	80	104	78	44	31	78	37	41	40	28
I. Zymotic Class	316	13	14	27	61	48	27	23	36	10	13	11	6
II. Diseases of Uncertain Seat	30	–	–	–	–	3	1	1	6	3	1	–	–
III. Tubercular Class	205	4	8	22	16	12	10	1	25	10	15	20	12
IV. Brain and Nervous System	100	12	7	2	1	3	3	–	2	8	5	3	4
V. Organs of Circulation	53	–	–	–	–	–	–	–	1	1	2	1	–
VI. Respiratory Organs	157	15	15	12	15	6	3	4	2	–	2	2	2
VII. Organs of Digestion	67	6	5	14	8	3	–	1	1	–	1	–	2
VIII. Urinary Organs	19	–	–	–	1	–	–	–	3	1	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	8	–	–	–	–	–	–	–	2	1	1	1	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	4	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	38	36	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	2	1	–	1	–	–	–	–	–
XV. Age	35	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	42	3	2	1	–	2	–	–	–	3	1	2	2
I. Small Pox	25	3	3	2	1	3	–	1	1	–	2	2	3
Measles	61	–	4	11	22	9	6	2	5	–	–	1	1
Scarlatina	127	–	2	8	29	24	14	16	20	5	4	3	–
Diphtheria	23	1	–	2	4	6	1	1	6	2	–	–	–
Hooping Cough	9	1	1	1	1	–	5	–	–	–	–	–	–
Croup	7	1	–	–	3	–	–	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	1	1	2	–	1	–	1	–	–	–	–	1
Dysentery	4	–	–	–	1	–	–	–	1	–	–	1	–
Cholera	1	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	1	–	1	–	–	–	–	–	–	–
Typhus	26	–	1	–	–	3	1	–	2	1	5	3	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	13	5	–	–	–	–	–	–	–	2	2	–	–
Syphilis	3	1	2	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	19	–	–	–	–	3	1	1	6	3	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	–	2	3	1	1	–	2	1	2	2	–
Tabes Mesenterica	14	1	–	2	4	3	1	–	2	–	–	–	1
Phthisis	120	–	3	3	–	–	4	–	12	6	13	18	11
Hydrocephalus	57	3	5	15	9	8	4	1	9	3	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	30	26	32	25	29	42	34	43	43	38	21	8	4	1	–	–
SPECIFIED CAUSES	30	26	32	24	29	41	34	43	43	38	21	8	4	1	–	–
Zymotic Class	2	2	6	2	3	2	1	4	3	2	–	–	–	–	–	–
Uncertain Seat	1	–	2	1	2	3	2	–	2	2	–	–	–	–	–	–
Tubercular Class	11	7	11	3	3	11	–	3	1	–	–	–	–	–	–	–
Brain, etc.	4	5	3	2	2	4	6	7	3	7	3	1	2	1	–	–
Heart, etc.	1	7	2	5	2	4	8	8	5	5	1	–	–	–	–	–
Respiratory Organs	2	1	3	5	10	7	6	8	17	10	7	2	1	–	–	–
Digestive Organs	2	1	2	2	3	3	5	5	3	–	–	–	–	–	–	–
Urinary Organs	3	–	–	–	1	2	3	–	1	2	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	6	5	10	7	5	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	3	2	2	3	5	1	2	3	–	1	–	–	–	–	–
Small Pox	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	4	1	1	1	–	3	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	1	–	–	2	1	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	2	–	–	1	2	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	7	11	3	3	11	–	3	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	ALL AGES.	MALES. AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	10	1	–	–	1	–	2	–	1	–	–	1	–
Apoplexy	19	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	16	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	2	1	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	24	11	7	2	–	2	1	–	–	1	–	–	–
Brain Disease	20	–	–	–	–	1	–	–	1	5	2	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	47	–	–	–	–	–	–	–	1	1	2	1	–
VI. Laryngitis	9	1	1	3	–	1	–	1	–	–	–	–	1
Bronchitis	98	10	10	8	10	4	2	1	2	–	1	–	–
Pleurisy	7	–	–	–	–	–	–	1	–	–	–	1	1
Pneumonia	30	4	4	1	5	1	–	–	–	–	–	1	–
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	1	1	–	–	1	–	–
VII. Teething	25	–	4	11	7	2	–	1	–	–	–	–	–
Quinsey	2	1	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	1	1	–	1	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	1	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	1	–	–	–	1	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	–	–	–	–	–	2	1	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	2	1	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	1	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	10	–	–	–	–	1	–	–	–	–	–	–	1
Fracture and Contusion	19	–	–	1	–	1	–	–	–	3	–	2	1
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	–	–	–	–	–	–	–	1	–	–
Not Specified	7	1	2	–	–	–	–	–	–	1	–	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	3	–	–	–	3	2	2	2	4	2	–	–	–	–	–
Paralysis	–	–	1	–	2	–	3	2	1	2	1	1	2	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	1	–	1	–	2	–	1	–	–	–	1	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	3	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	1	4	2	3	2	4	8	7	5	5	1	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	1	4	4	3	5	15	8	6	2	1	–	–	–
Pleurisy	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Pneumonia	2	–	–	2	1	2	2	2	1	1	1	–	–	–	–	–
Asthma	–	–	1	–	5	–	1	–	1	1	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	1	1	2	–	1	1	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	1	2	1	3	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	1	–	2	1	–	2	3	–	–	–	–	–	–	–
Wounds	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1196	62	26	49	98	67	58	38	71	36	38	54	46
SPECIFIED CAUSES . . .	1099	62	26	49	98	67	58	38	70	35	38	52	46
I. Zymotic Class . . .	333	8	8	25	52	46	42	30	40	13	12	14	9
II. Diseases of Uncertain Seat	64	–	–	1	1	1	1	–	1	–	–	–	1
III. Tubercular Class . .	218	2	5	10	18	9	8	2	21	15	20	29	25
IV. Brain and Nervous System	82	5	3	1	3	2	2	2	5	4	1	1	2
V. Organs of Circulation .	35	–	–	–	–	–	–	1	1	–	–	2	2
VI. Respiratory Organs . .	150	13	6	4	8	6	4	1	1	–	2	5	4
VII. Organs of Digestion . .	57	3	3	6	13	1	1	–	–	2	2	–	1
VIII. Urinary Organs . .	9	–	–	–	1	–	–	–	–	–	–	–	2
IX. Organs of Generation .	6	–	–	–	–	–	–	–	–	–	–	1	–
X. Organs of Locomotion .	5	–	–	–	–	–	–	–	–	1	1	–	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	31	28	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	–	–	1	–	–	–	–	–
XV. Age	88	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . . .	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . . .	11	2	–	–	1	2	–	1	1	–	–	–	–
I. Small Pox	20	1	–	2	2	2	–	2	3	2	–	2	1
Measles	70	–	4	14	24	13	6	4	5	–	–	–	–
Scarlatina	122	–	1	5	10	21	23	19	23	7	4	3	2
Diphtheria	27	3	–	1	6	2	5	1	3	2	–	2	1
Hooping Cough . .	9	–	–	–	5	1	1	2	–	–	–	–	–
Croup	15	1	–	–	2	4	5	1	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	1	–	–	1	–	1	–	–	–	–	1	–
Dysentery	9	–	–	1	1	–	–	–	–	1	1	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	1	1	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	2	–	–	1	–	1	–	–	–	–	–	–	–
Typhus	25	–	1	–	1	2	1	–	4	1	3	2	1
Metria	8	–	–	–	–	–	–	–	–	–	1	1	4
Rheumatic Fever . .	3	–	–	–	–	–	–	1	–	–	2	–	–
Erysipelas . . .	4	–	–	–	–	–	–	–	–	–	–	1	–
Syphilis	3	1	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	23	–	–	–	–	–	–	–	–	–	–	–	1
Abscess	3	–	–	–	1	1	–	–	1	–	–	–	–
Ulcer	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	35	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	1	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	1	–	2	1	–	–	–
Tabes Mesenterica . .	8	–	–	–	1	2	3	–	–	1	–	–	–
Phthisis	156	–	3	2	4	3	1	–	7	10	20	29	25
Hydrocephalus . . .	49	2	2	8	13	4	3	2	12	3	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	37	32	33	29	37	35	33	52	62	47	37	19	9	1	–	–
SPECIFIED CAUSES	36	32	32	29	37	35	32	52	62	47	37	19	9	1	–	–
Zymotic Class	5	6	4	4	2	–	1	5	3	3	–	1	–	–	–	–
Uncertain Seat	2	3	4	5	9	7	7	6	5	5	3	2	–	–	–	–
Tubercular Class	17	9	12	–	9	6	–	1	–	–	–	–	–	–	–	–
Brain, etc.	5	3	3	6	3	3	3	5	8	7	3	1	1	–	–	–
Heart, etc.	1	3	2	–	6	3	3	3	3	2	2	1	–	–	–	–
Respiratory Organs	3	2	3	4	4	11	11	20	19	9	8	2	–	–	–	–
Digestive Organs	2	2	1	6	3	2	3	4	1	1	–	–	–	–	–	–
Urinary Organs	–	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Generative Organs	1	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	3	21	18	21	12	8	1	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
Small Pox	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	1	2	1	1	–	–	–	–	–	–
Dysentery	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	2	1	–	–	3	–	1	–	–	–	–	–	–
Metria	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	–	–	2	3	3	1	3	3	2	2	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	1	4	5	7	4	4	5	2	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	8	12	–	8	6	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Apoplexy	14	–	–	–	–	–	–	–	–	–	1	–	1
Paralysis	24	–	–	–	–	–	–	–	–	1	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	5	3	1	1	1	1	1	3	–	–	–	–
Brain Disease	17	–	–	–	2	1	1	1	2	2	–	–	–
V. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	–	1
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	32	–	–	–	–	–	–	1	–	–	–	2	1
VI. Laryngitis	3	–	–	–	–	–	–	1	–	–	–	1	–
Bronchitis	106	6	4	4	7	5	2	–	–	–	–	1	2
Pleurisy	3	–	–	–	–	–	–	–	1	–	1	–	–
Pneumonia	20	6	2	–	1	–	2	–	–	–	–	1	2
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	10	1	–	–	–	1	–	–	–	–	1	2	–
VII. Teething	23	–	3	5	13	1	1	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	1	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	–	–	1	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	3	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	1	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	1	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	1	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	–	1	1	–	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	–	–	–	–	–	–	–	1	1	–	2	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	2	–	–	–	1	3	3	–	–	1	–	–	–
Paralysis	1	–	–	2	2	1	3	3	3	3	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	1	1	1	2	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	1	3	2	–	6	3	3	3	2	2	2	1	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	2	–	2	4	6	8	18	14	8	8	2	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	2	–	–	1	1	–	2	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	3	2	–	2	1	–	–	–	–	–	–
Lung Disease	–	–	1	1	–	–	–	2	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	ALL AGES.	MONTHS. 3	MONTHS. 6	MONTHS. 12	2	3	4	5	10	15	20	25	30
		BOTH SEXES. AGE UNDER											
All Causes	1378	140	47	115	146	62	36	28	77	30	59	55	43
Specified Causes	1328	106	39	109	145	62	36	28	77	30	59	55	43
I. Zymotic Class	296	6	12	31	66	32	21	20	38	2	10	5	7
II. Diseases of Uncertain Seat	48	1	–	–	–	1	1	1	2	1	1	–	1
III. Tubercular Class	280	3	5	20	31	15	7	5	23	14	38	32	18
IV. Brain and Nervous System	110	1	2	1	–	2	1	1	7	3	4	3	4
V. Organs of Circulation	35	–	–	–	–	–	–	–	–	1	–	2	2
VI. Respiratory Organs	179	19	8	37	16	4	1	1	5	1	1	4	1
VII. Organs of Digestion	147	24	7	18	28	4	–	–	–	3	3	3	2
VIII. Urinary Organs	10	–	–	–	–	–	–	–	–	–	1	2	1
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	–	1	4
X. Organs of Locomotion	6	–	–	–	–	–	–	–	–	1	1	–	1
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	–	–	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	57	51	4	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	4	1	3	–	1	1	–	1	–
XV. Age	106	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	29	1	1	–	–	2	2	–	1	3	–	2	2
I. Small Pox	24	1	4	2	5	2	2	1	3	–	2	–	1
Measles	31	–	–	7	11	6	2	1	4	–	–	–	–
Scarlatina	95	–	–	8	21	13	12	14	24	1	1	1	–
Diphtheria	1	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	33	–	3	6	15	5	1	2	1	–	–	–	–
Croup	28	1	3	4	10	4	2	1	3	–	–	–	–
Thrush	2	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	14	–	1	1	–	1	–	–	–	–	1	–	–
Dysentery	7	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	37	–	–	1	2	1	2	1	2	1	4	2	1
Metria	7	–	–	–	–	–	–	–	–	–	1	1	4
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	1
Erysipelas	11	3	–	1	1	–	–	–	1	–	1	–	–
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	2	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	28	–	–	–	–	1	1	1	2	1	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	3	–	–	–	1	1	3	1	–
Tabes Mesenterica	20	–	–	4	6	3	3	1	1	–	1	–	–
Phthisis	197	–	2	6	9	6	1	1	11	11	33	31	18
Hydrocephalus	54	3	3	10	13	6	3	3	10	2	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	43	42	44	42	45	47	59	68	70	31	26	16	3	3	–	1
SPECIFIED CAUSES	43	42	44	42	45	47	59	68	70	31	26	16	3	3	–	–
Zymotic Class	5	2	3	8	6	3	4	5	4	4	1	1	–	–	–	–
Uncertain Seat	1	2	6	3	5	4	6	8	3	–	–	1	–	–	–	–
Tubercular Class	13	16	9	13	7	3	4	3	1	–	–	–	–	–	–	–
Brain, etc.	6	6	7	5	4	11	10	17	7	6	2	–	–	–	–	–
Heart, etc.	5	3	2	–	2	5	6	3	3	–	1	–	–	–	–	–
Respiratory Organs	3	6	11	5	7	11	13	10	14	1	–	–	–	–	–	–
Digestive Organs	5	1	4	5	9	6	4	8	11	1	1	–	–	–	–	–
Urinary Organs	2	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Generative Organs	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	14	25	18	21	14	3	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	3	2	2	1	3	3	–	–	–	–	–	–	–	–	–
Small Pox	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	–	–	–	2	–	2	3	1	–	–	–	–	–
Dysentery	–	–	1	1	–	–	–	2	1	1	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	–	6	4	2	2	2	1	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	3	1	2	1	4	5	1	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	–	1	2	3	3	1	2	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	16	9	12	7	3	4	3	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30.
IV. Cephalitis	3	–	–	–	–	–	–	–	1	–	–	1	1
Apoplexy	28	–	1	–	–	–	–	–	5	1	–	–	1
Paralysis	40	–	–	–	–	–	–	–	–	1	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	–	1	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	1	1	–	–	1	–	–	–	–	–	–	–
Brain Disease	25	–	–	1	–	1	1	1	1	1	4	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	31	–	–	–	–	–	–	–	–	1	–	2	2
VI. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	117	14	8	25	11	1	1	1	4	–	–	1	–
Pleurisy	4	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	40	5	–	11	5	3	–	–	1	1	1	1	1
Asthma	14	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	35	–	1	10	23	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	49	22	6	5	2	1	–	–	–	–	2	–	–
Peritonitis	5	–	–	–	–	–	–	–	–	1	–	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	1	1	1	–
Hernia	3	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	–	–	2	1	1	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	12	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	7	2	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Nephria	4	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	5	–	–	–	–	–	–	–	–	1	1	–	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	–	–	–	1	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	–	2	1	–	1	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	7	–	–	–	–	–	1	–	–	2	–	1	1
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	50	34	8	6	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	1	2	1	1	4	2	4	1	1	–	–	–	–	–	–
Paralysis	–	1	4	–	2	6	6	8	5	5	2	–	–	–	–	–
Delirium Tremens	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	3	–	3	–	–	2	4	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	4	3	2	–	2	4	4	3	3	–	1	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	6	2	6	9	10	7	8	–	–	–	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Pneumonia	2	2	2	1	–	–	2	–	2	–	–	–	–	–	–	–
Asthma	–	1	1	1	1	2	1	3	2	1	–	–	–	–	–	–
Lung Disease	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	1	1	1	2	2	1	2	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	–	1	1	2	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	2	1	1	3	1	–	1	–	–	–	–	–
Jaundice	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	1	2	–	1	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	680	79	26	65	78	32	17	14	35	18	27	23	14
SPECIFIED CAUSES	654	58	24	63	78	32	17	14	35	18	27	23	14
I. Zymotic Class	152	4	9	19	35	19	10	10	14	2	6	1	1
II. Diseases of Uncertain Seat	22	–	–	–	–	1	1	–	1	1	1	–	–
III. Tubercular Class	137	2	1	14	20	7	2	4	15	6	15	15	7
IV. Brain and Nervous System	61	1	2	–	–	–	–	–	2	3	3	2	2
V. Organs of Circulation	19	–	–	–	–	–	–	–	–	1	–	1	1
VI. Respiratory Organs	96	11	7	20	10	3	1	–	1	–	–	2	–
VII. Organs of Digestion	67	13	3	9	12	–	–	–	–	1	1	–	1
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	1	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	–	–	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	29	27	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	1	–	1	–	1	–	–	1	–
XV. Age	39	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	20	–	1	–	–	1	2	–	1	3	–	1	2
I. Small Pox	11	–	2	2	1	2	1	–	–	–	1	–	1
Measles	19	–	–	6	6	4	–	1	2	–	–	–	–
Scarlatina	52	–	–	5	15	8	7	8	7	1	1	–	–
Diphtheria	1	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	16	–	3	4	6	2	–	–	1	–	–	–	–
Croup	13	–	2	1	5	2	1	–	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	–	1	–	–	1	–	–	–	–	1	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	–	–	–	1	–	1	1	1	1	2	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	8	3	–	1	–	–	–	–	1	–	1	–	–
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	2	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	–	1	1	–	1	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	–	–	–	2	–	–	–	1	–	1	–	–
Tabes Mesenterica	11	–	–	3	3	2	1	1	–	–	1	–	–
Phthisis	90	–	–	4	5	2	–	1	9	6	12	15	7
Hydrocephalus	32	2	1	7	10	3	1	2	5	–	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	22	20	19	19	22	21	28	36	33	14	11	6	–	–	–	1
SPECIFIED CAUSES	22	20	19	19	22	21	28	36	33	14	11	6	–	–	–	–
Zymotic Class	1	1	2	4	3	1	1	4	1	3	1	–	–	–	–	–
Uncertain Seat	1	1	1	1	3	1	3	4	2	–	–	–	–	–	–	–
Tubercular Class	5	7	5	4	2	2	–	3	1	–	–	–	–	–	–	–
Brain, etc.	4	5	4	4	–	4	9	8	5	2	1	–	–	–	–	–
Heart, etc.	4	1	–	–	1	3	3	2	2	–	–	–	–	–	–	–
Respiratory Organs	3	1	6	1	6	3	8	5	7	1	–	–	–	–	–	–
Digestive Organs	2	1	1	2	5	4	1	5	5	1	–	–	–	–	–	–
Urinary Organs	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	5	9	7	9	6	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	–	2	1	3	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	–	3	2	–	1	2	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	1	–	1	4	1	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	2	1	1	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	7	5	4	2	2	–	3	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	13	–	1	–	–	–	–	–	1	1	–	–	–
Paralysis	22	–	–	–	–	–	–	–	–	1	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	1	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	1	1	–	–	–	–	–	–	–	–	–	–
Brain Disease	19	–	–	–	–	–	–	–	1	1	3	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	16	–	–	–	–	–	–	–	–	1	–	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	64	9	7	12	6	–	1	–	1	–	–	1	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	23	2	–	8	4	3	–	–	–	–	–	–	–
Asthma	6	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	16	–	–	5	11	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	21	12	3	2	–	–	–	–	–	–	1	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	–	2	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	1	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	–	–	–	1	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	–	1	1	–	1	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	–	–	–	1	–	–	2	–	1	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	26	21	2	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	1	1	1	–	1	2	2	–	–	–	–	–	–	–	–
Paralysis	–	1	2	–	–	3	5	3	4	2	1	–	–	–	–	–
Delirium Tremens	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	–	3	–	–	2	3	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	3	1	–	–	1	2	2	2	2	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	5	–	5	3	5	3	4	–	–	–	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	2	–	1	1	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	698	61	21	50	68	30	19	14	42	12	32	32	29
SPECIFIED CAUSES	674	48	15	46	67	30	19	14	42	12	32	32	29
I. Zymotic Class	144	2	3	12	31	13	11	10	24	–	4	4	6
II. Diseases of Uncertain Seat	26	1	–	–	–	–	–	1	1	–	–	–	1
III. Tubercular Class	143	1	4	6	11	8	5	1	8	8	23	17	11
IV. Brain and Nervous System	49	–	–	1	–	2	1	1	5	–	1	1	2
V. Organs of Circulation	16	–	–	–	–	–	–	–	–	–	–	1	1
VI. Respiratory Organs	83	8	1	17	6	1	–	1	4	1	1	2	1
VII. Organs of Digestion	80	11	4	9	16	4	–	–	–	2	2	3	1
VIII. Urinary Organs	7	–	–	–	–	–	–	–	–	–	1	2	1
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	–	1	4
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	–	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	24	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	1	2	–	–	1	–	–	–
XV. Age	67	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	9	1	–	–	–	1	–	–	–	–	–	1	–
I. Small Pox	13	1	2	–	4	–	1	1	3	–	1	–	–
Measles	12	–	–	1	5	2	2	–	2	–	–	–	–
Scarlatina	43	–	–	3	6	5	5	6	17	–	–	1	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	17	–	–	2	9	3	1	2	–	–	–	–	–
Croup	15	1	1	3	5	2	1	1	1	–	–	–	–
Thrush	2	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	7	–	–	1	–	–	–	–	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	–	–	1	1	1	1	–	1	–	2	1	1
Metria	7	–	–	–	–	–	–	–	–	–	1	1	4
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	1
Erysipelas	3	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	–	–	–	1	1	–	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	1	–	–	–	–	1	2	1	–
Tabes Mesenterica	9	–	–	1	3	1	2	–	1	–	–	–	–
Phthisis	107	–	2	2	4	4	1	–	2	5	21	16	11
Hydrocephalus	22	1	1	3	3	3	2	1	5	2	–	–	–

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	21	22	25	23	23	26	31	32	37	17	15	10	3	3	–	–
SPECIFIED CAUSES	21	22	25	23	23	26	31	32	37	17	15	10	3	3	–	–
Zymotic Class	4	1	1	4	3	2	3	1	3	1	–	1	–	–	–	–
Uncertain Seat	–	1	5	2	2	3	3	4	1	–	–	1	–	–	–	–
Tubercular Class	8	9	4	9	5	1	4	–	–	–	–	–	–	–	–	–
Brain, etc.	2	1	3	1	4	7	1	9	2	4	1	–	–	–	–	–
Heart, etc.	1	2	2	–	1	2	3	1	1	–	1	–	–	–	–	–
Respiratory Organs	–	5	5	4	1	8	5	5	7	–	–	–	–	–	–	–
Digestive Organs	3	–	3	3	4	2	3	3	6	–	1	–	–	–	–	–
Urinary Organs	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Generative Organs	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	9	16	11	12	8	3	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	2	–	–	–	3	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	–	–	–	2	–	2	–	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	–	3	2	2	1	–	1	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	2	1	1	1	3	1	–	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	–	1	1	1	2	–	2	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	9	4	8	5	1	4	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	–	–	–	–	1	–	–	1	1
Apoplexy	15	–	–	–	–	–	–	–	4	–	–	–	1
Paralysis	18	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	–	1	–	–	–	–	–	–	–
Brain Disease	6	–	–	1	–	1	1	1	–	–	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	15	–	–	–	–	–	–	–	–	–	–	1	1
VI. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	53	5	1	13	5	1	–	1	3	–	–	–	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	17	3	–	3	1	–	–	–	1	1	1	1	1
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	19	–	1	5	12	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	28	10	3	3	2	1	–	–	–	–	1	–	–
Peritonitis	4	–	–	–	–	–	–	–	–	1	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	1	1	1	–
Hernia	2	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Nephria	2	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	24	13	6	4	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	–	1	3	–	2	1	1	–	–	–	–	–	–
Paralysis	–	–	2	–	2	3	1	5	1	3	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	2	2	–	1	2	2	1	1	–	1	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	2	1	6	5	4	4	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Asthma	–	1	1	1	–	2	–	1	2	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	2	2	1	2	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1255	101	53	109	174	76	48	46	58	39	39	48	34
Specified Causes	1218	87	47	107	168	75	45	46	58	38	39	48	34
I. Zymotic Class	347	17	15	41	88	48	28	28	24	9	3	11	4
II. Diseases of Uncertain Seat	34	–	–	–	1	–	3	1	2	1	–	–	1
III. Tubercular Class	265	3	5	16	33	11	6	6	17	20	26	24	22
IV. Brain and Nervous System	102	1	2	15	8	2	2	3	3	1	2	2	1
V. Organs of Circulation	38	–	–	1	–	–	–	–	–	–	1	1	2
VI. Respiratory Organs	146	4	15	13	20	7	3	5	3	3	4	2	4
VII. Organs of Digestion	83	8	1	14	11	6	1	2	1	3	–	1	–
VIII. Urinary Organs	13	–	–	–	–	–	–	–	2	–	–	1	–
IX. Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	2	–
X. Organs of Locomotion	7	–	–	–	1	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	60	49	7	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	1	5	–	1	–	3	–	–	–	–
XV. Age	56	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	43	4	1	2	1	1	1	1	3	1	2	4	–
I. Small Pox	91	4	4	22	13	10	8	9	5	3	3	5	2
Measles	50	1	1	9	22	8	4	1	3	1	–	–	–
Scarlatina	32	–	–	–	11	8	–	3	6	2	–	1	–
Diphtheria	38	1	2	2	12	6	5	6	2	2	–	–	–
Hooping Cough	11	–	1	–	3	2	2	2	1	–	–	–	–
Croup	47	1	1	3	17	12	6	4	3	–	–	–	–
Thrush	2	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	5	3	4	4	–	–	–	–	–	–	1	–
Dysentery	8	–	1	1	2	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	4	1	2	–	4	1	–	1	2
Metria	4	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	1	–	–	–	–	–	2	–	–	–	–	–
Syphilis	5	3	1	–	–	–	–	–	–	–	–	1	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	10	–	–	–	–	–	2	–	1	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	4	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	16	–	–	–	–	–	–	–	–	1	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	1	–	–	–	–	4	–	–	2
Tabes Mesenterica	18	1	–	–	3	2	2	2	4	2	1	–	1
Phthisis	193	1	2	5	12	4	2	2	10	13	25	24	19
Hydrocephalus	45	1	3	11	17	5	2	2	3	1	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	40	46	46	24	46	41	48	37	30	28	24	14	2	1	1	2
SPECIFIED CAUSES	40	45	45	24	46	39	48	37	30	28	24	14	2	1	1	2
Zymotic Class	5	5	2	–	4	2	3	2	1	2	3	2	–	–	–	–
Uncertain Seat	1	–	1	–	3	2	6	2	4	1	3	2	–	–	–	–
Tubercular Class	16	17	12	8	6	9	5	3	–	–	–	–	–	–	–	–
Brain, etc.	6	4	2	4	8	9	9	6	5	3	4	–	–	–	–	–
Heart, etc.	3	2	6	1	2	4	6	5	1	2	–	–	–	–	–	1
Respiratory Organs	2	5	10	5	9	4	8	7	6	2	2	1	1	1	–	–
Digestive Organs	3	5	3	4	5	6	3	3	1	1	–	1	–	–	–	–
Urinary Organs	–	1	4	–	2	–	1	1	1	–	–	–	–	–	–	–
Generative Organs	2	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	7	11	16	11	8	–	–	1	–
Sudden Deaths	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Violent Deaths	2	3	3	1	4	2	3	–	–	1	1	–	1	–	–	1
Small Pox	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	–	1	–	–	–	1	2	1	–	–	–	–
Dysentery	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Purpura	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	4	–	1	–	–	1	1	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	1	2	1	–	2	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Cancer	–	–	1	–	2	2	5	–	2	–	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	16	17	12	8	6	8	5	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—BOTH SEXES. *(Continued.)*

DISEASES.	*ALL AGES.	BOTH SEXES. AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	2	3	–	–	–	–	–	–	–	–
Apoplexy	19	–	–	–	–	–	1	–	1	–	–	–	–
Paralysis	29	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	1	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	12	1	1	6	1	1	–	1	1	–	–	–	–
Brain Disease	32	–	1	7	4	1	1	2	1	1	2	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	38	–	–	1	–	–	–	–	–	–	1	1	2
VI. Laryngitis	3	–	–	–	1	2	–	–	–	–	–	–	–
Bronchitis	95	3	13	11	16	4	1	4	2	1	–	–	3
Pleurisy	3	–	–	–	–	–	1	–	–	–	1	–	–
Pneumonia	34	1	2	2	2	1	1	1	1	2	2	2	1
Asthma	8	–	–	–	1	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
VII. Teething	22	–	–	11	9	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	22	6	1	3	2	4	1	2	1	–	–	–	–
Peritonitis	5	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	2	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	15	–	–	–	–	–	–	–	–	2	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	–	–	2	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	2	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	1	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	1	–	–
Burns and Scalds	10	1	–	–	1	1	1	–	1	–	1	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	1	–	–	1	–
Fracture and Contusion	14	–	–	–	–	–	–	–	1	1	–	2	–
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	1	–	–	–	1	–
Not Specified	37	14	6	2	6	1	–	–	–	1	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	3	4	2	2	1	2	1	1	–	–	–	–	–
Paralysis	1	2	2	1	4	5	7	3	1	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	–	–	–	1	–	2	2	–	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	6	1	2	4	6	5	1	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	5	5	5	1	5	3	4	2	1	1	1	1	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	1	3	5	–	1	2	–	3	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	3	1	2	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	–	1	3	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	1	–	3	2	4	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	–	1	–	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	3	1	–	2	–	1	–	–	1	1	–	–	–	–	1
Wounds	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	667	59	31	58	104	45	27	16	29	16	25	23	18
SPECIFIED CAUSES	652	52	29	57	101	45	26	16	29	16	25	23	18
I. Zymotic Class	180	8	9	19	48	29	14	10	8	4	1	8	3
II. Diseases of Uncertain Seat	15	–	–	–	–	–	1	1	1	1	–	–	1
III. Tubercular Class	133	–	3	8	23	9	5	2	9	7	15	9	10
IV. Brain and Nervous System	62	1	2	9	5	1	1	2	2	1	2	–	1
V. Organs of Circulation	25	–	–	1	–	–	–	–	–	–	1	–	1
VI. Respiratory Organs	76	3	8	6	10	1	3	1	2	1	3	1	2
VII. Organs of Digestion	52	4	1	11	8	4	1	–	1	1	–	1	–
VIII. Urinary Organs	7	–	–	–	–	–	–	–	1	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	1	–	–	–	–	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	41	33	6	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	5	–	1	–	2	–	–	–	–
XV. Age	16	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	30	2	–	1	1	1	–	–	3	1	2	4	–
I. Small Pox	51	2	2	12	8	9	4	3	1	–	1	5	1
Measles	24	–	1	3	12	4	3	–	–	1	–	–	–
Scarlatina	14	–	–	–	5	3	–	1	2	1	–	1	–
Diphtheria	23	1	2	2	9	4	2	2	–	1	–	–	–
Hooping Cough	4	–	–	–	1	2	–	1	–	–	–	–	–
Croup	23	–	1	–	7	7	4	2	2	–	–	–	–
Thrush	2	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	1	2	1	3	–	–	–	–	–	–	1	–
Dysentery	4	–	–	1	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	–	–	–	2	–	1	–	3	1	–	–	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	1	–	–	–	–	–	1	–	–	–	–	–
Syphilis	3	2	–	–	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	–	1	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	1	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	1	–	–	–	–	1	–	–	–
Tabes Mesenterica	11	–	–	–	2	2	2	1	2	1	1	–	–
Phthisis	88	–	1	2	6	3	1	–	5	5	14	9	10
Hydrocephalus	31	–	2	6	14	4	2	1	2	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	26	23	25	15	26	18	23	16	16	12	10	5	–	1	–	–
SPECIFIED CAUSES .	26	23	25	15	26	17	23	16	16	12	10	5	–	1	–	–
Zymotic Class .	4	4	1	–	4	1	2	1	1	1	–	–	–	–	–	–
Uncertain Seat . .	1	–	1	–	–	–	1	–	3	–	2	2	–	–	–	–
Tubercular Class . .	9	5	6	5	2	2	4	–	–	–	–	–	–	–	–	–
Brain, etc. . . .	5	1	1	2	7	4	5	3	4	–	3	–	–	–	–	–
Heart, etc. . . .	2	1	5	1	2	2	4	2	1	2	–	–	–	–	–	–
Respiratory Organs .	1	5	4	3	5	4	3	3	3	–	2	1	–	1	–	–
Digestive Organs . .	2	4	1	3	1	3	1	3	1	1	–	–	–	–	–	–
Urinary Organs . .	–	–	3	–	1	–	–	1	1	–	–	–	–	–	–	–
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	2	2	7	2	2	–	–	–	–
Sudden Deaths . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Violent Deaths . .	2	3	3	–	2	1	2	–	–	1	1	–	–	–	–	–
Small Pox . . .	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Dysentery . . .	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	4	–	1	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	5	6	5	2	1	4	–	–	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	12	–	–	–	–	–	–	–	1	–	–	–	–
Paralysis	16	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	9	1	1	4	1	1	–	1	–	–	–	–	–
Brain Disease	23	–	1	4	4	–	1	1	1	1	2	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	25	–	–	1	–	–	–	–	–	–	1	–	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	45	2	8	5	8	–	1	1	2	–	–	–	1
Pleurisy	2	–	–	–	–	–	1	–	–	–	–	–	–
Pneumonia	22	1	–	1	2	1	1	–	–	1	2	1	1
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
VII. Teething	16	–	–	9	6	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	3	1	2	2	3	1	–	1	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	1	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	1	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	1	–	–
Burns and Scalds	5	1	–	–	1	1	–	–	1	–	1	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	1	–	–	1	–
Fracture and Contusion	12	–	–	–	–	–	–	–	1	1	–	2	–
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	15	7	2	1	3	–	1	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	1	3	1	2	–	2	–	1	–	–	–	–	–
Paralysis	1	1	1	1	4	3	3	2	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	5	1	2	2	4	2	1	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	2	3	2	1	2	–	2	–	1	1	–	1	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	1	3	2	–	1	2	–	2	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	1	–	3	1	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	3	1	–	1	–	1	–	–	1	1	–	–	–	–	–
Wounds	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	588	42	22	51	70	31	21	30	29	23	14	25	16
SPECIFIED CAUSES	566	35	18	50	67	30	19	30	29	22	14	25	16
I. Zymotic Class . . .	167	9	6	22	40	19	14	18	16	5	2	3	1
II. Diseases of Uncertain Seat	19	–	–	–	1	–	2	–	1	–	–	–	–
III. Tubercular Class . .	132	3	2	8	10	2	1	4	8	13	11	15	12
IV. Brain and Nervous System	40	–	–	6	3	1	1	1	1	–	–	2	–
V. Organs of Circulation .	13	–	–	–	–	–	–	–	–	–	–	1	1
VI. Respiratory Organs . .	70	1	7	7	10	6	–	4	1	2	1	1	2
VII. Organs of Digestion .	31	4	–	3	3	2	–	2	–	2	–	–	–
VIII. Urinary Organs . .	6	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation .	8	–	–	–	–	–	–	–	–	–	–	2	–
X. Organs of Locomotion .	3	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	19	16	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	1	–	–	–	–	1	–	–	–	–
XV. Age	40	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . . .	13	2	1	1	–	–	1	1	–	–	–	–	–
I. Small Pox	40	2	2	10	5	1	4	6	4	3	2	–	1
Measles	26	1	–	6	10	4	1	1	3	–	–	–	–
Scarlatina	18	–	–	–	6	5	–	2	4	1	–	–	–
Diphtheria	15	–	–	–	3	2	3	4	2	1	–	–	–
Hooping Cough . . .	7	–	1	–	2	–	2	1	1	–	–	–	–
Croup	24	1	–	3	10	5	2	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	4	1	3	1	–	–	–	–	–	–	–	–
Dysentery	4	–	1	–	1	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	–	–	–	2	1	1	–	1	–	–	1	–
Metria	4	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	1	–	–	–	–	–
Syphilis	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	1	–	1	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	3	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	–	–	–	3	–	–	2
Tabes Mesenterica . .	7	1	–	–	1	–	–	1	2	1	–	–	1
Phthisis	105	1	1	3	6	1	1	2	5	8	11	15	9
Hydrocephalus . . .	14	1	1	5	3	1	–	1	1	1	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . .	14	23	21	9	20	23	25	21	14	16	14	9	2	–	1	2
SPECIFIED CAUSES .	14	22	20	9	20	22	25	21	14	16	14	9	2	–	1	2
Zymotic Class . .	1	1	1	–	–	1	1	1	–	1	3	2	–	–	–	–
Uncertain Seat . .	–	–	–	–	3	2	5	2	1	1	1	–	–	–	–	–
Tubercular Class . .	7	12	6	3	4	7	1	3	–	–	–	–	–	–	–	–
Brain, etc. . . .	1	3	1	2	1	5	4	3	1	3	1	–	–	–	–	–
Heart, etc. . . .	1	1	1	–	–	2	2	3	–	–	–	–	–	–	–	1
Respiratory Organs .	1	–	6	2	4	–	5	4	3	2	–	–	1	–	–	–
Digestive Organs . .	1	1	2	1	4	3	2	–	–	–	–	1	–	–	–	–
Urinary Organs . .	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Generative Organs .	2	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	5	9	9	9	6	–	–	1	–
Sudden Deaths . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	–	–	–	1	2	1	1	–	–	–	–	–	1	–	–	1
Small Pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–
Dysentery . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	–	–	2	2	5	–	–	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	7	12	6	3	4	7	1	2	–	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—FEMALES. *(Continued.)*

DISEASES.	ALL AGES.	FEMALES. AGE UNDER MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	1	3	–	–	–	–	–	–	–	–
Apoplexy	7	–	–	–	–	–	1	–	–	–	–	–	–
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	–	–	2	–	–	–	–	1	–	–	–	–
Brain Disease	9	–	–	3	–	1	–	1	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	13	–	–	–	–	–	–	–	–	–	–	1	1
VI. Laryngitis	3	–	–	–	1	2	–	–	–	–	–	–	–
Bronchitis	50	1	5	6	8	4	–	3	–	1	–	–	2
Pleurisy	1	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	12	–	2	1	–	–	–	1	1	1	–	1	–
Asthma	4	–	–	–	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	6	–	–	2	3	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	3	–	1	–	1	–	2	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	1	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	2	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	1	–	–	–	–	–
Not Specified	22	7	4	1	3	1	2	–	–	1	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	2	1	1	–	1	–	1	–	–	–	–	–	–
Paralysis	–	1	1	–	–	2	4	1	1	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	1	–	–	2	2	3	–	–	–	–	–	–	–	1
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	3	2	3	–	3	3	2	2	–	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	3	–	–	–	–	1	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	987	98	31	71	105	54	49	46	78	22	18	24	26
SPECIFIED CAUSES	957	90	30	65	101	52	49	45	77	21	17	23	26
I. Zymotic Class	303	11	9	24	46	29	37	35	50	15	5	5	5
II. Diseases of Uncertain Seat	28	1	–	–	1	1	–	2	2	–	–	–	–
III. Tubercular Class	117	3	4	9	16	7	4	3	8	1	6	11	5
IV. Brain and Nervous System	93	10	4	1	6	2	–	2	3	–	–	1	3
V. Organs of Circulation	50	–	–	–	–	–	1	–	–	2	1	3	4
VI. Respiratory Organs	153	15	10	21	24	9	5	1	2	1	4	–	2
VII. Organs of Digestion	46	4	–	7	4	1	1	–	5	1	–	1	1
VIII. Urinary Organs	11	–	–	–	–	1	–	–	1	–	–	–	1
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	1	–	–	–	1	2	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	47	43	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	2	2	–	–	1	–	–	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	35	1	–	1	2	–	1	1	3	1	1	2	5
I. Small Pox	10	1	2	1	–	1	–	–	1	–	1	1	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	172	1	1	6	30	20	29	30	41	10	2	–	1
Diphtheria	9	1	–	–	3	1	–	2	–	–	–	–	–
Hooping Cough	38	3	1	14	9	5	2	2	2	–	–	–	–
Croup	5	–	1	1	1	–	2	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	4	–	1	1	–	–	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	1	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	35	–	2	1	2	2	4	–	6	5	1	2	2
Metria	5	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	4	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	1	–	2	2	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	16	–	–	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	–	–	–	2	–	–	1	1	–	–	–	–
Tabes Mesenterica	11	2	2	2	2	–	1	1	1	–	–	–	–
Phthisis	71	–	–	–	1	3	1	–	3	1	6	11	5
Hydrocephalus	31	1	2	7	11	4	2	1	3	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	30	39	31	16	25	34	40	39	43	28	21	16	2	–	–	1
SPECIFIED CAUSES .	30	38	31	15	25	34	39	39	43	28	21	16	2	–	–	–
Zymotic Class . .	5	4	6	–	–	3	5	1	2	3	3	–	–	–	–	–
Uncertain Seat . .	–	2	1	2	1	3	3	2	1	4	–	2	–	–	–	–
Tubercular Class . .	9	8	8	2	4	2	4	–	2	1	–	–	–	–	–	–
Brain, etc. . . .	3	5	–	5	6	6	7	9	11	4	3	2	–	–	–	–
Heart, etc. . . .	2	7	6	1	3	5	3	4	6	1	1	–	–	–	–	–
Respiratory Organs .	4	3	4	3	7	6	6	10	9	5	2	–	–	–	–	–
Digestive Organs . .	2	3	2	–	3	2	1	5	2	–	1	–	–	–	–	–
Urinary Organs . .	1	2	1	–	–	1	1	1	–	–	1	–	–	–	–	–
Generative Organs .	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	5	10	10	9	12	2	–	–	–
Sudden Deaths . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	2	3	2	2	1	2	2	2	–	–	1	–	–	–	–	–
Small Pox . . .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	–	1	–	–	–	2	1	2	–	1	–	–	–	–	–
Dysentery . . .	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Purpura . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	3	–	–	1	–	–	–	1	1	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Cancer	–	2	1	1	–	2	2	2	1	4	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	9	8	8	2	4	2	4	–	2	1	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

	DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	10	–	–	–	2	2	–	2	1	–	–	–	1
	Apoplexy	18	1	1	–	–	–	–	–	–	–	–	–	–
	Paralysis	31	–	–	–	–	–	–	–	–	–	–	–	–
	Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	1	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	2
	Tetanus	2	2	–	–	–	–	–	–	–	–	–	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	13	7	2	–	4	–	–	–	–	–	–	–	–
	Brain Disease	9	–	1	1	–	–	–	–	2	–	–	–	–
V.	Pericarditis	3	–	–	–	–	–	1	–	–	–	–	1	–
	Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	44	–	–	–	–	–	–	–	–	2	1	2	4
VI.	Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Bronchitis	81	11	8	10	10	7	–	–	1	1	1	–	–
	Pleurisy	9	–	–	–	1	–	–	–	1	–	1	–	1
	Pneumonia	52	4	2	11	12	2	5	1	–	–	1	–	1
	Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	7	–	–	–	1	–	–	–	–	–	1	–	–
VII.	Teething	7	–	–	5	2	–	–	–	–	–	–	–	–
	Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
	Gastritis	3	–	–	–	–	–	–	–	1	–	–	1	1
	Enteritis	5	1	–	1	2	–	–	–	–	–	–	–	–
	Peritonitis	4	–	–	–	–	–	–	–	2	1	–	–	–
	Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	10	–	–	1	–	–	1	–	1	–	–	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	3	3	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	8	–	–	–	–	–	–	–	1	–	–	–	–
	Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
	Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	7	–	–	–	–	1	–	–	–	–	–	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
	Joint and Bone Disease	5	–	–	1	–	–	–	1	2	–	–	–	–
XI.	Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
	Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
	Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	1	–	–	–	–	–	–	–	–	–	1	–	–
	Burns and Scalds	5	–	–	1	1	–	1	1	–	–	–	–	–
	Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Drowning	8	–	–	–	–	–	–	–	1	–	–	1	2
	Fracture and Contusion	16	–	–	–	1	–	–	–	2	1	–	1	2
	Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	1
	Not Specified	30	8	1	6	4	2	–	1	1	1	1	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	1	4	3	1	–	2	3	1	–	–	–	–	–
Paralysis	–	–	–	1	1	3	4	9	9	1	2	1	–	–	–	–
Delirium Tremens	1	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	–	–	–	2	–	–	–	–	1	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	2	5	5	1	3	5	3	3	6	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	–	2	1	–	3	4	3	7	6	4	2	–	–	–	–	–
Pleurisy	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Pneumonia	2	1	2	2	3	–	–	2	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Lung Disease	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	3	–	1	–	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	–	–	1	1	1	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	2	1	–	1	–	1	–	–	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	505	50	16	43	58	32	25	22	39	12	10	17	15
SPECIFIED CAUSES	486	45	16	38	57	31	25	21	38	12	9	16	15
I. Zymotic Class	158	6	5	15	25	19	19	18	24	10	3	1	2
II. Diseases of Uncertain Seat	10	–	–	–	1	–	–	–	2	–	–	–	–
III. Tubercular Class	49	2	3	2	7	1	–	1	1	–	3	9	3
IV. Brain and Nervous System	53	6	2	–	5	2	–	–	2	–	–	1	2
V. Organs of Circulation	29	–	–	–	–	–	1	–	–	–	–	3	2
VI. Respiratory Organs	83	9	4	16	16	6	3	–	–	–	3	–	1
VII. Organs of Digestion	21	3	–	3	3	1	1	–	3	1	–	–	–
VIII. Urinary Organs	4	–	–	–	–	1	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	1	2	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	22	19	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	1	–	–	1	–	–	–	–
XV. Age	22	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	26	–	–	1	–	–	1	1	3	1	–	2	5
I. Small Pox	5	1	–	1	–	–	–	–	1	–	1	1	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	94	1	–	4	18	15	14	15	19	6	1	–	1
Diphtheria	5	–	–	–	2	–	–	2	–	–	–	–	–
Hooping Cough	17	1	1	7	4	2	1	1	–	–	–	–	–
Croup	5	–	1	1	1	–	2	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	3	–	1	–	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	2	1	–	2	2	–	4	4	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	–	–	–	2	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	5	–	–	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	4	1	1	1	1	–	–	–	–	–	–	–	–
Phthisis	32	–	–	–	–	–	–	–	–	–	3	9	3
Hydrocephalus	12	1	2	1	5	1	–	1	1	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	14	16	19	6	14	13	22	20	14	13	7	6	1	–	–	1
SPECIFIED CAUSES .	14	15	19	6	14	13	21	20	14	13	7	6	1	–	–	–
Zymotic Class . .	–	–	4	–	–	1	3	–	–	2	1	–	–	–	–	–
Uncertain Seat . .	–	–	–	1	1	1	1	1	–	2	–	–	–	–	–	–
Tubercular Class . .	3	3	4	–	2	1	3	–	1	–	–	–	–	–	–	–
Brain, etc. . . .	3	4	–	2	5	2	3	5	3	3	1	2	–	–	–	–
Heart, etc. . . .	2	3	4	1	2	2	2	3	3	1	–	–	–	–	–	–
Respiratory Organs .	2	1	3	1	3	2	2	7	2	1	1	–	–	–	–	–
Digestive Organs . .	1	1	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Urinary Organs . .	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	2	4	4	3	4	1	–	–	–
Sudden Deaths . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	2	3	2	1	1	1	1	1	–	–	–	–	–	–	–	–
Small Pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dysentery . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess . . .	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis . . .	3	3	4	–	2	1	3	–	1	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	ALL AGES.	MALES. AGE UNDER — MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	1	2	–	–	1	–	–	–	1
Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	10	5	1	–	4	–	–	–	–	–	–	–	–
Brain Disease	6	–	1	–	–	–	–	–	1	–	–	–	–
V. Pericarditis	3	–	–	–	–	–	1	–	–	–	–	1	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	–	–	–	–	–	–	–	–	2	2
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	42	7	3	10	6	4	–	–	–	–	1	–	–
Pleurisy	3	–	–	–	1	–	–	–	–	–	–	–	1
Pneumonia	30	2	1	6	8	2	3	–	–	–	1	–	–
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	1	–	–	–	–	–	1	–	–
VII. Teething	4	–	–	3	1	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	3	1	–	–	2	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	1	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	1	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	1	2	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	–	–	1	1	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	1	–	–	1	2
Fracture and Contusion	13	–	–	–	–	–	–	–	2	1	–	1	2
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	19	5	–	5	1	1	–	1	1	–	1	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy . . .	1	–	–	–	3	1	–	–	1	2	–	–	–	–	–	–
Paralysis . . .	–	–	–	1	1	1	2	5	2	1	1	1	–	–	–	–
Delirium Tremens .	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease . .	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Pericarditis . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism . . .	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease . .	2	1	3	1	2	2	2	2	3	1	–	–	–	–	–	–
Laryngitis . . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis . . .	–	–	1	–	1	1	1	5	1	–	1	–	–	–	–	–
Pleurisy . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia . . .	–	1	2	1	1	–	–	2	–	–	–	–	–	–	–	–
Asthma . . .	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Lung Disease . .	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease . .	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease . .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease . .	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Paramenia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc. . .	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning . . .	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Wounds . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified . .	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	482	48	15	28	47	22	24	24	39	10	8	7	11
SPECIFIED CAUSES	471	45	14	27	44	21	24	24	39	9	8	7	11
I. Zymotic Class	145	5	4	9	21	10	18	17	26	5	2	4	3
II. Diseases of Uncertain Seat	18	1	–	–	–	1	–	2	–	–	–	–	–
III. Tubercular Class	68	1	1	7	9	6	4	2	7	1	3	2	2
IV. Brain and Nervous System	40	4	2	1	1	–	–	2	1	–	–	–	1
V. Organs of Circulation	21	–	–	–	–	–	–	–	–	2	1	–	2
VI. Respiratory Organs	70	6	6	5	8	3	2	1	2	1	1	–	1
VII. Organs of Digestion	25	1	–	4	1	–	–	–	2	–	–	1	1
VIII. Urinary Organs	7	–	–	–	–	–	–	–	1	–	–	–	1
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	1	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	25	24	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	2	1	–	–	–	–	–	–	–
XV. Age	33	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	9	1	–	–	2	–	–	–	–	–	1	–	–
I. Small Pox	5	–	2	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	78	–	1	2	12	5	15	15	22	4	1	–	–
Diphtheria	4	1	–	–	1	1	–	–	–	–	–	–	–
Hooping Cough	21	2	–	7	5	3	1	1	2	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	1	–	–	1	–	–	–	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	–	–	–	2	–	2	–	2	1	1	2	1
Metria	5	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	1	–	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	1	–	–	1	1	–	–	–	–
Tabes Mesenterica	7	1	1	1	1	–	1	1	1	–	–	–	–
Phthisis	39	–	–	–	1	3	1	–	3	1	3	2	2
Hydrocephalus	19	–	–	6	6	3	2	–	2	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	16	23	12	10	11	21	18	19	29	15	14	10	1	–	–	–
SPECIFIED CAUSES	16	23	12	9	11	21	18	19	29	15	14	10	1	–	–	–
Zymotic Class	5	4	2	–	–	2	2	1	2	1	2	–	–	–	–	–
Uncertain Seat	–	2	1	1	–	2	2	1	1	2	–	2	–	–	–	–
Tubercular Class	6	5	4	2	2	1	1	–	1	1	–	–	–	–	–	–
Brain, etc.	–	1	–	3	1	4	4	4	8	1	2	–	–	–	–	–
Heart, etc.	–	4	2	–	1	3	1	1	3	–	1	–	–	–	–	–
Respiratory Organs	2	2	1	2	4	4	4	3	7	4	1	–	–	–	–	–
Digestive Organs	1	2	1	–	3	2	–	4	1	–	1	–	–	–	–	–
Urinary Organs	–	2	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Generative Organs	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	3	6	6	6	8	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	1	–	1	1	1	–	–	1	–	–	–	–	–
Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	–	1	1	2	–	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Cancer	–	2	1	1	–	1	2	1	1	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	5	4	2	2	1	1	–	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30	
IV. Cephalitis	4	–	–	–	1	–	–	2	–	–	–	–	–	
Apoplexy	10	1	1	–	–	–	–	–	–	–	–	–	–	
Paralysis	16	–	–	–	–	–	–	–	–	–	–	–	–	
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	1	
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–	
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	
Convulsions	3	2	1	–	–	–	–	–	–	–	–	–	–	
Brain Disease	3	–	–	1	–	–	–	–	1	–	–	–	–	
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	21	–	–	–	–	–	–	–	–	2	1	–	2	
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Bronchitis	39	4	5	–	4	3	–	–	1	1	–	–	–	
Pleurisy	6	–	–	–	–	–	–	–	1	–	1	–	–	
Pneumonia	22	2	1	5	4	–	2	1	–	–	–	–	1	
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–	
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	
VII. Teething	3	–	–	2	1	–	–	–	–	–	–	–	–	
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	
Gastritis	2	–	–	–	–	–	–	–	–	–	–	1	1	
Enteritis	2	–	–	1	–	–	–	–	–	–	–	–	–	
Peritonitis	2	–	–	–	–	–	–	–	1	–	–	–	–	
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–	
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	7	–	–	1	–	–	–	–	1	–	–	–	–	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–	
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–	
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–	
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	1	
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–	
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–	
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	
Joint and Bone Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	1	–	–	–	–	–	–	–	–	–	1	–	–	
Burns and Scalds	2	–	–	–	1	–	–	–	–	–	–	–	–	
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	
Fracture and Contusion	3	–	–	–	1	–	–	–	–	–	–	–	–	
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	
Not Specified	11	3	1	1	3	1	–	–	–	1	–	–	–	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	1	2	1	–	1	1	1	–	–	–	–	–
Paralysis	–	–	–	–	–	2	2	4	7	–	1	–	–	–	–	–
Delirium Tremens	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	4	2	–	1	3	1	1	3	–	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	–	–	2	3	2	2	5	4	1	–	–	–	–	–
Pleurisy	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Pneumonia	2	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	3	–	–	–	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	664	69	25	41	44	17	8	12	26	17	21	30	31
Specified Causes	660	66	25	41	43	17	8	12	26	17	21	30	31
I. Zymotic Class	134	5	7	11	20	11	7	8	22	4	3	2	9
II. Diseases of Uncertain Seat	26	–	–	–	–	–	–	–	–	–	–	1	1
III. Tubercular Class	102	1	2	6	3	3	–	3	2	5	16	16	11
IV. Brain and Nervous System	74	2	1	2	1	1	1	–	–	2	1	2	2
V. Organs of Circulation	29	1	–	–	–	–	–	–	–	2	1	–	–
VI. Respiratory Organs	98	18	9	11	5	1	–	–	–	1	–	2	4
VII. Organs of Digestion	55	1	2	10	11	–	–	–	1	1	–	2	2
VIII. Urinary Organs	7	–	–	–	–	–	–	–	–	1	–	–	–
IX. Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	3	1
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	39	37	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	3	–	–	1	–	–	–	2	–
XV. Age	54	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	1	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	17	–	1	–	–	1	–	–	–	1	–	–	1
I. Small Pox	62	1	4	7	12	5	4	5	14	–	–	2	5
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	8	–	–	1	1	2	1	1	–	2	–	–	–
Diphtheria	2	–	–	–	1	–	–	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	9	–	–	1	1	4	1	–	2	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	19	2	2	1	4	–	–	–	1	–	–	–	1
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	1	–	–	1	–	1	2	2	2	3	–	2
Metria	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	–	–	–	–	2	–	–	–	–
Syphilis	2	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	1	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	–	1	–	1	–	–	1	–	–
Tabes Mesenterica	5	–	1	–	–	2	–	–	–	1	1	–	–
Phthisis	80	–	–	–	3	–	–	1	1	4	14	16	11
Hydrocephalus	10	1	1	6	–	–	–	1	1	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	19	21	22	22	29	22	51	33	33	28	25	12	4	1	1	–
Specified Causes	19	21	22	22	29	22	51	33	33	28	25	12	4	1	1	–
Zymotic Class	4	1	4	2	–	1	3	4	3	–	1	1	1	–	–	–
Uncertain Seat	1	2	3	2	3	3	2	3	1	2	1	1	–	–	–	–
Tubercular Class	4	5	3	5	8	4	3	1	1	–	–	–	–	–	–	–
Brain, etc.	2	2	2	2	6	5	14	4	10	7	3	2	–	–	–	–
Heart, etc.	–	2	3	2	5	1	2	6	2	1	1	–	–	–	–	–
Respiratory Organs	2	5	1	5	3	1	11	8	4	3	3	1	–	–	–	–
Digestive Organs	2	–	1	2	2	5	10	–	2	1	–	–	–	–	–	–
Urinary Organs	1	1	–	–	–	–	1	1	–	2	–	–	–	–	–	–
Generative Organs	2	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	4	10	11	16	7	2	1	1	–
Sudden Deaths	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	1	2	4	1	–	2	1	–	–	1	–	–	1	–	–	–
Small Pox	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	1	–	–	–	3	–	–	1	1	–	–	–	–
Dysentery	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	–	–	1	2	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Cancer	1	1	3	2	2	3	1	1	–	–	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	4	3	4	8	4	2	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES. AGE UNDER MONTHS 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Apoplexy	31	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	22	–	–	–	–	–	–	–	–	–	–	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	2	1	1	1	1	–	–	–	–	–	–	–
Brain Disease	7	–	–	1	–	–	1	–	–	2	–	–	1
V. Pericarditis	2	1	–	–	–	–	–	–	–	–	1	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	25	–	–	–	–	–	–	–	–	2	–	–	–
VI. Laryngitis	6	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	68	17	8	8	4	–	–	–	–	1	–	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	2
Pneumonia	16	1	–	1	1	–	–	–	–	–	–	2	2
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	1	1	–	1	–	–	–	–	–	–	–
VII. Teething	23	1	1	10	11	–	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	–	–	–	1	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	–	–	–	–	–	–	–	–	–	–	1	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	–	–	–	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	–	1	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	1	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	3	1
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	1	–	–	–
Fracture and Contusion	7	–	–	–	–	1	–	–	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	3	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—BOTH SEXES. *(Continued.)*

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	2	5	2	7	–	6	4	1	1	–	–	–	–
Paralysis	–	–	–	–	–	3	6	3	2	3	2	1	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	2	2	5	1	2	6	2	1	1	–	–	–	–	–
Laryngitis	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	2	–	1	1	1	9	5	4	1	3	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	–	1	1	–	2	–	2	2	–	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–
Peritonitis	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	3	3	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	319	33	13	19	23	9	5	8	8	10	11	15	14
SPECIFIED CAUSES	319	33	13	19	23	9	5	8	8	10	11	15	14
I. Zymotic Class . . .	63	2	3	7	12	5	4	5	5	2	2	1	4
II. Diseases of Uncertain Seat	10	–	–	–	–	–	–	–	–	–	–	1	–
III. Tubercular Class . .	50	1	–	2	–	3	–	3	2	2	8	8	2
IV. Brain and Nervous System	39	1	1	1	–	1	1	–	–	2	–	–	2
V. Organs of Circulation .	16	–	–	–	–	–	–	–	–	–	1	–	–
VI. Respiratory Organs . .	47	5	7	6	3	–	–	–	–	1	–	2	4
VII. Organs of Digestion .	26	–	1	3	6	–	–	–	1	1	–	2	1
VIII. Urinary Organs . .	7	–	–	–	–	–	–	–	–	1	–	–	–
IX. Organs of Generation .	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion .	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation . . .	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility . .	23	23	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	–	–	–	–	1	–
XV. Age	20	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths . . .	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths . .	9	–	–	–	–	–	–	–	–	1	–	–	1
I. Small Pox	30	–	2	4	9	2	2	3	3	–	–	1	3
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	–	–	1	–	–	–	1	–	1	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	6	–	–	–	1	3	1	–	1	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	10	1	1	1	1	–	–	–	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	1	–	–	1	–	1	1	1	1	2	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	1	–	1	–	–	1	–	–
Tabes Mesenterica . .	4	–	–	–	–	2	–	–	–	1	1	–	–
Phthisis	35	–	–	–	–	–	–	1	1	1	6	8	2
Hydrocephalus	5	1	–	2	–	–	–	1	1	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	6	12	7	13	16	11	33	15	14	8	10	4	1	–	1	–
SPECIFIED CAUSES	6	12	7	13	16	11	33	15	14	8	10	4	1	–	1	–
Zymotic Class	1	–	–	2	–	–	3	3	–	–	1	1	–	–	–	–
Uncertain Seat	–	1	–	2	–	–	2	1	1	2	–	–	–	–	–	–
Tubercular Class	1	2	2	2	6	1	3	1	1	–	–	–	–	–	–	–
Brain, etc.	–	1	1	2	3	5	10	1	4	1	2	–	–	–	–	–
Heart, etc.	–	2	1	2	5	–	2	1	1	–	1	–	–	–	–	–
Respiratory Organs	1	4	–	3	–	1	3	3	2	1	–	1	–	–	–	–
Digestive Organs	1	–	–	–	–	3	6	–	1	–	–	–	–	–	–	–
Urinary Organs	1	1	–	–	–	–	1	1	–	2	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	3	4	2	6	2	1	–	1	–
Sudden Deaths	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	1	1	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	–	3	–	–	1	1	–	–	–	–
Dysentery	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Cancer	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	1	1	2	2	6	1	2	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	17	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	11	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	1	1	–	–	1	–	–	–	–	–	–	–
Brain Disease	6	–	–	1	–	–	1	–	–	2	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	–	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	5	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	30	5	6	5	3	–	–	–	–	1	–	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	2
Pneumonia	8	–	–	–	–	–	–	–	–	–	–	2	2
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
VII. Teething	9	–	–	3	6	–	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	–	–	–	1	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	–	–	–	–	–	–	–	–	–	–	1	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	–	1	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	1	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	1	–	–	–
Fracture and Contusion	5	–	–	–	–	–	–	–	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy . . .	–	–	1	2	2	2	6	–	3	–	1	–	–	–	–	–
Paralysis . . .	–	–	–	–	–	3	4	1	–	1	1	–	–	–	–	–
Delirium Tremens .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy . . .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pericarditis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease . .	–	1	1	2	5	–	2	1	1	–	1	–	–	–	–	–
Laryngitis . . .	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis . . .	1	1	–	1	–	1	1	1	2	1	–	1	–	–	–	–
Pleurisy . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia . . .	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis . . .	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Peritonitis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease . .	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
Spleen Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes . . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease . .	1	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–
Paramenia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc. . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	ALL AGES.	MONTHS. 3	6	12	AGE UNDER 2	3	4	5	10	15	20	25	30
ALL CAUSES	345	36	12	22	21	8	3	4	18	7	10	15	17
SPECIFIED CAUSES	341	33	12	22	20	8	3	4	18	7	10	15	17
I. Zymotic Class	71	3	4	4	8	6	3	3	17	2	1	1	5
II. Diseases of Uncertain Seat	16	–	–	–	–	–	–	–	–	–	–	–	1
III. Tubercular Class	52	–	2	4	3	–	–	–	–	3	8	8	9
IV. Brain and Nervous System	35	1	–	1	1	–	–	–	–	–	1	2	–
V. Organs of Circulation	13	1	–	–	–	–	–	–	–	2	–	–	–
VI. Respiratory Organs	51	13	2	5	2	1	–	–	–	–	–	–	–
VII. Organs of Digestion	29	1	1	7	5	–	–	–	–	–	–	–	1
VIII. Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	3	1
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	16	14	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	–	–	1	–	–	–	1	–
XV. Age	34	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	8	–	1	–	–	1	–	–	–	–	–	–	–
I. Small Pox	32	1	2	3	3	3	2	2	11	–	–	1	2
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	–	–	–	1	2	1	–	–	1	–	–	–
Diphtheria	2	–	–	–	1	–	–	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	3	–	–	1	–	1	–	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	9	1	1	–	3	–	–	–	1	–	–	–	1
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	10	–	–	–	–	–	–	1	1	1	1	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	–	–	–	–	2	–	–	–	–
Syphilis	2	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	45	–	–	–	3	–	–	–	–	3	8	8	9
Hydrocephalus	5	–	1	4	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—FEMALES.

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	13	9	15	9	13	11	18	18	19	20	15	8	3	1	–	–
SPECIFIED CAUSES	13	9	15	9	13	11	18	18	19	20	15	8	3	1	–	–
Zymotic Class	3	1	4	–	–	1	–	1	3	–	–	–	1	–	–	–
Uncertain Seat	1	1	3	–	3	3	–	2	–	–	1	1	–	–	–	–
Tubercular Class	3	3	1	3	2	3	–	–	–	–	–	–	–	–	–	–
Brain, etc.	2	1	1	–	3	–	4	3	6	6	1	2	–	–	–	–
Heart, etc.	–	–	2	–	–	1	–	5	1	1	–	–	–	–	–	–
Respiratory Organs	1	1	1	2	3	–	8	5	2	2	3	–	–	–	–	–
Digestive Organs	1	–	1	2	2	2	4	–	1	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	2	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	1	6	9	10	5	1	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	1	1	–	1	–	–	–	1	–	–	1	–	–	–
Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	3	–	2	3	–	1	–	–	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	3	3	1	2	2	3	–	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Apoplexy	14	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	11	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	1	–	1	1	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
V. Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	11	–	–	–	–	–	–	–	–	2	–	–	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	38	12	2	3	1	–	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	8	1	–	1	1	–	–	–	–	–	–	–	–
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	1	–	1	–	–	–	–	–	–	–
VII. Teething	14	1	1	7	5	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	3	1
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	3	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1860.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	3	–	1	–	3	4	–	1	–	–	–	–
Paralysis	–	–	–	–	–	–	2	2	2	2	1	1	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	1	–	–	1	–	5	1	1	–	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	–	–	1	–	8	4	2	–	3	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	2	–	–	1	–	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

			DEATHS in 1860.												
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1860		35°·9	34°·9	39°·1	42°·1	50°·9	54°·4	59°·3	55°·4	50°·7	47°·4	39°·3	34°·4	45°·3
		Population 1860.													
	SCOTLAND	3,044,938	6366	6901	6916	6529	6265	5406	5051	4612	4199	4856	5098	5971	68,170
	INSULAR DISTRICTS	161,308	224	240	235	262	261	229	200	213	183	212	203	252	2,714
	MAINLAND DISTRICTS	1,758,089	2996	3247	3505	3182	3268	2766	2480	2256	2076	2309	2439	2834	33,358
	TOWN DISTRICTS	1,125,541	3146	3414	3176	3085	2736	2411	2371	2143	1940	2335	2456	2885	32,098
	DIVISIONS.														
1	Northern	130,079	154	173	190	190	214	165	152	169	127	157	149	197	2,037
2	North-Western	168,175	278	349	252	260	241	236	200	187	195	222	219	250	2,889
3	North-Eastern	364,940	597	663	732	671	685	564	490	492	447	527	519	621	7,008
4	East-Midland	523,034	1011	1024	1167	1107	1022	836	755	700	688	912	959	1014	11,195
5	West-Midland	242,401	438	479	531	480	476	422	334	351	314	317	359	392	4,953
6	South-Western	995,536	2604	2871	2750	2634	2409	2147	2095	1823	1548	1790	1872	2326	26,869
7	South-Eastern	406,383	883	924	858	791	825	682	620	581	603	647	693	787	8,894
8	Southern	214,390	401	418	436	396	393	354	345	309	277	284	328	384	4,325
	COUNTIES.														
	I. NORTHERN.														
1	Shetland	31,610	40	30	42	40	52	38	28	38	29	36	30	62	465
2	Orkney	32,301	40	51	46	50	41	37	35	45	19	32	29	54	479
3	Caithness	41,952	45	60	65	77	76	66	64	63	45	64	60	50	735
4	Sutherland	24,216	29	32	37	23	45	24	25	23	34	25	30	31	358
	II. NORTH-WESTERN.														
5	Ross and Cromarty	82,566	126	166	118	136	117	106	100	102	112	123	109	123	1,438
6	Inverness	85,609	152	183	134	124	124	130	100	85	83	99	110	127	1,451
	III. NORTH-EASTERN.														
7	Nairn	8,319	12	18	17	10	13	9	7	19	14	6	9	19	153
8	Elgin (or Moray)	43,850	56	84	83	74	68	56	45	48	47	55	54	47	717
9	Banff	55,553	89	98	105	108	98	74	83	76	58	79	82	111	1,061
10	Aberdeen	222,355	381	392	470	420	448	370	298	308	280	350	335	400	4,452
11	Kincardine	34,863	59	71	57	59	58	55	57	41	48	37	39	44	625
	IV. EAST-MIDLAND.														
12	Forfar	205,434	428	447	496	450	399	352	347	329	298	443	490	525	5,004
13	Perth	133,613	244	239	284	297	256	223	187	177	180	193	204	209	2,693
14	Fife	154,896	294	273	311	282	314	223	190	166	189	237	231	235	2,945
15	Kinross	8,823	10	18	20	18	18	12	9	10	2	12	16	15	160
16	Clackmannan	20,268	35	47	56	60	35	26	22	18	19	27	18	30	393
	V. WEST-MIDLAND.														
17	Stirling	87,699	155	180	191	183	177	160	146	133	123	107	125	169	1,849
18	Dumbarton	53,457	108	117	132	93	115	95	95	89	84	106	100	91	1,225
19	Argyll	84,880	141	154	186	173	155	139	126	98	81	84	112	112	1,561
20	Bute	16,365	34	28	22	31	29	28	27	31	26	20	22	20	318
	VI. SOUTH-WESTERN.														
21	Renfrew	167,667	396	463	430	376	365	354	321	338	259	316	334	374	4,326
22	Ayr	198,154	452	397	449	430	463	402	344	297	296	324	352	401	4,607
23	Lanark	629,715	1756	2011	1871	1828	1581	1391	1430	1188	993	1150	1186	1551	17,936
	VII. SOUTH-EASTERN.														
24	Linlithgow	38,200	84	66	64	68	86	58	42	32	51	37	56	68	712
25	Edinburgh	272,633	633	702	588	561	556	470	471	426	450	496	526	577	6,456
26	Haddington	37,498	89	79	101	78	79	58	39	47	44	47	49	69	779
27	Berwick	36,454	51	55	63	56	71	53	44	46	34	36	44	51	604
28	Peebles	11,248	15	13	14	12	19	19	7	18	14	17	8	11	167
29	Selkirk	10,350	11	9	28	16	14	24	17	12	10	14	10	11	176
	VIII. SOUTHERN.														
30	Roxburgh	53,466	76	96	132	104	93	94	87	74	79	79	99	97	1,110
31	Dumfries	76,133	136	154	156	136	160	126	131	123	93	117	113	135	1,580
32	Kirkcudbright	42,563	107	95	75	83	65	60	60	56	48	50	58	69	826
33	Wigtown	42,228	82	73	73	73	75	74	67	56	57	38	58	83	809

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews Lhanbryde.
147	Banff	(1) Burghal parts of Banff and Gamrie, (2) Rest of Banff.
152	Enzie	Parts of Bellie and Rathven.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	(1) Part of Dundee, (2) Rem. of Dundee, and part of Liff, Benvie, and Invergowrie, (3) Part of Liff, &c.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy & Kinloch, and Rattray.
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish & Corran of Ardgour	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South Knapdale.
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
623*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts, (2) Parts of North Leith, St Cuthberts, and South Leith.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
862	Corsockbridge	Parts of Balmadellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, 559
Abbey St Bathans, 726
Abbotshall, 399
Abdie, 400
Abercorn, 661
Aberdalgie, 323
Aberdeen, 168
Aberdour (Aberdeen), 169
Aberdour (Fife), 401
Aberfeldy, 324
Aberfoyle, 325
Aberlady, 702
Aberlemno, 269
Aberlour, 145
Abernethy, 326
Abernethy and Kincardine, 124
Abernyte, 327
Aboyne, 170
Aharacle, 505
Airdrie, 651
Airlie, 270
Airth, 469
Alford, 171
Alloa, 465
Alness, 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, 125
Alvie, 90
Alyth, 328
Ancrum, 780
Anderston, 644
Annan, 812
Anstruther-Easter, 402
Anstruther-Wester, 403
Anwoth, 855
Appin, 525
Applecross, 58
Applegarth, 813a
Arbirlot, 271
Arbroath, 272
Arbuthnot, 250
Ardchattan, 504
Ardclach, 120
Ardersier, 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, 505
Arngask, 404
Arrochar, 492
Ashkirk, 781
Assynt, 44
Athelstaneford, 703
Auchbreck, 157
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407

Auldearn, 121
Avoch, 59
Avondale, 621
Ayr, 578
Ayton, 727

Baldernock, 471
Balfron, 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, 251
Banchory-Ternan, 252
Banff, 147
Barony, 622
Barr, 580
Barra (Inverness), 108
Barry (Forfar), 274
Barvas, 86a
Bathgate, 662
Beath (Fife), 410
Bedrule, 782
Beith (Ayr), 581
Belhelvie, 174
Bellie, 126
Benbecula, 118
Bendochy, 332
Benholm, 253
Bernera, 111
Bervie (or Inverbervie), 254
Biggar, 623
Birnie, 127
Birsay, 13
Birse, 175
Blackford, 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, 624
Blythswood, 644
Boharm, 128
Boisdale, 118
Boleskine, 92
Bolton, 704
Bonar, 46
Bonhill, 493
Borgue, 858
Bo'ness, 663
Borthwick, 674
Bothkennar, 473
Bothwell, 625
Botriphnie, 148
Bourtie, 176
Bowden, 783
Bower, 34
Bowmore (or Kilarrow), 536
Boyndie, 149
Bracadale, 109

Brechin, 275
Bressay, 1
Bridgeton, 644
Broughton, 758
Brydekirk, 813b
Buchanan, 474
Buittle, 859
Bunkle and Preston, 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, 177
Cadder, 626
Cairney, 178
Calderhead, 626
Callander, 336
Calton, 644
Cambuslang, 627
Cambusnethan, 628
Cameron, 412
Campbeltown, 507
Campsie, 475
Canisbay, 35
Canonbie, 814
Canongate, 685
Caputh, 337
Cardross, 494
Careston, 277
Cargill, 338
Carlaverock, 815
Carloway, 86b
Carluke, 629
Carmichael, 630
Carmunnock, 631
Carmylie, 276
Carnbee, 413
Carnock, 414
Carnwath, 632
Carriden, 664
Carrington, 675
Carsphairn, 860
Carstairs, 633
Castleton, 784
Cathcart, 560
Cavers, 785
Cawdor, 122
Ceres, 415
Channelkirk, 729
Chapel-of-Garioch, 179
Chirnside, 730
Clackmannan, 466
Clatt, 180
Cleish, 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberdeen), 181
Clyde, 644
Clyne, 45
Cockburnspath, 731
Cockpen, 676
Coigach, 75
Coldingham, 732
Coldstream, 733
Colinton, 677
Coll, 551

Collace, 340
Collessie, 416
Colmonell, 582
Colonsay, 539
Colvend, 861
Comrie, 341
Contin, 60
Cookney, 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, 278
Coull, 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, 583
Craig, 280
Craigie, 584
Craignish, 508
Crail, 417
Crailing, 786
Cramond, 679
Cranshaws, 734
Cranston, 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), 46
Crichton, 681
Criech (Fife), 418
Crieff, 342
Crimond, 184
Cromarty, 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, 185
Cullen, 150
Culross, 343
Culsalmond, 186
Culter, 637
Cults, 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, 420
Currie, 682

Dailly, 585
Dairsie, 421
Dalavich, 517
Dalbeattie, 864
Dalgetty, 422
Dalkeith, 683
Dallas, 129
Dalmellington, 586
Dalmeny, 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, 638
Dalton, 818

Dalziel, 639
Daviot, 187
Daviot & Dunlichty, 95
Deerness, 14
Delting, 2
Denny, 476
Deskford, 151
Dingwall, 62
Dirleton, 705
Dollar, 467
Dolphington, 640
Dores, 96
Dornoch (Sutherland), 47
Dornock (Dumfries), 819
Douglas, 641
Dowally, 344
Drainie, 130
Dreghorn, 589
Dron, 345
Drumblade, 188
Drumelzier, 759
Drumoak, 189
Dryfesdale, 820
Drymen, 477
Duddingston, 684
Duffus, 131
Duirinish, 110
Dull, 346
Dumbarton, 496
Dumfries, 821
Dun, 281
Dunbar, 706
Dunbarney, 347
Dunblane, 348
Dunbog, 423
Dundee, 282
Dundonald, 590
Dunfermline, 424
Dunino, 425
Dunipace, 478
Dunkeld, 349
Dunlop, 591
Dunnet, 36
Dunnichen, 283
Dunning, 350
Dunnottar, 255
Dunoon & Kilmun, 510
Dunrossness, 3
Dunscore, 822
Dunse, 735
Dunsyre, 642
Durness, 48
Duror, 525
Durris, 256
Durrisdeer, 823
Duthil, 132
Dyce, 190
Dyke, 13[illegible]
Dysart, 42[illegible]

Eaglesham, 561
Earlsferry, 43[illegible]
Earlston, 73[illegible]
Eassie & Nevay, 284

* The actual number of Districts is 1006—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

East Kilbride, 643
Eastwood, 562
Eccles, 737
Ecclesmachen, 666
Echt, 191
Eckford, 787a
Eday & Pharay, 15
Edderton, 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787b
Edinburgh, 685
Edinkillie, 134
Ednam, 788
Edrom, 738
Edzell, 285
Elgin, 135
Elie, 427
Ellon, 192
Enzie, 152
Errol, 351
Erskine, 563
Eskdalemuir, 824
Ettrick, 774
Evie & Rendall, 16
Ewes, 825
Eyemouth, 739

Fair Isle, 3
Fala & Soutra, 686
Falkirk, 479
Falkland, 428
Farnell, 286
Farr, 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, 592
Ferry-Port-on-Craig, 429
Fetlar, 4
Fettercairn, 257
Fetteresso, 258
Findo-Gask, 352
Fintray (Aberdeen), 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, 430
Flotta, 32
Fodderty, 65
Fogo, 740
Fordoun, 259
Fordyce, 153
Forfar, 288
Forgan, 431
Forgandenny, 353
Forglen, 154
Forgue, 194
Forres, 137
Fort-Augustus (or Abertarff), 92
Forteviot, 354
Fortingall, 355a
Fortrose, 80
Foss, 355b
Fossoway and Tulliebole, 461
Foula, 12
Foulden, 741
Foveran, 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, 197

Gairloch, 66
Galashiels, 775
Galston, 593
Gamrie, 155
Gargunnock, 481
Gartly, 198
Garvald, 707
Garvock, 260
Gigha, 537
Girthon, 866
Girvan, 594
Gladsmuir, 708
Glammis, 289
Glasgow, 644
Glass, 199
Glassary, 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, 826
Glencoe and Ballachulish, 525
Glencross, 687
Glendevon, 358
Glenelg, 97
Glengarry, 99
Glenholm, 761
Glenisla, 290
Glenmoriston, 107
Glenmuick, Tullich, & Glengairn, 201
Glenorchy and Inishail, 512
Glenshee, 370
Glenshiel, 67
Golspie, 51
Gordon, 742
Gourock, 567
Govan, 646
Graitney (or Gretna), 827
Grange, 156
Greenlaw, 743
Greenock, 564
Guthrie, 291

Haddington, 709
Halfmorton, 828
Halkirk, 37
Hamilton, 647
Harray, 18
Harris, 111
Hawick, 789
Heriot, 688
Hobkirk, 790
Hoddam, 829
Holm & Paplay, 19
Holytown, 625
Holywood, 830
Houston and Killellan, 565
Howmore, 118
Hownam, 791
Hoy & Græmsay, 20
Humbie, 710
Hume, 744
Huntly, 202
Hutchesontown, 644
Hutton (Berwick), 745
Hutton (Dumfries), 831

Inch (Wigtown), 886
Inchinnan, 566
Inchture, 359
Innerkip, 567
Innerleithen, 762
Innerwick, 711
Insch (Aberd'n), 203
Inverallan, 93
Inveraray, 513
Inverarity, 292
Inveravon, 157
Inverchaolain, 514
Inveresk, 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, 98
Inverury, 204
Iona, 538
Irongray, 867
Irvine, 595

Jedburgh, 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), 559
Jura, 539

Keig, 205
Keir, 833
Keith, 159
Keith-hall, 206
Kells, 868
Kelso, 793
Kelton, 869
Kemback, 433
Kemnay, 207
Kenmore, 360
Kennoway, 434
Kettins, 294
Kettle, 435
Kilbarchan, 568
Kilberry, 516
Kilbirnie, 596
Kilbrandon and Kilchattan, 515
Kilbride, 553
Kilbucho, 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, 541
Kildonan, 52
Kildrummy, 208
Kilfinan, 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, 482
Killearnan, 68
Killin, 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, 598
Kilmelford, 524
Kilmeny (Argyll), 543
Kilmodan, 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, 523
Kilmorich, 527
Kilmory, 554
Kilmuir, 112
Kilmuir-Easter, 69
Kilmun, 509
Kilninian and Kilmore, 544
Kilninver, 524
Kilrenny, 438
Kilspindie, 363
Kilsyth, 483
Kiltarlity, 101
Kiltearn, 70
Kilwinning, 599
Kincardine (Perth), 364
Kincardine (Ross), 71
Kincardine O'Neil, 209
Kinclaven, 365
Kinfauns, 366
Kingarth, 555
King-Edward, 210
Kinghorn, 439
Kinglassie, 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie and Insh, 102
Kinlochbervie, 49
Kinloch-Rannoch, 367
Kinlochspelvie, 545
Kinloss, 138
Kinnaird, 368
Kinneff and Catterline, 262
Kinnell, 296
Kinnellar, 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, 369
Kinross, 462
Kintail, 72
Kintore, 213
Kippen, 484
Kirkbean, 870
Kirkcaldy, 442
Kirkcolm, 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, 298
Kirkgunzeon, 872
Kirkhill, 103
Kirkhope, 776
Kirkinner, 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), 600
Kirkmichael (Banff), 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, 838
Kirkton (Assynt), 44
Kirkton (Farr), 50
Kirktown (Roxburgh), 794
Kirkurd, 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, 97

Ladhope, 799
Ladykirk, 746
Laggan, 104
Lairg, 53
Lanark, 648
Langholm, 839
Langton, 747
Larbert, 485
Largo, 443
Largs, 602
Larkhall, 638
Lasswade, 691
Latheron, 38
Lauder, 748
Laurencekirk, 263
Leadhills, 635
Lecropt, 371
Legerwood, 749
Leith, 692
Leochel-Cushnie, 214
Lerwick, 5
Leslie (Aberdeen), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, 891
Lethendy and Kinloch, 372
Lethnott and Navar, 300
Leuchars, 445
Libberton (Lanark), 650
Liberton (Edinburgh), 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, 795
Linlithgow, 668
Linton, 796
Lintrathen, 302
Lismore, 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, 99
Lochalsh, 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, 376
Longforgan, 377
Longformacus, 750
Longside, 218
Lonmay, 219
Loth, 54
Loudoun, 603
Lumphanan, 220
Lunan, 305
Lundie, 306
Lunnasting, 7
Luss, 499
Lyne, 765

Madderty, 378
Mains, 307

Makerston, 797
Manor, 766
Markinch, 447
Marnoch, 161
Maryculter, 264
Maryhill, 622
Marykirk, 265
Marytown, 308
Mauchline, 604
Maxton, 798
Maybole, 605
Mearns, 571
Meggat, 765
Meigle, 379
Melrose, 799
Menmuir, 309
Merton, 751
Methlic, 221
Methven, 380
Mid-Calder, 694
Middlebie, 841
Midmar, 222
Mid & S. Yell, 6
Millbrex, 222*b*
Milton, 644
Minnigaff, 876
Minto, 800
Mochrum, 892
Moffat, 842
Moneydie, 381
Monifieth, 310
Monikie, 311
Monimail, 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, 712
Mortlach, 162
Morton, 843
Morvern, 528
Moulin, 384
Mousewald, 844
Moy and Dalarossie, 105
Muckairn, 529
Muckhart, 385
Muiravonside, 486
Muirkirk, 607
Murroes, 313
Musselburgh, 689
Muthill, 386

Nairn, 123
Neilston, 572
Nenthorn, 753
Nesting, 7
New Abbey, 877
Newbattle, 695
Newburgh, 450
Newburn, 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New, or East, Kilpatrick, 500
Newhills, 226
Newington, 685
Newlands, 767
New Ardrossan, 576
New Luce, 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, 696
Newtyle, 314
Nigg (Kincardine), 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, 22
North Uist, 113
North Yell, 4

Oa, 546
Oathlaw, 315
Oban, 523
Ochiltree, 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce (or Glenluce), 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, 39
Ordiquhill, 163
Ormiston, 715
Orphir, 23
Orwell, 463
Oxnam, 802
Oyne, 230

Paisley, 573
Panbride, 316
Papa-Stour, 12
Papa-Westray, 33
Partick, 646
Parton, 878
Peebles, 768
Pencaitland, 716
Penicuik, 697
Penninghame, 895
Penpont, 845
Persie, 386*b*
Perth, 387
Peterculter, 231
Peterhead, 232
Pettinain, 653
Petty, 106
Pitsligo, 233
Pittenweem, 452
Polmont, 487
Polwarth, 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, 114
Premnay, 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Rafford, 140
Raasay, 114
Rathen, 235
Ratho, 698
Rathven, 164
Rattray, 389
Rayne, 236
Reay, 40
Redgorton, 390
Renfrew, 575
Rerrick, 879
Rescobie, 317
Resolis, 79
Rhynd, 391
Rhynie, 237
Riccarton, 611
Roberton, 777
Rogart, 55
Rosehall, 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, 81
Rothes, 141
Rothesay, 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilsay, 24
Row, 503
Roxburgh, 803
Rutherglen, 654
Ruthven, 318
Ruthwell, 846

Saddell, 531
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), 453
St Boswells, 804
St Cyrus, 267
St Fergus, 166
St George, 685
St Giles, 685
St Kilda, 111
St Madoes, 392
St Martins, 393
St Michaels, 668
St Monance (or Abercrombie), 454
St Mungo, 847
St Nicholas, 168
St Ninians, 488
St Quivox and Newton-upon-Ayr, 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, 719
Sanday, 26
Sandness, 12
Sandsting and Aithsting, 9
Sandwick, 27
Sandwick & Cunningsburgh, 3
Sanquhar, 848
Savoch, 237*b*
Scone, 394*a*
Scoonie, 456
Scourie, 49
Seafield, 167
Selkirk, 778
Shapinshay, 28
Shettleston, 622
Shieldaig, 58
Shotts, 655
Skene, 238
Skipness, 531
Skirling, 769
Slains, 239
Slamannan, 489
Sleat, 115
Smailholm, 805
Small Isles, 116
Snizort, 117
Sorbie, 897
Sorn, 613
Southdean, 806
Southend, 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 118
Speymouth, 143
Spott, 720
Springburn, 622
Sprouston, 807
Stair, 614
Stenscholl, 112
Stenton, 721
Stevenston, 615
Stewarton, 616
Stirling, 490
Stitchel, 808
Stobo, 770
Stoer, 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, 699
Stracathro, 320
Strachan, 268
Strachur, 534
Straiton, 617
Stralachlan, 534
Stranraer, 899
Strath, 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathy, 50
Strichen, 241
Stromness, 30
Stronsay, 31
Sunart (or Strontian), 505
Swinton, 755
Symington (Ayr), 618
Symington (Lanark), 657

Tain, 82
Tannadice, 321
Tarbat, 83
Tarbert, 535
Tarbolton, 619
Tarland, 242
Tarves, 243
Tealing, 322
Temple, 700
Tenandry, 394*c*
Terregles, 880
Teviothead, 809
Thurso, 41
Tibbermore, 395
Tillicoultry, 40
Tingwall, 1
Tinwald, 84
Tobermory, 54
Tomintoul, 16
Tongland, 88
Tongue, 5
Torosay, 55
Torphichen, 67
Torryburn, 45
Torthorwald, 85
Tough, 24
Towie, 24
Tradeston, 64
Tranent, 72
Traquair, 77
Trinity-Gask, 39
Troqueer, 88
Tulliallan, 39
Tullynessle and Forbes, 24
Tundergarth, 85
Turriff, 24
Tweedsmuir, 77
Twynholm, 88
Tynron, 85
Tyree, 55
Tyrie, 24

Udny, 24
Uig, 8
Unst, 1
Uphall, 67
Urquhart (Elgin), 14
Urquhart (Inverness), 10
Urquhart and Logie-Wester, 8
Urr, 88
Urray, 8

Walls (Shetland), 1
Walls (Orkney), 3
Walston, 65
Wamphray, 853
Wandell and Lamington, 65
Wanlockhead, 853
Watten, 4
Weem, 39
Wemyss, 45
West Calder, 70
Westerkirk, 85
West Kilbride, 62
West Linton, 77
Westray, 3
Westruther, 75
Whalsay and Skerries,
Whitburn, 67
Whitekirk and Tynninghame, 72
Whiteness and Weesdale, 1
Whithorn, 90
Whitsome, 75
Whittinghame, 72
Wick, 4
Wigtown, 90
Wilton, 81
Wiston and Roberton, 60

Yarrow, 77
Yester (or Gifford), 72
Yetholm, 81